



## Open Archive Toulouse Archive Ouverte






OATAO is an open access repository that collects the work of Toulouse researchers and makes it freely available over the web where possible

This is an author's version published in: <http://oatao.univ-toulouse.fr/25884>

### Official URL:

<https://meetings.aps.org/Meeting/DFD19/Session/Q39.1>

### To cite this version:

Pinaud, Johan  and Albagnac, Julie  and Brancher, Pierre   
and Cazin, Sébastien  and Rida, Zeinab  *3D measurements of inclined vortex rings interacting with a density stratification.*  
(2019) In: 72nd Annual Meeting of the APS Division of Fluid Dynamics, 23 November 2019 - 26 November 2019 (Seattle, United States).

Any correspondence concerning this service should be sent  
to the repository administrator: [tech-oatao@listes-diff.inp-toulouse.fr](mailto:tech-oatao@listes-diff.inp-toulouse.fr)

Abstract Submitted  
for the DFD19 Meeting of  
The American Physical Society

**3D measurements of inclined vortex rings interacting with a density stratification** JOHAN PINAUD, JULIE ALBAGNAC, PIERRE BRANCHER, SEBASTIEN CAZIN, ZEINAB RIDA, Institut de Mcanique des Fluides de Toulouse — Vortex rings are coherent vortical structures that dominate the dynamics of numerous flows as they are generated each time an impulsive jet occurs in a homogeneous fluid. They are also considered as elementary bricks of turbulence. Their faculty to propagate along their revolution axis by self-induction confers to such structures interesting transport properties, namely, transport of momentum, mass and heat. They are therefore often qualified as good candidates for mixing. From this perspective, the present study addresses the interaction of a vortex ring with a density stratification in order to get a better understanding of the subsequent mixing mechanisms. A new 3D time-resolved technique is used and gives a highlight at short timescale on the 3D vorticity reorganization and at larger timescale on the 3D patterns of internal gravity waves forced by the impacting/penetrating vortex. The influence of the Reynolds number of the vortex ring and its angle of attack relative to isopycnals will be detailed.

Julie Albagnac  
Institut de Mcanique des Fluides de Toulouse

Date submitted: 23 Jul 2019

Electronic form version 1.4