

## Supplementary Information

# Description of the Reaction Intermediate Stabilization for the Zimmerman Di- $\pi$ -methane Rearrangement on the Basis of a Parametric Diabatic Analysis

Daniela E. Ortega,<sup>†</sup> Ricardo A. Matute<sup>\*,†,§</sup>

<sup>†</sup>Centro Integrativo de Biología y Química Aplicada (CIBQA), Universidad Bernardo OHiggins, Santiago 8370854, Chile.

<sup>§</sup>Division of Chemistry and Chemical Engineering, California Institute of Technology, Pasadena, California 91125, USA.

\* Corresponding author:  
Ricardo A. Matute  
[rmatute@caltech.edu](mailto:rmatute@caltech.edu)

## Table of Contents

Table S1. Electronic energy +ZPE computed at M06-2X/ 6-31G(d) using PCM model with toluene.....	S2
Table S2. Enthalpies computed at M06-2X/ 6-31G(d) using PCM model with toluene.....	S2
Table S3. Gibbs free energies computed at M06-2X/ 6-31G(d) using PCM model with toluene.....	S2
Figure S1. Potential energy surface along the reduced reaction coordinate for: (a) M1, M2, M3 and M4 reaction mechanisms substituted by CN and (b) unsubstituted (H)/substituted (NO <sub>2</sub> , OCH <sub>3</sub> ) M1 reaction mechanisms.....	S3
Figure S2. Reaction force analysis along the reduced reaction coordinate for the M1, M2, M3 and M4 reaction mechanisms substituted by CN. $\xi_{\text{DBB}^*}$ , $\xi_{\text{TS1}}$ , $\xi_{\text{BR1}}$ , $\xi_{\text{TS2}}$ and $\xi_{\text{BR2}}$ denote the sites where each stationary point is located along the reaction coordinate. $\{\xi_{\alpha}, \xi_{\gamma}\}$ denote the minimum and $\{\xi_{\beta}, \xi_{\delta}\}$ the maximum of the reaction force .....	S4
Figure S3. Reaction force analysis along the reduced reaction coordinate for the M1 reaction mechanisms substituted by NO <sub>2</sub> and OCH <sub>3</sub> , respectively. $\xi_{\text{DBB}^*}$ , $\xi_{\text{TS1}}$ , $\xi_{\text{BR1}}$ , $\xi_{\text{TS2}}$ and $\xi_{\text{BR2}}$ denote the sites where each stationary point is located along the reaction coordinate. $\{\xi_{\alpha}, \xi_{\gamma}\}$ denote the minimum and $\{\xi_{\beta}, \xi_{\delta}\}$ the maximum of the reaction force.....	S5
Figure S4. Left Panel: IRC plot for the gas phase and the experimental solvent (toluene). Right Panel: The PDA of the IRC plot using the maximum gradients points (indicated by arrows on the IRC curve) from the Reaction Force Analysis (RFA). The vertex form of the quadratic functions modeling the parabolic wells are shown. $\xi_{\text{DBB}^*}$ , $\xi_{\text{TS1}}$ , $\xi_{\text{BR1}}$ , $\xi_{\text{TS2}}$ and $\xi_{\text{BR2}}$ denote the sites where each stationary point is located along the reaction coordinate. $\{\xi_{\alpha}, \xi_{\gamma}\}$ denote the minimum and $\{\xi_{\beta}, \xi_{\delta}\}$ the maximum of the reaction force.....	S5
Optimized cartesian coordinates.....	S6

**Table S1.** Electronic energy +ZPE computed at M06-2X/ 6-31G(d) using PCM model with toluene.


<b>Substituent</b>	<b>DBB*</b>	<b>TS1</b>	<b>BR1</b>	<b>TS2</b>	<b>BR2</b>
<b>H</b>	-616.31317	-616.29826	-616.31303	-616.30959	-616.33501
<b>CN-M1</b>	-708.53345	-708.52051	-708.53974	-708.53479	-708.55568
<b>CN-M2</b>	-708.53328	-708.51848	-708.53404	-708.53155	-708.55696
<b>CN-M3</b>	-708.53327	-708.51899	-708.53346	-708.53041	-708.55554
<b>CN-M4</b>	-708.53344	-708.51672	-708.5337	-708.53047	-708.55513
<b>NO<sub>2</sub>-M1</b>	-820.74099	-820.72974	-820.7492	-820.74412	-820.76322
<b>OCH<sub>3</sub>-M1</b>	-730.075826	-730.74032	-730.7581	-730.75415	-730.77983

**Table S2.** Enthalpies computed at M06-2X/ 6-31G(d) using PCM model with toluene.


<b>Substituent</b>	<b>DBB*</b>	<b>TS1</b>	<b>BR1</b>	<b>TS2</b>	<b>BR2</b>
<b>H</b>	-616.30142	-616.28668	-616.30129	-616.29809	-616.32314
<b>CN-M1</b>	-708.51987	-708.50683	-708.52618	-708.52149	-708.54195
<b>CN-M2</b>	-708.51969	-708.50503	-708.52041	-708.51822	-708.54324
<b>CN-M3</b>	-708.51969	-708.50556	-708.51986	-708.51708	-708.54182
<b>CN-M4</b>	-708.51986	-708.50304	-708.5201	-708.51713	-708.54139
<b>NO<sub>2</sub>-M1</b>	-820.72669	-820.71534	-820.73498	-820.73014	-820.7488
<b>OCH<sub>3</sub>-M1</b>	-730.74394	-730.72595	-730.74375	-730.74009	-730.76541

**Table S3.** Gibbs free energies computed at M06-2X/ 6-31G(d) using PCM model with toluene.


<b>Substituent</b>	<b>DBB*</b>	<b>TS1</b>	<b>BR1</b>	<b>TS2</b>	<b>BR2</b>
<b>H</b>	-616.3505	-616.33537	-616.35034	-616.34671	-616.37264
<b>CN-M1</b>	-708.57344	-708.56059	-708.57976	-708.57456	-708.59598
<b>CN-M2</b>	-708.57326	-708.55833	-708.57408	-708.57132	-708.59726
<b>CN-M3</b>	-708.57325	-708.55878	-708.57345	-708.57017	-708.59583
<b>CN-M4</b>	-708.57343	-708.55678	-708.57369	-708.57024	-708.59544
<b>NO<sub>2</sub>-M1</b>	-820.78248	-820.77123	-820.79048	-820.7852	-820.80495
<b>OCH<sub>3</sub>-M1</b>	-730.79896	-730.78103	-730.79888	-730.79459	-730.82078




**Figure S1.** Potential energy surface along the reduced reaction coordinate for: (a) M1, M2, M3 and M4 reaction mechanisms substituted by CN and (b) unsubstituted (H)/substituted (NO<sub>2</sub>, OCH<sub>3</sub>) M1 reaction mechanisms.



**Figure S2.** Reaction force analysis along the reduced reaction coordinate for the M1, M2, M3 and M4 reaction mechanisms substituted by CN.  $\xi_{DBB^*}$ ,  $\xi_{TS1}$ ,  $\xi_{BR1}$ ,  $\xi_{TS2}$  and  $\xi_{BR2}$  denote the sites where each stationary point is located along the reaction coordinate.  $\{\xi_\alpha, \xi_\gamma\}$  denote the minimum and  $\{\xi_\beta, \xi_\delta\}$  the maximum of the reaction force.



**Figure S3.** Reaction force analysis along the reduced reaction coordinate for the M1 reaction mechanisms substituted by  $\text{NO}_2$  and  $\text{OCH}_3$ , respectively.  $\xi_{\text{DBB}^*}$ ,  $\xi_{\text{TS1}}$ ,  $\xi_{\text{BR1}}$ ,  $\xi_{\text{TS2}}$  and  $\xi_{\text{BR2}}$  denote the sites where each stationary point is located along the reaction coordinate.  $\{\xi_\alpha, \xi_\gamma\}$  denote the minimum and  $\{\xi_\beta, \xi_\delta\}$  the maximum of the reaction force.



**Figure S4. Left Panel:** IRC plot for the gas phase and the experimental solvent (toluene). **Right Panel:** The PDA of the IRC plot using the maximum gradients points (indicated by arrows on the IRC curve) from the Reaction Force Analysis (RFA). The vertex form of the quadratic functions modeling the parabolic wells are shown.  $\xi_{\text{DBB}^*}$ ,  $\xi_{\text{TS1}}$ ,  $\xi_{\text{BR1}}$ ,  $\xi_{\text{TS2}}$  and  $\xi_{\text{BR2}}$  denote the sites where each stationary point is located along the reaction coordinate.  $\{\xi_\alpha, \xi_\gamma\}$  denote the minimum and  $\{\xi_\beta, \xi_\delta\}$  the maximum of the reaction force.

## Optimized cartesian coordinates

### DBB\*-H

Electronic energy: -616.54217 Hartree

Lowest frequency: 69.4356 cm<sup>-1</sup>

C	-2.29233200	0.93777000	-2.59195200
C	-2.27834300	0.90332300	-1.19540100
C	-1.06948000	0.75181500	-0.52940900
C	0.13159000	0.65473700	-1.25234800
C	0.11453100	0.69387300	-2.63854800
C	-1.10391300	0.83296800	-3.30914800
C	-0.86489700	0.74037400	0.98295200
C	1.36218600	0.51589700	-0.37566000
C	1.11076400	-0.64765100	0.57959800
C	-0.07392900	-0.50903200	1.32252600
C	-0.42006300	-1.46552600	2.26524000
H	-1.33718800	-1.35838100	2.83857400
C	0.41843900	-2.56446400	2.47204100
C	1.59626600	-2.69641500	1.74192200
C	1.95022100	-1.73247600	0.79463600
H	-3.23536100	1.04585500	-3.11902400
H	-3.20437100	0.98766000	-0.63261300
H	1.04380900	0.61747800	-3.19705600
H	-1.12188100	0.86011800	-4.39426300
H	0.14927300	-3.31737700	3.20636000
H	2.24349700	-3.55218100	1.90786800
H	2.87059000	-1.83125100	0.22498300
H	-1.80928900	0.81187300	1.52875300
H	2.28467300	0.38921500	-0.94823500
C	1.39777100	1.69255400	0.59770700
C	0.04529200	1.95351200	1.16515000
H	-0.42770600	2.91669500	0.97483000
H	2.26034100	1.71385500	1.26346400

### TS1-H

Electronic energy: -616.52509 Hartree

Lowest frequency: -613.481 cm<sup>-1</sup>

C	-0.05114600	0.25703200	-0.04055800
C	-0.01422900	0.18319900	1.35312900
C	1.19943500	-0.01306000	1.99979600
C	2.38364200	-0.12947700	1.25460700
C	2.34400800	-0.05790500	-0.13202500
C	1.12246400	0.13616100	-0.77983300
C	1.40384200	-0.09338400	3.50490800

C	3.62957900	-0.34429900	2.06319400
C	3.44604700	-1.35501200	3.17548200
C	2.16714200	-1.35968700	3.82250700
C	1.86025100	-2.32073100	4.76030600
H	0.89990400	-2.29010500	5.26847400
C	2.79507900	-3.31893000	5.07330700
C	4.05429100	-3.31719600	4.45631600
C	4.39215800	-2.35627800	3.51974400
H	-0.99877200	0.40849600	-0.54826500
H	-0.92861200	0.27615600	1.93352800
H	3.26154600	-0.15235900	-0.70699800
H	1.08973600	0.19256000	-1.86341800
H	2.54859400	-4.08379500	5.80192200
H	4.77254400	-4.09290400	4.70555600
H	5.36022900	-2.37487900	3.02705900
H	0.46599200	0.00983500	4.05657800
H	4.54214000	-0.48638600	1.48422900
C	3.74883000	0.52944300	3.28123800
C	2.44529700	0.97255300	3.82475600
H	2.14887900	2.01930500	3.79698200
H	4.71414000	0.74439300	3.71920700

### BR1-H

Electronic energy: -616.54094 Hartree

Lowest frequency: 64.9525 cm<sup>-1</sup>

C	-2.39198400	0.98441200	-2.56257000
C	-2.31871300	1.00708700	-1.16864500
C	-1.09560000	0.82155100	-0.53815500
C	0.06970800	0.61619400	-1.29813500
C	-0.01093700	0.58720900	-2.68749700
C	-1.24145800	0.77299700	-3.31808100
C	-0.86925700	0.81121800	0.96927900
C	1.33012100	0.43567700	-0.54037200
C	1.23624200	-0.32922500	0.81546500
C	-0.15100500	-0.48313300	1.28932100
C	-0.55924100	-1.60517000	1.94326200
H	-1.58210300	-1.68983900	2.30122900
C	0.36498000	-2.65149700	2.18562700
C	1.72024900	-2.51250900	1.79624700
C	2.17695900	-1.39318600	1.15502900
H	-3.34788300	1.12933800	-3.05637800
H	-3.21416900	1.16583100	-0.57301400
H	0.88743700	0.42311300	-3.27693400
H	-1.29949400	0.75268100	-4.40195000
H	0.04118700	-3.55069900	2.69716500

H	2.41583400	-3.31510600	2.02434300
H	3.22008000	-1.29120400	0.86920400
H	-1.79502300	0.97269200	1.52665700
H	2.23789300	0.24440400	-1.10624900
C	1.49235400	1.18378500	0.77466300
C	0.23861000	1.81203100	1.24412600
H	0.07111200	2.88266400	1.25299900
H	2.46840200	1.58988000	1.01608800

### TS2-H

Electronic energy: -616.53656 Hartree

Lowest frequency: -543.3135 cm<sup>-1</sup>

C	0.00655900	0.01386700	0.01643400
C	0.00411400	-0.00257000	1.41273500
C	1.20330400	-0.00130100	2.11005800
C	2.43287500	0.02978700	1.41439200
C	2.42382300	0.01682800	0.01583700
C	1.21615300	0.01638800	-0.67675900
C	1.33462700	-0.09054200	3.62773000
C	3.65634400	0.03932200	2.20520500
C	3.55232200	-0.97237800	3.68420200
C	2.17169200	-1.32943100	3.89461400
C	1.81474100	-2.62080100	4.18578700
H	0.77009400	-2.88475100	4.32850000
C	2.81825100	-3.60050600	4.31906000
C	4.17308900	-3.25611300	4.16833800
C	4.56209100	-1.96314700	3.87746400
H	-0.93308200	0.01597100	-0.52701700
H	-0.93529900	-0.02631800	1.95968100
H	3.36610000	0.02303300	-0.52589400
H	1.21921000	0.01940400	-1.76242600
H	2.54562900	-4.62292300	4.55715500
H	4.93228600	-4.02102700	4.30277100
H	5.61173500	-1.69814000	3.78898700
H	0.35966600	-0.07588900	4.12138200
H	4.61661200	-0.07496700	1.71200900
C	3.64361400	0.53363800	3.62546000
C	2.29509600	1.00610100	4.04286900
H	4.53900200	1.03374300	3.98509500
H	2.01328400	2.05272700	4.04914800

### BR2-H

Electronic energy: -616.56341 Hartree

Lowest frequency: 62.8928 cm<sup>-1</sup>

C	-2.36688900	0.61662600	-2.58722400
C	-2.27995500	0.56762900	-1.19362300
C	-1.06542600	0.74558900	-0.55034300
C	0.11799200	0.99969300	-1.31349300
C	0.00605600	1.03148200	-2.72369800
C	-1.21617300	0.84568600	-3.34733300
C	-0.91639100	0.66121100	0.96812800
C	1.35563200	1.21996100	-0.65343900
C	1.24073600	-0.29781700	1.26352700
C	-0.12679100	-0.59766500	1.31046500
C	-0.56095300	-1.88273700	1.58970800
H	-1.62116600	-2.11927700	1.61954500
C	0.39563100	-2.87149100	1.84473100
C	1.75544800	-2.57216500	1.79946500
C	2.19180100	-1.27794800	1.49613800
H	-3.32500800	0.47344400	-3.07638800
H	-3.17193500	0.38162500	-0.60011300
H	0.89985100	1.21543000	-3.31435300
H	-1.28017800	0.88046100	-4.43056900
H	0.07488500	-3.88123400	2.08201500
H	2.48431800	-3.35085900	2.00273300
H	3.25304900	-1.04847700	1.45461500
H	-1.89209700	0.72427000	1.45839600
H	2.26822600	1.34067800	-1.22815400
C	1.39887500	1.17105900	0.86241100
C	0.08286300	1.72348200	1.35954400
H	2.29533800	1.65277200	1.26007200
H	-0.15060000	2.78260400	1.32630800

### DBB\*-CN-M1

Electronic energy: -708.76116 Hartree

Lowest frequency: 48.9584 cm<sup>-1</sup>

C	-2.59823900	1.31752000	-2.86838900
C	-2.58895900	1.33630400	-1.47118400
C	-1.38433900	1.20958800	-0.79557900
C	-0.18547900	1.05924600	-1.51173600
C	-0.19335900	1.05317100	-2.90013300
C	-1.40840600	1.17780300	-3.57767000
C	-1.20049300	1.21849800	0.71086400
C	1.04776300	0.98228400	-0.61570400
C	0.81026500	-0.13877600	0.37680000
C	-0.40645300	-0.03049000	1.07608000
C	-0.75567400	-0.97211400	2.03627500
H	-1.69109100	-0.87920300	2.58005200
C	0.09755600	-2.04307400	2.29153000

C	1.30108200	-2.15266500	1.58901500
C	1.66556900	-1.19558900	0.62818700
H	-3.53861400	1.41302100	-3.40206800
H	-3.51625200	1.45038500	-0.91611300
H	0.73712800	0.94639900	-3.45124600
H	-1.42357200	1.16420800	-4.66303500
H	-0.16297700	-2.79418600	3.02941400
H	2.60747200	-1.29148700	0.09665400
H	-2.14316600	1.28370600	1.25962000
H	1.97062100	0.85898900	-1.18753100
C	0.95588700	2.31153000	0.13142900
C	-0.19736900	2.31157000	1.07367100
H	-0.00954700	2.43560400	2.13960600
H	1.13630100	3.19475400	-0.48013800
C	2.18087800	-3.25936500	1.85493200
N	2.89025900	-4.14907000	2.06873100

### TS1-CN-M1

Electronic energy: -708.74595 Hartree

Lowest frequency: -590.43 cm<sup>-1</sup>

C	0.00166400	0.21410700	-0.13156400
C	0.01514400	0.15567800	1.26257700
C	1.22140500	-0.02354500	1.92796600
C	2.41544800	-0.14633100	1.20519600
C	2.40043300	-0.08711400	-0.18236400
C	1.18853800	0.09320500	-0.85037600
C	1.37599500	-0.12025900	3.42126900
C	3.64865100	-0.32291300	2.06627000
C	3.42662200	-1.46843300	3.03214400
C	2.25533200	-1.27860600	3.83197900
C	2.01419800	-2.14054600	4.92850400
H	1.12584000	-2.00296900	5.53777500
C	2.88831400	-3.16865900	5.19514300
C	4.04312700	-3.35210100	4.39492100
C	4.31812300	-2.48084000	3.33062200
H	-0.93832400	0.35279700	-0.65632400
H	-0.90936900	0.24822400	1.82626000
H	3.32821400	-0.18098800	-0.74042800
H	1.17210700	0.13907500	-1.93477100
H	2.69769200	-3.85565200	6.01272600
H	5.22544000	-2.60670800	2.74719700
H	0.44327200	-0.06791600	3.98282100
H	4.56628500	-0.42021800	1.48404100
C	3.67894700	0.81639200	3.07180300
C	2.48280800	0.72803800	3.96458900

H	2.49765000	1.01931500	5.00636900
H	4.61896300	1.20367400	3.44588700
C	4.94166600	-4.42884600	4.68183900
N	5.67193000	-5.29848100	4.91732900

### BR1-CN-M1

Electronic energy: -708.76682 Hartree

Lowest frequency: 41.1398 cm<sup>-1</sup>

C	-2.55993900	1.05735200	-2.96845500
C	-2.60262900	1.04306500	-1.57397500
C	-1.41808500	1.08346800	-0.84534100
C	-0.18584200	1.12789100	-1.51882800
C	-0.14572900	1.14369500	-2.90625900
C	-1.33738300	1.10956200	-3.63277100
C	-1.36277000	1.08723700	0.63705400
C	1.02946400	1.15540600	-0.59818800
C	0.88548700	-0.02304900	0.34271900
C	-0.18010900	0.31678700	1.29833400
C	-0.40430200	-0.59639200	2.41171400
H	-1.15068900	-0.34992600	3.16104700
C	0.29881200	-1.76009100	2.48106300
C	1.28984200	-2.08393900	1.50361400
C	1.59112500	-1.17609200	0.44253300
H	-3.48502500	1.02733800	-3.53541100
H	-3.55655500	1.00399200	-1.05479600
H	0.81161100	1.17867600	-3.41961500
H	-1.30870700	1.12020400	-4.71779200
H	0.12242900	-2.46038800	3.29079500
H	2.39355300	-1.41009500	-0.25034200
H	-2.30150500	1.01475400	1.17907600
H	1.97005000	1.18509700	-1.15204900
C	0.80897100	2.30007100	0.37291800
C	-0.24365200	1.85441900	1.31215100
H	-0.46357500	2.38677800	2.23072600
H	0.97735600	3.33711900	0.10954100
C	2.00783100	-3.30567000	1.61128300
N	2.59559900	-4.30464900	1.69872900

### TS2-CN-M1

Electronic energy: -708.7608 Hartree

Lowest frequency: -529.4373 cm<sup>-1</sup>

C	-2.41478900	0.89324000	-3.01785000
C	-2.53849100	0.95861900	-1.63295700
C	-1.39957100	1.10159200	-0.83337200

C	-0.12612500	1.13194000	-1.44458400
C	-0.01100800	1.06464700	-2.82462900
C	-1.15685600	0.95283700	-3.61548200
C	-1.45833900	1.19836200	0.61688800
C	1.04754200	1.17908700	-0.47028500
C	0.88110100	-0.03267300	0.43132200
C	-0.08764300	0.30301500	1.43993500
C	-0.45050700	-0.66626200	2.41752700
H	-1.13857400	-0.41025000	3.21722900
C	0.08844800	-1.92985200	2.32995900
C	1.01254300	-2.25767500	1.31061500
C	1.41156000	-1.28860000	0.35431700
H	-3.30362800	0.79517200	-3.63296200
H	-3.51927500	0.91663500	-1.16694100
H	0.97355400	1.08770000	-3.28454600
H	-1.06484900	0.90128700	-4.69566500
H	-0.17675200	-2.68736800	3.05996700
H	2.13671400	-1.55163700	-0.40980500
H	-2.39728800	1.02356100	1.13283100
H	2.00652700	1.23777200	-0.99010600
C	0.75737200	2.30576800	0.49973500
C	-0.32022900	1.79394800	1.39254600
H	-0.57203700	2.32146500	2.30901200
H	0.84778600	3.34970500	0.22449200
C	1.56416800	-3.57374400	1.25534500
N	2.01246900	-4.64327900	1.20861600

### BR2-CN-M1

Electronic energy: -708.78275 Hartree

Lowest frequency: 45.8798 cm<sup>-1</sup>

C	-2.33578400	1.08889300	-3.09124900
C	-2.52759900	1.34067000	-1.74349400
C	-1.43057900	1.41244200	-0.85258600
C	-0.11963700	1.19328100	-1.38075400
C	0.05216500	0.94680200	-2.73348200
C	-1.04617900	0.89448500	-3.59517000
C	-1.60340000	1.69992300	0.52675500
C	1.04704600	1.22036700	-0.39366300
C	0.93349300	0.00275200	0.51548200
C	0.10111700	0.32335100	1.59858500
C	-0.21103900	-0.61903700	2.56627100
H	-0.85957700	-0.37278200	3.40137700
C	0.33722300	-1.89681200	2.45637700
C	1.16631600	-2.21379200	1.37483000
C	1.46607600	-1.26399500	0.38258300

H	-3.19056700	1.04431900	-3.75888600
H	-3.52948700	1.49711600	-1.35224300
H	1.05511100	0.78738200	-3.12182200
H	-0.89679700	0.69918600	-4.65206100
H	0.12839900	-2.65237300	3.20612000
H	2.10580100	-1.53139900	-0.45273600
H	-2.59894800	1.79567600	0.94731800
H	2.00273500	1.29668800	-0.91911900
C	0.75184100	2.32303700	0.59425400
C	-0.38038500	1.76364900	1.42374000
H	-0.58734900	2.28490500	2.36095400
H	0.81469500	3.37330800	0.33162500
C	1.72556300	-3.53601500	1.27912800
N	2.17647100	-4.59962100	1.20111400

### DBB\*-CN-M2

Electronic energy: -708.761 Hartree

Lowest frequency: 48.8178 cm<sup>-1</sup>

C	-2.61605600	1.25711300	-2.87006600
C	-2.60134000	1.28226400	-1.47361400
C	-1.38931700	1.17516000	-0.80477700
C	-0.18831700	1.06220900	-1.52419300
C	-0.20602100	1.04096000	-2.91074900
C	-1.42687300	1.13662500	-3.58391400
C	-1.18513500	1.23394500	0.70723100
C	1.04539600	0.97698000	-0.64459200
C	0.80502500	-0.14666900	0.35833100
C	-0.38216400	0.00966000	1.09784600
C	-0.72269600	-0.90822300	2.08125300
H	-1.63963300	-0.78582100	2.65006200
C	0.11822300	-1.98967500	2.33811700
C	1.30036100	-2.13590600	1.60708600
C	1.65433700	-1.20952700	0.61390500
H	-3.56055000	1.33100900	-3.40008300
H	-3.52763300	1.37906300	-0.91361100
H	0.72340200	0.95182900	-3.46673600
H	-1.44640300	1.11704500	-4.66901700
H	-0.13466400	-2.71831300	3.10058700
H	2.57792100	-1.33505100	0.05699900
H	-2.12914100	1.31778600	1.25106200
H	1.96914000	0.83453200	-1.21059600
C	1.06855300	2.19257900	0.27949800
C	-0.28591400	2.46249900	0.83722500
H	-0.77155500	3.40976500	0.60570100
H	1.93367100	2.25882000	0.93834500

C	2.16863800	-3.25156100	1.87599400
N	2.86906300	-4.14777200	2.09165900

### TS1-CN-M2

Electronic energy: -708.74384 Hartree

Lowest frequency: -616.2711 cm<sup>-1</sup>

C	0.04478300	0.32157800	-0.06005600
C	0.07562600	0.32881700	1.32296600
C	1.29104200	0.02975000	1.99281100
C	2.45840200	-0.26025900	1.21487100
C	2.40378600	-0.24910300	-0.16173800
C	1.19169000	0.02560900	-0.81107800
C	1.42207700	-0.14320500	3.49180000
C	3.68708800	-0.31433600	2.09507800
C	3.49009100	-1.41137600	3.12871800
C	2.29988500	-1.29762600	3.86872800
C	1.99653100	-2.22549400	4.85815800
H	1.07407300	-2.13681900	5.42430200
C	2.87869700	-3.26900800	5.12433700
C	4.06439900	-3.37457700	4.39111300
C	4.37523800	-2.44465600	3.38841700
H	-0.88899200	0.53392300	-0.57221900
H	-0.82148200	0.53494700	1.89971600
H	3.30555400	-0.43546700	-0.73885900
H	1.14445600	0.02159100	-1.89463500
H	2.65606000	-3.99948900	5.89435800
H	5.29916500	-2.54034100	2.82591600
H	0.47613400	-0.08407700	4.02942200
H	4.62478700	-0.42692200	1.54589300
C	3.56005100	0.99124900	2.87064600
C	2.14793300	1.15708000	3.28021500
H	1.62940600	2.10110600	3.37591200
H	4.37834400	1.30284300	3.51610400
C	4.97926100	-4.45023700	4.66826500
N	5.71707700	-5.31430900	4.89030000

### BR1-CN-M2

Electronic energy: -708.76051 Hartree

Lowest frequency: 46.8885 cm<sup>-1</sup>

C	-2.60161600	1.46014600	-2.75076700
C	-2.50010600	1.82427800	-1.43590800
C	-1.25582400	1.56433200	-0.71755900
C	-0.13237900	1.01307000	-1.49554100
C	-0.27017000	0.68273800	-2.80906500

C	-1.51661300	0.87856000	-3.45262100
C	-1.27086700	1.06142700	0.76386100
C	1.07080300	0.99787500	-0.57538300
C	0.84070200	-0.14025700	0.41019500
C	-0.39386900	-0.08201000	1.08720100
C	-0.73178700	-1.07955300	1.99982700
H	-1.68589600	-1.03933400	2.51694600
C	0.15188900	-2.12238700	2.25453700
C	1.38025600	-2.16741900	1.58672600
C	1.72634500	-1.17455300	0.65866500
H	-3.53564200	1.63016300	-3.27827500
H	-3.33305200	2.27988400	-0.90823900
H	0.57618000	0.29464000	-3.36955600
H	-1.63335500	0.60862700	-4.49581800
H	-0.10133100	-2.89996900	2.96690000
H	2.67986300	-1.22368300	0.14119700
H	-2.24064000	1.10938100	1.25081100
H	2.03635700	0.91791400	-1.07950300
C	0.84136000	2.28422700	0.19674400
C	-0.61858100	2.39019900	0.40328900
H	-1.08768300	3.29858600	0.76398400
H	1.57833400	2.70764100	0.86831700
C	2.29818900	-3.24235600	1.85127300
N	3.03932900	-4.10646800	2.06321500

### TS2-CN-M2

Electronic energy: -708.75724 Hartree

Lowest frequency: -523.8852 cm<sup>-1</sup>

C	-2.55826000	1.24622000	-2.81028400
C	-2.47789200	1.79154600	-1.54521100
C	-1.24584400	1.67814400	-0.82870900
C	-0.10534200	1.08698600	-1.48603700
C	-0.21393000	0.55539100	-2.74449000
C	-1.45014100	0.62639800	-3.41634500
C	-1.32639900	1.06844900	0.83812200
C	1.04881500	1.10788800	-0.49937500
C	0.80494200	-0.07654700	0.42935700
C	-0.45559300	-0.06976400	1.07492700
C	-0.82333500	-1.16136000	1.87153600
H	-1.79666100	-1.17111200	2.35319300
C	0.05558600	-2.21668900	2.06520000
C	1.31276000	-2.19893200	1.44633900
C	1.68209100	-1.12776900	0.61776500
H	-3.49285600	1.31324900	-3.35890400
H	-3.32876900	2.29172000	-1.09215300

H	0.64607900	0.09913200	-3.22712300
H	-1.54395300	0.21559200	-4.41555400
H	-0.22044300	-3.05585400	2.69448600
H	2.64886800	-1.13476600	0.12271300
H	-2.34554200	1.04859000	1.21064700
H	2.04412300	1.07518100	-0.94856000
C	0.72881700	2.35602000	0.29828500
C	-0.75448800	2.39186200	0.40748500
H	-1.26417300	3.28642400	0.75378300
H	1.38964300	2.74738800	1.06240500
C	2.22666700	-3.28767800	1.65050400
N	2.96553200	-4.16492900	1.81372300

### BR2-CN-M2

Electronic energy: -708.78418 Hartree

Lowest frequency: 45.4251 cm<sup>-1</sup>

C	-2.41308100	1.29399800	-2.99621200
C	-2.39125500	1.88916900	-1.73031700
C	-1.23019000	1.79831800	-0.98024100
C	-0.11137400	1.11062300	-1.46584400
C	-0.13733900	0.50270100	-2.70978900
C	-1.30080700	0.60842000	-3.47961900
C	-1.23887000	1.14140100	1.37171100
C	0.98389300	1.14418200	-0.40426400
C	0.76991600	-0.02823900	0.55017500
C	-0.38626500	0.01544900	1.39929300
C	-0.63264800	-1.08680000	2.25722700
H	-1.51031900	-1.06737000	2.89678600
C	0.22563600	-2.16493300	2.29898600
C	1.36441600	-2.18154100	1.47427700
C	1.62556100	-1.10925000	0.60321400
H	-3.30644000	1.36819200	-3.60857700
H	-3.26200500	2.41792100	-1.35299000
H	0.72729700	-0.03704900	-3.08601300
H	-1.33617100	0.15295100	-4.46434500
H	0.03332600	-3.00056200	2.96317300
H	2.50452400	-1.14028800	-0.03436900
H	-2.14721700	1.15148500	1.96546700
H	2.00026000	1.13717400	-0.80721100
C	0.58872700	2.38789500	0.35528700
C	-0.91677300	2.29048900	0.43594500
H	-1.43764900	3.20647100	0.72296500
H	1.19081300	2.80173200	1.15697200
C	2.26226800	-3.29818800	1.51737500
N	2.98923400	-4.20022100	1.55159600

**DBB\*-CN-M3**

Electronic energy: -708.761 Hartree

Lowest frequency: 48.9397 cm<sup>-1</sup>

C	-2.59220500	1.30202900	-2.87210500
C	-2.58549300	1.31244400	-1.47542100
C	-1.37801400	1.19116600	-0.80075900
C	-0.17354300	1.07873600	-1.51440600
C	-0.18326400	1.07221900	-2.90121400
C	-1.39959500	1.18204000	-3.58034300
C	-1.18232300	1.23311000	0.71293800
C	1.05451600	0.97725800	-0.62863200
C	0.80196700	-0.15516900	0.36129700
C	-0.38861500	0.00029900	1.09553700
C	-0.73997800	-0.92564400	2.06754000
H	-1.65951200	-0.80388600	2.63228100
C	0.09340900	-2.01433500	2.31822200
C	1.27897600	-2.15973000	1.59258700
C	1.64385500	-1.22529300	0.61096400
H	-3.53313700	1.38706900	-3.40676800
H	-3.51447000	1.40877300	-0.91979600
H	0.74885800	0.98352500	-3.45275400
H	-1.41296400	1.17403700	-4.66569300
H	-0.16797000	-2.74922800	3.07178800
H	2.56993300	-1.35037600	0.05811500
H	-2.12899200	1.31681400	1.25214000
H	1.98068900	0.83531900	-1.19079600
C	1.07921500	2.18321100	0.30797000
C	-0.27689900	2.45507000	0.86077500
H	-0.75582700	3.40744100	0.63612100
H	1.94095400	2.23801200	0.97228700
C	2.13949000	-3.28285100	1.85524500
N	2.83372600	-4.18505300	2.06597100

**TS1-CN-M3**

Electronic energy: -708.74452 Hartree

Lowest frequency: -605.8265 cm<sup>-1</sup>

C	-0.04847800	0.25029200	-0.03515400
C	-0.01049800	0.17422800	1.35814700
C	1.20514200	-0.01966300	2.00163900
C	2.38795900	-0.13215900	1.25493600
C	2.34767900	-0.05860000	-0.13145200
C	1.12452900	0.13365400	-0.77628600
C	1.41002200	-0.10075100	3.50712800

C	3.63643400	-0.34430000	2.06125200
C	3.45167800	-1.35960900	3.17098800
C	2.17356000	-1.36587300	3.82271000
C	1.86334500	-2.32658000	4.76025400
H	0.90398000	-2.29652300	5.26846700
C	2.79002000	-3.32665900	5.07680600
C	4.05151100	-3.31721700	4.45293200
C	4.39759200	-2.35589300	3.50997300
H	-0.99691700	0.40012500	-0.54150200
H	-0.92422000	0.26395700	1.93976000
H	3.26443200	-0.15025000	-0.70777300
H	1.08988600	0.19154000	-1.85957500
H	2.55517500	-4.09504300	5.80377900
H	5.36862300	-2.38577600	3.02626700
H	0.47371800	0.00113600	4.06071900
H	4.54876000	-0.48703900	1.48266200
C	3.75615600	0.52621400	3.27902900
C	2.45276900	0.96278300	3.82919200
H	2.15760900	2.00936000	3.81383900
H	4.72097800	0.74046000	3.71882700
C	5.00706100	-4.34311600	4.78582300
N	5.77551500	-5.16599100	5.05529500

### BR1-CN-M3

Electronic energy: -708.76006 Hartree

Lowest frequency: 48.646 cm<sup>-1</sup>

C	-2.72259500	1.38201100	-2.81934900
C	-2.65363300	1.41918000	-1.42570600
C	-1.42972500	1.25103700	-0.79209000
C	-0.26216800	1.04751500	-1.54769700
C	-0.33806200	1.00301100	-2.93672000
C	-1.56892300	1.17266000	-3.57072500
C	-1.20768700	1.25719300	0.71675400
C	0.99992000	0.88751200	-0.78692700
C	0.90139300	0.12612900	0.57519700
C	-0.48600100	-0.03163300	1.04648100
C	-0.89672000	-1.15293400	1.70247100
H	-1.92007900	-1.24093900	2.05560400
C	0.02100800	-2.19717000	1.95346900
C	1.38115900	-2.04547100	1.56466400
C	1.84577700	-0.92374900	0.91931500
H	-3.67845400	1.51371600	-3.31662300
H	-3.55163800	1.57591200	-0.83376900
H	0.56265500	0.83993900	-3.52247300
H	-1.62496900	1.14077100	-4.65422100

H	-0.28896900	-3.10007200	2.46459800
H	2.89229300	-0.83039900	0.64746900
H	-2.13504500	1.41724100	1.27103900
H	1.90955400	0.69193500	-1.34793100
C	1.15379900	1.64145100	0.52094300
C	-0.10464700	2.26300900	0.98832800
H	-0.27490900	3.33258300	1.00375000
H	2.12751800	2.04848400	0.76939400
C	2.30933200	-3.10384400	1.87441300
N	3.05171900	-3.95601600	2.12474200

### TS2-CN-M3

Electronic energy: -708.7561 Hartree

Lowest frequency: -528.5964 cm<sup>-1</sup>

C	0.01406200	-0.00229500	0.02299100
C	0.01035800	-0.01561400	1.41902900
C	1.21034500	-0.00707900	2.11513600
C	2.43824400	0.02519700	1.41841100
C	2.43094800	0.00853300	0.02016700
C	1.22300600	0.00309800	-0.67145500
C	1.34104000	-0.09144200	3.63383900
C	3.66356700	0.04311000	2.20746400
C	3.55846100	-0.97081100	3.68243200
C	2.17694700	-1.33076800	3.89573500
C	1.81584500	-2.62202900	4.18384400
H	0.77212500	-2.88525900	4.32847300
C	2.80984600	-3.60709600	4.31136400
C	4.16817000	-3.25317300	4.15751200
C	4.56770500	-1.95544100	3.87177000
H	-0.92555200	-0.00509000	-0.52027100
H	-0.92897500	-0.04125800	1.96555100
H	3.37312400	0.01564000	-0.52130000
H	1.22502400	0.00335300	-1.75689300
H	2.54887200	-4.63253600	4.54392600
H	5.62024100	-1.70459200	3.78998600
H	0.36686800	-0.07891300	4.12811700
H	4.62380800	-0.07014200	1.71387500
C	3.65032000	0.53615500	3.62672100
C	2.30182700	1.00372700	4.04923600
H	4.54654200	1.03245700	3.98867600
H	2.01975700	2.04951900	4.06999200
C	5.17568400	-4.26896300	4.32923600
N	5.98414300	-5.08625800	4.46632500

### BR2-CN-M3

Electronic energy: -708.78266 Hartree  
Lowest frequency: 43.7381 cm<sup>-1</sup>

C	-2.77088600	1.06899800	-2.74795500
C	-2.66163900	0.98778100	-1.35781200
C	-1.44115400	1.18052700	-0.73033500
C	-0.27604600	1.48062800	-1.50386300
C	-0.41065800	1.54406800	-2.91118200
C	-1.63788800	1.34426800	-3.51972700
C	-1.26816100	1.06425100	0.78443200
C	0.96692200	1.71190200	-0.85840800
C	0.91158100	0.14227400	1.01356500
C	-0.45070000	-0.18790600	1.07387100
C	-0.86103500	-1.48844600	1.31890800
H	-1.91532600	-1.74529500	1.35770900
C	0.10882900	-2.46920300	1.52852100
C	1.46610800	-2.13519500	1.47034800
C	1.88417200	-0.82062000	1.19998100
H	-3.73285400	0.91508200	-3.22602900
H	-3.53967400	0.76668600	-0.75575200
H	0.46904500	1.76327600	-3.51055800
H	-1.72022100	1.40371600	-4.60047100
H	-0.17892000	-3.49346400	1.73960400
H	2.94244100	-0.58415400	1.15166500
H	-2.23648700	1.09092700	1.29135800
H	1.86780900	1.87047300	-1.44176100
C	1.03510400	1.62401000	0.65534800
C	-0.28303200	2.13344700	1.19053100
H	1.92880500	2.10927400	1.05355100
H	-0.53768300	3.18753300	1.19849300
C	2.45431100	-3.15731200	1.69344200
N	3.25166200	-3.97765500	1.87182800

#### **DBB\*-CN-M4**

Electronic energy: -708.76116 Hartree  
Lowest frequency: 49.0279 cm<sup>-1</sup>

C	-2.59216700	1.32166100	-2.87405400
C	-2.59110700	1.32882300	-1.47670900
C	-1.38948500	1.20567200	-0.79516100
C	-0.18539700	1.07042000	-1.50551700
C	-0.18518300	1.07587300	-2.89396100
C	-1.39721900	1.19690200	-3.57751900
C	-1.21429900	1.20367700	0.71240000
C	1.04326700	0.99555000	-0.60295400
C	0.80871700	-0.13518600	0.37910400

C	-0.41281900	-0.04198500	1.07210300
C	-0.76033400	-0.99419300	2.02243000
H	-1.69965800	-0.91300900	2.56131500
C	0.09975100	-2.06050000	2.27410000
C	1.30835600	-2.15481500	1.57809400
C	1.67091100	-1.18719100	0.62717700
H	-3.53014800	1.41447400	-3.41239900
H	-3.52247300	1.43115200	-0.92617500
H	0.74925500	0.98072900	-3.44048200
H	-1.40600000	1.19231400	-4.66302200
H	-0.15920300	-2.81964000	3.00427800
H	2.61674300	-1.27119600	0.10065000
H	-2.16054600	1.25732600	1.25622000
H	1.97024700	0.88384700	-1.17048700
C	0.93674500	2.31812900	0.15407000
C	-0.22184400	2.30156600	1.08968000
H	-0.04117000	2.41891300	2.15763200
H	1.11353800	3.20755400	-0.44951700
C	2.19541900	-3.25658500	1.84036100
N	2.91106300	-4.14206900	2.05076600

#### TS1-CN-M4

Electronic energy: -708.74194 Hartree

Lowest frequency: -578.3637 cm<sup>-1</sup>

C	0.01585200	0.23946900	-0.00021800
C	-0.00306800	0.03869400	1.37771800
C	1.18478100	-0.17185400	2.06353500
C	2.43712600	-0.13043500	1.36649500
C	2.44023800	0.10051700	-0.03412100
C	1.24364700	0.27386700	-0.69495500
C	1.38459500	-0.17966400	3.56363800
C	3.66403800	-0.38195400	2.20924600
C	3.44998900	-1.45512900	3.23622500
C	2.24204600	-1.36430400	3.94586500
C	1.92102800	-2.31206800	4.91057600
H	0.98551400	-2.23715200	5.45705800
C	2.80102500	-3.35696500	5.17536300
C	4.00287500	-3.44432800	4.46547900
C	4.33246700	-2.49270100	3.49032000
H	-0.91430000	0.37188400	-0.54244200
H	-0.94393700	0.04167800	1.92191200
H	3.38308400	0.11689100	-0.57362200
H	1.24357700	0.42770900	-1.76979600
H	2.56526700	-4.10381800	5.92567200
H	5.26856800	-2.57474600	2.94626100

H	0.45239500	-0.13109700	4.12868700
H	4.58144400	-0.47892900	1.62963600
C	3.35959700	1.00149100	2.69302000
C	2.24046700	1.07526700	3.67644100
H	1.77481300	2.02773200	3.90205400
H	3.80648800	1.86546300	2.22182000
C	4.91384600	-4.52437700	4.73770700
N	5.64802800	-5.39261700	4.95559600

#### BR1-CN-M4

Electronic energy: -708.76026 Hartree

Lowest frequency: 46.6046 cm<sup>-1</sup>

C	-2.51277600	0.98760700	-2.84147800
C	-2.55537300	0.89843100	-1.42858300
C	-1.42725000	1.13905800	-0.70537400
C	-0.15091700	1.48197800	-1.35761300
C	-0.16746800	1.64199500	-2.80919800
C	-1.31781500	1.37326600	-3.49895100
C	-1.18773700	1.20581800	0.78911300
C	1.08487500	0.87137400	-0.62592300
C	0.81084200	-0.17313900	0.38517900
C	-0.36560000	-0.02435200	1.14600000
C	-0.69691000	-0.95568200	2.12265600
H	-1.60578000	-0.83066300	2.70413600
C	0.13258800	-2.04920200	2.35275800
C	1.29587000	-2.20111100	1.59134900
C	1.63776500	-1.26616900	0.60511200
H	-3.40614400	0.78838700	-3.42195700
H	-3.49040700	0.66471700	-0.92632400
H	0.74097300	1.94769600	-3.32019100
H	-1.32251300	1.46733100	-4.58095500
H	-0.11365600	-2.78345400	3.11198100
H	2.54553100	-1.39972900	0.02453200
H	-2.09073900	1.28922500	1.39786400
H	1.97139700	0.75774600	-1.24318200
C	0.63726500	2.29504100	-0.32420400
C	-0.23928100	2.38895000	0.86207000
H	0.05633200	2.84981900	1.79678400
H	1.28609200	3.10804600	-0.62973400
C	2.15651000	-3.33038100	1.82370300
N	2.85039000	-4.23819800	2.01061700

#### TS2-CN-M4

Electronic energy: -708.75609 Hartree

Lowest frequency: -535.4802 cm<sup>-1</sup>

C	-2.47232100	0.66931600	-2.82974200
C	-2.49474800	0.77116000	-1.42565000
C	-1.37825100	1.22241300	-0.76942100
C	-0.17512700	1.54976000	-1.49222300
C	-0.18518000	1.49203300	-2.91926700
C	-1.32289500	1.03489400	-3.55348900
C	-1.07695700	1.37494500	0.71166100
C	1.21555800	0.79616600	-0.65146100
C	0.81217400	-0.17926000	0.34981700
C	-0.35261400	0.09410900	1.10701500
C	-0.78539100	-0.79391100	2.08237300
H	-1.67965900	-0.56915300	2.65689200
C	-0.08562300	-1.97393300	2.31851800
C	1.04975900	-2.26095000	1.55052100
C	1.49658800	-1.37535700	0.56511700
H	-3.35329200	0.32257400	-3.35863100
H	-3.39308800	0.51139200	-0.87209700
H	0.69094300	1.79643600	-3.48422900
H	-1.33784400	0.97327400	-4.63744800
H	-0.41270900	-2.67272800	3.08040400
H	2.38136100	-1.61554900	-0.01656400
H	-1.94678100	1.56253800	1.34559300
H	2.02053900	0.55842800	-1.33920100
C	0.77613500	2.22981200	-0.53741100
C	-0.03321200	2.47349200	0.68726300
H	0.37406300	2.91261100	1.59012600
H	1.46152200	2.98774200	-0.90637300
C	1.77173200	-3.48444400	1.77979600
N	2.35239500	-4.46886100	1.96511700

#### BR2-CN-M4

Electronic energy: -708.78217 Hartree

Lowest frequency: 44.5098 cm<sup>-1</sup>

C	-2.57377800	0.82132500	-2.77510100
C	-2.49898900	0.82313300	-1.37813500
C	-1.34325900	1.29607700	-0.77940000
C	-0.26483100	1.74250200	-1.55319100
C	-0.32684700	1.72395500	-2.93715500
C	-1.50131000	1.26745900	-3.54454400
C	-0.96239100	1.39300600	0.69475900
C	1.64354100	0.84908500	-0.31829400
C	1.04918200	-0.12594900	0.52640200
C	-0.24626700	0.10491900	1.09166800
C	-0.81114300	-0.82928000	1.94707600

H	-1.79187300	-0.63588400	2.37294600
C	-0.14582500	-2.01224900	2.26123200
C	1.11609100	-2.25606700	1.69748400
C	1.70779100	-1.33278000	0.84151400
H	-3.47717700	0.47059500	-3.26425200
H	-3.33396200	0.46957200	-0.77948800
H	0.51053300	2.06479500	-3.53950500
H	-1.57797800	1.26151200	-4.62745200
H	-0.59057800	-2.74238000	2.92790300
H	2.68732100	-1.53644700	0.41960600
H	-1.80381500	1.59180900	1.36415100
H	2.59197100	0.64541600	-0.80396800
C	0.87985400	2.12594600	-0.61119600
C	0.09547300	2.46867700	0.63349100
H	0.56029300	2.88496400	1.52068900
H	1.53465000	2.91321200	-0.99106500
C	1.81109100	-3.47705600	2.01195800
N	2.36940400	-4.45883800	2.26583100

### DBB\*-NO2-M1

Electronic energy: -820.97301 Hartree

Lowest frequency: 45.7428 cm<sup>-1</sup>

C	-2.81317100	1.56207100	-2.99846600
C	-2.78753700	1.59073000	-1.60166400
C	-1.57485200	1.46899300	-0.93974900
C	-0.38458200	1.31364200	-1.66876200
C	-0.40872600	1.29745900	-3.05686200
C	-1.63175700	1.41722900	-3.72070100
C	-1.37368800	1.48924800	0.56461400
C	0.85946200	1.24380400	-0.78704700
C	0.63369400	0.13042200	0.21619800
C	-0.57529500	0.24373100	0.92982900
C	-0.91394100	-0.69000400	1.90247800
H	-1.84265900	-0.59271500	2.45638000
C	-0.05909200	-1.76003600	2.15797200
C	1.12162800	-1.85359200	1.43431900
C	1.49371500	-0.92390400	0.46392400
H	-3.75976000	1.65374100	-3.52167700
H	-3.70815800	1.70862400	-1.03644400
H	0.51515800	1.18664300	-3.61810500
H	-1.65973600	1.39585000	-4.80566000
H	-0.29406300	-2.51302800	2.89979400
H	2.43131800	-1.03951000	-0.06727100
H	-2.30968100	1.55865600	1.12400600
H	1.77560100	1.11591000	-1.36827100

C	0.77588200	2.57832500	-0.04817200
C	-0.36538500	2.58367200	0.90830400
H	-0.16583000	2.71712200	1.97090000
H	0.94752900	3.45722800	-0.66832100
N	2.02168400	-2.98008600	1.70335400
O	1.69252400	-3.78139800	2.56073900
O	3.05108300	-3.05218700	1.05434200

### TS1-NO<sub>2</sub>-M1

Electronic energy: -820.95945 Hartree

Lowest frequency: -597.1266 cm<sup>-1</sup>

C	-0.01672200	0.21295500	-0.11482300
C	0.01039600	0.16630800	1.27963000
C	1.22217500	-0.01752500	1.93313900
C	2.40757300	-0.15537800	1.19924400
C	2.37932600	-0.10710900	-0.18842700
C	1.16162500	0.07677700	-0.84484500
C	1.39393900	-0.10269100	3.42671700
C	3.64835600	-0.33117600	2.05062000
C	3.42665500	-1.46747200	3.02946000
C	2.25787500	-1.27748600	3.82920300
C	2.01661100	-2.13214000	4.92880500
H	1.13101300	-1.98880700	5.54045500
C	2.88550100	-3.16561400	5.19724700
C	4.02270600	-3.33454900	4.38640900
C	4.31719600	-2.48146800	3.32318200
H	-0.96095800	0.35425400	-0.63109900
H	-0.90741200	0.27077500	1.85201200
H	3.30042500	-0.21264800	-0.75523500
H	1.13402300	0.11334200	-1.92932300
H	2.70995500	-3.85890400	6.01003200
H	5.22666100	-2.62579900	2.75133000
H	0.46766600	-0.03713300	3.99763900
H	4.55994300	-0.44198100	1.46175600
C	3.69396300	0.82163900	3.03735700
C	2.50399200	0.75981500	3.94017000
H	2.53894800	1.05376300	4.98121100
H	4.63458000	1.23182600	3.38300600
N	4.92914400	-4.42640900	4.67299700
O	4.67986200	-5.14507200	5.63221500
O	5.90321500	-4.57495700	3.94578600

### BR1-NO<sub>2</sub>-M1

Electronic energy: -820.9808 Hartree

Lowest frequency: 39.0107 cm<sup>-1</sup>

C	-2.74303700	1.28977000	-3.10357900
C	-2.78099100	1.28709800	-1.70874400
C	-1.59340000	1.33658800	-0.98632500
C	-0.36406200	1.37921000	-1.66401000
C	-0.32836300	1.38349000	-3.05134300
C	-1.52312600	1.33960200	-3.77253900
C	-1.53344700	1.35753700	0.49652800
C	0.85438300	1.42012900	-0.74716700
C	0.71766200	0.25065800	0.20560900
C	-0.34459800	0.59007600	1.15972700
C	-0.56779200	-0.31080600	2.27951800
H	-1.31823200	-0.06149100	3.02378000
C	0.14133300	-1.46980000	2.36465900
C	1.12300400	-1.77448100	1.38411500
C	1.43306000	-0.89663700	0.31295300
H	-3.66991700	1.25171900	-3.66691000
H	-3.73277200	1.24975200	-1.18569400
H	0.62678200	1.41602900	-3.56858300
H	-1.49847800	1.34001300	-4.85764200
H	-0.01659100	-2.17388400	3.17152700
H	2.23821900	-1.14887700	-0.36643400
H	-2.46896900	1.27912400	1.04297800
H	1.79364100	1.44690800	-1.30278400
C	0.63179600	2.57238500	0.21385000
C	-0.41915100	2.13192100	1.15864900
H	-0.63302800	2.66550700	2.07792300
H	0.79807200	3.60810200	-0.05503200
N	1.85571700	-2.99635100	1.50319900
O	1.60397800	-3.73760900	2.45173300
O	2.70430300	-3.24946400	0.64964800

### TS2-NO<sub>2</sub>-M1

Electronic energy: -820.97457 Hartree

Lowest frequency: -507.3711 cm<sup>-1</sup>

C	-2.45138600	0.88830600	-2.99505000
C	-2.55664000	0.96287500	-1.60916700
C	-1.40591600	1.10696100	-0.82674100
C	-0.13995900	1.12772400	-1.45405300
C	-0.04341700	1.05073100	-2.83453700
C	-1.20095700	0.93858800	-3.60876800
C	-1.44805200	1.21976100	0.62182900
C	1.04649100	1.17511200	-0.49502400
C	0.88785900	-0.03081400	0.41626100
C	-0.05910900	0.31444000	1.44003600

C	-0.42362400	-0.64783600	2.42179400
H	-1.10192000	-0.38398900	3.22709100
C	0.10442600	-1.91598400	2.33532000
C	1.00678200	-2.23035500	1.30429400
C	1.41098600	-1.28926800	0.33455600
H	-3.34827600	0.78949100	-3.59803900
H	-3.53111500	0.92805200	-1.12971600
H	0.93468000	1.06487100	-3.30805600
H	-1.12328800	0.87819000	-4.68957200
H	-0.14512800	-2.68022200	3.06050500
H	2.12273100	-1.57794300	-0.42979700
H	-2.37928700	1.04441300	1.15145200
H	1.99897700	1.22641600	-1.02693400
C	0.77251400	2.30854300	0.47140800
C	-0.29632600	1.80530800	1.38056600
H	-0.53355800	2.33822400	2.29788100
H	0.86438200	3.35096200	0.19151400
N	1.55793800	-3.56008000	1.24788300
O	1.20511600	-4.37228900	2.09626600
O	2.35466100	-3.81787400	0.35160000

### BR2-NO<sub>2</sub>-M1

Electronic energy: -820.99468 Hartree

Lowest frequency: 43.3958 cm<sup>-1</sup>

C	-2.50785700	1.36972400	-3.16988600
C	-2.67838100	1.63600800	-1.82210300
C	-1.56792800	1.70718700	-0.94790500
C	-0.26664000	1.47207200	-1.49257200
C	-0.11600200	1.21081000	-2.84496900
C	-1.22716300	1.15948700	-3.69012000
C	-1.71869800	2.00893800	0.43088300
C	0.91406200	1.49858700	-0.52226200
C	0.80132800	0.29083700	0.39946700
C	-0.01344800	0.62941200	1.49159400
C	-0.32223100	-0.30088100	2.47301900
H	-0.95609900	-0.04053400	3.31476000
C	0.21033600	-1.58601000	2.36921600
C	1.01299600	-1.89582000	1.27831500
C	1.32051900	-0.98206900	0.26857500
H	-3.37238000	1.32587400	-3.82486100
H	-3.67314700	1.80451500	-1.41804500
H	0.87983600	1.03880800	-3.24591200
H	-1.09464400	0.95251500	-4.74703900
H	0.01504200	-2.34363600	3.11771600
H	1.94636600	-1.27973000	-0.56446800

H	-2.70710500	2.11718200	0.86493400
H	1.86316000	1.56016200	-1.06113900
C	0.64296000	2.61295100	0.45933500
C	-0.48254400	2.07223700	1.31003100
H	-0.67207000	2.60403000	2.24489100
H	0.71300400	3.66027200	0.18729400
N	1.56876700	-3.25023400	1.18388000
O	1.28422800	-4.04774800	2.06078100
O	2.28570100	-3.50482600	0.23117500

### DBB\*-OCH<sub>3</sub>-M1

Electronic energy: -731.02053 Hartree

Lowest frequency: 44.4601 cm<sup>-1</sup>

C	-2.69191400	1.02543400	-2.99825500
C	-2.66942400	1.15198100	-1.60640300
C	-1.45438100	1.14318600	-0.93787200
C	-0.25534100	1.00475500	-1.65795700
C	-0.27703100	0.89265400	-3.04160800
C	-1.50322700	0.89752200	-3.71111000
C	-1.25388000	1.27474800	0.56046300
C	0.98963100	1.06407100	-0.77660300
C	0.82841200	0.00703200	0.29993100
C	-0.38675900	0.10158700	1.00595800
C	-0.65360000	-0.79030400	2.02963500
H	-1.58337000	-0.71923300	2.58809600
C	0.26623500	-1.79598800	2.35042100
C	1.46175700	-1.88860600	1.63872600
C	1.74497100	-0.97748600	0.60825800
H	-3.64152700	1.02816700	-3.52438800
H	-3.59660400	1.25779400	-1.04913100
H	0.65304000	0.79569500	-3.59562100
H	-1.52753800	0.80017700	-4.79217800
H	0.03650300	-2.49198900	3.14820300
H	2.68649700	-1.06965800	0.07493300
H	-2.19431900	1.32917800	1.11519900
H	1.91102300	0.95214300	-1.35373600
C	0.82858900	2.43950200	-0.13241300
C	-0.31602800	2.45216900	0.82093100
H	-0.11989100	2.65883300	1.87290000
H	0.95574000	3.28178000	-0.81226000
O	2.42091100	-2.82592300	1.86686900
C	2.17979600	-3.76765500	2.89110200
H	1.28201400	-4.36123200	2.68212800
H	3.05068000	-4.42230000	2.91235800
H	2.06890700	-3.27641100	3.86500900

**TS1-OCH<sub>3</sub>-M1**

Electronic energy: -731.00024 Hartree

Lowest frequency: -600.5694 cm<sup>-1</sup>

C	-0.02965800	-0.00309400	-0.16148500
C	-0.01397100	0.02394900	1.23371600
C	1.19883500	-0.03814900	1.90936900
C	2.40017700	-0.13158900	1.19249500
C	2.38229100	-0.15942000	-0.19620300
C	1.16374700	-0.09440800	-0.87355800
C	1.35431100	-0.03473900	3.40296400
C	3.64168300	-0.18487900	2.05728600
C	3.49009800	-1.28637700	3.08238700
C	2.32081200	-1.08124600	3.89420100
C	2.14588300	-1.89539900	5.04087100
H	1.26068700	-1.77157900	5.65844900
C	3.08168900	-2.85785300	5.36467800
C	4.22670700	-3.03953600	4.55897100
C	4.43057400	-2.23288500	3.43255100
H	-0.97567400	0.04662400	-0.69178200
H	-0.94371900	0.09376700	1.79252300
H	3.31553500	-0.23086900	-0.74893100
H	1.14741500	-0.11516200	-1.95893200
H	2.91790900	-3.48197200	6.23547900
H	5.33598000	-2.37120600	2.84868400
H	0.41815200	-0.00729500	3.96072000
H	4.56215100	-0.25569300	1.47496600
C	3.60295300	1.00662500	3.00647300
C	2.42432700	0.88462000	3.91147900
H	2.40090800	1.25857100	4.92538700
H	4.52842200	1.43785400	3.37171800
O	5.18825600	-3.97177300	4.80162700
C	5.02117000	-4.81142900	5.92434400
H	4.10499900	-5.40811400	5.84326500
H	5.88512300	-5.47553300	5.93694400
H	4.99404100	-4.23257300	6.85516900

**BR1-OCH<sub>3</sub>-M1**

Electronic energy: -731.01936 Hartree

Lowest frequency: 40.1574 cm<sup>-1</sup>

C	-2.63517600	0.78701000	-3.09277700
C	-2.66637900	0.87012300	-1.70077400
C	-1.48123700	1.01936800	-0.98523600
C	-0.25605900	1.07175900	-1.67470900

C	-0.22847700	0.98940000	-3.06075100
C	-1.42101500	0.84896500	-3.77239400
C	-1.41364600	1.11885300	0.49056700
C	0.96504000	1.21535500	-0.77366700
C	0.88219200	0.09377400	0.24079000
C	-0.19116300	0.45887800	1.18932600
C	-0.34163500	-0.39808300	2.36347400
H	-1.07254900	-0.13711800	3.12281600
C	0.41246400	-1.53924600	2.48334900
C	1.38108800	-1.88293100	1.51316900
C	1.62502600	-1.02569000	0.39906400
H	-3.56232200	0.67500400	-3.64644700
H	-3.61400100	0.82289800	-1.17034000
H	0.72310300	1.03219400	-3.58475400
H	-1.40027000	0.78578900	-4.85599700
H	0.26385400	-2.17656900	3.34804400
H	2.42897100	-1.28566800	-0.28383600
H	-2.34596400	1.05586000	1.04550100
H	1.89644400	1.25196900	-1.34360900
C	0.70104200	2.41334300	0.12100400
C	-0.31438100	1.98299700	1.10449500
H	-0.56013600	2.57603100	1.97841900
H	0.80658200	3.43419700	-0.22716000
O	2.16219400	-2.99348800	1.56483200
C	1.98688600	-3.87024800	2.65780700
H	0.96574100	-4.26811800	2.68727400
H	2.69091700	-4.68822900	2.50722800
H	2.20733900	-3.36961800	3.60797100

### TS2-OCH<sub>3</sub>-M1

Electronic energy: -731.01445 Hartree

Lowest frequency: -558.03 cm<sup>-1</sup>

C	-2.42152500	0.62955200	-2.96860400
C	-2.53421500	0.74850000	-1.58662800
C	-1.40787800	1.04215300	-0.80906400
C	-0.15201800	1.17080100	-1.44591200
C	-0.04794800	1.04919200	-2.82409600
C	-1.18376700	0.78633700	-3.59201800
C	-1.44937700	1.18259100	0.63838400
C	1.02388300	1.38245500	-0.49723700
C	0.99178700	0.20121100	0.45616200
C	-0.00951000	0.48211400	1.45889700
C	-0.21892500	-0.47497600	2.49398500
H	-0.90796000	-0.26203000	3.30577300
C	0.45309100	-1.68484700	2.44956000

C	1.37880900	-1.95750300	1.42694800
C	1.65072300	-0.99246300	0.42677900
H	-3.30453800	0.41531400	-3.56301900
H	-3.50082300	0.62987800	-1.10375700
H	0.92463100	1.15080900	-3.29964500
H	-1.10065300	0.69615500	-4.67052400
H	0.27269400	-2.41334200	3.23156400
H	2.39344000	-1.22525800	-0.33076200
H	-2.36570600	0.95981300	1.17600800
H	1.96435200	1.51357400	-1.03827900
C	0.63652100	2.51699100	0.42999500
C	-0.36962500	1.94228300	1.36463200
H	-0.66207300	2.48753400	2.25827400
H	0.61545800	3.54994400	0.10216700
O	2.08492200	-3.11478700	1.31993700
C	1.86224900	-4.11088200	2.29531400
H	0.81613300	-4.43905200	2.29593900
H	2.50527000	-4.94849600	2.02628400
H	2.12912200	-3.75350900	3.29693400

### BR2-OCH<sub>3</sub>-M1

Electronic energy: -731.04157 Hartree

Lowest frequency: 43.7118cm<sup>-1</sup>

C	-2.47595700	0.78779900	-3.18710800
C	-2.67958400	1.07897900	-1.84877500
C	-1.58811200	1.29397900	-0.97423700
C	-0.26584500	1.17822500	-1.50876400
C	-0.08359600	0.89111600	-2.85225700
C	-1.17807700	0.69563400	-3.69833800
C	-1.77565200	1.62401300	0.39397200
C	0.90215100	1.36170400	-0.54026900
C	0.92599500	0.17950700	0.42207900
C	0.07610000	0.46280800	1.50294400
C	-0.11116200	-0.47377200	2.50030900
H	-0.77025800	-0.27349600	3.34064800
C	0.57002000	-1.69749000	2.43393700
C	1.41250200	-1.96990300	1.35500100
C	1.58825800	-1.02571900	0.32882500
H	-3.32837100	0.63230600	-3.84132900
H	-3.68892200	1.15596300	-1.45260900
H	0.92732900	0.81167000	-3.24495500
H	-1.01899700	0.46907000	-4.74772200
H	0.43528800	-2.42178200	3.22821000
H	2.24539200	-1.26866600	-0.50079400
H	-2.77349500	1.64015800	0.82052000

H	1.83851600	1.51289100	-1.08481300
C	0.50559400	2.47187700	0.40353300
C	-0.55648500	1.83704400	1.27182600
H	-0.80399900	2.38045300	2.18693700
H	0.45431000	3.50949700	0.09021900
O	2.11503500	-3.12640000	1.20614800
C	1.96884800	-4.11159900	2.20665300
H	0.92822400	-4.44801800	2.28478400
H	2.59844300	-4.94778900	1.90341200
H	2.30166900	-3.73991800	3.18306000