

Swine Waste Management for Pacific Islands ADAP 2003-8, June 2003 ISBN 1-931435-35-9

# **Food Discards for Swine**

**P**roperly cooked food discards can be used for swine feed. This is a good way to recycle home or commercial food discards, reduce feed costs, and provide many of the requirements for a balanced swine diet.

### Benefits of cooking food discards

Stemming the spread of disease is the primary reason for cooking discards. Proper cooking destroys disease organisms that could spread through the food to the herd. It makes sense in other ways too, including the following benefits:

- Many unpalatable items, such as potatoes, raw vegetables and citrus rinds become edible when cooked.
- Cooking discards improves animal intake and feed efficiency.
- Cooking evenly spreads the nutritional value throughout the feed, thereby providing nutritious feed to small pigs that are usually pushed away.



On-farm cooking of food discards

#### Food discard considerations

Using food discards as feed for your herd is timeconsuming. Food must be thoroughly boiled for at least 30 minutes to destroy all disease organisms. Other considerations are:

- Feed discards only to pigs over 36 kg (80 lb). Food discards contain more water than younger pigs' stomachs can handle.
- Pick up discards from their source every day or every other day to keep spoilage to a minimum.
- Maintain clean containers and proper covers to avoid contamination of cooked discards.
- Cook and use discards promptly. Food discards cannot be stored in the same manner as dry feed; they must be used immediately or thrown away.

#### **Direct-fire equipment**

The direct-cooking method allows discard containers to be exposed directly to the cooking fire. Vats used to cook the discards should not have previously held chemicals or other dangerous materials that could contaminate the feed and harm the pigs. The direct-fire equipment is easy to build, and a brief description is given below. The discards are placed in the vat and put over the direct flame to begin the cooking process.

After reaching the boiling point, the food discards must be boiled for at least 30 minutes to make sure all disease organisms are destroyed.

#### Plans for building a direct-fire cooker

There are four important parts to designing a useful direct-fire cooking operation. You will need

The intent of this fact sheet is to provide introductory information on swine waste management methods that have been tested on Pacific island farms. Some may be more applicable than others and may need to be modified to make them more suitable. There may also be other suitable methods not outlined here.

a strong foundation, a fire box, the vat for cooking, and a lid to control flies and to protect anyone from getting burned.

The foundation should be a 15-cm (6 inch) slab of poured concrete, reinforced with  $10 \times 10$  cm (4 x 4 inch), 6/6 wire mesh under the fire box. Four inches (10 cm) is ample thickness for the slab under your work standing area.

The fire box should be made out of fireresistant material such as fire brick or common brick lined with fire brick on the edge. It is important to maintain at least  $3.8 \text{ cm} (1\frac{1}{2} \text{ inch})$ clearance between the vat and wall.

The vat can be a drum (200 liter/55-gallon), cut in half lengthwise. The drum should sit inside the fire box and be fastened to iron bolts. Use an 18 gauge galvanized steel sheet bolted at an angle or welded to form the rim.



Parts for a direct-fire cooking operation\*

\* United States Department of Agriculture. *Heat-Treating Food Waste: Equipment and Methods*. Program Aide No. 1324. 1983.

#### Maintenance of direct-fire equipment

Ashes should be removed after every use so that the cooker remains clean and in good working condition. A simple shed built to house the cooker will save both time and fuel. Proper coverage keeps fuel dry from the rain and reduces heat loss by the wind as you are trying to light a fire.



Good design makes handling easier\*

This series of fact sheets was developed by: Halina M. Zaleski\* (University of Hawaii-UHM), Manuel Duguies (University of Guam), Engly Ioanis (College of Micronesia-FSM), Gordon Cleveland (formerly with UHM), Daniel Paquin (UHM), Bradley LeaMaster (formerly with UHM), Luisa Castro\*\* (UHM), and James Hollyer (UHM).

\* Send correspondence to 1955 East-West Road, Agricultural Science 216, College of Tropical Agriculture and Human Resources, University of Hawaii at Manoa, Honolulu, Hawaii USA 96822.

\*\* Provided content research and technical editing. Thanks to Kristie Tsuda for her work in the assembly and layout of earlier versions of this work and to Dale Evans for editing. Thanks also to Shirley Nakamura and James Lum of Natural Resources Conservation Service-Hawaii for their helpful advice.

Disclaimer: The information contained on this publication is to be used at your own risk. As always, follow your local regulations.

## **FADAP**

American Samoa Community College (684) 699-1575 - fax (684) 699-5011 College of Micronesia (691) 320-2728 - fax (691) 320-2726

College of Micronesia (FSM) (691) 320-8181 - fax (691) 320-2972 College of the Marshall Islands (692) 528-5033 - fax (692) 528-4699 Palau Community College (680) 488-2746 - fax (680) 488-3307 Northern Marianas College (670) 234-3690 - fax (670) 234-0054 University of Guam (671) 735-2002 - fax (671) 734-6842 University of Hawaii (808) 956-8140 - fax (808) 956-6967

For Further Information:

Funded by the United States Department of Agriculture Cooperative State Research, Education and Extension Service Grant 99-38826-7854 ADAP Home Office - College of Tropical Agriculture and Human Resources 3050 Maile Way, Gilmore Hall 112, University of Hawaii at Manoa Honolulu, HI 96822 USA www.adap.hawaii.edu/adap - adap@hawaii.edu The Pacific Land Grants and the U.S.D.A. are Equal Opportunity/Affirmative Action Institutions.