

1 A New Iterative Algorithm for Computing a Quality
2 Approximate Median of Strings based on Edit Operations.

3 J. Abreu^{*a}, J. R. Rico-Juan^b

4 ^a*Dpto Informática, Universidad de Matanzas, Carretera a Varadero Km. 3 1/2, Matanzas, Cuba*

5 ^b*Dpto Lenguajes y Sistemas Informáticos, Universidad de Alicante, San Vicente del Raspeig, Alicante,*
6 *Spain*

7 **Abstract**

This paper presents a new algorithm that can be used to compute an approximation to the median of a set of strings. The approximate median is obtained through the successive improvements of a partial solution. The edit distance from the partial solution to all the strings in the set is computed in each iteration, thus accounting for the frequency of each of the edit operations in all the positions of the approximate median. A goodness index for edit operations is later computed by multiplying their frequency by the cost. Each operation is tested, starting from that with the highest index, in order to verify whether applying it to the partial solution leads to an improvement. If successful, a new iteration begins from the new approximate median. The algorithm finishes when all the operations have been examined without a better solution being found. Comparative experiments involving Freeman chain codes encoding 2D shapes and the Copenhagen chromosome database show that the quality of the approximate median string is similar to benchmark approaches but achieves a much faster convergence.

8 *Key words:* approximate median string, edit distance, edit operations

9 **1. Introduction**

10 Extending the concept of “median” to structural representations such as strings has
11 been a challenging issue in Pattern Recognition for some time, as it is shown in the
12 review presented in Jiang et al. (2004). This problem arises in many applications such

^{*}Corresponding author. Fax:965909326
Prepared as a submission to Pattern Recognition Letters (J. Abreu), juaanra@dlsi.ua.es (J. Rico-Juan), 2013

13 as 2D shape representation and prototype construction (Jiang et al., 2000; Bunke et al.,
 14 2002), the clustering of strings (Lourenço and Fred, 2005), Self-Organized Maps of
 15 strings (Kohonen, 1998; Fischer and Zell, 2000) or the combination of multiple source
 16 translations (González-Rubio and Casacuberta, 2010).

17 Formally, given a set $S = \{S_1, S_2, \dots, S_n\}$ of strings over the alphabet Σ and a
 18 distance function $D(S_i, S_j)$ which measures the dissimilarity between strings S_i and S_j ,
 19 the distance from a string S' to all the strings in S can be computed by the expression
 20 (1).

$$21 \quad SOD(S') = \sum_{S_i \in S} D(S', S_i) \quad (1)$$

22 The *median string* is the string $\hat{S} \in \Sigma^*$ that minimizes (1). This string is also
 23 denoted as the *generalized median string*. A common approximation to the true median
 24 string is the *set median*, a string in S which minimizes (1). It is not necessary for either
 25 the median string or the set median to be unique.

26 An exact algorithm to compute the median of a set of strings was proposed by
 27 Kruskal (1983). However, in most practical applications this is not a suitable approach
 28 due to the high computational time requirements. As Casacuberta and Antonio (1997)
 29 and Nicolas and Rivals (2005) pointed out, there are various formulations of this prob-
 30 lem within the NP-Complete class. Several approximations have therefore been pro-
 31 posed. One approach that has been studied by several authors is that of building the
 32 approximate median by using the successive changes of an initial string. One or more
 33 perturbations can be applied at a time, as in the works of Martínez-Hinarejos et al.
 34 (2003) and Fischer and Zell (2000), respectively. The results of empirical testing show
 35 that the first approach leads to high quality approximations but requires more computa-
 36 tional time. The principal motivation of this work is to describe a new algorithm able to
 37 compute a quality approximation to the median string like that of Martínez-Hinarejos
 38 et al. (2003), but requires significantly less computational effort. In Section 2 some
 39 related works are examined. Section 3 describes the proposed approach and provides

40 an analysis of the computational cost bounds for the algorithm. Various comparative
41 experiments are described in Section 4. Finally, Section 5 shows our conclusions and
42 some lines for further research.

43 **2. Related works**

44 Many approximate solutions have been described since Kruskal (1983) proposed
45 an exact algorithm that could be used to compute the median string for a given set S
46 of N strings of a length of l and the Levenshtein (Levenshtein, 1966) metric. This al-
47 gorithm runs in $O(l^N)$ proportional time. A number of heuristics therefore address this
48 difficulty by reducing the size of the search space. Some authors, such as Olivares and
49 Oncina (2008), have studied the approximation to the median string not only under the
50 Levenshtein edit distance but also under the stochastic edit distance (Ristad and Yian-
51 ilos, 1998). In other works, the search for the approximate median is not performed
52 directly in the string space but in a vectorial space in which the strings are embedded;
53 this is the approach studied in Jiang et al. (2012) which also relies on the weighted
54 median concept described by Bunke et al. (2002).

55 One general strategy is to construct the approximate median letter by letter from
56 an initial empty string. It is necessary to define a goodness function to decide which
57 symbol is the next to be appended. The greedy procedure described in Casacuberta
58 and Antonio (1997) implements this approach. An improvement to the aforementioned
59 method is described in Kruzslicz (1999) through the use of a refined criterion which
60 allows the next letter to be selected. Another approach that has been studied by several
61 authors is that of building the approximate median by using successive perturbations of
62 an initial string. Two important issues regarding this kind of method are; how to select
63 a perturbation leading to an improvement and how to make the algorithm converge
64 faster without spoiling the results. Another interesting topic is that of studying the
65 effect of performing modifications one by one or simultaneously. Kohonen (1985)

66 starts from the set median and systematically changes the guess string by applying
67 insertions, deletions and substitutions in every position. In Martínez-Hinarejos et al.
68 (2003) the authors propose to improve a partial solution \hat{S} generating new candidates
69 by applying all possible substitutions, insertions or deleting the symbol at a position i .
70 The new partial solution is the string, selected from all the new candidates and \hat{S} , which
71 minimizes (1). This procedure is repeated for every position i . The effect of choosing
72 a different initial string as the set median or a greedy approximation is also studied.
73 Theoretical and empirical results show that this method is capable of achieving very
74 good approximations to the true median string. Note that these methods do not define
75 a criterion to compare the operations in order to select which one can lead to better
76 results in each case. In Martínez-Hinarejos et al. (2002) authors describe alternatives
77 to speed up the computation of the approximated median string. Based on information
78 provided by the weight matrix used to compute the edit distance, certain operations are
79 preferred instead of others. For example, not all possible substitutions are tested but
80 only the two closest symbols to the one in the analysed position.

81 Some heuristic knowledge that can help to assess how promising a modification
82 will be are included in Fischer and Zell (2000) and Mollineda (2004). The quality of
83 a partial solution \hat{S} is evaluated by computing its distance from every string in the set.
84 Thus, it is also possible to discover the sequences of edit operations. In an attempt to
85 speed up the convergence of the search procedure, these authors propose the simultane-
86 ous performance of several modifications by applying the most frequent edit operation,
87 including “do nothing” in each position of the partial solution. This process is repeated
88 while modifications increase the quality of the partial solution.

89 This approach has two potential drawbacks: applying the most common operation
90 in every position does not guarantee the best results and although it might be relatively
91 simple to figure out how applying just one operation will affect $SOD(\hat{S})$, this does not
92 hold when several changes are made at the same time. For example, let \hat{S} be a partial

93 solution and op_i be an edit operation which occurs several times when computing the
 94 distance from a partial solution to strings in S . Op_i thus determines a subset $S^{YES} \subseteq S$
 95 of those strings in which op_i occurs when computing the distance from \hat{S} . There is
 96 also another set $S^{NO} = S - S^{YES}$. Let \hat{S}' be a new solution after applying op_i to \hat{S} .
 97 Intuitively, it may be expected that the distance from \hat{S}' to strings in S^{YES} decreases
 98 regarding \hat{S} . A formal discussion of this result can be found in Bunke et al. (2002).
 99 The effect on the strings in S^{NO} clearly needs to be taken into account. Since sets in-
 100 duced by each operation may be different when applying multiple operations, it might
 101 be very difficult to characterize the effect on $SOD(\hat{S})$. Empirical results, which will
 102 be discussed later, suggest that those methods that apply multiple perturbations at the
 103 same time are able to find a better approximation to the set median quickly. How-
 104 ever, approaches which perform modifications one by one, such as Martínez-Hinarejos
 105 et al. (2003), significantly outperform the former methods with respect to the average
 106 distance to the set of the approximate median computed.

107 **3. A new algorithm for computing a quality approximate median string**

108 As noted earlier, a general scheme that can be used to search for an approximate
 109 median string is:

- 110 - select an initial coarse approximation to the median as the set median.
- 111 - generate a new solution by performing some modifications to the current solu-
 112 tion.
- 113 - repeat while a particular modification leads to an improvement or another stop
 114 condition holds.

115 The works commented on Section 2 suggest that when it is necessary to find a
 116 quality approximation to the median string, applying modifications one by one would
 117 appear to be a better strategy. The theoretical results in Jiang and Bunke (2002) and

118 Martínez-Hinarejos (2003) show that the approximation computed by the algorithm
119 proposed in Martínez-Hinarejos et al. (2003) is very close to the lower bound obtained
120 for the value of $SOD(\hat{S})$ for the true median.

121 3.1. Computing the approximate median string

122 The algorithm in Martínez-Hinarejos et al. (2003) tests every possible operation in
123 each position of the partial solution and it might therefore be very useful to study how
124 to reduce the size of the search space without spoiling the quality of results, which is
125 one of the principal motivations of this work. The proposed algorithm is based on two
126 main ideas:

- 127 - selecting the appropriate modification by paying attention to certain statistics
128 from the computation of the edit distance from the partial solution to every string
129 in the set.
- 130 - applying modifications one by one.

131 Heuristic information could help to avoid testing a number of useless solutions,
132 which would reduce the amount of times that $SOD(\hat{S})$ is evaluated. Another distinctive
133 feature is that if the best operation according to the goodness index does not lead to an
134 improvement, other low ranked operations can be tested.

135 The *AppMedianString* procedure outlines how to compute the approximate median
136 string.

137 3.2. Selecting the best edit operation

138 In our case, the most suitable edit operation in step t will be selected by examining
139 two approaches. The first simply implies ranking operations by their *frequency* while
140 computing the edit distance from the partial solution to strings in the set, as in Fischer
141 and Zell (2000). Note that the selected operation is that with the best overall ranking,
142 not the most frequent in a specific position. However, under a more general weighting

```

Function AppMedianString(S,R) : $\hat{S}$ 
/* S: instance set to compute the approximate median. */
/* R: initialization string. */
R' = R;
repeat
   $\hat{S} = R'$ ;
  foreach instance  $s_i \in S$  do
    compute  $D(R', s_i)$ ;
    obtain that  $Q_{s_i}^{R'}$  is the minimum cost edit sequence needed to transform
      R' into  $s_i$ ;
    update statistics for the operation in each position  $j$  of  $R'$ ;
  end foreach
  let  $O_p$  be an operation queue sorted by its goodness index;
  /* Generate new candidates  $R'$  while none of them improve  $\hat{S}$  */
  while  $\sum_{s_i \in S} D(\hat{S}, s_i) \leq \sum_{s_i \in S} D(R', s_i)$  and  $O_p \neq \emptyset$  do
     $op_i = O_p.dequeue$ ;
    obtain a new candidate  $R'$  applying  $op_i$  to  $\hat{S}$ ;
  end while
until no operation  $op_i$  applied to  $\hat{S}$  improve the result;
return  $\hat{S}$ ;

```

143 scheme for edit operations, the frequency might not be the best assessment of how
144 promising a transformation is. We therefore propose the use of $Frequency \times Cost$ as
145 a goodness index. For example, let \hat{S}^t be the candidate solution and $S = \{S_1, S_2, S_3\}$.
146 Without a loss of generality, let us suppose that the best ranked edit operation (op_1)
147 is a substitution with a frequency of 2, and cost of 1. Let us also suppose that there
148 is another substitution (op_2) with a frequency of 1 but with a cost of 3. From the
149 results in Bunke et al. (2002) we obtain that an \hat{S}^{t+1} built by applying op_1 will satisfy
150 $D(\hat{S}^{t+1}, S_1) = D(\hat{S}^t, S_1) - 1$ and $D(\hat{S}^{t+1}, S_2) = D(\hat{S}^t, S_2) - 1$. Regardless of the value
151 of $D(\hat{S}^{t+1}, S_3)$ it can be expected that $SOD(\hat{S})$ will decrease by 2. A similar analysis
152 shows that the application of op_2 leads to a reduction of 3.

153 3.3. An illustrative example

154 The following example illustrates the algorithm's behavior. Let $\hat{S}^t = \{5, 5, 0\}$, $S_1 =$
155 $\{3, 1, 1, 2\}$ and $S_2 = \{0, 6, 1, 6\}$. The substitution of a symbol a for b obtain the cost

156 $\min\{|a-b|, 8-|a-b|\}$, while insertions and deletions obtain the cost of 2. Table 1 shows
 157 the computation of the edit distance from \hat{S}^t to S_1 and S_2 . In the first case, this results
 158 in one of the optimal edit sequences $\{s(5, 3), s(5, 1), s(0, 1), i(2)\}$. $D(\hat{S}^t, S_2)$ results in
 159 $\{s(5, 0), s(5, 6), s(0, 1), i(6)\}$. Table 2 shows an edit operation ranked by its frequency.
 160 Note how a different goodness index leads to a different ranking. Applying the best
 161 operation $s(0, 1)$ in position 3 results in $\hat{S}^{t+1} = \{5, 5, 1\}$, which improves $SOD(\hat{S})$
 162 since $D(\hat{S}^{t+1}, S_1) = 8$ and $D(\hat{S}^{t+1}, S_2) = 6$. If the best operation does not lead to
 163 an improvement, then the second best option must be tested, and so on. Note that in
 164 the list of perturbations there may be different operations related to the same position.
 165 This option does not occur in Fischer and Zell (2000) and Mollineda (2004). The
 166 process is repeated by starting from the new solution while some operations lead to
 167 a better approximation. The example above also shows how ranking by *Frequency* \times
 168 *Cost* can lead to better results. As explained previously, by applying $s(0, 1)$ we obtain
 169 $SOD(\hat{S}^{t+1}) = 14$. The last column in the Table 2 shows that the operations may be
 170 ranked differently. In this case, $s(5, 1)$ in position 2 is the operation with the best
 171 goodness index. If it were to be applied, then $\hat{S}^{t+1} = \{5, 1, 0\}$ and thus $D(\hat{S}^{t+1}, S_1) = 5$
 and $D(\hat{S}^{t+1}, S_2) = 5$, which is $SOD(\hat{S}^{t+1}) = 10$.

Table 1: Computation of the edit distance cost from $\hat{S}^t = \{5, 5, 0\}$ to $S_1 = \{3, 1, 1, 2\}$
 and $S_2 = \{0, 6, 1, 6\}$. Substitutions of a symbol a by a symbol b have cost $\min\{|a-b|, 8-|a-b|\}$
 while deletions and insertions have cost of 2. An optimal path is shaded
 in order to follow the best cost operations easily and visually.

(a)					(b)						
		3	1	1	2		0	6	1	6	
	0	2	4	6	8		0	2	4	6	8
5	2	2	4	6	8	5	2	3	3	5	7
5	4	4	6	8	9	5	4	5	4	6	6
0	6	6	5	7	9	0	6	4	6	5	7

172

Table 2: Ranking of edit operations

Operation	Position	Frequency	Frequency \times Cost
s(0,1)	3	2	2
s(5,0)	1	1	3
s(5,1)	2	1	4
s(5,6)	2	1	1
s(5,3)	1	1	2
i(2)	3	1	2
i(6)	3	1	2

173 3.4. Computational cost analysis

174 The procedure used to compute the approximate median string needs to compute
 175 the distance from the partial solution to every string in the set. Under the Levenshtein
 176 edit distance this can be carried out in time $O(l^2)$ by using the dynamic programming
 177 algorithm presented in Wagner and Fischer (1974), where l is the length of the longest
 178 string. The **foreach** statement loops N times, and the first stage of the algorithm thus
 179 requires a time that is proportional to $O(N \times l^2)$. Assuming that no perturbations im-
 180 prove the solution, the inner **while** loop needs to examine the whole queue O_p .

181 Let $|\Sigma|$ be the size of the alphabet; $\min\{N, |\Sigma|\}$ substitutions are possible for each
 182 of the l symbols in \hat{S} , this is the maximum number of substitutions, and there are
 183 thus $O(l \times \min\{N, |\Sigma|\})$ potential substitutions. The same result holds for insertions.
 184 Only l deletions are possible. A pessimistic upper bound to $|O_p|$ is therefore $O(2 \times$
 185 $l \times \min\{N, |\Sigma|\} + l)$. In the worst case, each operation in O_p involves computing the
 186 distance from R' to all the strings, which requires $O(N \times l^2)$. Under these assumptions,
 187 inner **while** takes a time proportional to $O(N \times l^3 \times \min\{N, |\Sigma|\})$. Let k be the number of
 188 times that the outer **repeat** loops, thus the algorithm requires $O(k \times N \times l^3 \times \min\{N, |\Sigma|\})$,
 189 which is the same time required by the algorithm described by Martínez-Hinarejos
 190 et al. (2001). However, in practice the proposed approach behaves much better as it is
 191 suggested by the results discussed in Section 4.

192 4. Experimental results

193 Experiments were carried out to evaluate the performance of the proposed approach
194 when computing an approximate median string. The strings over two sets of symbols
195 were tested to ensure independent results with regard to the alphabet.. In the first case,
196 $\Sigma = \{0, 1, 2, 3, 4, 5, 6, 7, \lambda\}$, corresponding to the directions of Freeman chain codes
197 (Freeman, 1974) where λ denotes the empty symbol used for deletions and insertions.
198 Edit operation costs were fixed in a manner similar to that of Rico-Juan and Micó
199 (2003), that is, a cost of 2 for deletions and insertions and $\min\{|a - b|, 8 - |a - b|\}$
200 for substitutions. The strings in each set are not randomly generated but are a chain
201 code representation of the contours from two widely known 2D shape databases, the
202 *NIST-3 Uppercase Letters* and the *USPS Digits*, (Jain and Zongker, 1997; García-Díez
203 et al., 2011; Rico-Juan and Iñesta, 2012), with 26 and 10 classes, respectively. Four
204 independent samples of 20 instances per class were drawn for a total of 144 different
205 sets. Our approach was used to compute an approximate median for each of them.
206 The proposed algorithm, referred to as *JR-S* was compared to the methods proposed by
207 Fischer and Zell (2000) and Mollineda (2004) which performs several modifications
208 at the same time, and that of Martínez-Hinarejos (2003) which modifies the partial
209 solution in a one by one manner.

210 In a second test, strings were drawn from the chromosomes dataset used by Martínez-
211 Hinarejos et al. (2003). This time $\Sigma = \{a, b, c, d, e, =, A, B, C, D, E, \lambda\}$, and the cost of
212 each operation was computed as in Martínez-Hinarejos et al. (2003). Four samples of
213 20 instances were again selected for each of the 22 classes.

214 Tables 3 and 4 show the results for each set in the respective databases. In each
215 case we computed the ratio $\frac{SOD(\hat{S})}{SOD(S^M)}$, where S^M is the set median, in order to facilitate
216 the comparison of the results of different algorithms and datasets. The lower it is, the
217 better the approximation to the true median found by the algorithm is. In each case “ ε ”,
218 “ S^M ” or “ S^G ” refer to the initial string, that is, the empty string, the set median and

219 the greedy initialization proposed by Casacuberta and Antonio (1997). Since all the
220 algorithms in the test work in an iterative manner, the number of distances computed
221 by each approach that evaluates $SOD(\hat{S})$ was also studied. The graphics in Figure 1 and
222 2 show the average value for $\frac{SOD(\hat{S})}{SOD(S^M)}$ and the average number of distances computed
223 by each approach in all the experiments.

224 Besides, a third experiment was carried out to compare the results with respect
225 to the true median. In this case, we collected four sets of 20 random generated strings
226 over the alphabet $\Sigma = \{0, 1, 2, 3, 4, 5, 6, 7, \lambda\}$ with length varying from 3 to 8. Operation
227 costs were fixed as explained before. Table 5 shows results on this simple database.

228 As mentioned previously, the results confirm that applying perturbations to the par-
229 tial solution one by one leads to a much better quality approximation to the true median
230 in terms of $SOD(\hat{S})$. In every set, either the proposed approach or Martínez-Hinarejos
231 (2003) provides the most precise approximation. In general, the solutions computed
232 with *JR-S* are equivalent to or even better than those attained with Martínez-Hinarejos
233 (2003) but, as Tables 3 and 4 show, the proposed approach is, on average, about 10
234 times faster than Martínez-Hinarejos (2003) in terms of the computed distances. In
235 some cases ranking the operations by $Frequency \times Cost$ instead $Frequency$ can lead to
236 slightly better approximations, but in general, it also requires the computation of addi-
237 tional distances. On the other hand, although its results are not so good in terms of the
238 approximate median quality in the methods of Fischer and Zell (2000) and Mollineda
239 (2004), only a few distances are needed to notably improve the set median. In both
240 cases, it would appear that the algorithm gets stuck in a local minimum after a small
241 number of iterations.

242 A comparison in terms of running time was also included, as Figure 3 shows. The
243 experiments were performed in a computer with an Intel X5355-2.66 GHz CPU (4
244 cores) and 8 Gb RAM. It can be observed that algorithms introduced by Fischer and
245 Zell (2000) and Mollineda (2004) are in average about 30 times faster than ours. On the

246 other hand, the proposed approach runs near 8 times faster than the methods described
 247 by Martínez-Hinarejos et al. (2003).




Figure 1: 1a shows the average for $\frac{SOD(\hat{S})}{SOD(S^M)}$ in all experiments. This measure represents the quality of the results. The chart in 1b shows the average number of distances (in thousands) (Freeman chain codes set). In both cases, less value is better.

248 5. Conclusions and Future work

249 A new approach to compute a quality approximation to the median string has been
 250 presented. The algorithm builds an approximate median through the successive re-
 251 finements of a partial solution. Modifications are applied one by one in a manner
 252 similar to that of Martínez-Hinarejos et al. (2003), and empirical results show that
 253 this approach leads to better approximations than those methods which apply several
 254 perturbations simultaneously, although the latter runs much faster. Comparisons with
 255 Martínez-Hinarejos (2003) show that the proposed algorithm is able to compute high-
 256 quality approximations to the true median string but requires significantly less com-
 257 putation and is about 10 times faster, which makes it highly suitable for applications
 258 that require a precise approximation. As pointed out in Section 2, an operation op_i
 259 determines two subsets S^{YES} and S^{NO} from S . Applying op_i to \hat{S} results in new string
 260 \hat{S}' such as the distance from strings in S^{YES} to \hat{S}' will decrease. Further research




Figure 2: 2a shows the average for $\frac{SOD(\hat{S})}{SOD(S^M)}$ in all experiments. This measure represents the quality of the results. The chart in 2b shows the average number of distances (in thousands) (Copenhagen chromosomes set). In both cases, less value is better.

261 may address to better characterize how the distance from \hat{S}' to strings in S^{NO} behaves
 262 without computing those distances, but using information gathered when computing
 263 the distances to \hat{S} . This can help to select the best operation to reduce the number
 264 of distances computed without spoiling the approximation quality. Another subject of
 265 interest is to analyse how the choice of a different optimal path will affect results, since
 266 a different ranking might be obtained.

267 Acknowledgements

268 This work is partially supported by the Spanish CICYT under project DPI2006-
 269 15542-C04-01, the Spanish MICINN through project TIN2009-14205-CO4-01 and by
 270 the Spanish research program Consolider Ingenio 2010: MIPRCV (CSD2007-00018).




Figure 3: Average running time, in seconds, for each algorithm in each database experiments.

Table 3: Average distance from the approximated median to each string in the set. (Freeman chaincodes)

Class	Set Median	Mollineda ϵ	Mollineda S^M	Fischer ϵ	Fischer S^M	JR-S ϵ	JR-S S^M	JR-S ϵ	JR-S S^M	Hinarejos S^G	Hinarejos S^M
A	102.0±5.0	98.7±6.0	98.0±6.0	99.3±5.0	96.4±5.0	92.2±5.0	92.4±5.0	92.1±5.0	92.2±5.0	92.3±5.0	92.1±5.0
B	120.5±4.0	122.3±7.0	119.7±4.0	120.8±5.0	119.0±4.0	110.3±5.0	110.1±5.0	110.2±5.0	110.2±5.0	110.2±5.0	110.1±5.0
C	116.2±13.0	110.7±10.0	111.6±12.0	109.9±11.0	109.9±11.0	103.6±10.0	103.5±10.0	103.3±10.0	103.3±10.0	103.3±10.0	103.3±10.0
D	126.3±29.0	131.5±29.0	126.3±29.0	128.8±30.0	126.3±29.0	117.1±28.0	117.2±28.0	117.1±28.0	117.0±28.0	117.0±28.0	117.2±28.0
E	181.8±12.0	191.1±19.0	176.0±8.0	174.7±7.0	172.9±7.0	168.5±12.0	165.9±8.0	168.3±12.0	165.5±8.0	168.6±12.0	165.5±8.0
F	154.2±8.0	149.0±10.0	148.1±8.0	146.2±9.0	145.9±7.0	137.0±7.0	137.1±7.0	136.9±7.0	137.0±7.0	137.0±7.0	137.2±7.0
G	190.1±17.0	184.7±17.0	184.8±16.0	180.9±17.0	180.5±16.0	171.0±16.0	170.2±16.0	170.8±16.0	170.6±16.0	170.6±16.0	170.4±16.0
H	193.3±19.0	192.5±20.0	193.1±19.0	189.2±19.0	189.0±19.0	176.7±18.0	176.5±18.0	176.6±18.0	176.6±19.0	176.6±19.0	176.6±18.0
I	141.6±17.0	155.1±20.0	141.6±17.0	150.0±19.0	141.6±17.0	137.3±18.0	137.3±18.0	137.7±18.0	137.6±18.0	137.5±18.0	137.3±18.0
J	184.9±14.0	180.1±13.0	182.0±17.0	182.6±8.0	178.6±13.0	167.0±12.0	167.2±12.0	166.9±11.0	166.9±11.0	167.0±11.0	166.9±11.0
K	197.1±17.0	195.4±21.0	190.7±17.0	186.8±17.0	186.6±15.0	175.1±14.0	175.0±15.0	175.1±15.0	175.5±14.0	179.3±20.0	175.2±15.0
L	89.7±5.0	89.4±4.0	86.9±6.0	87.8±5.0	85.9±6.0	82.4±5.0	82.7±5.0	82.4±5.0	82.4±5.0	82.5±5.0	82.5±5.0
M	225.6±16.0	220.2±11.0	218.4±11.0	214.6±14.0	214.1±12.0	201.4±11.0	201.2±11.0	201.2±11.0	201.5±11.0	201.6±12.0	201.4±11.0
N	191.8±11.0	192.1±10.0	190.7±10.0	188.8±10.0	187.9±11.0	178.8±9.0	178.8±9.0	178.9±9.0	178.6±9.0	179.0±9.0	178.7±9.0
O	75.4±11.0	78.5±16.0	74.8±12.0	76.8±14.0	74.6±12.0	70.7±12.0	70.7±12.0	70.8±12.0	70.6±12.0	70.6±12.0	70.4±12.0
P	100.5±10.0	100.9±13.0	100.4±10.0	99.1±13.0	99.5±11.0	92.2±10.0	92.1±10.0	92.0±10.0	92.2±10.0	92.3±10.0	92.3±10.0
Q	109.7±9.0	115.0±10.0	109.4±8.0	107.0±8.0	107.3±8.0	100.4±7.0	100.5±7.0	100.2±7.0	100.3±7.0	100.2±7.0	100.2±7.0
R	150.5±10.0	149.0±11.0	150.0±10.0	145.9±12.0	147.5±9.0	135.6±9.0	135.4±10.0	135.5±9.0	135.7±10.0	135.4±9.0	135.4±9.0
S	143.3±7.0	141.7±6.0	138.8±6.0	137.8±7.0	136.8±6.0	130.3±6.0	130.2±7.0	130.3±7.0	130.2±6.0	130.3±7.0	130.2±7.0
T	144.7±11.0	149.9±11.0	144.4±12.0	146.0±14.0	144.6±11.0	136.3±11.0	136.4±11.0	136.4±11.0	136.5±11.0	136.2±11.0	136.2±11.0
U	171.0±6.0	179.0±4.0	170.7±6.0	177.7±4.0	170.3±5.0	172.7±21.0	163.0±4.0	172.9±21.0	163.0±4.0	169.1±13.0	162.9±4.0
V	146.6±14.0	142.8±14.0	142.6±15.0	141.3±14.0	140.7±12.0	134.5±13.0	134.6±13.0	134.9±13.0	134.7±13.0	135.0±13.0	134.4±13.0
W	226.8±19.0	221.5±14.0	221.5±13.0	220.4±14.0	217.4±16.0	207.1±14.0	206.0±13.0	206.8±14.0	206.2±13.0	208.3±17.0	206.0±13.0
X	149.7±11.0	152.4±12.0	149.2±12.0	149.2±12.0	147.8±10.0	139.8±12.0	140.0±12.0	140.0±12.0	139.9±12.0	139.6±12.0	139.6±12.0
Y	147.3±4.0	150.3±6.0	147.3±4.0	146.2±5.0	144.9±6.0	136.7±5.0	137.0±4.0	136.6±4.0	136.9±4.0	136.7±5.0	136.6±5.0
Z	172.6±11.0	172.8±11.0	170.8±9.0	171.6±8.0	167.1±9.0	157.7±9.0	157.8±9.0	157.8±9.0	157.9±9.0	157.8±9.0	157.9±9.0
0	54.1±2.0	51.6±3.0	51.6±3.0	53.7±2.0	51.6±3.0	48.1±3.0	48.2±3.0	48.4±3.0	48.0±3.0	48.0±3.0	47.9±3.0
1	46.6±2.0	45.6±2.0	45.6±2.0	49.4±2.0	45.8±2.0	42.8±2.0	42.9±1.0	42.7±1.0	42.8±1.0	43.0±1.0	42.6±2.0
2	122.1±8.0	114.1±7.0	115.1±7.0	116.7±7.0	113.6±8.0	107.9±6.0	107.7±7.0	107.8±6.0	107.9±7.0	107.8±6.0	107.6±6.0
3	122.7±3.0	112.2±4.0	110.8±4.0	114.1±2.0	111.4±4.0	105.5±3.0	105.8±3.0	105.6±3.0	105.5±3.0	105.7±3.0	105.5±3.0
4	147.0±12.0	145.1±11.0	145.1±11.0	144.0±11.0	143.6±13.0	134.9±11.0	135.0±11.0	135.1±11.0	135.0±11.0	134.8±11.0	135.4±11.0
5	155.4±6.0	144.4±6.0	144.9±5.0	145.8±4.0	143.5±5.0	134.9±4.0	135.3±4.0	135.4±4.0	135.1±4.0	135.1±4.0	135.1±4.0
6	87.8±3.0	83.0±2.0	82.5±2.0	87.5±2.0	82.4±2.0	76.7±2.0	77.2±2.0	77.1±2.0	77.1±2.0	76.9±2.0	77.0±2.0
7	102.4±5.0	98.7±5.0	96.7±6.0	101.4±4.0	97.5±5.0	91.3±4.0	91.5±4.0	91.7±4.0	91.3±5.0	91.4±4.0	91.3±5.0
8	103.5±7.0	102.8±8.0	99.5±9.0	101.8±7.0	100.0±8.0	92.8±7.0	93.1±8.0	92.9±8.0	92.9±8.0	93.1±7.0	93.0±7.0
9	85.5±5.0	83.8±4.0	83.2±5.0	84.4±4.0	81.5±5.0	77.0±4.0	77.1±5.0	76.9±4.0	77.0±4.0	76.8±5.0	76.8±5.0
Average	138.3	137.4	135.1	135.5	133.4	126.2	125.9	126.3	125.9	126.3	125.8
σ	44.0	44.1	43.5	42.2	42.4	40.6	40.1	40.6	40.2	40.7	40.2

Table 4: Average distance from the approximated median to each string in the set. (Copenhagen Chromosomes set)

Class	Set Median	Mollineda ϵ	Mollineda S^M	Fischer ϵ	Fischer S^M	JR-S ϵ Freq \times Cost	JR-S S^M Freq \times Cost	JR-S ϵ Freq	JR-S S^M Freq	Hinarejos S^G	Hinarejos S^M
chromo1	47.8±3.0	49.8±3.0	44.8±2.0	57.6±4.0	44.6±2.0	42.4±3.0	42.0±3.0	42.2±3.0	42.1±3.0	42.1±3.0	42.0±3.0
chromo2	42.8±1.0	47.5±3.0	40.5±2.0	65.3±5.0	40.8±2.0	37.7±2.0	37.9±2.0	37.8±2.0	37.7±2.0	38.0±2.0	37.8±2.0
chromo3	38.7±1.0	45.4±6.0	36.4±0.5	50.4±5.0	36.2±1.0	34.2±1.0	34.2±1.0	34.3±1.0	34.3±1.0	34.5±1.0	34.5±1.0
chromo4	36.2±1.0	37.0±2.0	33.1±1.0	52.6±1.0	33.6±1.0	31.8±1.0	31.9±1.0	31.9±1.0	31.8±1.0	31.8±1.0	31.8±1.0
chromo5	33.1±1.0	37.1±0.3	30.7±1.0	51.8±3.0	31.1±2.0	28.9±1.0	28.8±1.0	28.8±1.0	28.8±1.0	28.8±1.0	28.7±1.0
chromo6	33.8±2.0	36.7±1.0	32.3±2.0	46.5±7.0	30.5±1.0	29.8±1.0	29.8±1.0	29.9±1.0	29.8±1.0	29.8±1.0	29.8±1.0
chromo7	29.5±1.0	37.0±3.0	27.1±0.2	42.2±5.0	27.2±1.0	25.9±1.0	25.9±1.0	25.9±1.0	25.9±1.0	25.9±1.0	25.9±1.0
chromo8	27.6±1.0	32.1±1.0	24.8±0.1	44.7±1.0	25.1±1.0	24.0±1.0	23.9±1.0	23.9±1.0	23.8±1.0	23.9±1.0	23.9±1.0
chromo9	28.2±2.0	28.2±1.0	28.2±2.0	28.2±3.0	28.2±2.0	28.2±1.0	28.2±1.0	28.2±1.0	28.2±1.0	28.2±1.0	28.2±1.0
chromo10	25.9±1.0	30.2±1.0	25.5±1.0	39.5±6.0	24.9±1.0	23.2±1.0	23.2±1.0	23.2±1.0	23.2±1.0	23.3±1.0	23.2±1.0
chromo11	24.6±2.0	26.4±5.0	21.0±2.0	33.3±5.0	22.3±2.0	21.3±2.0	21.3±2.0	21.3±2.0	21.3±2.0	21.2±2.0	21.3±2.0
chromo12	25.4±1.0	27.0±1.0	24.5±1.0	33.8±4.0	23.9±1.0	22.6±1.0	22.7±1.0	22.6±0.5	22.7±0.5	22.6±0.5	22.8±0.5
chromo13	20.4±1.0	24.9±3.0	19.5±1.0	35.2±3.0	18.7±1.0	18.2±1.0	18.1±1.0	18.1±1.0	18.1±1.0	18.0±1.0	18.1±0.5
chromo14	23.2±1.0	22.0±0.5	21.8±0.5	31.1±5.0	21.4±0.4	20.5±1.0	20.5±1.0	20.6±1.0	20.6±1.0	20.5±1.0	20.6±1.0
chromo15	21.0±1.0	23.4±2.0	19.4±1.0	30.7±2.0	19.8±1.0	18.6±1.0	18.6±1.0	18.6±1.0	18.6±1.0	18.6±1.0	18.6±1.0
chromo16	17.9±0.5	18.0±3.0	16.3±0.3	29.4±2.0	16.6±0.5	15.9±1.0	15.9±1.0	15.9±1.0	15.9±1.0	15.9±1.0	15.9±1.0
chromo17	21.3±1.0	22.5±1.0	19.7±2.0	30.2±3.0	19.8±1.0	18.6±1.0	18.6±1.0	18.6±1.0	18.6±1.0	18.6±1.0	18.6±1.0
chromo18	18.5±1.0	21.5±2.0	17.8±1.0	26.1±2.0	16.9±1.0	16.2±1.0	16.3±1.0	16.1±1.0	16.1±1.0	16.1±1.0	16.1±1.0
chromo19	12.4±1.0	16.2±3.0	11.6±1.0	19.5±2.0	12.0±1.0	11.7±1.0	11.7±1.0	11.7±1.0	11.7±1.0	11.7±1.0	11.7±1.0
chromo20	15.2±2.0	21.3±1.0	14.9±2.0	24.9±1.0	14.6±2.0	14.1±1.0	14.1±1.0	14.1±1.0	14.1±1.0	14.1±1.0	14.1±1.0
chromo21	10.6±1.0	12.7±2.0	10.5±1.0	14.7±3.0	10.2±1.0	10.0±1.0	10.0±1.0	10.0±1.0	10.0±1.0	10.0±1.0	10.0±1.0
chromo22	13.4±0.3	15.9±2.0	13.1±0.4	23.1±1.0	12.7±0.2	12.4±0.3	12.4±0.2	12.4±0.3	12.4±0.3	12.3±0.3	12.4±0.3
Average	26.6	30.0	24.9	38.4	24.9	23.7	23.7	23.7	23.7	23.7	23.7
σ	9.9	10.5	9.2	13.5	9.2	8.6	8.6	8.6	8.6	8.6	8.6

Table 5: Comparison of the average distance from the approximated median to each string in the set respect the true median. (Synthetic data)

Set	Exact Median	Set Median	Mollineda ε	Mollineda S^M	Fischer ε	Fischer S^M	JR-S ε Freq \times Cost	JR-S S^M Freq \times Cost	JR-S ε Freq	JR-S S^M Freq	Hinarejos S^G	Hinarejos S^M
Synthetic 1	6.5	6.9	7.7	6.8	6.9	6.9	6.5	6.5	6.8	6.5	6.5	6.5
Synthetic 2	7.9	8.4	8.6	8.3	8.4	8.4	8.1	8.1	8.1	8.1	8.1	8.1
Synthetic 3	8.0	8.5	8.3	8.4	8.5	8.5	8.2	8.0	8.0	8.0	8.0	8.0
Synthetic 4	7.3	7.6	7.6	7.6	7.6	7.6	7.3	7.3	7.4	7.3	7.3	7.3
Average	7.4	7.8	8.0	7.8	7.9	7.8	7.5	7.4	7.6	7.4	7.5	7.5
σ	0.6	0.7	0.4	0.6	0.7	0.7	0.7	0.7	0.5	0.7	0.7	0.7

271 **References**

- 272 Bunke, H., Jiang, X., Abegglen, K., Kandel, A., 2002. On the weighted mean of a pair
273 of strings. *Pattern Analysis & Applications* 5, pp. 23-30.
- 274 Casacuberta, F., Antonio, M., 1997. A greedy algorithm for computing approximate
275 median strings. In: VII Simposium Nacional de Reconocimiento de Formas y
276 Análisis de Imágenes (AERFAI), pp. 193-198.
- 277 Fischer, I., Zell, A., 2000. String averages and self-organizing map for strings. In:
278 Proceedings of the Neural Computation, Canada / Switzerland, (ICSC). Academic
279 Press, pp. 208-215.
- 280 Freeman, H., 1974. Computer processing of line-drawing data. *Computer Surveys* 6,
281 pp. 57-96.
- 282 García-Díez, S., Fouss, F., Shimbo, M., Saerens, M., 2011. A sum-over-paths extension
283 of edit distances accounting for all sequence alignments. *Pattern Recognition*, Vol
284 44(6), pp. 1172-1182.
- 285 González-Rubio, J., Casacuberta, F. 2010. On the use of median string for multi-source
286 translation. In: 20th International Conference on Pattern Recognition (ICPR), pp.
287 4328-4331.
- 288 Jain, A., Zongker, D., 1997. Representation and recognition of handwritten digits using
289 deformable templates. *IEEE Trans. on Pattern Analysis and Machine Intelligence*,
290 Vol. 19, pp. 1386-1390.
- 291 Jiang, X., Bunke, H., 2002. Optimal lower bound for generalized median problems in
292 metric spaces. *Structural, Syntactic, and Statistical Pattern Recognition*, LNCS, Vol.
293 2396, pp. 143-151.
- 294 Jiang, X., Schiffmann, L., Bunke, H., 2000. Computation of median shapes. In: 4th
295 Asian Conf. on Computer Vision, pp. 300-305.

- 296 Jiang, X., Bunke, H., Csirik, J., 2004. Median Strings: A Review Data Mining in Time
297 Series Databases. World Scientific, Vol. 57, pp. 173-192
- 298 Jiang, X., Wentker, J., Ferrer, M., 2012. Generalized median string computation by
299 means of string embedding in vector spaces. Pattern Recognition Letters, Vol. 33,
300 pp. 842-852.
- 301 Kohonen, T., 1985. Median strings. Pattern Recognition Letters 3, pp. 309–313.
- 302 Kohonen, T., 1998. Self-organizing maps of symbols strings. Neurocomputing, Vol.
303 21, pp. 19-30.
- 304 Kruskal, J., 1983. An overview of sequence comparison. time warps, string edits and
305 macromolecules. SIAM Reviews, Vol. 2, pp. 201-2037.
- 306 Kruzslisz, F., 1999. Improved greedy algorithm for computing approximate median
307 strings. Acta Cybernetica, Vol. 14, pp. 331-339.
- 308 Levenshtein, V. I., 1966. Binary codes capable of correcting deletions, insertions, and
309 reversals. Tech. Rep. Vol. 8.
- 310 Lourenço, A., Fred, A., 2005. Ensemble methods in the clustering of string patterns.
311 In: 7th IEEE Workshops on Application of Computer Vision (WACV/MOTIONS),
312 Vol. 1, pp. 143-148.
- 313 Martínez-Hinarejos, C., Juan, A., Casacuberta, F., 2003. Median strings for k-nearest
314 neighbour classification. Pattern Recognition Letters, Vol. 24(1-3), pp. 173-181.
- 315 Martínez-Hinarejos, C. D., 2003. La cadena media y su aplicación en reconocimiento
316 de formas. Ph.D. thesis.
- 317 Martínez-Hinarejos, C., Juan, A., Casacuberta, F., Mollineda, Ramón 2002. Reducing
318 the computational cost of computing approximated median strings. Lecture Notes in
319 Artificial Intelligence, SSPR&SPR 2396, pp. 47-55.

- 320 Martínez-Hinarejos, C. D., Alfons, J., Casacuberta, F., 2001. Improving classification
321 using median string and NN rules. In: IX Spanish Symposium on Pattern Recogni-
322 tion and Image Analysis. Benicàssim. Spain, (AERFAI), Vol. 2, pp. 307-314.
- 323 Mollineda, R. A., 2004. A learning model for multiple-prototype classification of
324 strings. In: 17th Int. Conf. on Pattern Recognition (ICPR). Vol. 4, pp. 420-423.
- 325 Nicolas, F., Rivals, E., 2005. Hardness results for the center and median string problems
326 under the weighted and unweighted edit distances. *Journal of Discrete Algorithms*
327 3 (2-4), 390–415, combinatorial Pattern Matching (CPM) Special Issue. The 14th
328 annual Symposium on combinatorial Pattern Matching.
- 329 Olivares, C., Oncina, J., 2008. A stochastic approach to median string computation.
330 *Lecture Notes in Computer Science, SSPR&SPR 5342*, 431–440.
- 331 Rico-Juan, J., Micó, L., 2003. Some results about the use of tree/string edit distances
332 in a nearest neighbour classification task. *Pattern Recognition and Image Analysis,*
333 *LNCS, Vol. 2652*, pp. 821-828.
- 334 Rico-Juan, J. R., Iñesta, J. M. I., 2012. New rank methods for reducing the size of the
335 training set using the nearest neighbor rule. *Pattern Recognition Letters*, Vol. 33(5),
336 pp. 654 - 660.
- 337 Ristad, E., Yianilos, P., 1998. Learning string-edit distance. *IEEE Trans. on Pattern*
338 *Analysis and Machine Intelligence*, Vol. 20, pp. 522-532.
- 339 Wagner, R., Fischer, M., 1974. The string-to-string correction problem. *Journal of the*
340 *ACM*, Vol. 21, pp. 168-173.