

**DEVELOPMENT OF HIGH QUALITY PRINTING PAPER
USING KENAF (*HIBISCUS CANNABINUS*) FIBERS**

By

ALIREZA ASHORI

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in
Fulfillment of the Requirements for the Degree of Doctor of Philosophy**

December 2004

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Doctor of Philosophy

**DEVELOPMENT OF HIGH QUALITY PRINTING PAPER
USING KENAF (*HIBISCUS CANNABINUS*) FIBERS**

By

ALIREZA ASHORI

December 2004

Chairman : Jalaluddin Harun, Ph.D.

Institute : Advanced Technology

Kenaf (*Hibiscus cannabinus*) is an annual non-wood plant which has shown great potential as an alternative source of papermaking fiber. The purpose of this research was to investigate the suitability of Malaysian cultivated kenaf fibers in the production of high quality printing paper.

The first part of the research characterized the chemical, morphological and pulping properties of kenaf fractions. The bast fibers had a lower lignin content, higher cellulose content, and lower hemicellulose content compared to the core fibers. The whole stem kenaf had lower lignin and cellulose content, and hemicellulose and ash content was comparable to softwood. Fiber morphology results showed that kenaf bast fibers were

long and slender, while the core fibers were much shorter and wider. Morphology and chemical analysis indicated that bast and core fibers were significantly different.

In this part, the pulping properties of different fractions of kenaf were also studied. The pulping experiments led to the conclusion that bast fibers are relatively easy to delignify during pulping, followed by the whole stem and the core kenaf fractions. An unbleached whole kenaf pulp with high viscosity, good bleaching characteristics and relatively good yield could be produced with the kraft pulping process.

The second part of the research investigated the production of bleached pulp using environmentally-friendly method, TCF. Conventional Elemental Chlorine Free (ECF) bleaching sequences were also used to compare the results with the TCF sequences. The results indicated that in contrast to unbleached kraft wood pulps, kraft kenaf pulps can be easily bleached to a brightness of 91.4% using a 4-stage TCF [Q₁(PO)Q₂P] bleaching sequence. This will be a significant advantage for kenaf over wood.

The third part of the research studied the polymer deposition, surface topography and printability. The utilization of chitosan in sizing improved the paper strength and surface properties significantly, but its effectiveness was strongly dependent on the method of addition and concentration. Spray deposition application gave superior strength properties followed by equilibrium adsorption. It is less effective under alkaline conditions. The effect of chitosan was compared with cationic starch and polyvinyl alcohol (PVA). Sizing quality of cationic starch fairly matched with the sizing quality of chitosan, however, it

was able to reduce the water absorption potential of paper more than chitosan at a same concentration (i.e. 2%).

The final part of study demonstrated that the use of chitosan in optimum dosage could improve the printability and print quality of kenaf paper in terms of surface roughness, water and oil absorption, ink penetration, print density, ink set-off and gloss contrast for offset printing.

The overall conclusion is that whole stem kenaf is an attractive raw material that is suitable for use in the production of high quality printing paper in areas where forest resources are inadequate to supply a kraft mill of economic size. Chitosan is recommended as an additive in conventional surface sizing to enhance strength and surface properties for printing paper.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
Sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

**PEMBANGUNAN KERTAS CETAKAN YANG BERKUALITI TINGGI
MENGUNAKAN GENTIAN KENAF (*HIBISCUS CSNNABINUS*)**

Oleh

ALIREZA ASHORI

Disember 2004

Pengerusi : Jalaluddin Harun, Ph.D.

Institut : Teknologi Maju

Kenaf (*Hibiscus cannabinus*) adalah sejenis pokok tahunan bukan kayu yang berpotensi untuk menjadi sumber pilihan bagi gentian didalam pembuatan kertas. Tujuan kajian ini adalah untuk menyiasat penghasilan kertas cetakan yang berkualiti tinggi dari kenaf (*Hibiscus cannabinus*) dengan.

Bahagian pertama kajian menerangkan sifat-sifat kimia, morfologi dan mempulpa bagi bahagian pokok kenaf. Gentian ‘bast’ mempunyai kandungan lignin yang rendah, kandungan selulos yang tinggi dan kandungan hemiselulos yang rendah berbanding

dengan gentian teras kenaf. Keseluruhan batang kenaf mengandungi lignin dan selolos yang rendah, dan kandungan hemiselulos dan abu yang lebih kurang sama berbanding kayu conifer.

Hasil gentian morfologi menunjuk bahawa gentian 'bast' bagi kenaf adalah panjang dan pipih, manakala gentian teras pula pendek dan lebar. Analisis morfologi dan kimia menunjukkan bahawa gentian 'bast' dan gentian teras adalah berbeza.

Dalam bahagian ini, sifat mempulpa bagi bahagian kenaf yang berlainan juga dikaji. Ujian mempulpa memberi kesimpulan bahawa gentian 'bast' mudah dilignifikasi semasa proses mempulpa diikuti dengan keseluruhan bahagian dan bahagian teras kenaf. Pulpa kenaf tidak diluntur mempunyai sifat viscosity tinggi, sifat pelunturan yang baik dan peratus hasil yang baik melalui proses mempulpa kraft.

Bahagian kedua bagi penyelidikan ini menyiasat tentang penghasilan pulpa yang diluntur dengan mengguna kaedah mesra alam. Peraturan meluntur konvensional Elemental Chlorine Free (ECF) telah digunakan untuk membuat perbandingan hasil dengan kaedah TCF. Hasil menunjukkan bahawa keseluruhan gentian kenaf dapat diluntur dengan mencapai kertas yang cerah dengan menggunakan proses TCF dan ECF. Nisbah cerah bagi TCF adalah lebih baik dari kaedah ECF. Keputusan pelunturan menunjukkan bahawa pulpa kenaf boleh diluntur mencapai kecerahan 91.4% (ISO) dengan menggunakan 4-peringkat pelunturan TCF [Q₁(PO)Q₂P]. Ini merupakan pencapaian baik bagi kenaf berbanding dengan gentian kayu.

Bahagian ketiga bagi kajian ini berkaitan dengan pempolimeran dan sifat percetakan. Kegunaan chitosan, cationic starch dan polyvinyl alcohol (PVA) sebagai aditif untuk menambah baik sifat permukaan kertas tertakluk kepada kepekatan dan kaedah yang digunakan. Hasil kajian menunjukkan dengan jelas bahawa penambahan chitosan kepada pulpa daripada gentian yang telah dipukul dapat menambah kekuatan yang baik, berbanding dengan penambahan aditif yang lain. Ini dapat dilihat dengan peningkatan nilai kekuatan koyak, tensil dan pecah. Kesan dari chitosan telah dibandingkan dengan cationic starch dan PVA. Kualiti cationic starch bersamaan dengan kualiti chitosan. Walaubagaimanapun, ia dapat mengurangkan potensi keserapan air oleh kertas berbanding chitosan pada kepekatan yang sama (iaitu 2%).

Bahagian terakhir kajian menunjukkan bahawa kegunaan chitosan didalam dos yang berpatutan dapat menambah daya dan kualiti cetakan kertas kenaf dari segi kekasaran permukaan, penyerapan air dan minyak, penyerapan dakwat, kepadatan cetakan dan kelincinan bahan percetakan.

Secara keseluruhannya, kenaf merupakan bahan mentah yang berpotensi untuk menghasilkan kertas cetakan yang berkualiti tinggi. Chitosan juga mempunyai potensi yang baik untuk digunakan sebagai 'sizing' permukaan bagi menambah kekuatan dan sifat permukaan kertas cetakan.

ACKNOWLEDGEMENTS

The author wishes to express his deepest appreciation to all the persons who have inspired, advised and assisted him during this study. Special recognition and sincere appreciation is extended to Dr. Jalaluddin Harun, the chair of the supervisory committee, for his invaluable guidance and encouragement throughout this work. The help and support of other members of the supervisory committee, Prof. Dr. Wan Zin, Dr. Mohd Nor, Dr. Khairul Zaman and Assoc. Prof. Dr. Wan Rosli is deeply appreciated.

I express my deepest gratitude to Dr. W.D. Raverty, Research Team Leader, Dr. N. Vanderhoek, Senior Principal Research Scientist, and Mr. J. V. Ward, Principal Experimental Scientist, of the Commonwealth Scientific and Industrial Research Organization (CSIRO), for their scientific and stimulating discussions during my days in Melbourne, Australia. I would also like to thank Dr. J.E. Atchison for providing a lot of information about non-wood plant fibers.

I would like to express utmost thanks to the staffs of the Laboratory of Wood Chemistry Division of Forest Research Institute of Malaysia (FRIM), Pulp and Paper Laboratory (School of Industrial Technology) of Universiti Sains Malaysia, CSIRO Forestry and Forest Products and National Printing Laboratory (Monash Uni., Melbourne, Australia)

for the positive and dynamic working atmosphere. My special thanks are due to Mr. Yong Fook Onn (FRIM), Mrs. K. Hands, Mr. M. H. Greaves (CSIRO) and Mr. J. McConnell and Mr. L. Mellett (Monash Uni.) for their excellent technical assistance in performing several analyses included in this thesis. I also thank Ms. C. Larson for the linguistic revisions of this thesis.

My graduate study in Malaysia was financially supported by the Ministry of Science, Research, and Technology (MSRT) of Iran. Thanks very much for giving me this opportunity. I would like to sincerely thank Prof. Dr. J. Farhoudi and Prof. Dr. A. Kouhian, Representative Scientific Counselors, for their advice and guidance during my study in Malaysia and Australia.

Last, but certainly not least, the author wishes to extend his gratefulness and indebtedness to his family members for their support, encouragement and continuing assistance over the past 38 years.

I certify that an Examination Committee met on 30th December 2004 to conduct the final examination of Alireza Ashori on his Doctor of Philosophy thesis entitled “Development of High Quality Printing Paper using Kenaf (*Hibiscus cannabinus*) Fibers” in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Regulation 1981. The Committee recommends that the candidate be awarded the relevant degree. Members of the Examination Committee are as follows:

SHAH NOR BASRI, Ph.D.

Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

MOHD SAPUAN SALIT, Ph.D.

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

SARANI ZAKARIA, Ph.D.

Associate Professor
Faculty of Science and Technology
Universiti Kebangsaan Malaysia
(Independent Examiner)

KEN (KWEI-NAM) LAW, Ph.D.

Professor
Pulp and Paper Research Center
Université du Québec à Trois-Rivières
(Independent Examiner)

GULAM RUSUL RAHMAT ALI, Ph.D.
Professor/Deputy Dean
Faculty of Graduate Studies
Universiti Putra Malaysia

Date: 22 February 2005

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirement for the degree of Doctor of Philosophy.

The members of the Supervisory Committee are as follows:

JALALUDDIN HARUN, Ph.D.
Senior Lecturer
Institute of Advanced Technology
Universiti Putra Malaysia
(Chairman)

WAN MD. ZIN, Ph.D.
Professor
Faculty of Science
Universiti Putra Malaysia
(Member)

WAN ROSLI, Ph.D.
Associate Professor
School of Industrial Technology
Universiti Sains Malaysia
(Member)

MOHD NOR, Ph.D.
Director
Wood Chemistry Program
Forest Research Institute of Malaysia
(Member)

KHAIRUL ZAMAN, Ph.D.
Director
Radiation Processing Technology Division
Malaysian Institute for Nuclear Technology Research
(Member)

AINI IDERIS, Ph.D.
Professor/Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

DECLARATION

I hereby declare that the thesis is based on my original work except for quotations and citations, which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at UPM or other institutions.

ALIREZA ASHORI

Date: 28 January 2005

TABLE OF CONTENTS

	Page
ABSTRACT	2
ABSTRAK	5
ACKNOWLEDGEMENTS	8
APPROVAL	11
DECLARATION	12
LIST OF TABLES	17
LIST OF FIGURES	20
LIST OF ABBREVIATIONS	24

CHAPTER

1	GENERAL INTRODUCTION	Error! Bookmark not defined.
1.1	Availability of Raw Material to Pulp and Paper Industry	Error! Bookmark not defined.
1.2	Non-wood Fibers	Error! Bookmark not defined.
1.3	Non-wood Fibers as Pulp and Papermaking Raw Material	Error! Bookmark not defined.
1.4	Challenges in the Use of Non-woods	Error! Bookmark not defined.
1.5	Kenaf for Papermaking	Error! Bookmark not defined.
1.6	Problem Statement and Rationale	Error! Bookmark not defined.
1.7	Research Objectives	Error! Bookmark not defined.
1.8	Organization of Thesis	Error! Bookmark not defined.
2	LITERATURE REVIEW	Error! Bookmark not defined.
2.1	Kenaf	Error! Bookmark not defined.
2.1.1	History of Kenaf as a Source of Papermaking Fiber	Error! Bookmark not defined.
2.1.2	Characteristics of Kenaf Plant	Error! Bookmark not defined.
2.1.3	Chemical Composition of Kenaf	Error! Bookmark not defined.
2.1.3.1	Lignin	Error! Bookmark not defined.

2.1.3.2 Cellulose	Error! Bookmark not defined.
2.1.3.3 Hemicelluloses	Error! Bookmark not defined.
2.1.3.4 Extractives	Error! Bookmark not defined.
2.1.4 Chemical Pulping of Kenaf Fibers	Error! Bookmark not defined.
2.1.4.1 Kraft Pulping	Error! Bookmark not defined.
2.2 Pulp Bleaching	Error! Bookmark not defined.
2.2.1 Bleaching Processes	Error! Bookmark not defined.
2.2.2 Use of Oxygen and Peroxide in ECF Bleaching	Error! Bookmark not defined.
2.2.3 Hydrogen Peroxide Bleaching	Error! Bookmark not defined.
2.2.4 Conditions of Hydrogen Peroxide Bleaching	Error! Bookmark not defined.
2.2.4.1 Mechanisms of Peroxide Decomposition in Alkaline Solution	Error! Bookmark not defined.
2.2.4.2 Effect of Magnesium on Stability of Alkaline Peroxide Solutions	Error! Bookmark not defined.
2.2.5 Pressurized Peroxide Bleaching	Error! Bookmark not defined.
2.2.5.1 Process Variables of PO Stage	Error! Bookmark not defined.
2.2.6 Oxygen Bleaching	Error! Bookmark not defined.
2.2.6.1 Condition of Oxygen Bleaching	Error! Bookmark not defined.
2.2.7 Ozone Bleaching	Error! Bookmark not defined.
2.2.7.1 Conditions of Ozone Bleaching	Error! Bookmark not defined.
2.3 Ways to Increasing the Strength and Surface Properties of Paper	Error! Bookmark not defined.
2.3.1 Beating of Fibers	Error! Bookmark not defined.
2.3.2 Dry-strength Additives	Error! Bookmark not defined.
2.3.3 Sizing	Error! Bookmark not defined.
2.3.3.1 Polyvinyl Alcohol	Error! Bookmark not defined.
2.3.3.2 Starch	Error! Bookmark not defined.
2.3.3.3 Chitosan	Error! Bookmark not defined.
2.4 Topography of Surface	Error! Bookmark not defined.
2.5 Printing Paper	Error! Bookmark not defined.

3 MATERIALS AND METHODS

	Error! Bookmark not defined.
3.1 Chemical Characteristics	Error! Bookmark not defined.
3.1.1 Raw Material Preparation	Error! Bookmark not defined.
3.1.2 Organic Compositions	Error! Bookmark not defined.
3.1.3 Inorganic Compositions	Error! Bookmark not defined.
3.2 Fiber Morphology Determination	Error! Bookmark not defined.
3.3 Kraft Pulping	Error! Bookmark not defined.
3.4 Determination of Pulp Reject, Yield and Kappa Number	Error! Bookmark not defined.
3.5 Handsheets Formation and Testing	Error! Bookmark not defined.
3.6 Pulp Bleaching Procedures	Error! Bookmark not defined.
3.6.1 Oxygen Bleaching	Error! Bookmark not defined.
3.6.2 Ozone Bleaching	Error! Bookmark not defined.

3.6.3 Hydrogen Peroxide Bleaching	Error! Bookmark not defined.
3.6.4 Oxygen Pressurized Hydrogen Peroxide Bleaching	Error! Bookmark not defined.
3.6.5 Chelation	Error! Bookmark not defined.
3.6.6 ECF Bleaching	Error! Bookmark not defined.
3.7 Determination of Bleached Pulp Properties	Error! Bookmark not defined.
3.7.1 Kappa Number	Error! Bookmark not defined.
3.7.2 Viscosity	Error! Bookmark not defined.
3.7.3 Selectivity	Error! Bookmark not defined.
3.7.4 Pulp Brightness	Error! Bookmark not defined.
3.8 Beating of Pulps	Error! Bookmark not defined.
3.9 Handsheet Making and Paper Evaluation	Error! Bookmark not defined.
3.10 Determination of Basis Weight, Thickness and Bulk	Error! Bookmark not defined.
3.11 Characteristics of Polymers Used for the Experiment	Error! Bookmark not defined.
3.12 Application of Polymers	Error! Bookmark not defined.
3.13 Determination of Properties of Treated Papers	Error! Bookmark not defined.
3.13.1 Retention of Polymer on Paper	Error! Bookmark not defined.
3.13.2 Film Forming Characteristics	Error! Bookmark not defined.
3.14 Printability and Print Quality Tests	Error! Bookmark not defined.
3.14.1 Surface Topography	Error! Bookmark not defined.
3.14.2 Dynamic Absorption Test (DAT)	Error! Bookmark not defined.
3.14.3 Oil Absorption	Error! Bookmark not defined.
3.14.4 Ink Transfer	Error! Bookmark not defined.
3.14.5 Ink Set-off and Ink Density	Error! Bookmark not defined.
3.14.6 Ink Penetration Depth	Error! Bookmark not defined.
4 RESULTS AND DISCUSSIONS	Error! Bookmark not defined.
4.1 Chemical Components of Kenaf Fractions	Error! Bookmark not defined.
4.1.1 Organic Compositions	Error! Bookmark not defined.
4.1.1.1 Holocellulose Content	Error! Bookmark not defined.
4.1.1.2 Alpha-cellulose Content	Error! Bookmark not defined.
4.1.1.3 Hemicellulose Content	Error! Bookmark not defined.
4.1.1.4 Pentosan Content	Error! Bookmark not defined.
4.1.1.5 Lignin Content	Error! Bookmark not defined.
4.1.1.6 Extractives Content	Error! Bookmark not defined.
4.1.2 Inorganic Compositions	Error! Bookmark not defined.
4.1.2.1 Ash Content	Error! Bookmark not defined.
4.1.2.2 Trace Element	Error! Bookmark not defined.
4.2 The Morphology of Kenaf Fibers	Error! Bookmark not defined.
4.3 Laboratory-scale Pulping of Kenaf	Error! Bookmark not defined.
4.4 Handsheet Evaluations	Error! Bookmark not defined.
4.4.1 Canadian Standard Freeness	Error! Bookmark not defined.
4.4.2 Sheet Density	Error! Bookmark not defined.
4.4.3 Tear Index	Error! Bookmark not defined.

4.4.4 Burst Index	Error! Bookmark not defined.
4.4.5 Tensile Index	Error! Bookmark not defined.
4.4.6 Tensile Energy Absorption	Error! Bookmark not defined.
4.4.7 Stretch	Error! Bookmark not defined.
4.4.8 Zero-span Breaking Length	Error! Bookmark not defined.
4.5 Whole Stem	Error! Bookmark not defined.
4.6 Bleaching of the Pulp with ECF and TCF Sequences	Error! Bookmark not defined.
4.7 Evaluation of Bleaching Processes	Error! Bookmark not defined.
4.7.1 Pulp Brightness	Error! Bookmark not defined.
4.7.2 Viscosity and Selectivity	Error! Bookmark not defined.
4.7.3 Pulp Yield	Error! Bookmark not defined.
4.7.4 Strength Properties of Bleached Pulp	Error! Bookmark not defined.
4.7.5 Preliminary Screening	Error! Bookmark not defined.
4.8 Properties of TCF and ECF Bleached Kenaf Pulps after Beating	Error! Bookmark not defined.
4.9 Effect of Polymers on Paper Properties	Error! Bookmark not defined.
4.9.1 Chitosan	Error! Bookmark not defined.
4.9.2 Cationic Starch and PVA	Error! Bookmark not defined.
4.9.3 Retention of Polymers on the Fibers	Error! Bookmark not defined.
4.9.4 Effect of Chitosan Addition on Surface Properties of Paper	Error! Bookmark not defined.
4.9.5 Effect of Cationic Starch Addition on Surface Properties of Paper	Error! Bookmark not defined.
4.9.6 Effect of PVA Addition on Surface Properties of Paper	Error! Bookmark not defined.
4.9.7 Effect of Chitosan as an Additive in Surface Sizing	Error! Bookmark not defined.
4.10 Surface Topography and Printability	Error! Bookmark not defined.
4.10.1 Characterization of Surface Topography (Profilometry)	Error! Bookmark not defined.
4.10.2 Dynamic Absorption Test	Error! Bookmark not defined.
4.10.3 Oil Absorption	Error! Bookmark not defined.
4.10.4 Ink Transfer	Error! Bookmark not defined.
4.10.5 Print Density and Ink Penetration	Error! Bookmark not defined.
4.10.6 Ink Set-off	Error! Bookmark not defined.
4.10.7 Gloss Contrast	Error! Bookmark not defined.
5 CONCLUSIONS AND RECOMMENDATIONS	Error! Bookmark not defined.
5.1 Morphology and Chemical Analysis	Error! Bookmark not defined.
5.2 Kraft Pulping	Error! Bookmark not defined.
5.3 Bleaching	Error! Bookmark not defined.
5.4 Enhancing the Strength and Surface Properties	Error! Bookmark not defined.
5.5 Printability and Print Quality	Error! Bookmark not defined.
5.6 Recommendations for Future Research	Error! Bookmark not defined.

REFERENCES

Error! Bookmark not defined.

APPENDICES

Error! Bookmark not defined.

BIODATA OF THE AUTHOR

Error! Bookmark not defined.

LIST OF TABLES

Table	Page
1.1 Comparison of physical and chemical properties of non-wood fibers with those of wood raw materials	Error! Bookmark not defined.
2.1 Annual dry matter (DM) and pulp yield of various fiber plants	Error! Bookmark not defined.
2.2 Chemical component of kenaf fractions from various sources in the literatures	Error! Bookmark not defined.
2.3 Comparison of the amylose and amylopectin components of starch	Error! Bookmark not defined.

- 3.1 Pulping process conditions for kraft cooking **Error! Bookmark not defined.**
- 3.2 ECF bleaching conditions **Error! Bookmark not defined.**
- 3.3 Characteristics of chitosan, cationic starch and PVA **Error! Bookmark not defined.**
- 4.1 Trace elements concentration of different kenaf fractions **Error! Bookmark not defined.**
- 4.2 Fiber characteristics of kenaf fractions **Error! Bookmark not defined.**
- 4.3 The physical properties of unbleached kenaf pulps **Error! Bookmark not defined.**
- 4.4 The properties of whole kenaf bleached pulp using TCF and ECF techniques
Error! Bookmark not defined.
- 4.5 The strength properties of unbleached and bleached unbleached pulps **Error! Bookmark not defined.**
- 4.6 Strength properties of handsheets made of bleached kenaf pulp treated with chitosan **Error! Bookmark not defined.**
- 4.7 Strength properties of sheets made of bleached kenaf pulp treated with cationic starch **Error! Bookmark not defined.**
- 4.8 Strength properties of sheets made of bleached kenaf pulp treated with PVA **Error! Bookmark not defined.**
- 4.9 Effect of chitosan on surface properties of paper **Error! Bookmark not defined.**
- 4.10 Effect of cationic starch on surface properties of paper **Error! Bookmark not defined.**
- 4.11 Effect of PVA on surface properties of paper **Error! Bookmark not defined.**
- 4.12 Roughness values with different measuring methods **Error! Bookmark not defined.**

- 4.13 Contact angles between distilled water and various papers **Error! Bookmark not defined.**
- 4.14 Printability and print quality properties **Error! Bookmark not defined.**
- 4.15 Gloss of the sized and unsized papers **Error! Bookmark not defined.**

LIST OF FIGURES

Figure	Page
2.1 Stem structure of a dicotyledon, kenaf, and a monocotyledon [16]	Error!
Bookmark not defined.	
2.2 Diagram of cell wall organization [59]	Error! Bookmark not defined.
2.3 Lignin precursors	Error! Bookmark not defined.
2.4 The different contact angles associated with perfect wetting, partial wetting and no wetting [124]	Error! Bookmark not defined.
2.5 Chemical formulas of chitin (a), chitosan (b), and chitosan acetate form (c)	Error!
Bookmark not defined.	
2.6 The formation of ionic and imino bonds between chitosan and pulp fibers	Error!
Bookmark not defined.	
2.7 As acetic acid evaporates during sheet drying, the acetate counter ion is lost, probably causing chitosan acetate form to convert into the chitosan primary amino group form.	Error! Bookmark not defined.
3.1 Kenaf plant as grown in field at MARDI	Error! Bookmark not defined.
3.2 Flowchart of kenaf pulping by kraft process	Error! Bookmark not defined.
3.3 Autoclave for oxygen bleaching	Error! Bookmark not defined.
3.4 Apparatus used for ozone bleaching	Error! Bookmark not defined.
3.5 Flow chart of forming handsheets for physical and surface testing	Error!
Bookmark not defined.	
3.6 a) Roughness profilometer b) Principle of measurement	Error! Bookmark not defined.

- 3.7 Dynamic Absorption Test apparatus **Error! Bookmark not defined.**
- 3.8 a) IGT set up for varnishability test b) Stain effects **Error! Bookmark not defined.**
- 3.9 a) High speed inking unit 4 b) IGT Printability Tester, Model AIC2-5 **Error! Bookmark not defined.**
- 3.10 a) IGT printing sector and wheels b) Color spectrodensitometer **Error! Bookmark not defined.**
- 4.1 Chemical compositions of different fractions of kenaf **Error! Bookmark not defined.**
- 4.2 Photomicrograph of kenaf fibers under different magnifications
(P = parenchyma cells, F = fibers, B = bordered pits) **Error! Bookmark not defined.**
- 4.3 Laboratory kraft pulping results for Malaysian grown kenaf **Error! Bookmark not defined.**
- 4.4 Strength properties of kenaf fractions at different active alkali charges **Error! Bookmark not defined.**
- 4.5 Variation of bleached pulp freeness with PFI mill revolutions **Error! Bookmark not defined.**
- 4.6 Variation of tensile index with bleached pulp freeness **Error! Bookmark not defined.**
- 4.7 Variation of density with tensile index **Error! Bookmark not defined.**
- 4.8 Variation of air resistance with tensile index **Error! Bookmark not defined.**
- 4.9 Variation of burst index with tensile index **Error! Bookmark not defined.**
- 4.10 Variation of tear index with tensile index **Error! Bookmark not defined.**

- 4.11 Variation of tensile energy absorption with tensile index **Error! Bookmark not defined.**
- 4.12 Variation of stretch with tensile index **Error! Bookmark not defined.**
- 4.13 Variation of zero-span with tensile index **Error! Bookmark not defined.**
- 4.14 Improvement in physical properties of handsheets treated with chitosan by the spray technique **Error! Bookmark not defined.**
- 4.15 Improvement in physical properties of handsheets treated with chitosan by the equilibrium adsorption (pH 5) **Error! Bookmark not defined.**
- 4.16 Improvement in physical properties of handsheets treated with chitosan by the precipitation technique (pH 10) **Error! Bookmark not defined.**
- 4.17 Improvement in physical properties of C.S. treated handsheet **Error! Bookmark not defined.**
- 4.18 Improvement in physical properties of PVA treated handsheets **Error! Bookmark not defined.**
- 4.19 Retention of chitosan on to bleached kenaf pulp using spray (pH 5), adsorption (pH 5) and precipitation (pH 10) methods **Error! Bookmark not defined.**
- 4.20 Retention of cationic starch and PVA on to bleached kenaf pulp using spray method **Error! Bookmark not defined.**
- 4.21 Film forming potential of chitosan at different concentrations **Error! Bookmark not defined.**
- 4.22 Film forming potential of cationic starch at different concentrations **Error! Bookmark not defined.**

- 4.23 Comparison of profile scan of unsized and sized papers **Error! Bookmark not defined.**
- 4.24 Height distribution of unsized and sized papers measured with profile tester**Error! Bookmark not defined.**
- 4.25 Three-dimensional topographic maps of sized and unsized papers **Error! Bookmark not defined.**
- 4.26 Absorption properties of different papers as a function of time **Error! Bookmark not defined.**
- A.1 Apparatus for making handsheets a) disintegrator, b) handsheet machine **Error! Bookmark not defined.**
- A.2 Cutting of a handsheet for strength testing **Error! Bookmark not defined.**
- A.3 Horizontal Tensile Tester **Error! Bookmark not defined.**
- A.4 Elmendorf Tear Tester **Error! Bookmark not defined.**
- A.5 Burst Tester **Error! Bookmark not defined.**
- A.6 Pulmac Zero-Span Tester **Error! Bookmark not defined.**
- A.7 The capillary-type viscometer **Error! Bookmark not defined.**
- A.8 Brightness and opacity meter **Error! Bookmark not defined.**
- A.9 PFI Mill **Error! Bookmark not defined.**
- A.10 CSF Tester **Error! Bookmark not defined.**
- A.11 Bendtsen Roughness Tester **Error! Bookmark not defined.**
- A.12 Gurley Densometer **Error! Bookmark not defined.**
- A.13 Parker Print-Surf Tester **Error! Bookmark not defined.**
- A.14 a) A series of waxes, b) Wax Pick Test **Error! Bookmark not defined.**

LIST OF ABBREVIATIONS

3D	Three-dimensional
a.d.	Air-dried (weight)
pka	Electrostatic potential
ANOVA	Analysis of variations
AOX	Absorbable organic halogens /halides
BDT	Bone-dry tonne
BOD	Biochemical (biological) oxygen demand
CED	Cupri-ethylenediamine
COD	Chemical oxygen demand
Consistency	Ratio of dry weight to wet weight (pulp)
cP	Centipoise
CSF	Canadian standard freeness
D	Chlorine dioxide (bleaching)
DP	Degree of polymerization
DS	Degree of substitution
DTPA	Diethylenetriamine penta-acetic acid
E	Alkaline extraction (bleaching)
ECF	Elemental Chlorine Free (bleaching)
EDTA	Ethylenediamine tetra-acetic acid
gsm	Grammage, g/m ²

