



# Second Regional Symposium on Electrochemistry South-East Europe

## Program & Book of Abstracts



Belgrade, Serbia, June 6-10, 2010.

CIP - Каталогизacija y пyблиkацији  
Народна библиотека Србије, Београд

621.357/.359(048)  
541.1(048)  
620.193/.197(048)  
66.087(048)  
543.25(048)

REGIONAL Symposium on Electrochemistry South-East Europe (2 ; 2010 ; Beograd)  
Program ; #& #Book of Abstracts / Second Regional Symposium on Electrochemistry  
South-East Europe, RSE-SEE, Belgrade, Serbia, June 6-10, 2010. ; [editors Branislav  
Nikolić, Vesna Mišković-Stanković, Aleksandar Dekanski]. - Belgrade : Serbian Chemical  
Society, 2010 (Belgrade : #Faculty of Technology and Metallurgy, #Development and  
Research Center of Graphic Engineering). - XXIII, 170 str. : ilustr. ; 24 cm

Tiraž 270. - Registar.

ISBN 978-86-7132-043-6

a) Електрохемијско инжењерство - Апстракти b) Галванотехника - Апстракти  
c) Електрохемија - Апстракти d) Електрохемијске реакције - Апстракти e)  
Антикорозиона заштита - Апстракти f) Аналитичка електрохемија – Апстракти

COBISS.SR-ID 175352076

*SECOND REGIONAL SYMPOSIUM ON ELECTROCHEMISTRY : : SOUTH-EAST EUROPE  
BELGRADE, SERBIA, JUNE 6-10, 2010*

**PROGRAM & BOOK OF ABSTRACTS**

*Published by*

**Serbian Chemical Society**, Karnegijeva 4/III, PAK 135804, 11120 Belgrade, SERBIA  
phone./fax: +381 11 3370 467; www.shd.org.rs, E-mail: Office@shd.org.rs

*For Publisher*

**Ivanka POPOVIĆ**, Prezident of the Society

*Editors*

**Branislav NIKOLIĆ**

**Vesna MIŠKOVIĆ-STANKOVIĆ**

**Aleksandar DEKANSKI**

*Cover Design, Page Making and Computer Layout*

**Aleksandar DEKANSKI**

*Circulation:*

**270 Copy Printing**

**ISBN 978-86-7132-043-6**

*Printing:*

**Development and Research Center of Graphic Engineering,**

**Faculty of Technology and Metallurgy, Karnegijeva 4, PAK 135804, 11120 Belgrade, SERBIA**



## Resistance enhancement to the biodegradation of biocompatible magnesium alloys

Zoran Grubač, Ivana Škugor, Mirjana Metikoš-Huković\*, Ranko Babić\*

*Department of General and Inorganic Chemistry, Faculty of Chemistry and Technology,  
University of Split, N. Tesle 10, 21000 Split, Croatia*

*\*Department of Electrochemistry, Faculty of Chemical Engineering and Technology,  
University of Zagreb, P.O. Box 177, 10000 Zagreb, Croatia*

Magnesium and its alloys have some advantageous properties which make them an excellent choice for a number of applications. As the potential biodegradable materials, they show many advantages over current metallic materials and biodegradable plastics and ceramics. Biodegradable magnesium based implants in the human body can be gradually dissolved, absorbed, consumed or excreted, so there is no need for the secondary surgery to remove implants after the surgery regions have healed. Because of the high corrosion rates in physiological environment, protection coatings must be applied to the magnesium based alloys surface to prevent their premature degradation.

In this study, the protection efficiency of the self-assembled monolayer of fatty acids (palmitic and stearic) formed on the anodized alloy samples were investigated in a simulated physiological solution (Hank's solution) using voltammetry and electrochemical impedance spectroscopy methods.



## Cyclic voltammetry study of electrochemically synthesized Ag/PVP nanocomposite

Željka Jovanović, Vladimir V. Panić\*, Aleksandra Krklješ\*\*

Zorica Kačarević-Popović\*\*, Branislav Nikolić, Vesna B. Mišković-Stanković  
*Faculty of Technology and Metallurgy, University of Belgrade, Karnegijeva 4,  
11000 Belgrade, Serbia*

*\*ICTM – Department of Electrochemistry, University of Belgrade, Njegoševa 12,  
11000 Belgrade, Serbia*

*\*\*Vinča Institute of Nuclear Sciences, M. Petrovića Alasa 12-14, Belgrade, Serbia*

Hydrogel nanocomposites of silver nanoparticles (AgNPs) and crosslinked poly(*N*-vinyl-2-pyrrolidone) (PVP) were synthesized *in situ* by a novel electrochemical method. PVP hydrogels, crosslinked by  $\gamma$  irradiation, were swollen in the solution containing 0.1 M KNO<sub>3</sub> and 3.9 mM AgNO<sub>3</sub>. PVP polymer matrix nanocavities were used as nanoreactors for AgNPs synthesis. The reduction of silver cations was performed using two-Pt-electrode electrochemical cell. The polarity of the electrodes was changed on the half of the implementation time, enabling the Ag<sup>+</sup> ions reduction in the bulk. Cyclic voltammetry (CV) was performed in a three-electrode electrochemical cell, using the saturated calomel electrode (SCE) as a reference. Ag/PVP nanocomposites were scanned by CV immediately after the synthesis and after drying followed by reswelling in 0.1 M KNO<sub>3</sub>. Ag/PVP was compared with CVs of the following systems: Pt electrode in 0.1 M KNO<sub>3</sub>; Pt/PVP system in 0.1 M KNO<sub>3</sub>; Ag/Pt system in 0.1 M KNO<sub>3</sub> + 3.9 mM AgNO<sub>3</sub> solution.