

Kruševac, Srbija
30. maj - 1. jun 2018

8. SIMPOZIJUM

Hemija i zaštita životne sredine

sa međunarodnim učešćem

ENVIROCHEM 2018

8th SYMPOSIUM

Chemistry and Environmental Protection

with international participation

Knjiga izvoda

BOOK OF ABSTRACTS



Srpsko hemijsko društvo
Serbian Chemical Society



Sekcija za hemiju i zaštitu životne sredine
Environmental Chemistry Division

**8. Simpozijum
Hemija i zaštita životne sredine**

sa međunarodnim učešćem

***8th Symposium
Chemistry and Environmental Protection***

with international participation

**KNJIGA IZVODA
BOOK OF ABSTRACTS**

Kruševac 30. maj - 1. jun 2018

Naslov KNJIGA IZVODA
8. simpozijum Hemija i zaštita životne sredine

Title BOOK OF ABSTRACTS
8th Symposium Chemistry and Environmental Protection

Izdavač Srpsko hemijsko društvo
Karnegijeva 4/III, Beograd, Srbija

Publisher Serbian Chemical Society
Karnegijeva 4/III, Belgrade, Serbia

Za izdavača Vesna Mišković - Stanković, predsednik Društva
For the publisher President of the Society

Urednici Vladimir Beškoski, Jelena Savović,
Editors Miloš Momčilović

Tehnička prirema Sanja Živković
Technical assistance

Štampa DualMode štamparija, Beograd
Printed by

Tiraž 120 primeraka
Circulation 120 copies

ISBN 978-86-7132-068-9

POČASNI ODBOR

HONORARY COMMITTEE

Petar Pfindt
Dragan Veselinović

Mirjana Vojinović-Miloradov
Dragan Marković

NAUČNI ODBOR

SCIENTIFIC COMMITTEE

Ivan Gržetić, predsednik
Ilija Brčeski, potpredsednik
Vladimir Beškoski
Branimir Jovančičević
Tanja Brdarić
Vera Jovanović
Ljubiša Ignjatović
Aco Janićijević

Mira Aničić Urošević
Aleksandar Popović
Vladan Joldžić
Milica Balaban
Jelena Savović
Dubravka Milovanović
Milena Jovašević Stojanović
Ivana Ivančev Tumbas

Verka Jovanović
Jelena Radonić
Maja Turk Sekulić
Mališa Antić
Miloš Momčilović
Tatjana Šolević-Knudsen
Aleksandra Šajnović

ORGANIZACIONI ODBOR

ORGANIZING COMMITTEE

Bojan Radak, predsednik
Vladimir Beškoski, potpredsednik
Jelena Radonić
Maja Turk Sekulić
Branko Dunjić
Slavka Stanković
Rada Đurović Pejčev
Vladan Joldžić
Branimir Jovačičević
Mališa Antić
Dragan Manojlović
Goran Roglić

Gordana Gajica
Tatjana Šolević Knudsen
Ljubiša Ignjatović
Vesna Zlatanović Tomašević
Marina Mihajlović
Sanja Sakan
Dubravka Relić
Mira Aničić Urošević
Aleksandra Mihajlidi Zelić
Verka Jovanović
Milena Jovašević Stojanović
Ivan Gržetić

Aleksandra Šajnović
Anđelka Tomašević
Sanja Stojadinović
Milica Kašanin-Grubin
Milica Marčeta Kaninski
Vladimir Nikolić
Gvozden Tasić
Marija Lješević
Branka Lončarević
Aleksandra Žerađanin
Kristina Joksimović

IZVRŠNI ODBOR

EXECUTIVE COMMITTEE

Jelena Savović, predsednik
Dubravka Milovanović, potpredsednik
Sanja Živković, izvršni sekretar
Maja Milanović

Miloš Momčilović
Ivana Perović
Tijana Miličević

STUDENSKI ODBOR

STUDENTS COMMITTEE


Sladana Savić, predsednik
Jelena Aleksić
Boško Vrbica
Katarina Kojić
Nada Vidović

Marko Jovanović
Milan Bukara
Luka Miladinović
Nataša Sekulić
Marija Ćurčić

SPONZORI I DONATORI
SPONSORS AND DONORS



МИНИСТАРСТВО ПРОСВЕТЕ,
НАУКЕ И ТЕХНОЛОШКОГ РАЗВОЈА



Institut za nuklearne
nauke Vinča



First study of electrochemical behavior of herbicide pethoxamid and its voltammetric determination in river water

Sonja Jevtić^{1a}, Vesna Vukojević², Slađana Đurđić², Marija V. Pergal³, Dragan Manojlović², Branka B. Petković¹, Dalibor M. Stanković^{2,4}

¹Department of Chemistry, Faculty of Natural Science and Mathematics, University of Priština, Kosovska Mitrovica, Serbia

²Faculty of Chemistry, University of Belgrade, Belgrade, Serbia

³Institute of Chemistry, Technology and Metallurgy, Center of Chemistry, University of Belgrade, Belgrade, Serbia

⁴The Vinča Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

^ajevticsonja88@gmail.com

Pethoxamid (POA) is relatively new herbicide and it belongs to group of chloroacetamides. It inhibits the germination of target weeds in corn, soybeans, peas and beans, tobacco and other crops and it can affect on herbicide-resistant weeds. There are no many research records about this, in the future quite applicable, herbicide. Bearing in mind that pethoxamid is high soluble in water, with almost no sorption in soils [1], the leaching and runoff of this compound in ground and surface water is a real threat. Pethoxamid residues in soil, water food and feed of plant origin usually were determined by using liquid chromatography with tandem mass spectrometry (LC–MS/MS) [2] while some other analytical methods were used for determination of pesticides [3].

The electroanalytical methods are noted as fast and cost-effective analytical methods for determination of many analytes of environmental interest. As far as we know, this is a first report about electrochemical behavior of herbicide pethoxamid and its electroanalytical determination. This method is based on the electrochemical oxidation of pethoxamid in Britton-Robinson buffer solution at pH 4 at a boron-doped diamond electrode. This type of carbon electrode is almost resistant to contamination of surface with various chemical species, easy to maintain and has a very wide working potential window which could provide insight into the electrochemical oxidation of pethoxamid at high anodic potentials.

All electrochemical measurements (cyclic and square-wave voltammetry) were performed on PalmSens 3 potentiostat/galvanostat/impedance analyzer with PSTrace software (PalmSens BV, Netherlands). Three-electrode system in the electrochemical cell was consisted from Ag/AgCl (1M KCl) reference electrode and platinum wire counter electrode, while working electrode was boron-doped diamond electrode. BDD electrode was electrochemically prepared as it was written before [4]. Cyclic voltammetry provided a well defined oxidation peak at +1.35 V, and this peak was used as a peak of quantification at an optimal pH value 4 (Figure 1 a). The square-wave voltammetry was chosen as suitable technique for analytical determination of pethoxamid with an established optimal working conditions (pulse amplitude of 60 mV and frequency of 10 Hz).

The voltammograms obtained for standard solutions from 1 to 100 μM and corresponding calibration curve were shown on Figure 1 b.




Figure 1. a) Cyclic voltammograms of BR buffer pH 2 with and without 100 μM of pethoxamid; b) SW voltammograms of different concentrations of pethoxamid at optimized working conditions in BR buffer, pH 4, at BDDE. Inset figure: corresponding calibration curve

The method was applied for selective quantification of pethoxamid from spiked river water samples with good recovery of 92.0 to 104.6% for standard solutions of POA and good agreement with comparative HPLC method (97.6-98.1%). The results of this research indicate successful, fast, simple, reliable and cheap estimation of pethoxamid content in the surface water samples with no electrode surface modification and time-consuming sample preparation.

References

1. Hvězdová M. et al. *Science of the Total Environment* 613–614 (2018) 361–370
2. Arena M. et al., *EFSA Journal*, 15 (2017).
3. Liang H. C., Bilon N., Hay M. T., *Water Environment Research*, Volume 86 (2014)
4. Jevtić S., Stefanović A., Stanković D. M., Pergal M. V., Ivanović A. T., Jokić A., Petković B. B., *Diamond & Related Materials* 81 (2018) 133–137

CIP - Каталогизација у публикацији - Народна библиотека Србије, Београд

54(048)

502/504(048)

577.1(048)

66(048)

СИМПОЗИЈУМ Хемија и заштита животне средине са међународним учешћем (8 ; 2018 ; Крушевац)

Knjiga izvoda = Book of Abstracts / 8. simpozijum Hemija i zaštita životne sredine sa međunarodnim učešćem, Kruševac 30. maj - 1. jun 2018. = 8th Symposium Chemistry and Environmental Protection with International Participation; [urednici Vladimir Beškoski, Jelena Savović, Miloš Momčilović]. - Beograd: Srpsko hemijsko društvo = Serbian Chemical Society, 2018 (Beograd : DualMode). - 256 str. : ilustr. ; 24 cm

Tekst na srp. i engl. jeziku. - Tiraž 120. - Bibliografija uz svaki sažetak. - Registar.

ISBN 978-86-7132-068-9

a) Хемија - Апстракти b) Животна средина - Заштита - Апстракти c)
Биохемија - Апстракти d) Биотехнологија - Апстракти
COBISS.SR-ID 264762380