

Jun 23rd, 2:15 PM - 2:30 PM

Session D5: Current Status of Fish Passages in South Korea

Ju-Duk Yoon

Biological Resource Center, Kongju National University, S. Korea

Jeong-Hui Kim

Dept. of Biology Education, Kongju National University, S. Korea

Sang-Hyeon Park

Dept. of Biology Education, Kongju National University, S. Korea

Seung-Ho Baek

Dept. of Biology Education, Kongju National University, S. Korea

Jin-Woong Lee

Dept. of Biology Education, Kongju National University, S. Korea

See next page for additional authors

Follow this and additional works at: https://scholarworks.umass.edu/fishpassage_conference



Part of the [Aquaculture and Fisheries Commons](#), and the [Hydraulic Engineering Commons](#)

Yoon, Ju-Duk; Kim, Jeong-Hui; Park, Sang-Hyeon; Baek, Seung-Ho; Lee, Jin-Woong; and Jang, Min-Ho, "Session D5: Current Status of Fish Passages in South Korea" (2015). *International Conference on Engineering and Ecohydrology for Fish Passage*. 27.
https://scholarworks.umass.edu/fishpassage_conference/2015/June23/27

This Event is brought to you for free and open access by the Fish Passage Community at UMass Amherst at ScholarWorks@UMass Amherst. It has been accepted for inclusion in International Conference on Engineering and Ecohydrology for Fish Passage by an authorized administrator of ScholarWorks@UMass Amherst. For more information, please contact scholarworks@library.umass.edu.

Presenter Information

Ju-Duk Yoon, Jeong-Hui Kim, Sang-Hyeon Park, Seung-Ho Baek, Jin-Woong Lee, and Min-Ho Jang

Current status of fish passages in South Korea

Ju-Duk YOON¹, Jeong-Hui KIM², Sang-Hyeon PARK², Seung-Ho Baek²,

Jin-Woong Lee², Min-Ho JANG²

1. Biological Resource Center, Kongju National University, S. Korea


2. Dept. of Biology Education, Kongju National University, S. Korea



Introduction

Why do fish migrate?



- Fish migrate to find better environments for their **growth, survival and reproduction** (Northcote,1998).



Introduction



In-stream structures (physical alteration)

Construction of waterway cross
(dam or weir)



Habitat alteration
and stream fragmentation

- Hamper fish migration, reducing ecological connectivity, genetic blockage and etc.



Source: google image

Introduction

Fish passage (fishway, fish ladder)

Definition

“A series of pools built like steps to enable fish to ascend a dam or waterfall” -Oxford dictionary-

However,

Most target species: Salmonidae

commercially & recreationally important

(Laine et al. 2002)



From the late 20th

Non-salmonid species

(Mallen-Cooper and Stuart 2007)




Introduction

Weirs (low-head dams) in S. Korea

Traditionally: agricultural purpose + Currently: flood control, leisure and so on



- The number of weirs
→ **33,718 weirs** (until 2012)
- Total length of Korean streams
→ **27,484.66 km** (Kwater, 2011)
- **1.22 weir / km** (arithmetically)



The number of weirs is still increasing

Introduction

Fish fauna in S. Korea


- 216 species, 39 families, 17 orders
- Dominant family
: **Cyprinidae (73 species) & Gobiidae (30 species)**
- Salmonidae
: only 4 species (one exotic species)



Carassius auratus



Rhinogobio brunneus



Onchorhynchus keta



Brachymystax lenok



Onchorhynchus masou masou



Onchorhynchus mykiss

Introduction

Fish passages in S. Korea


- Due to fish fauna of S. Korea
 - **Non-salmonid species** are target fishes
 - Thus, Korean government focuses on **biodiversity of aquatic ecosystem**

Legislation of Inland Fishery (2010)

- Newly constructed dams and weirs should have proper fish passages

Until 2009

No standard form
No regulation
No responsibility to build



After 2010

Changed

Objectives

Investigation of fish passage in S. Korea

- Connectivity
- Fish passage type
- Location
- Utility
- Morphological characteristics

Identify current status of fish passages

- Slope
- Entrance, exit
- Internal problem
- Sedimentation

- Development of fish passages **specialized on Korean fish**
- Make a **management strategy and plan** for fish passage

Methods


Fish passages distribution and current status

Study sites

- Entire streams in S. Korea
 - : **Han River (919 streams)**,
 - Nakdong River (1186 streams)**,
 - Geum River (899 streams)**,
 - Yeongsan-Seomjin (802 streams)**
 - Jeju Island (60 streams)**

Study periods


- 2010-2011




Methods

Measurement of fish passage


Types of fish passage




Pool and weir




Ice-Harbor



Vertical-slot



Wall type



Denil



Nature-like

Status of fish passage

1. Longitudinal connectivity & location

- Excellent, Good, Poor, Impassible

2. Entrance, internal, exit gap

- <10cm, 10-20cm, 20-30cm, >30cm



3. Slope

- >1:20, 1:10-20, <1:10, multi



4. management

- Good, Sedimentation, Broken, Erosion,

Results




Installation (%) of fish passages

	Total length of streams (km)	Number of weirs	Number of fish passages	Installation (%)
Han River	8,566.95	7,035	1,309	18.60
Nakdong River	9,547.46	12,140	1,606	13.23
Geum River	4,504.8	7,148	808	11.30
Seomjin River	2,610.18	5,040	886	17.58
Yeongsan River	2,255.27	2,355	493	20.93
Total	27,484.66	33,718	4,496	13.33

Results

Example of connectivity


Eastern part
of S. Korea



- Excellent
- ▲ Good
- * Poor
- X Impassible

Results

Types of Fish passages in S. Korea



- Recently, **Ice-Harbor type fish passages** are predominantly constructed
- However, this fish passage also for **Salmonidae**

Results

Characteristics of fish passages in S. Korea

Principle component analysis


	Component		
	1	2	3
Conn	.703	-.089	-.622
Conn_loc	.675	-.099	-.645
En_G	.457	.480	.099
Ex_G	.561	.562	.159
In_G	.485	.560	.314
Slope	.095	.213	-.007
En_sta	.606	-.413	.306
Ex_sta	.533	-.417	.329
status	.551	-.407	.412

- **Connectivity** of fish passage is first factor
- **Structural status** are second factor

(Analysis performed by SPSS 20.0)

Results

Connection of fish passage




Wrong place

- 56.7% of fish passage' connectivity is poor condition
- Urgent repair is required

Results

Structural status




- Swimming ability of small Cyprinidae is relative poor

➔ if gap is big, fish feel **hard to negotiate** with fish passage

Results


Slope



- Recommended slope is **more than 1:20**

Results

Management aspects



Summary

- Fish passages were installed only in 4,496 weirs (**13.3% of installation rate**)
- Pool and weir type fish passage showed the greatest number (36%)
→ **8.1% of them are Ice-Harbor type (recently favored)**
- 18.1% of installed fish passages were good condition, and urgent repair is needed for **56.7%**
- Fish passages of **31.3%** were the recommended slope range of Korea (1:20).
- Most of problems are related water flow, poor entrance, breakage and sedimentation
- **Discontinuous installation of fish passages** generates **poor continuity of streams**

Conclusion

Study data

: estimation results of weirs
and fish passages

**Development of weir and
fish passage
management system**

: decision making

**Development of fish passage for
Korean species**

1. Ecology and biology of target species
: swim speed, behavior
2. Site analysis
: Hydraulics, geology, topology
3. Structure and design of fish passage
: attraction, passing rate, slope

**Repair or
maintenance**

Dam removal

**Build new fish
passage**

*Thank you
For your attention*

