

Utah State University

DigitalCommons@USU

---

Elusive Documents

U.S. Government Documents (Utah Regional  
Depository)

---

1979

## Distribution of Phytoplankton in Utah Lakes

L. R. Williams

S. C. Hern

V. W. Lambou

F. A. Morris

M. K. Morris

W. D. Taylor

Follow this and additional works at: [https://digitalcommons.usu.edu/elusive\\_docs](https://digitalcommons.usu.edu/elusive_docs)



Part of the [Environmental Sciences Commons](#)

---

### Recommended Citation

Williams, L. R.; Hern, S. C.; Lambou, V. W.; Morris, F. A.; Morris, M. K.; and Taylor, W. D., "Distribution of Phytoplankton in Utah Lakes" (1979). *Elusive Documents*. Paper 42.

[https://digitalcommons.usu.edu/elusive\\_docs/42](https://digitalcommons.usu.edu/elusive_docs/42)

This Book is brought to you for free and open access by the U.S. Government Documents (Utah Regional Depository) at DigitalCommons@USU. It has been accepted for inclusion in Elusive Documents by an authorized administrator of DigitalCommons@USU. For more information, please contact [digitalcommons@usu.edu](mailto:digitalcommons@usu.edu).



EP  
1-23:  
# 600/3-79-120

United States  
Environmental Protection  
Agency

Environmental Monitoring  
and Support Laboratory  
P.O. Box 15027  
Las Vegas NV 89114


EPA-600/3-79-120  
December 1979

13973

Research and Development



# Distribution of Phytoplankton in Utah Lakes



## RESEARCH REPORTING SERIES

Research reports of the Office of Research and Development, U.S. Environmental Protection Agency, have been grouped into nine series. These nine broad categories were established to facilitate further development and application of environmental technology. Elimination of traditional grouping was consciously planned to foster technology transfer and maximum interface in related fields. The nine series are:

1. Environmental Health Effects Research
2. Environmental Protection Technology
3. Ecological Research
4. Environmental Monitoring
5. Socioeconomic Environmental Studies
6. Scientific and Technical Assessment Reports (STAR)
7. Interagency Energy—Environment Research and Development
8. "Special" Reports
9. Miscellaneous Reports

This report has been assigned to the ECOLOGICAL RESEARCH series. This series describes research on the effects of pollution on humans, plant and animal species, and materials. Problems are assessed for their long- and short-term influences. Investigations include formations, transport, and pathway studies to determine the fate of pollutants and their effects. This work provided the technical basis for setting standards to minimize undesirable changes in living organisms in the aquatic, terrestrial, and atmospheric environments.

EP-600/3-79-120  
December 1979


DISTRIBUTION OF PHYTOPLANKTON IN UTAH LAKES

by

L. R. Williams, S. C. Hern, V. W. Lambou,  
F. A. Morris\*, M. K. Morris\*, and W. D. Taylor

Water and Land Quality Branch  
Monitoring Operations Division  
Environmental Monitoring and Support Laboratory  
Las Vegas, Nevada 89114

\*Department of Biological Sciences  
University of Nevada, Las Vegas  
Las Vegas, Nevada 89154

  
ENVIRONMENTAL MONITORING AND SUPPORT LABORATORY  
OFFICE OF RESEARCH AND DEVELOPMENT  
U.S. ENVIRONMENTAL PROTECTION AGENCY  
LAS VEGAS, NEVADA 89114



EP-6003-29-120  
December 1979

RESEARCH REPORTING SERIES  
DISCLAIMER

This report has been reviewed by the Environmental Monitoring and Support Laboratory-Las Vegas, U.S. Environmental Protection Agency, and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

F. A. Morris\*, M. K. Morris\*, and M. D. Taylor  
Water and Land Quality Branch  
Monitoring Operations Division  
Environmental Monitoring and Support Laboratory  
Las Vegas, Nevada 89114  
Department of Biological Sciences  
University of Nevada, Las Vegas  
Las Vegas, Nevada 89154

The report was prepared by the authors and is not necessarily endorsed by the U.S. Environmental Protection Agency. The U.S. Environmental Protection Agency is not responsible for the accuracy or completeness of the information presented in this report. The U.S. Environmental Protection Agency is not responsible for the accuracy or completeness of the information presented in this report.

ENVIRONMENTAL MONITORING AND SUPPORT LABORATORY  
OFFICE OF RESEARCH AND DEVELOPMENT  
U.S. ENVIRONMENTAL PROTECTION AGENCY  
LAS VEGAS, NEVADA 89114


This report is available to the public through the National Technical Information Service, Springfield, Virginia 22161.

## FOREWORD

Protection of the environment requires effective regulatory actions which are based on sound technical and scientific information. This information must include the quantitative description and linking of pollutant sources, transport mechanisms, interactions, and resulting effects on man and his environment. Because of the complexities involved, assessment of specific pollutants in the environment requires a total systems approach which transcends the media of air, water, and land. The Environmental Monitoring and Support Laboratory-Las Vegas contributes to the formation and enhancement of a sound monitoring data base for exposure assessment through programs designed to:

- develop and optimize systems and strategies for monitoring pollutants and their impact on the environment
- demonstrate new monitoring systems and technologies by applying them to fulfill special monitoring needs of the Agency's operating programs

This report presents the species and abundance of phytoplankton in the 25 lakes sampled by the National Eutrophication Survey in the State of Utah, along with results from the calculation of several commonly used biological indices of water quality and community structure. These data can be used to biologically characterize the study lakes, and as baseline data for future investigations. This report was written for use by Federal, State, and local governmental agencies concerned with water quality analysis, monitoring, and/or regulation. Private industry and individuals similarly involved with the biological aspects of water quality will find the document useful. For further information contact the Water and Land Quality Branch, Monitoring Operations Division.



George B. Morgan  
Director  
Environmental Monitoring and Support Laboratory  
Las Vegas



## CONTENTS

	<u>Page</u>
Foreword . . . . .	iii
Introduction . . . . .	1
Materials and Methods . . . . .	3
Lake and Site Selection . . . . .	3
Sample Preparation . . . . .	3
Examination . . . . .	4
Quality Control . . . . .	5
Results . . . . .	6
Nygaard's Trophic State Indices . . . . .	6
Palmer's Organic Pollution Indices . . . . .	6
Species Diversity and Abundance Indices . . . . .	8
Species Occurrence and Abundance . . . . .	10
Literature Cited . . . . .	11
Appendix A. Phytoplankton Species list for the State of Utah . . . . .	12
Appendix B. Summary of Phytoplankton Data . . . . .	15
4208 Joe's Valley Reservoir . . . . .	Emery
4209 Minersville Reservoir . . . . .	Beaver
4310 Moon Lake . . . . .	Turquoise
4011 Nevada Lake . . . . .	Sage
4912 New Dix Reservoir . . . . .	Troy

(Continued)





TABLE 1. LAKES SAMPLED IN THE STATE OF UTAH (Continued)

STORET No.	Lake Name	County
4901	Bear Lake	Rich (Bear Lake in Idaho)
4902	Lower Bown's Reservoir	Garfield
4903	Deer Creek Reservoir	Wasatch
4904	Echo Reservoir	Summit
4905	Lynn Reservoir	Box Elder
4906	Fish Lake	Seiver
4907	Huntington North Reservoir	Emery
4908	Joe's Valley Reservoir	Emery
4909	Minersville Reservoir	Beaver
4910	Moon Lake	Duchesne
4911	Navajo Lake	Kane
4912	Newcastle Reservoir	Iron

INTRODUCTION

The collection and analysis of phytoplankton data were included in the National Eutrophication Survey in an effort to determine relationships between algal characteristics and trophic status of individual lakes.

During spring, summer, and fall of 1975, the Survey sampled 156 lakes in 11 States. Over 450 algal species and varieties were identified and enumerated from the 430 water samples examined.

This report presents the species and abundance of phytoplankton in the 25 lakes sampled in the State of Utah (Table 1). The Nygaard's Trophic State (Nygaard 1949), Palmer's Organic Pollution (Palmer 1969), and species diversity and abundance indices are also included.

TABLE 1. LAKES SAMPLED IN THE STATE OF UTAH

TABLE 1. LAKES SAMPLED IN THE STATE OF UTAH (Continued)

STORET No.	Lake Name	County
4913	Otter Creek Reservoir	Piute
4914	Panquitch Lake	Garfield
4915	Pelican Lake	Uintah
4916	Pineview Reservoir	Weber
4917	Piute Reservoir	Piute
4918	Porcupine Reservoir	Cache
4919	Pruess (Garrison) Reservoir	Millard
4920	Sevier Bridge Reservoir	Sanpete, Juab
4921	Starvation Reservoir	Duchesne
4922	Steinaker Reservoir	Uintah
4923	Tropic Reservoir	Garfield
4924	Utah Lake	Utah
4925	Willard Bay Reservoir	Box Elder

(Continued)

## MATERIALS AND METHODS

### LAKE AND SITE SELECTION

Lakes and reservoirs included in the Survey were selected through discussions with State water pollution agency personnel and U.S. Environmental Protection Agency Regional Offices (U.S. Environmental Protection Agency 1975). Screening and selection strongly emphasized lakes with actual or potential accelerated eutrophication problems. As a result, the selection was limited to lakes:

- (1) impacted by one or more municipal sewage treatment plant outfalls either directly into the lake or by discharge to an inlet tributary within approximately 40 kilometers of the lake;
- (2) 40 hectares or larger in size; and
- (3) with a mean hydraulic retention time of at least 30 days.

Specific selection criteria were waived for some lakes of particular State interest.

Sampling sites for a lake were selected based on available information on lake morphometry, potential major sources of nutrient input, and on-site judgment of the field limnologist (U.S. Environmental Protection Agency 1975). Primary sampling sites were chosen to reflect the deepest portion of each major basin in a test lake. Where many basins were present, selection was guided by nutrient source information on hand. At each sampling site, a depth-integrated phytoplankton sample was taken. Depth-integrated samples were uniform mixtures of water from the surface to a depth of 15 feet (4.6 meters) or from the surface to the lower limit of the photic zone representing 1 percent of the incident light, whichever was greater. If the depth at the sampling site was less than 15 feet (4.6 meters), the sample was taken from just off the bottom to the surface. Normally, a lake was sampled three times in 1 year, providing information on spring, summer, and fall conditions.

### SAMPLE PREPARATION

To preserve the sample 4 milliliters (ml) of Acid-Lugol's solution (Prescott 1970) were added to each 130-ml sample from each site at the time of collection. The samples were shipped to the Environmental Monitoring and Support Laboratory, Las Vegas, Nevada, where equal volumes from each site



were mixed to form two 130-ml composite samples for a given lake. One composite sample was put into storage and the other was used for the examination.

Prior to examination, the composite samples were concentrated by the settling method. Solids were allowed to settle for at least 24 hours prior to siphoning off the supernate. The volume of the removed supernate and the volume of the remaining concentrate were measured and concentrations determined. A small (8-ml) library subsample of the concentrate was then taken. The remaining concentrate was gently agitated to resuspend the plankton and poured into a capped, graduated test tube. If a preliminary examination of a sample indicated the need for a more concentrated sample, the contents of the test tube were further concentrated by repeating the settling method. Final concentrations varied from 15 to 40 times the original.

Permanent slides were prepared from concentrated samples after analysis was complete. A ring of clear Karo® corn syrup with phenol (a few crystals of phenol were added to each 100 ml of syrup) was placed on a glass slide. A drop of superconcentrate from the bottom of the test tube was placed in the ring. This solution was thoroughly mixed and topped with a coverglass. After the syrup at the edges of the coverglass had hardened, the excess was scraped away and the mount was sealed with clear fingernail polish. Permanent diatom slides were prepared by drying sample material on a coverglass, heating in a muffle furnace at 400° C for 45 minutes, and mounting in Hyrax®. Finally, the mounts were sealed with clear fingernail polish.

Backup samples, library samples, permanent sample slides, and Hyrax®-mounted diatom slides are being stored and maintained at the Environmental Monitoring and Support Laboratory-Las Vegas.

#### EXAMINATION

The phytoplankton samples were examined with the aid of binocular compound microscopes. A preliminary examination was performed to precisely identify and list all forms encountered. The length of this examination varied depending on the complexity of the sample. An attempt was made to find and identify all of the forms present in each sample. Often forms were observed which could not be identified to species or to genus. Abbreviated descriptions were used to keep a record of these forms (e.g., lunate cell, blue-green filament, Navicula #1). Diatom slides were examined using a standard light microscope. If greater resolution was essential to accurately identify the diatoms, a phase-contrast microscope was used.

After the species list was compiled, phytoplankton were enumerated using a Neubauer Counting Chamber with a 40X objective lens and a 10X ocular lens. All forms within each field were counted. The count was continued until a minimum of 100 fields had been viewed, or until the dominant form had been observed a minimum of 100 times.

® Registered trademark

## QUALITY CONTROL

Project phycologists performed internal quality control intercomparisons regularly on 7 percent of the species identification and counts. Although an individual had primary responsibility for analyzing a sample, taxonomic problems were discussed among the phycologists.

Additional quality control checks were performed on the Survey samples by Dr. G. W. Prescott of the University of Montana at the rate of 5 percent. Quality control checks were made on 75 percent of these samples to verify species identifications while checks were made on the remaining 25 percent of the samples to verify genus counts. Presently, the agreement between quality control checks for species identification and genus enumerations is satisfactory.

## RESULTS

A phytoplankton species list for the State is presented in Appendix A. Appendix B summarizes all of the phytoplankton data collected from the State by the Survey. The latter is organized by lake, and includes an alphabetical phytoplankton species list with concentrations for individual species given by sampling date. Results from the application of several indices are presented (Nygaard's Trophic State, Palmer's Organic Pollution, and species diversity and abundance). Each lake has been assigned a four-digit STORET number. (STORET (STOrage and RETrieval) is the U.S. Environmental Protection Agency's computer system which processes and maintains water quality data.) The first two digits of the STORET number identify the State; the last two digits identify the lake.

### NYGAARD'S TROPHIC STATE INDICES

Five indices devised by Nygaard (1949) were proposed under the assumption that certain algal groups are indicative of levels of nutrient enrichment. These indices were calculated in order to aid in determining the surveyed lakes' trophic status. As a general rule, Cyanophyta, Euglenophyta, centric diatoms, and members of the Chlorococcales are found in waters that are eutrophic (rich in nutrients), while desmids and many pennate diatoms generally cannot tolerate high nutrient levels and so are found in oligotrophic waters (poor in nutrients).

In applying the indices to the Survey data, the number of taxa in each major group was determined from the species list for each sample. The ratios of these groups give numerical values which can be used as a biological index of water richness. The five indices and the ranges of values established for Danish lakes by Nygaard for each trophic state are presented in Table 2. The appropriate symbol, (E) eutrophic and (O) oligotrophic, follows each calculated value in the tables in Appendix B. A question mark (?) following a calculated value in these tables was entered when that value was within the range of both classifications.

### PALMER'S ORGANIC POLLUTION INDICES

Palmer (1969) analyzed reports from 165 authors and developed algal pollution indices for use in rating water samples with high organic pollution. Two lists of organic-pollution-tolerant forms were prepared, one containing 20 genera, the other, 20 species (Tables 3 and 4). Each form was assigned a pollution index number ranging from 1 for moderately tolerant forms to 6 for

TABLE 2. NYGAARD'S TROPHIC STATE INDICES ADAPTED FROM HUTCHINSON (1967)

Index	Calculation	Oligotrophic	Eutrophic
Myxophycean	<u>Myxophyceae</u> Desmidiaceae	0.0-0.4	0.1-3.0
Chlorophycean	<u>Chlorococcales</u> Desmidiaceae	0.0-0.7	0.2-9.0
Diatom	<u>Centric Diatoms</u> <u>Pennate Diatoms</u>	0.0-0.3	0.0-1.75
Euglenophyte	<u>Euglenophyta</u> Myxophyceae + Chlorococcales	0.0-0.2	0.0-1.0
Compound	<u>Myxophyceae + Chlorococcales +</u> <u>Centric Diatoms + Euglenophyta</u> Desmidiaceae	0.0-1.0	1.2-25

TABLE 3. ALGAL GENUS POLLUTION INDEX (Palmer 1969)

Genus	Pollution Index
<u>Anacystis</u>	1
<u>Ankistrodesmus</u>	2
<u>Chlamydomonas</u> ✓	4
<u>Chlorella</u> ✓	3
<u>Closterium</u>	1
<u>Cyclotella</u>	1
<u>Euglena</u>	5
<u>Gomphonema</u>	1
<u>Lepocinclis</u>	1
<u>Melosira</u>	1
<u>Micractinium</u>	1
<u>Navicula</u> ✓	3
<u>Nitzschia</u> ✓	3
<u>Oscillatoria</u>	5
<u>Pandorina</u>	1
<u>Phacus</u>	2
<u>Phormidium</u>	1
<u>Scenedesmus</u>	4
<u>Stigeoclonium</u>	2
<u>Synedra</u> ✓	2

TABLE 4. ALGAL SPECIES POLLUTION INDEX (Palmer 1969)

Species	Pollution Index
<u>Ankistrodesmus falcatus</u>	3
<u>Arthrospira jenneri</u>	2
<u>Chlorella vulgaris</u>	2
<u>Cyclotella meneghiniana</u>	2
<u>Euglena gracilis</u>	1
<u>Euglena viridis</u>	6
<u>Gomphonema parvulum</u>	1
<u>Melosira varians</u>	2
<u>Navicula cryptocephala</u>	1
<u>Nitzschia acicularis</u>	1
<u>Nitzschia palea</u>	5
<u>Oscillatoria chlorina</u>	2
<u>Oscillatoria limosa</u>	4
<u>Oscillatoria princeps</u>	1
<u>Oscillatoria putrida</u>	1
<u>Oscillatoria tenuis</u>	4
<u>Pandorina morum</u>	3
<u>Scenedesmus quadricauda</u>	4
<u>Stigeoclonium tenue</u>	3
<u>Synedra ulna</u>	3



extremely tolerant forms. Palmer based the index numbers on occurrence records and/or where emphasized by the authors as being especially tolerant of organic pollution.

In analyzing a water sample, any of the 20 genera or species of algae present in concentrations of 50 per milliliter or more are recorded. The pollution index numbers of the algae present are totaled, providing a genus score and a species score. Palmer determined that a score of 20 or more for either index can be taken as evidence of high organic pollution, while a score of 15 to 19 is taken as probable evidence of high organic pollution. Lower figures suggest that the organic pollution of the sample is not high, that the sample is not representative, or that some substance or factor interfering with algal persistence is present and active.

### SPECIES DIVERSITY AND ABUNDANCE INDICES

"Information content" of biological samples is being used commonly by biologists as a measure of diversity. Diversity in this connection means the degree of uncertainty attached to the specific identity of any randomly selected individual. The greater the number of taxa and the more equal their proportions, the greater the uncertainty, and hence, the diversity (Pielou 1966). There are several methods of measuring diversity, e.g., the formulas given by Brillouin (1962) and Shannon and Weaver (1963). The method which is appropriate depends on the type of biological sample on hand.

Pielou (1966) classifies the types of biological samples and gives the measure of diversity appropriate for each type. The Survey phytoplankton samples are what she classifies as larger samples (collections in Pielou's terminology) from which random subsamples can be drawn. According to Pielou, the average diversity per individual (H) for these types of samples can be estimated from the Shannon-Wiener formula (Shannon and Weaver 1963):

$$H = -\sum_{i=1}^S P_i \log_x P_i$$

where P is the proportion of the ith taxon in the sample, which is calculated from  $n_i/N$ ;  $n_i$  is the number of individuals per milliliter of the ith taxon; N is the total number of individuals per ml; and S is the total number of taxa. However, Basharin (1959) and Pielou (1966) have pointed out that H calculated from the subsample is a biased estimator of the sample H, and if this bias is to be accounted for, we must know the total number of taxa present in the sample since the magnitude of this bias depends on it.

Pielou (1966) suggests that if the number of taxa in the subsample falls only slightly short of the number in the larger sample, no appreciable error will result in considering S, estimated from the subsample, as being equal to the sample value. Even though considerable effort was made to find and identify all taxa, the Survey samples undoubtedly contain a fair number of rare phytoplankton taxa which were not encountered.

In the Shannon-Wiener formula, an increase in the number of taxa and/or an increase in the evenness of the distribution of individuals among taxa will increase the average diversity per individual from its minimal value of zero. Sager and Hasler (1969) found that the richness of taxa was of minor importance in determination of average diversity per individual for phytoplankton and they concluded that phytoplankton taxa in excess of the 10 to 15 most abundant ones have little effect on H. This was verified by our own calculations. Our counts are in number per milliliter and since logarithms to the base 2 were used in our calculations, H is expressed in units of bits per individual. When individuals of a taxon were so rare that they were not counted, a value of 1/130 per milliliter or 0.008 per milliliter was used in the calculations since at least one individual of the taxon must have been present in the collection.

A Survey sample for a given lake represents a composite of all phytoplankton collected at different sampling sites on the lake during a given sampling period. Since the number of samples (M) making up a composite is a function of both the complexity of the lake sampled and its size, it should affect the richness-of-taxa component of the diversity of our phytoplankton collections. The maximum diversity (MaxH) (i.e., when the individuals are distributed among the taxa as evenly as possible) was estimated from  $\log_2 S$  (Pielou 1966), while the minimum diversity (MinH), was estimated from the formula:

$$\text{MinH} = -\frac{S-1}{N} \log_2 \frac{1}{N} - \frac{N-(S-1)}{N} \log_2 \frac{N-(S-1)}{N}$$

given by Zand (1976). The total diversity (D) was calculated from HN (Pielou 1966). Also given in Appendix B are L (the mean number of individuals per taxa per milliliter) and K (the number of individuals per milliliter of the most abundant taxon in the sample).

The evenness component of diversity (J) was estimated from H/MaxH (Pielou 1966). Relative evenness (RJ) was calculated from the formula:

$$RJ = \frac{H - \text{MinH}}{\text{MaxH} - \text{MinH}}$$

given by Zand (1976). Zand suggests that RJ be used as a substitute for both J and the redundancy expression given by Wilhm and Dorris (1968). As pointed out by Zand, the redundancy expression given by Wilhm and Dorris does not properly express what it is intended to show, i.e., the position of H in the range between MaxH and MinH. RJ may range from 0 to 1; being 1 for the most even samples and 0 for the least even samples.

Zand (1976) suggests that diversity indices be expressed in units of "sits", i.e., in logarithms to base S (where S is the total number of taxa in the sample) instead of in "bits", i.e., in logarithms to base 2. Zand points out that the diversity index in sits per individual is a normalized number ranging from 1 for the most evenly distributed samples to 0 for the least evenly distributed samples. Also, it can be used to compare different samples, independent of the number of taxa in each. The diversity in bits per

individual should not be used in direct comparisons involving various samples which have different numbers of taxa. Since  $\text{MaxH}$  equals  $\log S$ , the expression in sits is equal to  $\log_s S$ , or 1. Therefore diversity in sits per individual is numerically equivalent to  $J$ , the evenness component for the Shannon-Wiener formula.

#### SPECIES OCCURRENCE AND ABUNDANCE

The alphabetic phytoplankton species list for each lake, presented in Appendix B, gives the concentrations of individual species by sampling date. Concentrations are in cells, colonies, or filaments (CEL, COL, FIL) per milliliter. An "X" after a species name indicates that the species identified in the preliminary examination was in such a low concentration that it did not appear in the count. A blank space indicates that the organism was not found in the sample collected on that date. Column S is used to designate the examiner's subjective opinion of the five dominant taxa in a sample, based upon relative size and concentration of the organism. The percent column (%) presents, by abundance, the percentage composition of each taxon.

$$R1 = \frac{H - \text{MinH}}{\text{MaxH} - \text{MinH}}$$

#### LITERATURE CITED

- Basharin, G. P. 1959. On a statistical estimate for the entropy of a sequence of independent random variables, pp. 333-336. In: Theory of Probability and Its Applications (translation of "Teoriya Veroyatnosei i ee Premeneniya"). N. Artin (ed). 4. Society for Industrial and Applied Mathematics, Philadelphia.
- Brillouin, L. 1962. Science and Information Theory (2nd ed.). Academic Press, New York. 351 pp.
- Hutchinson, G. E. 1967. A Treatise on Limnology. II. Introduction to Lake Biology and the Limnoplankton. John Wiley and Sons, Inc., New York. 1,115 pp.
- Nygaard, G. 1949. Hydrobiological studies of some Danish ponds and lakes. II. (K danske Vidensk. Selsk.) Biol. Sci. 7:293.
- Palmer, C. M. 1969. A composite rating of algae tolerating organic pollution. J. Phycol. 5:78-82.
- Pielou, E. C. 1966. The measurement of diversity in different types of biological collections. J. Theor. Biol. 13:131-144.
- Prescott, G. W. 1970. How to Know the Freshwater Algae. William C. Brown Company, Dubuque. 348 pp.
- Sager, P. E., and A. D. Hasler. 1969. Species diversity in lacustrine phytoplankton. I. The components of the index of diversity from Shannon's formula. Amer. Natur. 103(929):51-59.
- Shannon, C. E., and W. Weaver. 1963. The Mathematical Theory of Communication. University of Illinois Press, Urbana. 117 pp.
- U.S. Environmental Protection Agency. 1975. National Eutrophication Survey Methods 1973-1976. Working Paper No. 175. Environmental Monitoring and Support Laboratory, Las Vegas, Nevada, and Corvallis Environmental Research Laboratory, Corvallis, Oregon. 91 pp.
- Wilhm, V. L., and T. C. Dorris. 1968. Biological parameters for water quality criteria. Bio-Science. 18:477.
- Zand, S. M. 1976. Indexes associated with information theory in water quality. J. Water Pollut. Contr. Fed. 48(8):2026-2031.



Faint, illegible text at the top of the page, possibly bleed-through from the reverse side.

LITERATURE CITED

Bastin, G. 1959. On a statistical selection for the control of a...  
Probability and its Applications (translation of "Teoriya Veroyatnostey" and "Primeneniye Teorii Veroyatnostey" to Engineering and Applied Mathematics) by S. Gnedenko, translated by...  
Hutchinson, G. E. 1957. A treatise in limnology and lake biology and the limnoplankton. John Wiley and Sons, Inc., New York.

APPENDIX A

PHYTOPLANKTON SPECIES LIST FOR THE STATE OF UTAH

Wetzel, G. 1968. Hydrobiological studies of some Danish ponds and lakes. Tidsskrift for Dansk Vidensk. Biol. Sci. 7:222.  
Parker, C. M. 1959. A composite rating of algae tolerating organic pollution. J. Phycol. 5:78-82.  
Pielou, E. C. 1960. The measurement of diversity in different types of biological collections. J. Theor. Biol. 13:131-144.  
Preston, E. W. 1970. How to know the freshwater algae. William C. Brown Company, Dubuque. 348 pp.  
Sager, P. E., and A. B. Hasler. 1969. Species diversity in lacustrine phytoplankton. I. The components of the index of diversity from Shannon's formula. Amer. Natur. 103(923):81-89.  
Shannon, C. E., and W. Weaver. 1949. The mathematical theory of communication. University of Illinois Press, Urbana. 117 pp.  
U.S. Environmental Protection Agency. 1975. National Eutrophication Survey Methods 1973-1978. Working Paper No. 175. Environmental Monitoring and Support Laboratory, Las Vegas, Nevada, and Corvallis Environmental Research Laboratory, Corvallis, Oregon. 91 pp.  
Wilam, V. L., and J. C. Jortie. 1968. Biological parameters for water quality criteria. Bio Science, 18:477.  
Land, S. M. 1976. Indexes associated with information theory in water quality. J. Water Pollut. Contr. Fed. 48(8):2028-2031.

*Achnanthes microcephala*  
*Achnanthes minutissima*  
*Actinastrum gracilimum*  
*Anabaena planctonica*  
*Ankistrodesmus falcatus*  
*Ankistrodesmus falcatus*  
     v. *acicularis*  
*Aphanizomenon flos-aquae*  
*Aphanocapsa delicatissima*  
*Aphanothece*  
*Asterionella fomosa*  
*Botryococcus braunii*  
*Caloneis*  
*Carteria*  
*Ceratium hirundinella*  
*Ceratium hirundinella*  
     f. *furcoides*  
*Ceratium hirundinella*  
     f. *scotticum*  
*Chaetoceros elmorei*  
*Chlamydomonas*  
*Chlorogonium*  
*Chroococcus*  
*Closterium*  
*Cocconeis placentula*  
*Coelastrum microporum*  
*Coelosphaerium kuetzingianum*  
*Coelosphaerium naegelianum*  
*Cosmarium*  
*Crucigenia rectangularis*  
*Crucigenia tetrapedia*  
*Cryptomonas erosa*  
*Cryptomonas erosa*  
     v. *reflexa*  
*Cryptomonas marssonii*  
*Cryptomonas ovata*  
*Cryptomonas reflexa*  
*Cyclotella conta*  
*Cyclotella meneghiniana*  
*Cymatopleura solea*  
*Cymbella*  
*Dactylococcopsis fascicularis*  
*Dactylococcopsis irregularis*  
*Diatoma tenue*  
     v. *elongatum*  
*Diatoma vulgare*  
*Diatoma vulgare*  
     v. *breve*  
*Diatoma vulgare*  
     v. *linearis*  
*Dictyosphaerium pulchellum*

*Dinobryon divergens*  
*Dinobryon sertularia*  
*Dinobryon sociale*  
*Dinobryon sociale*  
     v. *americanum*  
*Diploneis smithii*  
*Diplopsalis acuta*  
*Elakatothrix gelatinosa*  
*Elakatothrix viridis*  
*Entomoneis*  
*Epithemia sorex*  
*Epithemia turgida*  
*Eudorina elegans*  
*Euglena acus*  
*Euglena ehrenbergii*  
*Euglena gracilis*  
*Euglena oxyuris*  
     v. *minor*  
*Eunotia curvata*  
*Fragilaria capucina*  
     v. *mesolepta*  
*Fragilaria crotonensis*  
*Fragilaria intermedia*  
*Fragilaria leptostauron*  
*Franceia ovalis*  
*Glenodinium edax*  
*Glenodinium oculatum*  
*Gloeocapsa*  
*Gloeotrichia*  
*Gomphonema acuminatum*  
*Gomphonema gracile*  
*Gomphonema parvulum*  
*Gomphonema truncatum*  
*Gymnodinium albulum*  
*Gyrosigma kuetzingii*  
*Hannaea arcus*  
*Hantzschia*  
*Kirchneriella*  
*Lagerheimia ciliata*  
*Lagerheimia longiseta*  
     v. *major*  
*Lagerheimia quadriseta*  
*Lingbya contorta*  
*Mallomonas acaroides*  
*Mallomonas pseudocoronata*  
*Melosira distans*  
*Melosira granulata*  
*Melosira granulata*  
     v. *angustissima*  
*Melosira varians*  
*Meridion circulare*

*Merismopedia tenuissima*  
*Microcystis aeruginosa*  
*Microcystis incerta*  
*Mougeotia*  
*Navicula cryptocephala*  
*Navicula tripunctata*  
*Nitzschia longissima*  
*Nitzschia longissima*  
     v. *reversa*  
*Nitzschia vermicularis*  
*Oedogonium*  
*Oocystis eremosphaeria*  
*Oscillatoria limnetica*  
*Pandorina morum*  
*Pediastrum boryanum*  
*Pediastrum duplex*  
*Pediastrum duplex*  
     v. *clathratum*  
*Pediastrum integrum*  
*Pediastrum simplex*  
*Peridinium cinctum*  
*Peridinium inconspicuum*  
*Peridinium willei*  
*Phacus megalopsis*  
*Phacus tortus*  
*Phormidium mucicola*  
*Pinnularia*  
*Pleurosigma delicatulum*  
*Pteromonas angulosa*  
*Quadrigula chodatii*  
*Rhoicosphenia curvata*  
*Rhopalodia gibba*  
*Scenedesmus acuminatus*  
*Scenedesmus arcuatus*  
*Scenedesmus balatonicus*

*Scenedesmus bicaudatus*  
*Scenedesmus bijuga*  
*Scenedesmus dimorphus*  
*Scenedesmus opoliensis*  
*Scenedesmus quadricauda*  
*Schroederia setigera*  
*Skeletonema potamos*  
*Sphaerocystis schroeteri*  
*Spirogyra*  
*Spondylosium planum*  
*Staurastrum*  
*Stephanodiscus niagarae*  
*Surirella ovata*  
*Synedra acus*  
*Synedra delicatissima*  
     v. *angustissima*  
*Synedra ulna*  
*Synedra ulna*  
     v. *impressa*  
*Synura wella*  
*Tabellaria fenestrata*  
*Tetraedron caudatum*  
*Tetraedron gracile*  
*Tetraedron minimum*  
*Tetraedron minimum*  
     v. *scrobiculatum*  
*Tetraedron muticum*  
*Tetraedron regulare*  
     v. *incus*  
*Tetrastrum glabrum*  
*Tetrastrum staurogeniaeforme*  
*Trachelomonas crebea*  
*Trachelomonas fluviatilis*  
*Trachelomonas granulosa*  
*Treubaria setigerum*  
*Treubaria triappendiculata*  
*Ulothrix*

APPENDIX B. SUMMARY OF PHYTOPLANKTON DATA

This appendix was generated by computer. Because it was only possible to use upper case letters in the printout, all scientific names are printed in upper case and are not italicized.

The alphabetic phytoplankton lists include taxa without species names (e.g., EUNOTIA, EUNOTIA #1, FLAGELLATE, FLAGELLATES, MICROCYSTIS INCERTA ?, CHLOROPHYTAN COCCOID CELLED COLONY). When species determinations were not possible, symbols or descriptive phrases were used to separate taxa for enumeration purposes. Each name on a list, however, represents a unique species different from any other name on the same list, unless otherwise noted, for counting purposes.

Numbers were used to separate unidentified species of the same genus. A generic name listed alone is also a unique species. A question mark (?) is placed immediately after the portion of a name which was assigned with uncertainty. Numbered, questioned, or otherwise designated taxa were established on a lake-by-lake basis; therefore NAVICULA #2 from lake A cannot be compared to NAVICULA #2 from lake B. Pluralized categories (e.g., FLAGELLATES, CENTRIC DIATOMS, SPP.) were used for counting purposes when taxa could not be properly differentiated on the counting chamber.

LAKE NAME: BEAR LAKE  
 STORET NUMBER: 4901

NYGAARD TROPHIC STATE INDICES

	05 14 75	08 06 75	09 19 75
MYXOPHYCEAN	0/0 0	01/0 E	01/0 E
CHLOROPHYCEAN	03/0 E	03/0 E	04/0 E
EUGLENOPHYTE	0/03 ?	0/04 ?	0/05 ?
DIATOM	0/0 ?	0.50 E	0/01 ?
COMPOUND	03/0 E	05/0 E	05/0 E

PALMER'S ORGANIC POLLUTION INDICES

	05 14 75	08 06 75	09 19 75
GENUS	02	00	00
SPECIES	03	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

		05 14 75	08 06 75	09 19 75
AVERAGE DIVERSITY	H	0.30	1.92	1.99
NUMBER OF TAXA	S	4.00	8.00	8.00
NUMBER OF SAMPLES COMPOSITED	M	7.00	7.00	7.00
MAXIMUM DIVERSITY	MAXH	2.00	3.00	3.00
MINIMUM DIVERSITY	MINH	0.03	0.23	0.12
TOTAL DIVERSITY	D	317.70	549.12	1257.68
TOTAL NUMBER OF INDIVIDUALS/ML	N	1059.00	285.00	632.00
EVENNESS COMPONENT	J	0.15	0.64	0.66
RELATIVE EVENNESS	RJ	0.14	0.62	0.65
MEAN NUMBER OF INDIVIDUALS/TAXA	L	264.75	35.75	79.00
NUMBER/ML OF MOST ABUNDANT TAXON	K	1003.00	95.00	181.00



LAKE NAME: BEAR LAKE  
 STORE NUMBER: 4901

CONTINUED

LAKE NAME: LOWER BORN'S HERR  
 STORE NUMBER: 4902

05 14 75      08 06 75      09 19 75

TAXA	FORM	05 14 75		08 06 75		09 19 75	
		IS	%C	IS	%C	IS	%C
ANKISTHODESMUS FALCATUS	CEL	1194.7	1003				X
CHROOMONAS ?	CEL	1215.3	56			14121.4	135
CRYPTOMONAS	CEL			12116.8	48		
CYMBELLA	CEL				X		
DINOBRYON DIVERGENS	CEL						X
ELAKATOTHRIX VIRIDIS	CEL					12121.4	135
FRAGILARIA	CEL						X
FRAGILARIA CROTONENSIS	CEL						
KIRCHNERIELLA ?	CEL			14133.2	95		
LAGERHEIMIA QUADRIFETA	CEL			X 11133.2	95		X
LYNGBYA CONTORTA	FIL					11128.6	181
MELOSIRA GRANULATA	CEL				X		
OOCYSTIS	FIL			X		13128.6	181
OSCELLATORIA	FIL			13116.8	48		
TETRAEDRON MINIMUM	CEL				X		
TOTAL			1059		286		632

DATE	NUMBER OF TAXA	NUMBER OF SPECIES	NUMBER OF GENERA	NUMBER OF INDIVIDUALS	MEAN NUMBER OF INDIVIDUALS PER TAXON	NUMBER OF MOST ABUNDANT TAXON
05 14 75	1.00	1.00	1.00	1059	1059	1059
08 06 75	1.00	1.00	1.00	286	286	286
09 19 75	1.00	1.00	1.00	632	632	632

LAKE NAME: LOWER BOWN'S RES.  
 STORE NUMBER: 4902

NYGAARD TROPHIC STATE INDICES

	DATE	05 09 75	08 13 75	09 25 75
MYXOPHYCEAN		0/01 0	3.00 E	4.00 E
CHLOROPHYCEAN		1.00 E	2.00 E	4.00 E
EUGLENOPHYTE		0/01 ?	0/05 ?	0/08 ?
DIATOM		0/05 ?	0/02 ?	0/01 ?
COMPOUND		1.00 0	5.00 E	8.00 E

PALMER'S ORGANIC POLLUTION INDICES

	DATE	05 09 75	08 13 75	09 25 75
GENUS		00	00	01
SPECIES		00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

	DATE	05 09 75	08 13 75	09 25 75
AVERAGE DIVERSITY	H	0.40	1.60	1.94
NUMBER OF TAXA	S	9.00	11.00	13.00
NUMBER OF SAMPLES COMPOSITED	M	1.00	1.00	1.00
MAXIMUM DIVERSITY	MAXH	3.17	3.46	3.70
MINIMUM DIVERSITY	MINH	0.25	0.25	0.07
TOTAL DIVERSITY	D	124.00	657.60	4159.36
TOTAL NUMBER OF INDIVIDUALS/ML	N	310.00	411.00	2144.00
EVENNESS COMPONENT	J	0.13	0.46	0.52
RELATIVE EVENNESS	RJ	0.06	0.43	0.52
MEAN NUMBER OF INDIVIDUALS/TAXA	L	34.44	37.36	164.92
NUMBER/ML OF MOST ABUNDANT TAXON	K	286.00	231.00	970.00

LAKE NAME: LOWER BOWN'S RES.  
 STORET NUMBER: 4902

CONTINUED

LAKE NAME: DEER CREEK RES.  
 STORET NUMBER: 4901

05 09 75                      08 13 75                      09 25 75

TAXA	FORM	05 09 75		08 13 75		09 25 75	
		IS	%C	IS	%C	IS	%C
ANABAENA	FIL			12112.41		51	
APHANOCAPSA	COL					12126.21	562
ASTERIONELLA FORMOSA	CEL		X				
BOTRYOCOCCUS BRAUWII	COL					X	
CERATIUM HIRUNDIFELLA	CEL					X	
CHROOMONAS ?	CEL	121	7.71	14125.11		103	1145.21
COCCONEIS	CEL						X
COCCONEIS PLACENTULA	CEL					X	
CRUCIGENIA PECTANGULARIS	COL						X
CRYPTOMONAS EROSA	CEL	1192.31		786		X	13116.71
CRYPTOMONAS OVATA	CEL						X
ELAKATOTHRIX GELATINOSA	CEL						X
FRAGILARIA	CEL			X			
FRAGILARIA CROTONENSIS	CEL		X				
GLOEOCAPSA	CEL						X
GLOEOTRICHIA	FIL			11156.21		231	151 4.81
GYROSIGMA ?	CEL			X			
MICROCYSTIS AERUGINOSA	COL						X
MICROCYSTIS INCEPTA	COL			131	6.31	26	
OOCYSTIS	CEL						X
RHOPALODIA GIBBA	CEL					X	
SPHATROCYSTIS SCHROETERI	COL					X	
STAUROSTRUM	CEL			X		X	141 7.11
SYNEDRA	CEL			X			
TETRAEDRON MINIMUM	CEL			X			
<b>TOTAL</b>				<b>310</b>		<b>411</b>	<b>2144</b>

LAKE NAME: DEER CREEK RES.  
 STORE NUMBER: 4903

NYGAARD TROPHIC STATE INDICES

DATE	05 12 75	08 11 75	09 19 75
MYXOPHYCEAN	0/0 0	3.00 E	3.00 E
CHLOROPHYCEAN	01/0 E	4.00 E	0/01 0
EUGLENOPHYTE	0/01 ?	0/07 ?	0/03 ?
DIATOM	0.29 ?	0.50 E	0.33 E
COMPOUND	03/0 E	8.00 E	4.00 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 12 75	08 11 75	09 19 75
GENUS	00	00	00
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 12 75	08 11 75	09 19 75
AVERAGE DIVERSITY H	1.79	0.06	1.39
NUMBER OF TAXA S	14.00	12.00	12.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	3.00
MAXIMUM DIVERSITY MAXH	3.81	3.58	3.58
MINIMUM DIVERSITY MINH	0.02	0.02	0.04
TOTAL DIVERSITY D	20311.13	457.56	4479.97
TOTAL NUMBER OF INDIVIDUALS/ML N	11347.00	7626.00	3223.00
EVENNESS COMPONENT J	0.47	0.02	0.39
RELATIVE EVENNESS RJ	0.47	0.02	0.39
MEAN NUMBER OF INDIVIDUALS/TAXA L	810.50	635.50	268.58
NUMBER/ML OF MOST ABUNDANT TAXON K	5047.00	7571.00	2365.00

LAKE NAME: DEER CREEK RES.  
STORE NUMBER: 4903

CONTINUED

LAKE NAME: DEER CREEK RES.  
STORE NUMBER: 4903

TAXA	FORM	05 12 75			08 11 75			09 19 75		
		IS	%C	ALGAL UNITS PER ML	IS	%C	ALGAL UNITS PER ML	IS	%C	ALGAL UNITS PER ML
ANABAENA	FIL	1	1	1	1	1	1	1	1	1
APHANIZOMENON FLOS-AQUAE	FIL	1	1	1	1	1	X	1	1	1
ASTERIONELLA FORMOSA	CEL	1	1	0,71	1	1	X	1	1	1
CHROOMONAS ?	CEL	1	1	130,21	1	1	X	1	1	1
COELOSPHAERIUM NAEGELIANUM	COL	1	1	1	1	1	X	1	1	1
COBARIUM	CEL	1	1	1	1	1	X	1	1	1
CRYPTOMONAS	CEL	1	1	1	1	1	1	1	1	1
CRYPTOMONAS MARSSONII	CEL	1	1	6,21	1	1	1	1	1	1
CYMATOPLEURA SOLEA	CEL	1	1	1	1	1	1	1	1	1
DIATOMA TENUE	CEL	1	1	1	1	1	1	1	1	1
V. ELONGATUM	CEL	1	1	1	1	1	X	1	1	1
DIATOMA VULGARE	CEL	1	1	1	1	1	X	1	1	1
DINOBRYON DIVERGENS	CEL	1	1	1	1	1	1	1	1	X
FLAGELLATE	CEL	1	1	118,51	1	1	1	1	1	1
FLAGELLATE #2	CEL	1	1	1	1	1	1	1	1	1
FRAGILARIA #2	CEL	1	1	1	1	1	1	1	1	X
FRAGILARIA CROTONENSIS	CEL	1	1	1	1	1	X	1	1	1
FRAGILARIA LEPTOSTAURON	CEL	1	1	1	1	1	X	1	1	1
HANNATA ARCUS	CEL	1	1	1	1	1	X	1	1	1
MELOSIRA VARIANS	CEL	1	1	1	1	1	1	1	1	1
MICROCYSTIS INCERTA	COL	1	1	1	1	1	X	1	1	1
NAVICULA	CEL	1	1	1	1	1	1	1	1	X
PEDIASTRUM BORYANUM	COL	1	1	1	1	1	X	1	1	1
SCENEDESMUS ARCUATUS	COL	1	1	1	1	1	X	1	1	1
SPHAEROCYSTIS SCHROETERI	CEL	1	1	1	1	1	1	1	1	1
STEPHANODISCUS	CEL	1	1	1	1	1	1	1	1	1
STEPHANODISCUS #1	CEL	1	1	1	1	1	1	1	1	1
STEPHANODISCUS #2	CEL	1	1	144,51	1	1	1	1	1	1
SYNEDRA ULNA	CEL	1	1	1	1	1	X	1	1	1
TETRAEDRON GRACILE	CEL	1	1	1	1	1	X	1	1	1
TOTAL										
				11347			7626			3223



LAKE NAME: ECHO RES.  
 STORET NUMBER: 4904

NYGAARD TROPHIC STATE INDICES

DATE	05 12 75	08 07 75	09 18 75
MYXOPHYCEAN	0/0 U	01/0 E	01/0 E
CHLOROPHYCEAN	02/0 E	04/0 E	01/0 E
EUGLENSPHYTE	0/02 ?	0/05 ?	0/02 ?
DIATOM	0.60 E	0/05 ?	0/02 ?
COMPOUND	05/0 E	05/0 E	02/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 12 75	08 07 75	09 18 75
GENUS	00	00	00
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 12 75	08 07 75	09 18 75
AVERAGE DIVERSITY H	1.29	1.79	1.72
NUMBER OF TAXA S	15.00	13.00	8.00
NUMBER OF SAMPLES COMPOSITED M	2.00	2.00	2.00
MAXIMUM DIVERSITY MAXH	3.91	3.70	3.00
MINIMUM DIVERSITY MINH	0.02	0.22	0.05
TOTAL DIVERSITY D	16362.36	1039.99	3020.32
TOTAL NUMBER OF INDIVIDUALS/ML N	12694.00	581.00	1756.00
EVENNESS COMPONENT J	0.33	0.48	0.57
RELATIVE EVENNESS RJ	0.33	0.46	0.57
MEAN NUMBER OF INDIVIDUALS/TAXA L	845.60	44.69	219.50
NUMBER/ML OF MOST ABUNDANT TAXON K	9336.00	305.00	918.00

LAKE NAME: ECHO RES.  
 STORET NUMBER: 4904

CONTINUED

LAKE NAME: ECHO RES.  
 STORET NUMBER: 4904

TAXA	FORM	05 12 75		08 07 75		09 10 75	
		ALGAL UNITS PER ML	%	ALGAL UNITS PER ML	%	ALGAL UNITS PER ML	%
ANKISTRODESCHUS FALCATUS	CEL						
V. ACICULARIS	CEL			X	151 5.31	31	
APHANIZOMENON FLOS-AQUAE	FIL					X	141 2.31 40
ASTERIONELLA FORMOSA	CEL	151 0.91	118		141 5.31	31	151 2.31 40
CENTRIC DIATOM	CEL	141 9.61	1221				
CHRUDOMONAS ?	CEL	11173.61	9336		13152.51	305	12134.11 598
CUCCONEIS	CEL					X	
CRYPTOMONAS EROSA	CEL			X	1126.31	153	1 2.31 40
CRYPTOMONAS MARSSONII	CEL	131 7.11	906				1 2.31 40
CRYPTOMONAS UVATA	CEL			X			
CRYPTOMONAS REFLEXA	CEL						131 4.61 80
CYMBELLA	CEL			X		X	
DIATOMA VULGARE	CEL			X			
EUDOPINA ELEGANS	COL					X	
FRAGILARIA CROTONENBIS	CEL	121 8.71	1103		12110.51	61	1152.31 918
MELOSIRA VARIANS	CEL			X			
NAVICULA	CEL					X	
NAVICULA TRIPUNCTATA	CEL			X			
UOCYSTIS	CEL			X		X	
PEDIASTRUM BORYANUM	COL					X	
SCHROEDERIA SETIGERA	CEL					X	
STEPHANODISCUS	CEL			X			
SYNURA UVELLA	COL			X			
<b>TOTAL</b>					<b>12684</b>	<b>581</b>	<b>1756</b>

LAKE NAME: LYNN RES.  
 STORE NUMBER: 4905

GEOPATRON

AGE DATE 1984 1111  
 A-77 180000 180000

NYGAARD TROPHIC STATE INDICES			
DATE	05 15 75	08 16 75	09 17 75
MYXOPHYCEAN	01/0 E	0/0 0	03/0 E
CHLOROPHYCEAN	0/0 0	01/0 E	03/0 E
EUGLENOPHYTE	1.00 E	0/01 ?	0/06 ?
DIATOM	0.12 ?	0.50 E	0.15 ?
COMPOUND	03/0 E	02/0 E	08/0 E

PALMER'S ORGANIC POLLUTION INDICES			
DATE	05 15 75	08 16 75	09 17 75
GENUS	05	01	10
SPECIES	03	00	05

SPECIES DIVERSITY AND ABUNDANCE INDICES			
DATE	05 15 75	08 16 75	09 17 75
AVERAGE DIVERSITY	H 2.89	0.23	2.33
NUMBER OF TAXA	E 15.00	6.00	25.00
NUMBER OF SAMPLES COMPOSITED	M 1.00	1.00	1.00
MAXIMUM DIVERSITY	MAXH 3.91	2.58	4.64
MINIMUM DIVERSITY	MINH 0.21	0.13	0.02
TOTAL DIVERSITY	D 2155.94	92.23	34504.97
TOTAL NUMBER OF INDIVIDUALS/ML	N 746.00	401.00	14809.00
EVENNESS COMPONENT	J 0.74	0.09	0.50
RELATIVE EVENNESS	RJ 0.73	0.05	0.50
MEAN NUMBER OF INDIVIDUALS/TAXA	L 49.73	66.83	592.36
NUMBER/ML OF MOST ABUNDANT TAXON	K 239.00	386.00	7130.00

LAKE NAME: LYNN RES.  
STORET NUMBER: 4905

CONTINUED

LAKE NAME: LYNN RES.  
STORET NUMBER: 4905

05 15 75

08 16 75

09 17 75

TAXA	FORM	05 15 75			08 16 75			09 17 75		
		IS	%C	PER ML	IS	%C	PER ML	IS	%C	PER ML
ACHNANTHES	CEL	1	3.61	27	1		1			
ANABAENA	FIL	1			1		1		131 3.71	548
APHANIZOMENON FLOS-AQUAE	FIL	1			1		1		11148.11	7130
ASTERIONELLA FORMOSA	CEL	1			1		1	X	151 3.21	480
CENTRIC DIATOM	CEL	1		X	1		1			
CHROOCONAS ?	CEL	1			1		1		1 1.91	274
COCCONEIS	CEL	1	3.61	27	1		1			
COCCONEIS PLACENTULA	CEL	1			1		1			X
CRYPTONONAS EROSA	CEL	1			1		1	X	1 0.51	69
CRYPTONONAS EROSA	CEL	1			1		1			
V. REFLEXA	CEL	1	3.61	27	1		1			
CRYPTONONAS MAPSSONII	CEL	131	7.11	53	1		1	X	1 0.51	69
CYMBELLA	CEL	1			1		1			X
DIATOMA TENUE	CEL	1			1		1			
V. ELONGATUM	CEL	1			1		1		3.71	548
EUNOTIA CURVATA	CEL	1			1		1			X
FRAGILARIA	CEL	1			1		1			X
FRAGILARIA CROTONIFORMIS	CEL	1			1		1	X		
GOMPHONEMA ACUMINATUM	CEL	1			1		1			X
GOMPHONEMA TRUNCATUM	CEL	1			1		1		1 0.51	69
LYNGBYA	FIL	1			1		1		1 0.51	69
MEIOSIRA GRANULATA	CEL	1			11196.31		386			137
MFLOSIRA VARIANS	CEL	1			1		1		1 0.91	137
NAVICULA #1	CEL	1		X	1		1			
NAVICULA #2	CEL	1		X	1		1		1 1.41	206
NAVICULA CRYPTOCEPHALA	CEL	1		X	1		1			
NAVICULA SPP.	CEL	12132.01		239	1		1			
WITZSCHIA	CEL	1			1		1		1 4.21	617
WITZSCHIA VERMICULARIS	CEL	1			1		1			X
OEDOGONIUM	FIL	1			1		1		141 2.81	411
OOCYSTIS	CEL	1			1		1			X
PANDORINA MORUM	COL	11114.21		106	1		1			
PEDIASTRUM DUPLEX	COL	1			1		1			X
PHORMIDIUM	FIL	14121.31		159	1		1			
RHOICOSPHEMIA CURVATA	CEL	1	3.61	27	1		1			X
SCHROEDERIA SETIGERA	CEL	1			121 3.71		15			X
SURIPELLA OVATA	CEL	1	3.61	27	1		1			
SYNEDRA ULNA	CEL	1	3.61	27	1		1		12127.31	4045
TRACHELONONAS GRANULOSA	CEL	151 3.61		27	1		1			
TOTAL				746			401			14909

LAKE NAME: FISH LAKE  
 STORE NUMBER: 4906

STATION

DATE

NYGAARD TROPHIC STATE INDICES

DATE	08 12 75	09 25 75
MYXOPHYCEAN	6.00 E	2.00 E
CHLOROPHYCEAN	7.00 E	6.00 E
EUGLENOPHYTE	0/13 ?	0/08 ?
DIATOM	0.07 ?	0/06 ?
COMPOUND	14.0 E	8.00 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	08 12 75	09 25 75
GENUS	14	05
SPECIES	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	08 12 75	09 25 75
AVERAGE DIVERSITY H	2.86	2.25
NUMBER OF TAXA S	32.00	19.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00
MAXIMUM DIVERSITY MAXH	5.00	4.25
MINIMUM DIVERSITY MINH	0.07	0.10
TOTAL DIVERSITY D	18238.22	5334.75
TOTAL NUMBER OF INDIVIDUALS/ML N	6377.00	2371.00
EVENNESS COMPONENT J	0.57	0.53
RELATIVE EVENNESS RJ	0.57	0.52
MEAN NUMBER OF INDIVIDUALS/TAXA L	199.28	124.79
NUMBER/ML OF MOST ABUNDANT TAXON K	2082.00	1103.00



LAKE NAME: FISH LAKE  
 STORE NUMBER: 4906

CONTINUED

08 12 75 09 25 75

TAXA	FORM	ALGAL UNITS			ALGAL UNITS		
		IS	SC	PER ML	IS	SC	PER ML
ACHNANTHES	CEL	1					X
APHANOCAPSA	COL	1	2.1	132	1		
ASTEPIONELLA FORMOSA	CEL	1	1.0	66	1		
CHLAMYDOMONAS	CEL	1	1.0	66	1	1146.5	1103
CHROOCOCCUS	COL	1	11.9	760	1		
CHROOMONAS ?	CEL	1			1	112.1	286
COCCONEIS PLACENTULA	CEL	1	1.0	66	1		X
COELOSPHAERIUM	COL	1		X	1		
COSMARIUM	CEL	1		X	1		
CRYPTOMONAS	CEL	1			1		X
CYCLOTELLA	CEL	1	1.6	99	1		
CYMBELLA #1	CEL	1	0.5	33	1		
CYMBELLA #2	CEL	1		X	1		
DINOBRYON DIVERGENS	CEL	1	2.1	132	1		
FLAKATOTHRIX	COL	1			1		X
EPITHEMIA TURGIDA	CEL	1	1.0	66	1		
FRAGILARIA #2	CEL	1			1		X
FRAGILARIA CROTONENSIS	CEL	1	6.7	430	1		X
FRAGILARIA INTERMEDIA	CEL	1	3129.0	1851	1		
FRANCEIA OVALIS	CEL	1			1	3.5	82
GOMPHONEMA GRACILE	CEL	1	0.5	33	1		
KIRCHNERIELLA	CEL	1			1	5.2	123
LAGERHEIMIA CILIATA	CEL	1	1.6	99	1		
LAGERHEIMIA QUADRISETA	CEL	1		X	1	5.2	123
MERISMOPEDIA	COL	1		X	1		
MICROCYSTIS INCERTA	COL	1	32.6	2082	1	3.5	82
MOUGEOTIA	FIL	1			1		X
NAVICULA #2	CEL	1			1		X
NAVICULA PEREGRINA ?	CEL	1	3.1	198	1		X
OOCYSTIS	CEL	1		X	1	22.4	931
PEDIASTRUM BOHYANUM	COL	1		X	1		
PEDIASTRUM INTEGRUM	COL	1		X	1		
PHORMIDIUM	FIL	1	1.0	66	1	1.7	41
PINNULARIA	CEL	1		X	1		
PINNULARIA #2	CEL	1		X	1		
RHOPALODIA GIBBA	CEL	1	0.5	33	1		
SCENEDESMUS BIJUGA	COL	1	2.1	132	1		
STAURASTRUM	CEL	1			1		X
SURIPELLA	CEL	1		X	1		
SYNEDRA ACUS	CEL	1		X	1		
TETRAEDRON MINIMUM	CEL	1	0.5	33	1		
TETRAEDRON MINIMUM V. SCROBICULATUM	COL	1			1		X
ULOTHRIX	FIL	1		X	1		
TOTAL				6377			2371

LAKE NAME: HUNTINGTON NORTH RES.  
 STORET NUMBER: 4907

NYGAARD TROPHIC STATE INDICES

	DATE	05 13 75	09 24 75	08 12 77
MYXOPHYCEAN		0/0 0	01/0 E	4.00 E
CHLOROPHYCEAN		01/0 E	01/0 E	3.00 E
EUGLENOPHYTE		0/01 ?	0.50 E	0/07 ?
DIATOM		0/05 ?	01/0 E	0.50 E
COMPOUND		01/0 E	04/0 E	10.0 E

PALMER'S ORGANIC POLLUTION INDICES

	DATE	05 13 75	09 24 75	08 12 77
GENUS		02	00	00
SPECIES		03	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

	DATE	05 13 75	09 24 75	08 12 77
AVERAGE DIVERSITY H		1.82	1.16	2.26
NUMBER OF TAXA S		10.00	13.00	24.00
NUMBER OF SAMPLES COMPOSITED M		1.00	1.00	1.00
MAXIMUM DIVERSITY MAXH		3.32	3.70	4.58
MINIMUM DIVERSITY MINH		0.19	0.25	1.22
TOTAL DIVERSITY D		910.00	578.84	370.64
TOTAL NUMBER OF INDIVIDUALS/ML N		500.00	499.00	164.00
EVENNESS COMPONENT J		0.55	0.31	0.49
RELATIVE EVENNESS RJ		0.53	0.27	0.31
MEAN NUMBER OF INDIVIDUALS/TAXA L		50.00	38.38	6.83
NUMBER/ML OF MOST ABUNDANT TAXON K		182.00	333.00	47.00

09 13 75                      09 24 75                      08 12 77

TAXA	FORM	09 13 75		09 24 75		08 12 77	
		ALGAL UNITS PER ML	%	ALGAL UNITS PER ML	%	ALGAL UNITS PER ML	%
ACHNANTHES MICROCEPHALA	CEL					13118.9	31
ANABENA	FIL						X
ANKISTRODEBMUS FALCATUS							
V. ACICULARIS	CEL	1136.4	182				X
APHANIZOMENON FLOS-AQUAE	FIL						
APHANOCAPSA ?	COL					12123.8	39
ASTERIONELLA FORMOSA	CEL		X				X
CHAETOCEROS	CEL						X
CHRODOMONAS ?	CEL	14136.4	182	12126.7	133		X
CHRYSOPHYTAN COCCOID CELL	CEL						X
COSMARIUM	CEL						X
CRUCIGENIA TETRAPEDIA	COL					15118.9	31
CRYPTOMONAS EROSA	CEL	12118.2	91		X	1419.8	16
CRYPTOMONAS MARSSONIT	CEL				X		
CRYPTOMONAS REFLXA	CEL				X		
CRYPTOMONAS SPP.	CEL			1166.7	333		
CYCLOTELLA COMTA	CEL					11128.7	47
CYCLOTELLA MENEGRINIANA	CEL						X
DINOBRYON DIVERGENS	CEL		X		X		X
FLAGELLATE	CEL						X
FRAGILIARIA CROTONENSIS	CEL		X				X
GLENODINIUM EDAX	CEL				X		
GLENODINIUM OCULATUM	CEL						X
MALLOMONAS	CEL			1316.6	33		
MALLOMONAS ACAROIDES	CEL		X				X
MICROCYSTIS ? INCERTA	COL				X		X
NAVICULA	CEL						X
NITZSCHIA	CEL		X				
OOCYSTIS	COL						X
PHACUS MEGALOPSIS	CEL				X		
PLEUROSIGMA DELICATULUM	CEL						X
SPHAEPOCYSTIS SCHROETERI	COL						X
SPIROGYRA	FIL				X		
STEPHANODISCUS	CEL				X		
SYNEDRA	CEL		X				X
SYNEDRA ULNA	CEL	1319.0	45				
TETRAEDRON MINIMUM							
V. SCROPICULATUM	CEL						
TOTAL			500		499		164

LAKE NAME: JOE'S VALLEY RES.  
 STORE NUMBER: 4908

NYGAARD TROPIC STATE INDICES

	DATE	05 13 75	08 12 75	09 24 75
MYXOPHYCEAN		01/0 E	02/0 E	01/0 E
CHLOROPHYCEAN		0/0 0	0/0 0	0/0 0
EUGLENOPHYTE		0/01 ?	0/02 ?	0/01 ?
DIATOM		0/03 ?	0.17 ?	0/01 ?
COMPOUND		01/0 E	03/0 E	01/0 E

PALMER'S ORGANIC POLLUTION INDICES

	DATE	05 13 75	08 12 75	09 24 75
GENUS		01	02	01
SPECIES		00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

	DATE	05 13 75	08 12 75	09 24 75
AVERAGE DIVERSITY	H	1.54	1.56	1.57
NUMBER OF TAXA	S	9.00	13.00	4.00
NUMBER OF SAMPLES COMPOSITED	M	2.00	2.00	2.00
MAXIMUM DIVERSITY	MAXH	3.17	3.70	2.00
MINIMUM DIVERSITY	MINH	0.04	0.05	0.03
TOTAL DIVERSITY	D	4319.70	4623.84	1789.80
TOTAL NUMBER OF INDIVIDUALS/ML	N	2805.00	2964.00	1140.00
EVENNESS COMPONENT	J	0.49	0.42	0.79
RELATIVE EVENNESS	RJ	0.48	0.42	0.79
MEAN NUMBER OF INDIVIDUALS/TAXA	L	311.67	228.00	285.00
NUMBER/ML OF MOST ABUNDANT TAXON	K	1354.00	1976.00	610.00

LAKE NAME: JOE'S VALLEY RES.  
STORE NUMBER: 4908

CONTINUED

LAKE NAME: MINERSVILLE RES.  
STORE NUMBER: 4909

TAXA	FORM	05 13 75			08 12 75			09 24 75				
		IS	%	PER ML	IS	%	PER ML	IS	%	PER ML		
ACHNANTHES MICROCEPHALA	CEL	1	1	1	X	1	1	1	X	1	1	1
ANABAENA	FIL	1	1	1	1	1	1	1	X	1	1	1
CARTERIA	CEL	141	1.71	48	1	1	1	1	1	1	1	1
CHROOMONAS ?	CEL	131	8.61	242	131	8.61	256	1	1	1	1	1
CRYPTOMONAS	CEL	151	1.71	48	141	2.51	73	141	3.61	41	1	1
CYCLOTELLA	CEL	1	1	1	1166.71	1976	1	1	1	1	1	1
DIATOMA TENUIS	CEL	1	1	1	1	1	1	1	1	1	1	1
V. ELONGATUM	CEL	1	1	1	X	1	1	1	1	1	1	1
DINORHYON DIVERGENS	CEL	1	1	1	1216.11	476	1214.31	163	1	1	1	1
DINORHYON SOCIALE	CEL	1	1	1	X	1	1	1	1	1	1	1
FLAGELLATE	CEL	12148.31	1354	1	1	1	1	1	1	1	1	1
FRAGILARIA	CEL	1	1	1	1	1	X	1	1	1	1	1
FRAGILARIA CROTONENSIS	CEL	1	1	1	X	1	1	X	1128.61	326	1	1
GOMPHONEMA PARVULUM	CEL	1	1	1	1	1	X	1	1	1	1	1
MICROCYSTIS INCERTA	COL	11139.71	1113	1	1	3.71	110	13153.51	610	1	1	1
MOUGEOTIA	CEL	1	1	1	151	2.51	73	1	1	1	1	1
NAVICULA	CEL	1	1	1	1	1	1	X	1	1	1	1
NAVICULA #1	CEL	1	1	1	1	1	1	X	1	1	1	1
TOTAL				2805			2964			1140		

STAT	DATE	NUMBER OF TAXA	NUMBER OF SAMPLES COLLECTED	MAXIMUM DIVERSITY	MINIMUM DIVERSITY	TOTAL DIVERSITY	TOTAL NUMBER OF INDIVIDUALS	SYNOPSIS CONCENTRY	RELATIVE DIVERSITY	MEAN NUMBER OF INDIVIDUALS PER	NUMBER OF MOST ABUNDANT TAXA
K	05 13 75	11	1	1.00	1.00	1.00	1	1.00	1.00	1.00	1
J	08 12 75	11	1	1.00	1.00	1.00	1	1.00	1.00	1.00	1
I	09 24 75	11	1	1.00	1.00	1.00	1	1.00	1.00	1.00	1
H	05 13 75	11	1	1.00	1.00	1.00	1	1.00	1.00	1.00	1
G	05 13 75	11	1	1.00	1.00	1.00	1	1.00	1.00	1.00	1
F	05 13 75	11	1	1.00	1.00	1.00	1	1.00	1.00	1.00	1
E	05 13 75	11	1	1.00	1.00	1.00	1	1.00	1.00	1.00	1
D	05 13 75	11	1	1.00	1.00	1.00	1	1.00	1.00	1.00	1
C	05 13 75	11	1	1.00	1.00	1.00	1	1.00	1.00	1.00	1
B	05 13 75	11	1	1.00	1.00	1.00	1	1.00	1.00	1.00	1
A	05 13 75	11	1	1.00	1.00	1.00	1	1.00	1.00	1.00	1



LAKE NAME: MINERSVILLE RES.  
 STORET NUMBER: 4909

NYGAARD TROPHIC STATE INDICES

DATE	05 08 75	08 12 75	09 25 75
MYXOPHYCEAN	02/0 E	5.00 E	01/0 E
CHLOROPHYCEAN	0/0 0	3.00 E	01/0 E
EUGLENOPHYTE	0/02 ?	0/08 ?	0.50 E
DIATOM	0.17 ?	0.33 E	01/0 E
COMPOUND	03/0 E	9.00 E	04/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 08 75	08 12 75	09 25 75
GENUS	00	01	00
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 08 75	08 12 75	09 25 75
AVERAGE DIVERSITY H	0.74	1.73	0.34
NUMBER OF TAXA S	11.00	17.00	4.00
NUMBER OF SAMPLES COMPOSITED M	2.00	2.00	2.00
MAXIMUM DIVERSITY MAXH	3.46	4.09	2.00
MINIMUM DIVERSITY MINH	0.03	0.05	0.00
TOTAL DIVERSITY D	3125.02	7968.38	4105.50
TOTAL NUMBER OF INDIVIDUALS/ML N	4223.00	4606.00	12075.00
EVENNESS COMPONENT J	0.21	0.42	0.17
RELATIVE EVENNESS RJ	0.21	0.42	0.17
MEAN NUMBER OF INDIVIDUALS/TAXA L	383.91	270.94	3018.75
NUMBER/ML OF MOST ABUNDANT TAXON K	3728.00	3118.00	11379.00

LAKE NAME: MINERSVILLE RES.  
STORE NUMBER: 4909

CONTINUED

LAKE NAME: MOORE LAKE  
STORE NUMBER: 4911

TAXA	FORM	05 OR 75		OR 12 75		OR 25 75	
		IS	%C	IS	%C	IS	%C
				ALGAL		ALGAL	
				UNITS		UNITS	
				PER ML		PER ML	
ACHNANTHES MICROCEPHALA	CEL			X			
ANABAENA	FIL					X	
APHANIZOMENON FLOS-AQUAE	FIL			X	9.4	432	1194.2
ASTERIONELLA	CEL					X	
ASTERIONELLA FORNOSEA	CEL	15	2.1	90			
CHROOMONAS ?	CEL				4.2	192	
CUCCONEIS PLACENTULA	CEL			X			
CRYPTOMONAS	CEL	14	1.1	45			
CRYPTOMONAS EROSA	CEL			15	3.1	144	
CRYPTOMONAS MARSSONII	CEL				1.0	48	
CYST	CEL					X	
EUNOTIA	CEL	13	1.1	45		X	
FRAGILARIA #1	CEL		1.1	45			
FRAGILARIA CROTONENSIS	CEL			X			
GLOEOTRICHIA	FIL			12	9.4	432	
MICROCYSTIS AERUGINOSA	COL			13	1.0	48	
MICROCYSTIS INCERTA	COL			X			
ODCYSTIS	CEL						X
PHORMIDIUM MUCICOLA	FIL			14	67.7	3118	
QUADRIGULA CHODATII	CEL					X	
SCHPOEDERIA SETIGERA	CEL				3.1	144	
SPHAEROCYSTIS SCHROETERI	COL					X	
STAURASTRUM	CEL					X	
STEPHANODISCUS NIAGARAE	CEL	12	6.4	270	1.0	48	12
SYNURA ?	CEL	11	8.3	3728			5.3
TRACHELOMONAS	CEL					13	0.4
TOTAL				4223		4606	12075

AVERAGE DIVERSITY  
 NUMBER OF TAXA  
 NUMBER OF SAMPLES COLLECTED  
 MAXIMUM DIVERSITY INDEX  
 MINIMUM DIVERSITY INDEX  
 TOTAL DIVERSITY  
 TOTAL NUMBER OF INDIVIDUALS  
 SKEWNESS COEFFICIENT  
 RELATIVE EVENNESS  
 MEAN NUMBER OF INDIVIDUALS PER SAMPLE  
 NUMBER OF MOST ABUNDANT TAXA

LAKE NAME: MOON LAKE  
 STORE NUMBER: 4910

NYGAARD TROPHIC STATE INDICES

	DATE	08 11 75	09 23 75
MYXOPHYCEAN		0/0 0	0/01 0
CHLOROPHYCEAN		0/0 0	0/01 0
EUGLENOPHYTE		0/0 ?	0/0 ?
DIATOM		0/03 ?	0.17 ?
COMPOUND		0/0 0	1.00 0

PALMER'S ORGANIC POLLUTION INDICES

	DATE	08 11 75	09 23 75
GENUS		00	01
SPECIES		00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

	DATE	08 11 75	09 23 75
AVERAGE DIVERSITY	H	1.50	1.62
NUMBER OF TAXA	S	5.00	12.00
NUMBER OF SAMPLES COMPOSITED	M	2.00	2.00
MAXIMUM DIVERSITY	MAXH	2.32	3.58
MINIMUM DIVERSITY	MINH	0.25	0.25
TOTAL DIVERSITY	D	205.50	746.82
TOTAL NUMBER OF INDIVIDUALS/ML	N	137.00	461.00
EVENNESS COMPONENT	J	0.65	0.45
RELATIVE EVENNESS	RJ	0.61	0.42
MEAN NUMBER OF INDIVIDUALS/TAXA	L	27.40	38.42
NUMBER/ML OF MOST ABUNDANT TAXON	K	69.00	251.00

LAKE NAME: MOON LAKE  
 STORET NUMBER: 4910

CONTINUED

08 11 75

09 23 75

TAXA	FORM	ALGAL			ALGAL		
		IS	%C	PER ML	IS	%C	PER ML
ARTERIONELLA FORMOSA	CEL	1	1124.01	34	131	9.11	42
CHROMODAS ?	CEL	1	12150.41	69			X
CRYPTOMONAS	CEL	1		X			
CYCLOTELLA	CEL	1			1154.41		251
DINORRYON SOCIALE	CEL	1					X
DINORRYON SOCIALE	CEL	1					
V. AMERICANUM	CEL	1			141	9.11	42
FRAGILARIA CROTONENSIS	CEL	1		X			X
NAVICULA	CEL	1					X
NITZSCHIA	CEL	1					X
PENNATE DIATOM	CEL	1	13124.01	34	12127.31		126
PERIDINIUM INCONAPICUUM	CEL	1					X
SPONDYLOBIUM PLANUM	CEL	1					X
TABELLARIA FENESTRATA	CEL	1					X
TOTAL				137			461

DATE 11/08/75

DATE	ST	IN	EX	AV	
08-11-75	00	00	10	0	AVG DIVERSITY
09-23-75	00	00	00	8	NUMBER OF TAXA
08-11-75	00	00	00	1	NUMBER OF BANKS COMPLETED
08-11-75	00	00	00	0	MAXIMUM DIVERSITY
08-11-75	00	00	00	0	MINIMUM DIVERSITY
08-11-75	00	00	00	0	TOTAL DIVERSITY
08-11-75	00	00	00	0	TOTAL NUMBER OF INDIVIDUALS
08-11-75	00	00	00	0	PERCENT COMPOST
08-11-75	00	00	00	0	RELATIVE EVENNESS
08-11-75	00	00	00	0	NUMBER OF INDIVIDUALS PER
08-11-75	00	00	00	0	NUMBER OF MOST ABUNDANT TAXA

LAKE NAME: NAVAJO LAKE  
 STORET NUMBER: 4911

CONTINUED

LAKE NAME: NAVAJO LAKE  
 STORET NUMBER: 4911

NYGAARD TROPHIC STATE INDICES

DATE	04 30 75	08 13 75	09 25 75
MYXOPHYCEAN	01/0 E	3.00 E	0/01 0
CHLOROPHYCEAN	0/0 0	4.00 E	4.00 E
EUGLENOPHYTE	0/01 ?	0/07 ?	0/04 ?
DIATOM	0.67 E	01/0 E	01/0 E
COMPOUND	03/0 E	8.00 E	5.00 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 30 75	08 13 75	09 25 75
GENUS	00	01	00
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	04 30 75	08 13 75	09 25 75
AVERAGE DIVERSITY H	0.01	1.70	2.19
NUMBER OF TAXA S	8.00	15.00	8.00
NUMBER OF SAMPLES COMPOSITED M	1.00	2.00	2.00
MAXIMUM DIVERSITY MAXH	3.00	3.91	3.00
MINIMUM DIVERSITY MINH	0.65	0.10	0.07
TOTAL DIVERSITY D	0.83	3070.20	2527.26
TOTAL NUMBER OF INDIVIDUALS/ML N	83.00	1806.00	1154.00
EVENNESS COMPONENT J	0.00	0.43	0.73
RELATIVE EVENNESS RJ	-0.27	0.42	0.73
MEAN NUMBER OF INDIVIDUALS/TAXA L	10.38	120.40	144.25
NUMBER/ML OF MOST ABUNDANT TAXON K	83.00	1204.00	437.00

LAKE NAME: NAVAJO LAKE  
 STORE NUMBER: 4911

CONTINUED

LAKE NAME: NAVAJO LAKE  
 STORE NUMBER: 4911

04 30 75      08 13 75      09 25 75

TAXA	FORM	04 30 75		08 13 75		09 25 75	
		IS	%C	IS	%C	IS	%C
APHANIZOMENON FLOS-AQUAE	FIL					X	
ASTERIONELLA FORMOSA	CEL			X			
CENTRIC DIATOM	CEL			X			
CHROOMONAS ?	CEL			131	5.81	105	
COSMARIUM	CEL					X	1113.51
CRYPTOMONAS EPOSA	CEL	111100.		83	121 4.41	79	
CRYPTOMONAS MARSSONII	CEL			X			
CYCLOTELLA MENEHINIANA	CEL						
FLAKATOTHRIX	CEL						5.41
FLAGELLATE 41	CEL				1166.71	1204	
FRAGILARIA CROTONENSIS	CEL			X			
GYMNODINIUM	CEL				1.41	26	
KIRCHNERIELLA	CEL			5114.51		262	5137.91
MERISMOPEDIA	COL					X	
MOUGEOTIA	FIL					X	
NITZSCHIA	CEL			X			
OOCYSTIS	CEL				1.41	26	1313.51
OSCILLATORIA	FIL			X			
PERIDINIUM INCONSPICUUM	CEL			141	2.91	52	141 2.71
PHORMIDIUM	FIL				2.91	52	
SCENEDESMUS BIJUGA	COL					X	
STEPHANODISCUS	CEL					X	
TETRAEDRON MINIMUM	CEL						X
V. SCROBICULATUM	CEL					X	12127.01
<b>TOTAL</b>				<b>83</b>		<b>1806</b>	<b>1154</b>

DATE	NUMBER OF TAXA	NUMBER OF SAMPLES COMPOSITED	MAXIMUM DIVERSITY	MINIMUM DIVERSITY	TOTAL DIVERSITY	TOTAL NUMBER OF INDIVIDUALS	NUMBER OF COMPONENTS	RELATIVE EVENNESS	MEAN NUMBER OF INDIVIDUALS/TAXA	NUMBER OF MOST ABUNDANT TAXA
04 30 75	83	1	1.00	1.00	83	1806	83	0.01	21.77	1
08 13 75	83	1	1.00	1.00	83	1806	83	0.01	21.77	1
09 25 75	83	1	1.00	1.00	83	1806	83	0.01	21.77	1



LAKE NAME: NEWCASTLE PES.  
 STORET NUMBER: 4912

COMPUTED YEAR PLANT INDEX 1982  
 1982 INDEX VALUE

NYGAARD TROPHIC STATE INDICES

DATE	05 08 75	08 13 75	09 26 75
MYXOPHYCEAN	0/0 0	1.00 F	3.00 E
CHLOROPHYCEAN	01/0 E	3.00 E	5.00 E
EUGLENOPHYTE	0/01 ?	0/04 ?	0.12 ?
DIATOM	1.00 E	2.00 E	0.50 E
COMPOUND	02/0 E	6.00 E	11.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 08 75	08 13 75	09 26 75
GENUS	03	01	09
SPECIES	01	02	02

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 08 75	08 13 75	09 26 75
AVERAGE DIVERSITY H	0.91	0.88	2.74
NUMBER OF TAXA S	6.00	10.00	19.00
NUMBER OF SAMPLES COMPOSITED M	1.00	1.00	1.00
MAXIMUM DIVERSITY MAXH	2.58	3.32	4.25
MINIMUM DIVERSITY MINH	0.01	0.05	0.03
TOTAL DIVERSITY D	6832.28	1877.92	23654.42
TOTAL NUMBER OF INDIVIDUALS/ML N	7508.00	2134.00	8633.00
EVENNESS COMPONENT J	0.35	0.27	0.64
RELATIVE EVENNESS RJ	0.36	0.26	0.65
MEAN NUMBER OF INDIVIDUALS/TAXA L	1251.33	213.40	454.37
NUMBER/ML OF MOST ABUNDANT TAXON K	6117.00	1771.00	3798.00

TAXA	FORM	ALGAL UNITS PER ML			ALGAL UNITS PER ML			ALGAL UNITS PER ML		
		IS	%C	PER ML	IS	%C	PER ML	IS	%C	PER ML
ANABAENA PLANCTONICA	CEL	1	1	1	1	1	1	1	0.61	49
APHANIZOMENON FLOS-AQUAE	FIL	1	1	1	1	1	X	151	6.31	543
ASTERIONELLA FORMOSA	CEL	1	1	1	1	1	X	1144	0.01	3799
CHLAMYDOMONAS	CEL	1	1	1	1	1	1	6.31	543	1
CHROOMONAS ?	CEL	131	3.71	278	1	1	X	1	1.71	148
CLOSTERIUM	CEL	1	1	1	1	1	1	0.61	49	1
CRYPTOMONAS EROSA	CEL	1	1	1	1	1	1	0.61	49	1
CRYPTOMONAS MARSSONII	CEL	1	1	1	X	1	1	1	1	1
CYCLotella MENEGHINIANA	CEL	1	1	1	13110.61	227	1	4.61	395	1
ELAKATOTHRIX	COL	1	1	1	1183.01	1771	1	1	X	1
EUDORINA ELEGANS	COL	1	1	1	121	2.11	45	1	1	1
FUGILENA	CEL	1	1	1	1	1	1	1	1	X
FRAGILARIA CROTONENSIS	CEL	1	1	1	1	1	1	141	9.71	839
GLENODINIUM EDAX	CEL	141	0.71	56	1	1	1	1	1	1
GYRUSIGMA	CEL	1	1	1	1	1	1	0.61	49	1
KIRCHNERIELLA	CEL	1	1	1	1	1	1	1	1	X
MELOSIRA GRANULATA	CEL	1	1	1	1	1	1	1.11	99	1
MELOSIRA GRANULATA V. ANGUSTISSIMA	CEL	1	1	1	1	1	X	1	1	1
MICROCYSTIS INCERTA	COL	1	1	1	1	1	1	1.11	99	1
NITZSCHIA ACICULARIS ?	CEL	12113.31	1	1001	1	1	1	1	1	1
NOCYSTIS	COL	1	1	1	141	4.31	91	13114.31	1233	1
PEDIASTRUM	COL	1	1	1	1	1	1	1	1	X
RHODODERIA SETIGERA	CEL	151	0.71	56	1	1	X	1	1	1
SPHAEROCYSTIS SCHROETERI	COL	1	1	1	1	1	X	1	1.71	148
STAUASTRUM	CEL	1	1	1	1	1	X	1	1	1
STEPHANODISCUS	CEL	11181.51	1	6117	1	1	1	1	1	1
SYMPEDRA DELICATISSIMA V. ANGUSTISSIMA	CEL	1	1	1	1	1	1	121	6.91	592
TOTAL				7508			2134			9633

LAKE NAME: OTTER CREEK RES.  
 STORET NUMBER: 4913

NYGAARD TROPHIC STATE INDICES

DATE	05 09 75	08 13 75	09 25 75
MYXOPHYCEAN	0/0 O	01/0 E	02/0 E
CHLOROPHYCEAN	01/0 E	01/0 E	02/0 E
EUGLENOPHYTE	0/01 ?	0/02 ?	0/04 ?
DIATOM	1.00 E	0.50 E	0.60 E
COMPOUND	04/0 E	03/0 E	07/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 09 75	08 13 75	09 25 75
GENUS	05	01	00
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 09 75	08 13 75	09 25 75
AVERAGE DIVERSITY H	2.01	1.11	1.55
NUMBER OF TAXA S	12.00	9.00	17.00
NUMBER OF SAMPLES COMPOSITED M	2.00	2.00	2.00
MAXIMUM DIVERSITY MAXH	3.58	3.17	4.09
MINIMUM DIVERSITY MINH	0.02	0.02	0.29
TOTAL DIVERSITY D	19171.38	6824.28	920.70
TOTAL NUMBER OF INDIVIDUALS/ML N	9538.00	6148.00	594.00
EVENNESS COMPONENT J	0.56	0.35	0.38
RELATIVE EVENNESS RJ	0.56	0.35	0.34
MEAN NUMBER OF INDIVIDUALS/TAXA L	794.83	683.11	34.94
NUMBER/ML OF MOST ABUNDANT TAXON K	5323.00	4919.00	372.00

LAKE NAME: OTTER CREEK RES.  
 STORET NUMBER: 4913

CONTINUED

LAKE NAME: OTTER CREEK RES.  
 STORET NUMBER: 4913

05 09 75 08 13 75 09 25 75

TAXA	FORM	ALGAL UNITS PER ML			ALGAL UNITS PER ML			ALGAL UNITS PER ML		
		IS	%C	PER ML	IS	%C	PER ML	IS	%C	PER ML
ANABAENA	FIL			13110.41		642				
ANABAENA PLANCTONICA	FIL								13112.51	74
APHANIZOMENON FLOS-AQUAE	FIL									X
CERATIUM HIRUNDINELLA	CEL			11	3.51	214			14112.51	74
CHLAMYDOMONAS	CEL	151	9.31	887						
CHROOMONAS ?	CEL	13111.21		1065		0.91	53			X
CRUCIGENIA TETRAPEDIA	COL									X
CRYPTOMONAS EROSA	CEL	141	4.71	444					12112.51	74
CRYPTOMONAS MARSSONII	CEL				141	0.91	53		11162.61	372
CRYPTOMONAS OVATA	CEL						X			
CYCLOTELLA	CEL	11158.81		5323						
DIATOMA VULGARE	CEL									X
EPITHEMIA SOREX	CEL					0.91	53			
FLAGELLATE	CEL	12114.01		1331						
FRAGILARIA	CEL									X
FRAGILARIA #1	CEL			X						
FRAGILARIA CROTONENSIS	CEL				12180.01		4919			X
FRAGILARIA LEPTOSTAURON	CEL			X						
GLENODINIUM EDAX	CEL			X						
MALLOMONAS ACAROIDES	CEL									X
MELOSIRA GRANULATA	CEL			X						X
MELOSIRA GRANULATA	CEL									
V. ANGUSTISSIMA	CEL				151	3.51	214			X
WITZSCHIA	CEL			X						
OOCYSTIS EREMOSPHAERIA	CEL									X
PEDIASTRUM BORYANUM	COL						X			
RHOPALODIA GIBBA	CEL									X
SCHROEDERIA SETIGERA	CEL		2.81	266						
STEPHANODISCUS	CEL		2.31	222						X
RYNEDRA ULNA	CEL									X
TOTAL				9538			6149			594

LAKE NAME: PANGUITCH LAKE  
 STORET NUMBER: 4914

NYGAARD TROPHIC STATE INDICES

DATE	08 13 75	09 25 75
MYXOPHYCEAN	3.00 E	03/0 E
CHLOROPHYCEAN	1.00 E	0/0 0
EUGLENOPHYTE	0/04 ?	0/03 ?
DIATOM	0.50 E	1.00 E
COMPOUND	5.00 E	04/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	08 13 75	09 25 75
GENUS	01	00
SPECIES	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	08 13 75	09 25 75
AVERAGE DIVERSITY	H 1.13	0.00
NUMBER OF TAXA	S 10.00	7.00
NUMBER OF SAMPLES COMPOSITED	M 2.00	2.00
MAXIMUM DIVERSITY	MAXH 3.32	2.81
MINIMUM DIVERSITY	MINH 0.03	0.01
TOTAL DIVERSITY	D 4331.29	0.00
TOTAL NUMBER OF INDIVIDUALS/ML	N 3833.00	8979.00
EVENNESS COMPONENT	J 0.34	0.00
RELATIVE EVENNESS	RJ 0.34	0.00
MEAN NUMBER OF INDIVIDUALS/TAXA	L 383.30	1282.71
NUMBER/ML OF MOST ABUNDANT TAXON	K 3127.00	8979.00

LAKE NAME: PANGUITCH LAKE  
 STORE NUMBER: 4914

CONTINUED

08 13 75                      09 25 75

TAXA	FORM	08 13 75			09 25 75		
		IS	%	PER ML	IS	%	PER ML
ANABAENA	FIL	1	1	X	1	1	X
APHANIZOMENON FLUS-AQUAE	FIL	11	101.61	3127	11	100.1	8979
CERATIUM HIRUNDINELLA	CEL	1	1	1	1	1	X
CHROMONAS ?	CEL	1	1.51	59	1	1	1
CLOSTERIUM	CEL	15	0.81	29	1	1	1
CRYPTOMONAS EROSA	CEL	1	2.31	88	1	1	1
CRYPTOMONAS MARSSONII	CEL	1	1	1	1	1	X
FRAGILARIA #2	CEL	1	0.81	29	1	1	1
FRAGILARIA CROTONENSIS	CEL	12	7.71	295	1	1	1
MICROCYSTIS AERUGINOSA	COL	1	1	1	1	1	X
MICROCYSTIS INCERTA	COL	14	3.11	118	1	1	1
NITZSCHIA	CEL	1	1	1	1	1	X
SPHAEROCASTIS SCHROETERI	CEL	13	2.31	88	1	1	1
STEPHANODISCUS	CEL	1	1	X	1	1	X
<b>TOTAL</b>				<b>3833</b>			<b>8979</b>



LAKE NAME: PELICAN LAKE  
 STORET NUMBER: 4915

NYGAARD TROPHIC STATE INDICES

DATE	05 13 75	08 07 75	09 23 75
MYXOPHYCEAN	0/0 O	08/0 E	06/0 E
CHLOROPHYCEAN	01/0 E	08/0 E	08/0 E
EUGLENOPHYTE	0/01 ?	0,19 ?	0/14 ?
DIATOM	0/02 ?	0/04 ?	0/03 ?
COMPOUND	01/0 E	19/0 E	14/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 13 75	08 07 75	09 23 75
GENUS	08	05	06
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 13 75	08 07 75	09 23 75
AVERAGE DIVERSITY H	2.02	2.95	0.53
NUMBER OF TAXA S	7.00	31.00	19.00
NUMBER OF SAMPLES COMPOSITED M	2.00	2.00	2.00
MAXIMUM DIVERSITY MAXH	2.81	4.95	4.25
MINIMUM DIVERSITY MINH	0.03	0.23	0.00
TOTAL DIVERSITY D	4480.36	4714.10	40291.13
TOTAL NUMBER OF INDIVIDUALS/ML N	2218.00	1598.00	76021.00
EVENNESS COMPONENT J	0.72	0.60	0.12
RELATIVE EVENNESS RJ	0.72	0.58	0.13
MEAN NUMBER OF INDIVIDUALS/TAXA L	316.86	51.55	4001.11
NUMBER/ML OF MOST ABUNDANT TAXON K	801.00	376.00	70495.00

LAKE NAME: PELICAN LAKE  
STORET NUMBER: 4915

CONTINUED

05 13 75

08 07 75

09 23 75

TAXA	FORM	ALGAL UNITS PER ML			ALGAL UNITS PER ML			ALGAL UNITS PER ML		
		IS	%C	PER ML	IS	%C	PER ML	IS	%C	PER ML
ACTINASTRUM GRACILIMUM	COL	1	1	1	1	1	X	1	1	1
ANABAENA	FIL	1	1	1	1	1	X	1	1	1
CERATIUM HIRUNDINELLA	CEL	1	1	1	1	1	X	1	1	1
CHLAMYDOMONAS	CEL	11	36.1	801	1	1	1	1	1	1
CHLOROPHYTAN CELL	CEL	1	1	1	1	1	1	1	1	1
CHROOMONAS ?	CEL	14	22.2	493	114.7	1	235	1192.7	1	70495
COCCONEIS PLACENTULA	CEL	1	1	1	1	1	X	1	1	X
COELOSPHAERIUM	COL	1	1	1	1	1	X	1	1	X
CRYPTOMONAS	CEL	1	1	1	1	1	X	1	1	1
CRYPTOMONAS EROSA	CEL	1	1	X	1	1	1	0.11	1	95
CRYPTOMONAS MARSSONII	CEL	13	11.1	246	1	1	1	1	1	1
CRYPTOMONAS REFLEXA	CEL	1	1	1	1	1	X	1	1	1
CRYPTOMONAS SPP.	CEL	1	1	1	13	11.9	180	1	1	1
DACTYLOCOCCOPSIS FASCICULARIS	CEL	1	1	1	1	1	X	141	1.8	1334
DICTYOSPHAERIUM PULCHELLUM	COL	1	1	1	1	1	X	1	0.11	95
DINORRYN SOCIALE	CEL	1	1	1	151	2.9	47	1	1	1
EPITHEMIA	CEL	1	1	1	1	1	1	1	1	X
EUGLENA	CEL	1	1	1	1	1	X	1	1	1
FRAGILARIA CAPUCINA	CEL	1	1	1	1	1	1	1	1	1
V. MESOLEPTA	CEL	12	27.8	616	12	17.6	282	1	1	X
MERISMOPEDIA TENUISSIMA	COL	1	1	1	1	8.8	141	151	1.3	953
MICROCYSTIS AERUGINOSA	COL	1	1	1	1	1	X	1	1	1
MICROCYSTIS INCERTA	COL	1	1	1	1	1	X	121	3.0	2287
MOUGESOTIA	FIL	1	1	1	1	1	X	1	1	1
OOCYSTIS	CEL	1	1	1	1	8.8	141	1	1	X
OSCILLATORIA #2	FIL	1	1	1	1	1	X	131	0.9	667
OSCILLATORIA #3	FIL	1	1	1	1	1	1	1	1	X
OSCILLATORIA LIMNETICA	FIL	1	1	1	1	5.9	94	1	1	1
PEDIASTRUM BORYANUM	COL	1	1	1	1	1	1	1	1	X
PEDIASTRUM DUPLEX	COL	1	1	1	1	1	X	1	1	1
PERIDINIUM INCONSPICUUM	CEL	1	1	1	141	5.9	94	1	1	1
PHACUS	CEL	1	1	1	1	1	X	1	1	1
PHACUS MEGALOPSIS	CEL	1	1	1	1	1	X	1	1	1
RHOPALODIA GIBBA	CEL	1	1	X	1	1	1	1	1	1
SCENEDESMUS BICAUDATUS	COL	1	1	1	1	1	X	1	1	1
SCENEDESMUS BIJUGA	COL	151	2.8	62	1	1	1	1	1	1
SCENEDESMUS QUADRICAUDA	COL	1	1	1	1	1	1	1	1	X
SURIPELLA OVATA	CEL	1	1	1	1	1	X	1	1	1
SYNEORA	CEL	1	1	1	1	1	X	1	1	1
TETRAEDRON CAUDATUM	CEL	1	1	1	1	1	X	1	1	X
TETRAEDRON MINIMUM	CEL	1	1	1	1	1	1	1	1	1
V. SCROBICULATUM	CEL	1	1	1	11	23.5	376	1	0.1	95
TETRAEDRON MUTICUM	CEL	1	1	1	1	1	X	1	1	X
TREUBARIA TRIAPPENDICULATA	CEL	1	1	1	1	1	1	1	1	X
TOTAL				2218			1598			76021

LAKE NAME: PINEVIEW RES,  
 STORET NUMBER: 4916

NYGAARD TROPHIC STATE INDICES

	DATE	05 14 75	08 07 75	09 23 75
MYXOPHYCEAN		0/0 0	02/0 E	1.00 E
CHLOROPHYCEAN		04/0 E	06/0 E	2.00 E
EUGLENOPHYTE		0/04 ?	0.12 ?	0/03 ?
DIATOM		0.14 ?	1.00 E	2.00 E
COMPOUND		05/0 F	10/0 E	5.00 E

PALMER'S ORGANIC POLLUTION INDICES

	DATE	05 14 75	08 07 75	09 23 75
GENUS		09	00	00
SPECIES		03	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

	DATE	05 14 75	08 07 75	09 23 75
AVERAGE DIVERSITY	H	2.26	2.16	2.26
NUMBER OF TAXA	S	18.00	15.00	11.00
NUMBER OF SAMPLES COMPOSITED	M	4.00	4.00	4.00
MAXIMUM DIVERSITY	MAXH	4.17	3.91	3.46
MINIMUM DIVERSITY	MINH	0.04	0.05	0.13
TOTAL DIVERSITY	D	11779.12	7311.60	1966.20
TOTAL NUMBER OF INDIVIDUALS/ML	N	5212.00	3385.00	870.00
EVENNESS COMPONENT	J	0.54	0.55	0.65
RELATIVE EVENNESS	RJ	0.54	0.55	0.64
MEAN NUMBER OF INDIVIDUALS/TAXA	L	289.56	225.67	79.09
NUMBER/ML OF MOST ABUNDANT TAXON	K	2552.00	1855.00	332.00

05 14 75      08 07 75      09 23 75

TAXA	FORM	05 14 75			08 07 75			09 23 75		
		IS	%C	ALGAL UNITS PER ML	IS	%C	ALGAL UNITS PER ML	IS	%C	ALGAL UNITS PER ML
ACHNANTHES MICROCEPHALA	CEL			X						
ANKISTRODESMUS FALCATUS	CEL		1.0	54						
APHANIZOMENON FLOS-AQUAE	FIL				2.1	00071	1119.1		166	
CEPATIUM HIRUNDINELLA	CEL					X				
CHLAMYDOMONAS	CEL	14	9.4	489						
CHROOMONAS ?	CEL	12	49.0	2552	1	111.8	00399	1	119.1	166
COSMARIUM	CEL								X	
CRYPTOMONAS EROSA	CEL	13	7.3	380	1	9.0	00306	15	4.7	41
CRYPTOMONAS MARSSONII	CEL	11	19.8	1031				14	14.3	124
CRYPTOMONAS OVATA	CEL				14	4.2	141			
CYMBELLA	CEL			X						
CYST	CEL				15	7.7	00259			
DINOBRYON DIVERGENS	CEL									X
FLAGELLATE #2	CEL		4.2	217						
FRAGILARIA #2	CEL			X						
FRAGILARIA CROTONENSIS	CEL			X	11	54.8	01855	12	38.2	332
GLENODINIUM	CEL		1.0	54						
MELOSIRA GRANULATA	CEL					X				X
MICROCYSTIS INCERTA	COL					0.7	24			
NAVICULA	CEL			X						
NITZSCHIA	CEL		2.1	109						
OOCYSTIS	CEL					X				
OOCYSTIS SPP.	CEL					X				
PEDIASTRUM BORYANUM	COL									X
PHACUS	CEL					X				
SCENEDESMUS BIJUGA	COL			X						
SCENEDESMUS QUADRICAUDA	COL			X						
SCHROEDERIA SETIGERA	CEL	15	6.3	326	1	9.0	00306			
SPHAEROCYSTIS SCHROETERI	COL					0.7	24			X
STEPHANODISCUS	CEL			X				13	4.7	41
SURIPELLA OVATA	CEL			X						
TETRAEDRON REGULARE	CEL			X						
V. INCUS	CEL			X						
<b>TOTAL</b>				<b>5212</b>			<b>3385</b>			<b>870</b>

LAKE NAME: PIUTE RES.  
 STORET NUMBER: 4917

NYGAARD TROPHIC STATE INDICES

DATE	05 09 75	08 13 75	09 24 75
MYXOPHYCEAN	0/0 D	0/01 O	3.00 E
CHLOROPHYCEAN	03/0 E	6.00 E	8.00 E
EUGLENOPHYTE	0.33 E	0.17 ?	0.36 E
DIATOM	0.14 ?	0.25 ?	0.27 ?
COMPOUND	05/0 E	8.00 E	18.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 09 75	08 13 75	09 24 75
GENUS	01	00	10
SPECIES	02	00	06

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 09 75	08 13 75	09 24 75
AVERAGE DIVERSITY H	1.00	2.55	2.97
NUMBER OF TAXA S	15.00	19.00	33.00
NUMBER OF SAMPLES COMPOSITED M	3.00	3.00	2.00
MAXIMUM DIVERSITY MAXH	3.91	4.25	5.04
MINIMUM DIVERSITY MINH	0.02	0.15	0.08
TOTAL DIVERSITY D	12617.00	3738.30	15830.10
TOTAL NUMBER OF INDIVIDUALS/ML N	12617.00	1466.00	5330.00
EVENNESS COMPONENT J	0.26	0.60	0.59
RELATIVE EVENNESS RJ	0.26	0.59	0.59
MEAN NUMBER OF INDIVIDUALS/TAXA L	841.13	77.16	161.52
NUMBER/ML OF MOST ABUNDANT TAXON K	10007.00	489.00	1635.00

LAKE NAME: PIUTE RES.  
STORET NUMBER: 4917

CONTINUED

LAKE NAME: BOCAPINE RES.  
STORET NUMBER: 4918

05 09 75

08 13 75

09 24 75

TAXA	FORM	ALGAL		ALGAL		ALGAL							
		IS	QC	PER ML	IS	QC	PER ML	IS	QC	PER ML			
ACHNANTHES MINUTISSIMA	CEL			X									
ACTINASTRUM	COL		0.21	27									
ANKISTRODIFORMIS FALCATUS													
V. ACICULARIS	CEL			X		2.41		35					
APHANIZOMENON FLOS-AQUAE	FIL												X
ASTERIONELLA FORMOSA	CEL							X					
CERATIUM HIRUNDINELLA	CEL							X					
CHROMONAS ?	CEL					23.81		349					X
COELOSPHAERIUM	COL												X
CRUCIGENIA TETRAPEDIA	CUL									1.01			53
CRYPTOMONAS EROSA	CFL					14.31		209			4.01		211
CRYPTOMONAS OVATA	CEL									131	9.91		528
CRYPTOMONAS REFLEXA	CEL					2111.91		174					
CRYPTOMONAS SPP.	CEL	141	0.61	80									
CYCLOTELLA MENECHINIANA	CEL	131	3.41	426						2130.71			1635
CYMATOPLEURA	CEL		0.21	27									
CYMBELLA	CEL			X						1.01			53
DIATOMA TENUE													
V. ELONGATUM	CEL	1179.31		10007				X		151	4.01		211
DINOBRYON DIVERGENS	CEL	2115.41		1943									
DIPLOPSALIS ACUTA	CEL					141	4.81	70					
EUGLENA	CEL	151	0.21	27									
EUGLENA SPP.	CEL									141	6.91		369
FRAGILARIA CROTCENSIS	CEL							X					X
GOMPHONEMA	CEL												X
GYMNODINIUM ALBULUM	CEL		0.61	80									X
HYROSIGMA	CEL												X
JAGERHEIMIA CILIATA	CEL							X					
LYNGBYA	FIL										1.01		53
MALLOMONAS ACAROIDES	CEL									1125.71			1372
MALLOMONAS PSEUDOCORONATA	CEL					1133.41		489					
MELOSIRA GRANULATA													
V. ANGUSTISSIMA	CFL												X
NAVICULA	CEL			X									
NAVICULA CRYPTOCEPHALA	CEL												X
NITZSCHIA	CEL												X
NITZSCHIA SIGMA ?	CEL												X
NITZSCHIA VERMICULARIS	CEL			X									
OOCYSTIS	CEL					4.81		70			4.01		211
PEDIASTRUM DUPLEX	COL										1.01		53
SCENEDESMUS BIJUGA	COL							X					X
SCENEDESMUS DIMORPHUS	COL												X
SCENEDESMUS QUADRICAUDA	COL			X				X			1.01		53
SCHROEDERIA SETIFERA	CEL										6.91		369
STAUASTRUM	CEL					151	4.81	70			1.01		53
STEPHANODISCUS	CEL							X			1.01		53
SURIELLA OVATA	CEL			X				X					X
SYNEDRA ULNA	CEL												X
SYNEDRA ULNA													
V. IMPRESSA	CEL												X
TETRASTRUM STAUROGENIAEFORME	COL							X					X
TRACHELONAS #1	CEL										1.01		53
TRACHELONAS FLUVIATILIS	CEL							X					X
TOTAL						12617		1466			5330		



LAKE NAME: PORCUPINE RES.  
 STORET NUMBER: 4918

NYGAARD TROPHIC STATE INDICES

DATE	05 14 75	08 06 75	09 23 75
MYXOPHYCEAN	01/0 E	0/0 0	0/0 0
CHLOROPHYCEAN	0/0 0	04/0 E	01/0 E
EUGLENOPHYTE	0/01 ?	0/04 ?	0/01 ?
DIATOM	0/04 ?	0.33 E	1.00 E
COMPOUND	01/0 E	05/0 E	03/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 14 75	08 06 75	09 23 75
GENUS	00	01	02
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 14 75	08 06 75	09 23 75
AVERAGE DIVERSITY H	0.95	1.69	2.11
NUMBER OF TAXA S	10.00	13.00	8.00
NUMBER OF SAMPLES COMPOSITED M	2.00	2.00	1.00
MAXIMUM DIVERSITY MAXH	3.32	3.70	3.00
MINIMUM DIVERSITY MINH	0.03	0.07	0.05
TOTAL DIVERSITY D	3952.00	3680.82	3658.74
TOTAL NUMBER OF INDIVIDUALS/ML N	4160.00	2178.00	1734.00
EVENNESS COMPONENT J	0.29	0.46	0.70
RELATIVE EVENNESS RJ	0.28	0.45	0.70
MEAN NUMBER OF INDIVIDUALS/TAXA L	416.00	167.54	216.75
NUMBER/ML OF MOST ABUNDANT TAXON K	3196.00	1147.00	887.00

LAKE NAME: PORCUPINE RES.  
 STORET NUMBER: 4918

CONTINUED

05 14 75

08 06 75

09 23 75

TAXA	FORM	ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML	
		IS	%C	IS	%C	IS	%C
ANABAENA	FIL			X			
ANKISTRODESMUS FALCATUS	CEL				1.7	38	
ARTERIONELLA FORNOSA	CEL			X		X	141 9.3
CHRODMONAS ?	CEL	1176.8	3196				
CRYPTOMONAS EROSA	CEL	131 4.9	203			X	151 7.0
CRYPTOMONAS MARSSONII	CEL					X	
CRYPTOMONAS SPP.	CEL				131 8.8	191	
CYCLOTELLA COMTA	CEL					1131.6	688
CYMATOPLEURA SOLEA	CEL					X	
CYMBELLA	CEL			X			
DIMOBRYON DIVERGENS	CEL	12118.3	761	12152.7	1147	15111.6	202
ELAKATOTHRIX	COL					X	
FRAGILARIA CROTONENNIS	CEL						X
GLENODINIUM OCULATUM	CEL			X			
GOMPHONEMA TRUNCATUM	CEL			X			
MELOSIRA GRANULATA	CEL					13114.0	242
MERIDION CIRCULARE	CEL					X	
NAVICULA	CEL			X			
OOCYSTIS	COL			151 3.5	76	11 7.0	121
PERIDINIUM WILLEI	CEL			X	141 1.7	38	X
SPHAEROCYSTIS SCHROFFERT	COL					X	
<b>TOTAL</b>					4160	2178	1734

LAKE NAME: PRUESS RES.  
STORET NUMBER: 4919

NYGAARD TROPHIC STATE INDICES

DATE	05 08 75	08 13 75	09 26 75
MYXOPHYCEAN	01/0 E	0/01 O	1,00 E
CHLOROPHYCEAN	0/0 O	3,00 E	4,00 E
EUGLENOPHYTE	1,00 E	0,33 E	0,60 E
DIATOM	0,33 E	0,40 E	0,25 ?
COMPOUND	03/0 E	6,00 E	9,00 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 08 75	08 13 75	09 26 75
GENUS	00	00	00
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 08 75	08 13 75	09 26 75
AVERAGE DIVERSITY H	0,22	1,30	2,16
NUMBER OF TAXA S	10,00	13,00	16,00
NUMBER OF SAMPLES COMPOSITED M	1,00	1,00	1,00
MAXIMUM DIVERSITY MAXH	3,32	3,70	4,00
MINIMUM DIVERSITY MINH	0,04	0,46	0,70
TOTAL DIVERSITY D	623,48	319,80	414,72
TOTAL NUMBER OF INDIVIDUALS/ML N	2834,00	246,00	192,00
EVENNESS COMPONENT J	0,07	0,35	0,54
RELATIVE EVENNESS RJ	0,06	0,26	0,45
MEAN NUMBER OF INDIVIDUALS/TAXA L	283,40	18,92	12,00
NUMBER/ML OF MOST ABUNDANT TAXON K	2732,00	154,00	72,00

05 08 75 08 13 75 09 26 75

TAXA	FORM	05 08 75		08 13 75		09 26 75	
		IS	%C	IS	%C	IS	%C
APHANIZOMENON FLOS-AQUAE	FIL					14112.5	24
BOTRYOCOCCUS BRAUNII	COL					X	
CALONEIS						X	
CERATIUM HIRUNDINELLA	CEL						
CHROOMONAS ?	CEL	121	3.61	102			
CLOSTERIUM	CEL					X	X
COCCONEIS PLACENTULA	CEL					X	
COELASTRUM MICROPORUM	COL						X
CRYPTOMONAS EROSA	CEL			X		X	13112.5
CRYPTOMONAS MARSSONII	CEL						X
CYMBELLA	CEL						X
DACTYLOCOCCOPIS IRREGULARIS	CEL	1196.4		2732			
DIPLONEIS	CEL					X	
DIPLONEIS SMITHII	CEL						X
EUGLENA	CEL			X			
EUGLENA EHRENBERGII	CEL					15112.5	24
EUGLENA OXYURIS							
V. MINOR	CEL						X
HANTZSCHIA	CEL						X
MELOSIRA GRANULATA	CEL			X		X	X
NITZSCHIA	CEL			X			
NITZSCHIA LONGISSIMA	CEL			X			
PHACUS TORTUS	CEL					X	X
RHOPALODIA GIRBA	CEL					X	
SCENEDESMUS BIJUGA	COL						X
SCHROEDERIA SETIGERA	CEL			11162.61		154	11137.5
SPHAEROCYSTIS SCHROETERI	COL			13124.81		61	12125.0
SPIROGYRA	FIL			X			
STEPHANODISCUS	CEL			12112.61		31	
SURIPELLA	CEL			X			
SURIPELLA OVATA	CEL					X	
SYNEDRA ULNA	COL						X
<b>TOTAL</b>				<b>2834</b>		<b>246</b>	<b>192</b>

LAKE NAME: SEVIER PRIDGE RES.  
 STORE NUMBER: 4920

020517003

LAKE NAME: SEVIER PRIDGE RES.  
 STORE NUMBER: 4920

**NYGAARD TROPHIC STATE INDICES**

	DATE	05 12 75	08 12 75	09 24 75
MYXOPHYCEAN		01/0 E	0.67 E	03/0 E
CHLOROPHYCEAN		08/0 E	4.00 E	10/0 E
EUGLENOPHYTE		0.11 ?	0.21 E	0.23 E
DIATOM		0.14 ?	1.00 E	0.30 ?
COMPOUND		11/0 E	6.67 E	19/0 E

**PALMER'S ORGANIC POLLUTION INDICES**

	DATE	05 12 75	08 12 75	09 24 75
GENUS		07	06	15
SPECIES		00	07	09

**SPECIES DIVERSITY AND ABUNDANCE INDICES**

	DATE	05 12 75	08 12 75	09 24 75
AVERAGE DIVERSITY	H	2.30	3.12	3.60
NUMBER OF TAXA	S	25.00	32.00	31.00
NUMBER OF SAMPLES COMPOSITED	M	3.00	3.00	3.00
MAXIMUM DIVERSITY	MAXH	4.64	5.00	4.95
MINIMUM DIVERSITY	MINH	0.12	0.09	0.11
TOTAL DIVERSITY	D	5821.30	17871.36	12895.20
TOTAL NUMBER OF INDIVIDUALS/ML	N	2531.00	5728.00	3582.00
EVENNESS COMPONENT	J	0.50	0.62	0.73
RELATIVE EVENNESS	RJ	0.49	0.62	0.73
MEAN NUMBER OF INDIVIDUALS/TAXA	L	101.24	179.00	115.55
NUMBER/ML OF MOST ABUNDANT TAXON	K	1191.00	2309.00	937.00

05 12 75

08 12 75

09 24 75

TAXA	FORM	ALGAL UNITS			ALGAL UNITS			ALGAL UNITS			
		IS	%	PER ML	IS	%	PER ML	IS	%	PER ML	
ANABAENA	FIL	1					X			X	
ANKISTRODESMUS FALCATUS	CEL	1						1.5		55	
APHANIZOMENON FLOS-AQUAE	FIL	1		12	9.1	520	13	1.5		55	
CERATIUM HIRUNDINELLA	FIL	1									
F. FURCOIDES	CEL	1			0.6	33					
CHAETOCEROS ELMOREI	CEL	1		14	4.5	260					
CHROOMONAS ?	CEL	1	113.7	347	4.0	228		6.2		221	
CLOSTERIUM	CEL	1			1.1	65					
COELASTRUM MICROPORUM	COL	1			4.0	228		1.5		55	
COSMARIUM	CEL	1			0.6	33					
CRUCIGENIA TETRAPEDIA	COL	1		X	140.3	2309		4.6		165	
CRYPTOMONAS EROSA	CEL	1		X	9.7	553		9.2		331	
CRYPTOMONAS MARSHONII	CEL	1		X							
CRYPTOMONAS SPP.	CEL	1	13	9.8	248						
CYCLOTELLA MENEHINIANA	CEL	1					X	126.2		937	
DACTYLOCOCCOPSIS	CEL	1								X	
DIATOMA TENUE	FIL	1									
V. ELONGATUM	CFL	1	14	5.9	149						
DIATOMA VULGARE	FIL	1									
V. BREVE	CEL	1								X	
DIATOMA VULGARE	FIL	1									
V. LINEARIS	CEL	1								X	
DINORRYON DIVERGENS	CEL	1		X							
DIPLONEIS SMITHII	CEL	1								X	
ELAKATOTHRIX	CEL	1			1.1	65					
ELAKATOTHRIX ?	CEL	1	1147.1	1191							
ENTOMONEIS	CEL	1		X			X				
EUGLENA	CEL	1	15	2.0	50	1	0.6	33	14	1.5	55
EUGLENA ACUS	CEL	1					X				
FLAGELLATE	CEL	1		X							
FRAGILARIA CROTONENSIS	CEL	1		X	15	6.8	390			X	
GYROSIGMA	CEL	1		X	1	1.7	98			X	
KIRCHNERIELLA	CEL	1					X				
MELOSIRA GRANULATA	FIL	1									
V. ANGUSTISSIMA	CEL	1								X	
MICROCYSTIS AERUGINOSA	COL	1		X							
NAVICULA	CEL	1					X				
NAVICULA CRYPTOCEPHALA	CEL	1								X	
NITZSCHIA	CFL	1						3.1		110	
NITZSCHIA LONGISSIMA	FIL	1									
V. REVERSA	CEL	1		X				12	10.8	386	
OOCYSTIS	COL	1		X	13	9.7	553				
PANDORINA MORUM	COL	1			1.1	65					
PEDIASTRUM BORYANUM	COL	1		X	0.6	33		1.5		55	
PEDIASTRUM DUPLEX	COL	1								X	
PEDIASTRUM DUPLEX	FIL	1									
V. CLATHRATUM	COL	1					X				
PERIDINIUM CINCTUM ?	CEL	1					X				
SCENEDESMUS BIJUGA	COL	1			0.6	33		1.5		55	
SCENEDESMUS DIMORPHUS	COL	1								X	
SCENEDESMUS QUADRICAUDA	COL	1	1.0	25	1.7	98		4.6		165	
SCHROEDERIA SETIGERA	CEL	1						1.5		55	
SKELETONEMA POTANOS	CEL	1						9.2		331	
SPHAEROCYSTIS SCHROETERI	COL	1		X							
STAUASTRUM	CEL	1					X				
STEPHANODISCUS	CEL	1			1.1	65					
SURIRELLA	CEL	1						1.5		55	
SURIRELLA OVATA	CEL	1	1.0	25							
SYNEDRA #1	CEL	1	2.9	74							
SYNEDRA #2	CEL	1	116.7	422							
SYNEDRA ULNA	CEL	1								X	
TETRAEDRON MINIMUM	CEL	1			0.6	33					
TETRAEDRON MINIMUM	FIL	1									
V. SCORICULATUM	CEL	1		X							
TETRASTRUM ? GIABRUM	COL	1					X				
TETRASTRUM STAUROGENIAFFORME	COL	1		X				15	9.2	331	
TRACHELONONAS	CEL	1			0.6	33					
TRACHELONONAS CREBEA	CEL	1						3.1		110	
TRACHELONONAS FLUVIATILIS	CEL	1						1.5		55	
TREURARIA SETIGERUM	CEL	1					X				
TOTAL					2531		5728			3582	



LAKE NAME: STARVATION RES.  
 STORET NUMBER: 4921

NYGAARD TROPHIC STATE INDICES

DATE	05 13 75	08 11 75	09 24 75
MYXOPHYCEAN	0/0 0	0/01 0	1.00 E
CHLOROPHYCEAN	01/0 E	1.00 E	3.00 E
EUGLENOPHYTE	0/01 ?	0/01 ?	0.12 ?
DIATOM	0.33 E	0/01 ?	0.33 E
COMPOUND	02/0 E	1.00 0	5.00 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 13 75	08 11 75	09 24 75
GENUS	00	00	02
SPECIES	00	00	03

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 13 75	08 11 75	09 24 75
AVERAGE DIVERSITY H	1.58	1.89	2.19
NUMBER OF TAXA S	10.00	9.00	21.00
NUMBER OF SAMPLES COMPOSITED M	4.00	4.00	4.00
MAXIMUM DIVERSITY MAXH	3.32	3.17	4.39
MINIMUM DIVERSITY MINH	0.04	0.20	0.53
TOTAL DIVERSITY D	4202.80	778.68	823.44
TOTAL NUMBER OF INDIVIDUALS/ML N	2660.00	412.00	376.00
EVENNESS COMPONENT J	0.48	0.60	0.50
RELATIVE EVENNESS RJ	0.47	0.57	0.44
MEAN NUMBER OF INDIVIDUALS/TAXA L	266.00	45.78	17.90
NUMBER/ML OF MOST ABUNDANT TAXON K	1179.00	165.00	125.00

LAKE NAME: STARVATION RES.  
 STORE NUMBER: 4921

CONTINUED

LAKE NAME: STARVATION RES.  
 STORE NUMBER: 4921

05 13 75      08 11 75      09 24 75

TAXA	FORM	ALGAL UNITS PER ML		ALGAL UNITS PER ML		ALGAL UNITS PER ML	
		IS	%	IS	%	IS	%
ANKISTRODESMUS FALCATUS	CEL						
V. ACICULARIS	CEL					14116.0	63
APHANOTHECE	COL						X
ASTERIONELLA FORMOSA	CEL	12119.3	514				X
CERATIUM HIPUNDINELLA	CFL						X
CHROOMONAS ?	CEL			X	13126.7	110	13133.2
CLOSTERIUM	CEL						X
COSMARIUM	CEL						X
CRYPTOMONAS EROSA	CEL			X	14113.3	55	12125.0
CRYPTOMONAS MARSSONI	CEL			X			
CYST	CEL						X
DIATOMA TENUE	CEL						
V. FLONGATUM	CEL	1411.1	30				
DINOBRYON DIVERGENS	CEL				2119.9	82	
DIPLOPSALIS ACUTA	CEL						X
EUGLENA	CEL						X
FRAGILARIA	CEL						X
FRAGILARIA CROTONENSIS	CEL	11135.2	937				X
GLENODINIUM EDAX	CEL			X			
GLOEOCAPSA	COL						X
LAGERHEIMIA LONGISETA	CEL						X
V. MAJOR	CEL						X
MALLOMONAS	CEL			X			
MALLOMONAS ACAROIDES	CEL					1510.2	31
OOCYSTIS	CEL			X	11140.0	165	
PEDIASTRUM BORYANUM	COL						X
PERIDINIUM CINCTUM	CEL						X
SCHROEDERIA BETIGERA	CEL						X
SPHAEROCYSTIS SCHROETERI	CEL						X
STEPHANODISCUS	CEL	13144.3	1179			11116.0	63
TOTAL					2660	412	376

LAKE NAME: STEINAKE RES.  
 STORET NUMBER: 4922

NYGAARD TROPHIC STATE INDICES

DATE	05 13 75	08 07 75	09 23 75
MYXOPHYCEAN	0/0 O	01/0 E	1,00 E
CHLOROPHYCEAN	01/0 E	01/0 E	0/01 O
EUGLENOPHYTE	0/01 ?	0/02 ?	0/01 ?
DIATOM	0,50 E	0,25 ?	0/02 ?
COMPOUND	02/0 E	03/0 E	1,00 O

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 13 75	08 07 75	09 23 75
GENUS	02	01	01
SPECIES	03	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 13 75	08 07 75	09 23 75
AVERAGE DIVERSITY H	1,61	1,19	1,33
NUMBER OF TAXA S	8,00	13,00	6,00
NUMBER OF SAMPLES COMPOSITED M	3,00	3,00	3,00
MAXIMUM DIVERSITY MAXH	3,00	3,70	2,58
MINIMUM DIVERSITY MINH	0,08	0,32	0,13
TOTAL DIVERSITY D	1663,13	452,20	490,77
TOTAL NUMBER OF INDIVIDUALS/ML N	1033,00	380,00	369,00
EVENNESS COMPONENT J	0,54	0,32	0,52
RELATIVE EVENNESS RJ	0,53	0,26	0,49
MEAN NUMBER OF INDIVIDUALS/TAXA L	129,13	29,23	61,50
NUMBER/ML OF MOST ABUNDANT TAXON K	533,00	253,00	201,00

LAKE NAME: STEINAKER RES.  
 STORET NUMBER: 4922

CONTINUED

05 13 75

08 07 75

09 23 75

TAXA	FORM	05 13 75		08 07 75		09 23 75	
		18	%C	18	%C	18	%C
ANKISTRUDEMUS FALCATUS	CEL	13119.41		200			
APHANOCAPSA DELICATISSIMA	COL			1166.61		253	1154.91
ASTERIONELLA FORMOSA	CEL			X		X	1319.21
CERATIUM HIRUNDINELLA							
F. SCOTTICUM	CEL					X	
CHROOMONAS ?	CEL	12151.61		533	12125.01	95	12136.31
COSMARIUM	CEL						X
CRYPTOMONAS EROSA	CEL					X	
CRYPTOMONAS MARSSONII	CEL			X		X	
CRYPTOMONAS REFLEXA	CEL			X			X
CRYPTOMONAS SPP.	CEL	1125.81		267			
CYCLOTELLA	CEL	1413.21		33			
CYMBELLA	CEL					X	
DINOBRYON DIVERGENS	CEL					X	
FRAGILARIA CROTONENSIS	CEL			X			X
NAVICULA ?	CEL					X	
PERIDINIUM	CEL					X	
SCHROEDERIA SETIGERA	CEL			1310.41		32	
STEPHANODISCUS	CEL					X	
SYMEDRA	CEL					X	
<b>TOTAL</b>				<b>1033</b>		<b>380</b>	<b>369</b>

LAKE NAME: TROPIC RES.  
 STORET NUMBER: 4923

NYGAARD TROPHIC STATE INDICES

DATE	05 08 75	08 14 75	09 25 75
MYXOPHYCEAN	01/0 E	3.00 E	1.00 E
CHLOROPHYCEAN	01/0 E	1.00 E	1.00 E
EUGLENOPHYTE	0/02 ?	0/04 ?	0/02 ?
DIATOM	1.00 E	0/02 ?	0/02 ?
COMPOUND	03/0 E	4.00 E	2.00 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 08 75	08 14 75	09 25 75
GENUS	00	00	00
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 08 75	08 14 75	09 25 75
AVERAGE DIVERSITY H	0.03	0.30	1.67
NUMBER OF TAXA S	5.00	10.00	10.00
NUMBER OF SAMPLES COMPOSITED M	1.00	1.00	2.00
MAXIMUM DIVERSITY MAXH	2.32	3.32	3.32
MINIMUM DIVERSITY MINH	1.37	0.03	0.55
TOTAL DIVERSITY D	0.42	1456.80	233.80
TOTAL NUMBER OF INDIVIDUALS/ML N	14.00	4856.00	140.00
EVENNESS COMPONENT J	0.01	0.09	0.50
RELATIVE EVENNESS RJ	-1.41	0.09	0.41
MEAN NUMBER OF INDIVIDUALS/TAXA L	2.80	485.60	14.00
NUMBER/ML OF MOST ABUNDANT TAXON K	14.00	4660.00	80.00

LAKE NAME: TROPIC RES.  
 STORET NUMBER: 4923

CONTINUED

LAKE NAME: TROPIC RES.  
 STORET NUMBER: 4923

TAXA	FORM	05 08 75		08 14 75		09 25 75				
		IS	%C	ALGAL UNITS PER ML	IS	%C	ALGAL UNITS PER ML	IS	%C	ALGAL UNITS PER ML
ANABAENA	FIL	1		21	1.31	65				
CERATIUM HIRUNDINELLA										
F. SCOTICUM	CEL					X				
CHROOMONAS ?	CEL			4	2.01	98				X
CHROOMONAS SPP.	CEL							11	157.11	80
COELOSPHARIUM KUFTZINGIANUM	COL									X
COMARIUM	CEL									X
CRYPTOMONAS EROSA	CEL			X		X		13	114.31	20
CRYPTOMONAS EMOBA										
V. REFLEXA	CEL							14	114.31	20
CYMBELLA	CEL			X						
FRAGILARIA CRUTOMENSIS	CEL					X				
GLOEOTRICHIA	FIL					11	96.01	4660		
MELOSIRA	CEL			X						
MICROCYSTIS AERUGINOSA	COL					X				
MOUGEOTIA	FIL									X
OOCYSTIS	CEL			X						
OSCILLATORIA LIMNETICA	FIL	11	100.1	14						
PEDIASTRUM SIMPLEX	COL							12	114.31	20
RHODALDIA GIRRA	CEL					X				X
SPHAEROCYSTIS SCHROETERI	COL					X				
STAUROSTRUM	CEL			13	0.71	33				
SYNEDRA ULNA	CEL									X
<b>TOTAL</b>				<b>14</b>		<b>4856</b>				<b>140</b>

LAKE NAME: UTAH LAKE  
 STORET NUMBER: 4924

CONTINUED  
 LAKE NAME: UTAH LAKE  
 STORET NUMBER: 4924

UTAH AND WYOMING STATE INDICES

NYGAARD TROPHIC STATE INDICES

DATE	05 13 75	08 08 75	09 19 75
MYXOPHYCEAN	2.00 E	2.00 E	2.00 E
CHLOROPHYCEAN	6.00 E	2.00 E	2.50 E
EUGLENOPHYTE	0.12 ?	0/04 ?	0.22 E
DIATOM	0.67 E	1.00 E	02/0 E
COMPOUND	13.0 E	6.00 E	6.50 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 13 75	08 08 75	09 19 75
GENUS	14	07	10
SPECIES	06	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 13 75	08 08 75	09 19 75
AVERAGE DIVERSITY H	3.04	0.85	0.86
NUMBER OF TAXA S	27.00	13.00	19.00
NUMBER OF SAMPLES COMPOSITED M	8.00	8.00	8.00
MAXIMUM DIVERSITY MAXH	4.75	3.70	4.25
MINIMUM DIVERSITY MINH	0.07	0.02	0.03
TOTAL DIVERSITY D	15336.80	9387.40	6646.94
TOTAL NUMBER OF INDIVIDUALS/ML N	5045.00	11044.00	7729.00
EVENNESS COMPONENT J	0.64	0.23	0.20
RELATIVE EVENNESS RJ	0.64	0.23	0.20
MEAN NUMBER OF INDIVIDUALS/TAXA L	186.85	849.54	406.79
NUMBER/ML OF MOST ABUNDANT TAXON K	1618.00	9639.00	6854.00



LAKE NAME: UTAH LAKE  
 STORE NUMBER: 4924

CONTINUED

LAKE NAME: WILLARD BAY RES.  
 STORE NUMBER: 4925

05 13 75

08 08 75

09 19 75

TAXA	FORM	ALGAL UNITS			ALGAL UNITS			ALGAL UNITS		
		IS	%C	PER ML	IS	%C	PER ML	IS	%C	PER ML
ANABAENA	FIL						1188.7			6054
ANABAENA SPIROIDES ?	FIL				1187.3		9630			
ANKISTRODESMUS FALCATUS	CEL		1.6	81						
CERATIUM HIRUNDINELLA	CEL				13	0.3	38		15	0.3
CHLAMYDOMONAS	CEL		2.1	108						
CHLOROGONIUM	CEL		0.5	27						
CHLOROPHYTAN COCCOID CELLED COLONY	COL									X
CHROMONAS ?	CEL	13	32.1	1618		2.0	304			
CLOSTERIUM	CEL		1.6	81						
CLOSTERIUM #1	CEL						X		0.3	27
CLOSTERIUM #2	CEL									X
COELASTRUM MICROPORUM	COL									X
CRYPTOMONAS EROSA	CFL	21	18.2	917	14	1.4	152	14	2.1	165
CYCLOTELLA	CEL					0.7	76		0.3	27
CYCLOTELLA MENEHGINIANA	CEL		1.1	54						
DICTYOSPHAERIUM PULCHELLUM	COL		1.6	81						
DINOPRYON BERTULARIA	CEL			X						
DIPLONEIS SMITHII	CEL			X						
DIPLOPSALIS ACUTA	CEL						X			
EUGLENA	CEL									X
EUGLENA GRACILIS	CEL	11	0.0	405						
GLENODINIUM	CEL		2.1	108						
GLENODINIUM OCULATUM	CEL							13	1.0	137
GYROGIGNA	CEL						X			
GYROGIGNA KUTZINGII	CEL			X						
MELOBIRA DISTANS	CEL		0.5	27						
MELOBIRA GRANULATA	CEL		3.2	162					0.7	55
MELOBIRA GRANULATA	CEL									
V. ANGSTISSIMA	CEL		3.7	189	15	4.1	455			
MERISMOPEDIA TENUISSIMA	COL								0.3	27
MICROCYSTIS AERUGINOSA	COL									X
MICROCYSTIS INCERTA	COL		0.5	27						
NAVICULA #1	CEL			X						
NAVICULA #2	CEL			X						
OOCYSTIS	CEL			X						
OSCILLATORIA	FIL			X	21	3.1	342	21	2.0	219
PHACUS MEGALOPSIS	CEL								0.3	27
PINNULARIA	CEL						X			
PTEROMONAS ANGULOSA	CEL	15	4.3	216						
SCENEDESMUS ACUMINATUS	COL								0.7	55
SCENEDESMUS RIJUGA	COL									X
SCENEDESMUS DIMORPHUS	COL						X			
SCENEDESMUS OPOLIENSIS	COL			X		0.3	38		1.1	82
SCHROEDERIA SETIGERA	CEL	14	17.6	890					0.3	27
SURIRELLA	CEL		0.5	27						
SYNEDRA ULNA	CEL			X						
TETRASTRUM GLABRUM	COL		0.5	27						
TOTAL				5045			11044			7729

LAKE NAME: WILLARD BAY RES.  
 STORET NUMBER: 4925

CONTINUED  
 LAKE NAME: WILLARD BAY RES.  
 STORET NUMBER: 4925

NYGAARD TROPHIC STATE INDICES

DATE	05 14 75	08 06 75	09 23 75
MYXOPHYCEAN	0/01 O	01/0 E	02/0 E
CHLOROPHYCEAN	3.00 E	03/0 E	02/0 E
EUGLENOPHYTE	0/03 ?	0.25 E	0.25 E
DIATOM	0.50 E	0.50 E	0/0 ?
COMPOUND	5.00 E	06/0 E	05/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	05 14 75	08 06 75	09 23 75
GENUS	02	08	00
SPECIES	03	03	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE	05 14 75	08 06 75	09 23 75
AVERAGE DIVERSITY H	0.11	1.62	0.17
NUMBER OF TAXA S	11.00	10.00	9.00
NUMBER OF SAMPLES COMPOSITED M	4.00	4.00	4.00
MAXIMUM DIVERSITY MAXH	3.46	3.32	3.17
MINIMUM DIVERSITY MINH	0.05	0.02	0.08
TOTAL DIVERSITY D	269.28	9020.16	192.44
TOTAL NUMBER OF INDIVIDUALS/ML N	2448.00	5568.00	1132.00
EVENNESS COMPONENT J	0.03	0.49	0.05
RELATIVE EVENNESS RJ	0.02	0.49	0.03
MEAN NUMBER OF INDIVIDUALS/TAXA L	222.55	556.80	125.78
NUMBER/ML OF MOST ABUNDANT TAXON K	2412.00	2987.00	1104.00

LAKE NAME: WILLARD BAY RES.  
STORET NUMBER: 4925

CONTINUED

05 14 75      08 06 75      09 23 75

TAXA

ANABAENA  
ANKISTRODESMUS FALCATUS  
APHANIZOMENON FLOS-AQUAE  
ASTERIONELLA FORMOSA  
CERATIUM HIRUNDINELLA  
CHROONAS ?  
CLOSTERIUM  
CRYPTOMONAS EROSA  
CRYPTOMONAS REFLEXA  
DIATOMA VULGARE  
EUDORINA ELEGANS  
EUGLENA #1  
EUGLENA #2  
FRAGILARIA CROTONENSIS  
MELOBIIRA GRANULATA  
MERIDIUM CIRCULARE  
OOCYSTIS  
PEDIASTRUM DUPLEX  
Y. CLATHRATUM  
SCENEDESMUS BALATONICUS  
SCENEDESMUS QUADRICAUDA  
STEPHANODISCUS

FORM	05 14 75			08 06 75			09 23 75		
	IS	%C	PER ML	IS	%C	PER ML	IS	%C	PER ML
FIL									
CEL	1190.51		2412		3.61	202			
FIL						X		1197.81	1104
CEL			X			X			
CEL						X			
CEL									X
CEL			X						
CEL	121	1.51	36	131	4.51	253			X
CEL							121	2.51	20
CEL			X						
COL									X
CEL									X
CEL					151	0.91			51
CEL			X		12133.61	1873			
CEL			X		1153.61	2907			
CEL			X						
CEL			X	141	3.61	202			X
COL									X
COL						X			
COL			X						
CEL			X						
TOTAL			2448			5560			1132

**TECHNICAL REPORT DATA**

*(Please read Instructions on the reverse before completing)*

1. REPORT NO. EPA-600/3-79-120	2.	3. RECIPIENT'S ACCESSION NO.
4. TITLE AND SUBTITLE DISTRIBUTION OF PHYTOPLANKTON IN UTAH LAKES	5. REPORT DATE December 1979	6. PERFORMING ORGANIZATION CODE
	8. PERFORMING ORGANIZATION REPORT NO.	
7. AUTHOR(S) L.R. Williams, S.C. Hern, V.W. Lambou, F.A. Morris, M.K. Morris, and W.D. Taylor	10. PROGRAM ELEMENT NO. 1BD884	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Environmental Monitoring and Support Laboratory Office of Research and Development U.S. Environmental Protection Agency Las Vegas, NV 89114	11. CONTRACT/GRANT NO.	
	13. TYPE OF REPORT AND PERIOD COVERED 02-21-75 to 12-11-75	
12. SPONSORING AGENCY NAME AND ADDRESS U.S. Environmental Protection Agency-Las Vegas, NV Office of Research and Development Environmental Monitoring and Support Laboratory Las Vegas, NV 89114	14. SPONSORING AGENCY CODE EPA/600/07	

15. SUPPLEMENTARY NOTES

16. ABSTRACT

This is a data report presenting the species and abundance of phytoplankton in the 25 lakes sampled by the National Eutrophication Survey in the State of Utah. Results from the calculation of several water quality indices are also included (Nygaard's Trophic State Index, Palmer's Organic Pollution Index, and species diversity and abundance indices).

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
*aquatic microbiology lakes *phytoplankton water quality	Utah lake eutrophication Nygaard's trophic indices Palmer's organic pollution indices Species diversity and abundance	06 C, M 08 H 13 B

18. DISTRIBUTION STATEMENT RELEASE TO PUBLIC	19. SECURITY CLASS (This Report) UNCLASSIFIED	21. NO. OF PAGES 72
	20. SECURITY CLASS (This page) UNCLASSIFIED	22. PRICE





United States  
Environmental Protection  
Agency

Environmental Research  
Information Center  
Cincinnati OH 45268

Official Business  
Penalty for Private Use  
\$300

Postage and  
Fees Paid  
Environmental  
Protection  
Agency  
EPA 335



Special Fourth  
Class Rate  
Book

If your address is incorrect, please change on the above label;  
tear off, and return to the above address.  
If you do not desire to continue receiving this technical report  
series, CHECK HERE  tear off label, and return it to the  
above address.

EPA-600/3-79-120