

Scientific Foundation SPIROSKI, Skopje, Republic of Macedonia
 Open Access Macedonian Journal of Medical Sciences. 2020 Feb 20; 8(E):156-161.
<https://doi.org/10.3889/oamjms.2020.3899>
 eISSN: 1857-9655
 Category: E - Public Health
 Section: Public Health Education and Training



Perceived Stress among Moroccan Nurses Student: Effect of the Emotional Self-efficacy

Lahcen Bandadi^{1,2*}, Nadia Chamkal^{2,3}, Siham Belbachir⁴, Ahmed O. T. Ahami¹

¹Department of Biology, Cognitive Behavioral Neuroscience and Applied Nutrition Team, Faculty of Sciences, University of Ibn Tofail, Morocco; ²Higher Institute of Nursing Professions and Techniques of Health, Rabat, Morocco; ³Department of Biology, Laboratory of Nutrition, Health and Environment, Faculty of Science, Ibn Tofail University, Kenitra, Morocco; ⁴Unit of Pedagogy, Research in Psychiatry, Medical Psychology and History of Medicine, Faculty of Medicine and Pharmacy, Mohammed V University, Rabat, Morocco

Abstract

AIM: This study examines the impact of emotional self-efficacy on perceived stress among nursing students.

METHODS: To conduct this study, two instruments were used. The first is the 10-item perceived stress scale version and the second is the emotional self-efficacy test.

RESULTS: The study shows that 59.10% of the nurses' students have a risk perception of the situations stressful. About 19.20% have a psychopathological perception. In addition, the seven dimensions of emotional self-efficacy contribute to the perceived stress levels at 69%. However, the managing own emotions is the main contributor of the perceived stress level ($\beta = -0.67^{**}$).

CONCLUSION: These results show the importance of the emotional self-efficacy to prevent the stress and these harmful consequences. Therefore, it is important to integrate a specific emotion management module into the nursing students basic training program. Furthermore, special interest should be given to promote the nurses' students psychological health.

Edited by: Slavica Hristomanova-Mitkovska
Citation: Lahcen B, Chamkal N, Belbachir S, Ahami AOT. Perceived Stress among Moroccan Nurses Student: Effect of the Emotional Self-efficacy. Open Access Maced J Med Sci. 2020 Feb 20; 8(E):156-161. <https://doi.org/10.3889/oamjms.2020.3899>
Keywords: Emotional self-efficacy; Perceived stress; Nurses student, Morocco
***Correspondence:** Bandadi Lahcen, Department of Biology, Cognitive Behavioral Neuroscience and Applied Nutrition Team, Faculty of Sciences, University of Ibn Tofail, Morocco. E-mail: lahcen.bandadi@uit.ac.ma
Received: 19-Oct-2019
Revised: 14-Jan-2020
Accepted: 24-Jan-2020
Copyright: © 2020 Lahcen Bandadi, Nadia Chamikal, Siham Belbachir, Ahmed O. T. Ahami
Funding: This research did not receive any financial support
Competing Interests: The authors have declared that no competing interest
Open Access: This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)

Introduction

Stress is a universal concept that has been studied in different contexts. According to the transactional model, stress is a cognitive process including primary appraisal and secondary appraisal. In fact, it is not events that cause the stress, but rather the events perception. In this perspective, perceived stress refers to the primary environment assessment [1].

In the nursing field, several stress studies have been conducted, among both professionals and students. Different facets have been addressed. Thus, we distinguish the stress factor and determinant studies [2], [3], [4], [5], [6], [7]. Others have been interested to the stress impact [8], [9], [10], [11], [12] and the coping stress strategies [2], [13], [14]. Similarly, some studies have examined the stress levels [15], [16], [17], [18], [19], [20], [21], [22]. In addition, other studies have focused on the relationship between emotional intelligence and stress [23], [24], [25], [26], [27], [28].

The nursing students training is described as also stressful [15], [29]. This stress can be observed both in the clinical and the academic settings [30]. However, the stress perceived nursing students are mainly due to the clinical stressors [31]. Diverse stress levels have been identified among nursing students: Higher stress levels [16], [17], [21], middle stress levels [32], [14] and low stress levels [13].

In relation to the stress consequences, stress exposes to the physical, the psychological, and the social risks [31] among others, the depressive and anxiety pathologies [33].

The emotional intelligence is an essential skill to better manage it. Indeed, there is a significant negative correlation between emotional intelligence and stress [25], [27]. It is also a means to prevent nurses stress and is a strategy to improve their health [23]. In the same vein as the emotional intelligence, another concept was designed and used by Kirk *et al.* [34] then by Deschênes *et al.* [35]. This concept is the emotional self-efficacy. To elaborate this, these authors drew on three basis theories. The first is Bandura's self-efficacy

theory, the second is the Mayer and Salovey emotional intelligence theory, and the third is the Petrides and Furnham emotional intelligence trait [35]. Self-efficacy is a belief in one's ability to achieve one's goals. It is a process that has a cognitive, motivational, and emotional component [36].

Promoting nurses' self-efficacy is a leadership strategy to improve practice [37]. This helps to better understand human phenomena and to better personalize care [38]. Among nursing students, self-efficacy is a main indicator to develop clinical skills and to help to overcome the challenges [39]. Emotional self-efficacy includes following dimensions: "Self-efficacy to perceive the own emotions and those of others, self-efficacy to use emotion, self-efficacy to understand the own emotions and those of the others, and self-efficacy to manage our own emotion and those of others" [40].

In Morocco, no study has addressed to the effect of the emotional self-efficacy on the perceived stress among nursing students.

The purpose of the study was to: identify perceived levels of stress among nursing students; evaluate the skills of the emotional self-efficacy among nursing students; and identify the effect of the emotional self-efficacy on the perceived stress.

Methods

Study setting and participants

The participants in the current study were the nurses student from the Higher Institute of Nursing Professions and Techniques of Health, Rabat. This higher education institution not belonging to the university is part of the system of Institutes of Training of Health Professionals under the Ministry of Health.

Instruments

Perceived stress scale

To measure perceived stress, the 10-item perceived stress scale [41] was used. It is an instrument whose original version was designed by Cohen *et al.* [42]. It allows to measure sensations and thoughts using a Likert scale ranging from 1 (never) to 5 (very often). A score below 25 is considered a low stress, while a score above 40 is a high stress [43].

Emotional self-efficacy test

Emotional self-efficacy was assessed by the questionnaire designed by Deschênes *et al.* [35]. It is an instrument with 21 items with a Likert scale ranging from

1 (strongly disagree) to 6 (strongly agree). It measures seven emotional skills: The perception of one's emotions, the emotions others perception, the use of emotions, the understanding of one's emotions, the understanding of the emotions of others, the managing one's emotions, and the managing the emotions of others.

Statistical analyses

Descriptive statistics were used to present results. Qualitative variables such as the sex and the perceived stress were transformed into a qualitative variable (low, medium, and high stress level). They are presented to number and percentage. The quantitative variables with normal distribution are expressed as mean and standard deviation. Alpha of Cronbach's was calculated to measure the internal consistency of the different items. The Student's t-test was used for gender comparisons. In addition, Pearson's correlations were calculated to establish correlations between variables independent of emotional self-efficacy, as well as the correlation between these variables and perceived stress. A standard multiple linear regression analysis (method = enter) was adopted to examine the contribution of each element of emotional self-efficacy. The statistical significance was set at $\alpha = 0.05$.

Ethical considerations

To carry out this study, permission was obtained to collect data. Furthermore, the participants consent was granted after being informed of the study purpose and the right to decide to participate freely in the study and to withdraw at all times and without prejudice. They were also informed of the anonymity respect and the confidentiality.

Results

Sociodemographic characteristics of participants

The study population includes 320 Moroccan students from the Higher Institute of Nursing Professions and Techniques of Health, Rabat. The majority of participants were female (72.50%) with the rest (27.50%) who were male. The mean age was 21.29 ± 0.79 .

Nurse students level stress

The nursing students stress levels vary from the low to high. Thus, 21.70% have a low stress, 59.10% have moderate stress, and 19.20% have a high stress, Figure 1.

Emotional self-efficacy dimensions and perceived stress

The all emotional self-efficacy dimensions, Cronbach's alpha coefficient values were higher (0.73–0.87). In addition, the perceived stress items, Cronbach's alpha coefficient is higher (0.89), Table 1.

Significant differences between males and females were observed in the perception of emotions of others ($p < 0.01$) with a higher value among males, as well as for the understanding the emotions of others ($p < 0.01$), still with higher values in males. A significant gender-related difference was also observed in perceived stress ($p < 0.05$), Table 1.

Bivariate Pearson's correlations analysis

Bivariate Pearson's correlations analysis between the emotional self-efficacy dimensions shows significant positive correlations ranging from low to moderate (0.26 to 0.60). As regards the relationship between each emotional self-efficacy dimensions and perceived stress, the study results revealed a significant negative correlations between each dimension of emotional self-efficacy and perceived stress score (-0.28 – -0.80), Table 2.

Standard multiple regression

The value of R square is 0.69. This means that the independent variables (emotional self-efficacy dimensions) contribute at 69% to the perceived stress

(dependent variable). Furthermore, we found $F=104.84$ and $p < 0.01$, which confirms the relationship. However, managing one's emotions is the main variable that has a significant effect on perceived stress (Beta = -0.67 , $p = 0.01$). Other emotional self-efficacy dimensions have a weak significant effect such as the one's emotions perception (beta = -0.16 , $p < 0.01$), the emotions of others perception (beta = -0.12 , $p = 0.01$), and the use of emotions (beta = -0.12 , $p < 0.01$), Table 3.

Discussion

The purpose of this study is to identify the level of perceived stress and the emotional self-efficacy dimensions and to elucidate the relationship between the two concepts. The results show that the level of stress varies from low to high. This is reminiscent of the results of other studies [13], [44], [45]. In addition, the middle perceived stress in the all study population is 30.88 (± 9.61), value greater than that raised by Singh *et al.* [46] whose value is 28.67 (± 5.32). Similarly, a significant difference between the male sex 23.48 (± 9.42) and the female sex 33.68 (± 8.09) was observed. This reminds us of the results of Singh *et al.* and Laraqui *et al.* [46], [47].

About 78.20% of the nurses' students have a perceived stress level ranging from medium to high with predominance of the medium level (59.10%

Table 1: Means, standard deviations, and Cronbach's alpha coefficient of the study variables

Variables	Coefficient alpha de Cronbach's	Mean all group (SD)	Mean males (SD)	Mean females (SD)	p (males, females)
Perceiving own emotions	0.80	3.29 (1.14)	3.67 (1.22)	3.14 (1.08)	>0.05
Perceiving other's emotions	0.83	3.58 (1.38)	4.36 (1.54)	3.29 (1.19)	<0.01
Using emotions	0.82	4.26 (1.46)	4.56 (1.41)	4.14 (1.46)	>0.05
Understanding own emotions	0.85	4.64 (1.25)	4.78 (1.05)	4.59 (1.32)	>0.05
Understanding other's emotions	0.87	4.46 (1.43)	5.20 (0.93)	4.18 (1.48)	<0.01
Managing own emotions	0.85	4.08 (1.25)	4.78 (1.05)	3.81 (1.22)	>0.05
Managing other's emotions	0.73	3.76 (0.71)	4.08 (0.60)	3.64 (0.71)	>0.05
Perceived stress	0.89	30.88 (9.61)	23.48 (9.42)	33.68 (8.09)	<0.05

Table 2: Correlation between the study variables

Study variables	1	2	3	4	5	6	7	8
Perceiving own emotions	1							
Perceiving other's emotions	0.55**	1						
Using emotions	0.38**	0.43**	1					
Understanding own emotions	0.30**	0.28**	0.27**	1				
Understanding other's emotions	0.26**	0.35**	0.45**	0.43**	1			
Managing own emotions	0.37**	0.60**	0.50**	0.27**	0.280**	1		
Managing other's emotions	0.45**	0.56**	0.43**	0.35**	0.35**	0.55**	1	
Perceived stress	-0.48**	-0.62**	-0.37**	-0.28**	-0.29**	-0.80**	-0.55**	1

** $p < 0.01$; * $p < 0.05$.

Table 3: Standard multiple regression of the emotional self-efficacy dimensions

Emotional self-efficacy dimensions	Model summary	ANOVA	Standardized coefficients Beta	t	Sig.	Collinearity statistics Tolerance	VIF
Perceiving own emotions	R square=0.70	F=104.84**	-0.160	-4.17	0.000	0.65	1.55
Perceiving other's emotions	Adjusted		-0.125	-2.80	0.005	0.48	2.10
Using emotions	R square=0.69		0.117	2.99	0.003	0.628	1.59
Understanding own emotions	F change=104.84**		0.004	0.12	0.903	0.75	1.33
Understanding other's emotions			-0.041	-1.09	0.274	0.68	1.48
Managing own emotions			-0.673	-15.88	0.000	0.53	1.88
Managing other's emotions			-0.077	-1.85	0.064	0.56	1.78

** $p < 0.01$; * $p < 0.05$.




Figure 1: Nurse students level stress

of students). Therefore, stress could be a serious problem, especially since a large number of students (19.20%) have a high stress level. These stress levels elucidate possible psychological risks [31], [33]. Indeed, a perceived stress score above 28 is a threshold for to onset of anxiety and depression [33]. Similarly, other studies report that a high level of stress is significantly related to physical-psychosocial health problems [48].

Concerning to emotional self-efficacy, the average values of the all emotional self-efficacy dimensions are lower than the required average. Significant differences between male and female ($p < 0.01$) were observed in the perception of the emotions of others [(mean female = 3.58 (1.38), mean male = 4.36 (1.54)] and understanding of other people's emotions [(female 4.46 (1.43), male 5.20 (0.93)]. In the same vein, the study of Deschênes and Capovilla also showed that the averages of the emotional self-efficacy dimensions are below the average. However, significant differences between males and females were observed in the perception of his emotions, the understanding of the emotions of others, and the management of his emotions [49].

As for, the relationship between perceived stress and emotional self-efficacy, the results indicate that the seven emotional self-efficacy dimensions are negatively correlated with perceived stress scores. In addition, multiple linear regression analyses show a strong link between managing one's emotions and perceived stress. These results support those of Foster *et al.* [24], Görgens-Ekermans and Brand [25], Karimi *et al.* [26], Por *et al.* [27] which showed a significant negative correlation between emotional intelligence and perceived stress. The same of the Deschênes *et al.* [49] which highlighted a significant negative relationship between emotional self-efficacy and burnout symptoms, given that the previous studies have shown relationships between stress and burnout [50], [51].

Conclusion

The present study shows that 59.10% of the nurses student has a risk profile and 19.20% have a perceived stress higher level and consequently a psychopathological perception of the training environment. In addition, the seven emotional self-efficacy dimensions contribute to the perceived stress levels at 69%. However, the management of one's own emotions is the main contributor of the perceived stress level ($\beta = -0.67^{**}$).

These results show the importance of the emotional self-efficacy to prevent the stress and these harmful consequences. Therefore, it is important to integrate a specific emotion management module into the nursing students basic training program. Furthermore, special interest should be given to promote the nurses students psychological health.

References

1. Lazarus RS, Folkman S. Stress: Appraisal and Coping. United States: Springer Publishing Company; 2013.
2. Albaqawi H. Predictors of stress and coping among nursing students in the college of nursing at university of hail, Saudi Arabia. POJ Nurs Prac Res. 2018;2(1):1-7. <https://doi.org/10.32648/2577-9516/2/1/004>
3. Najimi A, Goudarzi AM, Sharifirad G. Causes of job stress in nurses: A cross-sectional study. Iran J Nurs Midwifery Res. 2012;17(4):301-5. PMID:23833631
4. Pulido-Martos M, Augusto-Landa JM, Lopez-Zafra E. Sources of stress in nursing students: A systematic review of quantitative studies: Systematic review of sources of stress. Int Nurs Rev. 2012;59(1):15-25. <https://doi.org/10.1111/j.1466-7657.2011.00939.x>
5. Rita AA, Atindanbila S, Portia MN, Abepuoring P. The causes of stress and job satisfaction among nurses at ridge and pantang hospitals in Ghana. Int J Asian Soc Sci. 2013;10:762-771.
6. Ziaullah, Zia UD, Shakir U. Sources of stress for nursing students during clinical practice. Int J Sci Res Publications. 2017;7(9):102-4.
7. Starc J. Stress factors among nurses at the primary and secondary level of public sector health care: The case of Slovenia. Open Access Maced J Med Sci. 2018;6(2):416-22. <https://doi.org/10.3889/oamjms.2018.100> PMID:29531616
8. Gray-Toft P, Anderson JG. Stress among hospital nursing staff: Its causes and effects. Soc Sci Med A. 1981;15(5):639-47. PMID:6976625
9. Milliken TF, Clements PT, Tillman HJ. The impact of stress management on nurse productivity and retention. Nurs Econ. 2007;25(4):203-10. PMID:17847655
10. Moustaka E, Constantinidis TC. Sources and effects of work-related stress in nursing. Health Sci J. 2010;4(4):7.

11. Regina OD, Owen D, Rosemary L. The effect of stress on health and its implications for nursing. *Br J Nurs*. 2013;22(16):969-73. PMID:24037402
12. Roberts RK, Grubb PL. The Consequences of nursing stress and need for integrated solutions. *Rehabil Nurs*. 2014;39(2):62-9. <https://doi.org/10.1002/rnj.97> PMID:23696492
13. Kumar R. Stress and coping strategies among nursing students. *Nurs Midwifery Res J*. 2011;7(4):11.
14. Shdaifat EA, Jamama A, Al-Amer M. Stress and coping strategies among nursing students. *Glob J Health Sci*. 2018;10(5):33. <https://doi.org/10.5539/gjhs.v10n5p33>
15. Kaur JS, Hamidah H, Blackman I, Wotton K, Belan I. Perceived stress related to nursing education and its influence on nursing students' academic and clinical performance. *Med Health*. 2011;6(2):86-97.
16. Karaca A. Perceived level of clinical stress, stress responses and coping behaviors among nursing students. *J Psychiatr Nurs*. 2017;8(2):32-39. <https://doi.org/10.14744/phd.2017.22590>
17. Liu M, Gu K, Wong TK, Luo MZ, Chan MY. Perceived stress among Macao nursing students in the clinical learning environment. *Int J Nurs Sci*. 2015;2(2):128-33.
18. Magama MM, Kgositau M. Perception of stress by nurses in their profession: A case of primary health care clinics. *Biomed J Sci Tech Res*. 2018;2(1):4.
19. Maroufizadeh S, Foroudfard F, Navid B, Ezabadi Z, Sobati B, Omani-Samani R. The perceived stress scale (PSS-10) in women experiencing infertility: A reliability and validity study. *Middle East Fertil Soc J*. 2018;23(4):456-9. <https://doi.org/10.1016/j.mefs.2018.02.003>
20. Pawar MM. Level of Stress Among the Nurses Working in Intensive Care. *Sinhgad e Journal of Nursing*. 2014;4(1):4-8
21. Shah M, Hasan S, Malik S, Sreeramareddy CT. Perceived stress, sources and severity of stress among medical undergraduates in a Pakistani medical school. *BMC Med Educ*. 2010;10:2. PMID:20078853
22. Sheu S, Lin HS, Hwang SL. Perceived stress and psychosocial status of nursing students during their initial period of clinical practice: The effect of coping behaviors. *Int J Nurs Stud*. 2002;39(2):165-75. [https://doi.org/10.1016/s0020-7489\(01\)00016-5](https://doi.org/10.1016/s0020-7489(01)00016-5) PMID:11755447
23. Landa JM, López-Zafra E, Martos MP, Aguilar-Luzón Mdel C. The relationship between emotional intelligence, occupational stress and health in nurses: A questionnaire survey. *Int J Nurs Stud*. 2008;45(6):888-901. <https://doi.org/10.1016/j.ijnurstu.2007.03.005> PMID:17509597
24. Foster K, Fethney J, Kozlowski D, Fois R, Reza F, McCloughen A. Emotional intelligence and perceived stress of Australian pre-registration healthcare students: A multi-disciplinary cross-sectional study. *Nurse Educ Today*. 2018;66:51-6. <https://doi.org/10.1016/j.nedt.2018.04.001> PMID:29665505
25. Görgens-Ekermans G, Brand T. Emotional intelligence as a moderator in the stress-burnout relationship: A questionnaire study on nurses: Emotional intelligence as a moderator in the stress-burnout relationship. *J Clin Nurs*. 2012;21(15-16):2275-85. <https://doi.org/10.1111/j.1365-2702.2012.04171.x> PMID:22788561
26. Karimi L, Leggat SG, Donohue L, Farrell G, Couper GE. Emotional rescue: The role of emotional intelligence and emotional labour on well-being and job-stress among community nurses. *J Adv Nurs*. 2014;70(1):176-86. <https://doi.org/10.1111/jan.12185> PMID:23763612
27. Por J, Barriball L, Fitzpatrick J, Roberts J. Emotional intelligence: Its relationship to stress, coping, well-being and professional performance in nursing students. *Nurse Educ Today*. 2011;31(8):855-60. <https://doi.org/10.1016/j.nedt.2010.12.023> PMID:21292360
28. Thomas DS, Natarajan J. Emotional intelligence among nursing students-an integrated review. *IOSR J Nurs Health Sci*. 2017;6(1):81-9. <https://doi.org/10.9790/1959-0601088890>
29. Bektaş H, Terkes N, Özer Z. Stress and ways of coping among first year nursing students: A Turkish perspective. *J Hum Sci*. 2018;15(1):319. <https://doi.org/10.14687/jhs.v15i1.4626>
30. Rhead MM. Stress among student nurses: Is it practical or academic? *J Clin Nurs*. 1995;4(6):369-76. <https://doi.org/10.1111/j.1365-2702.1995.tb00038.x> PMID:8535578
31. Gurková E, Zeleníková R. Nursing students' perceived stress, coping strategies, health and supervisory approaches in clinical practice: A Slovak and Czech perspective. *Nurse Educ Today*. 2018;65:4-10. <https://doi.org/10.1016/j.nedt.2018.02.023>
32. Graham MM, Lindo J, Bryan VD, Weaver S. Factors associated with stress among second year student nurses during clinical training in Jamaica. *J Prof Nurs*. 2016;32(5):383-91. <https://doi.org/10.1016/j.profnurs.2016.01.004> PMID:27649597
33. Collange J, Bellinghausen L, Chappé J, Saunder L, Albert E. Stress perçu : A partir de quel seuil devient-il un facteur de risque pour les troubles anxiodépressifs ? *Arch Mal Prof Environ*. 2013;74(1):7-15. <https://doi.org/10.1016/j.admp.2012.12.009>
34. Kirk BA, Schutte NS, Hine DW. Development and preliminary validation of an emotional self-efficacy scale. *Personal Individ Differ*. 2008;45(5):432-6. <https://doi.org/10.1016/j.paid.2008.06.010>
35. Deschênes AA, Dussault M, Fernet C. Développement et validation de l'échelle d'auto-efficacité émotionnelle chez les gestionnaires. *Psychol Trav Organ*. 2016;22(4):255-72. <https://doi.org/10.1016/j.pto.2016.10.001>
36. Bandura A. Self-efficacy defined. In: Ramachandran VS, editor. *Encyclopedia of Human Behavior*. Vol. 4. New York: Academic Press; 1994. p. 71-81.
37. Manojlovich M. Promoting nurses' self-efficacy: A leadership strategy to improve practice. *J Nurs Adm*. 2005;35(5):271-8. PMID:15891491
38. Guerrin B. Albert Bandura and his work. *Rech Soins Infirm*. 2012;108:106-16. <https://doi.org/10.3917/rsi.108.0106> PMID:22616370
39. Negin MA. Self-efficacy in nursing students. *Nurs Midwifery Stud*. 2014;3(4):e25881. PMID:25741520
40. Deschênes AA, Capovilla P. L'auto-efficacité émotionnelle: Un facteur à considérer pour expliquer la santé psychologique au travail. *Psychol Trav Organ*. 2016;22(3):173-86. <https://doi.org/10.1016/j.pto.2016.02.006>
41. Bellinghausen L, Collange J, Botella M, Emery JL, Albert É. Validation factorielle de l'échelle française de stress perçu en milieu professionnel. *Santé Publique*. 2009;21(4):365. <https://doi.org/10.3917/pub.094.0365>
42. Cohen S, Kamarck T, Mermelstein R. A global measure of perceived stress. *J Health Soc Behav*. 1983;24(4):385. PMID:6668417
43. Zablocki B. *Du Stress au Bien Etre et à la Performance*. Edi.Pro, Editions des CCI SA, 2 à 4020 Liège Belgique; 2009.
44. Alsaqri SH. Stressors and coping strategies of the Saudi nursing students in the clinical training: A cross-sectional study. *Educ*

- Res Int. 2017;2017:1-8. <https://doi.org/10.1155/2017/4018470>
45. Hamaideh SH, Al-Omari H, Al-Modallal H. Nursing students' perceived stress and coping behaviors in clinical training in Saudi Arabia. *J Ment Health*. 2017;26(3):197-203. <https://doi.org/10.3109/09638237.2016.1139067>
PMid:26850046
46. Singh A, Chopra M, Adiba S, Mithra P, Bhardwaj A, Arya R, et al. A descriptive study of perceived stress among the North Indian nursing undergraduate students. *Iran J Nurs Midwifery Res*. 2013;18(4):340-2.
PMid:24403933
47. Laraqui O, Laraqui S, Tripodi D, Caubet A, Verger C, Laraqui CH. Évaluation du stress chez le personnel de santé au Maroc : A propos d'une étude multicentrique. *Arch Mal Prof Environ*. 2008;69(5):672-82. <https://doi.org/10.1016/j.admp.2008.06.014>
48. Labrague LJ. Stress, stressors, and stress responses of student nurses in a government nursing school. *Health Sci J*. 2013;7(4):12.
49. Deschênes AA, Dussault M, Frenette É. Auto-efficacité émotionnelle et épuisement professionnel de directions d'établissement d'enseignement. *Can J Educ*. 2014;37(4):1-22.
50. Jamal M, Baba VV. Job stress and burnout among Canadian managers and nurses: An empirical examination. *Can J Public Health*. 2000;91(6):454-8. <https://doi.org/10.1007/bf03404828>
PMid:11200738
51. Watson R, Deary I, Thompson D, Li G. A study of stress and burnout in nursing students in Hong Kong: A questionnaire survey. *Int J Nurs Stud*. 2008;45(10):1534-42.
PMid:18241870