



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

## A nursing informatics response to COVID-19

### Citation for published version:

Atique, S, Bautista, JR, Block, LJ, Lee, JJ, Lozada-Perezmitre, E, Nibber, R, O'Connor, S, Peltonen, L-M, Ronquillo, C, Tayaben, J, Thilo, F & Topaz, M 2020, 'A nursing informatics response to COVID-19: Perspectives from five regions of the world', *Journal of Advanced Nursing*. <https://doi.org/10.1111/jan.14417>

### Digital Object Identifier (DOI):

[10.1111/jan.14417](https://doi.org/10.1111/jan.14417)

### Link:

[Link to publication record in Edinburgh Research Explorer](#)

### Document Version:

Peer reviewed version

### Published In:

Journal of Advanced Nursing

### Publisher Rights Statement:

This is the peer reviewed version of the following article: Atique, S., Bautista, J.R., Block, L.J., Lee, J.J.J., LozadaPerezmitre, E., Nibber, R., O'Connor, S., Peltonen, L.M., Ronquillo, C., Tayaben, J., Thilo, F.J. and Topaz, M. (2020), A nursing informatics response to COVID19: perspectives from five regions of the world. *J Adv Nurs*. Accepted Author Manuscript. doi:10.1111/jan.14417, which has been published in final form at <https://onlinelibrary.wiley.com/doi/abs/10.1111/jan.14417>. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Self-Archiving.

### General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

### Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [openaccess@ed.ac.uk](mailto:openaccess@ed.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.





## Title

A nursing informatics response to COVID-19: perspectives from five regions of the world

## Authors

Suleman ATIQUE<sup>1</sup>, Assistant Professor,  
John Robert BAUTISTA<sup>2</sup>, Bullard Research Fellow,  
Lorraine J. BLOCK<sup>3</sup>,  
Jay Jung Jae LEE<sup>4</sup>, Research Assistant Professor,  
Erika LOZADA-PEREZMITRE<sup>5</sup>, Associate Professor,  
Raji NIBBER<sup>6</sup>, Lead - Chronic Disease Management,  
Siobhan O'CONNOR<sup>7</sup>, Lecturer,  
Laura-Maria PELTONEN<sup>8</sup>, Clinical Lecturer,  
Charlene RONQUILLO<sup>9</sup>, Assistant Professor,  
Jude TAYABEN<sup>10</sup>, Assistant Professor,  
Friederike J. S. THILO<sup>11</sup>, Postdoctoral Research Fellow,  
Maxim TOPAZ<sup>12</sup>, Elizabeth Standish Gill Associate Professor,

## Affiliations

<sup>1</sup> Department of Health Informatics, College of Public Health and Health Informatics, University of Ha'il, Ha'il, Kingdom of Saudi Arabia (gcufpharmd@yahoo.com)

<sup>2</sup> School of Information, The University of Texas at Austin, Austin, USA (jrbautista@utexas.edu)

<sup>3</sup> School of Nursing, University of British Columbia, Vancouver, Canada (lori.block@ubc.ca)

<sup>4</sup> School of Nursing, The University of Hong Kong, Pokfulam, Hong Kong (leejay@hku.hk)

This article has been accepted for publication and undergone full peer review (not applicable for Editorials) but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the [Version of Record](#). Please cite this article as [doi: 10.1111/JAN.14417](https://doi.org/10.1111/JAN.14417)

This article is protected by copyright. All rights reserved.

<sup>5</sup> Nursing Faculty, Benemérita Universidad Autónoma de Puebla (BUAP) Puebla, Mexico  
(erika.lperezmitre@correo.buap.mx)

<sup>6</sup> School of Nursing, University of British Columbia, Vancouver, Canada (rajnibber@gmail.com)

<sup>7</sup> School of Health in Social Science, The University of Edinburgh, Edinburgh, EH8 9AG, United Kingdom (siobhan.oconnor@ed.ac.uk)

<sup>8</sup> Department of Nursing Science, University of Turku, Turku, Finland (laura-maria.peltonen@utu.fi)

<sup>9</sup> Daphne Cockwell School of Nursing, Ryerson University, Toronto, Canada  
(cronquillo@ryerson.ca)

<sup>10</sup> College of Nursing, Benguet State University, La Trinidad, Benguet, Philippines  
(j.tayaben@bsu.edu.ph)

<sup>11</sup> Applied Research and Development in Nursing, Department of Health Professions, Bern University of Applied Sciences, Bern, Switzerland (friederike.thilo@bfh.ch)

<sup>12</sup> School of Nursing and Data Science Institute, Columbia University, New York, USA  
(mt3315@cumc.columbia.edu)

### **Corresponding Author**

Dr Siobhan O'Connor, School of Health in Social Science, The Edinburgh of University, Doorway  
6 Old Medical Quad, Teviot Place, Edinburgh EH8 9AG, United Kingdom. Telephone: +44  
(0)131 6511 628 Email: siobhan.oconnor@ed.ac.uk Twitter: @shivoconnor

### **Conflict of Interest**

Authors declare no conflict of interest.

### **Acknowledgements**

Accepted Article

As 2020 is the World Health Organization (WHO) designated Year of the Nurse and the Midwife, we would like to dedicate this editorial to nurses everywhere who are helping tackle the coronavirus pandemic particularly those who have lost their lives to this disease.

### **Funding Statement**

John Robert Bautista acknowledges the Bullard Research Fellowship of the School of Information, The University of Texas at Austin for providing the time and resources to complete this article. The other author(s) received no financial support for the research, authorship, and/or publication of this article.

DR SULEMAN ATIQUÉ (Orcid ID : 0000-0002-5149-0703)

DR SIOBHAN O'CONNOR (Orcid ID : 0000-0001-8579-1718)

DR FRIEDERIKE J.S. THILO (Orcid ID : 0000-0002-5085-3664)

Article type : Editorial

## **A nursing informatics response to COVID-19: perspectives from five regions of the world**

### **Introduction**

The 21st century has seen several infectious disease outbreaks that have turned into epidemics and pandemics including Severe Acute Respiratory Syndrome (SARS) which began in Asia in 2003 (Poon, Guan, Nicholls, Yuen, & Peiris, 2004), followed by H1N1 that emerged in Mexico and the United States in 2009 (Belongia et al., 2010). Next came the lesser known Middle East Respiratory Syndrome (MERS) originating in Saudi Arabia in 2012 (Assiri et al., 2013), after which the Ebola outbreak in West Africa took place from 2014 to 2016, with a more recent occurrence in the Democratic Republic of Congo from 2018 to 2019 (Malvy, McElroy, de Clerck, Günther, & van Griensven, 2019). To date, the coronavirus (COVID-19) outbreak that started in Wuhan, in the Hubei province of China, in late December 2019 seems to be eclipsing all of these previous infectious diseases in terms of its global reach and impact (Wang, Horby, Hayden, & Gao, 2020). After being declared by the World Health Organization (WHO) as a public health emergency on 30 January 2020 (World Health Organization, 2020c), it was elevated to a pandemic status on 11 March 2020 (World Health Organization, 2020d). As of 28 April 2020, there are more than 2.9 million cases and 202,597 deaths reported worldwide (World Health Organization, 2020b).

Healthcare workers around the world e.g. nurses, medical doctors, community healthcare workers are on the front lines caring for those infected (Zhang, Sun, Latour, Hu, & Qian, 2020), while epidemiologists, public health officials and others work behind the scenes to control the spread of COVID-19 and protect population health. Scientists across many disciplines are also researching how to address the myriad problems that this disease has created and exacerbated,

Accepted Article

such as the shortage of personal protective equipment (Chughtai, Seale, Islam, Owais, & Macintyre, 2020), the need for more critical care facilities and expertise (Grasselli, Pesenti, & Cecconi, 2020), the development of therapeutics (Dhama et al., 2020) and new vaccines that could prevent the virus in the future (Anderson, Heesterbeek, Klinkenberg, & Hollingsworth, 2020). Nursing informaticians who use information technology to enhance nursing education, clinical practice and policy are collaborating with colleagues and contributing to and leading research and digital health initiatives in the face of COVID-19. Here, we discuss some perspectives from the International Medical Informatics Association - Nursing Informatics (IMIA-NI) group based in nine countries across five regions of the world (Ronquillo, Topaz, Pruinelli, Peltonen, & Nibber, 2017). We explain how the nursing informatics community is responding to this global crisis and offer some early lessons learned that could be useful in future outbreaks of infectious disease.

#### East and South East Asia

Despite the swift implementation of a lockdown of the Hubei province, COVID-19 spread beyond Chinese borders. Approximately 400,000 people cross the shared border between Hong Kong and China per day (Hong Kong Immigration Department, 2020), posing a risk of repeating the SARS outbreak more than a decade earlier that killed 299 people in Hong Kong (World Health Organization, 2003). Within days of the first reported case of coronavirus, the Hong Kong government raised the response level to ‘emergency’ (Cheung, Lok-kei, Lau, & Ho-him, 2020). This saw the halting of transportation to and from Wuhan, the cancellation of large events in spite of the Lunar New Year celebrations, an extension of school holidays and work from home arrangements (Lum & Lok-kei, 2020). However, the outbreak triggered painful memories of the 2003 SARS epidemic for many residents who were already mired in a time of civil unrest and government dissatisfaction throughout 2019 and 2020 (Lau & Cheung, 2020; Stevenson, Ramzy, & May, 2020). Despite the government justifying the maintenance of its borders with China, pressure from the public and healthcare workers, as well as a burgeoning rise in local COVID-19 cases led to border closures and the suspension of schools and examinations (Ho-him, 2020). In response, nursing informaticians in Hong Kong are helping to move nursing education fully online to support students, while teaching about this new infectious disease

through social media and developing virtual learning activities around public health interventions.

Among Southeast Asian nations, the Philippines ranks high on the list of countries with the total number of cases and deaths from COVID-19 (Center for Strategic and International Studies, 2020). The government placed the largest of the islands, Luzon which includes the capital city of Manila (home to about 60 million people), in enhanced community quarantine (i.e. lockdown) on 16 March 2020 to reduce the impact of the disease on the country's healthcare system (Gregorio, 2020). Despite being a top global exporter of healthcare workers (Castro-Palaganas et al., 2017), the Philippines is now experiencing a lack of nurses and other clinicians to serve during the pandemic. As a result, the government called for healthcare worker volunteers in March (Cruz-Bacani, 2020) and temporarily banned overseas deployment of healthcare workers in April 2020 (ABS-CBN News, 2020b). The main nursing associations including the Philippine Nurses Association, Filipino Nurses United and Ang Nars are urging the government to give nurses higher wages, on top of the ₱500 pesos (USD \$10) per day allowance announced, to mitigate nurse migration and ensure they are adequately compensated for the high risk, critical role they provide caring for people infected with COVID-19 (ABS-CBN News, 2020a; deLeon, 2020). In response to the pandemic, nursing informaticians in the Philippines are helping to deploy distance learning and e-learning technologies to ensure nursing students and professionals are adequately trained. Social media is also being used to disseminate appropriate health information to local communities across the numerous islands and provide emotional support to nurses working on the frontlines caring for those infected.

#### Middle East

Like other regions, COVID-19 quickly spread to almost all parts of the Middle East. The Kingdom of Saudi Arabia is one of the countries in the Arab world that has been significantly affected with more than 20,000 cases (Abueish, 2020). The holy month of Ramadan which requires fasting, prayer and reflection started on the evening of the 23 April 2020 and lasts for thirty days which could make self-isolation and social distancing challenging (Atique & Itumalla, 2020). In addition, millions of Muslims would normally undertake the Umrah, an Islamic pilgrimage to Mecca, which the government cancelled in a bid to repress the spread of the disease (Ebrahim & Memish, 2020; Gautret, Al-Tawfiq, & Hoang, 2020). The Middle

Eastern region, especially the Kingdom of Saudi Arabia, is already facing the MERS and therefore further vigilance is required to combat COVID-19 (Jazieh et al., 2020). The Ministry of Health has directed healthcare workers to strictly follow the previous guidelines for MERS as this is an emerging and complex situation (Ministry of Health, 2020). The country largely relies on a foreign workforce which come from around the globe to staff its health sector, bringing knowledge and skills from a diverse range of nationalities and ethnicities. Furthermore, some hospitals have started telemedicine and related digital services to provide healthcare to people at home (Saudi German Hospitals, 2020). In response to the pandemic, nursing informaticians in the Kingdom of Saudi Arabia are helping to provide digital health and care services such as telemedicine. They are also using online tools to reach and educate patients and local communities about the disease to help reduce transmission and rates of infection.

## Europe

Europe has been the epicentre of the pandemic for several weeks, with Italy, Spain, France and the United Kingdom (U.K.) amongst the countries with the highest number of reported cases and deaths from COVID-19 (Henley & Pilkington, 2020). In the U.K., the Prime Minister Boris Johnston, who was hospitalised in critical care with the coronavirus (Stewart & Campbell, 2020) and the Tory political party that holds the government majority, initially took an alternative approach to tackling the disease by advocating for 'herd immunity' on 12 March 2020 (Yong, 2020). The Tory party leadership suggested that most of the population, approximately 65 million across four countries (England, Northern Ireland, Scotland and Wales), should become infected to enable healthy individuals to build up an adequate immune response to this highly contagious disease (Horton, 2020). This was followed by mixed messages around social distancing and self-isolation mid-March 2020, despite the rapidly rising death tolls in Italy and Spain where British citizens were holidaying at the time (Hunter, 2020). It has garnered a varied response from professionals and the public alike, both at home and abroad, given this does not follow the traditional public health response to an infectious disease outbreak that includes testing, contact tracing and isolating potentially infected individuals (Alwan et al., 2020; Hellewell et al., 2020). Despite a change in U.K. policy away from this approach, some of the conversations surrounding this debacle and others such as the shortage of personal protective equipment and critical care beds have reverberated on social media. These data are now being



Accepted Article  
analysed by nursing informaticians, as Twitter and other online platforms can be used to discern trends in the public's perception of important health related issues which can be used to inform and promote health protection (Meng, Kath, Li, & Nguyen, 2017). Other nurse informaticians are working to develop digital dashboards to monitor and improve the quality of care in acute hospital settings (Randell et al., 2020).

Switzerland, a country with 8.6 million inhabitants living across 26 cantons and 4 languages regions (French, German, Italian and Rhaeto-Romance), is responding to the COVID-19 pandemic by closing non-vital services and implementing WHO recommendations such as rapid testing, case isolation or self-isolation and social distancing (Federal Office of Public Health, 2020; Salathé et al., 2020). Like many countries, the health service and frontline clinicians face numerous challenges such as the shortage of personal protective equipment, disinfectant and ventilators and a lack of knowledge on how to prevent, diagnose and treat the disease. These rapid changes have expediated a digital transformation in Switzerland with family doctors and hospital laboratories exchanging data in more structured, electronic ways and patients remotely monitored by nurses and physicians using telemedicine or telecare systems (Wanner, 2020). In addition, numerous scientific research initiatives have begun to address some of these challenges. One example is the Corona Science community, an interdisciplinary group of researchers including nursing informaticians, who are working with sponsors and partners to provide an application to collect anonymised, aggregated self-reported data related to COVID-19. This includes measures for physical health, psychological wellbeing and social impact e.g. employment, education and home schooling, caring responsibilities and community activism, to enable a better understanding of this infectious disease (Corona Science, 2020).

In Finland, the government declared a state of emergency in March 2020 and implemented a range of measures including closing most educational institutions, businesses and cultural venues, limiting travel and banning large gatherings to curb the spread of the virus. The southern region of Uusimaa, where the capital Helsinki lies and where many of the 5.5 million citizens live, faced tougher restrictions to limit the transmission of COVID-19 to the rest of the country. These restrictions are planned to remain in force until the 13 May 2020. On 1 April 2020, an Operations Centre for managing the pandemic was established by the Prime Minister's Office to improve situational awareness, monitor the impact of government policies on the coronavirus outbreak and develop an exit plan (Finnish Government, 2020b). In addition, an arm

of the government called Media Pool, which supports media organisations in Finland and a marketing company, PINK Helsinki, jointly launched a national social media campaign to counteract misinformation about the infectious disease (Finnish Government, 2020a). Nationally, the Finish Institute for Health and Welfare continuously update their online resources with information and materials on COVID-19 for professionals and the public (Finnish Institute for Health and Welfare, 2020). Existing digital health services have also been expanded. For example, an online symptom assessment tool called “Omaolo” is available to help the public gauge the likelihood of a coronavirus infection and provide referral and treatment advice (SoteDigi Oy, 2020). A “Coronabot” web service that gives guidance regarding exposure to and symptoms of COVID-19 has also been established via a collaboration across hospitals in Helsinki, Tampere, Oulu, Kupio and Turku (Health Village, 2020). Nursing informaticians in Finland have assisted these efforts by developing COVID-19 related data interfaces for electronic health records, providing digital education on caring for those infected with the virus and improving mobile documentation to speed up access to real-time patient information.

#### North America

In Canada, the structure of healthcare provisioning is determined by provincial governments which has resulted in variations in the public health and political response to the COVID-19 pandemic. Nevertheless, there are concerted efforts across the country to focus public education and policy on physical distancing as a key strategy to “flattening the curve” and preserving a level of acute care capacity for those that need it (Woods, 2020). This has led to a restructuring of healthcare service delivery via the increased use of health information technologies. In Western Canada, there has been a push for virtual health teams to increase capacity for telehealth appointments (e.g. telephone, video conferencing, email and text) to deliver patient care (Provincial Health Services Authority, 2020). This rapid development and implementation of digital services has required nursing informaticians to lead much of this work. Furthermore, virtual teaching tools have been created to help prepare nurses, nursing students and retired nurses entering frontline health services to support COVID-19 efforts. These include online educational resources related to the clinical presentation, detection and care (e.g. e-learning module on the use of personal protective equipment) of people diagnosed or suspected to have the infectious disease (Canadian Institute of Health Information, 2020; Canadian Nurses Association, 2020). A systematic and centralised approach to collecting, coding (using the WHO

Accepted Article  
International Classification of Disease), synthesising and sharing up-to-date information about coronavirus cases is also underway among the health informatics community, who are adopting new digital and visualisation tools to enable better epidemiological modelling (Canadian Institute of Health Information, 2020).

In the United States (U.S.), the federalist system of public health governance divides powers among the federal, state and local governments. Each of these entities has an authority, to some extent, to initiate responses to the COVID-19 pandemic. Early in March 2020, federal government in the U.S. started its response by introducing a travel ban on flights from China. Further federal policies included declaring a national “State of Emergency” and providing financial stimuli to the U.S. economy (Wallach & Myers, 2020). Although responses varied from state to state, virtually all states have issued stay-at-home orders for non-essential workers as of early April 2020 (National Conference of State Legislatures, 2020). In late April 2020, the situation remains dire, with the U.S. becoming an epicenter of COVID-19 cases and deaths worldwide. Nursing informaticians in the U.S. have responded to the COVID-19 pandemic in several important ways. In educational settings, nursing informaticians have supported the switch to the online education mode to reduce in-person contact between nursing students. In clinical settings, nurse informaticians are using a diverse range of health data to help alleviate the impact of COVID-19. For example, nurse informaticians across hospitals in New York have built efficient and streamlined ways of tracking the availability and forecasting the need in critical health equipment, such as ventilators. In other initiatives, nurse informaticians are collaborating on providing access to timely data, for example guidelines on nursing responses to the COVID-19 pandemic (Omaha System Community of Practice, 2020). In addition, nurse informaticians have contributed to creating ways of assessing COVID-19 related symptoms; for example, by contributing to the creation of an online survey CovidWatcher that tracks disease symptoms (University of Columbia, 2020).

#### Latin America and the Caribbean

Finally, Latin America and the Caribbean have been the last major region of the world to experience the coronavirus. The government and public response to COVID-19 has varied due to the differing health systems, economies and politics of each country. However, high levels of inequality and poverty (Santos & Villatoro, 2018), along with limited health systems capacity

Accepted Article

and a lack of healthcare workers are common characteristics amongst many Latin American countries (Laurell, C., & Giovanella, 2018). The first confirmed coronavirus case was in Brazil on 26 February 2020 and Argentina was the first country to confirm a death on 7 March 2020 related to COVID-19 (World Health Organization, 2020a). The demographic profile in Latin America is younger with a smaller percentage of individuals over 65 (Pan American Health Organization, 2017). Despite having a younger profile, the socioeconomic disparities in health, access to healthcare and the prevalence of chronic diseases raises the possibility of needing intensive care (Biener & Zuvekas, 2019). In Mexico, the government restricted international travel, banned large gathering events and encouraged social distancing to limit people's exposure by staying at home. The government has been widely critiqued for delaying action to limit the spread of the virus, reasoning the costs of closing down industries would have a negative impact on the economy. However, it is complicated to limit exposure as approximately 60% of the population have informal jobs (Organisation for Economic Co-operation and Development, 2019). As over 125 million people reside in Mexico, there is a need to use virtual health. Hence, the government has developed a website and an app where signs and symptoms of the disease and how to prevent transmission of the virus are explained to help educate the public (Secretaria de Salud de México, 2020). Telehealth is also beginning to be used to remotely monitor the health of at risk populations and to reduce the numbers of people presenting at local hospitals, with many nursing informaticians involved in these initiatives (Sood, Pollard, Le Suer, Vlahovich, & Walker, 2020) .

To conclude, nursing informaticians worldwide are working with colleagues in clinical settings to advance and implement electronic systems and digital infrastructure that supports healthcare professionals caring for patients with COVID-19, while those in educational settings prepare and deliver virtual learning to train nursing students and nurse practitioners about the infectious disease. Many nursing informaticians are also researching how different technologies can be employed to understand the spread of the virus and its impact on people's health and wellbeing. Some early lessons learned during this pandemic are to leverage interdisciplinary networks to scope out robust platforms for symptom and disease monitoring, collaborate with the technology industry to scale up digital solutions for health professionals, patients and their families and capitalise on existing social media and health applications to reach key stakeholders

quickly such as at risk vulnerable groups. More work still needs to be done, in particular by employing artificial intelligence and visualization tools on real-time COVID-19 datasets to enhance decision making by clinicians, policy makers and the public. The international nursing informatics community plan to convene in Australia for their bi-annual conference in August 2021, after postponing the original July 2020 event (<https://ni2020.org/>). Here, COVID-19 and how it is being tackled across the regions of the world is likely to take centre stage so that the technical, organisational, social, cultural and political challenges we face can be discussed and new ideas about how technology and informatics can help nurses address them are generated.

### **Abbreviations**

COVID-19 – Coronavirus; IMIA-NI - International Medical Informatics Association - Nursing Informatics; MERS - Middle East Respiratory Syndrome; SARS - Severe Acute Respiratory Syndrome; U.K. – United Kingdom; U.S. - United States of America; WHO - World Health Organization

**Editorial note:** editorials are not reviewed and are published at the discretion of the Editor-in-Chief and may be subject to editing or removal by Wiley. We welcome replies, rejoinders, comments and debate on all entries provided they are not offensive or personal.

### **References**

ABS-CBN News. (2020a). DOH apologizes for P500 daily allowance for COVID-19 hospital volunteers. *ABS-CBN News*. Retrieved from <https://news.abs-cbn.com/news/03/28/20/doh-apologizes-for-p500-daily-allowance-for-covid-19-hospital-volunteers>

- Accepted Article
- ABS-CBN News. (2020b). Philippines suspends deployment of health workers abroad to fight COVID-19. *ABS-CBN News*. Retrieved from <https://news.abs-cbn.com/news/04/10/20/philippines-suspends-deployment-of-health-workers-abroad-to-fight-covid-19>
- Abueish, T. (2020). Coronavirus: Expats 77 pct of all cases in Saudi Arabia as infections pass 20,000. Retrieved from <https://english.alarabiya.net/en/coronavirus/2020/04/28/Coronavirus-Cases-in-Saudi-Arabia-surpass-20-000-after-1-266-new-cases-reported-.html>
- Alwan, N. A., Bhopal, R., Burgess, R. A., Colburn, T., Cuevas, L. E., Smith, G. D., & Greenhalgh, T. (2020). Evidence informing the UK's COVID-19 public health response must be transparent. *The Lancet*. doi:10.1016/S0140-6736(20)30667-X
- Anderson, R. M., Heesterbeek, H., Klinkenberg, D., & Hollingsworth, T. D. (2020). How will country-based mitigation measures influence the course of the COVID-19 epidemic? *The Lancet*, 395(10228), 931. doi:10.1016/S0140-6736(20)30567-5
- Assiri, A., McGeer, A., Perl, T. M., Price, C. S., Al Rabeeah, A. A., Cummings, D. A. T., . . . Memish, Z. A. (2013). Hospital Outbreak of Middle East Respiratory Syndrome Coronavirus. *The New England Journal of Medicine*, 369(5), 407-416. doi:10.1056/NEJMoa1306742
- Atique, S., & Itumalla, R. (2020). Hajj in the Time of COVID-19. *Infection, Disease & Health*. doi:10.1016/j.idh.2020.04.001
- Belongia, E. A., Irving, S. A., Waring, S. C., Coleman, L. A., Meece, J. K., Vandermause, M., . . . Shay, D. K. (2010). Clinical Characteristics and 30-Day Outcomes for Influenza A 2009 (H1N1), 2008-2009 (H1N1) and 2007-2008 (H3N2) Infections. *JAMA*, 304(10), 1091-1098. doi:10.1001/jama.2010.1277
- Biener, A. I., & Zuvekas, S. H. (2019). Do racial and ethnic disparities in health care use vary with health? *Health Services Research*, 54(1), 64-74. doi:10.1111/1475-6773.13087
- Canadian Institute of Health Information. (2020). COVID-19 resources. Retrieved from <https://www.cihi.ca/en/covid-19-resources>
- Canadian Nurses Association. (2020). Resources and FAQs. Retrieved from <https://www.cna-aiic.ca/en/coronavirus-disease/faqs-and-resources>

- Castro-Palaganas, E., Spitzer, D. L., Kabamalan, M., Sanchez, M. C., Caricativo, R., Runnels, V., . . . Bourgeault, I. L. (2017). An examination of the causes, consequences and policy responses to the migration of highly trained health personnel from the Philippines: the high cost of living/leaving—a mixed method study. *Human Resources for Health, 15*(1), 1-14. doi:10.1186/s12960-017-0198-z
- Center for Strategic and International Studies. (2020). Southeast Asia Covid-19 Tracker. Retrieved from <https://www.csis.org/programs/southeast-asia-program/southeast-asia-covid-19-tracker>
- Cheung, T., Lok-kei, S., Lau, C., & Ho-him, C. (2020). Coronavirus: Hong Kong faces escalated medical strike despite government move to expand border closures. *South Morning China Post*. Retrieved from <https://www.scmp.com/news/hong-kong/health-environment/article/3048738/coronavirus-hong-kong-leader-carrie-lam-declares>
- Chughtai, A. A., Seale, H., Islam, M. S., Owais, M., & Macintyre, C. R. (2020). Policies on the use of respiratory protection for hospital health workers to protect from coronavirus disease (COVID-19). *International Journal of Nursing Studies, 105*, 103567. doi:10.1016/j.ijnurstu.2020.103567
- Corona Science. (2020). Corona Science: Together against the Coronavirus. Retrieved from <https://coronascience.ch/en/>
- Cruz-Bacani, X. (2020). The Workers on the Front Lines of the Philippines' Fight Against Coronavirus. *The Nation*. Retrieved from <https://www.thenation.com/article/world/coronavirus-philippines-covid/>
- deLeon, R. S. (2020). Position Statement to DOH Call for Mobilization of Professional Nurses in Response to CoVID-19 Health Emergency. Retrieved from <https://pna-ph.org/archives/position-papers/934-pna-s-position-statement-to-doh-call-for-mobilization-of-professional-nurses-and-health-workers>
- Dhama, K., Sharun, K., Tiwari, R., Dadar, M., Malik, Y. S., Singh, K. P., & Chaicumpa, W. (2020). COVID-19, an emerging coronavirus infection: advances and prospects in designing and developing vaccines, immunotherapeutics and therapeutics. *Human Vaccines & Immunotherapeutics, 1-7*. doi:10.1080/21645515.2020.1735227

- Ebrahim, S. H., & Memish, Z. A. (2020). Saudi Arabia's measures to curb the COVID-19 outbreak: temporary suspension of the Umrah pilgrimage. *Journal of Travel Medicine*. doi:10.1093/jtm/taaa029
- Federal Office of Public Health. (2020). New coronavirus. Retrieved from <https://www.bag.admin.ch/bag/en/home/krankheiten/ausbrueche-epidemien-pandemien/aktuelle-ausbrueche-epidemien/novel-cov.html>
- Finnish Government. (2020a). Combating coronavirus together by sharing reliable information. Retrieved from [https://valtioneuvosto.fi/en/article/-/asset\\_publisher/10616/torjutaan-korona-yhdessa-jaa-luotettavaa-tietoa-eteenpain](https://valtioneuvosto.fi/en/article/-/asset_publisher/10616/torjutaan-korona-yhdessa-jaa-luotettavaa-tietoa-eteenpain)
- Finnish Government. (2020b). Prime Minister's Office appoints Operations Centre to support management of COVID-19 situation. *Government Communications Department*. Retrieved from [https://valtioneuvosto.fi/en/article/-/asset\\_publisher/10616/valtioneuvoston-kanslia-perusti-operaatiokeskuksen-tukemaan-koronavirustilanteen-johtamista](https://valtioneuvosto.fi/en/article/-/asset_publisher/10616/valtioneuvoston-kanslia-perusti-operaatiokeskuksen-tukemaan-koronavirustilanteen-johtamista)
- Finnish Institute for Health and Welfare. (2020). Coronavirus COVID-19 – Latest Updates. Retrieved from <https://thl.fi/en/web/infectious-diseases/what-s-new/coronavirus-covid-19-latest-updates>
- Gautret, P., Al-Tawfiq, J. A., & Hoang, V. T. (2020). COVID 19: Will the 2020 Hajj pilgrimage and Tokyo Olympic Games be cancelled? *Travel medicine and infectious disease*, 101622. doi:10.1016/j.tmaid.2020.101622
- Grasselli, G., Pesenti, A., & Cecconi, M. (2020). Critical Care Utilization for the COVID-19 Outbreak in Lombardy, Italy: Early Experience and Forecast During an Emergency Response. *JAMA*. doi:10.1001/jama.2020.4031
- Gregorio, X. (2020). Movement of people in Luzon restricted as island placed under 'enhanced' community quarantine. In: CNN Philippines.
- Health Village. (2020). Epidemic bot: corona COVID-19. Retrieved from <https://www.terveyskyla.fi/koronabotti/en#>
- Hellewell, J., Abbott, S., Gimma, A., Bosse, N. I., Jarvis, C. I., Russell, T. W., . . . Diamond, C. (2020). Feasibility of controlling COVID-19 outbreaks by isolation of cases and contacts. *The Lancet Global Health*, 8(4), e488-e496. doi:10.1016/S2214-109X(20)30074-7



- Accepted Article
- Henley, J., & Pilkington, E. (2020). Covid-19: Europe toll passes 50,000 as Japan declares emergency. *The Guardian*. Retrieved from <https://www.theguardian.com/world/2020/apr/07/covid-19-trump-adviser-memos-emerge-as-japan-takes-emergency-measures>
- Ho-him, C. (2020). Coronavirus: thousands of Hong Kong hospital workers back strike to demand closure of border with mainland China. *South Morning China Post*. Retrieved from <https://www.scmp.com/news/hong-kong/health-environment/article/3048548/coronavirus-thousands-hong-kong-hospital-workers>
- Hong Kong Immigration Department. (2020). Cross-boundary passenger traffic estimation and arrangements for Lunar New Year festive period. Retrieved from <https://www.immd.gov.hk/eng/press/press-releases/20200120.html>
- Horton, R. (2020). Offline: COVID-19—a reckoning. *The Lancet*, 395(10228). doi:10.1016/S0140-6736(20)30669-3
- Hunter, D. J. (2020). Covid-19 and the Stiff Upper Lip—The Pandemic Response in the United Kingdom. *New England Journal of Medicine*. doi:10.1056/NEJMp2005755
- Jazieh, A. R., Al Hadab, A., Al Olayan, A., AlHejazi, A., Al, Safi, F., . . . Alenazi, T. H. (2020). Managing Oncology Services During a Major Coronavirus Outbreak: Lessons From the Saudi Arabia Experience. *JCO Global Oncology*, 6, 518-524. doi:10.1200/GO.20.00063
- Lau, C., & Cheung, E. (2020). Coronavirus: Hong Kong reliving Sars nightmare as outbreak spreads. Retrieved from <https://www.scmp.com/news/hong-kong/health-environment/article/3050029/coronavirus-hong-kong-sars-victims-and-frontline>
- Laurell, C., A., & Giovanella, L. (2018). Health policies and systems in Latin America. *Oxford Research Encyclopedia of Global Public Health*. doi:10.1093/acrefore/9780190632366.013.60
- Lum, A., & Lok-kei, S. (2020). China coronavirus: Hong Kong leader hits back at delay criticism as she suspends school classes, cancels marathon and declares city at highest level of emergency. *South Morning China Post*. Retrieved from <https://www.scmp.com/news/hong-kong/health-environment/article/3047645/china-coronavirus-hong-kong-students-get-two-more>
- Malvy, D., McElroy, A. K., de Clerck, H., Günther, S., & van Griensven, J. (2019). Ebola virus disease. *The Lancet*, 393(10174), 936-948. doi:10.1016/S0140-6736(18)33132-5

- Meng, H., Kath, S., Li, D., & Nguyen, Q. C. (2017). National substance use patterns on Twitter. *PLoS ONE*, *12*(11), e0187691. doi:10.1371/journal.pone.0187691
- Ministry of Health. (2020). *Coronavirus Disease 19 (COVID-19) Guidelines February 2020 VI.1*. Retrieved from <https://www.moh.gov.sa/CCC/healthp/regulations/Documents/Coronavirus%20Disease%202019%20Guidelines%20v1.1..pdf>
- National Conference of State Legislatures. (2020). State Action on Coronavirus (COVID-19). Retrieved from <https://www.ncsl.org/research/health/state-action-on-coronavirus-covid-19.aspx>
- Omaha System Community of Practice. (2020). COVID-19 Response. Retrieved from <https://sites.google.com/view/omahasystemguidelines/covid-19-response>
- Organisation for Economic Co-operation and Development. (2019). Presentation of the 2019 Economic Survey of Mexico. Retrieved from <https://www.oecd.org/mexico/2019-economic-survey-of-mexico-may-2019.htm>
- Pan American Health Organization. (2017). Health Status of the Population; Population Characteristics and Trends. Retrieved from <https://www.paho.org/salud-en-las-americanas-2017/?p=1864>
- Poon, L. L. M., Guan, Y., Nicholls, J., Yuen, K., & Peiris, J. (2004). The aetiology, origins and diagnosis of severe acute respiratory syndrome. *The Lancet Infectious Diseases*, *4*(11), 663-671. doi:10.1016/S1473-3099(04)01172-7
- Provincial Health Services Authority. (2020). Office of Virtual Health. Retrieved from <http://www.phsa.ca/health-professionals/professional-resources/office-of-virtual-health#Partner--with--us>
- Randell, R., Alvarado, N., McVey, L., Greenhalgh, J., West, R. M., Farrin, A., . . . Dowding, D. (2020). How, in what contexts and why do quality dashboards lead to improvements in care quality in acute hospitals? Protocol for a realist feasibility evaluation. *BMJ Open*, *10*(2). doi:10.1136/bmjopen-2019-033208
- Ronquillo, C., Topaz, M., Pruinelli, L., Peltonen, L. M., & Nibber, R. (2017). *Competency recommendations for advancing nursing informatics in the next decade: International survey results*. Paper presented at the *Studies in Health Technology and Informatics*.

- Salathé, M., Althaus, C. L., Neher, R., Stringhini, S., Hodcroft, E., Fellay, J., & Eckerle, I. (2020). COVID-19 epidemic in Switzerland: on the importance of testing, contact tracing and isolation. *Swiss Medical Weekly*, 150(1112). doi:10.4414/smw.2020.20225
- Santos, M. E., & Villatoro, P. (2018). A multidimensional poverty index for Latin America. *Review of Income and Wealth*, 64(1), 52-82. doi:10.1111/roiw.12275
- Saudi German Hospitals. (2020). "Saudi German hospitals group" provides a new service "at home" to treat patients at their homes. Retrieved from <https://www.sghgroup.com.sa/en/branches/riyadh/news/saudi-german-hospitals-group-provides-new-service-home-treat-patients-their>
- Secretaria de Salud de México. (2020). Información sobre Servicios Digitales. Retrieved from <https://coronavirus.gob.mx/multimedia/>
- Sood, A., Pollard, C., Le Suer, K., Vlahovich, K., & Walker, J. (2020). Caring for Miners During the Coronavirus Disease- 2019 (COVID- 19) Pandemic. *The Journal of Rural Health*. doi:10.1111/jrh.12444
- SoteDigi Oy. (2020). Omaolo. Retrieved from <https://www.omaolo.fi/en>
- Stevenson, A., Ramzy, A., & May, T. (2020). In Hong Kong, the Coronavirus Strikes a Wounded City. *The New York Times*. Retrieved from <https://www.nytimes.com/2020/02/07/business/hong-kong-coronavirus.html>
- Stewart, H., & Campbell, D. (2020). NHS workers angered at Hancock's warning not to overuse PPE. *The Guardian*. Retrieved from <https://www.theguardian.com/society/2020/apr/10/matt-hancock-urges-public-not-to-overuse-ppe>
- University of Columbia. (2020). CovidWatcher. Retrieved from <https://covidwatcher.dbmi.columbia.edu/>
- Wallach, P. A., & Myers, J. (2020). The federal government's coronavirus response—Public health timeline. Retrieved from <https://www.brookings.edu/research/the-federal-governments-coronavirus-actions-and-failures-timeline-and-themes/>
- Wang, C., Horby, P. W., Hayden, F. G., & Gao, G. F. (2020). A novel coronavirus outbreak of global health concern. *The Lancet*, 395(10223), 470-473. doi:10.1016/S0140-6736(20)30185-9

- Accepted Article
- Wanner, C. (2020). Das Schweizer Gesundheitswesen rüstet auf. Retrieved from <https://www.srf.ch/news/schweiz/schub-fuer-digitalisierung-das-schweizer-gesundheitswesen-ruestet-auf>
- Woods, M. (2020). Flatten The Curve: What It Means For Coronavirus In Canada. *The Huffington Post*. Retrieved from [https://www.huffingtonpost.ca/entry/flatten-the-curve-coronavirus-canada\\_ca\\_5e6ab55fc5b6dda30fc5cfb1?guccounter=1&guce\\_referrer=aHR0cHM6Ly9kdWNrZHVja2dvLmNvbS8&guce\\_referrer\\_sig=AQAAAJu\\_kBqcHwUDSHo-WYMUf6KeEYG-ZiF49fQYpaM2jQm7kqrsNrKbf9\\_fcsovqQWdwuXHIIxxg3XMAhOfIOWzjhYSaeL-3E-v2PL1zWP7dWnf0lChMd2zCgt7nXVsw49xZ8B8dSGP-97ppq\\_RnCnQIRaGnCgCi53HBhIhm1Ec3kGO](https://www.huffingtonpost.ca/entry/flatten-the-curve-coronavirus-canada_ca_5e6ab55fc5b6dda30fc5cfb1?guccounter=1&guce_referrer=aHR0cHM6Ly9kdWNrZHVja2dvLmNvbS8&guce_referrer_sig=AQAAAJu_kBqcHwUDSHo-WYMUf6KeEYG-ZiF49fQYpaM2jQm7kqrsNrKbf9_fcsovqQWdwuXHIIxxg3XMAhOfIOWzjhYSaeL-3E-v2PL1zWP7dWnf0lChMd2zCgt7nXVsw49xZ8B8dSGP-97ppq_RnCnQIRaGnCgCi53HBhIhm1Ec3kGO)
- World Health Organization. (2003). Summary of probable SARS cases with onset of illness from 1 November 2002 to 31 July 2003. Retrieved from [https://www.who.int/csr/sars/country/table2004\\_04\\_21/en/](https://www.who.int/csr/sars/country/table2004_04_21/en/)
- World Health Organization. (2020a). Coronavirus Disease (COVID-19). Retrieved from <https://covid19.who.int>
- World Health Organization. (2020b). Novel Coronavirus (2019-nCoV) Situation Reports. Retrieved from <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports>
- World Health Organization. (2020c). Statement on the second meeting of the International Health Regulations (2005) Emergency Committee regarding the outbreak of novel coronavirus (2019-nCoV). Retrieved from [https://www.who.int/news-room/detail/30-01-2020-statement-on-the-second-meeting-of-the-international-health-regulations-\(2005\)-emergency-committee-regarding-the-outbreak-of-novel-coronavirus-\(2019-ncov\)](https://www.who.int/news-room/detail/30-01-2020-statement-on-the-second-meeting-of-the-international-health-regulations-(2005)-emergency-committee-regarding-the-outbreak-of-novel-coronavirus-(2019-ncov))
- World Health Organization. (2020d). WHO Director-General's opening remarks at the media briefing on COVID-19 - 11 March 2020. Retrieved from <https://www.who.int/dg/speeches/detail/who-director-general-s-opening-remarks-at-the-media-briefing-on-covid-19---11-march-2020>

Yong, E. (2020). The U.K.'s Coronavirus 'Herd Immunity' Debacle. *The Atlantic*. Retrieved from <https://www.theatlantic.com/health/archive/2020/03/coronavirus-pandemic-herd-immunity-uk-boris-johnson/608065/>

Zhang, Y., Sun, Z., Latour, J. M., Hu, B., & Qian, J. (2020). Hospital response to the COVID-19 outbreak: the experience in Shanghai, China. *Journal of Advanced Nursing*. doi:10.1111/jan.14364