



Zbornik izabranih radova i izvoda **Prvi naučni skup**

Multidisciplinarni pristup kulturnoj baštini, savremenim materijalima i tehnologijama

Zbornik izvoda i izabrabnih radova Prvog nacionalnog naučno'stručnog skupa MULTIDISCIPLINARNI PRISTUP KULTURNOJ BASTINI, SAVREMENIM MATERIJALIMA I TEHNOLOGIJAMA 03. Jun 2017. god. u Beogradu

Izdavač:

Centralni institut za konzervaciju, Beograd Terazije 26, 11000 Beograd Naučno društvo za razvoj i afirmaciju novih tehnologija, Beograd Partizanski put 165, 11230 Sopot Srbija

Štampa:

Centralni institute za konzervaciju, Beograd Naučno društvo za razvoj i afirmaciju novih tehnologija, Beograd Štampano u Beogradu.

Editori: dr Sanja Petronić dr Suzana Polić

Zbornik sadrži radove koje su pregledali i prihvatili recenzenti za usmenu prezentaciju na Prvoj naučnostručnoj konferenciji "Multidisciplinarni pristup kulturnoj baštini, savremenim materijalima i tehnologijama" održanoj u Beogradu 03. juna 2017. godine. Svi radovi su recenzirani.

Autori su odgovorni za tačnost i sadržaj objavljenih radova.

Tiraž 200 primeraka

Copyright: © 2017 Centralni institut za konzervaciju, Beograd i Naučno društvo za razvoj i afirmaciju novih tehnologija, Beograd

ISBN 978-86-6179-055-3

Zabranjeno kopiranje i umnožavanje. Sva prava zadržava izdavač

Organizatori:

Centralni institut za konzervaciju, Beograd Terazije 26, 11000 Beograd Naučno društvo za razvoj i afirmaciju novih tehnologija, Beograd

Naučni odbor:

Dr Milesa Srećković, redovni professor, Univerzitet u Beogradu - Elektrotehnički fakultet

Dr Andjelka Milosavljević, redovni professor, Univerzitet u Beogradu – Mašinski fakultet

Dr Sanja Petronić, viši naučni saradnik, Inovacioni centar Mašinskog fakulteta Univerziteta u Beogradu

Dr Suzana Polić, viši naučni saradnik, Centralni institut za konzervaciju, Beograd

Dr Valentin Birdeanu, National R&D Institute for Welding and Material Testing - ISIM Timişoara, Romania

Dr Slobodan Bojanić, professor, Universidad Politechnica de Madride, Spain

Dr Ami Barr, Brown University, USA

Dr Svetlana Pelemiš, vanredni professor, Univerzitet Istočno Sarajevo, Tehnološki fakultet Zvornik

Dr Magdalena Dragović, vanredni professor, Građevinski fakultet Univerzitet u Beogradu

Dr Meri Burzić, naučni savetnik, Inovacioni centar Mašinskog fakulteta Univerziteta u Beogradu

Dr Olivera Erić-Cekić, viši naučni saradnik, Inovacioni centar Mašinskog fakulteta Univerziteta u Beogradu

Dr Tatjana Sibalija, redovni professor, Metropolitan Univerzitet, Beograd, Srbija

Dr Nedžad Rudonja, docent, Univerzitet u Beogradu – Mašinski fakultet

Dr Radomir Jovičić, naučni saradnik, Inovacioni centar Mašinskog fakulteta Univerziteta u Beogradu

Organizacioni odbor:

Dr Sanja Petronić, viši naučni saradnik, Inovacioni centar Mašinskog fakulteta Univerziteta u Beogradu Dr Suzana Polić, viši naučni saradnik, Centralni institut za konzervaciju, Beograd Dimitrije Maljević, student, Univerzitet u Beogradu – Mašinski fakultet Luka Jovanović, student, Univerzitet u Beogradu – Ekonomski fakultet Maša Mijatović, student, Fakultet za medije I komunikaciju, Univerzitet Singidunum

PREDGOVOR

Prva Naučno-stručna Konferencija pod nazivom "Multidisciplinarni pristup kulturnoj baštini, savremenim materijalima i tehnologijama ", nastala je i održana je zajedničkim radom i idejama Udruženja "Naučno društvo za razvoj i afirmaciju novih tehnologija" iz Beograda i Centralnog instituta za konzervaciju iz Beograda.

Konferencija je održana 03. juna 2017. god u prostorijama Centralnog instituta za konzervaciju, Terazije 26 u Beogradu.

Ideja konferencije je proistekla iz potrebe za povezivanjem kulturne baštine sa savremenim materijalima, tehnologijama imetodama ispitivanja.

Zbornik obuhvata izabrane radove i izvode izloženih na samoj Konferenciji, pregledanih i prihvaćenih od recenzenata kojima se ovom prilikom zahvaljujemo. Naučni radovi su obuhvatili više naučnih oblasti.

Obzirom na raznovrsnost metoda i pristupa ispitivanja koje su publikovane u ovom Zborniku, verujemo da će mnoga saznanja naći svoju primenu kako u drugim naučnim disciplinama tako i neposredno u praksi.

Radovi su izloženi I odštampani na srpskom i na engleskom jeziku.

U organizaciji Konferencije, ali i pisanju i prezentaciji radova učestvovalo je nekoliko studenata, čime je ispunjen jedan od važnih ciljeva postojanja Udruženja "Naučno društvo za razvoj i afirmaciju novih tehnologija" i Centralnog instituta za konzervaciju.

Editori se zahvaljuju svim autorima na učešću.

SADRŽAJ

1.	MULTIDISCIPLINARNI PRISTUP PROJEKTOVANJU I ISPITIVANJU BIOMEHANIČKIH KARAKTERISTIKA PARCIJALNE PROTEZE KUKA,
	Katarina G. Čolić1
2.	NEKE PRIMENE OPTIČKIH METODA KAO PODRŠKA U KONZERVACIJI I RESTAURACIJI OBJEKATA KULTURNE BAŠTINE Aleksander Kovačević
3.	UTICAJ MIHAILA PETROVIĆA ALASA NA DRUŠTVENI RAZVOJ
	Ljubinko Janjušević, Suzana Polić26
4.	PRORAČUN NAPONSKO – DEFORMACIONOG STANJA KOMPOZITNIH STRUKTURA SA SAĆASTOM ISPUNOM
	Mirko Dinulović, Aleksandar Grbović, Danilo Petrašinović
5.	APPLICATION OF DIGITAL GRAPHICS TOOLS AND CONTACTLESS MEASURING INSTRUMENTS IN 3D SCENE RECONSTRUCTION
	Magdalena Dragović, Aleksandar Čučaković, Milena Davidović, Jelena Pandžić, Mirjana Božić, Darko Vasiljević, Milesa Srećković42
6.	ZAŠTITA INDUSTRIJSKOG NASLEĐA: ELEKTROMAGNETNO I ULTRAZVUČNO ISPITIVANJE POLOMLJENOG KOLENASTOG VRATILA BRZE PRESE ZA DUBOKO IZVLAČENJE
	Zoran Karastojković, Slobodan Čubrilović, Nikola Bajić, Zoran Janjušević, Suzana Polić48
7.	PRIMENA LUMINISCENTNIH PROCESA U IDENTIFIKACIJI MATERIJALA OD INTERESA ZA KULTURNU BAŠTINU I DEJSTVO NUKLEARNIH ZRAČENJA NA TERMOLUMINISCENTNE KARAKTERISTIKE
	Miloš Pavlović, Zdravko Veinović, Milesa Srećković, Sanja Jevtić, Milena Davidović, Slađana Pantelić54
8.	TREE QUALITY TESTING
	Sladjana Karac and Predrag Jovanic60
9.	TEHNIČKI ASPEKTI POJAČAVAČA SLIKE I NJEGOVA POTENCIJALNA ULOGA U KOMPARACIJI PROBLEMATIKE OBRADE I PRENOSA SLIKE
	Zoran Fidanovski, Milesa Srećković, Dragan Knežević, Aleksandar Bugarinović, Slađana Pantelić, Marija Hribšek64
10.	TERMOVIZIJSKA ANALIZA RAZVIJENIH TEMPERATURA NA RAZLIČITIM TIPOVIMA MATERIJALA I ZAVISNOST OD TALASNE DUŽINE UPADNOG LASERSKOG SNOPA
	Milesa Srećković, Suzana Polić, Zoran Stević, Aleksander Kovačević, Ružica Vasić, Zoran Karastojković, Nada Borna, Srđan Milanović, Sanja Jevtić70

	CONTEMPORARY METHODS IN LONG RANGE AND IN SITU MATERIAL DEFINITION AT VARIOUS LOCATIONS OF CULTURAL HERITAGE SIGNIFICANCE
	Milesa Srećković, Amy Barr Mlinar, Lazar Kričak, Stanko Ostojić, Suzana Polić, Magdalena Dragović, Aleksandar Čučaković84
	ZDRAVSTVENA KULTURA I INFORMACIONE TEHNOLOGIJE: IDEJNO REŠENJE REGISTRA ZA SKRINING (na srpskom)
	Tamara Naumović, Verica Jovanović, Saša Malkov, Igor Grkavac, Rajko Korićanac, Živko Perišić95
	HEALTH CULTURE AND INFORMATIONAL TECHNOLOGIES IN MEDICINE: PROTOTYPE OF SCREENING REGISTRY (in English) Tamara Naumovic, Verica Jovanovic, Sasa Malkov, Igor Grkavac, Rajko Koricanac, Zivko Perišic
	THE USE OF NEW TECHNOLOGICAL DEVICES IN TESTING AND EDUCATION OF YOUNG CHILDREN (in English)
	Svetlana Čičević, Magdalena Dragović, Aleksandar Trifunović, Dragan Lazarević, Momčilo Dobrodolac99
	KORIŠĆENJE NOVIH TEHNOLOŠKIH UREĐAJA ZA TESTIRANJE I EDUKACIJU DECE (na srpskom)
	Svetlana Čičević, Magdalena Dragović, Aleksandar Trifunović, Dragan Lazarević, Momčilo Dobrodolac100
16.	TRANSFORMACIJE TEHNOLOGIJA U RAZVOJU ŽELEZNICA I TREND
,	Sanja Jevtić101
	PRODUCTION AND SALES OF MOTOR VEHICLES IN THE WORLD A BRIEF OVERVIEW AND TENDENCY
	Živojin Petrović, Predrag Petrović, Vuk Velisavljev102
	TEŠKOĆE I MOGUĆI PRILAZI U SIMULIRANJU TERMALNIH PROCESA IZAZVANIH IZLAGANJU KERAMIČKIH MATERIJALA SNOPOVIMA ND:YAG LASERA U Q- SWITCH REŽIMU
	Milovan Janićijević103
	DETERMINATION OF PROCESSING WINDOW FOR ADI MATERIALS ALLOYED WITH COPPER, NICKEL AND MOLYBDENUM
	Olivera Eric Cekic, Dragan Rajnovic, Leposava Sidjanin104
_	UTICAJ MEHANIČKE OBRADE LASEROM NA RAST PRSLINE USLED ZAMORA NA
	UZORCIMA LEGURA TITANA Sanja Petronić, Branislav Đorđević, Katarina Čolić, Anđelka Milosavljević105
21.	PRIMENA METODE KONAČNIH ELEMENATA NA MEHANIČKU OBRADU LASEROM LEGURE TITANA Katarina Čolić, Filip Vučetić, Sanja Petronić106





APPLICATION OF DIGITAL GRAPHICS TOOLS AND CONTACTLESS MEASURING INSTRUMENTS IN 3D SCENE RECONSTRUCTION

Magdalena Dragović¹, Aleksandar Čučaković¹, Milena Davidović¹, Jelena Pandžić¹, Mirjana Božić², Darko Vasiljević² and Milesa Srećković³

¹ Faculty of Civil Engineering, University of Belgrade, Serbia
² Institute of Physics, Belgrade, Serbia
³ Faculty of Electrical Engineering, University of Belgrade, Serbia

Abstract

Innovative technologies often join their methodologies, instruments and techniques in solving various types of sophisticated problems in the area of architectural cultural heritage. Beside precise photogrammetric and laser scanning methods, the other less expensive and less time consuming methods for 3D scene/object reconstruction exist. The choice of tools/instruments and methodologies depends on large scale of factors (time or space limitations, finances, availability of instruments and graphic software, etc.). For particular project's purposes, 3D scene reconstruction, the chimney of an old brick factory in Belgrade with its surrounding buildings, was performed and presented as 3D digital model. The combination of 3D modeling graphic software tools, measurement data recorded by laser based geodetic instrument and image data taken by digital camera were employed for architectural scene reconstruction.

Since there was no available technical documentation, first part of the project included measurements of existing objects. The task concerning precise dimensioning and spatial positioning, especially regarding the chimney was set. The scene (chimney and surrounding objects) was recorded by photo camera Canon Powershot A710 IS from the second floor of the Institute of Physics' building, while real geodetic measurements were obtained by geodetic instrument - total station Sokkia SET3130R3 positioned at the same view-point. Based on coordinates of some characteristic points on the chimney and the building, the scene was reconstructed and modeled in real dimensions in graphic software Auto CAD. Classical Descriptive geometry method for single image restitution was employed in addition for the purposes of correct spatial positioning (mutual relationships) of two recorded objects, and comparison of obtained results as well.

This reconstruction project has its educational, cultural and documenting aims. Hence employed and gathered various disciplines and knowledge gave an adequate solution of practical engineering multidisciplinary task.

Key words: 3D scene reconstruction, contactless measurements, 3D digital graphic model

1. INTRODUCTION

Contemporary trends in cultural heritage preservation inspire civil engineering/architecture professionals to explore possibilities of particular objects' revival for their utilization in new life-stream [1]. Among them auxiliary objects such as chimneys of old ruined or destroyed factories exist. One of them is prepossessing chimney of an old brick factory in the beautiful surroundings of the Danube river bank and in the vicinity of important scientific institution (Fig. 1).








Fig. 1 Satelite image of the location in Zemun (Google Earth screenshot)



Fig. 2 Photo image taken from the window of Institute of Physics

The inspiration for 3D presentation of this object came from an interesting photo taken from the window of the Institute of Physics (Fig.2). The old chimney is a representative of a certain expiring time and culture, hence an impulse for "saving" the scene and present it in the form of 3D digital model seemed worthy in several aspects. Just a few similar objects exist in old Belgrade's parts. It looked like a challenging task to unite several disciplines and employ new technologies. Without any technical documentation one should found practical (not expensive one) solution for measurement data and graphic design.

2. EXPERIMENTAL: RECORDING THE SCENE

In order to obtain some reliable data total station—Sokkia SET3130R3 (Fig. 3) was employed for several characteristic coordinates (Table 1) on the chimney (points along one of the visible edges of the octagonal object as presented in Fig. 4). The instrument is positioned at the view point of the "photographer" - at the second floor of the Institute. The coordinate system of the instrument was pursued with coordinate system of 3D model [2]. The measurement accuracy of Sokkia total station for angles is 3" and 3 mm + 2 ppm for lengths, if a laser beam is used. This was the case in Zemun's project.

The scene (chimney and surrounding objects) was previously recorded by photo camera Canon Powershot A710 IS (Fig. 2), as mentioned. The raster image file was imported in AutoCAD drawing file in order to start perspective restitution drawing procedure.





Table 1. Coordinate data of recorded points

	X	Υ	Z	Name	
101	5000	3000	100	view point	
1	5000	3058.235	102.629	ring	
2	4999.984	3058.262	104.009	ring	
3	4999.958	3058.311	105.488	ring	
4	4999.927	3058.362	107.573	ring	
5	4999.9	3058.415	110.003	ring	
6	4999.874	3058.491	112.465	ring	
7	4999.826	3058.552	115.155	ring	
8	4999.79	3058.618	117.703	ring	
9	4999.762	3058.702	120.202	ring	
10	4999.738	3058.749	122.574	ring	
11	4999.741	3058.83	125.352	ring	
12	4999.78	3058.847	127.577	brick below	the ring
13	4999.76	3058.892	127.802	ring	



Fig. 3 Total station Sokkia SET3130R3 http://www.geosurvey.co.uk/set3130r3-tachymeter-stations




Fig.4 Disposition of recorded points on the chimney

Interpretation of the task by descriptive geometry methods

Descriptive geometry has its important role in image reconstruction procedure [5]. Main principles of classical perspective drawing (determination of vanishing points and lines of characteristic objects on perspective photo image) in inverse procedure for determination of the observers' view point were applied in procedure of scene restitution. (Fig.5a). According to obtained dimensions in image restitution, the plan restitution followed (Fig. 5b). Angular and





lenght dimensions are presented in order to define mutual relations – disposition of observed objects: the chimney and outbuilding. The dimensions of the Institutes' outbuilding were compared to the data obtained by common measurements. The difference between accuracy of the recorded data obtained by precise geodetic device and those obtained by image restitution was neglected. The reason is that image restitution could not give precise dimensions because of rather small image size (*.jpg file image imported into Auto CAD drawing). The correctness of perspective restitution results was satisfactory regarding the lack of any technical documentation.




Fig. 5a Perspective restitution of the scene: Image restitution




Fig. 5b Perspective restitution of the scene: Plan restitution





3D modeling procedure

3D modeling procedure needed certain geometric skills, not only in modeling procedure, but managing with "missing " data. Only a few points of outbuilding were recorded by precise instrument, while the others should have been reconstructed. In order to get as much realistic scene as possible, some details of outbuilding were presented: doors, windows, etc. as well as approximate terrain simulation (Fig. 6).




Fig. 6 3D model of the reconstructed scene - chimney with outbuilding of the Institute (view point of the instrument with virtual laser rays - coordinate origin)

CONCLUSION

Project which preliminary task was to explore possibility of efficient and non-expensive solution for 3D scene reconstruction, achieved several results in various fields and disciplines: cultural heritage, 3D technology application, technical documenting, affirmation of descriptive geometry principles, information, etc.

It can be stated that the importance of cultural heritage protection directs several aspects:

- Beside application of new technologies, protection of classical knowledge;
- Respect of old culture and architecture (monuments and characteristic objects) and their transformation in contemporary streamline [3];
- Cultivation of skills aided by 3D technologies;
- Stimulating creative experiments and ideas, regardless their costs [4];
- Association of compatible disciplines and experts;
- Cultivation of beauty in any sense.

It is certain that the chimney of the destroyed brick factory could be utilized in several functional purposes: one of characteristic landscape viewpoints which Belgrade and Zemun offer; orientation point in the network of similar objects in the city; witness of the certain past





time in touristic cultural heritage guide; attractive object for inspiring architectural renovation, etc.

The results of the investigation, 3D model of the scene, with proper materialization could be inserted in 3D map of the city, and hence give a small contribution of ongoing 3D digitization process.

REFERENCES

- [1] A. Čučaković, M. Dragović, M. Pejić, M. Srećković, J. Pandžić (2016) *The possibilities of application of 3D digital models in cultural heritage objects' protection and reconstruction*, Proc. of Int. Conf. MoNGeometrija 2016, Belgrade, Serbia, June 23-26, 2016. pp. 434-443.
- [2] J. Maksimović, M. Mirković, Lj. Brajović, G. Todorović (2016) *Application of geometry in geodetic instruments and measurement techniques*, Proc. of Int. Conf. MoNGeometrija 2016, Belgrade, Serbia, June 2016. pp. 434-443.
- [3] P. Pejić, S. Krasić, H. Krstić, M. Dragović, Y. Akbiyik (2017) *The 3D virtual modeling of existing objects by terrestrial photogrammetric methods case study of Barutana*. Tehnički vjesnik, 24 (supplement 1) pp. 233-239
- [4] J. Reznicek, K. Pavelka (2008) *New low cost 3D scanning techniques for cultural heritage documentation*, The Int. Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences. Vol XXXVIII. Part B5, Beijing, pp.237–240.
- [5] V. Stojaković (2008) 3D modeling based on photographic data, Novi Sad J. Math., Vol.38, No.3, pp.65-72.