

HENRY

Hydraulic Engineering Repository

Ein Service der Bundesanstalt für Wasserbau

Periodical Part, Report, Published Version

**Kirches, Grit; Paperin, Michael; Klein, Holger; Brockmann, Carsten;
Stelzer, Kerstin**

The KLIWAS Climatology for Sea Surface Temperature and Ocean Colour Fronts in the North Sea

KLIWAS Schriftenreihe

Verfügbar unter/Available at: <https://hdl.handle.net/20.500.11970/105375>

Vorgeschlagene Zitierweise/Suggested citation:

Kirches, Grit; Paperin, Michael; Klein, Holger; Brockmann, Carsten; Stelzer, Kerstin (2013):
The KLIWAS Climatology for Sea Surface Temperature and Ocean Colour Fronts in the
North Sea. Koblenz: Bundesanstalt für Gewässerkunde (KLIWAS Schriftenreihe, 23B/2013).
https://doi.org/10.5675/Kliwas_Climatology_Northsea_B.

Standardnutzungsbedingungen/Terms of Use:

Die Dokumente in HENRY stehen unter der Creative Commons Lizenz CC BY 4.0, sofern keine abweichenden Nutzungsbedingungen getroffen wurden. Damit ist sowohl die kommerzielle Nutzung als auch das Teilen, die Weiterbearbeitung und Speicherung erlaubt. Das Verwenden und das Bearbeiten stehen unter der Bedingung der Namensnennung. Im Einzelfall kann eine restriktivere Lizenz gelten; dann gelten abweichend von den obigen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Documents in HENRY are made available under the Creative Commons License CC BY 4.0, if no other license is applicable. Under CC BY 4.0 commercial use and sharing, remixing, transforming, and building upon the material of the work is permitted. In some cases a different, more restrictive license may apply; if applicable the terms of the restrictive license will be binding.

Verwertungsrechte: Alle Rechte vorbehalten

KLIWAS Schriftenreihe KLIWAS-23B/2013

The KLIWAS Climatology for
Sea Surface Temperature and
Ocean Colour Fronts in the North Sea
Part B: SST Products

Koblenz, im Oktober 2013



KLIWAS

KLIWAS Schriftenreihe KLIWAS-23/2013

The KLIWAS Climatology for
Sea Surface Temperature and
Ocean Colour Fronts in the North Sea
Part B: SST Products

Authors:

Grit Kirches ¹
Michael Paperin ¹
Holger Klein ²
Carsten Brockmann ¹
Kerstin Stelzer ¹

¹ Brockmann Consult GmbH


² Federal Maritime and
Hydrographic Agency

Brockmann Consult GmbH, Max-Planck-Straße 2, 21502 Geesthacht,
Germany

Federal Maritime and Hydrographic Agency, Bernhard-Nocht-Straße 78, 20359 Hamburg,
Germany

CLIMATOLOGY

of SST and Water Colours Fronts in the North Sea




KLIWAS
Klima · Wasser · Schifffahrt

2 0 1 3


**BROCKMANN
CONSULT**


BUNDESAGENTUR FÜR
SEE-SCHIFFFAHRT
UND
HYDROGRAPHIE

Page

Chapter

Contents

06		LIST OF FIGURES
09	1	ABSTRACT
11	2	SST-TIME SERIES
11	2.1	SST TIME SERIES BASED ON THE DATA OF THE AVHRR-SENSOR ON NOAA AND METOP
11	2.1.1	TIME PERIOD 1990-2011, ANNUAL MEANS
16	2.1.2	TIME PERIOD 1990-2011, SEASONAL MEANS
21	2.1.3	TIME PERIOD 1990-2011, MONTHLY MEANS
26	2.2	SST TIME SERIES BASED ON THE DATA OF THE MODIS-SENSOR ON AQUA, 2003 -2011
31	2.3	SST-TIME SERIES BASED ON THE DATA OF THE AATSR-SENSOR ON ENVISAT, 2002 - 2011
36	2.4	INTER-COMPARISON OF FRONTS DERIVED FROM THE SST DATA OF THE AATSR SENSOR ON ENVISAT, OF THE AVHRR SENSOR ON NOAA AND METOP AS WELL AS OF THE MODIS SENSOR ON AQUA, 2003 - 2010

page

Figure

List of figures

11	1	MEAN SST FIELD BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011
12	2	FRONT PROBABILITY BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011
13	3	MEAN OF GRADIENT MAGNITUDE FOR FRONTAL ZONE BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011
14	4	MAGNITUDE OF MEAN FRONT GRADIENT VECTOR BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011
15	5	DIRECTION OF MEAN FRONT GRADIENT VECTOR BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011
11	6	MEAN SST FIELD BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011 AND FOR SEASONS
12	7	FRONT PROBABILITY BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011 AND FOR SEASONS
13	8	MEAN OF GRADIENT MAGNITUDE FOR FRONTAL ZONE BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011 AND FOR SEASONS
14	9	MAGNITUDE OF MEAN GRADIENT VECTOR FOR FRONTAL ZONE BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011 AND FOR SEASONS
15	10	DIRECTION OF MEAN GRADIENT VECTOR FOR FRONTAL ZONE BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011 AND FOR SEASONS
16	11	MEAN SST FIELDS BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011 AND FOR MONTHS
17	12	FRONT PROBABILITY BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011 AND FOR MONTHS
18	13	MEAN OF GRADIENT MAGNITUDE FOR FRONTAL ZONE BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011 AND FOR MONTHS
19	14	MAGNITUDE OF MEAN GRADIENT VECTOR FOR FRONTAL ZONE BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011 AND FOR MONTHS
20	15	DIRECTION OF MEAN GRADIENT VECTOR FOR FRONTAL ZONE BASED ON THE DATA OF THE AVHRR SENSOR ON NOAA AND METOP 1990 - 2011 AND FOR MONTHS

Page

Figure

List of figures

21	16	MEAN SST FIELD BASED ON THE DATA OF THE MODIS SENSOR ON AQUA 2003 - 2011
22	17	FRONT PROBABILITY BASED ON THE DATA OF THE MODIS SENSOR ON AQUA 2003 - 2011
23	18	MEAN OF GRADIENT MAGNITUDE FOR FRONTAL ZONE BASED ON THE DATA OF THE MODIS SENSOR ON AQUA 2003 - 2011
24	19	MAGNITUDE OF MEAN GRADIENT VECTOR FOR FRONTAL ZONE BASED ON THE DATA OF THE MODIS SENSOR ON AQUA 2003 - 2011
25	20	DIRECTION OF MEAN GRADIENT VECTOR FOR FRONTAL ZONE BASED ON THE DATA OF THE MODIS SENSOR ON AQUA 2003 - 2011
31	21	MEAN SST FIELD BASED ON THE DATA OF THE AATSR SENSOR ON ENVISAT 2002 - 2011
32	22	FRONT PROBABILITY BASED ON THE DATA OF THE AATSR SENSOR ON ENVISAT 2002 - 2011
33	23	MEAN OF GRADIENT MAGNITUDE FOR FRONTAL ZONE BASED ON THE DATA OF THE AATSR SENSOR ON ENVISAT 2002 - 2011
34	24	MAGNITUDE OF MEAN GRADIENT VECTOR FOR FRONTAL ZONE BASED ON THE DATA OF THE AATSR SENSOR ON ENVISAT 2002 - 2011
35	25	DIRECTION OF MEAN GRADIENT VECTOR FOR FRONTAL ZONE BASED ON THE DATA OF THE AATSR SENSOR ON ENVISAT 2002 - 2011
36	26	MEAN SST FIELDS BASED ON THE DATA OF THE AATSR SENSOR ON ENVISAT, MODIS SENSOR ON AQUA, OF THE AVHRR SENSOR ON NOAA AND METOP 2003 - 2010
37	27	FRONT PROBABILITY BASED ON THE DATA OF THE AATSR SENSOR ON ENVISAT, MODIS SENSOR ON AQUA, OF THE AVHRR SENSOR ON NOAA AND METOP 2003 - 2010
38	28	MEAN OF GRADIENT MAGNITUDE FOR FRONTAL ZONE BASED ON THE DATA OF THE AATSR SENSOR ON ENVISAT, MODIS SENSOR ON AQUA, OF THE AVHRR SENSOR ON NOAA AND METOP 2003 - 2010
39	29	MAGNITUDE OF MEAN GRADIENT VECTOR FOR FRONTAL ZONE BASED ON THE DATA OF THE AATSR SENSOR ON ENVISAT, MODIS SENSOR ON AQUA, OF THE AVHRR SENSOR ON NOAA AND METOP 2003 - 2010
40	30	DIRECTION OF MEAN GRADIENT VECTOR FOR FRONTAL ZONE BASED ON THE DATA OF THE AATSR SENSOR ON ENVISAT, MODIS SENSOR ON AQUA, OF THE AVHRR SENSOR ON NOAA AND METOP 2003 - 2010

1 Abstract

The KLIWAS climatology of sea surface temperature (SST) and ocean colour (OC) fronts in the North Sea was established by a co-operation of the Federal Maritime and Hydrographic Agency (BSH) and Brockmann Consult (BC) in order to generate a reliable reference data set for the assessment of changes in frontal position, gradients, and seasonal variability due to climate change on the basis satellite data.

Frontal zones are relative sharp boundaries between different water masses and can be identified by feature extraction and classification of satellite data from different sensors providing information about the SST and OC i.e. chlorophyll or suspended matter concentration. While frontal zones can be identified directly from SST, water quality parameters such as chlorophyll concentration can be a proxy for a frontal zone, but not every strong OC gradient is mandatory an oceanic front. More than two decades of satellite data have been analysed for this climatology referring to type and location of frontal zones, horizontal scales (e.g. gradients perpendicular to the front), and sensor characteristics like spatial resolution and noise.

This report consists of three parts:

Part A describes background, methods, data, the new algorithms, and the data access via ftp. The data are freely available for everyone.

Part B (this document) presents a selection of SST products, and

Part C presents a selection of OC products.

2 SST-time series

2.1 SST time series based on the data of the AVHRR-sensor on NOAA and METOP

2.1.1 Time period 1990-2011, annual means




Fig. 1: Mean SST field based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011




Fig. 2: Front probability based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011




Fig. 3: Mean of gradient magnitude for frontal zone based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011




Fig. 4: Magnitude of mean front gradient vector based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011




Fig. 5: Direction of mean front gradient vector based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011

2.1.2 Time period 1990-2011, seasonal means

Sea Surface Temperature




Fig. 6: Mean SST field based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011 and for seasons

SST - Front Zone Probability




Fig. 7: Front probability based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011 and for seasons

SST - Front Zone Magnitude




Fig. 8: Mean of gradient magnitude for frontal zone based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011 and for seasons

SST - Front Zone Vector Magnitude




Fig. 9: Magnitude of mean gradient vector for frontal zone based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011 and for seasons

SST - Front Zone Vector Direction




Fig. 10: Direction of mean gradient vector for frontal zone based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011 and for seasons

2.1.3 Time period 1990-2011, monthly means

Sea Surface Temperature




Fig. 11: Mean SST fields based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011 and for months

SST - Front Zone Probability




Fig. 12: Front probability based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011 and for months

SST - Front Zone Magnitude




Fig. 13: Mean of gradient magnitude for frontal zone based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011 and for months

SST - Front Zone Vector Magnitude




Fig. 14: Magnitude of mean gradient vector for frontal zone based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011 and for months

SST - Front Zone Vector Direction




Fig. 15: Direction of mean gradient vector for frontal zone based on the data of the AVHRR sensor on NOAA and METOP 1990 - 2011 and for months

2.2 SST time series based on the data of the MODIS-sensor on AQUA, 2003 - 2011




Fig. 16: Mean SST field based on the data of the MODIS sensor on AQUA 2003 - 2011




Fig. 17: Front probability based on the data of the MODIS sensor on AQUA 2003 - 2011




Fig. 18: Mean of gradient magnitude for frontal zone based on the data of the MODIS sensor on AQUA 2003 - 2011




Fig. 19: Magnitude of mean gradient vector for frontal zone based on the data of the MODIS sensor on AQUA 2003 - 2011




Fig. 20: Direction of mean gradient vector for frontal zone based on the data of the MODIS sensor on AQUA 2003 - 2011

2.3 SST time series based on the data of the AATSR sensor on ENVISAT, 2002 - 2011




Fig. 21: Mean SST field based on the data of the AATSR sensor on ENVISAT 2002 - 2011




Fig. 22: Front probability based on the data of the AATSR sensor on ENVISAT 2002 - 2011




Fig. 23: Mean of gradient magnitude for frontal zone based on the data of the AATSR sensor on ENVISAT 2002 - 2011




Fig. 24: Magnitude of mean gradient vector for frontal zone based on the data of the AATSR sensor on ENVISAT 2002 - 2011




Fig. 25: Direction of mean gradient vector for frontal zone based on the data of the AATSR sensor on ENVISAT 2002 - 2011

2.4 **Inter-comparison of fronts derived from the SST data of the AATSR sensor on ENVISAT, of the AVHRR sensor on NOAA and MEIOP as well as of the MODIS sensor on AQUA, 2003 - 2010**




Fig. 26: Mean SST fields based on the data of the AATSR sensor on ENVISAT, MODIS sensor on AQUA, of the AVHRR sensor on NOAA and METOP 2003 - 2010




Fig. 27: Front probability based on the data of the AATSR sensor on ENVISAT, MODIS sensor on AQUA, of the AVHRR sensor on NOAA and METOP 2003 - 2010




Fig. 28: Mean of gradient magnitude for frontal zone based on the data of the AATSR sensor on ENVISAT, MODIS sensor on AQUA, of the AVHRR sensor on NOAA and METOP 2003 - 2010




Fig. 29: Magnitude of mean gradient vector for frontal zone based on the data of the AATSR sensor on ENVISAT, MODIS sensor on AQUA, of the AVHRR sensor on NOAA and METOP 2003 - 2010




Fig. 30: Direction of mean gradient vector for frontal zone based on the data of the AATSR sensor on ENVISAT, MODIS sensor on AQUA, of the AVHRR sensor on NOAA and METOP 2003 - 2010



Bundesanstalt für Wasserbau
Kompetenz für die Wasserstraßen

Bundesanstalt für Wasserbau (BAW)

Kußmaulstraße 17
76187 Karlsruhe

www.baw.de
info@baw.de

Bundesamt für Seeschifffahrt und Hydrographie (BSH)

Bernhard-Nocht-Straße 78
20359 Hamburg

www.bsh.de
posteingang@bsh.de



**BUNDESAMT FÜR
SEESCHIFFFAHRT
UND
HYDROGRAPHIE**



Deutscher Wetterdienst (DWD)

Frankfurter Straße 135
63067 Offenbach/Main

www.dwd.de
info@dwd.de

**Bundesanstalt für
Gewässerkunde (BfG)**

Am Mainzer Tor 1
56068 Koblenz

www.bafg.de
posteingang@bafg.de



IMPRESSUM

Herausgeber:

Bundesanstalt für Gewässerkunde
KLIWAS Koordination
Am Mainzer Tor 1
Postfach 20 02 53
56002 Koblenz
Tel.: 0261 / 1306-0
Fax: 0261 / 1306-5302
E-Mail: kliwas@bafg.de
Internet: <http://www.kliwas.de>

Redaktion: Andrea Mehling
Bundesanstalt für Gewässerkunde

Autoren: Grit Kirches, Michael Paperin,
Carsten Brockmann, Kerstin Stelzer
(Brockmann Consult GmbH)
Holger Klein
(Federal Maritime and Hydrographic Agency)

Layout: Christin Hantsche und Tobias Knapp,
Bundesamt für Seeschifffahrt
und Hydrographie - Rostock

DOI: 10.5675/Kliwas_Climatology_NorthSea_B