

Open Research Online

The Open University's repository of research publications and other research outputs

Games for Health & mHealth Apps for Police & Blue Light Personnel: A research review

Journal Item

How to cite:

Marston, Hannah; Hadley, Robin; Pike, Graham and Hesketh, Ian Games for Health & mHealth Apps for Police & Blue Light Personnel: A research review. The Police Journal: Theory, Practice and Principles (In press).

For guidance on citations see FAQs.

© 2020 The authors

Version: Accepted Manuscript

Copyright and Moral Rights for the articles on this site are retained by the individual authors and/or other copyright owners. For more information on Open Research Online's data policy on reuse of materials please consult the policies page.

oro.open.ac.uk



Games for Health & mHealth Apps for Police & Blue Light Personnel: A research review

Journal:	The Police Journal: Theory, Practice and Principles		
Manuscript ID	PJX-19-0037.R2		
Manuscript Type:	Articles		
Keywords:	PTSD, First line responders, Health and Wellbeing, Resilience		
Abstract:	Previous research has reported adverse health outcomes for emergency services personnel (ESP), outcomes that research more broadly has shown can be improved using a gamification and mobile health (mhealth) apps approach. We conducted a review of research on gamification and mhealth apps for ESP that had been published in the last 19 years using 6 major research databases. The results demonstrated that virtually no relevant research has been published, suggesting a significant gap in the evidence base of an approach that could potentially have significant benefits for the health of ESP.		

SCHOLARONE™ Manuscripts

Games for Health: a review of current literature

Games for Health & mHealth Apps for Police & Blue Light Personnel: A research review

Abstract

health of ESP.

Previous research has reported adverse health outcomes for emergency services personnel (ESP),
outcomes that research more broadly has shown can be improved using a gamification and mobile
health (mhealth) apps approach. We conducted a review of research on gamification and mhealth
apps for ESP that had been published in the last 19 years using 6 major research databases. The
results demonstrated that virtually no relevant research has been published, suggesting a significant
gap in the evidence base of an approach that could potentially have significant benefits for the

Games for Health: a review of current literature

Introduction

There is an ever-growing body of research evidence that demonstrates the negative health and wellbeing of emergency services personnel (ESP) and that suggests that health outcomes for ESP are worse than that of the general population (Brooks, Dunn, Amlôt et al., 2019; Mildenhall, 2019; Counson & Hoseman, & Lal, 2019; Varker, Metcalf, Forbes Chisolm, Harvey, Van Hooff et al., 2018; Arble and Arnetz, 2017). Recently it has become clear that ESPs may experience disproportionate negative outcomes through specific situations, as well as more general working, for example see Mildenhall (2020)'s guidance in the area of psychosocial and mental wellbeing targeting managers of ambulance personnel during the COVID-19 pandemic and Hesketh, Tehrani, Harrison, Brewin, & Miller (2018) for guidance associated to post-traumatic stress disorder (PTSD) and complex PTSD for police officers in the UK.

Although 'emergency services' covers a wide range of agencies, there are important commonalities in terms of the highly demanding nature of the work involved (Peñalba, McGuire and Leite, 2008), including exposure to significant psychological (Duran, Woodhams and Bishopp, 2018; Milligan-Saville, et al., 2018; Petrie, et al., 2018) and job-related (Stanley, Hom and Joiner, 2016) stressors. These stressors inevitably and understandably result in significant negative health outcomes, including depression (Wild, et al., 2018) and PTSD (Ahmed, et al., 2017), which can lead to an increased risk of alcohol use (Gulliver, et al., 2018) and suicidal ideation and behaviors (Milligan-Saville, et al., 2018).

The key question of whether the incidence of these negative health outcomes is higher than in the broader population has been explored through largescale surveys of the health of ESP. This has included a 2019 survey of 5,081 ESP (staff and volunteers) conducted by the UK charity Mind (Mind, 2019), which revealed that 67% of respondents reported they had lived experience of mental health problems (a rise from 55% in 2015), more than double that of the workforce in

Games for Health: a review of current literature

general. Moreover, the survey revealed ESP were less likely to take time off work as a result of mental health issues than the general workforce. Hesketh, Cooper and Ivy (2014) also noted this issue, describing how it can lead to 'leaveism', whereby policing personnel were found to hide health problems by using annual and other leave, rather than sick leave. More recently, an online survey of 16,857 serving UK police officers and staff in 2018 conducted by the University of Cambridge and sponsored by Police Care UK (Miller, 2018) found that 90% of respondents reported being exposed to trauma (98% of which was work related). Worryingly, analysis suggested that of the officers/staff who had experienced trauma, about 20% would be diagnosable as suffering from PTSD (8%) or complex PTSD (12%) yet only 5% will have been told someone and only 1 or 2% clinically diagnosed.

Although PTSD in ESPs has been the subject of research, estimations of incidence have varied greatly and it is not clear how this varies across the various services. For example, one review (Skogstad *et al*, 2013) reported that PTSD in police is less than 10 per cent, whereas 20 percent of paramedics and firefighters are thought to have PTSD. However, Miller (2018) suggests symptoms of PTSD and Complex PTSD are present in as many as one in five police officers and staff in the UK. Whilst this area is contested, and it seems it is not yet possible to estimate accurately how many ESPs are currently experiencing clinical levels of PTSD in the UK, it does seem very likely that the rate is higher than in the general population. The same is true when it comes to the additional three symptoms which would give a diagnosis of Complex PTSD, although a new measure has been developed which is based on ICD-11 criteria and may assist with establishing this (Cloitre *et al*, 2018).

Given these negative health outcomes, there would seem to be a pressing need to support the health and welfare of ESP. Penalba, McGuire and Leite (2008) conducted a systematic review

Games for Health: a review of current literature

of randomized controlled trials (RCT), and quasi-RCTs, aimed at testing interventions for preventing psychological disorders in law enforcement officers. Of the ten studies included in the review, three were on exercise-related psychological interventions and seven on direct psychological interventions, of which three involved comparing a psychosocial intervention (e.g. cognitive behavioural or supportive therapies) to a control group. The authors concluded that there was insufficient evidence to establish the effectiveness of psychosocial interventions and a pressing need for high quality statistically powerful RCT studies to address this issue.

Although a large amount of research has been conducted on the health and wellbeing of ESP since Penalba, McGuire and Leite's (2008) review, there has been a relative paucity of RCT studies on possible interventions. Moreover, some of the interventions that have been evaluated appear not to be effective. For example, Skeffington, et al. (2016) conducted an RCT to assess the effectiveness of an intervention for trainee firefighters based on the Mental Agility and Psychological Strength Training Program (MAPS) but did not find evidence that the intervention prevented mental health issues compared to a no treatment control group. As Arble and Arnetz (2017) note, there are multiple pathways that could be used by ESP to increase wellbeing, and an integrative philosophy using physical health behaviours, both approach and avoidance coping strategies and social support might be a beneficial approach. It follows that that more limited, unidimensional interventions might not be sufficiently nuanced or comprehensive to make an appreciable difference.

In terms of contemporary approaches at the time of writing, the National Police Wellbeing Service (NPWS), developed by the College of Policing, has been particularly prominent and covers eight core elements to deliver tailored support and guidance for policing.

Games for Health: a review of current literature

The eight elements begin by providing workshops, materials, toolkits and an online network to build the skills and abilities of executives, senior, middle and first-line managers. An overview of these eight facets are as follows:

- Leadership for Wellbeing: developing Executive Leaders and Line Managers who
 can lead and manage their organisations in a way which facilitates wellbeing, and
 improves performance
- 2. **Individual Resilience**: building individual resilience of officers and staff by developing their understanding and use of positive psychology, and other techniques, to enhance personal wellbeing and improve their ability to support others
- 3. **Peer Support for Wellbeing**: delivering a national peer support model and network in order to provide the best care and support to Officers and Staff
- 4. **Psychological Risk Management**: high risk roles are screened for potential psychological trauma and wellbeing screening is available for all
- 5. **Trauma Management**: providing a police specific post incident support and disaster management model of care for officers and staff that provides clear strategic and tactical direction specific to wellbeing when dealing with major incidents. Known as Emergency Services Intervention Programme (ESTIP)
- 6. **Wellbeing at Work**: Occupational Health support, advice and liaison. Post (HMICFRS) inspection peer support
- 7. **Mobile Wellbeing Outreach Service**: providing access to Wellbeing Services at the place of work, in order to increase the opportunity to access wellbeing services. These have been particularly useful during the COVID-19 pandemic

Games for Health: a review of current literature

8. **Physical Wellbeing**: Including Fitness Mentoring and initiatives with Police charities and collaborations with several UK Universities

This focus on leadership is essential to facilitate the other elements of the service. The second key part is concerned with personal resilience. Here the service establishes a positive psychology approach, utilising the work of Seligman (e.g. Seligman and Csikszentmihalyi, 2014). A further area is that of effective peer support and networks. These are particularly important in high risk roles, such as counter terrorism, firearms, child abuse work and homicide investigations. These are factored into the next element of the service, which addresses psychological screening and support. This risk management strategy will be embedded in most areas of UK policing and is seen as a key initiative to monitor officer and staff wellbeing and have an effective way of prioritising interventions, clinical medical and supervisory. Trauma and post incident support also feature as one of the eight live service offerings, with optimum policing models being developed in cooperation with Public Health England (PHE) and other specialists. A final offering is that of an outreach service, taking wellbeing to the front line by means of a fleet of vehicles that can be utilised by service providers to reach all elements of the policing population. The entire NPWS is performance managed by way of a robust benefits realisation programme.

Although the NPWS offers a broad approach to supporting the health and wellbeing of policing personnel it tends to rely on reasonably traditional, e.g. face to face, mechanisms of support and does not, at least explicitly, incorporate more contemporary, digital solutions. Serious games are a popular phenomenon within the field of Game Studies and the sub-field of Games for Health (Bean, 2018) with a great deal of research aimed at benefiting and improving the lives of various populations, in particular stroke rehabilitation and fall prevention (Hall, et al., 2012; Marston and Smith, 2012; Marston and McClenaghan, 2013; Miller, et al., 2014; Bleakley, et al.,

Games for Health: a review of current literature

2015). Respective reviews (Hall, et al., 2012; Marston and Smith, 2012; Miller, et al., 2014; Bleakley, et al., 2015) have illustrated digital gaming can have a positive benefit on one's health, be it cognition, physical activity (Pyae, et al., 2016; Duplàa, et al., 2017), or engagement (Wiemeyer and Kliem, 2012; Marston, 2013; Gerling, et al., 2015; De Schutter and Brown, 2016; Marston, et al., 2016;). Gamification (Deterding, et al., 2011) has become an area of game studies that facilitates users to be rewarded for reaching specific goals or completing a series of tasks (Marston and Hall, 2015). Regarding videogames and online environments (e.g. Second Life), there is a growing body of work surrounding the design approaches to videogames and PTSD (Macleod, & Sloan, 2017; Holloway & Reger, 2013), Macleod & Sloan discuss and present a prototype to understand the potential benefits of using such an environment for PTSD self-help, and online virtual environments such as Second Life have been used as a means of facilitating an interactive learning environment to educate 'visitors' about military/combat-related PTSD (Holloway & Reger, 2013). The T2 Virtual PTSD Experience (Holloway & Reger, 2013) offers various actors (e.g. veterans, family members, peers and military personnel) the opportunity to learn and understand the causes and symptoms surrounding PTSD, and the authors note the positive responses from various actors surrounding greater understanding of PTSD, and regarding the provision of resources offering additional care, advice and help (Holloway & Reger, 2013).

A systematic review by Calleja-Cuervo, Martinez-Tejada & Alarcón-Aldana, (2017) presents 15 articles focused on emotional recognition and videogames, concluding that active engagement within such environments can offer direct rehabilitation for PTSD via physiological signal measurement. Colder Carras, Kalbarczyk, Wells, Banks, Kowert, Gillespie et al., (2018) explored how videogames are used by U.S. veterans positively in their respective recovery in behavioural and PTSD health. This qualitative study interviewed 20 participants who reported the

Games for Health: a review of current literature

positive benefits of engaging with videogames to alleviate and manage their change in mood, and stress levels. Furthermore, data analysis suggested videogames offered participants additional strategies to coping with PTSD, including adaptive coping, eudaimonic wellbeing and socialising, leading the authors to conclude that videogames offered some veterans a "form of personal medicine that can promote recovery" (Colder et al., 2018, pg. 2).

Antle, et al. (2019) designed a mobile app comprising of six different relaxation games, accessible via a tablet to facilitate children aged between 5 and 8 years old to engage with the respective games while been connected to an EEG headset. Results showed improvements by the children who were able to self-regulate anxiety and cortisol levels in some children were reduced. Furthermore, children who received support from their teacher surrounding learning transfer and who were able to make multimodal connections responded positively to the intervention.

As online interventions and digital games require accessible (often mobile) devices, it could be that there are aspects of the working environment of ESP that are barriers to their use. However, similar technology is being increasingly used in training of ESP, for example mental practice virtual reality games (Bauerle, Brnich and Navoyski, 2016) for coal mine first responders, and a mental calculation App (using elements of game design and gamification) for paramedic students (Hall, Bell and Latham, 2018).

Given the increasing use of digital devices in the work of ESPs and their potential for supporting health and wellbeing interventions that has been demonstrated in other domains, the purpose of this review was to ascertain and identify literature surrounding the use of digital devices and games within the field of health and wellbeing, directly associated to ESPs. We believe this is the first such review covering this area.

Games for Health: a review of current literature

Materials and Methods

2 Search strategy (identification of relevant studies)

Electronic databases ACM, CINHAL, ProQuest, PubMed, Scopus, Web of Science (WOS) were searched for articles published since January 1, 2000. Limiters were 'Adults' (>18 years), 'English' and 'humans. Individual search strategies were adapted for each database (Table 1). For example, in CINAHL provision is made to filter by age group whereas this not facility is not available in ACM. The broad range of the search criteria (Table 1) led to multiple individual searches per database. Consequently, with the exception of Scopus, the selection of papers per database was drawn from more than one search (Table 2). In a small number of searches, full text records were not available. In such circumstances the abstract or preview was assessed.

- 12 <Insert Table 1 here>
- 13 <Insert Table 2 here>

<Fig 1. Search process and eligible studies>

Study selection

The eligibility of each article was reviewed using the inclusion and exclusion criteria (Table 3). The inclusion criteria consisted of five elements. First, the study examined the material as identified in the search criteria (Table 1), since January 2000 and March 2019, published in the English language and conducted on humans. The ACM, CINHAL, ProQuest, PubMed, Scopus or World of Science databases were searched.

The exclusion criteria were framed by three factors. First, studies that did meet the inclusion material. Second, studies that did not report original results. For example, blogs and other commentaries, letters to the editor, research proposals, and study protocols. Third, citations or

Games for Health: a review of current literature

patents and finally, material reporting technical details. For example, details of hardware or device program architecture.

The initial database search identified 1131 records. Table 3 details the databases used, number of searches per-databases and terms used, number of searches included in the final review. The total number of duplicates amounted to 112. Once the duplicates had been removed, 1019 records were reviewed. After due process, two (2) records met the criteria for inclusion and form this scoping review. Figure 1 shows the review process. Two of the authors — <Initials 1> and <Initials 2>, independently assessed all records for inclusion and conducted the review of the records. Studies were only included if they met the full inclusion criteria (Table 3). Initially, the titles of papers and abstracts were screened for suitability and if necessary, the full paper was then reviewed. Both <Initials 1> and <Initials 2>reviewed all records from each database separately and then collectively compared their selections. Discrepancies were discussed and reviewed by <Initials 1> and <Initials 2>before a final decision was made. Full texts were retrieved to determine if they met the inclusion/exclusion criteria. <Initials 1> and <Initials 2>jointly decided the final selection of papers for inclusion.

The reject papers by the two independent reviewers included areas that were demmed to be irrelevant, completely out of scope and did not align with the inclusion criteria (e.g. cyber security, personalised computing and trust, e-procurement, adaptive brain computer interfaces, and robotic communication). Additional paper rejections related to content that included emergency service personnel which did not include the specific technology outlined in the inclusion criteria (mobile apps/serious games), and websites providing health and wellbeing information to ESPs were not in the scope of this paper, as the focus here was on mHealth Apps and serious games.

Games for Health: a review of current literature

<Insert Table 3 here>

Results

<Insert Table 4 here>

Table 4 provides a detailed overview of the two articles reviewed (n=2). The first study was published in 2017 by Deady, et al. (2017), who recruited participants (n=106) from four fire service departments located in the metropolitan area of New South Wales. The second study, published by Seligman, Felder and Robinson (2015), recruited eight participants (specific details were not reported). The latter conducted a user-centric process during the design process of the SAMHSA Disaster App. The sample included representatives from the Federal Emergency Management Agency (FEMA), the Department of Defense, the American Red Cross, the Assistant Secretary for Preparedness and Response, the Uniformed Services University of the Health Sciences.

Over a four-day period, Deady, et al. (2017) collected data comprising of smartphone use, design preferences of mobile apps (mApps) content focusing on the likely use by users; in conjunction with a series of mental health words and associated descriptions. Respective participants recruited reported positively to using a tailored emergency mApp, with 74 percent of participants reporting they would use a specific mental well-being app on a daily basis, especially if they were feeling low. Similarly, 60 percent noted they would use an app for at least five minutes a day. However, 42 percent would prefer face-to-face support, and 17 percent noted a preference for an app format. Several terms were highlighted by respondents including well-being (54 percent), mental fitness (54 percent), followed by resilience (36 percent), and stress (30 percent).

Games for Health: a review of current literature

However, least popular terms included emotional well-being (21 percent), mental health (19 nineteen percent), and psychological health (16 percent).

Seligman, Felder and Robinson (2015) report the SAMHSA Disaster App contains several functionalities to assist first responders during an incident. Features including preplanning for deployment, identifying and facilitating locations as suitable sites for clinics and treatment centres.

Discussion

This review has primarily highlighted the paucity of specific mApps aimed at supporting the health and wellbeing of ESP. The results section (n=2) show the different approaches which were undertaken by the respective research teams and some of the possibilities afforded by using this innovative technology.

The results of this review highlight how mHealth Apps can be used by ESPs in differing contexts and environments. However, neither paper primarily focused nor reported on how such an App could be used within an intervention. Furthermore, when using mApps it is important to ascertain whether functionality and usability is positive, but also such Apps could be used within and RCT intervention.

As noted in the introduction, there is a growing body of evidence in the UK investigating the health and wellbeing of ESPs including by the national charity Mind, as well as related phenomena, such as 'leaveism' (Hesketh and Cooper, 2014) which illustrates this ongoing and growing concern for the health and wellbeing of ESPs. The work by Penalba, McGuire and Leite (2008) note there is still a lack of evidence-based interventions within the domain of health and welfare of ESPs. While Arble and Arnetz (2017) suggest various approaches to dealing with the health and welfare of ESPs.

Games for Health: a review of current literature

From the sole standpoint of policing, the National Police Wellbeing Service (NPWS) and Blue Light Wellbeing Framework (Hesketh & Williams, 2017) aim to support police personnel and staff in the domain of health and wellbeing. Oscar Kilo (OK), the web portal for the NPWS, offers organisations an opportunity to audit and benchmark against a set of independent standards, which are specifically aimed at both the police and other emergency service responders. The framework was developed with various actors (e.g. practitioners at all levels, professionals and academics). The OK framework comprises of fives segments, (1) strategic and tactical planning templates, (2) psychological risk management guidance (Hesketh, Harrison & Tehrani, 2017), (3) responding to trauma guidance (Hesketh & Tehrani, 2018), (4) the GAIN pyramid (Hesketh et al, 2017), and (5) a series of real stories presented in animations.

Additionally, Hesketh & Tehrani (2019) discuss the existing psychological approaches to trauma risk and management across UK policing. They highlight the ongoing need for intensive efforts by various police personnel (e.g. senior managers, and supervisors) and support staff (e.g. occupational health) to ascertain respective risks. Further recommendations are also noted relating to reducing harm, provision of protective training and education, and where appropriate the provision of post-trauma interventions and treatment need to be offered. Hesketh & Tehrani (2019), highlight three categories of policing personnel; (1) responders, (2) specialists, and (3) personnel involved in major disasters, and their recommendations support the appropriation and provision of post-trauma intervention and treatments; while continuing to differentiate and administer appropriate solutions for police personnel and staff alike.

As documented in the introduction, there is a growing body of work surrounding the use and deployment of videogames by military veterans to combat behavioural change and PTSD. However, there is still a paucity in the literature surrounding the use and deployment of

Games for Health: a review of current literature

videogames by first responders/emergency services as noted by Holloway & Reger, (2013), who have constructed a purpose-built environment in Second Life to educate various actors in the various issues and factors surrounding PTSD. The field of Games for Health has embraced the design, use, and development of videogames/environments for multiple health conditions, (Colder et al., 2018; Macleod & Sloan ,2017; Calleja-Cuervo, Martinez-Tejada & Alarcón-Aldana, 2017; Holloway and Reger (2013), there is very little research indeed that has explored the use of mHelath Apps and virtual environments to support and combat PTSD and related issues by police personnel and emergency responders.

We would like to propose several recommendations for moving this work forward:

- 1. Future work should examine how mApps can be integrated and used by different ESPs organisations,
- 2. Future work should consider a framework for the design, development and deployment of a mHealth Apps targeting ESPs, associated to their health and welfare. A consortium comprising of ESPs, researchers, stakeholders, users, designers and developers would facilitate key information to be developed, revised, shared and evidenced. This framework could be both national/country specific and/or accessible on an international landscape.
- 3. Future work should consider an intervention comprising of multi-methods which uses different technologies (i.e. mHealth Apps, digital games) both on a national and international scale. This would offer great insight into the suitable approaches for supporting, managing and potentially treating health and welfare.
 - a. Taking an international study design would offer insight into different ESP organizational practices, and may offer different approaches, feedback (via

Games for Health: a review of current literature

focus groups and 1-to-1 interviews) into the needs and requirements of mApp and digital game engagement, functionality and features.

- 4. As the evidence grows in this domains, further scoping/systematic review will have to be conducted to ensure all evidence from this multi-disciplinary arena is captured and documented. Therefore, utilizing a protocol such as the recent PRISMA extension for scoping review (PRISMA-ScR) (Tricco, et al., 2018), or the PRISMA framework(s) (Moher, et al., 2009) would minimize bias.
 - a. We propose a suitable virtual environment/videogame should be co-designed, developed, tested and evaluated by a myriad of actors (e.g. designers, police/emergency responders, family members, health and wellbeing practitioners and academics) to ascertain the benefits of engaging with such an environment as a means of rehabilitations, education and as a support mechanism. Furthermore, if such a development was to be conducted, there is the potential for various environments to accommodate the diverse needs and similarities from the various emergency services (e.g. police, fire service, paramedics, forensic investigators). Evaluating such a prototype could take the form of including a minimum of two police forces (across the UK) who have diverse geography (e.g. city vs rural) needs and issues, which would then provide feedback and insights prior to rolling out across various police forces and building into police related resources.

Conclusions

Games for Health: a review of current literature

The work presented in this paper is distinctive because it intersects across the fields of game studies, psychology, mental health, organisational behaviour, and public services. Furthermore, this work contributes to the fields of psychology, health and wellbeing, public services, in addition to having a real-life impact not only on police officers and staff, but also other emergency services personnel. To the knowledge of the authors, this is the first piece of work to examine mApps used by first line responders and PTSD. Given the paucity of literature surrounding both police and emergency service personnel, the work presented here highlights an area that is ripe for development.

Finally, this work is a call for action from the fields of academe, policy makers, respective training colleges, police and emergency service personnel (at all levels) to ensure appropriate measures, interventions and provision of suitable support and resources are available to access.

Author Disclosure Statement

No competing financial interests exist. Funding was received from the <Institution – Redacted for Reviewing Purposes>.

References

- Ahmed, A.M., Elsheikh, R.M., El-Kheir, O.I.A. and Abd Elgalil, H.M. (2017). Psychological Hazards Among Emergency Medical Responders (EMRs): A cross sectional comparative study in Cairo city, Egypt. *International Journal of Pharmaceutical Research and Allied Sciences*, *6*(3), pp.135-143.
- Antle, A.N., McLaren, E.S., Fiedler, H. and Johnson, N., (2019). March. Design for mental health:
- How socio-technological processes mediate outcome measures in a field study of a

Games for Health: a review of current literature

wearable anxiety app. In Proceedings of the Thirteenth International Conference on *Tangible, Embedded, and Embodied Interaction* (pp. 87-96). ACM. Arble, E. and Arnetz, B.B. (2017). A model of first-responder coping: An approach/avoidance bifurcation. Stress and Health, 33(3), pp.223-232. Bauerle, T., Brnich, M.J. and Navoyski, J. (2016). Exploring virtual mental practice in maintenance task training. Journal of Workplace Learning, 28(5), pp.294-306. Bean, A.M. (2018). Working with Video Gamers and Games in Therapy: A Clinician's Guide. Routledge. Bleakley, C.M., Charles, D., Porter-Armstrong, A., McNeill, M.D., McDonough, S.M. and McCormack, B., 2015. Gaming for health: A systematic review of the physical and cognitive effects of interactive computer games in older adults. Journal of Applied Gerontology, 34(3), pp.NP166-NP189. Brooks, S.K., Dunn, R., Amlôt, R. et al. (2019). Protecting the psychological wellbeing of staff exposed to disaster or emergency at work: a qualitative study. BMC Psychol 7, 78. https://doi.org/10.1186/s40359-019-0360-6 Cloitre, M., Shevlin, M., Brewin, C.R., Bisson, J.I., Roberts, N.P., Maercker, A., Karatzias, T., and Hyland, P. (2018) The International Trauma Questionnaire: development of a self-report measure of ICD-11 PTSD and complex PTSD. Acta Psychiatr Scand 2018: 1–11. Counson, I., Hosemans, D., Lal, T.J. et al. (2019). Mental health and mindfulness amongst Australian fire fighters. BMC Psychol 7, 34. https://doi.org/10.1186/s40359-019-0311-2

and Culture, 11(1-2), pp.28-52.

De Schutter, B. and Brown, J.A. (2016). Digital games as a source of enjoyment in later life. *Games*

Behaviors, 32(3), p.255.

Games for Health: a review of current literature

- Deady, M., Peters, D., Lang, H., Calvo, R., Glozier, N., Christensen, H. and Harvey, S.B. (2017). Designing smartphone mental health applications for emergency service workers. Occupational Medicine, 67(6), pp.425-428. Deterding, S., Dixon, D., Khaled, R. and Nacke, L. (2011). September. From game design elements to gamefulness: defining gamification. In *Proceedings of the 15th international* academic MindTrek conference: Envisioning future media environments (pp. 9-15). ACM. Duplàa, E., Kaufman, D., Sauvé, L., Renaud, L. and Ireland, A. (2017). Can Mobile Digital Games Benefit Older Adults' Health? In *Mobile E-Health* (pp. 115-146). Springer, Cham. Duran, F., Woodhams, J. and Bishopp, D. (2018). An interview study of the experiences of firefighters in regard to psychological contract and stressors. Employee Responsibilities and Rights Journal, 30(3), pp.203-226 Gerling, K., De Schutter, B., Brown, J. and Allaire, J. (2015). October. Ageing playfully: advancing research on games for older adults beyond accessibility and health benefits. In
- 15 817-820). ACM.

 16 Gulliver, S.B., Zimering, R., Knight, J., Morissette, S., Kamholz, B., Meyer, E., Keane, T.,

 17 Pennington, M., Denman, T., Carpenter, T. and Kimbrel, N. (2018). Tobacco and alcohol

 18 use among firefighters during their first 3 years of service. *Psychology of Addictive*

Proceedings of the 2015 Annual Symposium on Computer-Human Interaction in Play (pp.

Hall, A.K., Chavarria, E., Maneeratana, V., Chaney, B.H. and Bernhardt, J.M. (2012). Health benefits of digital videogames for older adults: a systematic review of the literature. *Games* for Health: Research, Development, and Clinical Applications, 1(6), pp.402-410.

Games for Health: a review of current literature
--

- 1 Hall, B.J., Bell, A. and Latham, J. (2018). Design of a Mental Calculation App for Paramedic
- 2 Students. *Journal of Academic Language and Learning*, 12(1), pp.A227-A238.
- 3 Hesketh, I., and Cooper, C., (2017). 'Measuring the People Fleet: General Analysis, Interventions
- 4 and Needs.' Strategic HR Review. Vol 16 (1) pp 17-23. Emerald
- 5 Hesketh, I., and Tehrani, N. (2019). Psychological Trauma Risk Management in the UK Police
- 6 Service, Policing: A Journal of Policy and Practice, 13(4):531–535,
- 7 <u>https://doi.org/10.1093/police/pay083</u>
- 8 Hesketh, I. and Cooper C. (2014). 'Leaveism at work', Occupational Medicine, Vol 64(3),
- 9 pp146-7. Oxford University Press
- Hesketh, I., Tehrani, N., and Harrison, J. (2017). 'Psychological Risk Management: Introduction
- 41 & Guidance.' College of Policing Ltd. Available at: https://oscarkilo.org.uk/wp-
- 12 content/uploads/2017/08/FINAL-Psychological-risk-management.pdf . Accessed 7th
- 13 April, 2020
- Hesketh, I., Tehrani, N., Harrison, J., Brewin, C., and Miller, J. (2018). Post-Traumatic Stress
- Disorder (PTSD) and Policing Short Guidance Document. College of Policing Ltd.
- Retrieved from https://oscarkilo.org.uk/3886-2/. Accessed 7th April 2020.
- 17 Marston, H.R. (2013). Digital gaming perspectives of older adults: Content vs. interaction.
- 18 Educational Gerontology, 39(3), pp.194-208.
- 19 Marston, H.R. and Hall, A.K. (2016). Gamification: applications for health promotion and health
- information technology engagement. In *Handbook of Research on Holistic Perspectives in*
- 21 Gamification for Clinical Practice (pp. 78-104). IGI Global.

Games for Health: a review of current literature

1	Marston, H.R. and McClenaghan, P.A. (2013). Play yourself fit: exercise+ videogames=
2	Exergames. In Serious Games and Virtual Worlds in Education, Professional
3	Development, and Healthcare (pp. 241-257). IGI Global.
4	Marston, H.R. and Smith, S.T. (2012). Interactive videogame technologies to support
5	independence in the elderly: A narrative review. GAMES FOR HEALTH: Research,
6	Development, and Clinical Applications, 1(2), pp.139-152.
7	Marston, H.R., Kroll, M., Fink, D. and Gschwind, Y.J. (2016). Flow experience of older adults
8	using the iStoppFalls exergame. Games and Culture, 11(1-2), pp.201-222.
9	Mildenhall, J. (2019). Protecting the mental health of UK paramedics. Journal of Paramedic
10	Practice, 11(1): 6-7. doi.org/10.12968/jpar.2019.11.1.6
11	Mildenhall, J. (2020) Guidance for managers on psychosocial support and mental wellbeing of
12	ambulance personnel in a pandemic crisis. College of Paramedics. Retrieved from
13	https://collegeofparamedics.co.uk/COP/News/Covid-
14	19/Guidance_for_managers_psychosocial_support_and_mental_wellbeing_of_ambulanc
15	e personnel in a pandemic.aspx. Accessed 07th April 2020.
16	Miller, J. (2018). Establishing the evidence base: 'Policing: The Job & The Life' Survey. Available
17	at: https://www.policingtrauma.sociology.cam.ac.uk/survey Accessed 15/04/2020
18	Miller, K.J., Adair, B.S., Pearce, A.J., Said, C.M., Ozanne, E. and Morris, M.M. (2013).
19	Effectiveness and feasibility of virtual reality and gaming system use at home by older
20	adults for enabling physical activity to improve health-related domains: a systematic

review. Age and ageing, 43(2), pp.188-195.

Games for Health: a review of current literature
--

Milligan-Saville, J., Choi, I., Deady, M., Scott, P., Tan, L., Calvo, R.A., Bryant, R.A., Glozier, N. and Harvey, S.B. (2018). The impact of trauma exposure on the development of PTSD and psychological distress in a volunteer fire service. Psychiatry research, 270, pp.1110-1115. Mind, (2019). Wellbeing and mental health support in the emergency services: Our learning and recommendations for Retrieved key the sector. from https://www.mind.org.uk/media/34555691/20046 mind-blue-light-programme-legacy-report-v12 online.pdf MIND. Wellbeing and Mental health support in the Emergency Services. MIND Charity. Retrieved from https://www.mind.org.uk/media/34555691/20046 mind-blue-lightprogramme-legacy-report-v12 online.pdf. Accessed 07th April 2020. Moher, D., Liberati, A., Tetzlaff, J. and Altman, D.G. (2009). Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. Annals of internal medicine, 151(4), pp.264-269. Peñalba, V., McGuire, H. and Leite, J.R. (2008). Psychosocial interventions for prevention of psychological disorders in law enforcement officers. Cochrane Database of Systematic Reviews, (3). Petrie, K., Milligan-Saville, J., Gayed, A., Deady, M., Phelps, A., Dell, L., Forbes, D., Bryant, R.A., Calvo, R.A., Glozier, N. and Harvey, S.B. (2018). Prevalence of PTSD and common mental disorders amongst ambulance personnel: a systematic review and meta-analysis. Social psychiatry and psychiatric epidemiology, 53(9), pp.897-909. Pyae A, Luimula M, and Smed J., (2016). Pre-studies on Using Digital Games for the Elderly's

Physical Activities. In: Li H., Nykänen P., Suomi R., Wickramasinghe N., Widén G.,

Games for Health: a review of current literature

1	Zhan M. (eds) Building Sustainable Health Ecosystems. WIS 2016. Communications
2	in Computer and Information Science, vol 636. Springer, Cham.
3	Seligman, J., Felder, S.S. and Robinson, M.E. (2015). Substance Abuse and Mental Health
4	Services Administration (SAMHSA) behavioral health disaster response app. Disaster
5	medicine and public health preparedness, 9(5), pp.516-518.
6	Seligman, M.E. and Csikszentmihalyi, M. (2014). Positive psychology: An introduction. In Flow
7	and the foundations of positive psychology (pp. 279-298). Springer, Dordrecht.
8	Skeffington, P.M., Rees, C.S., Mazzucchelli, T.G. and Kane, R.T. (2016). The primary prevention
9	of PTSD in firefighters: Preliminary results of an RCT with 12-month follow-up. PLoS
10	one, 11(7), p.e0155873.
11	Skogstad, M., Skorstad, M., Lie, A., Conradi, H.S., Heir, T., and Weisaeth, L. (2013) Work related
12	post-traumatic stress disorder. Occupational Medicine 63, 175-182.
13	Stanley, I.H., Hom, M.A. and Joiner, T.E. (2016). A systematic review of suicidal thoughts and
14	behaviors among police officers, firefighters, EMTs, and paramedics. Clinical psychology
15	review, 44, pp.25-44.
16	Tricco, A.C., Lillie, E., Zarin, W., O'Brien, K.K., Colquhoun, H., Levac, D., Moher, D., Peters,
17	M.D., Horsley, T., Weeks, L. and Hempel, S. (2018). PRISMA extension for scoping
18	reviews (PRISMA-ScR): checklist and explanation. Annals of internal medicine, 169(7),
19	pp.467-473.
20	Varker, T., Metcalf, O., Forbes, D., Chisolm, K., Harvey, S., Van Hooff, M., Phelps, A. J.
21	(2018). Research into Australian emergency services personnel mental health and
22	wellbeing: An evidence map. Australian & New Zealand Journal of Psychiatry, 52(2),

129-148. https://doi.org/10.1177/0004867417738054

Games for Health: a review of current literature

Wiemeyer, J. and Kliem, A. (2012). Serious games in prevention and rehabilitation—a new
panacea for elderly people?. European Review of Aging and Physical Activity, 9(1), p.41.
Wild, J., El-Salahi, S., Tyson, G., Lorenz, H., Pariante, C.M., Danese, A., Tsiachristas, A.
Watkins, E., Middleton, B., Blaber, A. and Ehlers, A. (2018). Preventing PTSD, depression
and associated health problems in student paramedics: protocol for PREVENT-PTSD, a
randomised controlled trial of supported online cognitive training for resilience versus

alternative online training and standard practice. BMJ open, 8(12), p.e022292.

Table 1: Search criteria for this review

Serious Games; Game Based Learning; Games for Health; Simulation;

Emergency Service Responders; Emergency First responders; Emergency Service

Workers; Emergency Services personnel; Paramedic; Rescue

Police Training; Resilience Training; Simulation Training; Simulation Crisis Management

Workplace mental health; Mental Health; mHealth; Mobile Health; Work-related Stress;

Wellbeing; Psychological Support; Online Treatment; Mobile App; Mobile Application



Table 2. Databases searched and search terms used

Database	Search term with most responses	Individual	Searches in	
		searches per	final review	
		database		
ACM	emergency services responders AND	34	3	
	Games based learning			
CINAL	emergency services personnel AND	33	3	
	mhealth or mobile health or m-health			
	or mobile app or mobile application			
Proquest	(emergency services personnel) AND	131	3	
	(work-related stress) AND (workplace			
	mental health support)			
PubMed	Mental health services for emergency	54	4	
	services responders			
Scopus	Mental health services for emergency	18	1	
	services responders			
Web of Science	Mental health services for emergency	33	9	
	services responders			

Table 3. Inclusion and exclusion criteria

Inclusion	Exclusion
Fits search criteria (Table 1)	≤18 years old
≥18 years old	Not English language
English language	Biography
>2000 – 2019	Commentary
Conference papers	Thesis & Dissertations
Serious Games	Editorials
Games for Health	Protocols
Game Based Learning	Patents
Workplace mental health	Instruction manuals
Emergency Service Responders *	Newspaper articles
Police Training	Books
Resilience Training	Book chapters
Wellbeing	Blogs
Mental Health	

Records identified and found through the database search: n=1131

ACM *n*=178; CINHAL *n*=57; ProQuest *n*=456; PubMed *n*=184; Scopus *n*=151; World of Science *n*=105



DUPLICATES per database:

ACM *n*=1; CINHAL *n*=4; ProQuest *n*=77; PubMed *n*=26; Scopus *n*=0; World of Science *n*=4

Duplicates removed n=112



Records excluded n=1019



Records included n=2

139x160mm (96 x 96 DPI)

TABLE 4. SUMMARY OF ARTICLES (N = 2) INCLUDED FOR THIS SCOPING REVIEW

Reference					Sample descrip	rtion	
(year)		Type of					
Country		Technology	Type of 1st		Age (years)	Percentage	
of study	Aims	used/deployed	Responders	Sample size(s) (n)	description	male	Main findings
Deady et	Explore the preferences	Mobile App	Firefighters	106	Mean =	88% Male	"Emergency workers were
al. (2017)	& opinions of				37.8, SD =		interested in utilizing
	Emergency service			\leq 40 years (n=65),	9.51, Range		smartphone applications
Australia	workers use of			> 40 (n=41)	= 22-62		focused on MH, but
	smartphones & mental						expressed clear
	health (MH) apps & to						preferences regarding
	examine the impact of						language used in
	age on these						promotion, features
	preferences.						required, and therapeutic
			(0)	L			techniques preferred."(p. 425)
		I					1 -7

Seligman	To measure the	Mobile App	Behavioral	The convenience		"The 8 interviews yielded
et al.	usability and		health	sample were		the following key
(2015)	practicality of the		responders	chosen based on		findings:
	Substance Abuse and			their experience of		(a) The SAMHSA
USA	Mental Health Services			having 5+ disaster		Treatment Locator is a
	Administration's			related		critical component in
	(SAMHSA's) mobile			deployments and a		the usefulness of the
	app			minimum of 11		app and the ability to
				years of disaster		preload treatment
				work experience.		locations was
				They were		considered a defining
				considered experts		feature.
				in this domain of		(b) Being able to share
				behavioural health		resources with
				field.		survivors in real time
						with de-identified
			70			contact information
						was noted as essential.
				Revie		(c) The readiness
				10,		refresher, which
						provided a brief
						review of key
				, (4 1.	counselling skills and
						information, was
						deemed vital and
						useful before
						deployment." (p.516)