

# Tactful animals: How the study of touch can inform the animal morality debate

Susana Monsó & Birte Wrage<sup>1</sup>

**PENULTIMATE VERSION: Accepted for publication in Philosophical Psychology**

**Abstract:** In this paper, we argue that scientists working on the animal morality debate have been operating with a narrow view of morality that prematurely limits the variety of moral practices that animals may be capable of. We show how this bias can be partially corrected by paying more attention to the touch behaviours of animals. We argue that a careful examination of the ways in which animals engage in and navigate touch interactions can shed new light on current debates on animal morality, like the study of consolation behaviour, while also revealing further forms that animal morality may take and that have been neglected so far, like capacities of tolerance or trust. This defence is structured as an analysis of the three main functions of touch: the discriminative function, the affiliative function, and the vigilance function.

**Keywords:** nonhuman animals; animal morality; moral emotions; touch; affiliation; vulnerability

**Funding information:** This research was funded by the FWF (project numbers P31466-G32 and M2518-G32).

**Acknowledgements:** This research was presented at a JACSON meeting at the University of Vienna. The authors would like to thank the attendants for their feedback. Additional thanks go to Kristin Andrews, Judith Benz-Schwarzburg, Antonio Osuna-Mascaró, and two anonymous reviewers for their helpful comments on previous drafts of this paper.

---

<sup>1</sup> Unit of Ethics and Human-Animal Studies, Messerli Research Institute, University of Veterinary Medicine Vienna. [susanamonso@gmail.com](mailto:susanamonso@gmail.com); [birtewrg@gmail.com](mailto:birtewrg@gmail.com)  
Both authors contributed equally to this paper.

## 1. Introduction

Imagine the following scenario. You're at home when suddenly your housemate enters, crying. Not knowing what the matter is, you immediately walk up to her and put your arm around her, trying your best to console her. As you take a glance through the open door you realise what happened: her car is in the driveway and your cat lies motionless on the ground beneath it. You freeze and then push your housemate away. Trying to apologise, she grabs your hands, but you shake her off, rush outside, kneel down beside the car, and carefully place a hand on your cat's body. To your dismay, he doesn't respond. After sitting with him for a while, you gently pick up his limp body and cradle him in your arms.

This little tale illustrates the extent to which touch is naturally involved in our social interactions. In fact, humans can communicate a range of distinct emotions through touch alone (Hertenstein et al. 2009). Moreover, in human infancy, touch is a more important and earlier mode of social interaction than verbal communication (Hertenstein et al. 2006), and communicative touch has been postulated as the evolutionary precursor to language (Ibid.). Not for nothing, touch is called 'the first sense': it is the first sensory faculty to develop in the womb, and its neural receptor types are among the oldest in evolutionary history (Fulkerson 2014, xii). All of this makes it likely that touch also plays an important role in the social lives of non-linguistic animals. But, importantly, the interactions in the story we told are not only social, they have a moral hue, and indeed the characters use touch to express various *moral* emotions, such as sympathy, guilt, resentment, love, and grief. This gives rise to the question we want to address, namely, could the ways in which animals engage in and navigate touch interactions give us insight into their moral capacities?

In this paper, we will outline how the animal morality debate can benefit from a closer look at the role of touch in the social interactions of animals. This has been prompted by the work of Maria Botero on primate<sup>2</sup> social cognition, in which she suggests that scientists studying joint attention and theory of mind need to move away from a focus on vision, because touch as 'the first sense' might be an earlier facilitator of these capacities (Botero 2016, 2018a, 2018b). We think that the importance of these claims on the role of touch extends beyond the specific case of social cognition and the particular

---

<sup>2</sup> Botero's argument applies to both human and nonhuman primates, but in referring to her work we shall focus on the case of nonhuman primates. Accordingly, we use the terms 'primate' and 'ape' to refer to nonhuman ones.

order of primates. Although the animal morality debate is not characterised by a bias towards vision, we will show that scientists have been operating with a different bias: a narrow view of morality that prematurely limits the variety of moral practices that animals could be capable of. This bias can be partially corrected by paying more attention to touch. Our aim is to argue that a careful examination of touch in animals can shed new light on current debates on animal morality, like the study of consolation behaviour, while also revealing further forms that animal morality could take and that have been neglected so far, like the capacities for tolerance or trust.

We will begin this paper by giving a quick overview of the animal morality debate<sup>3</sup> and showing how the issue of touch has received only scarce and implicit attention. We will then defend why this needs to be remedied. This defence will be structured as an analysis of the three main functions of touch and their relevance for animal morality. The first two functions (the discriminative and the affiliative function) are acknowledged by Botero and, as we will argue, the reasons why they are important for animal morality are closely connected to the reasons why Botero considers them to be important for primate social cognition. The third function we will consider is the vigilance function as described by Filip Mattens (2017), which is not mentioned by Botero. While touch in its vigilance role may not be so relevant for social cognition, we will argue that this is a crucial function to consider when discussing the role of touch in animal morality.

Before we begin, we must make a short terminological clarification, since the term ‘touch’ is somewhat ambiguous. If we exclude all metaphorical and literary uses, we can distinguish two broad meanings. On the one hand, ‘touch’ can be used to refer to (1) two physical entities coming into contact, which can be either (a) the result of a purposeful action (e.g. “I touched her cheek”) or (b) a non-voluntary event (e.g. “The two umbrellas were touching”). On the other hand, ‘touch’ can also refer (2) to the act of perceiving by means of the tactile sense (e.g. “She touched something slimy”), or to the tactile sense itself (e.g. “She can read by touch”). In this paper, we are mostly concerned with meaning (1a). However, since acts of purposefully coming into contact with a physical entity typically entail perception by means of the tactile sense, meaning (2) cannot be completely left aside. The only sense of the word ‘touch’ we are not concerned with is (1b), that is, non-voluntary touch. This is because we are concerned with touch interactions that are, to a certain degree at least, under the animals’ control, for they are the ones that can be indicative of their cognitive and emotional capacities. In addition to excluding all forms of

---

<sup>3</sup> Throughout the paper, we will refer to many empirical studies to substantiate our claims. A lot of this research can be seen as ethically problematic, and we would like to note that our reference to any particular study does not imply an endorsement of its methodology.

touch that occur non-voluntarily, we will also leave aside forms of touch that occur through a medium. This is purely for simplicity reasons, since we do not in principle exclude that there may be moral capacities expressed through distal touch (e.g. using a stick to probe or feel) or hybrid forms thereof (e.g. tacto-acoustic signals in dolphins).

## 2. The neglect of touch in the animal morality debate

As Fitzpatrick (2017) rightly points out, there are two distinct discussions contained in the animal morality debate. One discussion, exemplified by the theoretical work of authors such as Bekoff and Pierce (2009) and de Waal (e.g. 1996), but especially by the empirical studies done in labs and in the field, concerns the distribution in nature of certain psychological capacities that are generally understood to be indicators of (proto-)morality; capacities such as empathy, altruism, or inequity aversion. The other discussion, present in the work of philosophers such as Korsgaard (2006) and Rowlands (e.g. 2012), centres on whether these psychological capacities actually deserve the label 'moral.' The first debate is more of an empirical endeavour, the second one consists of conceptual analysis and clarification. In this paper, we are mostly concerned with the first of these debates, that is, with addressing the empirical study of the distribution in nature of moral capacities. Although we will offer some conceptual reasons for linking touch to morality, our main aim is to highlight how a close analysis of the touch interactions of animals could provide evidence of psychological capacities that are directly or indirectly involved in moral practices. Those readers who remain uneasy about the use of the term 'morality' to describe animal behaviour can reinterpret our arguments as a discussion of proto-morality in animals.<sup>4</sup>

If we understand the animal morality debate in the first way described above, we can distinguish three broad research foci: the altruism cluster, the fairness cluster, and the empathy cluster.<sup>5</sup> The altruism cluster consists of studies that investigate animals'

---

<sup>4</sup> Though we will often use the term 'animals' as a shorthand, our analysis throughout the paper mostly focuses on nonhuman social mammals. This is due to space constraints and to the present bias in the relevant behavioural and physiological literature. It should not be taken as an a priori exclusion of the possibility of moral practices in non-mammalian species.

<sup>5</sup> This is an artificial classification and not all studies will fall neatly into one category or another. For instance, some of the evidence of animal empathy comes from anecdotal accounts of altruistic helping (e.g. Bates et al. 2008), and the animals in the altruism experiments may be motivated to help others by empathic mechanisms. In addition, it should be noted that in classifying the studies this way we take inspiration in the three clusters of animal moral behaviours that Bekoff and Pierce (2009) talk about. However, our distinction does not map on exactly to theirs. While we talk of the altruism cluster, the fairness cluster, and the empathy cluster, they talk of the cooperation cluster, the empathy cluster, and the justice cluster. The change is not fortuitous. We are not trying to reproduce Bekoff and Pierce's ideas, but rather capture the main research foci of contemporary

capacity to engage in altruistic helping, that is, helping behaviour that involves no direct gain or even a direct loss for the helper, where the relevant behaviour is motivated by concern for the other and not the result of pure self-interest. In addition to many observational reports of wild animals helping each other (e.g. Bates et al. 2008; Park et al. 2012), there are also several experimental studies in this cluster. The latter can be divided into two rough groups. The first one corresponds to what could be called the ‘active helping’ experimental paradigm, where animals are given the option of helping an individual who is distressed or otherwise in need.<sup>6</sup> The second group of studies in the altruism cluster corresponds to what is known as the ‘prosocial choice’ experimental paradigm, where animals can choose to spontaneously benefit another individual who is not necessarily in need nor actively asking for help.<sup>7</sup>

The fairness cluster consists of studies that investigate whether animals possess a sense of fairness. In the field of comparative psychology, this is exemplified by the inequity aversion studies, where pairs of animals are rewarded unequally for performing the same task and their reactions observed to see if they track this inequality.<sup>8</sup> Animals’ sense of fairness has also been a research focus of observational studies, predominantly those concerned with social play. Social play in mammals often involves behavioural patterns that are similar to those used in predation or mating. To avoid misinterpretation during play, these animals often use play markers. Different species of canids, for instance, use the play bow as a signal (Bekoff 1977) and chimpanzees have been found to increase their play signaling when the mother of their play partner is in close proximity, presumably as a way of preventing her from intervening and ending the play bout (Flack et al. 2004). In

---

empirical approaches to animal morality. Bekoff and Pierce have a very broad understanding of animal morality, and their three clusters encompass a wide range of behaviours, since they use them to illustrate the different forms that animal morality could take. Under cooperation they include “altruism, reciprocity, honesty, and trust;” under empathy, “sympathy, compassion, grief, and consolation;” under justice, “sharing, equity, fair play, and forgiveness” (Bekoff and Pierce 2009, xiv). While we think that their open-mindedness is commendable, it is an exception and not the rule in the animal morality debate. This broad understanding of morality does not correspond to how animal morality is being systematically studied. There are, for instance, barely any studies on honesty, trust, or forgiveness in animals. We are therefore using these three clusters in a narrower sense, as explained below.

<sup>6</sup> Positive results in the ‘active helping’ sub-group have been obtained with rodents (e.g. Barta et al. 2011; Ueno et al. 2019), pigeons (Watanabe and Ono 1986), and primates (e.g. Masserman et al. 1964; Warneken and Tomasello 2006).

<sup>7</sup> Positive results using this paradigm have been obtained with chimpanzees (Horner et al. 2011), capuchin monkeys (Lakshminarayanan and Santos 2008), common marmosets (Burkart et al. 2007), cotton-top tamarins (Cronin et al. 2010), rats (e.g. Hernandez-Lallement et al. 2015) and parrots (Brucks and Bayern forthcoming).

<sup>8</sup> Apparent ‘inequity aversion’ has been found in chimpanzees (e.g. Brosnan et al. 2010), capuchin monkeys (Brosnan and de Waal 2003) cotton-top tamarins (Cronin and Snowdon 2008), long-tailed macaques (Massen et al. 2012), dogs (e.g. Range et al. 2009), rats (Oberliessen et al. 2016), crows, and ravens (Wascher and Bugnyar 2013).

order to play ‘fairly’, mammals also engage in self-handicapping, which occurs when an animal does not use her full strength when playing with another individual, and role-reversing, which takes place when an animal engages in a behaviour that does not correspond to her relative place in the hierarchy (Špinka et al. 2001).

The last big research focus corresponds to the empathy cluster. This comprises studies on emotional contagion, the spontaneous ‘catching’ of another’s emotion, which is widely viewed as a basic form of empathy. This ability is commonly tested in animals by providing them with visual or auditory access to emotional cues from another individual, and measuring whether there are any signs of emotional state-matching in the witnessing subject.<sup>9</sup> The empathy cluster is also made up of experimental and observational studies that have documented consolation behaviour, which is a form of affiliative behaviour directed at individuals in distress and is thought to be triggered by empathic processes. Apparent consolation has been observed in a wide range of animals, including some avian species (see Table 1).

As one can see from this quick overview, the topic of touch has received scarce attention in these debates. In the tests that are commonly used to study these moral capacities in animals, the experimental subjects, when there is more than one, are usually separated from each other, in order to facilitate testing and avoid any confounding factors. Thus, the test conditions tend to physically prevent animals from touching one another. Obviously, this is not the case in field studies, where the natural interactions of wild animals are observed. Although animals often touch each other when they engage in helping and play behaviours, this specific issue has not been the explicit focus of studies to date. An exception to this lack of attention to animal touch is provided by the consolation studies.

Consolation behaviour in animals was first described by de Waal and van Roosmalen (1979). It is defined as “an increase in *affiliative contact* in response to and directed toward a distressed individual, such as a victim of aggression, by an uninvolved bystander, which produces a calming effect” (Burkett et al. 2016, 375, our emphasis). Thus, the idea of touch (‘affiliative contact’) is present in the very definition of this behaviour. However, even though the majority of criteria used to identify consolation involve the animals touching in one way or another (see Table 1), scientists do not explicitly reflect on this, to the extent that ‘touch’ is often listed as a separate behaviour

---

<sup>9</sup> The available evidence suggests that emotional contagion is an ability possessed, at the very least, by chimpanzees (Parr 2001), greylag geese (Wascher et al. 2008), dogs (e.g. Huber et al. 2017), mice (e.g. Langford et al. 2006), rats (e.g. Atsak et al. 2011), prairie voles (Burkett et al. 2016), chickens (Edgar et al. 2011), pigs (e.g. Goumon and Špinka 2016), cockatiels (Liévin-Bazin et al. 2018), and kea (Schwing et al. 2017).

instead of as a common denominator. The general focus of the consolation studies has been on who is involved in the consolation interaction, what happened immediately before the consolation event, what happened afterward, and what are the motives of the consoler. Although consolation is largely thought to occur *via touch*, the implications of this are not explicitly reflected upon.

Study	Species	Other-directed affiliative behaviours used as consolation indicators
de Waal and van Roosmalen 1979	Chimpanzees	<i>Kissing, embracing, hold-out-hand, touching</i> , submissive vocalisations
Kutsukake and Castles 2004	Chimpanzees	<i>Allo-grooming, sitting in contact, gentle touching, kissing, embracing, wrapping an arm around another, passing touch, mounting, grasping testicles</i> , playing, inspecting another's genitals
Palagi et al. 2004	Bonobos	<i>Contact sitting, grooming, touching (gentle patting or stroking movements)</i> , sociosexual behaviours, play
Cordoni et al. 2006	Gorillas	<i>Contact sitting, embracing, grooming, touching, touching in walk</i> , playing
Seed et al. 2007	Rooks	<i>Bill twining</i>
Fraser et al. 2008	Chimpanzees	<i>Kissing, embracing, grooming, finger-in-mouth touching, gentle touching</i> , playing, submissive pant-grunt greeting
Palagi and Cordoni 2009	Wolves	<i>Body contact, social licking, social play</i> , inspecting, social sniffing
Cozzi et al. 2010	Horses	<i>Mutual grooming, friendly contact</i> , nasal sniff, body sniff, genital sniff, play, approach, follow
Fraser and Bugnyar 2010	Ravens	<i>Contact sitting, preening, beak-to-beak touching, beak-to-body touching</i>
McFarland and Majolo 2012	Barbary macaques	<i>Grooming, body contact, mutual teeth chattering</i> , successful <1.5m approaches
Clay and de Waal 2013	Bonobos	<i>Embracing, socio-sexual contact (genito-genital contact, mounting, copulating, genital touch)</i> , touching, grooming, contact sitting, holding, patting, playing, inspecting
Palagi and Norscia 2013	Bonobos	<i>Grooming, touching, contact-sitting, embracing, kissing, socio-sexual interactions</i> , social play, food-sharing
Baan et al. 2014	Wolves	<i>Body contact, nose touch, licking</i> , playing, greeting, sniffing, inspecting
Palagi et al. 2014	Japanese macaques, Tonkean macaques	<i>Grooming, contact sitting, touching, playful contacts, mounting, manipulating genitals, copulating, kissing, mouthing, cheek-to-cheek, face holding, face sniffing</i>
Plotnik and de Waal 2014	Asian elephants	<i>Body contact, vocalisations</i>
Burkett et al. 2016	Prairie voles	<i>Licking, grooming</i>
Quervel-Chaumette et al. 2016	Dogs	<i>Affiliative behaviours: rubbing one's own body alongside that of the partner, greeting (licking the lips of the partner, whilst tail wagging)</i> , play, sniffing any body part; time spent in proximity

Table 1. Consolation studies and the criteria used to identify consolation behaviour. In italics: those criteria that necessarily entail touch; most of the other listed behaviours can involve touch too.

This lack of attention to touch comes at an explanatory cost, since the neurophysiology of affiliative touch can shed some light on *why* consolation is

comforting.<sup>10</sup> It has recently been discovered that nerve fibres found in hairy mammalian skin, which covers major parts of most mammalian bodies, seem to be specifically attuned to processing social touch, especially affiliative touch in the form of slow, gentle stroking (Löken et al. 2009; McGlone et al. 2014). These nerve fibres, called C-tactile afferents, apparently process slow, gentle touch as ‘pleasant’ and ‘affiliative’ the way other nerve fibres, for example, process noxious stimuli as ‘painful’ (Löken et al. 2009). Consolation behaviour in the form of slow, gentle touch is thus likely especially effective in having a calming effect. Of course, other factors like social context also influence how touch is ultimately experienced. However, CT afferents point to a significant ‘social bias’ of the mammalian nervous system. The importance of considering these socially-attuned nerve fibres is further underlined by the fact that they have been found in all species examined, i.e. primates, pigs, rats, mice, guinea pigs, rabbits, and cats, and it has been suggested that all mammals possess them (Morrison 2012; Pitcher et al. 2016). Despite its explanatory potential, the neurophysiology of affiliative touch is hardly considered in the consolation studies.<sup>11</sup> We propose that greater attention to the identification of consolation behaviour with a certain kind of touch may inform research in this area.

This overview of the animal morality debate not only shows that scientists have paid only scarce and implicit attention to the issue of touch, but also that they have operationalised morality in a rather narrow way. There are many other ways of being moral<sup>12</sup> besides being empathic, altruistic, and averse to inequity. These include being grateful, caring, trusting, tolerant, and loyal, as well as being resentful, envious, jealous, disgusted, and cruel. This narrow conception of morality is not the sole fault of the scientists, but is surely influenced by moral philosophers, who have traditionally attempted to reduce morality to one or two key capacities. And naturally there are exceptions on both sides. Among the scientists, Bekoff (Bekoff and Pierce 2009) has defended a pluralistic account of morality. Among the philosophers, Pierce (Ibid.), Rowlands (2012), Monsó and Andrews (forthcoming), and Rutledge-Prior (2019) have also given accounts of animal morality that presuppose a pluralistic framework. We propose that this pluralistic approach is the way to go, since opting for a narrow operationalisation of morality could amount to a premature reduction that failed to do

---

<sup>10</sup> Scientists clearly *expect* consolation to be comforting, because they often either define consolation as a behaviour that produces a calming effect or they look for evidence of a stress reduction in the consoled individual. However, to the best of our knowledge, none of the scientists working on consolation have explained *why* they expect the behaviours that they deem indicative of consolation to be comforting.

<sup>11</sup> A single study on prairie voles (Burkett et al. 2016) mentions the role of oxytocin, a mammalian hormone associated with social touch (Uvnäs-Moberg et al. 2005) and attachment (Feldman 2011, 380), in consolation behaviour.

<sup>12</sup> We are using the term ‘moral’ not in its normative but in its descriptive sense.



justice to the range of moral practices that animals are potentially capable of. Though some of these practices may be out of reach for animals, this should not be assumed without empirical investigation.

We will argue that animals' touch interactions could reveal nuances in the practices thus far considered in the animal morality debate (such as consolation and social play), while at the same time providing evidence of some of these alternative ways of being moral. Our focus throughout the paper will be on potential cases of what we call 'moral practices,' which we define as those that involve the exercise of moral capacities. Since we do not want to circumscribe our claims to a particular account of moral capacities, the readers should understand this term in a broad sense, as capacities that imply a "sensitivity to [some of] the good- or bad-making features of situations" (Rowlands 2012, 230) or as those whose exercise conveys information about a being's moral character (Parrott 2019). We understand moral capacities to include moral emotions (those that are involved both in pro-social and in anti-social behaviour), as well as other capacities that can't be classified as emotions but could still be said to 'track' moral properties (in Rowlands' [2012] sense), such as trust, care, or normative capacities.<sup>13</sup> For the purposes of this paper, it is not necessary that we take a stand on whether any of these capacities on its own is enough to endow an animal with full-blown morality. Instead, what we will argue is that looking at animals' touch interactions has the potential to help reveal many of these (proto-)moral capacities.<sup>14</sup> In what follows, we will explain this by analysing the three functions of touch and their connection to potentially

---

<sup>13</sup> We understand 'normative capacities' as the ability to make normative evaluations about others' behaviour, as well as the ability to comply with and enforce normative standards of behaviour. See section 5.

<sup>14</sup> An interesting question posed by a reviewer is whether there are studies that employ the frame of touch to explore morality in humans. Studies on human moral psychology mostly focus on gaze (e.g. showing clips of antagonistic interactions and just or unjust punishment to pre-linguistic children and tracking their gaze to infer their understanding of norms and fairness), visual- or auditory-mediated emotional contagion (e.g. babies crying in response to hearing another baby cry as an indicator of the innateness of empathy), and, as soon as developmentally possible, language (e.g. to inquire about moral judgments). Since humans have linguistic abilities, studies of our moral capacities may not benefit as much from a focus on touch as the study of animal morality. However, some studies do document the role of touch in humans' moral interactions broadly construed. For instance, affective touch has been found to affect our impression of others (e.g. Fisher et al. 1976), and to have a positive effect on compliance and cooperation in mundane situations (e.g. Goldman et al. 2010), which may affect moral decision-making, e.g. in the context of helping. Affective touch is also a prominent criterion in the studies of consolation in pre-linguistic infants or infants in early linguistic development. Consolation in these infants is operationalised, like in animals, as hugging the distressed other or offering some other form of comfort contact (e.g. Zahn-Waxler 1992). Researchers have also found an analgesic effect of partner touch, which increases when a more empathic partner provides the touch (Goldstein et al. 2018; Goldstein et al. 2016). Lastly, touch may also play a role in the experiencing of moral disgust, though it should be noted that the link between physical revulsion as a protective mechanism and moral disgust is controversial (Oaten et al. 2018).

moral practices. Though we will separate these three functions for analytic purposes, it is important to bear in mind that in reality they intertwine and support each other.

### 3. The discriminative function of touch and its importance for animal morality

Touch in its discriminative function serves as a perceptual source of information. When the body of a being with a tactile sense comes into contact with a physical entity, there is some information made available to that being about the qualities of the entity being touched, such as its shape, temperature, motion, texture, malleability, and so on. This is the discriminative function of touch, and it does not reduce to the touching of inanimate objects, but extends to touching other living beings. For this reason, Botero has argued that discriminative touch must be factored into discussions on primate social cognition (Botero 2016, 1203–4). In this section, we will show how this should be extended to the animal morality debate.

In arguing for the importance of discriminative touch in primate social cognition, Botero is going against the general trend in debates and experiments on this topic, which, as she herself points out, have been characterised by an almost exclusive focus on the visual sense. Joint attention, for example, is commonly understood as a triadic interaction occurring between two subjects who coordinate their attention on one object. Although attention is not necessarily linked to visual perception, most of the research on joint attention in primates has been circumscribed to testing their ability to follow another's gaze on an object (see Carpenter and Call 2013 for a review). Research on theory of mind in primates has likewise privileged the visual mode. Although theory of mind refers to the general ability to attribute mental states to others, a significant proportion of studies attempts to determine whether primates possess a theory of mind by studying whether they can understand what others can and cannot see (see Andrews 2017 for a review). And even those studies that focus on the attribution of a different type of mental state, namely, emotions, tend to emphasise the sense of vision. Indeed, a common method for measuring emotions in primates concentrates on their facial expressions, which are a visual way of expressing emotions, and most of the experiments that have been carried out to determine whether primates can attribute emotions to others have tested for their ability to visually discriminate facial expressions of emotions (e.g. Parr 2001; 2003).

Botero suggests that the operationalisation of socio-cognitive capacities via the visual modality results in a limited understanding of social cognition in primates. She points out, for instance, that chimpanzees' facial features lack the salient contrasts that in

our case allow for an easy visual detection of the subtle facial movements that indicate emotions (Botero 2018b, 373). This means that the discrimination of facial expressions may not play such an important role in the attribution of emotions amongst chimpanzees. In addition, chimpanzee mothers rarely use prolonged gaze as a form of interaction with their offspring. However, during the first nine months, infant chimpanzees spend most of the time in close contact with their mothers, who carry them around as they go about their day. By means of this touch interaction, the infant chimpanzee learns about the mother's reaction to different stimuli, thereby gaining information on her perspective and on the world surrounding them (Botero 2016, 1204–5). Botero considers that, due to similarities in neurophysiology and infant development across primate species, these points probably generalise to other apes. Discriminative touch thus likely constitutes the very first source of social information that apes make use of, and by means of it they can learn “that there are others and that these others have a different perspective, two basic traits of joint attention and theory of mind” (Botero 2018b, 377).

Since discriminative touch is a source of social information, and moral practices require social information, discriminative touch can support moral practices. In order to respond in ways that are morally appropriate or that exemplify the use of a moral capacity, the animal first has to gauge the social situation.<sup>15</sup> In certain circumstances, namely when there is bodily contact involved, the relevant social information can be gauged by means of touch. For instance, in the case of consolation behaviour, the consoler can gain tactile information on whether the other is tense or relaxed, which can be used to determine when the contact should go on and when it can stop. Likewise, the appropriate duration of other affiliative behaviours, like grooming, can be informed by touch, e.g. the groomer can use it to discriminate when the recipient is annoyed by or uninterested in this interaction.

Touch can also be used to gain information about other morally relevant features of situations besides emotions. An example of this is provided by the literature on animals' reactions to conspecifics' deaths. Death can be construed as morally relevant, insofar as, other things being equal, it is a bad-making feature of situations that calls for a certain reaction in beings who care about the deceased. In order to respond in a morally laden

---

<sup>15</sup> This of course connects to theory of mind, and sometimes it may be useful (perhaps even necessary) for an animal to first determine that another is in a particular mental state before exercising a moral capacity. However, we do not want to circumscribe our claims to animals who possess a theory of mind. Instead, we follow Andrews (2018) in considering that many socio-cognitive practices don't require mindreading but trait attribution, understanding of past history, relationship status, etc., and, following Monsó (2015), we consider it quite likely that this pluralistic set of capacities for predicting and understanding others is sufficient for the exercise of many moral capacities.

way to death, animals would have to first discriminate that they are dealing with a dead individual, which could in principle be done through touch. In fact, a variety of social mammals have been witnessed insistently touching or nudging corpses (for reviews, see Fashing and Nguyen 2011; Boesch 2012, chapter 7; Anderson 2016). The meaning of this behaviour is unclear, but it entails bodily contact and thus offers the animals tactile information that points to the state of the dead conspecific: she is not responding the way she usually would to touch, and she does not *feel* the way she used to, e.g. because of limpness or, later, rigor mortis and coldness. The death of a conspecific can thus be grasped to a degree by means of the tactile sense. Similarly, touching injured, disabled, or sick conspecifics may provide information on their state (e.g. when they flinch or respond unusually to a common form of touch), thus providing a reason to adapt one's interactions with them.

Another example of situations in which social information can be gained by means of touch are play fights and aggressive encounters. Puppies are often described as not knowing their own strength yet, which may well be said for any mammalian young at a certain developmental stage. Rough-and-tumble play provides an opportunity to learn about one's own and others' strength, information that is gathered most prominently through touch. Moreover, tactile information about the other's strength and character gained through play and aggressive interactions can shape relationships and determine one's own and the other's status, which could in turn provide a context for many moral practices. Deciding, for instance, if and when to share food with, groom, help, or console another will depend on the characteristics of the preexisting relationship.

These are just some examples of how touch can contain morally relevant social information regarding others' characteristics and present state, as well as one's capacities and relationship to others. Lack of attention to the discriminative powers of touch can result in scientists misconstruing or simplifying the range of social information available to an animal in a certain situation. For instance, some scientists have speculated that monkey mothers who carry the mummified remains of their dead infants for extended periods of time perhaps do so because they haven't properly processed the change in the infant's state, given that the mummification allows the corpse to retain its shape and still be visually recognisable as an infant (e.g. De Marco 2018). This ignores how radically different a dead infant will *feel* from the very first moment when compared to a live one. Incorporating the study of touch as a medium for social information can thus give us a richer and more accurate account of the mechanisms underlying the behaviour of animals and has the potential to help us uncover moral practices.

#### 4. The affiliative function of touch and its importance for animal morality

Touching another individual is not only a source of information, it can also be a form of affiliation. Although the term 'affiliation' refers to any behaviour that serves to strengthen social bonds, it often takes the form of voluntary bodily contact between individuals, e.g. in the context of parental<sup>16</sup> care (Feldman 2011) or social grooming (Spruijt et al. 1992). In this section, we will argue that affiliative touch is linked to morality (1) *indirectly*, due to the causal connection between parental touch and normal development, and (2) *directly*, since affiliative touch could be an expression of moral emotions.

The link between parental touch and development was demonstrated by the infamous maternal deprivation studies first conducted in the 1950s. In one of these studies by Harlow (1958), infant monkeys were taken from their mothers and were either offered a surrogate made of bare mesh wire or one draped in soft cloth. When given a choice between the two conditions, the monkeys strongly preferred the cloth surrogate, even when only the wire surrogate provided food. While monkeys in both surrogate conditions took in the same amount of milk and gained the same amount of weight, the monkeys in the wire surrogate condition showed psychosomatic symptoms, which lead Harlow to conclude that "[t]he wire mother is biologically adequate but psychologically inept" (Harlow 1958, 677). Furthermore, in an open-field test, where Harlow put surrogate-raised monkeys in a room with novel stimuli, either with or without the cloth surrogate, he found that in the condition with the surrogate available the infants displayed less behavioural signs of stress. The surrogate thus seemed to function as a "source of security" (ibid., 679).

This research led to two novel insights relevant for our case that have been supported by follow-up studies: first, parental touch, and not as previously assumed the providing of food by the parent, seems to be crucial in the emergence of the parent-infant *attachment*, and second, touch seems to decrease negative arousal. This apparent soothing effect is immediate, but parental touch has also been found to positively influence stress response in the long term, improving the adequacy of the individual's response to stressors and her ability to cope with stress throughout her life (for a review, see Hertenstein et al. 2006). Importantly, the significance of parental touch for the normal

---

<sup>16</sup> We use the terms 'parent' and 'parental' to refer to any primary caregiver.

development of attachment and emotional self-regulation is a constant *across mammalian species* (Hertenstein et al. 2006; Feldman 2011<sup>17</sup>).

The capacities for attachment and emotional self-regulation are indirectly relevant for morality because they enable the emergence of sociality. We understand sociality as a prerequisite for morality, since the ability to abandon a self-centred stance is necessary for one's attitudes to be directed towards the welfare of others.<sup>18</sup> And as Botero argues, emotional self-regulation, facilitated by the soothing effect of parental touch, is a precondition for being able to pay attention to others (Botero 2018b, 376–377), which is critical for behaviour to be *other-directed*. Furthermore, concern for others can be motivated and modulated by attachment, for which the parent-infant attachment seems to act as a blueprint. This first attachment facilitates the emergence of capacities that are necessary for forming further social bonds, such as play tendencies (Lévy et al. 2003) or social discrimination, the ability to distinguish familiar from unfamiliar conspecifics (Kentrop et al. 2018). The latter has also been found to play a crucial role in the triggering of empathic mechanisms across species (de Waal and Preston 2017). Therefore, parental touch facilitates basic capacities necessary for moral practice.

However, parental care isn't only indirectly relevant for animal morality, it could also be a *direct* expression of moral capacities. To the extent that the parent is motivated by a moral emotion, such as love, whenever she grooms, holds, or nurses her infant, we can speak of her affiliative touch as a moral practice in itself. Affiliative touch, however, is not exclusive to parent-infant interactions, but is instead an integral part of the social lives of many animals at all developmental stages and across different sorts of relationships. Therefore, affiliative touch can also be an expression of moral emotions beyond the parent-infant bond. The most obvious example, which is widely studied and well-documented in the literature, is consolation behaviour. This behaviour, as explained in

---

<sup>17</sup> Feldman (2011, 373) notes: "Maternal touch patterns are among the most evolutionarily conserved behaviors and, as such, there is marked consistency in the genetic, neuroendocrine, and brain circuitry between humans and other mammals. [...] Such consistency in the role of maternal touch between humans and other mammals renders research in animal models particularly useful for understanding the biological underpinnings of early touch and contact and their effect on shaping the infant's capacity for social affiliation and stress modulation throughout life."

<sup>18</sup> Although in this section we emphasise prosocial behaviours, given that the focus is on affiliation, the link between morality and sociality doesn't circumscribe solely the positive side of morality. Cruelty, for example, is an attitude that has the other's (negative) welfare as its goal and, in that sense, it also requires abandoning a purely self-centred stance. In addition, our view regarding the importance of sociality for morality should not be taken to imply that egoism or callousness are not moral attitudes. Our point is that one can only make sense of the morality of an animal's attitudes if one assumes the animal has the *capacity* to abandon a self-centred stance. This applies also to callous and egoistic attitudes. Animals who naturally lead solitary lives and lack all capacity to engage with others could not be said to be egoistic or callous, at least not in the moral sense of these terms.

section 2, occurs as a response to distress behaviour in others and most often takes the form of affiliative touch. Consolation, in turn, is generally thought to be motivated by empathy or sympathy (see e.g. de Waal and Preston 2017), so affiliative touch would be functioning here as an expression of these moral emotions.

Affiliative touch can also point us to other moral emotions beyond empathy, sympathy, and parental love. The potential of affiliative touch to uncover further moral emotions has to do with the strong social significance that this interaction has in many animal societies. Although some of these emotions may ultimately be beyond the reach of (most) animals, we propose grief, gratitude, jealousy, and resentment as exemplary moral capacities that could either be expressed by affiliative touch or through its prevention, disruption, or evasion. Grief may be manifested by means of affiliative contact towards a corpse, including grooming, prolonged holding, and protective behaviours such as preventing others from touching it.<sup>19</sup> Gratitude could be expressed by spontaneous affiliative touching directed at a benefactor. Jealousy, as a negative emotion evoked by affiliation in others, could take the form of attempts to prevent affiliative touch or to disrupt its occurrence. And lastly, resentment could be expressed in the aftermath of a conflict by avoiding the offender's touch, ignoring attempts at affiliation, or engaging in aggressive responses to affiliation attempts. The ways and contexts in which animals manifest and respond to affiliative touch could thus give us insight into moral capacities that have received little attention in the animal morality debate so far. In addition, they also point to the importance of performing field studies, since these capacities could never be detected without considering the social context and history in which they are embedded and without allowing for animals to freely and spontaneously engage in social interactions with their conspecifics.

##### 5. The vigilance function of the tactile sense and its importance for animal morality

Filip Mattens (2017) has argued that there is a third function that can be attributed to the tactile sense, namely, the vigilance function. Mattens criticises philosophers of touch for their excessive focus on the hands and the discriminative function of touch. Hands or organs with the function of touching *in order to feel* are a rare feature once we move beyond the primate order, and yet, we attribute a tactile sense, at the very least, to all mammals. That is because the tactile sense is not something that is circumscribed to

---

<sup>19</sup> The prolonged transportation and nurturing of an infant's corpse have been witnessed in mothers from a wide range of mammalian species (Reggente et al. 2016).

hands, but a body-wide feature. This, he argues, suggests that the basal function of the tactile sense is not its discriminative function:

Although not all areas of the body are used for touching, nearly every single area can sense when something touches it. Because it signals when and where an animal is being touched, tactile sensitivity functions like a surveillance system: it keeps a watch on the animal's body. (Ibid., 690)

The vigilance function of the tactile sense is distinct from its discriminative function. This is easily illustrated by considering cases in which you are touched by something that is not anticipated by your other senses and thus met with a startle response: “[a]s soon as you sense the slightest contact, you flinch back. You do not wait until it is clear whether the object is injurious; you flinch back before you even know *what* touched you” (Ibid., emphasis in the original). Touch in its vigilance function is not meant as a means for exploring objects, but as a way of protecting the body. This function of touch, therefore, “does not first and foremost serve the animal’s desire to touch, but rather [her] need to know that [she] is *being* touched” (Ibid., emphasis in the original).

The vigilance function of touch thus points us to the body’s vulnerability. The tactile sense watches over the body because, whenever something touches our body, there is a potential threat to our health and integrity. And indeed, when an animal touches another, she is invading their bodily space, thus becoming a potential threat to them while also risking injury herself. Both animals are made more vulnerable by this interaction. As we will argue in this section, studying how animals navigate this increase in vulnerability that occurs as a result of touch may illuminate further moral capacities. In particular, it has the potential to reveal capacities of trust, care, and tolerance, moral capacities involved in antisocial behaviour, such as cruelty, and normative capacities.

Although until now it has barely been taken up as a research topic in the animal morality debate, trust can be plausibly regarded as a moral capacity insofar as it is likely a necessary mechanism (or at least a very useful one) for a moral society to function. Moral societies are generally regarded as ones in which individuals do not merely pursue their own selfish desires, but rather decide to cooperate and look out for others’ interests too (e.g. Tomasello 2016). In order to ensure that this works, members of the society need to place trust in that the others will reciprocate (Ibid., 162ff.). But trust may also be involved in other interactions beside reciprocity. Whenever animals engage in behaviours like grooming, contact sleeping, or social play, they are placing themselves in a situation that makes them more vulnerable, and insofar as it is under the animal’s control to place herself in this situation, we could speak of a capacity of trust in the other, which would be



more or less explicit depending, perhaps, on how aware the animal is that the other could hurt her.

It could, however, be argued that common behaviours like grooming, contact sleeping, or social play do not necessarily imply that the animals involved trust each other; instead, perhaps they have merely learnt which touch behaviours are safe or effective. This may be true, but it does not necessarily exclude an explanation in terms of trust. Instead, this learning process might precisely amount to a development of trust. Trust does not have to be something that is explicitly present in the animal's mind as a propositional judgement such as "This individual can be trusted." Rather, trust may be a capacity that is implicit in their *choosing* to place themselves in a situation that makes them more vulnerable.

Another objection here might be that the very neurophysiology of touch, which we discussed in section 2, makes these sorts of affiliative interactions pleasurable for the animals, so that there is no role for trust to play, but rather the animals are just motivated to encourage what they feel as a pleasant stimulus. We believe that it is quite likely that part of the motivation for engaging in affiliation is indeed that it is inherently rewarding. However, two things must be borne in mind. The first one is that the individual initiating the affiliation might not get pleasure out of it right away, and still this individual is also risking injury. Second, and relatedly, the fact that the neurophysiology of touch ensures that affiliation is pleasant does not mean that things can't go wrong. Not all attempts at affiliation are successful. And for the animal on the receiving end there is always the risk of misreading the situation, interpreting as an affiliative approach what is not, which likely means that the animals who *purposefully* let others touch them implicitly trust them.

The capacity of trust may also be manifested in certain touch behaviours that some animals engage in and that seem to create vulnerability as a gesture of reassurance or friendliness. One example first described in chimps has been aptly named 'vulnerable contact behaviour' and consists of inserting a finger into another's mouth (Nishida et al. 2010, 145), either to appease another in distress or to reassure oneself. De Waal (1989) puts the use and risk of this behaviour into context:

Chimpanzees have a habit of putting their fingers or the back of one hand between the teeth of dominant group members. A friendly gesture, it is also a test of the dominant's state of arousal and often is used in ambiguous situations. I experienced it myself when performing psychological experiments with two juvenile chimpanzees at the University of Nijmegen. Each day I spent hours in a room with them, and occasionally their constant mischievousness would get on my nerves. They would notice the slightest irritation and hurry over to fill my mouth with their big hands. Of course, I never bit, but in the Arnhem colony I have seen quite a few instances when fingers were not treated so gently during appeasement attempts. Young chimpanzees of three years or less, who may have lacked

the experience to judge whether the gesture was safe or not, were almost always the victims of such bites. (80)

Vulnerable contact behaviour also takes other forms amongst primates. Once more in the context of peace-keeping, de Waal (1989) describes the following behaviour:

[M]ale chimpanzees often finger each other's scrotum at moments of mild tension, a gesture irreverently known among field-workers as ball bouncing. Is there a more convincing way of indicating friendly intentions than by touching these vulnerable parts? (79)

Anecdotal evidence also points to the consolidation of alliances by means of gently holding another's testicles in other primates (e.g. Balter 2010). Vulnerable contact behaviour has also been witnessed in elephants, who will touch or put their trunk inside the mouth of a distressed conspecific (Plotnik and de Waal 2014, 12). A recent study on captive orcas also documents what appears to be vulnerable contact behaviour: the orcas were found to occasionally put their snouts together, and then one of them would insert her tongue into the mouth of the other, who would gently bite it. The authors interpret this as an affiliative gesture (Sánchez-Hernández et al. forthcoming).

Even if we were to favour a more intellectualistic notion of trust that excluded these behaviours from counting as expressions of such, these sorts of interactions could still point us to the capacity of care or tact. A chimpanzee holding another's testicles or an orca biting another's tongue are examples of situations in which an animal could very easily hurt the other, but she apparently puts care into making sure this doesn't happen. And this extends beyond vulnerable contact behaviour. For instance, controlling the strength with which one bites during play or carrying one's offspring in the mouth with the exact pressure needed to hold them without hurting them could also constitute examples of animals exhibiting care. To be sure, whether or not these count as instances of care or tact will be a function of the amount of behavioural flexibility and self-control the animal has. If she could not perform the behaviour *any other way* then it would not make sense to say that she is putting care into how she does it. This is not particularly problematic, however, since the study of moral capacities in animals must in any case go hand-in-hand with the study of animal self-control (see Monsó and Andrews forthcoming).

There may be more to learn about the moral capacities of animals if we look further beyond gentle touch. For instance, young animals of various species often play with each other or with adults in ways that can be quite painful. These individuals enjoy enormous levels of tolerance from the older members of the group. In the case of young chimpanzees, for instance, de Waal writes: "They can do nothing wrong, such as using the back of a dominant male as a trampoline, [...] or hitting an older juvenile as hard as they can" (de Waal 2014, 189). Tolerance is also a moral capacity that has not received the

attention it deserves. Having a young chimp use your back as a trampoline or hit you as hard as she can must hurt. If it were an older chimp doing it, this would trigger an aggressive response in return, so it is possible that there is an inhibition of aggression going on that could also plausibly be regarded as a moral capacity. The fact that social tolerance and the inhibition of aggression have not been considered as research topics in the animal morality debate highlights a bias towards moral capacities that are manifested *actively*. But one can also exercise a moral capacity by *refraining* from doing things.

The ways in which animals navigate each other's vulnerability could thus give us evidence of various moral capacities. But what about cases in which the animals purposefully hurt each other? The animal morality debate has until now focused almost exclusively on prosocial behaviour and its underlying mechanisms. We suggest that it's also important to look at antagonistic and antisocial interactions in our search of moral capacities beyond the human species. Consider the following description of an aggressive altercation among captive chimpanzees:

Luit was alpha for only ten weeks. The Yeroen-Nikkie alliance made a comeback with a bloody vengeance one night during which the two allies together severely injured Luit. Apart from biting off fingers and toes and causing deep gashes everywhere, the two aggressors removed Luit's testicles, which were found on the cage floor. Luit died on the operating table due to loss of blood from the fight, which took place in a night cage with only the three senior males present. Given the victim's massive injuries and the relatively few injuries sustained by the other two, we must assume a remarkable level of coordination between Nikkie and Yeroen. (de Waal 1998, 211)

To be clear, by citing this example we do not mean to imply that this incident necessarily amounted to a moral practice. Perhaps Nikkie and Yeroen were motivated by a non-moral desire to rise in the social hierarchy. But the interaction could have had a moral component if, for instance, Nikkie and Yeroen enjoyed and purposefully prolonged Luit's suffering. While this single anecdote is far from definitive, the fact remains that chimpanzees are capable of very sophisticated social cognition (which suggests they might have understood that Luit was suffering) and exhibit high levels of behavioural flexibility (which suggests a certain degree of control over the way in which the killing was performed). Thus, the extreme violence displayed is noteworthy and justifies paying more attention to cases like this.

Lethal intra-specific coalitionary aggression in chimpanzees has also been documented in the wild, both within and outside the instigators' own social group (e.g. Kaburu et al. 2013; Pruett et al. 2017). Additionally, non-predatory inter-specific killings have been witnessed in several mammalian species. For instance, killer whales have been described to kill narwhal "for fun" in a variety of ways, like drowning, ramming, and mutilating them, and then "playing soccer" with their body parts (Ferguson et al. 2012, 7,

11). Bottlenose dolphins have also been observed to harass harbour porpoises, only to brutally kill them and abandon their bodies (Cotter 2011). Depending on the behavioural flexibility manifested in these interactions, the social context surrounding them, and the amount of premeditation involved, emotions like cruelty, envy, resentment, schadenfreude, or blood lust could be driving the behaviour. Perhaps these emotions are exclusively human, but this should not be established from the armchair. Not even considering the possibility that animals may also possess these negative moral emotions could also amount to a distorted or partial account of animal morality.

Before we conclude, we would like to mention how touch can also illuminate a final, very important branch of the animal morality debate: the study of the normative capacities of animals. Although animals' ability to follow and enforce normative standards of behaviour has only begun to be systematically studied in the lab (e.g. by measuring chimpanzees' spontaneous reactions to videos of infanticide [Rudolf von Rohr et al. 2015]), normativity figures prominently in many accounts of morality and much of the work done on the evolution of human morality has focused on the emergence of our normative capacities (e.g. Joyce 2007; Kitcher 2014; Tomasello 2016). In addition, Kristin Andrews, one of the most prominent philosophers in the animal morality debate, has also focused a great deal of her work on animal normativity (e.g. Andrews 2009; 2013; 2020). Thus, it is worth considering to what extent the study of touch can be illuminating here too.<sup>20</sup> Although discriminative and affective touch could possibly have a role to play in the enforcement of animal social norms (for instance, discriminative touch could be used to determine when an animal is not playing 'fairly,' and affective touch could perhaps be used to reinforce norm-appropriate behaviour), we believe that the vigilance function of touch is likely the most relevant when it comes to considering how touch can inform the study of animal normativity.

Following Andrews (2020), we assume that an animal social norm occurs when "(a) there is a pattern of behavior demonstrated by community members; (b) individuals choose to conform to the pattern of behavior; (c) individuals expect that community members will also conform, and will sanction those who do not conform." We believe that a fruitful area of study for uncovering animal social norms thus understood concerns how animals navigate each other's bodily vulnerability. Looking at how animals touch each other, when they refrain from touching each other, how they react to others' touch, or when they decide to intervene to stop others from touching could illuminate what animals consider to be *appropriate* patterns of behaviour, as well as to what extent they expect

---

<sup>20</sup> We are grateful to an anonymous reviewer for encouraging us to take on this point.

others to conform to these patterns and are motivated to sanction nonconformity. Thus, investigating the touch patterns involved in social play, mating, co-feeding, grooming, infant handling and alloparenting, vulnerable contact behaviour, reconciliation, and consolation could all be promising ways of establishing whether the animal societies in question countenance and enforce social norms.

## 6. Conclusion

We have argued that scientists and philosophers have been operating with a somewhat narrow view of the set of moral practices that animals could engage in, and that bringing the issue of touch to the discussion has the potential to uncover further moral practices, while also revealing unnoticed nuances in the ones that are under discussion. Our defence of the need to pay more attention to touch has been structured as an analysis of the discriminative, affiliative, and vigilance functions of touch. However, it is important to remember that this division is an artificial one: in reality these three functions are intertwined, and purposeful touch as an expression of moral capacities cannot be studied without taking the role of all three in a specific context into consideration. Moreover, as also emphasised by Botero, touch as a social medium and its role in animal morality cannot be properly analysed without incorporating field studies. We need to study animals' spontaneous interactions, and consider their social bonds and social history to assess their moral capacities and their use of touch, e.g. to distinguish resentment from mistrust. Lastly, lab conditions, like many other instances of the human-animal relationship, deprive animals of some of the conditions they might need to develop moral capacities, like parental care or lasting relationships, and thus on their own cannot provide us with a fair assessment of the prevalence and scope of animal morality.

## References

- Anderson, James. 2016. "Comparative Thanatology." *Current Biology* 26(13): R553–56.
- Andrews, Kristin. 2009. "Understanding Norms without a Theory of Mind." *Inquiry* 52 (5): 433–48.
- . 2013. "Ape Autonomy? Social Norms and Moral Agency in Other Species." In *Animal Minds & Animal Ethics: Connecting Two Separate Fields*, edited by Klaus Petrus and Markus Wild, 173–97. Bielefeld: Transcript.
- . 2017. "Chimpanzee Mind Reading: Don't Stop Believing." *Philosophy Compass* 12 (1).

- . 2018. “Do Chimpanzees Reason about Belief?” In *The Routledge Handbook of Philosophy of Animal Minds*, edited by Kristin Andrews and Jacob Beck, 258–68. New York: Routledge.
- . 2020. “Naïve Normativity: The Social Foundation of Moral Cognition.” *Journal of the American Philosophical Association* 6 (1): 36–56.
- Atsak, Piray, Marie Orre, Petra Bakker, Leonardo Cerliani, Benno Roozendaal, Valeria Gazzola, Marta Moita, and Christian Keysers. 2011. “Experience Modulates Vicarious Freezing in Rats: A Model for Empathy.” *PLoS ONE* 6(7): e21855.
- Baan, Candice, Ralph Bergmüller, Douglas Smith, and Barbara Molnar. 2014. “Conflict Management in Free-Ranging Wolves, *Canis Lupus*.” *Animal Behaviour* 90(April): 327–334.
- Balter, Michael. 2010. “Probing Culture’s Secrets, From Capuchins to Children.” *Science* 329(5989): 266–67.
- Bartal, Inbal, Jean Decety, and Peggy Mason. 2011. “Empathy and Pro-Social Behavior in Rats.” *Science* 334(6061): 1427–30.
- Bates, Lucy, Richard Byrne, Phyllis Lee, Norah Njiraini, Joyce Poole, Katito Sayialel, Soila Sayialel, and Cynthia Moss. 2008. “Do Elephants Show Empathy?” *Journal of Consciousness Studies* 15(10–11): 204–25.
- Bekoff, Marc. 1977. “Social Communication in Canids: Evidence for the Evolution of a Stereotyped Mammalian Display.” *Science* 197(4308): 1097–99.
- Bekoff, Marc, and Jessica Pierce. 2009. *Wild Justice: The Moral Lives of Animals*. Chicago, Ill.: University of Chicago Press.
- Botero, Maria. 2016. “Tactless Scientists: Ignoring Touch in the Study of Joint Attention.” *Philosophical Psychology* 29(8): 1200–1214.
- . 2018a. “Bringing Touch Back to the Study of Emotions in Human and Non-Human Primates: A Theoretical Explanation.” *International Journal of Comparative Psychology* 31.
- . 2018b. “Primates Are Touched by Your Concern: Touch, Emotion, and Social Cognition in Chimpanzees.” In *The Routledge Handbook of Philosophy of Animal Minds*, edited by Kristin Andrews and Jacob Beck, 372–380. New York: Routledge.
- Brosnan, Sarah, Catherine Talbot, Megan Ahlgren, Susan Lambeth, and Steven Schapiro. 2010. “Mechanisms Underlying Responses to Inequitable Outcomes in Chimpanzees, *Pan Troglodytes*.” *Animal Behaviour* 79(6): 1229–37.
- Brosnan, Sarah, and Frans de Waal. 2003. “Monkeys Reject Unequal Pay.” *Nature* 425(6955): 297–99.
- Brucks, Désirée, and Auguste von Bayern. forthcoming. “Parrots Voluntarily Help Each Other to Obtain Food Rewards.” *Current Biology*  
<https://doi.org/10.1016/j.cub.2019.11.030>.
- Burkart, Judith, Ernst Fehr, Charles Efferson, and Carel van Schaik. 2007. “Other-Regarding Preferences in a Non-Human Primate: Common Marmosets Provision Food Altruistically.” *Proceedings of the National Academy of Sciences* 104(50): 19762–66.
- Burkett, James, Elissar Andari, Zachary Johnson, Daniel Curry, Frans de Waal, and Larry Young. 2016. “Oxytocin-Dependent Consolation Behavior in Rodents.” *Science* 351(6271): 375–78.
- Carpenter, Malinda, and Josep Call. 2013. “How Joint Is the Joint Attention of Apes and Human Infants?” In *Agency and Joint Attention*, edited by Janet Metcalfe and Herbert A. Terrace, 49–61. New York: Oxford University Press.
- Campbell, Matthew, and Frans de Waal. 2014. “Chimpanzees Empathize with Group Mates and Humans, but Not with Baboons or Unfamiliar Chimpanzees.” *Proceedings of the Royal Society B: Biological Sciences* 281(1782): 20140013.
- Clay, Zanna, and Frans de Waal. 2013. “Bonobos Respond to Distress in Others: Consolation across the Age Spectrum.” *PLoS ONE* 8(1): e55206.

- Cordoni, Giada, Elisabetta Palagi, and Silvana Borgognini Tarli. 2006. "Reconciliation and Consolation in Captive Western Gorillas." *International Journal of Primatology* 27(5): 1365–82.
- Cotter, Mark, Daniela Maldini, and Thomas Jefferson. 2012. "'Porpicide' in California: Killing of Harbor Porpoises (*Phocoena Phocoena*) by Coastal Bottlenose Dolphins (*Tursiops Truncatus*)." *Marine Mammal Science* 28 (1): E1–15.
- Cozzi, Alessandro, Claudio Sighieri, Angelo Gazzano, Christine Nicol, and Paolo Baragli. 2010. "Post-Conflict Friendly Reunion in a Permanent Group of Horses (*Equus Caballus*)." *Behavioural Processes* 85(2): 185–90.
- Cronin, Katherine, Kori Schroeder, and Charles Snowdon. 2010. "Prosocial Behaviour Emerges Independent of Reciprocity in Cottontop Tamarins." *Proceedings. Biological Sciences / The Royal Society* 277(1701): 3845–51.
- Cronin, Katherine, and Charles Snowdon. 2008. "The Effects of Unequal Reward Distributions on Cooperative Problem Solving by Cottontop Tamarins, *Saguinus Oedipus*." *Animal Behaviour* 75(1): 245–57.
- De Marco, Arianna, Roberto Cozzolino, and Bernard Thierry. 2018. "Prolonged Transport and Cannibalism of Mummified Infant Remains by a Tonkean Macaque Mother." *Primates* 59 (1): 55–59.
- de Waal, Frans. 1989. *Peacemaking among Primates*. Cambridge, Mass: Harvard University Press.
- . 1996. *Good Natured: The Origins of Right and Wrong in Humans and Other Animals*. Harvard University Press.
- . 1998. *Chimpanzee Politics. Power and Sex among Apes*. Revised Edition. Baltimore: Johns Hopkins University Press.
- . 2014. "Natural Normativity: The 'Is' and 'Ought' of Animal Behavior." *Behaviour* 151 (2–3): 185–204.
- de Waal, Frans, and Angeline van Roosmalen. 1979. "Reconciliation and Consolation among Chimpanzees." *Behavioral Ecology and Sociobiology* 5(1): 55–66.
- de Waal, Frans, and Stephanie Preston. 2017. "Mammalian Empathy: Behavioural Manifestations and Neural Basis." *Nature Reviews Neuroscience* 18(8): 498–509.
- Dudzinski, Kathleen, Heather Hill, and Maria Botero. 2019. "Methodological Considerations for Comparison of Cross-Species Use of Tactile Contact." *International Journal of Comparative Psychology* 32(0)
- Edgar, Joanne, John Lowe, Elizabeth Paul, and Christine Nicol. 2011. "Avian Maternal Response to Chick Distress." *Proceedings of the Royal Society of London B: Biological Sciences*, 278(1721): 3129–34.
- Fashing, Peter, and Nga Nguyen. 2011. "Behavior toward the Dying, Diseased, or Disabled among Animals and Its Relevance to Paleopathology." *International Journal of Paleopathology* 1(3): 128–29.
- Feldman, Ruth. 2011. "Maternal Touch and the Developing Infant." In *The Handbook of Touch: Neuroscience, Behavioral, and Health Perspectives.*, edited by Mathew Hertenstein, and Sandra Jean Weiss, 373–407. New York: Springer Pub. Co.
- Ferguson, Steven, Jeff Higdon, and Kristin Westdal. 2012. "Prey Items and Predation Behavior of Killer Whales (*Orcinus Orca*) in Nunavut, Canada Based on Inuit Hunter Interviews." *Aquatic Biosystems* 8 (January): 3.
- Flack, Jessica, Lisa Jeannotte, and Frans de Waal. 2004. "Play Signaling and the Perception of Social Rules by Juvenile Chimpanzees (*Pan Troglodytes*)." *Journal of Comparative Psychology* 118 (2): 149–59.
- Fisher, Jeffrey, Marvin Rytting, and Richard Heslin. 1976. "Hands Touching Hands: Affective and Evaluative Effects of an Interpersonal Touch." *Sociometry* 39 (4): 416.
- Fitzpatrick, Simon. 2017. "Animal Morality: What Is the Debate About?" *Biology & Philosophy* 32(6): 1151–83.

- Fraser, Orlaith, and Thomas Bugnyar. 2010. "Do Ravens Show Consolation? Responses to Distressed Others." *PLoS ONE* 5(5): e10605.
- Fraser, Orlaith, Daniel Stahl, and Filippo Aureli. 2008. "Stress Reduction through Consolation in Chimpanzees." *Proceedings of the National Academy of Sciences* 105(25): 8557–62.
- Fulkerson, Matthew. 2013. *The First Sense: A Philosophical Study of Human Touch*. Cambridge, Massachusetts: The MIT Press.
- Goldman, Morton, Odette Kiyohara, and Dorothy Pfannensteil. 1985. "Interpersonal Touch, Social Labeling, and the Foot-in-the-Door Effect." *The Journal of Social Psychology* 125 (2): 143–47.
- Goldstein, Pavel, Simone Shamay-Tsoory, Shahar Yellinek, and Irit Weissman-Fogel. 2016. "Empathy Predicts an Experimental Pain Reduction During Touch." *The Journal of Pain* 17 (10): 1049–57.
- Goldstein, Pavel, Irit Weissman-Fogel, Guillaume Dumas, and Simone Shamay-Tsoory. 2018. "Brain-to-Brain Coupling during Handholding Is Associated with Pain Reduction." *Proceedings of the National Academy of Sciences* 115 (11): E2528–37.
- Goumon, Sébastien, and Marek Špinka. 2016. "Emotional Contagion of Distress in Young Pigs Is Potentiated by Previous Exposure to the Same Stressor." *Animal Cognition* 19(3): 501–11.
- Harlow, Harry. 1958. "The Nature of Love." *American Psychologist* 13(12): 673–85.
- Hernandez-Lallement, Julien, Marijn van Wingerden, Christine Marx, Milan Srejjic, and Tobias Kalenscher. 2015. "Rats Prefer Mutual Rewards in a Prosocial Choice Task." *Frontiers in Neuroscience* 8.
- Hertenstein, Matthew, Rachel Holmes, Margaret McCullough, and Dacher Keltner. 2009. "The Communication of Emotion via Touch." *Emotion* 9(4): 566–73.
- Hertenstein, Matthew, Julie Verkamp, Alyssa Kerestes, and Rachel Holmes. 2006. "The Communicative Functions of Touch in Humans, Nonhuman Primates, and Rats: A Review and Synthesis of the Empirical Research." *Genetic, Social, and General Psychology Monographs* 132(1): 5–94.
- Horner, Victoria, Devyn Carter, Malini Suchak, and Frans de Waal. 2011. "Spontaneous Prosocial Choice by Chimpanzees." *Proceedings of the National Academy of Sciences* 108(33): 13847–51.
- Huber, Annika, Anjuli Barber, Tamás Faragó, Corsin Müller, and Ludwig Huber. 2017. "Investigating Emotional Contagion in Dogs (*Canis Familiaris*) to Emotional Sounds of Humans and Conspecifics." *Animal Cognition* 20(4): 703–15.
- Joyce, Richard. 2007. *The Evolution of Morality*. A Bradford Book.
- Kaburu, Stefano, Sana Inoue, and Nicholas Newton-Fisher. 2013. "Death of the Alpha: Within-Community Lethal Violence Among Chimpanzees of the Mahale Mountains National Park." *American Journal of Primatology* 75(8): 789–97.
- Kentrop, Jiska, Claire Smid, Marijke Achterberg, Marinus van IJzendoorn, Marian Bakermans-Kranenburg, Marian Joëls, and Rixt van der Veen. 2018. "vy." *Frontiers in Behavioral Neuroscience* 12(September).
- Kitcher, Philip. 2014. *The Ethical Project*. Cambridge: Harvard University Press.
- Korsgaard, Christine. 2006. "Morality and the Distinctiveness of Human Action." In *Primates and Philosophers: How Morality Evolved*, edited by Stephen Macedo and Josiah Ober, 98–119. Princeton University Press.
- Kutsukake, Nobuyuki, and Duncan Castles. 2004. "Reconciliation and Post-Conflict Third-Party Affiliation among Wild Chimpanzees in the Mahale Mountains, Tanzania." *Primates; Journal of Primatology* 45(3): 157–65.
- Lakshminarayanan, Venkat, and Laurie Santos. 2008. "Capuchin Monkeys Are Sensitive to Others' Welfare." *Current Biology* 18(21): R999–1000.
- Langford, Dale, Sara Cragger, Zarrar Shehzad, Shad Smith, Susana Sotocinal, Jeremy Levenstadt, Mona Chanda, Daniel Levitin, and Jeffrey Mogil. 2006. "Social



- Modulation of Pain as Evidence for Empathy in Mice." *Science* 312(5782): 1967–70.
- Lékevy, Frederic, Angel Melo, Bennett Galef, Melissa Madden, and Alison Fleming. 2003. "Complete Maternal Deprivation Affects Social, but Not Spatial, Learning in Adult Rats: Learning in Mother-Deprived Rats." *Developmental Psychobiology* 43(3): 177–91.
- Liévin-Bazin, Agatha, Maxime Pineaux, Olivier Clerc, Manfred Gahr, Auguste von Bayern, and Dalila Bovet. 2018. "Emotional Responses to Conspecific Distress Calls Are Modulated by Affiliation in Cockatiels (*Nymphicus Hollandicus*)." *PLoS ONE* 13(10): e0205314.
- Löken, Line, Johan Wessberg, India Morrison, Francis McGlone, and Håkan Olausson. 2009. "Coding of Pleasant Touch by Unmyelinated Afferents in Humans." *Nature Neuroscience* 12(5): 547–48.
- Massen, Jorg, Lisette van den Berg, Berry Spruijt, and Elisabeth Sterck. 2012. "Inequity Aversion in Relation to Effort and Relationship Quality in Long-Tailed Macaques (*Macaca Fascicularis*)." *American Journal of Primatology* 74(2): 145–56.
- Masserman, Jules, Stanley Wechkin, and William Terris. 1964. "'Altruistic' Behaviour in Rhesus Monkeys." *American Journal of Psychiatry* 121(6): 584–85.
- Mattens, Filip. 2017. "The Sense of Touch: From Tactility to Tactual Probing." *Australasian Journal of Philosophy* 95(4): 688–701.
- McFarland, Richard, and Bonaventura Majolo. 2012. "The Occurrence and Benefits of Postconflict Bystander Affiliation in Wild Barbary Macaques, *Macaca Sylvanus*." *Animal Behaviour* 84(3): 583–91.
- McGlone, Francis, Johan Wessberg, and Håkan Olausson. 2014. "Discriminative and Affective Touch: Sensing and Feeling." *Neuron* 82(4): 737–55.
- Monsó, Susana. 2015. "Empathy and Morality in Behaviour Readers." *Biology & Philosophy* 30(5): 671–90.
- Monsó, Susana, and Andrews, Kristin. Forthcoming. "Animal Moral Psychologies." In *The Oxford Handbook of Moral Psychology*, edited by John Doris and Manuel Vargas. New York: Oxford University Press.
- Morrison, India. 2012. "CT Afferents." *Current Biology* 22(3): R77–78.
- Nishida, Toshisada, Koichiro Zamma, Takahisa Matsusaka, Agumi Inaba, and William McGrew. 2010. *Chimpanzee Behavior in the Wild. An Audio-Visual Encyclopedia*. Tokyo: Springer.
- Oaten, Megan, Richard Stevenson, Mark Williams, Anina Rich, Marina Butko, and Trevor Case. 2018. "Moral Violations and the Experience of Disgust and Anger." *Frontiers in Behavioral Neuroscience* 12 (August). <https://doi.org/10.3389/fnbeh.2018.00179>.
- Oberliessen, Lina, Julien Hernandez-Lallement, Sandra Schäble, Marijn van Wingerden, Maayke Seinstra, and Tobias Kalenscher. 2016. "Inequity Aversion in Rats, *Rattus Norvegicus*." *Animal Behaviour* 115(May): 157–66.
- Palagi, Elisabetta, and Giada Cordoni. 2009. "Postconflict Third-Party Affiliation in *Canis Lupus*: Do Wolves Share Similarities with the Great Apes?" *Animal Behaviour* 78(4): 979–86.
- Palagi, Elisabetta, Stefania Dall'Olio, Elisa Demuru, and Roscoe Stanyon. 2014. "Exploring the Evolutionary Foundations of Empathy: Consolation in Monkeys." *Evolution and Human Behavior* 35(4): 341–49.
- Palagi, Elisabetta, and Ivan Norscia. 2013. "Bonobos Protect and Console Friends and Kin." *PLoS ONE* 8(11): e79290.
- Palagi, Elisabetta, Tommaso Paoli, and Silvana Borgognini Tarli. 2004. "Reconciliation and Consolation in Captive Bonobos (*Pan Paniscus*)." *American Journal of Primatology* 62(1): 15–30.

- Park, Kyum, Hawsun Sohn, Yong An, Dae Moon, Seok Choi, and Doo An. 2012. "An Unusual Case of Care-Giving Behavior in Wild Long-Beaked Common Dolphins (*Delphinus Capensis*) in the East Sea." *Marine Mammal Science* 29(4): E508–14.
- Parr, Lisa. 2001. "Cognitive and Physiological Markers of Emotional Awareness in Chimpanzees (*Pan Troglodytes*)." *Animal Cognition* 4(3–4): 223–29.
- Parr, Lisa. 2003. "The Discrimination of Faces and Their Emotional Content by Chimpanzees (*Pan Troglodytes*)." *Annals of the New York Academy of Sciences* 1000 (December): 56–78.
- Parrott, Gerrod. 2019. "Emotions as Signals of Moral Character." In *The Social Nature of Emotion Expression*, edited by Ursula Hess and Shlomo Hareli, 161–77. Cham: Springer International Publishing.
- Pitcher, Mark, Claire Le Pichon, and Alexander Chesler. 2016. "Functional Properties of C-Low Threshold Mechanoreceptors (C-LTMRs) in Nonhuman Mammals." In *Affective Touch and the Neurophysiology of CT Afferents*, edited by Håkan Olausson, Johan Wessberg, India Morrison, and Francis McGlone, 31–48. New York, NY: Springer New York.
- Plotnik, Joshua, and Frans de Waal. 2014. "Asian Elephants (*Elephas Maximus*) Reassure Others in Distress." *PeerJ* 2: e278.
- Pruetz, Jill, Kelly Boyer Ontl, Elizabeth Cleaveland, Stacy Lindshield, Joshua Marshack, and Erin Wessling. 2017. "Intragroup Lethal Aggression in West African Chimpanzees (*Pan Troglodytes Verus*): Inferred Killing of a Former Alpha Male at Fongoli, Senegal." *International Journal of Primatology* 38(1): 31–57.
- Quervel-Chaumette, Mylene, Viola Faerber, Tamás Faragó, Sarah Marshall-Pescini, and Friederike Range. 2016. "Investigating Empathy-Like Responding to Conspecifics' Distress in Pet Dogs." *PLoS ONE* 11(4): e0152920.
- Range, Friederike, Lisa Horn, Zsófia Viranyi, and Ludwig Huber. 2009. "The Absence of Reward Induces Inequity Aversion in Dogs." *Proceedings of the National Academy of Sciences* 106(1): 340–45.
- Reggente, Melissa, Filipe Alves, Cátia Nicolau, Luís Freitas, Daniele Cagnazzi, Robin Baird, and Paolo Galli. 2016. "Nurturant Behavior toward Dead Conspecifics in Free-Ranging Mammals: New Records for Odontocetes and a General Review." *Journal of Mammalogy*, May, gyw089.
- Rowlands, Mark. 2012. *Can Animals Be Moral?* New York: Oxford University Press.
- Rudolf von Rohr, Claudia, Carel van Schaik, Alexandra Kissling, and Judith Burkart. 2015. "Chimpanzees' Bystander Reactions to Infanticide." *Human Nature* 26 (2): 143–60.
- Rutledge-Prior, Serrin. 2019. "Moral Responsiveness and Nonhuman Animals: A Challenge to Kantian Morality." *Ethics & the Environment* 24 (1): 45–76.
- Sánchez-Hernández, Paula, Anastasia Krasheninnikova, Javier Almunia, and Miguel Molina-Borja. Forthcoming. "Social Interaction Analysis in Captive Orcas (*Orcinus Orca*)." *Zoo Biology*. DOI: 10.1002/zoo.21502
- Schwing, Raoul, Ximena Nelson, Amelia Wein, and Stuart Parsons. 2017. "Positive Emotional Contagion in a New Zealand Parrot." *Current Biology* 27(6): R213–14.
- Seed, Amanda, Nicola Clayton, and Nathan Emery. 2007. "Postconflict Third-Party Affiliation in Rooks, *Corvus Frugilegus*." *Current Biology* 17(2): 152–58.
- Špinka, Marek, Ruth Newberry, and Marc Bekoff. 2001. "Mammalian Play: Training for the Unexpected." *The Quarterly Review of Biology* 76(2): 141–68.
- Spruijt, Berry, Johan van Hooff, and Willem Gispen. 1992. "Ethology and Neurobiology of Grooming Behavior." *Physiological Reviews* 72(3): 825–52.
- Tomasello, Michael. 2016. *A Natural History of Human Morality*. Cambridge, Massachusetts: Harvard University Press.
- Ueno, Hiroshi, Shunsuke Suemitsu, Shinji Murakami, Naoya Kitamura, Kenta Wani, Yosuke Matsumoto, Motoi Okamoto, and Takeshi Ishihara. 2019. "Helping-Like Behaviour in Mice Towards Conspecifics Constrained Inside Tubes." *Scientific Reports* 9(1): 5817.

- Uvnäs-Moberg, Kerstin, Ingemar Arn, and David Magnusson. 2005. "The Psychobiology of Emotion: The Role of the Oxytocinergic System." *International Journal of Behavioral Medicine* 12(2): 59–65
- Warneken, Felix, and Michael Tomasello. 2006. "Altruistic Helping in Human Infants and Young Chimpanzees." *Science* 311(5765): 1301–3.
- Wascher, Claudia, and Thomas Bugnyar. 2013. "Behavioral Responses to Inequity in Reward Distribution and Working Effort in Crows and Ravens." *PLoS ONE* 8(2): e56885.
- Wascher, Claudia, Isabella Scheiber, and Kurt Kotrschal. 2008. "Heart Rate Modulation in Bystanding Geese Watching Social and Non-Social Events." *Proceedings of the Royal Society of London B: Biological Sciences* 275(1643): 1653–59.
- Watanabe, Shigeru, and Kunihiro Ono. 1986. "An Experimental Analysis of 'Empathic' Response: Effects of Pain Reactions of Pigeon upon Other Pigeon's Operant Behavior." *Behavioural Processes* 13(3): 269–77.
- Zahn-Waxler, Carolyn, Marian Radkerrow, Elizabeth Wagner, and Michael Chapman. 1992. "Development of Concern for Others." *Developmental Psychology* 28(1): 126-36.