

## Aberystwyth University

### *Soluble Phenolic Compounds in Fresh and Ensiled Orchard Grass (*Dactylis glomerata* L.), a Common Species in Permanent Pastures with Potential as a Biomass Feedstock*

Hauck, B.; Gallagher, J.; Morris, Stephen Michael; Leemans, David Keith; Winters, A.

*Published in:*

Journal of Agricultural and Food Chemistry

*DOI:*

[10.1021/jf4040749](https://doi.org/10.1021/jf4040749)

*Publication date:*

2014

*Citation for published version (APA):*

Hauck, B., Gallagher, J., Morris, S. M., Leemans, D. K., & Winters, A. (2014). Soluble Phenolic Compounds in Fresh and Ensiled Orchard Grass (*Dactylis glomerata* L.), a Common Species in Permanent Pastures with Potential as a Biomass Feedstock. *Journal of Agricultural and Food Chemistry*, 62(2), 468-475.  
<https://doi.org/10.1021/jf4040749>

#### **General rights**

Copyright and moral rights for the publications made accessible in the Aberystwyth Research Portal (the Institutional Repository) are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Aberystwyth Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Aberystwyth Research Portal

#### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

tel: +44 1970 62 2400

email: [is@aber.ac.uk](mailto:is@aber.ac.uk)

**Figure 1** Proposed fragmentation pattern of a hydroxycinnamate ester conjugated with orientin,  $M_r$  800, in ESI MS/MS negative mode.

**(A)**



