



Document details

< Back to results | 1 of 1

↗ Export ↴ Download 🖨️ Print ✉️ E-mail 📄 Save to PDF ☆ Add to List More... >

View at Publisher

Volume 295, Issue 2, 10 January 2020, Pages 610-618

Selectivity filter instability dominates the low intrinsic activity of the TWIK-1 K2P K⁺ channel (Article)

Nematian-Ardestani, E.^a, Abd-Wahab, F.^a, Chatelain, F.C.^b, Sun, H.^c, Schewe, M.^d, Baukrowitz, T.^d, Tucker, S.J.^a ✉️ 👤

^aClarendon Laboratory, Department of Physics, University of Oxford, Oxford, OX1 3PU, United Kingdom

^bUniversité Côte d'Azur, Centre National de la Recherche Scientifique, Institut de Pharmacologie Moléculaire et Cellulaire, Labex ICST, Valbonne, 06560, France

^cDepartment of Structural Biology, Leibniz-Forschungsinstitut für Molekulare Pharmakologie, Berlin, 13125, Germany

^dInstitute of Physiology, Christian-Albrechts University of Kiel, Kiel, 24118, Germany

Hide additional affiliations ^

Abstract

↕ View references (34)

Two-pore domain K⁺ (K2P) channels have many important physiological functions. However, the functional properties of the TWIK-1 (K2P1.1/KCNK1) K2P channel remain poorly characterized because heterologous expression of this ion channel yields only very low levels of functional activity. Several underlying reasons have been proposed, including TWIK-1 retention in intracellular organelles, inhibition by posttranslational sumoylation, a hydrophobic barrier within the pore, and a low open probability of the selectivity filter (SF) gate. By evaluating these potential mechanisms, we found that the latter dominates the low intrinsic functional activity of TWIK-1. Investigating this further, we observed that the low activity of the SF gate appears to arise from the inefficiency of K⁺ in stabilizing an active (i.e. conductive) SF conformation. In contrast, other permeant ion species, such as Rb⁺, NH₄⁺, and Cs⁺, strongly promoted a pH-dependent activated conformation. Furthermore, many K2P channels are activated by membrane depolarization via an SF-mediated gating mechanism, but we found here that only very strong nonphysiological depolarization produces voltage-dependent activation of heterologously expressed TWIK-1. Remarkably, we also observed that TWIK-1 Rb⁺ currents are potently inhibited by intracellular K⁺ (IC₅₀ = 2.8 mM). We conclude that TWIK-1 displays unique SF gating properties among the family of K2P channels. In particular, the apparent instability of the conductive conformation of the TWIK-1 SF in the presence of K⁺ appears to dominate the low levels of intrinsic functional activity observed when the channel is expressed at the cell surface. © 2020 Nematian-Ardestani et al. Published under exclusive license by The American Society for Biochemistry and Molecular Biology, Inc.

SciVal Topic Prominence ⓘ

Topic: Potassium Channels, Tandem Pore Domain | Potassium Channels | Body CB

Prominence percentile: 89.663 ⓘ

Indexed keywords

Engineering controlled terms:

Cell membranes

Engineering uncontrolled terms

Activated conformation

Functional activities

Functional properties

Heterologous expression

Intracellular organelle

Intrinsic activities

Membrane depolarization

Physiological functions

Metrics ⓘ View all metrics >



PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

Set citation alert >

Set citation feed >

Related documents

A hydrophobic barrier deep within the inner pore of the TWIK-1 K2P potassium channel
Aryal, P. , Abd-Wahab, F. , Bucci, G.
(2014) *Nature Communications*

Mutation of a single residue promotes gating of vertebrate and invertebrate two-pore domain potassium channels

Ben Soussia, I. , El Mouridi, S. , Kang, D.
(2019) *Nature Communications*

Silent but not dumb: How cellular trafficking and pore gating modulate expression of TWIK1 and THIK2

Bichet, D. , Blin, S. , Feliciangeli, S.
(2015) *Pflugers Archiv European Journal of Physiology*

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

Engineering main heading:

Depolarization

EMTREE drug terms:

ammonia cesium potassium channel potassium ion protein TWIK 1 rubidium ion unclassified drug

EMTREE medical terms:

Article cell surface channel gating controlled study human IC50 intrinsic activity ion current membrane depolarization nonhuman pH potassium cell level priority journal protein conformation protein expression protein function protein structure

Chemicals and CAS Registry Numbers:

ammonia, 14798-03-9, 51847-23-5, 7664-41-7; cesium, 7440-46-2; potassium ion, 24203-36-9; rubidium ion, 22537-38-8

Funding details

Funding sponsor	Funding number	Acronym
Biotechnology and Biological Sciences Research Council See opportunities by BBSRC	BB/N000145/1	BBSRC

Funding text

This work was supported by Biotechnology and Biological Sciences Research Council Grant BB/N000145/1 (to E. N.-A. and S. J. T.), Deutsche Forschungs-gemeinschaft Research Group FOR 2518 Dynlon (to H. S., M. S., and T. B.), and CNRS. The authors declare that they have no conflicts of interest with the contents of this article. This article contains Figs. S1–S3. 1 Supported by a King's scholarship from the Malaysian government. 2To whom correspondence should be addressed. E-mail: stephen.tucker@ physics.ox.ac.uk. 3The abbreviations used are: K2P, two-pore domain K⁺; SF, selectivity filter; TPA, tetrapentylammonium; MD, molecular dynamics.

ISSN: 00219258

CODEN: JBCHA

Source Type: Journal

Original language: English

DOI: 10.1074/jbc.RA119.010612

PubMed ID: 31806709

Document Type: Article

Publisher: American Society for Biochemistry and Molecular Biology Inc.

References (34)

[View in search results format >](#)

All Export Print E-mail Save to PDF Create bibliography

- 1 Enyedi, P., Czirják, G.
Molecular background of leak K⁺ currents: Two-pore domain potassium channels

(2010) *Physiological Reviews*, 90 (2), pp. 559-605. Cited 452 times.
<http://physrev.physiology.org.ezproxy.um.edu.my/cgi/reprint/90/2/559>
doi: 10.1152/physrev.00029.2009

[View at Publisher](#)

- 2 Niemeyer, M.I., Cid, L.P., González, W., Sepúlveda, F.V.
Gating, Regulation, and structure in K₂P K⁺ Channels: In varietate concordia?
([Open Access](#))

(2016) *Molecular Pharmacology*, 90 (3), pp. 309-317. Cited 17 times.
<http://molpharm.aspetjournals.org/content/90/3/309.full.pdf+html>
doi: 10.1124/mol.116.103895

[View at Publisher](#)

- 3 Gada, K., Plant, L.D.
Two-pore domain potassium channels: emerging targets for novel analgesic drugs:
IUPHAR Review 26 ([Open Access](#))

(2019) *British Journal of Pharmacology*, 176 (2), pp. 256-266. Cited 6 times.
[http://onlinelibrary.wiley.com.ezproxy.um.edu.my/journal/10.1111/\(ISSN\)1476-5381](http://onlinelibrary.wiley.com.ezproxy.um.edu.my/journal/10.1111/(ISSN)1476-5381)
doi: 10.1111/bph.14518

[View at Publisher](#)

- 4 Lesage, F., Guillemare, E., Fink, M., Duprat, F., Lazdunski, M., Romey, G., Barhanin, J.
TWIK-1, a ubiquitous human weakly inward rectifying K⁺ channel with a novel structure

(1996) *EMBO Journal*, 15 (5), pp. 1004-1011. Cited 420 times.

[View at Publisher](#)

- 5 Goldstein, S.A.N.
K2P potassium channels, mysterious and paradoxically exciting

(2011) *Science Signaling*, 4 (184), art. no. pe35. Cited 9 times.
<http://stke.sciencemag.org.ezproxy.um.edu.my/cgi/reprint/sigtrans;4/184/pe35.pdf>
doi: 10.1126/scisignal.2002225

[View at Publisher](#)

- 6 Yarishkin, O., Lee, D.Y., Kim, E., Cho, C.-H., Choi, J.H., Lee, C.J., Hwang, E.M., (...), Park, J.-Y.
TWIK-1 contributes to the intrinsic excitability of dentate granule cells in mouse hippocampus ([Open Access](#))

(2014) *Molecular Brain*, 7 (1), art. no. 80. Cited 10 times.
<http://www.molecularbrain.com/>
doi: 10.1186/s13041-014-0080-z

[View at Publisher](#)

- 7 Ma, L., Zhang, X., Chen, H.
TWIK-1 two-pore domain potassium channels change ion selectivity and conduct inward leak sodium currents in hypokalemia

(2011) *Science Signaling*, 4 (176), art. no. ra37. Cited 44 times.
<http://stke.sciencemag.org.ezproxy.um.edu.my/cgi/reprint/sigtrans;4/176/ra37.pdf>
doi: 10.1126/scisignal.2001726

[View at Publisher](#)

- 8 Rajan, S., Plant, L.D., Rabin, M.L., Butler, M.H., Goldstein, S.A.N.
Sumoylation silences the plasma membrane leak K⁺ channel K2P1 (Open Access)
(2005) *Cell*, 121 (1), pp. 37-47. Cited 190 times.
www.cell.com
doi: 10.1016/j.cell.2005.01.019
View at Publisher
-
- 9 Miller, A.N., Long, S.B.
Crystal structure of the human two-pore domain potassium channel K2P1
(2012) *Science*, 335 (6067), pp. 432-436. Cited 170 times.
<http://www.sciencemag.org.ezproxy.um.edu.my/content/335/6067/432.full.pdf>
doi: 10.1126/science.1213274
View at Publisher
-
- 10 Feliciangeli, S., Bendahhou, S., Sandoz, G., Gounon, P., Reichold, M., Warth, R., Lazdunski, M., (...), Lesage, F.
Does Sumoylation Control K2P1/TWIK1 Background K⁺ Channels? (Open Access)
(2007) *Cell*, 130 (3), pp. 563-569. Cited 64 times.
doi: 10.1016/j.cell.2007.06.012
View at Publisher
-
- 11 Feliciangeli, S., Tardy, M.P., Sandoz, G., Chatelain, F.C., Warth, R., Barhanin, J., Bendahhou, S., (...), Lesage, F.
Potassium channel silencing by constitutive endocytosis and intracellular sequestration (Open Access)
(2010) *Journal of Biological Chemistry*, 285 (7), pp. 4798-4805. Cited 41 times.
<http://www.jbc.org/content/285/7/4798.full.pdf+html>
doi: 10.1074/jbc.M109.078535
View at Publisher
-
- 12 Aryal, P., Abd-Wahab, F., Bucci, G., Sansom, M.S.P., Tucker, S.J.
A hydrophobic barrier deep within the inner pore of the TWIK-1 K2P potassium channel (Open Access)
(2014) *Nature Communications*, 5, art. no. 4377. Cited 58 times.
<http://www.nature.com.ezproxy.um.edu.my/ncomms/index.html>
doi: 10.1038/ncomms5377
View at Publisher
-
- 13 Aryal, P., Abd-Wahab, F., Bucci, G., Sansom, M.S.P., Tucker, S.J.
Influence of lipids on the hydrophobic barrier within the pore of the TWIK-1 K2P channel (Open Access)
(2015) *Channels*, 9 (1), pp. 44-49. Cited 12 times.
<http://www.tandfonline-com.ezproxy.um.edu.my/doi/pdf/10.4161/19336950.2014.981987>
doi: 10.4161/19336950.2014.981987
View at Publisher
-

- 14 Aryal, P., Sansom, M.S.P., Tucker, S.J.
Hydrophobic gating in ion channels ([Open Access](#))
(2015) *Journal of Molecular Biology*, 427 (1), pp. 121-130. Cited 100 times.
<https://www-journals-elsevier-com.ezproxy.um.edu.my/journal-of-molecular-biology>
doi: 10.1016/j.jmb.2014.07.030
[View at Publisher](#)
-
- 15 Chatelain, F.C., Bichet, D., Douguet, D., Feliciangeli, S., Bendahhou, S., Reichold, M., Warth, R., (...), Lesage, F.
TWIK1, a unique background channel with variable ion selectivity ([Open Access](#))
(2012) *Proceedings of the National Academy of Sciences of the United States of America*, 109 (14), pp. 5499-5504. Cited 51 times.
<http://www.pnas.org/content/109/14/5499.full.pdf+html>
doi: 10.1073/pnas.1201132109
[View at Publisher](#)
-
- 16 Ben Soussia, I., El Mouridi, S., Kang, D., Leclercq-Blondel, A., Khoubza, L., Tardy, P., Zariohi, N., (...), Boulin, T.
Mutation of a single residue promotes gating of vertebrate and invertebrate two-pore domain potassium channels ([Open Access](#))
(2019) *Nature Communications*, 10 (1), art. no. 787. Cited 5 times.
<http://www.nature.com.ezproxy.um.edu.my/ncomms/index.html>
doi: 10.1038/s41467-019-08710-3
[View at Publisher](#)
-
- 17 Ma, L., Xie, Y.-P., Zhou, M., Chen, H.
Silent TWIK-1 potassium channels conduct monovalent cation currents ([Open Access](#))
(2012) *Biophysical Journal*, 102 (8), pp. L34-L36. Cited 13 times.
doi: 10.1016/j.bpj.2012.03.011
[View at Publisher](#)
-
- 18 Chen, H., Chatelain, F.C., Lesage, F.
Altered and dynamic ion selectivity of K⁺ channels in cell development and excitability
(2014) *Trends in pharmacological sciences*, 35 (9), pp. 461-469. Cited 15 times.
doi: 10.1016/j.tips.2014.06.002
[View at Publisher](#)
-
- 19 Bagriantsev, S.N., Peyronnet, R., Clark, K.A., Honoré, E., Minor, D.L.
Multiple modalities converge on a common gate to control K_{2P} channel function
(2011) *EMBO Journal*, 30 (17), pp. 3594-3606. Cited 72 times.
doi: 10.1038/emboj.2011.230
[View at Publisher](#)
-
- 20 Ben-Abu, Y., Zhou, Y., Zilberberg, N., Yifrach, O.
Inverse coupling in leak and voltage-activated K⁺ channel gates underlies distinct roles in electrical signaling
(2009) *Nature Structural and Molecular Biology*, 16 (1), pp. 71-79. Cited 55 times.
doi: 10.1038/nsmb.1525
[View at Publisher](#)

- 21 Piechotta, P.L., Rapedius, M., Stansfeld, P.J., Bollepalli, M.K., Erlich, G., Andres-Enguix, I., Fritzenschaft, H., (...), Baukowitz, T.

The pore structure and gating mechanism of K_{2P} channels

(2011) *EMBO Journal*, 30 (17), pp. 3607-3619. Cited 91 times.

<http://emboj.embopress.org/>

doi: 10.1038/emboj.2011.268

[View at Publisher](#)

- 22 Zilberberg, N., Ilan, N., Goldstein, S.A.N.

KCNKØ: Opening and closing the 2-P-domain potassium leak channel entails "C-type" gating of the outer pore ([Open Access](#))

(2001) *Neuron*, 32 (4), pp. 635-648. Cited 60 times.

www.neuron.org

doi: 10.1016/S0896-6273(01)00503-7

[View at Publisher](#)

- 23 Schewe, M., Nematian-Ardestani, E., Sun, H., Musinszki, M., Cordeiro, S., Bucci, G., De Groot, B.L., (...), Baukowitz, T.

A Non-canonical Voltage-Sensing Mechanism Controls Gating in K_{2P} K⁺ Channels ([Open Access](#))

(2016) *Cell*, 164 (5), pp. 937-949. Cited 59 times.

www.cell.com

doi: 10.1016/j.cell.2016.02.002

[View at Publisher](#)

- 24 Schewe, M., Sun, H., Mert, Ü., Mackenzie, A., Pike, A.C.W., Schulz, F., Constantin, C., (...), Baukowitz, T.
- ### A pharmacological master key mechanism that unlocks the selectivity filter gate in K channels

(2019) *Science*, 363 (6429), pp. 875-880. Cited 18 times.

<http://science.sciencemag.org.ezproxy.um.edu.my/content/363/6429/875/tab-pdf>

doi: 10.1126/science.aav0569

[View at Publisher](#)

- 25 Rapedius, M., Schmidt, M.R., Sharma, C., Stansfeld, P.J., Sansom, M.S.P., Baukowitz, T., Tucker, S.J.

State-independent intracellular access of quaternary ammonium blockers to the pore of TREK-1 ([Open Access](#))

(2012) *Channels*, 6 (6), pp. 473-478. Cited 29 times.

<http://www.landesbioscience.com/journals/channels/2012CHANNELS0057R.pdf?nocache=1399408876>

doi: 10.4161/chan.22153

[View at Publisher](#)

- 26 Dong, Y.Y., Pike, A.C.W., Mackenzie, A., McClenaghan, C., Aryal, P., Dong, L., Quigley, A., (...), Carpenter, E.P.
- ### K_{2P} channel gating mechanisms revealed by structures of TREK-2 and a complex with Prozac

(2015) *Science*, 347 (6227), pp. 1256-1259. Cited 122 times.

<http://www.sciencemag.org.ezproxy.um.edu.my/content/347/6227/1256.full.pdf>

doi: 10.1126/science.1261512

[View at Publisher](#)

- 27 Nematian-Ardestani, E., Jarerattanachat, V., Aryal, P., Sansom, M.S.P., Tucker, S.J.
The effects of stretch activation on ionic selectivity of the TREK-2 K₂P K⁺ channel
([Open Access](#))
- (2017) *Channels*, 11 (5), pp. 1-5. Cited 2 times.
<http://www.tandfonline-com.ezproxy.um.edu.my/loi/kchl20>
doi: 10.1080/19336950.2017.1356955
- [View at Publisher](#)
-

- 28 Tsukamoto, H., Higashi, M., Motoki, H., Watanabe, H., Ganser, C., Nakajo, K., Kubo, Y., (...), Furutani, Y.
Structural properties determining low K affinity of the selectivity filter in the TWIK1 K channel ([Open Access](#))
- (2018) *Journal of Biological Chemistry*, 293 (18), pp. 6969-6984. Cited 4 times.
<http://www.jbc.org/content/293/18/6969.full.pdf>
doi: 10.1074/jbc.RA118.001817
- [View at Publisher](#)
-

- 29 Köpfer, D.A., Song, C., Gruene, T., Sheldrick, G.M., Zachariae, U., De Groot, B.L.
Ion permeation in K⁺ channels occurs by direct Coulomb knock-on
- (2014) *Science*, 346 (6207), pp. 352-355. Cited 119 times.
<http://www.sciencemag.org.ezproxy.um.edu.my/content/346/6207/352.full.pdf>
doi: 10.1126/science.1254840
- [View at Publisher](#)
-

- 30 Zhou, Y., MacKinnon, R.
The occupancy of ions in the K⁺ selectivity filter: Charge balance and coupling of ion binding to a protein conformational change underlie high conduction rates
- (2003) *Journal of Molecular Biology*, 333 (5), pp. 965-975. Cited 284 times.
<https://www-journals-elsevier-com.ezproxy.um.edu.my/journal-of-molecular-biology>
doi: 10.1016/j.jmb.2003.09.022
- [View at Publisher](#)
-

- 31 Bobak, N., Feliciangeli, S., Chen, C.-C., Soussia, I.B., Bittner, S., Pagnotta, S., Ruck, T., (...), Lesage, F.
Recombinant tandem of pore-domains in a Weakly Inward rectifying K⁺ channel 2 (TWIK2) forms active lysosomal channels ([Open Access](#))
- (2017) *Scientific Reports*, 7 (1), art. no. 649. Cited 4 times.
www.nature.com/srep/index.html
doi: 10.1038/s41598-017-00640-8
- [View at Publisher](#)
-

- 32 Hover, S., Foster, B., Fontana, J., Kohl, A., Goldstein, S.A.N., Barr, J.N., Mankouri, J.
Bunyavirus requirement for endosomal K⁺ reveals new roles of cellular ion channels during infection ([Open Access](#))
- (2018) *PLoS Pathogens*, 14 (1), art. no. e1006845. Cited 10 times.
<http://pathogens.plosjournals.org/>
doi: 10.1371/journal.ppat.1006845
- [View at Publisher](#)
-

- 33 Hover, S., King, B., Hall, B., Loundras, E.-A., Taqi, H., Daly, J., Dallas, M., (...), Mankouri, J.
Modulation of potassium channels inhibits bunyavirus infection (Open Access)

(2016) *Journal of Biological Chemistry*, 291 (7), pp. 3411-3422. Cited 14 times.
<http://www.jbc.org/content/291/7/3411.full.pdf+html>
doi: 10.1074/jbc.M115.692673

[View at Publisher](#)

- 34 Kutzner, C., Grubmüller, H., De Groot, B.L., Zachariae, U.
Computational electrophysiology: The molecular dynamics of ion channel permeation and selectivity in atomistic detail (Open Access)

(2011) *Biophysical Journal*, 101 (4), pp. 809-817. Cited 109 times.
doi: 10.1016/j.bpj.2011.06.010

[View at Publisher](#)

🔍 Tucker, S.J.; Clarendon Laboratory, Department of Physics, University of Oxford, Oxford, United Kingdom;
email:stephen.tucker@physics.ox.ac.uk
© Copyright 2020 Elsevier B.V., All rights reserved.

< Back to results | 1 of 1

^ Top of page

About Scopus

What is Scopus
Content coverage
Scopus blog
Scopus API
Privacy matters

Language

日本語に切り替える
切换到简体中文
切换到繁體中文
Русский язык

Customer Service

Help
Contact us

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX