

# How to Design a Successful Digital Product? An Analytic Hierarchy Process (AHP) Analysis of Expert Opinions from the Berlin Start-up Scene

Muhammad Yusuf Azka  
The MietMiet Company  
[azka@mietmiet.com](mailto:azka@mietmiet.com)

Stanislav Chankov  
Jacobs University Bremen, Germany  
[s.chankov@jacobs-university.de](mailto:s.chankov@jacobs-university.de)

## Abstract

*Designing the best digital product is vital for the competitiveness of any organization. Thus, this paper aims to determine the critical success design factors and to create guidelines for start-up founders, product managers, designers and entrepreneurs on how to design a successful digital product. To this end, six key design factors and 24 respective sub-factors were identified based on literature and expert opinions. Further, 21 experts were surveyed regarding their priorities on these factors, using the analytic hierarchy process (AHP). The results suggest that high-level planning design is the most important success factor, while having clear product vision, discovery, strategy and goals, building a great user experience, and creating an aesthetic user interface are the top three priority sub-factors for successful digital products.*

## 1. Introduction

The importance of design in product development has become a top-management issue, with corporates and startups having trouble to distinguish their digital or physical products from the crowd [1]. While digital economy has replaced some of traditional processes, 90% of digital startups fail, and two of the biggest reasons are “The product is not perfect for the market” and “the founders ignore the importance of product and design processes” [2]. Over the past 50 years, there has been a concrete correlation in design importance, in which the S&P index increase when S&P 500 firms, such as Nike, Netflix, Amazon, Disney, P&G, invested their resources most into product, design and processes: such that, McKinsey reported these firms reached a \$39,427 index (known as design-value index) and outperformed the rest of the S&P index by 219% in 2015 [1]. This shows the importance of design. As Airbnb’s co-founder Gebbia put it “for every tech start-up and business, design lies at its core of success”[3].

Various design factors for the success of digital products have been researched [4]–[9]. There are mostly

six factors of design in a tech organization, where modern digital products are being developed: (1) high-level planning design [4], (2) tech/ engineering stacks design [6], (3) aftersales design [5], (4) process design [7], (5) graphic and visual design [8], and lastly (6) additions or aesthetic design [9]. Each of which consists of several sub-factors. Hence, understanding which design factors and sub-factors have an impact towards the success of a digital product would be helpful to adopt efficient design iteration phase from start to end.


Even though previous research [10] has studied the impact of different entrepreneurial, economic, and marketing factors on the success of a digital startup, there is a research gap when it comes to the impact of design factors and sub-factors for a successful digital product. Accordingly, the purpose of this paper is to determine the critical success design factors and to create guidelines for founders, product managers, designers, and entrepreneurs (FPmDEs) on how to design a successful digital product. First, a detailed literature review, complemented by 10 expert interviews, was carried out to identify and validate relevant design factors and sub-factors of a successful digital product. Second, to analyze the importance of design factors and sub-factors, an Analytic Hierarchy Process (AHP) analysis was conducted on data collected by survey of 21 designers, founders and technology enthusiasts from the Berlin start-up scene. Third, we derive recommendations for FPmDEs on which design factors and sub-factors to prioritize.

Accelerators, venture capital funds, private equity firms, consultancy agencies, and government organizations can use this paper as a playbook for any founding team they support or finance to achieve a successful digital product and product-market fit stage.

## 2. Framework development

A literature review regarding design factors and sub-factors that influence the success of digital products was performed. Six main design factors and multiple respective sub-factors that impact the success of a digital product were identified. Further, these factors and sub-factors were verified by 10 experts through

**Figure 1. Digital product design framework**



semi-structured interviews. Thus, a digital product design framework was developed (see Figure 1).

The six identified design factors are: (1) high-level planning design, (2) tech/engineering stacks design, (3) aftersales design, (4) process design, (5) graphic and visual design, and (6) add-ons or aesthetic design.

The first design factor is high-level planning design and it include sub-factors such as: product / design founder, product roadmap, and fidelity wireframing [11]–[13]. The second factor is engineering design and it includes sub-factors such as tech stacks/programming, fast-responsiveness & cognitive loading, engineering team ratio and software as a service (SaaS) & third-party provider sub-product [14]–[18]. The third factor is aftersales design factor and it includes sub-factors such as customer service, reversible design, and sound/verbal context [19]–[24]. The fourth factor, process design, includes sub-factors such as business intelligence (BI) / big data / performance learning, product manager team ratio, experience design/user experience, written language/copywriting, and design thinking [7], [25]–[30]. The fifth factor, graphic and visual design, includes color / information design, user interface / interaction design, design team ratio, and animation add-on [31]–[34]. The last factor, add-ons design, includes sub-factors of content management and photography [35], [36].

To ensure that the findings of the literature review are valid, we conducted semi-structured interviews with 10 experts, who have a design or product management

background. A total of 52 experts from Factory Berlin (one of the largest co-working space communities of innovators in Berlin) were contacted, out of which 10 agreed to participate. Only design experts who are either a founder, entrepreneur, designer, product manager, and C-level executives were interviewed. The selected experts had between 3 and 30 years of experience, with an average of 11+ years of experience and represented diverse industries (travel, fashion, blockchain, artificial intelligence, social media, hardware) ensuring a broad expert perspective. Face-to-face interview sessions were then conducted, averaging 15 minutes each. The recorded interviews are available on request.

The data obtained during the interviews confirmed all design factors and sub-factors identified in the literature. Further, through two expert interviews, two additional sub-factors part of the adds-on design factor (simplicity and consistency) were identified, while 4 expert interviews indicated one additional sub-factor part of high-level planning design (product vision, goals and strategy).

### 3. Design factors & sub-factors

In this section, all of the design factors and sub-factors part of the digital product design framework are defined. Table 1 presents the definitions for the six main design factors and Table 2 lists the definitions of all sub-factors.

**Table 1. Definitions of the six main design factors**

<b>Design factors</b>	<b>Definition</b>
High-level planning design	How an organization executes the product, design tasks on a managerial level and aligns all stakeholders together [4], [37].
Engineering design	How an organization manages its programming languages and codes, develops its software, and operates its server, database and architecture [38], [39].
Aftersales design	How an organization identifies its after sales process, supplementary services, and customer benchmarking to enhance customer satisfaction [40], [41].
Process design	How an organization uses data analytics, business intelligence, user experience, and scrum methodology to leverage product development [7].
Graphic and visual design	How an organization incorporates creative visual arts discipline (art direction, page layout, fonts, color, typography, etc.) in its product [42].
Add-ons design	How an organization uses content management, photography, simplicity, consistency, and branding together to refine the product [35], [36], [43], [44].

**Table 2. Definitions of all sub-factors**

<b>High-level planning</b>	<b>Definition</b>
Product / Design founder	One founder or executive, who has a background in designing or building products, needs to be in the management [11].
Product Vision, Goals and Strategy	A strong alignment of an organization’s product vision, goals and strategy is required to produce a product roadmap that generates realistic milestones and execution for the company [12].
Product roadmap (LR)	A high-level visual summary that outlines the vision and direction of a digital product over the lifetime value [12].
Fidelity wireframing	The skeleton of any interface and design to provide a structure of design as initial prototype to achieve product-market fit [13].
<b>Engineering</b>	<b>Definition</b>
Tech stacks / programming	The programming languages or code being used by an organization to build its product [18].
Fast-responsiveness & cognitive loading	The time it takes for a product to load or respond to a user’s trigger, which determine the usability of a product [14], [15].
Engineering team ratio	The number of engineers in the team should be balanced according to the product vision and goals [16].
SaaS & Third Party Provider sub-product	The engineering operations in which an organization cannot develop its sub-product by themselves, so a third party partner is necessary [17].
<b>Aftersales</b>	<b>Definition</b>
Reversible design	An access for a user to previous state or situation, known as “reversible”, to provide seamless user experience and minimize confusion [19].
Customer service	A “code of practice” for organization to value further their customers through customer calls, emails [20]–[22].
Sound / verbal context	The availability of the sound attached to a product, experienced by the user; working sounds (sounds generated by products while working), interaction sounds (sounds generated by the interaction of the user with the product), and communication sounds (sounds generated to give some info to the user) [23]. Sound is part of the user experience, but can be independently classified as its own sub-factor for a better awareness for the target group FPMDE, due to its emphasis in any product development [24].
<b>Process</b>	<b>Definition</b>
BI / Big Data / Deep & Perf. Learning	A purely data-centric process would give better leverage in the development of a digital product development [7].
Product manager team ratio	The number of product managers in the team should be balanced according to the product vision and goals. A good size of a product manager team is $7 \pm 2$ developers for every product manager [25], [26].
Experience Design (User Experience)	A person’s perceptions and responses, which resulted from the use of a product, service, or system [27].
Written language / copywriting	The art and science of explaining a product by written or spoken words [28], [29].
Design Thinking	A specific method, rules and procedures to solve complex problems and, therefore, to come up with innovative solutions, supported by a user-centered approach with multi-disciplinary teams [30].
<b>Graphic and visual</b>	<b>Definition</b>
Color / Information Design	Color is the visual reflection of lights that sets the product’s “psychological tone”, going hand in hand with info to produce the most minimal yet effective design in a digital product for the target group [31].

Interaction Design (User Interface)	A standard by which the functionality or visual product can be used; any visual perception of the product is part of the user interface, which can be used, touched or perceived by the user [32].
Design team ratio	The number of designers in the team, who can execute the design tasks through apps such as Adobe XD, Sketch, Photoshop and Illustrator, should be balanced according to the product vision and goals [33].
Animation add-on	A method in which individual features, interfaces, images, layouts are combined in order to appear into smooth singular or plural motion, thus making user interface more appealing, usable and lively [34].

Add-ons	Definition
Content Management	The tasks of content creation, aggregation, categorization, scheduling, staging, publication and syndication” belong to content management, which acts as an integral added factor in a digital product and incorporates attributes such as category, price, location, and promotion eligibility[35].
Photography	A language that uses the means of cameras and other captural devices to produce a visual image or context [36], [45].
Simplicity	The fewer features, options and functions available on the user interface and visual context of digital product itself, the less information a user needs to process mentally [43].
Consistency	A consistent design allows a user to focus on understanding the product and executing the task [44].

## 4. Analytic hierarchy process (AHP)

### 4.1. Methodology

Decisions in start-ups and top management nowadays often involve multiple criteria or objectives. The analytic hierarchy process (AHP), founded by [46], is one widely used decision-making procedure for establishing priorities in multi-criteria decision problems [47], [48] due to its simplicity, ease of use, and great flexibility. The AHP consists of an eigenvalue approach to pairwise comparisons, which provides a numeric scale for the measurement of quantitative as well as qualitative performance. The AHP method consists of four basic steps [49]: (1) structuring the problem into a hierarchy of sub-problems, (2) pairwise comparisons of the attributes, (3) consistency checks, and (4) calculation of priority weights of factors and sub-factors at each level.

Accordingly, in this paper, the AHP method was used for prioritizing effective design factors when building a digital product. Pairwise comparisons were used on a standardized nine-point scale (see Table 3). The aim is to determine the relative priorities (importance) of the elements within each level [50]. These comparisons are made with respect to the given

criterion of the control hierarchy and importance weights of each factor are calculated [51]. In pairwise comparison, decision makers who have the expertise knowledge on related subject compare the elements in pairs. The degree of preference, factor, and their definitions are given with the detailed explanations from 1 to 9 in Table 3 with the reciprocals for inverse comparisons.

The calculated values of pairwise comparisons are allocated in a pairwise comparison matrix, in which, each element ( $a_{ij}$ ) represents the degree preference of the  $i^{\text{th}}$  criterion over the  $j^{\text{th}}$  criterion (see Equation (1)). The priority vector is derived from the eigenvector of the matrix.

$$(1) E = \begin{bmatrix} a_{11} & \cdots & a_{1n} \\ \vdots & \ddots & \vdots \\ a_{n1} & \cdots & a_{nn} \end{bmatrix}$$

Each criterion is quantified by finding the value of the maximized eigenvalue, consistency index (CI), and consistency ratio (CR) [52]. The CR is used in order to maintain consistency in the decision-making of the responder. If CR is less or equal to 0.10, the comparisons are acceptable. Otherwise, the pairwise

**Table 3. Saaty's comparison scale [51]**

Preference factor	Degree of preference	Explanation
1	Equally	Two factors contribute equally to the objective.
3	Moderately	Experience and judgment moderately favor one factor over another.
5	Strongly	Experience and judgment strongly favor one factor over another.
7	Very Strongly	One factor is very strongly favored over another and its dominance is demonstrated in practice.
9	Extremely	The evidence favoring one factor over another appears irrefutable.
$\frac{1}{3}, \frac{1}{5}, \frac{1}{7}, \frac{1}{9}$	Reciprocal	Reciprocals for inverse comparisons.

**Table 4. The random consistency index [51]**

n	RC	n	RC
1	0.00	6	1.24
2	0.00	7	1.32
3	0.58	8	1.41
4	0.90	9	1.46
5	1.12	10	1.49

comparison results are not acceptable and should be revised, which, in consequence, means that the procedure has to be repeated until each comparison satisfies the consistency criterion [53]. This CR index is computed as follows [54]:

$$(2) CR = \frac{CI}{RC}$$

The consistency index (CI) value can be computed using Equation (3), while the random consistency (RC) index value can be obtained from Table 4.

$$(3) CI = \frac{\lambda_{max} - n}{n - 1}$$

Here,  $\lambda_{max}$  is the maximum eigenvalue of the matrix and n is the matrix size ( $n \times n$ ) [52].

In the last step of the AHP method, the quantitative execution and mathematical process begins to normalize and determine the weights for each evaluation matrix.

This process requires dividing the elements of each column by the sum of the elements of the same column [55]. Then the weights are calculated as the row average of the normalized matrix.

## 4.2 Expert survey

Following the digital product design framework (Figure 1) and the AHP comparison scale (Table 3), a survey was developed asking experts to rate the importance between the different design factors and sub-factors. The survey was filled in by 21 design experts who are executives in tech companies, founders, entrepreneurs, designers, or product managers, who can be grouped into product founder, design founder, founder, designer, and executive designer (see Table 5).

## 4.3 Results

The experts' evaluations of the design factors and sub-factors were consistent in most cases (see Table 6). The few exceptions (CR larger than 10%) were excluded from the analysis as they could indicate wrong survey entries and the experts were unfortunately not available to re-examine their inconsistent answers.

The AHP results can be considered in three different ways: (1) design factors priorities, (2) global sub-factors priorities and (3) local sub-factor priorities.

**Table 5. List of the 21 AHP survey design experts**

No.	Experience	Current Position	Company Size <sup>NB</sup>	Company	Group
1	3 years	CEO	Startup	The MietMiet Company	Product Founder
2	11 years	Co-Founder	Micro	Topia	Design Founder
3	20 years	CEO	Startup	Sustainable Fashion Matterz	Founder
4	8 years	UI/UX Designer	Massive	Volkswagen Group	Designer
5	5 years	CSO	Startup	The MietMiet Company	Founder
6	11 years	Co-Founder	Startup	MyStudyGenius	Product Founder
7	7 years	CPO	Small	Donut Technologies	Product Founder
8	11 years	CEO	Startup	Maji Studio	Designer
9	14 years	Freelance Designer	Startup	Assaf Reeb Consulting	Designer
10	14 years	VP User Experience	Large	UberMedia	Executive Designer
11	8 years	CTO	Startup	The MietMiet Company	Founder
12	14 years	CEO	Startup	Spicii Chocolate	Designer
13	15 years	VP Design	Massive	Emirates NBD	Executive Designer
14	2 years	Freelance Designer	Startup	Radwa Osama Design	Designer
15	5 years	Freelance Designer	Startup	Alina Holtmann Design	Designer
16	17 years	CDO	Massive	Tourlane	Executive Designer
17	9 years	UI/UX Designer	Massive	SumUp	Designer
18	25 years	CEO	Micro	Timeslot	Founder
19	15 years	CTO	Startup	Faer.app	Product Founder
20	2 years	Market Lead	Massive	Bumble	Executive Designer
21	10 years	CEO	Micro	Twindly	Founder

<sup>NB</sup> Startup <5, Micro <10, Small <20, Medium <50, Large < 100, Massive > 100

**Table 6. Consistency ratios of every hierarchy**

Expert	Big Factors	High-level Planning	Engineering	Aftersales	Process	Graphic & Visual	Add-ons
1	9%	3%	1%	3%	9%	<b>12%</b>	3%
2	7%	7%	0%	0%	5%	9%	6%
3	7%	10%	2%	0%	10%	10%	8%
4	10%	9%	7%	0%	6%	10%	2%
5	8%	4%	3%	1%	10%	2%	6%
6	<b>12%</b>	6%	9%	0%	2%	4%	3%
7	10%	4%	5%	3%	9%	8%	4%
8	4%	3%	6%	3%	10%	10%	1%
9	0%	10%	10%	6%	7%	6%	5%
10	<b>12%</b>	7%	5%	0%	10%	4%	10%
11	<b>13%</b>	<b>15%</b>	5%	1%	10%	7%	<b>22%</b>
12	7%	7%	<b>27%</b>	6%	9%	<b>25%</b>	<b>13%</b>
13	10%	3%	7%	0%	2%	2%	3%
14	7%	8%	4%	<b>18%</b>	9%	6%	9%
15	8%	9%	8%	1%	<b>33%</b>	10%	9%
16	8%	7%	4%	10%	5%	10%	8%
17	7%	5%	5%	0%	5%	<b>12%</b>	1%
18	4%	5%	3%	0%	6%	4%	1%
19	4%	3%	4%	0%	2%	5%	0%
20	3%	7%	0%	0%	6%	0%	5%
21	4%	5%	2%	0%	10%	1%	3%
Mean	7.3%	6.5%	5.6%	2.5%	8.3%	7.4%	5.7%

First, aggregating 18 experts’ opinions on the six main design factors (three experts have CR of more than 10%) gives the priority weights for digital product design factors on the first level (see Table 7). The results show that for the success of a digital product, it is important to prioritize the tasks of high-level planning design, complemented by process design as part of the initial validation of the market research, data analytics, and the initial tasks to build the product. The graphic and visual design ranks third, as it is also critical to focus on having attractive interface and visuals on the digital product, which could be complemented by the add-ons design. Lastly, the engineering design comes to the second last priority and aftersales design comes last.

Second, Table 8 shows the AHP results on the second level criteria for all sub-factors of each of the six main design factors. On a global scale, having clear product vision, discovery, strategy and goals, building a great user experience, and creating an aesthetic user interface are the top three priority sub-factors.

Third, on a local scale, product vision, goals and strategy was the most important sub-factor for high-level planning design. Engineering team ratio and fast responsiveness and cognitive loading scored both very high for engineering design while reversible design scored the highest for aftersales design. At the second-level criteria for process design, experience design or user experience got the highest weight, while for graphic

and visual design, interaction design or user interface was the highest. Finally, for add-ons design, consistency and content management were almost equally important, scoring higher than the other two sub-factors.

## 5. Discussion: guidelines for FPMDEs

In regards to the recommendation guidelines for any founders, product managers, designers and entrepreneurs (FPMDEs) who want to build a successful digital product, it is viable to look at a local scale level: “design factor by design factor” basis.

### 5.1 High-level planning design

The results of this paper show that FPMDEs should prioritize on distributing resources to enhance the high-

**Table 7. AHP Results on the six design factors**

Evaluation Design Factors	Weight	Priority
High-level planning design	0.268	1
Engineering design	0.077	5
Process design	0.248	2
Graphic and Visual design	0.234	3
Aftersales design	0.070	6
Add-ons design	0.102	4

**Table 8. AHP Results of all design factors and sub-factors**

Evaluation Factors	Weight Local	Evaluation Sub-Factors	Weight of Evaluation Sub-Factors			
			Local	Priority	Global	Priority
High-level planning design	0.268	Product/Design founder	0.1596	2	0.0428	5
		Product Vision, Goals and Strategy	0.5300	1	0.1423	1
		Product roadmap (LR)	0.1595	3	0.0428	6
		Fidelity wireframing	0.1510	4	0.0405	8
Engineering Design	0.077	Tech stacks/programming	0.2020	3	0.0156	22
		Fast-response & cognitive loading	0.3200	2	0.0247	16
		Engineering team ratio	0.3295	1	0.0254	15
		Third party providers/integrations	0.1486	4	0.0115	24
Aftersales Design	0.070	Reversible Design	0.5406	1	0.0379	9
		Customer Service	0.2851	2	0.0200	20
		Sound/Verbal Context	0.1742	3	0.0122	23
Process Design	0.248	BI/ Big Data/ Performance Learning	0.1702	2	0.0422	7
		Product Manager team ratio	0.1265	4	0.0314	11
		Experience Design (User Experience)	0.4598	1	0.1141	3
		Written/Copywriting Language	0.0952	5	0.0236	17
		Design Thinking/Scrum Methodology	0.1482	3	0.0368	10
Graphic and Visual Design	0.234	Color/Information Design	0.1295	3	0.0303	14
		Interaction Design (User Interface)	0.5769	1	0.1351	2
		Design team ratio	0.2067	2	0.0484	4
		Animation add-on	0.0869	4	0.0203	19
Add-ons Design	0.102	Content Management	0.2987	2	0.0304	13
		Photography	0.1923	4	0.0196	21
		Simplicity	0.2048	3	0.0209	18
		Consistency	0.3041	1	0.0310	12
Total	1.000		6.0000		1.0000	

level planning design (0.268) first, before jumping in to other parts of the design processes of the organization, especially during the start-up or early stage. When exploring about the high-level planning design further, having a clear product vision, goals and strategy (0.5300) is almost four time more important to other sub-factors such as having a product/design founder (0.1596), achieving a transparent and realistic product roadmap (0.1595), or building the first fidelity wireframing (0.1510). Even though there is a clear hierarchy of ranks amongst the four sub-factors, having a product-design founder, outlining a clear product roadmap, and creating an initial fidelity wireframing are almost equally important. This means that a lot of investment, time, and energy will be a waste, if an organization takes the three less important sub-factors into account firstly, before understanding and implementing the work needed to achieve a clear product vision, goals and strategy.

### 5.2 Process design

Once all of the work, tasks and requirements within the high-level planning design are performed, FPMDEs have to prioritize process design (0.248) factors to

further enhance the necessary requirements post high-level planning. The results of this paper show that FPMDEs should prioritize creating a world-class and seamless user experience (0.4598), as it is three times more important than performing business intelligence and data analytics (0.1702) work and iterating the product development using design thinking / scrum methodology (0.1482), and four times more important than hiring balanced product managers team ratio (0.1265) and putting efforts in enhancing the content through excellent copywriting and written language (0.0952). Even though the user experience sub-factor ranks the first, other sub-factors in process design should not be neglected.

### 5.3 Graphic and visual design

The next critical design factor for a successful digital product is graphic and visual design (0.234). This implies that after having taken consideration of high-level planning design and process design, it is very critical to understand the impact of graphic and visual design towards a successful digital product, as the local ranking weight between the top three design factors have a difference only 3-4%. Within the graphic and

visual design, it can be inferred that interaction design and user interface (0.5769) have significant impact, showing that FPMDEs should implement an aesthetic, yet simple and consistent, user interface for the users. Additionally, design team ratio (0.2067) ranks 2<sup>nd</sup> in the hierarchy, followed by color / information design (0.295), and animation add-on (0.0869). Thus, we suggest that the ranking weights should be considered when allocating time, money, and human resources for each design sub-factor: for example, FPMDEs should invest several times more in terms of time, money or resources to design the best user interface than to decide on which animations to use in the product itself.

### 5.4 Add-ons design

Following the graphic and visual design, add-ons design (0.102) comes next with a more than two times lower weight. This implies that FPMDEs are advised to invest roughly 50% less time, money or resources for add-ons design than those dedicated to the first top three factors. Within the add-ons design, it can be inferred that consistency (0.3041) and content management (0.2987) have significant impact, carrying 60% of the weights, while simplicity (0.2048) and photography (0.1923) carry 40% of the weights. This implies that even though the four sub-factors have hierarchy rankings, the difference is small, so FPMDEs have some flexibility which sub-factor to prioritize. However, it is advisable for the FPMDEs to consider the current hierarchy system, as a guideline when building a digital product.

### 5.5 Engineering design

The engineering aspect of the design (0.077) ranks 5<sup>th</sup> on the hierarchy, which implies that the engineering and architecture behind it are not so important during the start-up and early stage phase. Several experts also validate that when a founder wants to start a business idea, their main focus is to validate their idea through a fast minimum viable product, and later on build upon their current product and improve their architecture. One of the expert in this paper stated that

*“There are two approaches: tech-centric and customer-centric. The one that starts to build with technology or tech-centric, then get the customers around it. So, in this case, 99% of teams using this methodology will fail. The other one if starting first with getting customers and solving their problems with the worse technology and iterate afterwards: in this case, it is most likely to be very successful. Always be customer-centric to have a successful product, rather than refining your engineering, before finding a product-market fit”.*

However, within the engineering design hierarchy, it is advisable for FPMDEs to focus on the skilful engineering team (0.3295) they hire, followed by fast-responsiveness & cognitive loading (0.3200), which shows that “having a digital product that is fast and does not confuse the user / take high loading times” is almost equally important as “fulfilling to have enough engineers to build and sustain an organization’s digital product”. Furthermore, the choice of tech stacks or programming languages (0.2020) of the digital product comes to the third priority, followed by the third party providers or integrations (0.1486) being used by the digital product itself.

### 5.6 Aftersales design

Last but not least, the aftersales design (0.070) complements the whole six design factors, in which reversible design (0.5406) carries two times more importance than customer service (0.2851) and three times more importance than sound / verbal context (0.1742). This implies that, even though aftersales design carries a much smaller weight than the other five design factors, the existence of it should not be neglected. FPMDEs should also understand the importance of aftersales design is comparably similar to engineering design, and perhaps the phase in which these aftersales design sub-factors can be implemented will come at the end phase of the digital product. Within the aftersales design, it can be concluded that FPMDEs should put much higher consideration in their reversible user experience of their digital product, compared to the customer service factor.

## 6. Conclusion

The main objective of this paper was to determine which design factors and sub-factors to prioritize, in order to have a successful digital product. The results suggest that high-level planning design is the most important success factor, while having clear product vision, discovery, strategy and goals, building a great user experience, and creating an aesthetic user interface are the top three priority sub-factors for successful digital products.

The main strength of this paper is that, according to authors’ knowledge, it provides a new approach in prioritizing design factors and sub-factors, by weighing them on a multi-dimensional level, using AHP. Besides, it gives FPMDEs the chance to ease how they make their management decisions, when a lot of variables are at stake. The main limitation is that the experts’ bias is not acknowledged, but having 21 experts contributing to the AHP analysis should eliminate that bias.



Since this study does not provide clear results on the timing or phasing dimension of when the design factors and sub-factors should be implemented or not, a detailed research aligning the exact timing of when these design factors and sub-factors should be acknowledged better by FPMDEs can be investigated in further research. Furthermore, since this research discusses the importance of building digital product at the very early stage, another good development or extension of this research may include “What makes digital product successful at the growth or profitable stage of a start-up?”. This will allow to check if the same results of design priorities can be achieved when a start-up is at early stage or later stage.

The results of the paper provide insights for founders, product managers, designers and entrepreneurs to build a successful digital product from a design perspective during the early stages. Additionally, the results can be used by both technology corporates and start-ups to adopt their design managerial decision-making processes based on this paper, at no cost. When it comes to the feasibility of implementing the design factors and sub-factors priorities, it can be argued that individual founders, product managers, designers and entrepreneurs would not be interested to implement this on a bigger picture. However, public or private supporters and funders such as accelerators, government agencies, venture capital funds, private equity firms, and investors could adopt this paper as a playbook to guide start-up founders in creating a successful and sustainable digital product.

## 7. References

- [1] J. Edson, G. Kouyoumjian, and B. Sheppard, “More Than a Feeling: Ten Design Practices to Deliver Business Value,” 2017.
- [2] N. Patel, “90% Of Startups Fail: Here’s What You Need To Know About The 10%,” 2015. [Online]. Available: <https://www.forbes.com/sites/neilpatel/2015/01/16/90-of-startups-will-fail-heres-what-you-need-to-know-about-the-10/#7fa5e3966792>. [Accessed: 15-Jun-2019].
- [3] J. Gebbia, “How Airbnb designs for trust. TED Ideas worth spreading,” 2016. [Online]. Available: [https://www.ted.com/talks/joe\\_gebbia\\_how\\_airbnb\\_designs\\_for\\_trust?language=en](https://www.ted.com/talks/joe_gebbia_how_airbnb_designs_for_trust?language=en). [Accessed: 15-Jun-2019].
- [4] C. H. Johnson, “High Level Design ; Distributed Network Traffic Controller”, 22c(198),” 2005.
- [5] E. Egonsson, K. Bayarsaikhan, and T. T. Ly, “After-Sales Services and Customer Relationship Marketing,” Linnaeus University, 2013.
- [6] AirStack, “The 2019 guide to Tech Stack Management,” 2019.
- [7] M. Brambilla, S. Ceri, P. Fraternali, and I. Manolescu, “Process modeling in Web applications,” *ACM Trans. Softw. Eng. Methodol.*, vol. 15, no. 4, pp. 360–409, Oct. 2006.
- [8] J. Beard, *The principles of beautiful web design*. SitePoint Pty. Limited, 2007.
- [9] D. Joshi *et al.*, “On Aesthetics and Emotions in Scene Images: A Computational Perspective,” *Scene Vis. Mak. Sense What We See*, p. 241, 2014.
- [10] B. Kim, H. Kim, and Y. Jeon, “Critical Success Factors of a Design Startup Business,” *Sustainability*, vol. 10, no. 9, p. 2981, 2018.
- [11] N. Wasserman, “The founder’s dilemma,” *Harv. Bus. Rev.*, vol. 86, no. 2, pp. 102–109, 2008.
- [12] J. Semick, “Product Roadmaps: Your Guide to Planning and Selling Your Strategy,” 2001.
- [13] P. Pal, “What Is The Difference Between Low-Fidelity and High-Fidelity Wireframes?,” *Think360. UI/UX Design.*, 2017. [Online]. Available: <https://think360studio.com/difference-low-fidelity-high-fidelity-wireframes/>. [Accessed: 15-Jun-2019].
- [14] Baymard Institute, “Reasons for Abandonments During Checkout,” 2018. [Online]. Available: <https://baymard.com/lists/cart-abandonment-rate>. [Accessed: 15-Jun-2019].
- [15] S. Krug, “Cognitive load,” 2018. [Online]. Available: <https://www.invisionapp.com/design-defined/cognitive-load/>. [Accessed: 15-Jun-2019].
- [16] C. Giardino, M. Unterkalmsteiner, N. Paternoster, T. Gorschek, and P. Abrahamsson, “What do we know about software development in startups?,” *IEEE Softw.*, vol. 31, no. 5, pp. 28–32, 2014.
- [17] E. G. Anderson Jr, A. Davis-Blake, S. S. Erzurumlu, N. R. Joglekar, and G. G. Parker, “The effects of outsourcing, offshoring, and distributed product development organizations on coordinating the NPD process,” in *Handbook of new product development management*, Routledge, 2007, pp. 275–306.
- [18] FTMS College, “Programming Languages,” Kuala Lumpur, 2019.
- [19] S. O’Brien, “Engineering principles: make it reversible. Inside Intercome.,” 2016. [Online]. Available: <https://www.intercom.com/blog/videos/engineering-principles-make-reversible/>. [Accessed: 15-Jun-2019].
- [20] L. S. Jamier, “Customer service,” 2002. [Online]. Available: [goodcustomerservice.com](http://goodcustomerservice.com).
- [21] E. A. Ako-Nai, “Effect of Customer Service on Customer Satisfaction: A Case Study of Fidelity Bank, Adum, Kumasi,” 2011.
- [22] H.-W. Micklitz, “Services Standards: Defining the Core Consumer Elements and their Minimum Requirements,” *Study Comm. by ANEC, Eur. Voice Stand.*, 2007.
- [23] M. Ambrogio, “Virtual acoustics for product design and prototyping process,” 2012.
- [24] L. Foureaux, “A Quick Guide to Designing UX Sounds | Toptal,” *Designers*, 2019. [Online]. Available: <https://www.toptal.com/designers/ux/ux-sounds-guide>. [Accessed: 03-Sep-2019].
- [25] K. Norton, “A Certain Ratio - What’s the ideal number of engineers for every PM?,” 2017. [Online]. Available: <https://www.kennorton.com/newsletter/2017-03-27->

- bringing-the-donuts.html. [Accessed: 02-Sep-2019].
- [26] R. Van der Merwe, "Why Companies Need Full-Time Product Managers (And What They Do All Day)," 2014. [Online]. Available: <https://www.smashingmagazine.com/author/rian-van-der-merwe/>. [Accessed: 15-Jun-2019].
- [27] K. Bongard-Blanchy and C. Bouchard, "Dimensions of user experience—from the product design perspective," *J. d'Interaction Pers.*, vol. 3, no. 1, 2014.
- [28] R. W. Bly, *The copywriter's handbook: a step-by-step guide to writing copy that sells*. Holt Paperbacks, 2007.
- [29] A. Wen, "The Go-to Guide for UX Writers, Copywriters, and Content Strategists," 2017. [Online]. Available: <https://medium.com/talking-microcopy-writing-ux/go-to-guide-for-ux-writers-copywriters-and-content-strategists-3f216e0a0aa0>. [Accessed: 15-Jun-2019].
- [30] K. Thoring, R. M. Müller, and others, "Understanding design thinking: A process model based on method engineering," in *DS 69: Proceedings of E&PDE 2011, the 13th International Conference on Engineering and Product Design Education, London, UK, 08.-09.09. 2011*, 2011, pp. 493–498.
- [31] E. Opara, *Color works : best practices for graphic designers : an essential guide to understanding and applying color design principles*. Beverly, MA: Rockport Publishers, 2014.
- [32] A. Dillon, "User interface design," *Encycl. Cogn. Sci.*, 2006.
- [33] P. Madubuike, "The Role of a Designer in Early-Stage Startups. – UX Collective," 2017. [Online]. Available: <https://uxdesign.cc/the-role-of-a-designer-in-early-stage-startups-5320cdf6f820>. [Accessed: 15-Jun-2019].
- [34] V. Joyce, "Animation principles for UX and UI designers," 2018. [Online]. Available: <https://uxplanet.org/animation-that-matters-adding-value-to-your-interface-65496fe4c182>. [Accessed: 15-Jun-2019].
- [35] B. Walker, "Maximize eCommerce Content To Drive Sales," *Forrester Research*, 2008. [Online]. Available: <https://www.forrester.com/webinar/Maximize+eComm+Content+To+Drive+Sales/-/E-WEB2350#>. [Accessed: 16-Jun-2019].
- [36] A. Schiller, "Digital Photography and the Ethics of Photo Alteration Senior Honors Thesis Digital Photography and the Ethics of Photo Alteration (2008)," Texas A&M University, 2008.
- [37] E. McLaughlin, *The purpose is profit : the truth about starting and building your own business*. Austin, Texas: Greenleaf, Book Group Press, 2016.
- [38] W. Hockey, "Prioritizing Engineers In Your Startup Could Lead To Better Products," 2018. [Online]. Available: <https://www.forbes.com/sites/quora/2018/01/22/prioritizing-engineers-in-your-startup-could-lead-to-better-products/#28aa801a499f>. [Accessed: 16-Jun-2019].
- [39] E. Klotins, M. Unterkalmsteiner, and T. Gorschek, "Software engineering in start-up companies: An analysis of 88 experience reports," *Empir. Softw. Eng.*, vol. 24, no. 1, pp. 68–102, 2019.
- [40] G. Tavakoli, M. Feyz Arefi, O. Heidari, and M. Mirjafari, "Designing conceptual model of after-sales services, in companies producing the capital goods, with the idea of value co-creation," *Int. J. Qual. Serv. Sci.*, vol. 8, no. 2, pp. 122–142, Jun. 2016.
- [41] C. P. McLaughlin and J. A. Fitzsimmons, "Strategies for globalizing service operations," *Int. J. Serv. Ind. Manag.*, vol. 7, no. 4, pp. 43–57, 1996.
- [42] G. Ambrose and P. Harris, *The Fundamentals of Graphic Design*. AVA Publishing SA, 2009.
- [43] R. Rousi and J. Silvennoinen, "Simplicity and the art of something more: A cognitive-semiotic approach to simplicity and complexity in human-technology interaction and design experience," *Hum. Technol.*, vol. 14, no. 1, 2018.
- [44] A. Nikolov, "Design principle: Consistency – UX Collective," 2017. [Online]. Available: <https://uxdesign.cc/design-principle-consistency-6b0cf7e7339f>. [Accessed: 16-Jun-2019].
- [45] P. Do, "The impact of product photography on consumer attention and perception: A conjoint analysis study," 2018.
- [46] T. L. Saaty, *The Analytic Hierarchy Process: Planning, Priority Setting, Resource Allocation*. McGraw-Hill, 1980.
- [47] M. Bernasconi, C. Choirat, and R. Seri, "The analytic hierarchy process and the theory of measurement," *Manage. Sci.*, vol. 56, no. 4, pp. 699–711, 2010.
- [48] A. D. Sutadian, N. Muttill, A. G. Yilmaz, and B. J. C. Perera, "Using the Analytic Hierarchy Process to identify parameter weights for developing a water quality index," *Ecol. Indic.*, vol. 75, pp. 220–233, 2017.
- [49] T. L. Saaty, "How to make a decision: the analytic hierarchy process," *Interfaces (Providence)*, vol. 24, no. 6, pp. 19–43, 1994.
- [50] E. Albayrak and Y. C. Erensal, "Using analytic hierarchy process (AHP) to improve human performance: An application of multiple criteria decision making problem," *J. Intell. Manuf.*, vol. 15, no. 4, pp. 491–503, 2004.
- [51] C. D. Koksai and N. M. Ozmutaf, "Using analytic hierarchy process for selecting the appropriate host country to study english language abroad," *Int. J. Soc. Sci. Humanit. Stud.*, vol. 1, no. 1, pp. 37–46, 2009.
- [52] H. Singer and S. ÜKRÜ ÖZSAHİN, "Employing an analytic hierarchy process to prioritize factors influencing surface roughness of wood and wood-based materials in the sawing process," *Turkish J. Agric. For.*, vol. 42, no. 5, pp. 364–371, 2018.
- [53] G. Abdollahzadeh, C. A. Damalas, M. S. Sharifzadeh, and H. Ahmadi-Gorgi, "Selecting strategies for rice stem borer management using the Analytic Hierarchy Process (AHP)," *Crop Prot.*, vol. 84, pp. 27–36, 2016.
- [54] S. Lee, W. Kim, Y. M. Kim, and K. J. Oh, "Using AHP to determine intangible priority factors for technology transfer adoption," *Expert Syst. Appl.*, vol. 39, no. 7, pp. 6388–6395, 2012.
- [55] F. Ahammed and A. Azeem, "Selection of the most appropriate package of Solar Home System using Analytic Hierarchy Process model in rural areas of Bangladesh," *Renew. Energy*, vol. 55, pp. 6–11, 2013.