

Catalogue of the neotropical
Deltocephalinae (Hemiptera: Cicadellidae). Part II —
Tribe Deltocephalini

Catálogo dos Deltocephalinae (Hemiptera:
Cicadellidae) neotropicais. Part II — Tribo
Deltocephalini

K. M. R. ZANOL¹

In the General Catalogue of the Homoptera (METCALF, 1967) there are listed 22 genera and 63 species, from the Neotropical region within six tribes (seven genera and 26 species in Deltocephalini, two genera and 15 species in Scaphoideini, three genera and eight species in Colladolini, one genus and one species in Fieberiellini, two genera and four species in Platymetopiini and seven genera and 19 species in Synophropsini). However, after 1967 many papers on Neotropical Deltocephalinae have been published dealing with classification, nomenclaturae alterations, description of new taxa, and geographical distribution.

The complete bibliography on the leafhoppers until 1955 can be found in the General Catalogue of the Homoptera, fascicle VI, part 10 (METCALF, 1962-1967). OMAN *et al.* (1990) published a list of the world genera of Cicadellidae among them; the bibliographic references between 1955–1985 there are 37 Neotropical genera in the tribe Deltocephalini. ZANOL (2006) published the catalogue of Deltocephalinae – Part I, in which there are recorded 12 tribes, excluding Deltocephalini and Athysanini.

¹ Departamento de Zoologia, Universidade Federal do Paraná, Caixa Postal 19020, 81531-980 Curitiba, PR, Brazil. E-mail, kzanol@ufpr.br. Fellowship of Conselho Nacional de Desenvolvimento Científico e Tecnológico -CNPq.

The present catalogue is an attempt to offer the names and bibliographic references for taxa of Deltocephalini described from Mexico to South America.

Each species group name is followed by the type locality and an abbreviation of the institution where the type is deposited.

The geographical distribution is based upon previously published records. Each species-group name is followed by the information including the author (s), publication date, page and when the paper is not strictly taxonomical, an abbreviated indication of the matter treated, such as: cat. – catalogue; distr. – geographical distribution; desc. – description; ill. – illustration; rev. – revision; syn. – synonym; tax. – taxonomy.

ACRONYMS OF THE INSTITUTIONS

- AMNH — American Museum Natural History, New York, New York, USA
BMNH — The Natural History Museum, London, U. K.
CNCI — Canadian National Collection of Insects, Ontario, Ottawa, Canada.
CASC — California Academy of Science, San Francisco, California, USA.
CMNH — Carnegie Museum of Nature, Pittsburgh, Pennsylvania, USA.
ENMP — Entomologische Abteilung Naturwissenschaftlichen Museum, Prague, Czech Republic.
HNHM — Hungarian Natural History Museum, Budapest, Hungary.
INHS — Illinois Natural History Survey Collection, Urbana, Illinois, USA.
INPA — Coleção Sistemática de Entomologia, Instituto Nacional de Pesquisas da Amazônia, Manaus, Amazonas, Brazil.
MLPA — Museo de La Plata, Universidad Nacional de La Plata, La Plata, Buenos Aires, Argentina.
MMBC — Moravian Museum, Brno, Czech Republic.
MZSP — Museu de Zoologia, Universidade de São Paulo, São Paulo, São Paulo, Brazil.
NHMW — Naturhistorisches Museum, Vienna, Austria.
NMNH — Smithsonian National Museum of Natural History, Washington, DC, USA. (USNM).
OSUC — Ohio State University, Insect Collection, Columbus, USA.
SMNH — Swedish Museum of Natural History, Stockholm, Sweden.
SNOW — Snow Entomology Collection, University of Kansas, Lawrence, Kansas, USA.
ZMUH — Zoologisches Institut und Zoologisches Museum, Universität von Hamburg, Hamburg, Germany.

Tribe DELTOCEPHALINI

Deltocephalini Dallas, 1879: 495; Van Duzee, 1892: 297; Kirkaldy, 1906: 294; Kirkaldy, 1907: 73; Evans, 1947: 240; Oman, 1949: 108; Linnavuori, 1955: 100; Linnavuori, 1956: 9; Linnavuori, 1959: 84; Metcalf, 1967: 1088; Hamilton, 1975: 485 (tribe of Aphrodinae); Linnavuori & DeLong, 1977b: 185; Linnavuori & DeLong, 1978b: 199; Metcalf, 1967: 1088; Cheng, 1980: 63; Oman *et al.*, 1990: 177.

Genus *Agudus* Oman

Type species, *Agudus typicus* Oman, 1936 (original designation).

Agudus Oman, 1936: 371–372; Evans, 1947: 241 (in Platymetopiini); Linnavuori, 1959: 85–86 (rev.); Metcalf, 1967: 2242 (cat.); Oman *et al.*, 1990: 187 (cat.).

amabilis DeLong & Linnavuori

Agudus amabilis DeLong & Linnavuori, 1978: 118. Type locality: Argentina, Tucuman, Lules (13 Km S.) (OSUC).

blockeri Cheng

Agudus blockeri Cheng, 1980: 69–70. Type locality: Paraguay, between San Patricio y San Ramon (SNOW).

cyrtobrachium Cheng

Agudus cyrtobrachium Cheng, 1980: 72–74. Type locality: Paraguay, 2 Km W Eusebio Ayala (SNOW).

forficatus Cheng

Agudus forficatus Cheng, 1980: 70. Type locality: Paraguay, 2 Km W Eusebio Ayala (SNOW).

lepidus Cheng

Agudus lepidus Cheng, 1980: 72. Type locality: Paraguay, 2 Km W Eusebio Ayala (SNOW).

longiceps (Berg)

Platymetopius longiceps Berg, 1879: 67–268. Type locality: Argentina. (MLPA).

Agudus longiceps; Oman, 1936: 372; Linnavuori, 1959: 88; Metcalf, 1967: 2242 (cat.).
Distribution – Paraguay, Argentina.

miriamae Zanol

Agudus miriamae Zanol, 1999: 239–240. Type locality: Brazil, Goias, Jatai (BMNH).

pillosus Zanol

Agudus pillosus Zanol, 1999: 241–242. Type locality: Brazil, Goias, Jatai (BMNH).

sexmaculatus Linnavuori

Agudus sexmaculatus Linnavuori, 1959: 86–87; Cheng, 1980: 63 (distr.). Type locality: Argentina, Misiones, Loreto (NMNH). Distribution – Paraguay, Argentina.

strigilifer DeLong & Linnavuori

Agudus strigilifer DeLong & Linnavuori, 1978: 118. Type locality: Brazil, Parana, Ponta Grossa (Vila Velha) (OSUC).

superbus Linnavuori

Agudus superbus Linnavuori, 1959: 88–89. Type locality: Argentina, Misiones, Loreto (NMNH).

typicus Oman

Agudus typicus Oman, 1936: 372. Type locality: Argentina, Misiones, Loreto (NMNH). Linnavuori, 1955: 101 (distr.); Linnavuori, 1959: 86 (desc.); Metcalf, 1967: 2242 (cat.); Cheng, 1980: 63 (distr.); Zanol & Menezes, 1982: 34 (distr.). Distribution – Brazil, Paraguay, Argentina.

Genus *Amblysellus* Sleesman

Type species, *Amplicephalus curtisii* Fitch, 1851 (monotypy).

Amblysellus Sleesman, 1930: 93. Evans, 1947: 228 (in Euscelini); Oman, 1949: 177 (desc., tax.); Metcalf, 1967: 117 (cat.); DeLong & Hamilton, 1974: 841 (desc., key); Hamilton, 1975: 487 (tax.); Oman *et al.*, 1990: 189 (cat.); Blocker *et al.*, 1995: 295–297 (desc., tax., distr.).

cereus DeLong & Hamilton

Amblysellus cereus DeLong & Hamilton, 1974: 842. Type locality: Guatemala, Patzun (CNCI).

copulus DeLong & Hamilton

Amblysellus copulus DeLong & Hamilton, 1974: 847. Type locality: Mexico, Veracruz, Coatepec (OSUC).

dedecus DeLong & Hamilton

Amblysellus dedecus DeLong & Hamilton, 1974: 842–844. Type locality: Mexico, Chiapas, San Cristobal de las Casas (OSUC).

excavus DeLong & Hamilton

Amblysellus excavus DeLong & Hamilton, 1974: 845. Type locality: Ecuador, Loja, Loja (CNCI).

laticeps Linnavuori & DeLong

Amblysellus laticeps Linnavuori & DeLong, 1979a: 45. Type locality: Argentina, Campana (OSUC).

macularis DeLong & Hamilton

Amblysellus macularis DeLong & Hamilton, 1974: 848–849. Type locality: Mexico, Chiapas, San Cristobal de las Casas (OSUC).

necopinus DeLong & Hamilton

Amblysellus necopinus DeLong & Hamilton, 1974: 845. Type locality: Mexico, Veracruz, Cosomatepec (OSUC). Distribution – Mexico, Ecuador.

torqus DeLong & Hamilton

Amblysellus torqus DeLong & Hamilton, 1974: 844. Type locality: Ecuador, Pichiucha, Pululahua (CNCI).

Genus *Amplicephalus* DeLong

Type species, *Deltocephalus osborni* Van Duzee, 1892 (original designation).

Deltocephalus (Amplicephalus) DeLong, 1926: 83. Oman, 1936: 373 (note).

Amplicephalus; DeLong & Sleesman, 1929: 96; Evans, 1947: 229 (in Euscelini); Oman, 1949: 178 (desc., tax.); Linnavuori, 1959: 98–99 (desc., key); Kramer, 1971: 198 (desc., key); Hamilton, 1975: 487 (tax.); DeLong & Cwikla, 1986: 224–225 (tax.); Oman *et al.*, 1990: 189 (cat.).

Subgenus *Amplicephalus (Amplicephalus)* DeLong

Amplicephalus (Amplicephalus); Linnavuori, 1959: 105–106 (desc., key); Linnavuori & DeLong, 1977: 185–187 (note, key, tax.); Blocker *et al.*, 1995: 297 (desc., tax., distr.).

abundans Linnavuori & DeLong

Amplicephalus (Amplicephalus) abundans Linnavuori & DeLong, 1977: 188. Type locality: Chile, Osorno, P. Osorno (OSUC). DeLong & Cwikla, 1986: 224 (listed).

- acuticeps* (Linnavuori & DeLong)
Polyamia acuticeps Linnavuori & DeLong, 1978b: 200. Type locality: Panama, Darien, Santa Fe (OSUC).
- Amplicephalus acuticeps*; Sinada & Blocker, 1994: 792.
- albivenosus* (Osborn)
Deltocephalus albivenosus Osborn, 1926: 345. Type locality: Cuba, Baragua (NMNH). Metcalf, 1967: 1574 (cat.).
- Amplicephalus (Amplicephalus) albivenosus*; Linnavuori, 1959: 109. Distribution – Cuba, Puerto Rico.
- angolus* Linnavuori & DeLong
Amplicephalus (Amplicephalus) angolus Linnavuori & DeLong, 1977: 195. Type locality: Chile, Angol, P. Malleco (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- apertus* DeLong
Amplicephalus apertus DeLong, 1984a: 168–169. Type locality: Bolivia, Cochabamba (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- araucoanus* Linnavuori & DeLong
Amplicephalus (Amplicephalus) araucoanus Linnavuori & DeLong, 1977: 191. Type locality: Chile, Contulmo, P. Arauco (OSUC). ; DeLong & Cwikla, 1986: 224 (listed).
- backhauseni* (Berg)
Deltocephalus backhauseni Berg, 1895: 203. Type locality: Argentina, Tierra del Fuego (MLPA).
- Amplicephalus (Amplicephalus) backhauseni*; Linnavuori, 1959: 108; Metcalf, 1967: 1113 (cat.); Linnavuori & DeLong, 1977: 194 (distr.). Distribution – Argentina, Chile.
- boliviellus* DeLong
Amplicephalus boliviellus DeLong, 1984a: 170. Type locality: Bolivia, Santa Cruz (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- brachypterus* Linnavuori & DeLong
Amplicephalus (Amplicephalus) brachypterus Linnavuori & DeLong, 1977: 190. Type locality: Chile, Valpo, Villa Alemana (OSUC). ; DeLong & Cwikla, 1986: 224 (listed).
- brevis* Linnavuori
Amplicephalus (Amplicephalus) brevis Linnavuori, 1959: 109. Type locality: Ecuador, Guayaquil (ZMUH).
- buenus* DeLong
Amplicephalus buenus DeLong, 1984a: 173. Type locality: Bolivia, Buena Vista (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- campanus* Linnavuori & DeLong
Amplicephalus (Amplicephalus) campanus Linnavuori & DeLong, 1979a: 43. Type locality: Argentina, Buenos Aires, Campana (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- cekalovici* (DeLong & Martinson)
Polyamia cekalovici DeLong & Martinson, 1973a: 151. Type locality: Chile, Chiloe, Chiloe Isl. (OSUC).
- Amplicephalus (Amplicephalus) cekalovici*; Linnavuori & DeLong, 1977: 191; DeLong & Cwikla, 1986: 224 (listed).
- chacus* Cheng

- Amplicephalus chacus* Cheng, 1980: 74. Type locality: Paraguay, Chaco, Expt Sta Cattle Res. Sta 295 Km NW Asuncion on Trans-Chaco Hwy (SNOW). DeLong & Cwikla, 1986: 224 (listed).
- chiquitanus* (Linnavuori & DeLong)
Polyamia chiquitana Linnavuori & DeLong, 1978b: 199–200. Type locality: Honduras, Comayagua, Rancho Chiquita (OSUC).
- Amplicephalus (Amplicephalus) chiquitanus*; Sinada & Blocker, 1994: 792.
- cruzus* DeLong
Amplicephalus cruzus DeLong, 1984a: 173. Type locality: Bolivia, Santa Cruz (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- curtulus* Linnavuori & DeLong
Amplicephalus (Amplicephalus) curtulus Linnavuori & DeLong, 1977: 190–191. Type locality: Chile, Osorno, P. Osorno (OSUC). DeLong & Cwikla, 1986: 224 (listed). Distribution – Argentina, Chile.
- eusebius* Cheng
Amplicephalus eusebius Cheng, 1980: 76. Type locality: Paraguay, 2 Km W Eusebio Ayala (SNOW). DeLong & Cwikla, 1986: 224 (listed).
- fallaciosus* Linnavuori & DeLong
Amplicephalus (Amplicephalus) fallaciosus Linnavuori & DeLong, 1977: 189. Type locality: Chile, Coyhaique, P. Aisen (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- faminei* (Stål)
Jassus (Deltocephalus) faminei Stål, 1859: 293. Type locality: Chile (SMNH)
Deltocephalus faminei; Berg, 1879: 266; Osborn, 1924: 411 (desc., ill.).
Amplicephalus faminei; Linnavuori, 1954a: 142; Linnavuori, 1955: 126 (note); Metcalf, 1967: 1574 (cat.).
Amplicephalus (Amplicephalus) faminei; Linnavuori, 1959: 106; Linnavuori & DeLong, 1977: 189 (desc., distr.).
- Athysanus filaretanus* Berg, 1896: 202. Type locality: Argentina, Tierra del Fuego (MLPA). Linnavuori, 1959: 106 (syn.); Metcalf, 1967: 362 (cat.). Distribution – Argentina, Chile.
- funzaensis* Linnavuori
Amplicephalus funzaensis Linnavuori, 1968: 150–151. Type locality: Colombia, Cundinamarca, Funza. (AMNH). Freytag & Sharkey, 2002: 267 (distr.).
- glaucus* (Blanchard)
Jassus glaucus Blanchard in Spinola, 1852: 293. Type locality: Chile.
Deltocephalus glaucus; Berg, 1881: 269; Metcalf, 1967: 1143 (cat.).
Amplicephalus (Amplicephalus) glaucus; Linnavuori, 1959: 107; Linnavuori & DeLong, 1977: 193–194 (desc., distr.); Freytag & Sharkey, 2002: 267 (distr.). Distribution – Panama, Colombia, Ecuador, Chile.
- ica* Linnavuori
Amplicephalus ica Linnavuori, 1973a: 17. Type locality: Peru, Ica, Had Las Palmas (AMNH). Lozada, 1992: 28 (distr.).
- intermedius* Linnavuori & DeLong
Amplicephalus (Amplicephalus) intermedius Linnavuori & DeLong, 1977: 192–193. Type locality: Chile, Punta Arenas, Magallanes (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- latus* DeLong
Amplicephalus latus DeLong, 1984a: 169. Type locality: Bolivia, Santa Cruz (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- laxus* DeLong

- Amplicephalus laxis* DeLong, 1984a: 172. Type locality: Bolivia, Buena Vista (OSUC).
DeLong & Cwikla, 1986: 224 (listed).
- lineatus* (Osborn)
Euscelis lineata Osborn, 1923: 45–46. Type locality: Bolivia, Provincia del Sara
(CMNH).
- Amplicephalus lineatus*; Linnavuori, 1955: 101.
Amplicephalus (Amplicephalus) lineatus; Linnavuori, 1959: 111–112 (desc., distr.);
Metcalf, 1967: 1576 (cat.); Zanol & Menezes, 1982: 34 (distr.). Distribution –
Brazil, Bolivia, Paraguay, Argentina.
- littoralis* (Ball)
Deltocephalus littoralis Ball, 1905: 120. Type locality: Cap May and Anglesea
(NMNH).
- Amplicephalus littoralis*; Metcalf, 1967: 1576.
Amplicephalus (Amplicephalus) littoralis; Oman, 1949: 179; Linnavuori, 1959: 109–
110 (desc., distr.); Kramer, 1971: 200-202 (desc., distr.). Distribution – Canada,
USA, Cuba.
- lorenzus* DeLong & Cwikla
Amplicephalus (Amplicephalus) lorenzusi DeLong & Cwikla, 1986: 225. Type locality:
Bolivia, San Lorenzo (OSUC).
- lunatus* (Osborn)
Deltocephalus lunatus Osborn, 1926: 347. Type locality: Cuba, Jorun (NMNH).
Metcalf, 1967: 1155 (cat.).
- Amplicephalus (Amplicephalus) lunatus*; Linnavuori, 1959: 113.
luridus Linnavuori & DeLong
Amplicephalus (Amplicephalus) luridus Linnavuori & DeLong, 1979a: 45. Type locality:
Distribution – Brazil, Paraguay.
- marginellanus* (Metcalf) Brazil, Sao Paulo, Piracicaba (OSUC). DeLong & Cwikla,
1986: 224 (listed).
- Amplicephalus luridus*; Cheng, 1980: 63 (distr.).
Deltocephalus marginellanus Metcalf, 1955: 45 (*nom. nov. pro Deltocephalus
marginellus* Osborn, 1926: 346, *non* Osborn, 1923). Type locality: Cuba,
Herradura (NMNH). Metcalf, 1967: 1169 (cat.).
- Amplicephalus (Amplicephalus) marginellanus*; Linnavuori, 1959: 111; Zanol &
Menezes, 1982: 34 (distr.). Distribution – Cuba, Brazil, Bolivia, Paraguay,
Argentina.
- Amplicephalus marginellanus*; Cheng, 1980: 63 (distr.).
marginellanus faminoides Linnavuori
Amplicephalus faminoides Linnavuori, 1955: 126. Type locality: Brazil, Rio Grande
do Sul (NHMW). Metcalf, 1967: 1575 (cat.).
- Amplicephalus (Amplicephalus) marginellanus v. faminoides*; Linnavuori, 1959: 111;
Zanol & Menezes, 1982: 34 (distr.). Distribution – Brazil, Bolivia, Paraguay,
Argentina.
- obsoletus* Linnavuori
Amplicephalus (Amplicephalus) obsoletus Linnavuori, 1959: 114–115. Type locality:
Argentina, Tucuman (NMNH).
- ornatus* Linnavuori
Amplicephalus (Amplicephalus) ornatus Linnavuori, 1959: 107–108. Type locality:
Argentina, Catandil, Neuquen (MLPA). Linnavuori & DeLong, 1977: 192 (desc.,
distr.); Cheng, 1980: 63 (distr.). Distribution – Paraguay, Argentina, Chile.
- papillosus* Linnavuori

- Amplicephalus (Amplicephalus) papillosus* Linnavuori, 1959: 106. Type locality: Argentina, Patagonia, rio Santa Cruz (HNHM). Linnavuori & DeLong, 1977: 190 (distr.); DeLong & Cwikla, 1986: 224 (listed).
- paradoxus* Linnavuori & DeLong
Amplicephalus paradoxus Linnavuori & DeLong, 1976: 32. Type locality: Peru, Machu Picchu (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- parquis* Cheng
Amplicephalus parquis Cheng, 1980: 77. Type locality: Paraguay, Parque Nacional Ouyaque, between Caaguazu y Col Oviedo, 159,5 Km E. Asuncion (SNOW). DeLong & Cwikla, 1986: 224 (listed).
- pedriatus* Cheng
Amplicephalus pedriatus Cheng, 1980: 77–79. Type locality: Paraguay, Fortuna ranch nr Pedro Juan Caballero (SNOW). DeLong & Cwikla, 1986: 224 (listed).
- productus* Linnavuori & DeLong
Amplicephalus (Amplicephalus) productus Linnavuori & DeLong, 1977: 188. Type locality: Chile, Osorno (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- rotundiceps* Linnavuori
Amplicephalus (Amplicephalus) rotundiceps Linnavuori, 1959: 115. Type locality: Panama, Tocumen (NMNH).
- saltensis* Linnavuori & DeLong
Amplicephalus saltensis Linnavuori & DeLong, 1979c: 190. Type locality: Chile, Salta, Valparaiso (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- santanus* DeLong
Amplicephalus santanus DeLong, 1984a:170. Type locality: Bolivia, Santa Cruz (OSUC). DeLong & Cwikla, 1986: 224 (listed).
- similis* DeLong
Amplicephalus similis DeLong, 1984a: 172. Type locality: Bolivia, Santa Cruz (OSUC). DeLong & Cwikla, 1986: 225 (listed).
- simpliciusculus* Linnavuori
Amplicephalus simpliciusculus Linnavuori, 1955: 127–128. Type locality: Argentina, Tucuman (AMNH). Metcalf, 1967: 1582 (cat.).
- Amplicephalus (Amplicephalus) simpliciusculus*; Linnavuori, 1959: 110–111; Zanol & Menezes, 1982: 34 (distr.). Distribution – Brazil, Argentina.
- tabascus* (DeLong & Cwikla)
Polyamia tabasca DeLong & Cwikla, 1986: 223. Type locality: Honduras, Comayagua, ranch Chiquitita (OSUC).
- Amplicephalus tabascus*; Sinada & Blocker, 1994: 793.
- transversalis* Linnavuori & DeLong
Amplicephalus transversalis Linnavuori & DeLong, 1976: 30. Type locality: Bolivia, San Esteban, 49 Km N Santa Cruz (OSUC). DeLong & Cwikla, 1986: 225 (listed).
- tubupennis* Cheng
Amplicephalus tubupennis Cheng, 1980: 76. Type locality: Paraguay, Fortuna ranch nr Pedro Juan Caballero (SNOW). DeLong & Cwikla, 1986: 225 (listed).
- ultimasperatus* Dlabola
Amplicephalus (Amplicephalus) ultimasperatus Dlabola, 1967: 347. Type locality: Chile, Magallanes, Ultima Esperanza (ENMP). DeLong & Cwikla, 1986: 224 (listed).
- valvidianus* Linnavuori & DeLong
Amplicephalus (Amplicephalus) valvidianus Linnavuori & DeLong, 1977: 194–195. Type locality: Chile, 19 Km SE Valvidia, P. Valvidia (OSUC). DeLong & Cwikla, 1986: 224 (listed).

villarricus Dlabola

Amplicephalus (*Amplicephalus*) *villarricus* Dlabola, 1967: 348. Type locality: Paraguay, Guaira, Villarrica (ENMP). DeLong & Cwikla, 1986: 224 (listed).

Subgenus *Amplicephalus* (*Cruciatanus*) DeLong & Hershberger

Type species, *Scaphoideus cruciatus* Osborn, 1911 (original designation).

Sanctanus (*Cruciatanus*) DeLong & Hershberger, 1946: 208. Metcalf, 1967: 2096 (cat.); Oman *et al.*, 1990: 249 (cat.).

Amplicephalus (*Cruciatanus*); Linnavuori, 1959: 101.

apicalis (DeLong & Hershberger)

Sanctanus apicalis DeLong & Hershberger, 1946: 214. Type locality: Mexico, Chiapas, Tuxla Gutierrez (OSUC).

Sanctanus (*Sanctanus*) *apicalis*; Metcalf, 1967: 2101 (cat.).

Amplicephalus (*Cruciatanus*) *apicalis*; Linnavuori, 1959: 103; Maes & Godoy, 1993: 24 (distr.). Distribution – Mexico, Nicaragua.

discalis (Van Duzee)

Scaphoideus discalis Van Duzee, 1933: 31–32. Type locality: Ecuador, Galapagos, Chatham Isl. (CASC).

Sanctanus discalis; DeLong & Caldwell, 1937: 21 (cat.); Metcalf, 1967: 2093 (cat.).

Amplicephalus (*Cruciatanus*) *discalis*; Linnavuori, 1959: 103; Linnavuori & DeLong, 1978a: 227 (note, distr.); DeLong & Cwikla, 1986: 224 (listed).

fasciatus (Osborn)

Scaphoideus fasciatus Osborn, 1900: 190. Type locality: Brazil, Bahia (CMNH).

Sanctanus fasciatus; Oman, 1936: 371; DeLong & Hershberger, 1946: 221 (desc., distr.); Caldwell & Martorell, 1952: 58-59 (desc., distr.); Metcalf, 1967: 2098 (cat.); Bonfils & Delplanque, 1971: 145 (distr.); Linnavuori, 1973b: 95 (distr.); Blocker *et al.*, 1995: 312 (distr.); Freytag & Sharkey, 2002: 267 (distr.).

Amplicephalus (*Cruciatanus*) *fasciatus*; Linnavuori, 1959: 101; Zanol & Menezes, 1982: 34 (distr.); Maes & Godoy, 1993: 25 (distr.); Freytag & Sharkey, 2002: 267 (distr.). Distribution – USA, Mexico, Haiti, Cuba, Nicaragua, Guatemala, Guyana, Jamaica, Puerto Rico, Bahamas, Guadeloupe, Martinique, Colombia, Brazil.

Scaphoideus negletus Osborn, 1911: 252. Type locality: USA, Texas (OSUC). Linnavuori, 1959: 101 (listed); Metcalf, 1967: 2098 (cat.).

Amplicephalus fasciatus; Linnavuori, 1968: 150 (distr.).

marginellus (DeLong & Hershberger)

Sanctanus (*Cruciatanus*) *marginellus* DeLong & Hershberger, 1946: 222. Type locality: Guatemala, Catendul (OSUC). Metcalf, 1967: 2100 (cat.); Blocker *et al.*, 1995: 312 (distr.).

Amplicephalus (*Cruciatanus*) *marginellus*; Linnavuori, 1959: 103.

Subgenus *Amplicephalus* (*Nanctasus*) Linnavuori

Type species, *Amplicephalus* (*Nanctasus*) *bolivicus* Linnavuori, 1959 (original designation).

Amplicephalus (*Nanctasus*) Linnavuori, 1959: 99.

aurantiacus Linnavuori & DeLong

- Amplicephalus (Nanctasus) aurantiacus* Linnavuori & DeLong, 1979a: 43. Type locality: Peru, Machu Picchu (OSUC). ; DeLong & Cwikla, 1986: 224 (listed).
bolivicus Linnavuori
Amplicephalus (Nanctasus) bolivicus Linnavuori, 1959: 100. Type locality: Bolivia, Trinidad (AMNH).
insularis Linnavuori & DeLong
Amplicephalus (Nanctasus) insularis Linnavuori & DeLong, 1977: 187. Type locality: Chile, Chiloe Isl., 18 Km E. Chepu (OSUC). DeLong & Cwikla, 1986: 224 (listed).
pallidus Linnavuori
Amplicephalus (Nanctasus) pallidus Linnavuori, 1959: 100. Type locality: Argentina, Mendoza (MMBC).
quadrinotatus (DeLong)
Frequenamia quadrinotata DeLong, 1984c: 115. Type locality: Colombia, Choco, Camp Curiche (OSUC).
Frequenamia quadrinotata DeLong, 1984c: 115. Freytag & Sharkey, 2002: 267 (distr.).
Amplicephalus (Nanctasus) quadrinotatus; Zanol, 2005: 165.

Genus *Bolarga* Oman

- Type species, *Parabolocratus bolivianus* Osborn, 1923 (original designation).
Bolarga Oman, 1936: 366–367. Evans, 1947: 230 (in Euscelini); Linnavuori, 1959: 90 (desc., key); Metcalf, 1967: 1772 (cat.); Oman *et al.*, 1990: 195 (cat.).
boliviana (Osborn)
Parabolocratus bolivianus Osborn, 1923: 32–33. Type locality: Bolivia, Provincia del Sara (CMNH).
Bolarga boliviana; Oman, 1936: 367; Linnavuori, 1959: 91 (desc.); Metcalf, 1967: 1772 (cat.).
Parabolocratus bolivianus var. *pallida* Osborn, 1923: 33; Oman, 1936: 367 (syn.).
nigriloba Linnavuori
Bolarga nigriloba Linnavuori, 1959: 92. Type locality: Brazil, Rio Grande (HNHM). Zanol & Menezes, 1982: 34 (distr.). Distribution – Brazil, Argentina.
Daltonia nigriloba; DeLong, 1982: 616.
Bolarga nigriloba; Blocker & Fang, 1993: 309.
quadrinotata Linnavuori
Bolarga quadrinotata Linnavuori, 1955: 123. Type locality: Paraguay, Chaco (NHMW). Linnavuori, 1959: 91 (desc.); Metcalf, 1967: 1772 (cat).

Genus *Bolivaia* Linnavuori & DeLong

- Type species, *Bolivaia lobata* Linnavuori & DeLong, 1979a (original designation).
Bolivaia Linnavuori & DeLong, 1979a: 45 – 46. Cwikla & Blocker, 1981: 170 (note); Oman *et al.*, 1990: 195 (cat.).
lobata Linnavuori & DeLong
Bolivaia lobata Linnavuori & DeLong, 1979a: 47. Type locality: Bolívia, Santa Cruz, San Esteban (OSUC).
spinosa Linnavuori & DeLong
Bolivaia spinosa Linnavuori & DeLong, 1979b: 126. Type locality: Bolívia, San Esteban (OSUC).

Genus *Caphodellus* Linnavuori & DeLong

Type species, *Caphodellus quadrimaculatus* Linnavuori & DeLong, 1976 (original designation).

Caphodellus Linnavuori & DeLong, 1976: 33. Cwikla & Blocker, 1981: 172 (note); Oman *et al.*, 1990: 198 (cat.); Kamitani, 1999: 80 (in Paralimnini).

quadrimaculatus Linnavuori & DeLong

Caphodellus quadrimaculatus Linnavuori & DeLong, 1976: 34. Type locality: Bolivia, San Esteban, 49 Km N. Sta Cruz (OSUC).

Genus *Cruziella* Linnavuori & DeLong

Type species, *Cruziella trispinosa* Linnavuori & DeLong, 1979a (original designation).

Cruziella Linnavuori & DeLong, 1979a: 49. Cwikla & Blocker, 1981: 173 (note); Oman *et al.*, 1990: 203 (cat.).

trispinosa Linnavuori & DeLong

Cruziella trispinosa Linnavuori & DeLong, 1979a: 49–50. Type locality: Bolivia, Santa Cruz, San Esteban (OSUC).

Genus *Cumbrenanus* DeLong & Cwikla

Type species, *Cumbrenanus panamus* DeLong & Cwikla, 1984 (original designation).

Cumbrenanus DeLong & Cwikla, 1984: 432. Oman *et al.*, 1990: 203 (cat.).

panamus DeLong & Cwikla

Cumbrenanus panamus DeLong & Cwikla, 1984: 432–434. Type locality: Panama, Las Cumbres (OSUC).

Genus *Daltonia* Oman

Type species, *Athysanus estacadus* Ball, 1911 (original designation).

Daltonia Oman, 1949: 176. Blocker & Fang, 1993: 305 (desc., key, tax.); Hamilton, 1975: 488 (tax.); Oman *et al.*, 1990: 204 (cat.); Blocker *et al.*, 1995: 301 (desc., tax., distr.).

blacki Blocker & Fang

Daltonia blacki Blocker & Fang, 1993: 307. Type locality: Mexico, Jalisco, 12 mi E Guadalajara (SNOW).

Genus *Deltocephalus* Burmeister

Type species, *Cicada pulicarius* Fallen, 1806 (subsequent designation by Kirschbaum, 1858).

Jassus (Deltocephalus) Burmeister, 1838: 49.

Deltocephalus; Herrich-Schäffer, 1840: 381; DeLong & Slesman, 1929: 97–99 (note); Oman, 1936: 373 (rev.); Evans, 1947: 231 (in Euscelini); Oman, 1949: 173 (desc., tax.); Linnavuori, 1959: 129–130 (desc.); Metcalf, 1967: 1090 (cat.);

Hamilton, 1975: 488 (tax.); Nast, 1972: 343 (desc., tax., distr.); Oman *et al.*, 1990: 204 (cat.); Blocker *et al.*, 1995: 302–302 (desc., tax., distr.).

balli Van Duzee

Deltocephalus balli Van Duzee, 1916: 71. Type locality: USA, Iowa, Ames (NMNH).
Oman, 1949: 173 (listed).

Graminella balli; Linnavuori, 1959: 125.

Deltocephalus balli; Metcalf, 1967: 1113 (cat.); Blocker *et al.*, 1995: 305 (distr.).
Distribution – USA, Cuba.

barcalus DeLong

Deltocephalus barcalus DeLong, 1984b: 111. Type locality: Mexico, Jalisco, La Barca (OSUC). Blocker *et al.*, 1995: 303 (distr.).

diagnalus DeLong

Deltocephalus diagnalus DeLong, 1984b: 110. Type locality: Mexico, Distrito Federal, Rio Frio (OSUC). Blocker *et al.*, 1995: 304 (distr.).

frionus DeLong

Deltocephalus frionus DeLong, 1984b: 108–109. Type locality: Mexico Rio Frio. (OSUC). Blocker *et al.*, 1995: 304 (distr.).

jacintus DeLong

Deltocephalus jacintus DeLong, 1984b: 109–110. Type locality: Mexico Distrito Federal, San Jacinto (OSUC). Blocker *et al.*, 1995: 304 (distr.).

jaraxus Kramer

Deltocephalus jaraxus Kramer, 1965: 22. Type locality: Mexico, Vera Cruz, Boca del Rio (NMNH).

metcalfi Kramer

Deltocephalus metcalfi Kramer, 1965: 18. Type locality: Mexico, Michoacan, Cuaro (NMNH).

penonus DeLong

Deltocephalus penonus DeLong, 1980: 68. Type locality: Mexico, Distrito Federal, Penona Marquez (OSUC).

posadai Kramer

Deltocephalus posadai Kramer, 1963: 21. Type locality: Colombia, Cundinamarca, Usme. (NMNH).

replicatus DeLong

Deltocephalus replicatus DeLong, 1984b: 109. Type locality: Mexico, Distrito Federal, San Jacinto (OSUC). Blocker *et al.*, 1995: 304 (distr.).

scuticus DeLong

Deltocephalus scuticus DeLong, 1984b: 111. Type locality: Mexico, Tabasco, Zapata (OSUC). Blocker *et al.*, 1995: 304 (distr.).

trifax Kramer

Deltocephalus trifax Kramer, 1963: 42. Type locality: Mexico, Mexico City, Teotihuacan Pyramids (NMNH). Freytag & Maes, 1997: 36 (distr.); Maes *et al.*, 1999: 23 (distr.). Distribution – Mexico, Panama, Nicaragua.

xipei Kramer

Deltocephalus xipei Kramer, 1963: 41. Type locality: Mexico, Ixmiquilpan (NMNH).

youngi Kramer

Deltocephalus youngi Kramer, 1965: 18–19. Type locality: Guatemala, Escuintla (NMNH).

Genus *Deltorhynchus* DeLong

Type species, *Deltorhynchus quadrinotus* DeLong, 1943 (original designation).

Deltorhynchus DeLong, 1943: 79. Evans, 1947: 231 (in Euscelini); Metcalf, 1967: 1741 (cat.); Cwikla & Blocker, 1981: 173 (note); Oman *et al.*, 1990: 204 (cat.); Kamitani, 1999: 80 (in Paralimnini).

quadrinotus DeLong

Deltorhynchus quadrinotus DeLong, 1943: 79–80. Type locality: Mexico, Guerrero, Iguala (OSUC). Metcalf, 1967: 1741(cat.).

spinosus DeLong

Deltorhynchus spinosus DeLong, 1943: 80. Type locality: Mexico, Morelos, Cuautla (OSUC).

Genus *Endria* Oman

Type species, *Jassus inimicus* Say, 1830 (original designation).

Endria Oman, 1949: 175. Metcalf, 1967: 1813 (cat.); Hamilton, 1975: 488 (rev.); Oman *et al.*, 1990: 209 (cat.); Blocker *et al.*, 1995: 304 (desc., tax., distr.).

Amplicephalus (*Endria*); Linnavuori, 1959: 115

micaria (Ball)

Deltocephalus micarius Ball, 1911: 203. Type locality: USA, Florida (NMNH).

Polyamius micarius; DeLong & Slesman, 1929: 89 (tax.).

Polyamia micaria; Beamer & Tuthill, 1934: 12 (note); DeLong & Knull, 1946: 37 (cat.); Oman, 1949: 175 (cat.); Metcalf, 1967: 1799 (cat.);

Amplicephalus (*Endria*) *micarius*; Linnavuori, 1959: 115.

Endria micaria; Blocker *et al.*, 1995: 304. Distribution – USA, Cuba.

trilobata (DeLong)

Deltocephalus trilobatus DeLong in Wolcott, 1923: 263. Type locality: Puerto Rico (OSUC).

Amplicephalus (*Endria*) *trilobata*; Linnavuori, 1959: 115.

Polyamia trilobata; Caldwell & Martorell, 1952: 57 (tax.); Metcalf, 1967: 1805 (cat.)

Endria trilobata; Blocker *et al.*, 1995: 305. Distribution – Caribbean, Panama, Cuba, Puerto Rico.

Genus *Fusanus* Linnavuori

Type species, *Fusanus griseostriatus* Linnavuori, 1955 (original designation).

Fusanus Linnavuori, 1956: 123–124. Metcalf, 1967: 1772 (cat.); Oman *et al.*, 1990: 214 (cat.).

Zepama Metcalf, 1967: 2241 (*nom. nov. pro Metcalfiella* Linnavuori, 1955: 121, *non* Goding, 1929). Type species, *Metcalfiella chacoensis* Linnavuori, 1956 (original designation).

acristylus Cheng

Fusanus acristylus Cheng, 1980: 79. Type locality: Paraguay, Chaco nr Filadelfia (SNOW).

chacoensis (Linnavuori)

Metcalfiella chacoensis Linnavuori, 1955: 122–123. Type locality: Paraguay, Chaco (NHMW). Linnavuori, 1956: 10 (distr.); Metcalf, 1967: 2241 (cat.).

- Fusanus chacoensis*; Linnavuori, 1959: 136; Cheng, 1980: 63 (distr.). Distribution – Paraguay, Argentina.
griseostriatus Linnavuori
Fusanus griseostriatus Linnavuori, 1955: 124. Type locality: Argentina, Mendoza (NHMW). Linnavuori, 1956: 10 (distr.).
spatulatus Linnavuori
Fusanus spatulatus Linnavuori, 1959: 137. Type locality: Argentina, Tucuman (NMNH).

Genus *Graminella* DeLong

- Type species, *Thamnotettix aureovittatus* Sanders & DeLong, 1920 (original designation).
- Graminella* DeLong, 1936: 218. Evans, 1947: 233 (in Euscelini); Oman, 1949: 177 (desc., tax.); Caldwell & Martorell, 1952: 62-63 (desc., key); Linnavuori, 1959: 119-120 (desc., key); Metcalf, 1967: 856 (cat.); Kramer, 1967: 604-605 (desc., key); Hamilton, 1975: 488 (tax.); Oman *et al.*, 1990: (cat.); Blocker *et al.*, 1995: 305 (desc., tax., distr.).
- barinasenses* Freytag, 1989
Graminella barinasenses Freytag, 1989: 281–282. Type locality: Venezuela, Barinas, Sabaneta (OSUC).
- cognita* Caldwell
Graminella cognita Caldwell, in Caldwell & Martorell, 1952: 64. Type locality: Puerto Rico, Rio Piedras (NMNH). Linnavuori, 1959: 120–121 (desc., distr.); Metcalf, 1967: 859 (cat.); Kramer, 1967: 610 (desc., distr.) Linnavuori, 1968: 151 (distr.); Linnavuori, 1973b: 95 (distr.); Bonfils & Delplanque, 1971: 144 (distr.); Zanol & Menezes, 1982: 34 (distr.); Hidalgo-Gato & Rodríguez-León, 2000: 56 (distr.); Freytag & Sharkey, 2002: 268 (distr.). Distribution – USA, Costa Rica, Honduras, El Salvador, Panama, Puerto Rico, Cuba, Grenada, St. Thomas, Belize, Nicaragua, Panama, Trinidad and Tobago, Jamaica, Guadeloupe, Martinique, Venezuela, Colombia, Guyana, Surinam, Brazil, Bolivia.
- comata* (Ball)
Deltocephalus comatus Ball, 1900: 343. Type locality, Mexico (NMNH). Oman, 1949: 177 (note).
- Thamnotettix comata*; Van Duzee, 1907: 69; Osborn, 1929: 98 (note); Caldwell & Martorell, 1952: 63 (distr.).
- Graminella comata*; Osborn, 1924: 421; Linnavuori, 1956: 10 (distr.); Linnavuori, 1959: 120 (desc., distr.); Metcalf, 1967: 862 (cat.); Freytag, 1989: 282 (distr.); Freytag & Maes, 1997: 36 (distr.). Distribution – Mexico, Guatemala, Belize, El Salvador, Honduras, Nicaragua, Trinidad and Tobago, Colombia, Brazil.
- inca* Kramer
Graminella inca Kramer, 1965: 26–27. Type locality: Ecuador, Cojimies, Manabi (NMNH).
- jimi* Menezes
Graminella jimi Menezes, 1974: 110–111. Type locality: Brazil, Botucatu (MZSP). Zanol & Menezes, 1982: 34 (distr.).
- kappa* Kramer
Graminella kappa Kramer, 1965: 25. Type locality: Belize, Punta Gorda (NMNH). Maes *et al.*, 1999: 27 (distr.). Distribution – Costa Rica, Belize, Honduras, Nicaragua, Guatemala, Panama.
- lambda* Kramer

Graminella lambda Kramer, 1965: 23. Type locality: Guatemala, Lake Amatillan (NMNH). Freytag & Maes, 1997: 37 (distr.). Distribution – Mexico, Costa Rica, Guatemala, Nicaragua, Cuba, Dominican Republic, Puerto Rico, Haiti, Jamaica, Belize, Honduras, Panama, Colombia, Venezuela.

longifurcata Linnavuori & DeLong

Graminella longifurcata Linnavuori & DeLong, 1979a: 47. Type locality: Brazil, Para, Belem (OSUC).

medleri Kramer

Graminella medleri Kramer, 1965: 26. Type locality: Belize, Rio Grande (NMNH).

nigrifrons (Forbes)

Cicadula nigrifrons Forbes, 1885: 67. Type locality: USA, Illinois, Mount Carmel (INHS).

Deltocephalus nigrifrons; Van Duzee, 1894: 293.

Graminella nigrifrons; Oman, 1949: 177; Linnavuori, 1959: 124 (desc., distr.); Metcalf, 1967: 867 (cat.); Kramer, 1967: 613 (desc., distr.); Bonfils & Delplanque, 1971: 144 (distr.); Linnavuori, 1973b: 95 (distr.). Distribution – Canada, USA, Mexico, Cuba, Jamaica, Guadeloupe, Puerto Rico, Bahamas, Bermuda.

nigripennis (DeLong)

Deltocephalus nigripennis DeLong, in Wolcott, 1923: 263. Type locality: Puerto Rico (OSUC). Freytag & Sharkey, 2002: 268 (distr.).

Laevicephalus nigripennis; Caldwell & Martorell, 1952: 61; Metcalf, 1967: 1844 (cat.).

Graminella nigripennis; Linnavuori, 1959: 125; Linnavuori, 1968: 151 (distr.); Linnavuori, 1973b: 95 (distr.); Bonfils & Delplanque, 1971: 143 (distr.); Blocker *et al.*, 1995: 305 (distr.). Distribution – Puerto Rico, Haiti, Cuba, Colombia.

Deltocephalus flaveolus Osborn, 1926: 344–345. Type locality: Cuba, Herradura (NMNH). Linnavuori, 1959: 152 (syn.).

plana (DeLong).

Thamnotettix planus DeLong, 1924: 65. Type locality: USA, Miami, Florida (OSUC). *Graminella plana*; DeLong & Caldwell, 1937: 52; Oman, 1949: 177 (listed); Metcalf, 1967: 847 (cat.); Kramer, 1967: 611 (desc., distr.); Maes *et al.*, 27 (distr.). Distribution – USA, Mexico, Belize, Honduras, Nicaragua, Cayman Isl.

punctata Caldwell

Graminella punctata Caldwell, in Caldwell & Martorell, 1952: 66. Type locality: Puerto Rico, Rio Piedras (NMNH). Linnavuori, 1959: 124–125 (desc., distr.); Metcalf, 1967: 875 (cat.); Bonfils & Delplanque, 1971: 1443 (distr.); Freytag, 1989: 282 (distr.); Freytag & Sharkey, 2002: 268 (distr.).

Distribution – Puerto Rico, Nicaragua, Belize, Guadeloupe, Martinique, Cuba, Vieques Isl., Jamaica, Trinidad and Tobago, Panama, Venezuela, Colombia, Venezuela.

puncticeps Linnavuori

Graminella stelliger v. puncticeps Linnavuori, 1959: 123. Type locality: Paraguay, Chaco (AMNH).

Graminella puncticeps; Kramer, 1967: 606; Zanol & Menezes, 1982: 35 (distr.); Blocker *et al.*, 1995: 305 (distr.); Freytag & Maes, 1997: 37 (distr.); Freytag & Sharkey, 2002: 268 (distr.). Distribution – USA, Costa Rica, Nicaragua, Cuba, Colombia, Brazil, Paraguay, Argentina.

sonora (Ball)

- Deltocephalus sonorus* Ball, 1900: 344 Type locality: USA, Arizona, Tucson (NMNH). Caldwell & Martorell, 1952: 52–53 (desc., ill.); Metcalf, 1967: 1189 (cat.).
- Amplicephalus (Amplicephalus) sonorus*; Linnavuori, 1959: 113.
- Deltocephalus spinosus* Gibson, 1919: 26. Type locality: Honduras, Tegucigalpa (NMNH). Linnavuori, 1959: 113 (syn.).
- Amplicephalus sonorus* Linnavuori, 1968: 151 (distr.); Maes & Godoy, 1993: 25 (distr.).
- Graminella sonora*; Freytag, 1989: 282; Freytag & Sharkey, 2002: 268 (distr.).
Distribution – USA, Mexico, Costa Rica, Honduras, Nicaragua, Bahamas, Virgin Isl., Cuba, Puerto Rico, Panama, Colombia.
- stelliger* (Berg)
- Athysanus stelliger* Berg, 1884: 29–30. Type locality: Argentina, Buenos Aires (MLPA). Metcalf, 1967: 378 (cat.).
- Graminella stelliger*; Linnavuori, 1959: 122. Distribution – Costa Rica, Cuba, Brazil, Paraguay, Argentina.
- stelliger bipunctella* Linnavuori
- Graminella stelliger bipunctella* Linnavuori, 1959: 123. Type locality: Panama, Vique Cove (NMNH). Cheng, 1980: 63 (distr.); Zanol & Menezes, 1982: 34 (distr.); Maes *et al.*, 1999: 26 (distr.); Freytag & Sharkey, 2002: 268 (distr.).
Distribution – Puerto Rico, Guatemala, Nicaragua, Panama, Colombia, Brazil, Paraguay.
- stelliger expansa* Linnavuori
- Graminella stelliger expansa* Linnavuori, 1959: 123. Type locality: Panama, Tocumen (NMNH). Zanol & Menezes, 1982: 34 (distr.); Freytag & Sharkey, 2002: 268 (distr.). Distribution – Panama, Colombia, Brazil.
- stelliger viridescens* Linnavuori
- Graminella stelliger viridescens*; Linnavuori, 1959: 123. Type locality: Costa Rica, San Pedro de Oca (NMNH). Linnavuori, 1968: 151 (distr.). Distribution – Costa Rica, Panama, Colombia.
- striatella* Linnavuori
- Graminella striatella* Linnavuori, 1959: 122. Type locality: Colombia, Sierra S. Lorenzo (AMNH). Linnavuori & Heller, 1961: 8 (distr.); Linnavuori, 1968: 151 (distr.); Cheng, 1980: 63 (distr.); Zanol & Menezes, 1982: 35 (distr.); Freytag, 1989: 282 (distr.); Freytag & Maes, 1997: 37 (distr.); Freytag & Sharkey, 2002: 268 (distr.). Distribution – Costa Rica, Cuba, Guatemala, Belize, Honduras, Nicaragua, Panama, Trinidad and Tobago, Colombia, Surinam, Peru, Venezuela, Ecuador, Bolivia, Paraguay, Brazil, Argentina.

Genus *Haldorus* Oman

- Type species, *Thamnotettix venatus* Osborn, 1924 (original designation).
- Deltocephalus (Haldorus)* Oman, 1936: 373.
- Haldorus*; Oman, 1949: 173; Caldwell & Martorell, 1952: 54–55 (note, key); Linnavuori, 1959: 141–142 (desc., key); Metcalf, 1967: 1878 (cat.); Hamilton, 1975: 488 (tax.); Oman *et al.*, 1990: 216 (cat.); Blocker *et al.*, 1995: 306 (desc., tax., distr.).
- Cumora* Oman, 1936: 374. Type species, *Cumora angulata* Oman, 1936 (original designation). Linnavuori, 1959: 141 (syn.); Metcalf, 1967: 1313 (cat.).

Subgenus *Haldorus* (*Eohaldorus*) Linnavuori

Type species, *Deltocephalus australis* DeLong, 1926 (original designation).

Haldorus (*Eohaldorus*) Linnavuori, 1959: 149.

australis (DeLong)

Deltocephalus australis DeLong, 1926: 90. Type locality: USA, Miami, Florida (OSUC).

Haldorus australis; Oman, 1949: 173; Caldwell & Martorell, 1952: 56 (desc.; distr.); Metcalf, 1967: 1878 (cat.).

Haldorus (*Eohaldorus*) *australis*; Linnavuori, 1959: 149; Freytag & Maes, 1997: 37 (distr.); Maes *et al.*, 1999: 28 (distr.); Freytag & Sharkey, 2002: 268 (distr.).

Distribution – Costa Rica, Nicaragua, Bahamas, Cuba, Puerto Rico, Virgin Isl., Panama, Colombia.

Subgenus *Haldorus* (*Haldorellus*) Menezes

Type species, *Haldorus* (*Haldorellus*) *krameri* Menezes, 1973 (original designation).

Haldorus (*Haldorellus*) Menezes, 1973: 115. Cwikla & Blocker, 1981: 174 (note); Oman *et al.*, 1990: 216 (cat.).

distinctus Menezes

Haldorus (*Haldorellus*) *distinctus* Menezes, 1973: 118. Type locality: Brazil, Sao Paulo, Jundiai (MZSP). Zanol & Menezes, 1982: 35 (distr.).

divergens Menezes

Haldorus (*Haldorellus*) *divergens* Menezes, 1973: 119. Type locality: Brazil, Sao Paulo, Piracicaba (MZSP).

furcatus Caldwell

Haldorus furcatus Caldwell, in Caldwell & Martorell, 1952: 57. Type locality: Puerto Rico (NMNH). Metcalf, 1967: 1879 (cat.); Linnavuori & DeLong, 1979a: 53 (distr.); Cheng, 1980: 64 (distr.); Hidalgo-Gato & Rodríguez-León, 2003: 18 (distr.).

Haldorus (*Haldorus*) *furcatus*; Linnavuori, 1959: 145.

Haldorus (*Haldorellus*) *furcatus*; Menezes, 1973: 116; Zanol & Menezes, 1982: 35 (distr.). Distribution – Puerto Rico, Cuba, Brazil, Paraguay.

krameri Menezes

Haldorus (*Haldorellus*) *krameri* Menezes, 1973: 116–118. Type locality: Brazil, Sao Paulo, Jundiai (MZSP).

Subgenus *Haldorus* (*Haldorus*) Oman

Deltocephalus (*Haldorus*) Oman, 1936: 373.

Haldorus (*Haldorus*); Linnavuori, 1959: 14.

angulatus (Oman)

Cumora angulatus Oman, 1936: 374. Type locality: Argentina, Misiones, Loreto (NMNH).

Haldorus (*Haldorus*) *angulatus*; Linnavuori, 1959: 144; Metcalf, 1967: 1313 (cat.); Zanol & Menezes, 1982: 35 (distr.). Distribution – Brazil, Argentina.

appendiculatus Menezes

Haldorus (*Haldorus*) *appendiculatus* Menezes, 1974: 112–114. Type locality: Brazil, Sao Paulo, Botucatu (MZSP). Zanol & Menezes, 1982: 35 (distr.).

beieri Linnavuori

Haldorus beieri Linnavuori, 1955: 128. Type locality: Paraguay, Chaco (NHMW). Metcalf, 1967: 1879 (cat.).

- Haldorus (Haldorus) beieri*; Linnavuori, 1959: 147.
bellator Linnavuori & DeLong
Haldorus bellator Linnavuori & DeLong, 1979b: 127–128. Type locality: Bolivia, San Esteban (OSUC).
bifasciatus (Osborn)
Thamnotettix bifasciatus Osborn, 1923: 69–70. Type locality: Bolivia, Provincia del Sara (CMNH). Metcalf, 1967: 736 (cat.).
Haldorus (Haldorus) bifasciatus; Linnavuori, 1959: 148.
bradshawi (DeLong & Thambimuttu)
Polyamia bradshawi DeLong & Thambimuttu, 1973: 120–121. Type locality: Mexico Guerrero, Iguala (OSUC).
Haldorus bradshawi; Sinada & Blocker, 1994: 793.
capreolus Linnavuori
Haldorus (Haldorus) capreolus Linnavuori, 1959: 145. Type locality: Argentina, Misiones, Loreto (NMNH).
clypeatus Linnavuori & DeLong
Haldorus clypeatus Linnavuori & DeLong, 1979a: 51–53. Type locality: Brazil, Sao Paulo, Piracicaba (OSUC).
cratus Cheng
Haldorus cratus Cheng, 1980: 83. Type locality: Paraguay, NW Asuncion 2 Km E Limpo (SNOW).
curvatus Linnavuori
Haldorus curvatus Linnavuori, 1955: 128 Type locality: Brazil, Rio Grande (HNHM). Metcalf, 1967: 1879 (cat.).
Haldorus (Haldorus) curvatus; Linnavuori, 1959: 144.
depranus Cheng
Haldorus depranus Cheng, 1980: 83. Type locality: Paraguay, San Lorenzo, College of Agriculture (SNOW).
eurytus Linnavuori
Haldorus (Haldorus) eurytus Linnavuori, 1959: 145. Type locality: Argentina, Misiones, Loreto (AMNH).
fuscipennis (Osborn)
Thamnotettix fuscipennis Osborn, 1924: 419 – 420. Type locality: Bolivia, Provincia del Sara (CMNH). Metcalf, 1967: 758 (cat.).
Haldorus (Haldorus) fuscipennis; Linnavuori, 1959: 149.
longystilus Linnavuori & DeLong
Haldorus longystilus Linnavuori & DeLong, 1979a: 53. Type locality: Brazil, Sao Paulo, Piracicaba (OSUC).
macilentus Linnavuori
Haldorus (Haldorus) macilentus Linnavuori, 1959: 147. Type locality: Panama, Madden Dam (NMNH)
Haldorus macilentus; Cheng, 1980: 64 (distr.). Distribution – Panama, Paraguay.
maculipes Linnavuori
Haldorus maculipes Linnavuori, 1955: 128. Type locality: Paraguay, Chaco (NHMW). Metcalf, 1967: 1879 (cat.).
Haldorus (Haldorus) maculipes; Linnavuori, 1959: 148.
nigrifrons Linnavuori & DeLong
Haldorus nigrifrons Linnavuori & DeLong, 1979a: 51. Type locality: Bolivia, Santa Cruz, Esteban (OSUC).
paraguayensis Linnavuori

- Haldorus paraguayensis* Linnavuori, 1955: 129. Type locality: Paraguay, Toldo Cue (NHMW). Metcalf, 1879: 1879 (cat.).
- Haldorus (Haldorus) paraguayensis*; Linnavuori, 1959: 149.
- parallelocornis* Linnavuori
- Haldorus parallelocornis* Linnavuori, 1955: 128. Type locality: Brazil, Rio Grande do Sul (HNHM). Metcalf, 1967: 1879 (cat.).
- Haldorus (Haldorus) parallelocornis*; Linnavuori, 1959: 148; Zanol & Menezes, 1982: 35 (distr.).
- parallelocornis inaequalis* Linnavuori & DeLong
- Haldorus parallelocornis inaequalis* Linnavuori & DeLong, 1979a: 51. Type locality: Brazil, Sao Paulo, Piracicaba (OSUC). Cheng, 1980: 63 (distr.).
- Distribution – Brazil, Paraguay.
- parallelocornis maculatus* Cheng
- Haldorus parallelocornis maculatus* Cheng, 1980: 80. Type locality: Paraguay, Bayer ranch, 27 Km W Pto Pte Stroessner (SNOW).
- pusillimus* Linnavuori
- Haldorus (Haldorus) pusillimus* Linnavuori, 1959: 145. Type locality: Panama, Tocumen (NMNH).
- ruppeli* Linnavuori
- Haldorus ruppeli* Linnavuori, 1968: 151–152. Type locality: Colombia, Narino, La Florida (AMNH).
- schizus* Cheng
- Haldorus schizus* Cheng, 1980: 81. Type locality: Paraguay, Fortuna ranch nr Pedro Juan Caballero (SNOW).
- scissis* Cheng
- Haldorus scissis* Cheng, 1980: 80–81. Type locality: Paraguay, 5 Km E and 2 Km N of San Lorenzo on Luque road (SNOW).
- serratus* Linnavuori
- Haldorus serratus* Linnavuori, 1955: 129. Type locality: Brazil, Rio Grande (HNHM). Metcalf, 1967: 1879 (cat.).
- Haldorus (Haldorus) serratus*; Linnavuori, 1959: 145.
- sexpunctatus* (Berg)
- Deltocephalus sexpunctatus* Berg, 1879: 264. Type locality: Argentina (MLPA). Metcalf, 1967: 1188 (cat.).
- Haldorus (Haldorus) sexpunctatus*; Linnavuori, 1959: 147; Ruffinelli, 1970: 18 (distr.).
- Thamnotettix venatus* Osborn, 1924: 425–426. Type locality: Bolivia, Provincia del Sara (CMNH). Linnavuori, 1954a: 62 (desc.); Linnavuori, 1956: 10 (distr.); Linnavuori, 1959: 17 (syn.); Metcalf, 1967: 1879 (cat.).
- Deltocephalus (Haldorus) venatus*; Oman, 1936: 373. Distribution – Bolivia, Panama, Brazil, Argentina, Uruguay.
- vicarius* Linnavuori & DeLong
- Haldorus vicarius* Linnavuori & DeLong, 1979b: 127. Type locality: Bolivia, San Esteban (OSUC).
- williamsi* Menezes
- Haldorus (Haldorus) williamsi* Menezes, 1974: 114. Type locality: Brazil, Sao Paulo, Botucatu (MZSP).

Subgenus *Haldorus* (*Parahaldorus*) Linnavuori

Type species, *Haldorus* (*Parahaldorus*) *truncatistylus* Linnavuori, 1959 (original designation).

Haldorus (*Parahaldorus*) Linnavuori, 1959: 142.

truncatistylus Linnavuori

Haldorus (*Parahaldorus*) *truncatistylus* Linnavuori, 1959: 142. Type locality: Brazil, Santa Catarina, Nova Teutonia (AMNH).

Genus *Kanorba* Oman

Type species, *Kanorba reflexa* Oman, 1936 (original designation).

Kanorba Oman, 1936: 374–375. Evans, 1947: 144 (in *Platymetopiini*); Linnavuori, 1959: 94–95 (desc., key); Metcalf, 1967: 222 (cat.); Oman *et al.*, 1990: 2203 (cat.).

elegantula Linnavuori

Kanorba elegantula Linnavuori, 1959: 96–97. Type locality: Argentina, Misiones, Loreto (NMNH).

reflexa Oman

Kanorba reflexa Oman, 1936: 375. Type locality: Brazil, Mato Grosso do Sul, Corumba (NMNH). Linnavuori, 1959: 96 (desc.); Metcalf, 1967: 2204 (cat.).

Genus *Limpica* Cheng

Type species, *Limpica forcata* Cheng, 1980 (original designation).

Limpica Cheng, 1980: 85. Metcalf, 1967: 225 (cat.); Cwikla & Blocker, 1981: 174 (note).

forcata Cheng

Limpica forcata Cheng, 1980: 85. Type locality: Paraguay, NW Asuncion 2 Km E Limpo (SNOW).

Genus *Lorellana* DeLong & Kolbe

Type species, *Lorellana tropicana* DeLong & Kolbe, 1975 (original designation).

Lorellana DeLong & Kolbe, 1975: 9. Metcalf, 1967: 226 (cat.); Cwikla & Blocker, 1981: 175 (note).

flagalara DeLong & Kolbe

Lorellana flagalara DeLong & Kolbe, 1975: 11. Type locality: Panama, Las Cumbres (OSUC).

tropicana DeLong & Kolbe

Lorellana tropicana DeLong & Kolbe, 1975: 9. Type locality: Panama, Las Cumbres (OSUC).

Genus *Loreta* Linnavuori

Type species, *Loreta ornaticeps* Linnavuori, 1959 (original designation).

Loreta Linnavuori, 1959: 132. Oman *et al.*, 1990: 226: (cat.).

Subgenus *Loreta* (*Bahitella*) Linnavuori

Type species, *Loreta* (*Bahitella*) *lineaticollis* Linnavuori, 1959 (original designation).
Loreta (*Bahitella*) Linnavuori, 1959: 134.
lineaticollis Linnavuori
Loreta (*Bahitella*) *lineaticollis* Linnavuori, 1959: 134–135. Type locality: Argentina, Misiones, Loreto (NMNH).

Subgenus *Loreta* (*Loreta*) Linnavuori

Loreta (*Loreta*) Linnavuori, 1959: 133. Type species, *Loreta* (*Loreta*) *ornaticeps* Linnavuori, 1959 (original designation).
albopunctata DeLong
Loreta albopunctata DeLong, 1983: 128. Type locality: Bolivia, Santa Cruz (OSUC).
bifasciata Linnavuori & DeLong
Loreta bifasciata Linnavuori & DeLong, 1979a: 47–48. Type locality: Brazil, Sao Paulo, Piracicaba (OSUC).
cruciatus (Linnavuori)
Unerus (*Unerus*) *cruciatus* Linnavuori, 1959: 129. Type locality: Argentina, Tucuman (HNHM).
Loreta cruciatus; Freytag, 1986: 82.
fiski DeLong
Loreta fiski DeLong, 1983: 127. Type locality: Peru, Tingo Maria (OSUC).
modesta Linnavuori & DeLong
Loreta modesta Linnavuori & DeLong, 1978b: 201. Type locality: Brazil, Vicosa (OSUC).
ornaticeps Linnavuori
Loreta (*Loreta*) *ornaticeps* Linnavuori, 1959: 133–134. Type locality: Venezuela, Amazonas, San Fdo, Samariapo (AMNH). Zanol & Menezes, 1982: 35 (distr.).
Loreta ornaticeps; Cheng, 1980: 64 (distr.). Distribution – Venezuela, Brazil, Paraguay, Argentina.
panamensis Linnavuori
Loreta (*Loreta*) *panamensis* Linnavuori, 1959: 134. Type locality: Panama, Tocumen (NMNH).
sexmaculata Linnavuori & DeLong
Loreta sexmaculata Linnavuori & DeLong, 1979a: 48–49. Type locality: Paraguay, Aceval (OSUC).
vista DeLong
Loreta vista DeLong, 1983: 128. Type locality: Bolivia, Buena Vista (OSUC).

Genus *Maricaona* Caldwell

Type species, *Maricaona polyamia* Caldwell, 1952 (original designation).
Maricaona Caldwell, in Caldwell & Martorell, 1952: 61. Linnavuori, 1959: 97 (desc., key); Metcalf, 1967: 1853 (cat.); Oman *et al.*, 1990: 228 (cat.).
polyamia Caldwell

Maricaona polyamia Caldwell, in Caldwell & Martorell, 1952: 62. Type locality: Puerto Rico (NMNH). Linnavuori, 1959: 97 (desc.); Metcalf, 1967: 1854 (cat.); DeLong & Martinson, 1973b: 251 (tax.).

reimoseri Linnavuori

Maricaona reimoseri Linnavuori, 1959: 98. Type locality: Costa Rica, Irazu (2200-2500m) (NHMW).

Genus *Mattogrossus* Linnavuori

Type species, *Unerus (Mattogrossus) colonoides* Linnavuori, 1959 (original designation).

Unerus (Mattogrossus) Linnavuori, 1959: 129.

Mattogrossus; Freytag, 1986: 82.

andinensis Freytag

Mattogrossus andinense [sic] Freytag, 1986: 86. Type locality: Colombia, Cundinamarca, Sassima (OSUC).

colonoides (Linnavuori)

Unerus (Mattogrossus) colonoides Linnavuori, 1959: 129. Type locality: Brazil, Mato Grosso, Chapada (NMNH). Linnavuori & Heller, 1961: 8 (distr.); Linnavuori, 1975: 10 (distr.); Zanol & Menezes, 1982: 36 (distr.).

Unerus colonoides; Linnavuori, 1975: 10 (distr.); Cheng, 1980: 64 (distr.).

Mattogrossus colonoides; Freytag, 1986: 86. Distribution – Colombia, Venezuela, Brazil, Ecuador, Peru, Bolivia, Paraguay.

Genus *Mendozellus* Linnavuori

Type species, *Spathifer dubius* Linnavuori, 1955 (original designation).

Amplicephalus (Mendozellus) Linnavuori, 1959: 117.

Mendozellus; Kramer, 1971: 263; Hamilton, 1975: 488 (tax.); DeLong, 1982: 613 (note); Oman *et al.*, 1990: 229 (cat.); Blocker *et al.*, 1995: 308 (desc., tax., distr.).

albolectus DeLong & Cwikla

Mendozellus albolectus DeLong & Cwikla, 1985: 726–727. Type locality: Argentina, Santa Fe, Villa Guillermina (OSUC).

asunctia Cheng

Mendozellus asunctia Cheng, 1980: 86. Type locality: Paraguay, NW Asuncion 2 Km E Limpo (SNOW).

brevipennis Linnavuori & DeLong

Mendozellus brevipennis Linnavuori & DeLong, 1977: 196. Type locality: Chile, Concepcion (OSUC).

devius Linnavuori & DeLong

Mendozellus devius Linnavuori & DeLong, 1977: 195–196. Type locality: Chile, Maipu (OSUC).

dubius (Linnavuori)

Spathifer dubius Linnavuori, 1955: 126. Type locality: Argentina, Mendoza (NHMW). Metcalf, 1967: 1880 (cat.).

Amplicephalus (Mendozellus) dubius; Linnavuori, 1959: 118.

Mendozellus dubius; Blocker *et al.*, 1985: 309.

incisus DeLong

Mendozellus incisus DeLong, 1982: 615–616. Type locality: Bolivia, Santa Cruz (OSUC).

isis (Linnavuori)

Amplicephalus (Mendozellus) isis Linnavuori, 1959: 119. Type locality: Argentina, Tucuman (AMNH).

Mendozellus isis; Kramer, 1971: 126; Cheng, 1980: 64 (distr.); Freytag & Sharkey, 2002: 268 (distr.). Distribution – Colombia, Brazil, Paraguay, Argentina.

lineiceps (Osborn)

Thamnotettix lineiceps Osborn, 1923: 70. Type locality: Bolivia, Provincia del Sara (CMNH). Metcalf, 1967: 765 (cat.).

Amplicephalus (Mendozellus) lineiceps; Linnavuori, 1959: 119.

Mendozellus lineiceps; Blocker *et al.*, 1985: 309.

maipuanus Linnavuori & DeLong

Mendozellus maipuanus Linnavuori & DeLong, 1977: 196. Type locality: Chile, Chillan, P. Nuble (OSUC).

mallecoanus Linnavuori & DeLong

Mendozellus mallecoanus Linnavuori & DeLong, 1979c: 191. Type locality: Chile, Malleco, 30 Km W Angol (CASC).

minutus Linnavuori & DeLong

Mendozellus minutus Linnavuori & DeLong, 1977: 196. Type locality: Chile, Punta Arenas, P. Magallanes (OSUC).

patagonicus Linnavuori

Amplicephalus (Mendozellus) patagonicus Linnavuori, 1959: 118. Type locality: Argentina, Patagonia, rio Santa Cruz (HNHM).

Mendozellus patagonicus; Blocker *et al.*, 1985: 309.

serratus DeLong

Mendozellus serratus DeLong, 1982: 613. Type locality: Bolivia, El Gaité (OSUC).

tarandus DeLong

Mendozellus tarandus DeLong, 1982: 615. Type locality: Bolivia, Santa Cruz (OSUC).

Genus *Neodeltocephalus* Linnavuori

Type species, *Neodeltocephalus asper* Linnavuori, 1959 (original designation).

Neodeltocephalus Linnavuori, 1959: 132. Oman *et al.*, 1990: 233 (cat.).

asper Linnavuori

Neodeltocephalus asper Linnavuori, 1959: 132. Type locality: Argentina, Misiones, Loreto (NMNH). Cheng, 1980: 64 (distr.); Zanol & Menezes, 1982: 35 (distr.). Distribution – Brazil, Paraguay, Argentina.

Genus *Nullamia* DeLong

Type species, *Nullamia fuegoensis* DeLong, 1970 (original designation).

Nullamia DeLong, 1970: 118. Oman *et al.*, 1990: 235 (cat.).

bicornis Linnavuori & DeLong

Nullamia bicornis Linnavuori & DeLong, 1977: 197. Type locality: Argentina, Sarmiento, P. Rio Negro (OSUC).

fuegoensis DeLong

Nullamia fuegoensis DeLong, 1970: 118–119. Type locality: Chile, Magallanes, Payne (OSUC). Linnavuori & DeLong, 1977: 197 (distr.).

Genus *Picchuia* Linnavuori & DeLong

Type species, *Picchuia pungens* Linnavuori & DeLong, 1979a (original designation).
Picchuia Linnavuori & DeLong, 1979a: 51. Cwikla & Blocker, 1981: 175 (note); Oman *et al.*, 1990: 242 (cat.).

pungens Linnavuori & DeLong

Picchuia pungens Linnavuori & DeLong, 1979a: 51. Type locality: Peru, Machu Picchu (OSUC).

Genus *Planicephalus* Linnavuori

Type species, *Jassus (Deltocephalus) flavicosta* Stål, 1862 (original designation).

Deltocephalus (Planicephalus) Linnavuori, 1954b: 143-144. Linnavuori, 1959: 130 (desc., key); Metcalf, 1967: 1091 (cat.); Hamilton, 1975: 489 (tax.); Oman *et al.*, 1990: 243 (cat.).

Planicephalus; Kramer, 1971: 255; Blocker *et al.*, 1995: 309 (desc., tax., distr.).
buyisi (Kramer)

Deltocephalus buyisi Kramer, 1965: 19–20. Type locality: Belize, Punta Gorda (NMNH).

Planicephalus buyisi; Blocker *et al.*, 1995: 309.

christinae Zanol

Deltocephalus buyisi Kramer, 1965: 19–20. Type locality: Brazil, Mato Grosso, Pantanal (INPA).

Planicephalus christinae Zanol, 2000: 69. Distribution – Brazil, Peru.

crassistylus Linnavuori & DeLong

Planicephalus crassistylus Linnavuori & DeLong, 1978b: 201-202. Type locality: Panama, Las Cumbres (OSUC).

denticulatus Zanol

Planicephalus denticulatus Zanol, 2000: 68. Type locality: Mexico, Guerrero, 17 mi SE Ixtapan de la Sal (CASC).

ecuatorianus Zanol

Planicephalus ecuatorianus Zanol, 2000: 70. Type locality: Ecuador, El Oro, El Oro (CASC).

flavicosta (Stål)

Jassus (Deltocephalus) flavicosta Stål, 1862: 53. Type locality, Brazil, Rio de Janeiro (SMNH).

Deltocephalus flavicosta; Caldwell & Martorell, 1952: 53; Metcalf, 1967: 1131 (cat.).

Deltocephalus (Planicephalus) flavicosta; Linnavuori, 1954b: 144; Linnavuori, 1956: 10 (distr.); Linnavuori, 1959: 130-131 (desc., distr.); Linnavuori & Heller, 1961: 8 (distr.); Linnavuori, 1968: 151 (distr.).

Planicephalus flavicosta; Kramer, 1971: 260; Cheng, 1980: 64 (distr.); Zanol & Menezes, 1982: 35 (distr.); Cavichioli & Zanol, 1991: 60 (distr.); Hidalgo-Gato & Rodríguez-León, 2000: 56 (distr.); Freytag & Sharkey, 2002: 268 (distr.). Distribution – USA, Costa Rica, Trinidad and Tobago, Cuba, Martinique, Marie-Galante, Guadeloupe, Virgin Isl., Bahamas, Jamaica, Haiti, Puerto Rico, Dominican Republic, Guatemala, Belize, Nicaragua, Panama, Colombia, Brazil, Ecuador, Peru, Bolivia, Paraguay, Argentina.

- Deltocephalus retrorsus* Uhler, 1895: 78; Linnavuori, 1959: 130 (listed); Metcalf, 1967: 1132 (*nom. nud.*).
- Deltocephalus senilis* Van Duzee, 1907: 67–68. Type locality: Jamaica, Kingston (CASC). Linnavuori, 1959: 130 (*syn.*); Metcalf, 1967: 1132 (*cat.*).
- Deltocephalus harrisi* Van Duzee, 1917: 645; Linnavuori, 1959: 130 (listed); Metcalf, 1967: 1131 (*nom. nud.*).
- Deltocephalus retroversus* [*sic*] Smith, 1900: 95; Linnavuori, 1959: 130 (listed); Metcalf, 1967: 1132 (*cat.*).
- Deltocephalus pellucidus* Osborn, 1926: 346. Type locality: Cuba (OSUC). Linnavuori, 1959: 130 (*syn.*); Metcalf, 1967: 1171 (*cat.*).
- flavivitta* (Berg)
- Deltocephalus flavivitta* Berg, 1884: 32-33. Type locality: Argentina (MLPA). Ruffinelli, 1970: 18 (*distr.*).
- Deltocephalus* (*Planicephalus*) *flavivitta*; Linnavuori, 1959: 131-132; Metcalf, 1967: 1138 (*cat.*).
- Planicephalus flavivitta*; Kramer, 1971: 260. Distribution – Argentina, Uruguay.
- gamboanus* Linnavuori & DeLong
- Planicephalus gamboanus* Linnavuori & DeLong, 1978b: 202. Type locality: Panama, Canal Zone, Gamboa (OSUC).
- pallus* (Kramer)
- Deltocephalus pallus* Kramer, 1965: 22–23. Type locality: Belize, Punta Gorda (NMNH).
- Planicephalus pallus*; Blocker *et al.*, 1995: 310.
- serratus* Cheng
- Planicephalus serratus* Cheng, 1980: 86–87. Type locality: Paraguay, San Lorenzo, College of Agric. (SNOW).

Genus *Polyamia* DeLong

- Type species, *Deltocephalus weedi* Van Duzee, 1892 (original designation).
- Deltocephalus* (*Polyamia*) DeLong, 1926: 62.
- Polyamius* [*sic*]; DeLong & Slesman, 1929: 88.
- Polyamia*; Evans, 1947: 238; Caldwell & Martorell, 1952: 57 (*note*); Oman, 1949: 174 (*desc.*, *tax.*); Metcalf, 1967: 155 (*cat.*); DeLong & Martinson, 1973a: 149 (*note*); DeLong & Thambimuttu, 1973: 115 (*note*); Hamilton, 1975: 489 (*tax.*); Oman *et al.*, 1990: 244 (*cat.*); DeLong & Cwikla, 1986: 223 (*note*, *tax.*); Sinada & Blocker, 1994: 772 (*rev.*); Blocker *et al.*, 1995: 310-311 (*desc.*, *tax.*, *distr.*).

Subgenus *Polyamia* (*Copolyamia*) Sinada & Blocker

- Type species, *Deltocephalus compactus* Osborn & Ball, 1897 (original designation).
- Polyamia* (*Copolyamia*) Sinada & Blocker, 1994: 772.
- delongi* (Kramer)
- Deltocephalus delongi* Kramer, 1963: 41. Type locality: Mexico, Mexico City, Teotihuacan Pyramids (NMNH).
- Polyamia delongi*; DeLong & Thambimuttu, 1973: 123.
- Polyamia* (*Copolyamia*) *delongi*; Sinada & Blocker, 1994: 776 (*desc.*); Blocker *et al.*, 1995: 311 (*distr.*).
- obtecta* (Osborn & Ball)

- Deltocephalus obtectus* Osborn & Ball, 1898: 78. Type locality: USA (OSUC).
Polyamia obtectus; DeLong & Slesman, 1929: 89.
Polyamia obtecta; Medler, 1942: 63 (cat.); Oman, 1947: 202 (listed); Oman, 1949: 175: 175 (listed); Metcalf, 1967: 1800 (cat.).
Loreta (Loreta) obtecta; Linnavuori, 1959: 134.
Polyamia (Copolyamia) obtecta; Sinada & Blocker, 1994: 780; Blocker *et al.*, 1995: 311 (distr.). Distribution – USA, Cuba.
- tantilla* Beamer & Tuthill
Polyamia tantilla Beamer & Tuthill, 1934: 10. Type locality: USA, Arizona, Santa Rita Mountains (SNOW). Oman, 1949: 175 (listed); Metcalf, 1967: 180 (cat.).
Polyamia (Copolyamia) tantilla; Sinada & Blocker, 1994: 783; Blocker *et al.*, 1995: 311 (distr.).
- Polyamia incerta* Beamer & Tuthill, 1934: 13. Type locality: USA, Arizona, Baboquivari Mountains (NMNH). Oman, 1949: 175 (listed); Metcalf, 1967: 1797 (cat.); DeLong & Thambimuttu, 1973: 116 (note); Sinada & Blocker, 1994: 783 (syn.). Blocker *et al.*, 1995: 311(distr.).
- Polyamia duella* DeLong & Thambimuttu, 1973: 116. Type locality: Mexico Morelos, Jiutepec (OSUC). Sinada & Blocker, 1994: 783 (syn.); Blocker *et al.*, 1995: 311 (distr.).
- Polyamia frustrata* DeLong & Thambimuttu, 1973: 118. Type locality: Mexico, Vera Cruz, Jalapa road (OSUC). Sinada & Blocker, 1994: 783 (syn.); Blocker *et al.*, 1995: 311 (distr.).
- satur* (Ball)
Deltocephalus satur Ball, 1899: 309. Type locality: USA, Colorado (NMNH).
Deltocephalus (Polyamia) satur; DeLong, 1926 (key).
Polyamia satur; DeLong & Caldwell, 1937: 29; Oman, 1949: 175 (listed); Metcalf, 1967: 1803 (cat.); DeLong & Thambimuttu, 1973: 116 (distr.).
Polyamia (Copolyamia) satur; Sinada & Blocker, 1994: 782; Blocker *et al.*, 1995: 311 (distr.). Distribution – USA, Mexico, Nicaragua.
- tolteca* Kramer
Polyamia tolteca Kramer, 1965: 29. Type locality: Mexico, Michoacan, Morelia (NMNH). DeLong & Thambimuttu, 1973: 119 (ill.), 120 (note).
Polyamia (Copolyamia) tolteca; Sinada & Blocker, 1994: 783; Blocker *et al.*, 1995: 311 (distr.).

Subgenus *Polyamia (Polyamia)* DeLong

- Polyamia (Polyamia)* DeLong, 1926: 62. Sinada & Blocker, 1994: 785-786 (desc., key).
- arachnion* Kramer
Polyamia arachnion Kramer, 1963: 37–38. Type locality: Mexico, Chapingo, East of Mexico City (NMNH). DeLong & Thambimuttu, 1973: 121 (note).
Polyamia (Polyamia) arachnion; Sinada & Blocker, 1994: 786; Blocker *et al.*, 1995: 311 (distr.).
- gangamon* Kramer
Polyamia gangamon Kramer, 1963: 39. Type locality: Mexico, Cuernavaca-Acapulco road (NMNH).
Polyamia (Polyamia) gangamon; Sinada & Blocker, 1994: 786; Blocker *et al.*, 1995: 311 (distr.).
- gridina* DeLong & Linnavuori

- Polyamia gridina* DeLong & Linnavuori, 1979: 169. Type locality: Mexico, Chiapas, Vergel (OSUC).
- Polyamia (Polyamia) gridina*; Sinada & Blocker, 1994: 786; Blocker *et al.*, 1995: 311 (distr.)
- nidula* DeLong & Thambimuttu
- Polyamia nidula* DeLong & Thambimuttu, 1973: 124–125. Type locality: Mexico, San Luis de Potosi (OSUC).
- Polyamia (Polyamia) nidula*; Sinada & Blocker, 1994: 787; Blocker *et al.*, 1995: 311 (distr.)
- randa* DeLong & Thambimuttu
- Polyamia randa* DeLong & Thambimuttu, 1973: 118. Type locality: Mexico, Veracruz, Cordoba (OSUC).
- Polyamia (Polyamia) randa*; Sinada & Blocker, 1994: 788; Blocker *et al.*, 1995: 311 (distr.). Distribution – Mexico, Panama.
- Polyamia dualis* DeLong & Thambimuttu, 1973: 121. Type locality: Mexico, Veracruz, Cordoba (OSUC). Sinada & Blocker, 1994: 788 (syn.); Blocker *et al.*, 1995: 311 (distr.)
- Polyamia majuscula* Linnavuori & DeLong, 1978b: 199. Type locality: Panama, Las Cumbres (OSUC). Sinada & Blocker, 1994: 788 (syn.); Blocker *et al.*, 1995: 311 (distr.)
- reticulata* (Linnavuori)
- Maricaona reticulata* Linnavuori, 1959: 98. Type locality: Mexico, Paricutin (NMNH).
- Polyamia reticulata*; Kramer, 1963: 39; DeLong & Thambimuttu, 1973: 121 (note).
- Polyamia (Polyamia) reticulata*; Sinada & Blocker, 1994: 786; Blocker *et al.*, 1995: 311 (distr.)
- scina* DeLong & Thambimuttu
- Polyamia scina* DeLong & Thambimuttu, 1973: 123. Type locality: Mexico, Michoacan, Zacapu (OSUC).
- Polyamia (Polyamia) scina*; Sinada & Blocker, 1994: 789; Blocker *et al.*, 1995: 311 (distr.)
- texana* (DeLong)
- Deltocephalus (Polyamia) texana* DeLong, 1926: 50. Type locality: USA, Texas, Brownsville (OSUC).
- Polyamia texana*; Oman, 1949: 175.
- Polyamia (Polyamia) texana*; Sinada & Blocker, 1994: 772; Blocker *et al.*, 1995: 311 (distr.). Distribution – Mexico, Honduras.
- Polyamia acura* DeLong & Thambimuttu, 1973: 120. Type locality: Mexico, San Luis de Potosi, Tamazunchale (OSUC). Sinada & Blocker, 1994: 790 (syn.)
- Polyamia freytagi* DeLong & Martinson, 1973a: 150. Type locality: Honduras, El Zamoro, Francisco Morazan (OSUC). Sinada & Blocker, 1994: 790 (syn.)
- triplehorni* DeLong & Thambimuttu
- Polyamia triplehorni* DeLong & Thambimuttu, 1973: 118. Type locality: Mexico, Chiapas, Finca Vergel (OSUC).
- Polyamia (Polyamia) triplehorni*; Sinada & Blocker, 1994: 790; Blocker *et al.*, 1995: 311 (distr.)
- tulara* DeLong & Thambimuttu
- Polyamia tulara* DeLong & Thambimuttu, 1973: 121. Type locality: Mexico, Distrito Federal, Mexico City, Toluca road (OSUC).
- Polyamia (Polyamia) tulara*; Sinada & Blocker, 1994: 791; Blocker *et al.*, 1995: 311 (distr.)

umniata Sinada & Blocker

Polyamia (Polyamia) umniata Sinada & Blocker, 1994: 791. Type locality: Mexico, Sonora E of Maycoba (SNOW).

Genus *Quaziptus* Kramer

Type species, *Quaziptus chapini* Kramer, 1965 (original designation).

Quaziptus Kramer, 1965: 29-30. Cwikla & Blocker, 1981: 175 (note); Oman *et al.*, 1990: 246 (cat.); Kamitani, 1999: 80 (in Paralimnini).

chapini Kramer

Quaziptus chapini Kramer, 1965: 30. Type locality: Colombia, Cundinamarca, 3,300 meters above Guasca (NMNH). Freytag & Sharkey, 2002: 267 (distr.).

Genus *Reventazonia* Linnavuori

Type species, *Reventazonia atrifrons* Linnavuori, 1959 (original designation).

Reventazonia Linnavuori, 1959: 138–139. Hamilton, 1975: 489 (tax.); Oman *et al.*, 1990: 247 (cat.); Blocker *et al.*, 1995: 311 (desc., distr.).

atrifrons Linnavuori

Reventazonia atrifrons Linnavuori, 1959: 139–140. Type locality: Costa Rica, Reventazon, Farm Hamburg (ZMUH). Distribution – Costa Rica, Guatemala, Panama.

maculellus (Osborn)

Deltocephalus maculellus Osborn, 1926: 345. Type locality: Cuba, Eremita (NMNH). Metcalf, 1967: 1156 (cat.).

Amplicephalus (Amplicephalus) maculellus; Linnavuori, 1959: 112; Linnavuori & DeLong, 1977: 194 (desc., distr.); Hidalgo-Gato & Rodríguez-León, 2000: 55 (distr.); Maes & Godoy, 2003: 25 (distr.).

Reventazonia maculellus; Blocker *et al.*, 1995: 312. Distribution – Puerto Rico, Bahamas, Cuba, Nicaragua, Chile.

pallida Linnavuori & DeLong

Reventazonia pallida Linnavuori & DeLong, 1979a: 49. Type locality: Brazil, Para, Belem (OSUC).

pusilla Linnavuori & DeLong

Reventazonia pusilla Linnavuori & DeLong, 1979b: 125–126. Type locality: Brazil, Para, Santarem (OSUC).

Genus *Sanctanus* Ball

Type species, *Jassus sanctus* Say, 1830 (original designation).

Sanctanus Ball, 1932: 10. Oman 1936: 371 (rev.); DeLong & Hershberger, 1946: 208–209 (desc., key); Evans, 1947: 245 (in Platymetopiini); Oman, 1949: 179 (rev., key, tax.); Caldwell & Martorell, 1952: 58 (note); Hamilton, 1975: 489 (tax.); Metcalf, 1967: 2091 (cat.); Oman *et al.*, 1990: 249 (cat.); Blocker *et al.*, 1995: 312 (desc., tax., distr.).

Amplicephalus (Sanctanus); Linnavuori, 1959: 101.

dampfi DeLong & Hershberger

- Sanctanus dampfi* DeLong & Hershberger, 1946: 223. Type locality: Mexico, Chiapas, Chiapa de Corza (OSUC). Blocker *et al.*, 1995: 312 (distr.).
Sanctanus (Cruciatanus) dampfi; Metcalf, 1967: 2098 (cat.).
elegans DeLong & Hershberger
Sanctanus elegans DeLong & Hershberger, 1946: 218. Type locality: Mexico, Guerrero, Tierra Colorado (OSUC).
Sanctanus (Sanctanus) elegans; Metcalf, 1967: 2101 (cat.).
elongatus DeLong & Hershberger
Sanctanus elongatus DeLong & Hershberger, 1946: 214. Type locality: Mexico, Michoacan, Uruapan (OSUC).
Sanctanus (Sanctanus) elongatus; Metcalf, 1967: 2101 (cat.).
gelbus DeLong & Hershberger
Sanctanus gelbus DeLong & Hershberger, 1946: 212. Type locality: Mexico, Morelos, Puente de Ixtla (OSUC).
Sanctanus (Sanctanus) gelbus; Metcalf, 1967: 2102 (cat.).
lepidellus (Stål)
Jassus (Deltocephalus) lepidellus Stål, 1862: 53. Type locality; Brazil, Rio de Janeiro (SMNH).
Deltocephalus lepidellus; Osborn, 1924: 43.
Sanctanus lepidellus; Oman 1936: 371; Linnavuori, 1954b: 141 (desc.); Kramer, 1963: 43 (tax., desc.); Metcalf, 1967: 2094 (cat.); Zanol & Menezes, 1982: 36 (distr.)
Distribution – Brazil, Peru..
Amplicephalus (Nanctasus) lepidellus; Linnavuori, 1959: 100.
Amplicephalus (Endria) lepidellus; Linnavuori & Heller, 1961: 7.
ornatipennis (Stål)
Jassus (Deltocephalus) ornatipennis Stål, 1859: 294. Type locality: Ecuador, Puna (SMNH).
Sanctanus ornatipennis; Oman, 1936: 71; Linnavuori, 1954b: 142 (desc.); Metcalf, 1967: 2095 (cat.).
Amplicephalus (Cruciatanus) ornatipennis; Linnavuori, 1959: 104-05. Distribution – Ecuador, Bolivia, Peru.
pallidens DeLong & Hershberger
Sanctanus pallidens DeLong & Hershberger, 1946: 214. Type locality: Mexico, Guerrero, Iguala (OSUC).
Sanctanus (Sanctanus) pallidens; Metcalf, 1967: 2102 (cat.).
similarus DeLong & Hershberger
Sanctanus similarus DeLong & Hershberger, 1946: 210. Type locality: Mexico, Guerrero, Huetamo (OSUC). Maes *et al.*, 1999: 41 (distr.).
Sanctanus (Sanctanus) similarus; Metcalf, 1967: 2104 (cat.). Distribution – Mexico, Nicaragua.
virgatus DeLong & Hershberger
Sanctanus virgatus DeLong & Hershberger, 1946: 222. Type locality: Mexico, Oaxaca, Tehuantepec (OSUC).
Sanctanus (Cruciatanus) virgatus; Metcalf, 1967: 2101 (cat.).
vulpinus Kramer
Sanctanus vulpinus Kramer, 1963: 44. Type locality: Brazil, Rio de Janeiro, Angra dos Reis, Jussaral (NMNH).

Genus *Sanluisia* Linnavuori

Type species, *Sanluisia atricapilla* Linnavuori, 1959 (original designation).

Sanluisia Linnavuori, 1959: 94. Oman *et al.*, 1990: 249 (cat.).

atricapilla Linnavuori

Sanluisia atricapilla Linnavuori, 1959: 94. Type locality: Paraguay, San Luis (NHMW).

Genus *Spartopyge* Young & Beirne

Type species, *Flexamia mexicana* DeLong & Hershberger, 1947 (original designation).

Spartopyge Young & Beirne, 1958: 48. Hamilton, 1975: 489 (tax.); Cwikla & Blocker, 1981: 176 (note); Oman *et al.*, 1990: 252 (cat.).

mexicana (DeLong & Hershberger)

Flexamia mexicana DeLong & Hershberger, 1947: 136. Type locality: Mexico, Guerrero, Iguala (OSUC).

Spartopyge mexicana; Young & Beirne, 1958: 49.

Genus *Spathifer* Linnavuori

Type species, *Spathifer fuscatus* Linnavuori, 1955 (original designation).

Spathifer Linnavuori, 1955: 125. Metcalf, 1967: 1880 (cat.); Oman *et al.*, 1990: 252 (cat.).

fuscatus Linnavuori

Spathifer fuscatus Linnavuori, 1955: 126. Type locality: Paraguay, Chaco (NHMW). Metcalf, 1967: 1880 (cat.).

Genus *Toldoanus* Linnavuori

Type species, *Deltocephalus marginellus* Osborn, 1923 (original designation).

Toldoanus Linnavuori, 1954b: 144. Metcalf, 1967: 1891 (cat.); Oman *et al.*, 1990: 257 (cat.).

marginellus (Osborn)

Deltocephalus marginellus Osborn, 1923: 41. Type locality: Bolivia, Provincia del Sara (CMNH).

Toldoanus marginellus; Linnavuori, 1954b: 144; Linnavuori, 1959: 138 (desc., distr.); Metcalf, 1967: 1891 (cat.); Zanol & Menezes, 1982: 36 (distr.). Distribution – Brazil, Bolivia, Paraguay, Argentina.

Genus *Tumupasa* Linnavuori

Type species, *Tumupasa harpago* Linnavuori, 1959 (original designation).

Tumupasa Linnavuori, 1959: 140. Oman *et al.*, 1990: 258 (cat.).

harpago Linnavuori

Tumupasa harpago Linnavuori, 1959: 140–141. Type locality: Bolivia, Tumupasa (NMNH). Freytag & Sharkey, 2002: 267 (distr.). Distribution – Colombia, Bolivia.

Genus *Unerus* DeLong

Type species, *Deltocephalus colonus* Uhler, 1895 (original designation).

Deltocephalus (Unerus) DeLong, 1936: 219. Oman, 1949: 177 (syn. of *Graminella*).

- Unerus*; DeLong & Caldwell, 1937: 34 (cat.); DeLong & Knull, 1946: 41 (cat.); Linnavuori, 1959: 126 (desc., key); Freytag, 1986: 81 (note); Oman *et al.*, 1990: 259 (cat.); Blocker *et al.*, 1995: 314 (desc., distr.).
- Graminella (Unerus)*; Metcalf, 1967: 856.
- colonus* (Uhler)
- Deltocephalus colonus* Uhler, 1895: 80. Type locality: USA (BMNH).
- Athysanus colonus*; Osborn, 1912: 47.
- Thamnotettix colonus*; Van Duzee, 1916: 74.
- Deltocephalus (Unerus) colonus*; DeLong, 1936: 219.
- Unerus colonus*; DeLong & Caldwell, 1937: 34; Linnavuori, 1959: 126 (desc., distr.); Linnavuori, 1968: 151 (distr.); Bonfils & Delplanque, 1971: 144 (distr.); Cheng, 1980: 64 (distr.); Linnavuori, 1968: 151 (distr.); Zanol & Menezes, 1982: 36 (distr.); Freytag, 1983: 118–119 (ill.); Freytag, 1989: 81 (distr.); Hidalgo-Gato & Rodríguez-León, 2000: 56 (distr.). Distribution – USA, Cuba, Dominican Republic, Haiti, Jamaica, Bermuda, Puerto Rico, Virgin Isl., Guadeloupe, Marie-Galante, Martinique, Grenada, Trinidad and Tobago, Panama, Colombia, Venezuela, Surinam, Brazil, Peru, Bolivia, Paraguay, Argentina.
- Graminella colonus*; DeLong & Knull, 1946: 61 (cat.); Caldwell & Martorell, 1952: 63 (cat.).
- Graminella colona*; Metcalf, 1967: 859 (cat.).
- Thamnotettix marginalis* Osborn, 1923: 66. Type locality: Brazil, Chapada (CMNH). Linnavuori, 1959: 126 (syn.).
- Thamnotettix cubanus* Osborn, 1926: 350. Type locality: Cuba (NMNH). Caldwell & Martorell, 1952: 63 (syn.); Linnavuori, 1959: 126 (listed); Metcalf, 1967: 860 (cat.).
- curvus* Freytag
- Unerus curvus* Freytag, 1986: 82. Type locality: Chile, Arica, Azapa, Taparaca (OSUC).
- fessulus* (Van Duzee)
- Thamnotettix fessulus* Van Duzee, 1907: 70. Type locality: Jamaica, Mandeville (CASC). Metcalf, 1967: 757 (cat.).
- Unerus fessulus*; Linnavuori & DeLong, 1978a: 228.
- gilvus* Freytag
- Unerus gilvus* Freytag, 1983: 187. Type locality: Honduras, El Zamorano (CASC). Distribution – Honduras, Nicaragua.
- postpositus* Linnavuori
- Unerus postpositus* Linnavuori, 1959: 128. Type locality: Argentina, Tucuman (NMNH).

Genus *Vicosa* Linnavuori & DeLong

- Type species, *Vicosa bicornis* Linnavuori & DeLong, 1978b: 203 (original designation).
- Vicosa* Linnavuori & DeLong, 1978b: 202–203. Cwikla & Blocker, 1981: 177 (note); Oman *et al.*, 1990: 259 (cat.).
- bicornis* Linnavuori & DeLong
- Vicosa bicornis* Linnavuori & DeLong, 1978b: 203. Type locality: Brazil, Vicosa (OSUC).

Genus *Zilkaria* Menezes

- Type species, *Zilkaria assymetrica* Menezes, 1974 (original designation).
- Zilkaria* Menezes, 1974: 107–108. Cwikla & Blocker, 1981: 177 (note); Oman *et al.*, 1990: 261 (in Athysanini).

assymetrica Menezes

Zilkaria assymetrica Menezes, 1974: 108–110. Type locality: Brazil, Mato Grosso, Aparecida do Taboado (MZSP).

INCERTAE SEDIS

Deltocephalus acuminatus Uhler.

Deltocephalus acuminatus Uhler, 1895: 80. Type locality, West Indies, Sao Vicente Isl. (BMNH). Linnavuori, 1959: 150–151. Distribution – St. Vicent Isl., Brazil.

Deltocephalus insularis Van Duzee.

Deltocephalus insularis Van Duzee, 1933: 30–31. Type locality, Ecuador, Galapagos, Chatham Isl. (CASC). Linnavuori, 1959: 151.

Polyamia cuerna DeLong.

Polyamia cuerna DeLong, 1984b: 108. Type locality: Mexico, Cuernavaca, Morelos. Type depository, has not been located. Sinada & Blocker, 1994: 792.

Polyamia tepata DeLong.

Polyamia tepata DeLong, 1984b: 107. Type locality: Mexico. Type depository, has not been located. Sinada & Blocker, 1994: 792.

RESUMO

O catálogo da tribo Deltocephalini (Hemiptera: Cicadellidae: Deltocephalinae) da região Neotropical é apresentado. O gêneros (38) e espécies (260) são registrados. Após o nome de cada espécie, dados sobre a localidade tipo, abreviação da instituição na qual o holótipo está depositado, sinônimos, distribuição geográfica e referências bibliográficas são adicionados.

PALAVRAS CHAVES: Catálogo, Cicadellidae, Deltocephalinae, Deltocephalini, Neotropical.

SUMMARY

A catalogue of the tribe Deltocephalini (Hemiptera: Cicadellidae: Deltocephalinae) of the Neotropical region is presented. The genera (38) and species (260) are listed in alphabetical order. Under each species-group name, data on the type locality, the acronym of the institution where the holotypes is deposited, the synonyms, the geographical distribution and bibliographical references are provided.

KEY WORDS: Catalogue, Cicadellidae, Deltocephalinae, Deltocephalini, Neotropical.

RÉSUMÉ

Le catalogue des Deltocephalini (Hemiptera: Cicadellidae: Deltocephalinae) de la région Néotropical c'est présente. Les genres (38)

et espèces (260) sont mentionnées en ordre alphabétique. Après les taxons nominaux du niveau espèce, indications sur les localités type, abréviation de tout établissement où déposés des holotypes, les synonymes, leur distribution géographique et références bibliographiques sont additionnés.

MOTS CLÉS: Catalogue, Cicadellidae, Deltocephalinae, Deltocephalini, Néotropical.

BIBLIOGRAPHY

- BALL, E. D. 1899. Some new Deltocephalinae (Jassidae). *Can. Entomol.* 31 (11): 306–310.
- BALL, E. D. 1900. Additions to the western jassid fauna. *Can. Entomol.* 32 (11): 337–347.
- BALL, E. D. 1905. Some new Homoptera from the South and Southwest. *Proc. Biol. Soc. Wash.* 18: 117–120.
- BALL, E. D. 1911. Additions to the jassid fauna of N. A. (Homoptera). *Can. Entomol.* 43 (6): 197–204.
- BALL, E. D. 1932. New genera and species of leafhoppers related to *Scaphoideus*. *J. Wash. Acad. of Sci.* 22 (1): 9–19.
- BEAMER, R. H. & L. D. TUTHILL. 1934. Some new species and a new genus of deltocephaloid leafhoppers (Homoptera: Cicadellidae). *J. Kans. Entomol. Soc.* 7 (1): 1–24.
- BERG, C. 1879. Hemiptera Argentina. *Ann. Soc. Cient. Argent.* 8: 241–272.
- BERG, C. 1884. Addenda et emendanda ad Hemiptera Argentina. *An. Soc. Cient. Argent.* 7: 20–41.
- BERG, C. 1895. Hemipteros de la Tierra del Fuego coleccionados por el señor Carlos Backhausen. *An. Mus. Nac. Buenos Aires* 4: 202–206.
- BERG, C. 1896. Contribucion al estudio de los hemípteros de al Tierra Del Fuego. *An. Mus. Nac. Buenos Aires* 5: 131–137.
- BLOCKER, H. D. & Q. FANG. 1993. A review of the *Deltocephalus*-like genus *Daltonia*, *Deltella* and *Mexara* (Homoptera, Cicadellidae). *J. Kans. Entomol. Soc.* 66 (3): 303–309.
- BLOCKER, H. D., F. QINGQUAN & W. C. BLACK. 1995. Review of Nearctic *Deltocephalus*-like leafhoppers (Homoptera, Cicadellidae). *Ann. Entomol. Soc. Am.* 88 (3): 294–315.
- BONFILS, J. & A. DELPLANQUE. 1971. Distribution des principales cicadelles des prairies aux Antilles Françaises (Homoptera). *Ann. Zool. Écol. Anim.* 3 (2): 135–150.
- BURMEISTER, H. C. C. 1838. Rhynchota. N°2. Genera insectorum iconibus illustravit et descripsit. v. 1, pls. 6, 12, 14, 15.
- CALDWELL, J. S. & L. F. MARTORELL. 1952. Review of the auchenorynchous Homoptera of Puerto Rico. Part 1: Cicadellidae. *J. Agr. Univ. Puerto Rico* 34 (1): 1–132.

- CAVICHIOLI, R. R. & K. M. R ZANOL. 1991. Espécies de Cicadellinae, Deltocephalinae (Homoptera: Cicadellidae) da Ilha de Maracá, Roraima. *Acta Amaz.* 21: 55–61.
- CHENG, Y. J. 1980. New leafhopper taxa (Homoptera: Cicadellidae) from Paraguay. *J. Kans. Entomol. Soc.* 53 (1): 61–118.
- DELONG, D. M. 1924. Some new Cicadellidae (Homoptera) from the southern United States. *J. N. Y. Entomol. Soc.* 32 (1): 63–69.
- DELONG, D. M. 1926. A monographic study of the North American species of the genus *Deltocephalus*. *Ohio St. Univ. Bul.* 2 (13): 129pp, 30 pls.
- DELONG, D. M. 1936. Some new genera of leafhoppers related to *Thamnotettix*. *Ohio J. Sci.* 36 (4): 217–219.
- DELONG, D. M. 1943. A new genus (*Deltorynchus*) and two new species of leafhopper (Homoptera, Cicadellidae) from Mexico. *Ohio J. Sci.* 43 (2): 79–80.
- DELONG, D. M. 1970. A new genus and species of deltocephaline leafhopper from southern Chile. *Ohio J. Sci.* 70 (2): 118–190.
- DELONG, D. M. 1980. New genera and species of Mexican and South American deltocephaline leafhoppers (Homoptera, Cicadellidae, eltocephalinae). *Rev. Per. Ent.* 23 (1): 63-71.
- DELONG, D. M. 1982. Some new Neotropical leafhoppers of the subfamilies Iassinae and Deltocephalinae (Homoptera: Cicadellidae). *Proc. Entomol. Soc. Wash.* 84 (3): 610–616.
- DELONG, D. M. 1983. New species of *Loreta* and *Icaia* (Homoptera: Cicadellidae) from Bolivia and Peru. *Ent. News* 94 (4): 127–130.
- DELONG, D. M. 1984a. Some new species of Bolivian *Amplicephalus* (Homoptera, Cicadellidae, Deltocephalinae). *Uttar Pradesh J. Zool.* 4 (2): 168–174.
- DELONG, D. M. 1984b. New species of Central American *Polyamia* and *Deltocephalus* (Homoptera: Cicadellidae: Deltocephalinae). *Brenesia* 22: 107–114.
- DELONG, D. M. 1984c. New leafhopper of the “Bahita” group (Homoptera: Cicadellidae: Deltocephalinae). *Brenesia* 22: 115-122.
- DELONG, D. M. & J. S. CALDWELL. 1937. Check list of the Cicadellidae (Homoptera) of America, North of Mexico. *Ohio St. Univ.* 1937: 93pp.
- DELONG, D. M. & P. S. Cwikla. 1984. A new genus and species of deltocephaline leafhoppers from Panama (Homoptera, Cicadellidae). *Proc. Entomol. Wash.* 86(2): 432–434.
- DELONG, D. M. & P. S. Cwikla. 1985. New Neotropical Deltocephalinae (Homoptera, Cicadellidae). *J. Kans. Entomol. Soc.* 57 (4): 725–728.
- DELONG, D. M. & P. S. Cwikla. 1986. New species of Deltocephalinae and Gyponinae (Homoptera, Cicadellidae) from the neotropics. *Brenesia* 25–26: 221–228.

- DELONG, D. M. & K. G. HAMILTON. 1974. The genus *Amblysellus* (Homoptera, Cicadellidae): a key to the known species, with descriptions of eighth new species. *Can. Entomol.* 106 (8): 841–849.
- DELONG, D. M. & R. V. HERSHBERGER. 1946. The genus *Sanctanus* in North America, including the Mexican species. *Ann. Entomol. Soc. Am.* 39 (2): 207–224, 4 pls.
- DELONG, D. M. & R. V. HERSHBERGER. 1947. The genus *Flexamia* (Homoptera, Cicadellidae) in Mexico. *Bull. Brooklyn Ent. Soc.* 42 (4): 136–139.
- DELONG, D. M. & A. B. KOLBE. 1975. A new genus *Lorellana* (Homoptera, Cicadellidae) and two new species of deltocephaline leafhoppers. *J. Kans. Entomol. Soc.* 48 (1): 9–11.
- DELONG, D. M. & D. J. KNULL. 1946. Check list of the Cicadellidae (Homoptera) of America, north of Mexico. *Ohio St. Univ. Biol. Sci.* 1: 1–102.
- DELONG, D. M. & R. LINNAVUORI. 1978. Studies on Neotropical leafhoppers (Homoptera, Cicadellidae). *Entomol. Scan.* 9 (2): 111–123.
- DELONG, D. M. & R. LINNAVUORI. 1979. Six new species of Deltocephalini leafhoppers (Homoptera: Cicadellidae) from Mexico and Brazil. *Brenesia* 16: 169–174.
- DELONG, D. M. & C. MARTINSON. 1973a. Two new species of *Polyamia* (Homoptera: Cicadellidae) from Honduras and Chile. *Ohio J. Sci.* 73 (3): 149–151.
- DELONG, D. M. & C. MARTINSON. 1973b. The genus *Maricaona* (Homoptera: Cicadellidae). *Ent. News* 84 (8): 251–252.
- DELONG, D. M. & J. P. SLEESMAN. 1929. New genera and subgenera from the genus *Deltocephalus*. A study of the internal male genitalia of the American species and their bearing upon taxonomy. *Ann. Entomol. Soc. Am.* 22 (1): 81–104, pls 1–9.
- DELONG, D. M. & C. THAMBIMUTTU. 1973. A list of the species of *Polyamia* (Homoptera: Cicadellidae) known to occur in Mexico, with descriptions of new species. *Ohio J. Sci.* 73 (2): 115–125.
- DLABOLA, J. 1967. Drie neue neotropische arten der gattungen *Amplicephalus* und *Osbornellus* (Homoptera: Cicadellidae). *Acta Entomol. Mu. Nat. Pragae* 37: 347–350.
- EVANS, J. W. 1947. A natural classification of leaf-hoppers (Jassoidea, Homoptera). Part 3: Jassidae. *Trans. R. Entomol. Soc. London* 98: 105–271.
- FORBES, S. A. 1885. Noxious and beneficial insects of the State of Illinois. III. *R. Ill. St. Entomol.* 14: 1–136.
- FREYTAG, P. H. 1983. A new species of *Unerus* from Honduras (Homoptera: Cicadellidae). *Ent. News* 94 (5): 187–190.
- FREYTAG, P. H. 1986. Additions and corrections to the genera *Unerus* and *Mattogrossus* (Homoptera, Cicadellidae). *Ent. News* 97 (3): 81–86.

- FREYTAG, P. H. 1989. A new species of *Graminella* from Venezuela (Homoptera: Cicadellidae). *J. Kans. Entomol. Soc.* 62 (2): 281–282.
- FREYTAG, P. H. & J. M. MAES. 1977. Nuevos reportes de Cicadellidae (Homoptera) para la fauna de Nicaragua. *Rev. Nicar. Ent.* 40: 29–43.
- FREYTAG, P. H. & M. J. SHARKEY. 2002. A preliminary list of the leafhoppers (Homoptera: Cicadellidae) of Colombia. *Biota Colombiana* 3 (2): 235–283.
- GIBSON, E. H. 1919. Five new species of Jassoidea from Honduras (Hemiptera: Homoptera). *Proc. Biol. Soc. Wash.* 32: 25–28.
- HAMILTON, K. G. A. 1975. Review of the tribal classification of the leafhopper subfamily Aphrodinae (Deltocephalinae of authors) of the Holarctic region (Rhynchota: Homoptera: Cicadellidae). *Can. Entomol.* 107 (5): 477–498.
- HERRICH-SCHÄFFER, G. A. W. 1840. Zunft III. Cicadina. In: *Animalia Articulata. Classis Insecta. Fauna Ratisbonensis, oder übersicht der in der Gegend um Regensburg einheimischen Thiere.* 478pp.
- HIDALGO-GATO, M. & R. RODRÍGUES-LEÓN. 2000. Los homópteros (Homoptera: Auchenorrhyncha) de la Cordillera de Guaniguanico, Cuba. *Brenesia* 54: 51–60.
- HIDALGO-GATO, M. & R. RODRÍGUES-LEÓN. 2003. Cuatro nuevos registros de homópteros (Homoptera: Auchenorrhyncha) para Cuba. *Avennica* 16: 157–158.
- KAMITANI, S. 1999. The phylogeny of the genera in the tribes Deltocephalini, Paralimnini and their allies (Homoptera, Cicadellidae, Deltocephalinae). *Esakia* 39: 65–108.
- KIRKALDY, G. W. 1906. Leaf-hoppers and their natural enemies (Pt ix. Leaf-hoppers-Hemiptera). *Bull. Hawaiian Sug. Plan. As. Div. Ent.* 1 (9): 271–479, pls 21–32.
- KIRKALDY, G. W. 1907. Leafhoppers – supplement (Hemiptera). *Bul. Hawaiian Sug. Plan. As. Div. Ent.* 3: 186pp, 20pls.
- KRAMER, J. P. 1963. New and little known Mexican and Neotropical Deltocephalinae (Homoptera, Cicadellidae). *Proc. Biol. Soc. Wash.* 76: 37–46.
- KRAMER, J. P. 1965. New species of Deltocephalinae from the Americas (Homoptera, Cicadellidae). *Proc. Biol. Soc. Wash.* 78: 17–31.
- KRAMER, J. P. 1967. A taxonomic study of *Graminella nigrifrons*, a vector of corn stunt disease, and its congeners in the United States (Homoptera, Cicadellidae, Deltocephalinae). *Ann. Entomol. Soc. Am.* 60 (3): 604–616.
- KRAMER, J. P. 1971. North American deltocephaline leafhoppers of the genus *Planicephalus* with new generic segregates from *Deltocephalus* (Homoptera: Cicadellidae). *Proc. Entomol. Soc. Wash.* 73 (3): 255–268.
- LINNAVUORI, R. 1954a. Contributions to the Neotropical leafhopper fauna of the family Cicadellidae I. *Ann. Ent. Fenn.* 20 (2): 50–64.

- LINNAVUORI, R. 1954b. Contributions to the Neotropical leafhopper fauna of the family Cicadellidae II. Stål's and Osborn's Neotropical leafhopper species. *Ann. Ent. Fenn.* 20 (3): 124–145.
- LINNAVUORI, R. 1955. Contributions to the Neotropical leafhopper fauna of the family Cicadellidae IV. *Ann. Entomol. Fenn.* 21 (2-3): 100–129.
- LINNAVUORI, R. 1956. Neotropical Homoptera of the Hungarian National Museum and some other European Museums. *Ann. Entomol. Fenn.* 22 (1): 5–35.
- LINNAVUORI, R. 1959. Revision of the Neotropical Deltocephalinae and some related subfamilies. *Ann. Zool. Soc. Bot. Fenn. Vanamo* 20 (1): 1–370.
- LINNAVUORI, R. 1968. Contribucion al conocimiento de la fauna colombiana de cicadélidos. *Agric. Tropical* 24 (3): 147–156.
- LINNAVUORI, R. 1973a. Two new leafhopper species of family Cicadellidae from Peru. *Rev. Per. Entomol.* 16 (1): 17.
- LINNAVUORI, R. 1973b. A collection of leafhoppers (Hom., Cicadellidae) from Cuba. *S. Hyont. Aik.* 39 (2): 94–97.
- LINNAVUORI, R. 1975. Studies of the Cicadellidae fauna of Peru. *Rev. Per. Ent.* 18 (1): 10–11.
- LINNAVUORI, R. & D. M. DELONG. 1976. New Neotropical leafhoppers from Peru and Bolivia (Homoptera: Cicadellidae). *Rev. Per. Ent.* 19 (1): 29–38.
- LINNAVUORI, R. & D. M. DELONG. 1977. The leafhoppers (Homoptera: Cicadellidae) known from Chile. *Brenesia* 12-13: 163–267.
- LINNAVUORI, R. & D. M. DELONG. 1978a. Some new or little known Neotropical Deltocephalinae (Homoptera, Cicadellidae). *Brenesia* 14–15: 227–247.
- LINNAVUORI, R. & D. M. DELONG. 1978b. Seventeen new species and three new genera of Central and South American Deltocephalini (Homoptera: Cicadellidae). *Brenesia* 14–15: 195–226.
- LINNAVUORI, R. & D. M. DELONG. 1979a. New genera and species of the tribe Deltocephalini from South America (Homoptera, Cicadellidae, Deltocephalinae). *Ent. Scan.* 10 (1): 43–53.
- LINNAVUORI, R. & D. M. DELONG. 1979b. New species of leafhoppers from Central and South America (Homoptera, Cicadellidae, Deltocephalinae, Neobalinae, Xestocephalinae). *Ent. Scan.* 10 (2): 123–138.
- LINNAVUORI, R. & D. M. DELONG. 1979c. Additional notes on the Biturritidae and Cicadellidae (Homoptera) of Chile. *Brenesia* 16: 189–196.
- LINNAVUORI, R. & F. HELLER. 1961. Beitrag zur Cicadelliden-Fauna von Peru. *Stut. Beitr. Natur.* 67: 1–14.
- LOZADA, P. 1992. Cicadellidae (Homoptera) registrados para el Peru. I: Xestocephalinae, Agalliinae y Deltocephalinae. *Rev. Per. Ent.* 35: 27–30.
- MAES, J. M. & C. GODOY. 1993. Catalogo de los Cicadellidae (Homoptera) de Nicaragua. *Rev. Nicar. Ent.* 24: 5–34.
- MAES, J. M., C. GODOY & P. FREYTAG. 1999. Nuevos reportes de Cicadellidae (Homoptera) de Nicaragua. *Rev. Nicar. Ent.* 49: 9–46.

- MEDDLER, J. T. 1942. The leafhoppers of Minnesota (Homoptera: Cicadellidae). *Minn. Agric. Exp. Stn. Bull.* 155: 196pp, IX pls.
- MENEZES, M. DE. 1973. *Haldorellus*, subg. n., e três espécies novas de *Haldorus* Oman do Brasil (Homoptera, Cicadellidae, Deltocephalinae). *Revta bras. Ent.* 17 (17): 115–120.
- MENEZES, M. DE. 1974. Notas sobre Deltocephalinae da Região Neotropical (Homoptera, Cicadellidae) II. *Revta bras. Ent.* 18 (3): 107–116.
- METCALF, Z. P., 1955. New names in the Homoptera. *J. Wash. Acad. Sci.* 45 (8): 262–267.
- METCALF, Z. P. 1967. *General Catalogue of the Homoptera. Fascicle VI, Cicadelloidea, Part 10. Euscelidae, Section I–III*, 2695 pp. Agricultural Research Service, United States Department of Agriculture, Wash., D. C.
- OMAN, P. W. 1936. A generic revision of american Bythoscopinæ and South American Jassinae. *Univ. Kans. Sci. Bul.* 37 (14): 343–420, pl 27–35.
- OMAN, P. W. 1947. The types of auchenorrhynchous Homoptera in the Iowa State College collection. *Iowa St. J. Sci.* 21 (2): 161–228.
- OMAN, P. W. 1949. The Nearctic leafhoppers (Homoptera: Cicadellidae). A generic classification and check list. *Mem. Entomol. Soc. Wash.* 3: 1–253; 44pls.
- OMAN, P. W., W. J. KNIGHT & M. W. NIELSON. 1990. *Leafhoppers (Cicadellidae): A bibliography, generic checklist and index to the world literature 1956–1985*, 368 pp. CAB International.
- OSBORN, H. 1900. The genus *Scaphoideus*. *J. Cinc. Soc. Nat. Hist.* 19: 187–209.
- OSBORN, H. 1911. Remarks on the genus *Scaphoideus* with a revised key and descriptions of new American species. *Ohio Natur.* 11 (3): 249–260.
- OSBORN, H. 1912. Leafhoppers affecting cereals, grasses, and forage crops. *U. St. Dept. Agric. Entomol. Bull.* 108: 123p; 4 pls.
- OSBORN, H. 1923. II. Neotropical Homoptera of the Carnegie Museum. Part 2. Records and descriptions of five new genera and sixty-five new species of the subfamily Jassinae. *Ann. Carn. Mus.* 15 (1):27–79.
- OSBORN, H. 1924. Neotropical Homoptera of the Carnegie Museum. Parts 3 and 4 (with plates LV-LIX). *Ann. Carn. Mus.* 15: 383–462.
- OSBORN, H. 1926. Faunistic and ecological notes on Cuban Homoptera. *Ann. Entomol. Soc. Am.* 19 (3): 335–366.
- OSBORN, H. 1929. Notes on Puerto Rican Homoptera. *P. R. Dept. Agric. J.* 13: 81–112.
- OSBORN, H. & E. D. BALL. 1898. Studies of North American Jassoidea. New species, dimorphic forms, and early stages of Jassidae. *Proc. Dav. Acad. Sci.* 7: 74–100, pls 4–6.
- RUFFINELLI, A. 1970. Contribucion al conocimiento de los homopterous auquenorrincos del Uruguay. *Publ. Tec., ser. Zool. Agric.*: 1–25.

- SINADA, N. A. & H. D. BLOCKER. 1994. Revision of the New World genus *Polyamia* (Homoptera: Cicadellidae). *Ann. Entomol. Soc. Am.* 87(6): 771–794.
- SLEESMAN, J. P. 1930. A monographic study of the North American species of *Euscelis* and allied genera (Homoptera, Cicadellidae). *Ent. Amer.* 10 (2): 87–148.
- SPINOLA, M. 1852. Tribu IV – Hipocefalocera. Gay's historia fisica y politica de Chile, 7: 238–305, pl 3.
- STÅL, C. 1859. Hemiptera. Species novas descripsit. Kongliga svenska Fregatten Eugenies resa omkring jorden under befäl af C. A. Virgen åren 1851–1853. Vetenskapliga iakttagelser På H. Maj:t Konung Oscar den Förstes befallning utgifna. *K. S. Vet. Zool.* 4: 219–298, pls 3–4.
- STÅL, C. 1862. Bidrag till Rio Janeiro-traktens hemipterfauna. *K. Vet. Hand.* 3 (6): 1–75.
- UHLER, P. R. 1895. An enumeration of the Hemiptera-Homoptera of the Island of St. Vicent, W. I. *Proc. Zool. Soc. Lond.* 1895: 55–84.
- VAN DUZEE, E. P. 1892. A synoptical arrangement of the genera of the North America Jassidae, with descriptions of some new species. *Trans. Entomol. Soc. Am.* 19: 295–307.
- VAN DUZEE, E. P.. 1894. A catalogue of the described Jassoidea of North America. *Trans. Ent. Soc. Am.* 21: 245-317.
- VAN DUZEE, E. P. 1907. Notes on Jamaican Hemiptera: a report on a collection of Hemiptera made on the island of Jamaica in the spring of 1906. *Bull. Buffalo Soc. Nat. Sci.* 8 (5): 3–79.
- VAN DUZEE, E. P. 1916. Suborder Homoptera Latr. 1810. Section Auchenorrhyncha A. & S. 1843. Check list of Hemiptera (excepting Aphididae, Aleurodidae, and Coccidae) of America North of Mexico 1916: 1–111.
- VAN DUZEE, E. P. 1933. The Templeton Crocker Expedition of the California Acad. Sci. 1932, n° 4. Characters of twenty-four new species of Hemiptera from the Galapagos Island and coast of Central America and Mexico. *Proc. Calif. Acad. Sci.* 21 (4): 25–40.
- WOLCOTT, G. N. 1923. Insectae Portoricensis. A preliminary annotated checklist of the insects of Puerto Rico, with descriptions of some new species. *J. Agri. Univ. P. R.* 7 (1): 1–131.
- YOUNG, D. A. & B. P. BEIRNE. 1958. A taxonomic revision of the leafhopper genus *Flexamia* and a new related genus (Homoptera: Cicadellidae). *U. S. Dept. Agric. Tec. Bull.* 1173: 1–53.
- ZANOL, K. M. R. 1999. Descrição de duas espécies novas de *Agudus* Oman (Homoptera, Cicadellidae, Deltocephalinae). *Revta bras. Zool.* 16 (supl. 1): 239–242.
- ZANOL, K. M. R. 2000. *Planicephalus* Linnavuori, 1954 (Homoptera, Cicadellidae, Deltocephalinae): descrição de três espécies novas. *Acta biol. Par.* 27: 67–74, “1998”.

- ZANOL, K. M. R. 2005. Nova combinação em Deltocephalinae (Hemiptera, Cicadellidae). *Revta bras. Ent.* 49 (1): 165–166.
- ZANOL, K. M. R. 2006. Catalogue of the neotropical (including north of Mexico) Deltocephalinae (Hemiptera, Cicadellidae). Part I – Athysanini and Deltocephalini excluded. *Acta biol. Par.* 35 (3-4): 89-161.
- ZANOL, K. M. R. & M. DE MENEZES. 1982. Lista preliminar dos cicadélídeos (Homoptera, Cicadellidae) do Brazil. *Iheringia* (ser. Zool.) 61: 9–65.

INDEX

abundans Linnavuori & DeLong, Amplicephalus (Amplicephalus)	4
acristylus Cheng, Fusanus	13
acuminatus Uhler, Deltocephalus	32
<i>acura</i> DeLong & Thambimuttu, Polyamia (Polyamia)	27
acuticeps Linnavuori & DeLong, Amplicephalus (Amplicephalus)	5
Agudus Oman	3
albivenosus Osborn, Amplicephalus (Amplicephalus)	5
albolectus DeLong & Cwikla, Mendozellus	22
albopunctata DeLong, Loreta (Loreta)	21
amabilis DeLong & Linnavuori, Agudus	3
Amblysellus Sleesman	4
Amplicephalus DeLong	4
Amplicephalus (Amplicephalus) DeLong	4
Amplicephalus (Cruciatanus) DeLong & Hershberger	9
Amplicephalus (Nanctasus) Linnavuori	9
andinense Freytag, Mattogrossus	22
angolus Linnavuori & DeLong, Amplicephalus (Amplicephalus)	5
angulatus Oman, Haldorus (Haldorus)	17
apertus DeLong, Amplicephalus (Amplicephalus)	5
apicalis DeLong & Hershberger, Amplicephalus (Cruciatanus)	9
appendiculatus Menezes, Haldorus (Haldorus)	17
arachnion Kramer, Polyamia (Polyamia)	26
araucoanus Linnavuori & DeLong, Amplicephalus (Amplicephalus)	5
asper Linnavuori, Neodeltocephalus	23
assymetrica Menezes, Zilkaria	32
asunctia Cheng, Mendozellus	22
atricapilla Linnavuori, Sanluisia	30
atrifrons Linnavuori, Reventazonia	28
aurantiacus Linnavuori & DeLong, Amplicephalus (Nanctasus)	9
australis DeLong, Haldodrus (Eohaldorus)	17
backhauseni Berg, Amplicephalus (Amplicephalus)	5
balli Van Duzee, Deltocephalus	12
barcalus DeLong, Deltocephalus	12
barinasenses Freytag, Graminella	14
beieri Linnavuori, Haldorus (Haldorus)	17
bellator Linnavuori & DeLong, Haldorus (Haldorus)	18
bicornis Linnavuori & DeLong, Nullamia	23
bicornis Linnavuori & DeLong, Vicosia	31
bifasciata Linnavuori & DeLong, Loreta (Loreta)	21
bifasciatus Osborn, Haldorus (Haldorus)	18
blacki Blocker & Fang, Daltonia	11
blockeri Cheng, Agudus	3
Bolarga Oman	10

<i>boliviana</i> Osborn, Bolarga	10
<i>bolivianus</i> var. <i>pallida</i> Osborn, Bolarga	10
<i>bolivicus</i> Linnavuori, Amplicephalus (Nanctasus)	10
<i>boliviellus</i> DeLong, Amplicephalus (Amplicephalus)	.5
<i>Bolivaia</i> Linnavuori & DeLong	10
<i>brachypterus</i> Linnavuori & DeLong, Amplicephalus (Amplicephalus)	.5
<i>bradshawi</i> DeLong & Thambimuttu, Haldorus (Haldorus)	18
<i>brevipennis</i> Linnavuori & DeLong, Mendozellus	22
<i>brevis</i> Linnavuori, Amplicephalus (Amplicephalus)	5
<i>buenus</i> DeLong, Amplicephalus (Amplicephalus)	5
<i>buysi</i> Kramer, Planicephalus	24
<i>campanus</i> Linnavuori & DeLong, Amplicephalus (Amplicephalus)	5
<i>Caphodellus</i> Linnavuori & DeLong	11
<i>capreolus</i> Linnavuori, Haldorus (Haldorus)	18
<i>cekalovici</i> DeLong & Martinson, Amplicephalus (Amplicephalus)	5
<i>cereus</i> DeLong & Hamilton, Amblysellus	4
<i>chacoensis</i> Linnavuori, Fusanus	13
<i>chacus</i> Cheng, Amplicephalus (Amplicephalus)	5
<i>chapini</i> Kramer, Quaziptus	28
<i>chiquitanus</i> Linnavuori & DeLong, Amplicephalus (Amplicephalus)	6
<i>christinae</i> Zanol, Planicephalus	24
<i>clypeatus</i> Linnavuori & DeLong, Haldorus (Haldorus)	18
<i>cognita</i> Caldwell, Graminella	14
<i>colonoides</i> Linnavuori, Mattogrossus	22
<i>colonus</i> Uhler, Unerus	31
<i>comata</i> Ball, Graminella	14
<i>copulus</i> DeLong & Hamilton, Amblysellus	4
<i>crassistylus</i> Linnavuori & DeLong, Planicephalus	24
<i>cratus</i> Cheng, Haldorus (Haldorus)	18
<i>cruciatus</i> Linnavuori, Loreta (Loreta)	21
<i>Cruziella</i> Linnavuori & DeLong	11
<i>cruzus</i> DeLong, Amplicephalus (Amplicephalus)	6
<i>cuerna</i> DeLong, Polyamia	.32
<i>Cumbrenanus</i> DeLong & Cwikla	11
<i>Cumora</i> Oman	16
<i>curtulus</i> Linnavuori & DeLong, Amplicephalus (Amplicephalus)	6
<i>curvatus</i> Linnavuori, Haldorus (Haldorus)	18
<i>curvus</i> Freytag, Unerus	31
<i>cyrtobrachium</i> Cheng, Agudus	3
<i>Daltonia</i> Oman	11
<i>dampfi</i> DeLong & Hershberger, Sanctanus	29
<i>dedecus</i> DeLong & Hamilton, Amblysellus	4
<i>delongi</i> Kramer, Polyamia (Copolyamia)	25
<i>Deltocephalus</i> Burmeister	11
<i>Deltorhynchus</i> DeLong	13
<i>denticulatus</i> Zanol, Planicephalus	24
<i>depranus</i> Cheng, Haldorus (Haldorus)	18
<i>devius</i> Linnavuori & DeLong, Mendozellus	22
<i>diagnalus</i> DeLong, Deltocephalus	12
<i>discalis</i> Van Duzee, Amplicephalus (Cruciatanus)	9
<i>distinctus</i> Menezes, Haldorus (Haldorellus)	17
<i>divergens</i> Menezes, Haldorus (Haldorellus)	17
<i>dualis</i> DeLong & Thambimuttu, Polyamia (Polyamia)	27
<i>dubius</i> Linnavuori, Mendozellus	22

<i>duella</i> DeLong & Thambimuttu, Polyamia (Copolyamia)	26
<i>ecuatorianus</i> Zanol, Planicephalus	24
<i>elegans</i> DeLong & Hershberger, Sanctanus	29
<i>elegantula</i> Linnavuori, Kanorba	20
<i>elongatus</i> DeLong & Hershberger, Sanctanus	29
<i>Endria</i> Oman	13
<i>eusebius</i> Cheng, Amplicephalus (Amplicephalus)	6
<i>eurytus</i> Linnavuori, Haldorus (Haldorus)	18
<i>excavus</i> DeLong & Hamilton, Amblysellus	4
<i>fallaciosus</i> Linnavuori & DeLong, Amplicephalus (Amplicephalus)	6
<i>faminei</i> Stål, Amplicephalus (Amplicephalus)	6
<i>fasciatus</i> Osborn, Amplicephalus (Cruciatanus)	9
<i>fessulus</i> Van Duzee, Unerus	31
<i>filaretanus</i> Berg, Amplicephalus (Amplicephalus)	6
<i>fiski</i> DeLong, Loreta (Loreta)	21
<i>flagalara</i> DeLong & Kolbe, Lorellana	20
<i>flaveolus</i> Osborn, Graminella	15
<i>flavicosta</i> Stål, Planicephalus	24
<i>flavivitta</i> Berg, Planicephalus	25
<i>forcata</i> Cheng, Limpica	20
<i>forficatus</i> Cheng, Agudus	3
<i>freytagi</i> DeLong & Martinson, Polyamia (Polyamia)	27
<i>frionus</i> DeLong, Deltoccephalus	12
<i>frustrata</i> DeLong & Thambimuttu, Polyamia (Copolyamia)	26
<i>fuegoensis</i> DeLong, Nullamia	24
<i>funzaensis</i> Linnavuori, Amplicephalus (Amplicephalus)	6
<i>furcatus</i> Caldwell, Haldorus (Haldorellus)	17
<i>Fusanus</i> Linnavuori	13
<i>fuscatus</i> Linnavuori, Spathifer	30
<i>fuscipennis</i> Osborn, Haldorus (Haldorus)	18
<i>gamboanus</i> Linnavuori & DeLong, Planicephalus	25
<i>gangamon</i> Kramer, Polyamia (Polyamia)	26
<i>gelbus</i> DeLong & Hershberger, Sanctanus	29
<i>gilvus</i> Freytag, Unerus	31
<i>glaucus</i> Blanchard, Amplicephalus (Amplicephalus)	6
<i>Graminella</i> DeLong	14
<i>gridina</i> DeLong & Linnavuori, Polyamia (Polyamia)	27
<i>griseostriatus</i> Linnavuori, Fusanus	14
<i>Haldorus</i> Oman	16
<i>Haldorus</i> (Eohaldorus) Linnavuori	17
<i>Haldorus</i> (Haldorellus) Menezes	17
<i>Haldorus</i> (Haldorus) Oman	17
<i>Haldorus</i> (Parahaldorus) Linnavuori	20
<i>harpago</i> Linnavuori, Tumupasa	30
<i>harrisi</i> Van Duzee, Planicephalus	25
<i>ica</i> Linnavuori, Amplicephalus (Amplicephalus)	6
<i>inca</i> Kramer, Graminella	14
<i>incerta</i> Beamer & Tuthill, Polyamia (Copolyamia)	26
<i>incisus</i> DeLong, Mendozellus	22
<i>insularis</i> Linnavuori & DeLong, Amplicephalus (Nanctasus)	10
<i>insularis</i> Van Duzee, Deltoccephalus	32
<i>intermedius</i> Linnavuori & DeLong, Amplicephalus (Amplicephalus)	6
<i>isis</i> Linnavuori, Mendozellus	23
<i>jacintus</i> DeLong, Deltoccephalus	12

jaraxus Kramer, Deltocephalus	12
jimi Menezes, Graminella	14
Kanorba Oman	20
kappa Kramer, Graminella	14
krameri Menezes, Haldorus (Haldorellus)	17
lambda Kramer, Graminella	15
laticeps Linnavuori & DeLong, Amblysellus	4
latus DeLong, Amplicephalus (Amplicephalus)	6
laxus DeLong, Amplicephalus (Amplicephalus)	6
lepidellus Stål, Sanctanus	29
lepidus Cheng, Agudus	3
Limpica Cheng	20
lineaticollis Linnavuori, Loreta (Bahitela)	21
lineatus Osborn, Amplicephalus (Amplicephalus)	7
lineiceps Osborn, Mendozellus	23
littoralis Ball, Amplicephalus (Amplicephalus)	7
lobata Linnavuori & DeLong, Bolivaia	10
longiceps Berg, Agudus	3
longifurcata Linnavuori & DeLong, Graminella	15
longystilus Linnavuori & DeLong, Haldorus (Haldorus)	18
Lorellana DeLong & Kolbe	20
lorenzus DeLong & Cwikla, Amplicephalus (Amplicephalus)	7
Loreta Linnavuori	20
Loreta (Bahitella) Linnavuori	21
Loreta (Loreta) Linnavuori	21
lunatus Osborn, Amplicephalus (Amplicephalus)	7
luridus Linnavuori & DeLong, Amplicephalus (Amplicephalus)	7
macularis DeLong & Hamilton, Amblysellus	4
maculellus Osborn, Reventaonia	28
macilentus Linnavuori, Haldorus (Haldorus)	18
maculipes Linnavuori, Haldorus (Haldorus)	18
maipuanus Linnavuori & DeLong, Mendozellus	23
<i>majuscula</i> Linnavuori & DeLong, Polyamia (Polyamia)	27
mallecoanus Linnavuori & DeLong, Mendozellus	23
<i>marginalis</i> Osborn, Unerus	31
marginellanus Metcalf, Amplicephalus (Amplicephalus)	7
marginellanus faminoides Linnavuori, Amplicephalus (Amplicephalus)	7
marginellus DeLong & Hersberger, Amplicephalus (Cruciatanus)	9
marginellus Osborn, Toldoanus	30
Maricaona Caldwell	21
Mattogrossus Linnavuori	22
medleri Kramer, Graminella	15
Mendozellus Linnavuori	22
metcalfi Kramer, Deltocephalus	12
mexicana DeLong & Hershberger, Spartopyge	30
micaria Ball, Endria	13
minutus Linnavuori & DeLong, Mendozellus	23
miramae Zanol, Agudus	3
modesta Linnavuori & DeLong, Loreta (Loreta)	21
necopinus DeLong & Hamilton, Amblysellus	4
<i>negletus</i> Osborn, Amplicephalus (Cruciatanus)	9
Neodeltocephalus Linnavuori	23
nidula DeLong & Thambimuttu, Polyamia (Polyamia)	27
nigrifrons Linnavuori & DeLong, Haldorus (Haldorus)	18

<i>nigrifrons</i> Forbes, Graminella	15
<i>nigriroba</i> Linnavuori, Bolarga	10
<i>nigripennis</i> DeLong, Graminella	15
<i>Nullamia</i> DeLong	23
<i>obsoletus</i> Linnavuori, Amplicephalus (Amplicephalus)	7
<i>obtecta</i> Osborn & Ball, Polyamia (Copolyamia)	26
<i>ornaticeps</i> Linnavuori, Loreta (Loreta)	21
<i>ornatipennis</i> Stål, Sanctanus	29
<i>ornatus</i> Linnavuori, Amplicephalus (Amplicephalus)	7
<i>pallida</i> Linnavuori & DeLong, Reventazonia	28
<i>pallidens</i> DeLong & Hershberger, Sanctanus	29
<i>pallidus</i> Linnavuori, Amplicephalus (Nanctasus)	10
<i>pallus</i> Kramer, Planicephalus	25
<i>panamensis</i> Linnavuori, Loreta (Loreta)	21
<i>panamus</i> DeLong & Cwikla, Cumbrenanus	11
<i>papillosus</i> Linnavuori, Amplicephalus (Amplicephalus)	7
<i>paradoxus</i> Linnavuori & DeLong, Amplicephalus (Amplicephalus)	8
<i>paraguayensis</i> Linnavuori, Haldorus (Haldorus)	18
<i>parallelomiris</i> Linnavuori, Haldorus (Haldorus)	19
<i>parallelomiris inaequalis</i> Linnavuori & DeLong, Haldorus (Haldorus)	19
<i>parallelomiris maculatus</i> Cheng, Haldorus (Haldorus)	19
<i>parquis</i> Cheng, Amplicephalus (Amplicephalus)	8
<i>patagonicus</i> Linnavuori, Mendozellus	23
<i>pedriatus</i> Cheng, Amplicephalus (Amplicephalus)	8
<i>pellucidus</i> Osborn, Planicephalus	25
<i>penonus</i> DeLong, Deltocephalus	12
<i>Picchia</i> Linnavuori & DeLong	24
<i>pillosus</i> Zanol, Agudus	3
<i>plana</i> DeLong, Graminella	15
<i>Planicephalus</i> Linnavuori	24
<i>polyamia</i> Caldwell, Maricaona	21
<i>Polyamia</i> DeLong	25
<i>Polyamia</i> (Copolyamia) Sinada & Blocker	25
<i>Polyamia</i> (Polyamia) DeLong	26
<i>posadai</i> Kramer, Deltocephalus	12
<i>postpositus</i> Linnavuori, Unerus	31
<i>productus</i> Linnavuori & DeLong, Amplicephalus (Amplicephalus)	8
<i>punctata</i> Caldwell, Graminella	15
<i>puncticeps</i> Linnavuori, Graminella	15
<i>pungens</i> Linnavuori & DeLong, Picchia	24
<i>pusilla</i> Linnavuori & DeLong, Reventazonia	28
<i>pusillimus</i> Linnavuori, Haldorus (Haldorus)	19
<i>quadrimaculata</i> Linnavuori, Bolarga	10
<i>quadrimaculatus</i> Linnavuori & DeLong, Caphodellus	11
<i>quadrinotatus</i> DeLong, Amplicephalus (Nanctasus)	10
<i>quadrinotus</i> DeLong, Deltorhynchus	13
<i>Quaziptus</i> Kramer	28
<i>randa</i> DeLong & Thambimuttu, Polyamia (Polyamia)	27
<i>reflexa</i> Oman, Kanorba	20
<i>reimoseri</i> Linnavuori, Maricaona	22
<i>replicatus</i> DeLong, Deltocephalus	12
<i>reticulata</i> Linnavuori, Polyamia (Polyamia)	27
<i>retrorsus</i> Uhler, Planicephalus	24
<i>retroversus</i> Smith, Planicephalus	25

Reventazonia Linnavuori	28
rotundiceps Linnavuori, Amplicephalus (Amplicephalus)	8
ruppeli Linnavuori, Haldorus (Haldorus)	19
saltensis Linnavuori & DeLong, Amplicephalus (Amplicephalus)	8
Sanctanus Ball	28
Sanluisia Linnavuori	30
santanus DeLong, Amplicephalus (Amplicephalus)	8
satur Ball, Polyamia (Copolyamia)	26
schizus Cheng, Haldorus (Haldorus)	19
scina DeLong & Thambimuttu, Polyamia (Polyamia)	27
scissis Cheng, Haldorus (Haldorus)	19
scuticus DeLong, Deltoccephalus	12
senilis Van Duzee, Planicephalus	25
serratus Linnavuori, Haldorus (Haldorus)	19
serratus DeLong, Mendozellus	23
serratus Cheng, Planicephalus	25
sexmaculata Linnavuori & DeLong, Loreta (Loreta)	21
sexmaculatus Linnavuori, Agudus	.3
sexpunctatus Berg, Haldorus (Haldorus)	19
similarus DeLong & Hershberger, Sanctanus	29
similis DeLong, Amplicephalus (Amplicephalus)	8
simpliciusculus Linnavuori, Amplicephalus (Amplicephalus)	.8
sonora Ball, Graminella	15
spatulatus Linnavuori, Fusanus	14
Spartopyge Young & Beirne	30
Spathifer Linnavuori	30
spinosa Linnavuori & DeLong, Bolivaia	10
spinus Gibson, Graminella	16
spinus DeLong, Deltorhynchus	13
stelliger Berg, Graminella	16
stelliger bipunctella Linnavuori, Graminella	16
stelliger expansa Linnavuori, Graminella	16
stelliger viridescens Linnavuori, Graminella	16
striatella Linnavuori, Graminella	16
strigilifer DeLong & Linnavuori, Agudus	.3
superbus Linnavuori, Agudus	.3
tabascus DeLong & Cwikla, Amplicephalus (Amplicephalus)	.8
tantilla Beamer & Tuthill, Polyamia (Copolyamia)	26
tarandus DeLong, Mendozellus	23
tepata DeLong, Polyamia	32
texana DeLong, Polyamia (Polyamia)	27
Toldoanus Linnavuori	30
tolteca Kramer, Polyamia (Copolyamia)	26
torqus DeLong & Hamilton, Amblysellus	4
transversalis Linnavuori & DeLong, Amplicephalus (Amplicephalus)	8
trifax Kramer, Deltoccephalus	12
trilobata DeLong, Endria	13
triplehorni DeLong & Thambimuttu, Polyamia (Polyamia)	27
trispinosa Linnavuori & DeLong, Cruzeilla	11
tropicana DeLong & Kolbe, Lorellana	20
truncatistylus Linnavuori, Haldorus (Parahaldorus)	20
tubupennis Cheng, Amplicephalus (Amplicephalus)	8
tulara DeLong & Thambimuttu, Polyamia (Polyamia)	28
Tumupasa Linnavuori	30

<i>typicus</i> Oman, Agudus	3
<i>ultimasperatus</i> Dlabola, Amplicephalus (Amplicephalus)	.8
<i>umniata</i> Sinada & Blocker, Polyamia (Polyamia)	28
<i>Unerus</i> DeLong	31
<i>valvidianus</i> Linnavuori & DeLong, Amplicephalus (Amplicephalus)	8
<i>venatus</i> Osborn, Haldorus (Haldorus)	19
<i>Vicosa</i> Linnavuori & DeLong	31
<i>villarricus</i> Dlabola, Amplicephalus (Amplicephalus)	8
<i>vicarius</i> Linnavuori & DeLong, Haldorus (Haldorus)	19
<i>virgatus</i> DeLong & Hershberger, Sanctanus	29
<i>vista</i> DeLong, Loreta (Loreta)	21
<i>vulpinus</i> Kramer, Sanctanus	29
<i>williamsi</i> Menezes, Haldorus (Haldorus)	19
<i>xipei</i> Kramer, Deltocephalus	12
<i>youngi</i> Kramer, Deltocephalus	12
<i>Zepama</i> Metcalf	13
<i>Zilkaria</i> Menezes	32

Recebido em 10 de outubro de 2006.