

# STABILITY OF WAX-BASED OLEOGEL AS NOVEL FRYING MEDIUM OF PAR-FRIED FRENCH FRIES

LAM XUE YUAN

UNIVERSITI SAINS MALAYSIA

JULY 2020



**PUSAT PENGAJIAN TEKNOLOGI INDUSTRI  
UNIVERSITI SAINS MALAYSIA**

**BORANG PENYERAHAN DISERTASI MUTAKHIR  
SATU (1) NASKAH**

Nama penyelia: Dr Musfirah Zulkurnain

Bahagian: Teknologi Makanan

Saya telah menyemak semua pembetulan/pindaan yang dilaksanakan oleh  
Encik/Puan/Cik Lam Xue Yuan

mengenai disertasinya sebagaimana yang dipersetujui oleh Panel Pemeriksa di *Viva Voce*-nya.

2. Saya ingin mengesahkan bahawa saya berpuashati dengan pembetulan/pindaan yang dilaksanakan oleh calon.

Sekian, terima kasih.

A handwritten signature in blue ink, appearing to read 'DR. MUSFIRAH ZULKURNAIN'.

(Tandatangan dan cop)

7/8/2020

Tarikh

**DR. MUSFIRAH ZULKURNAIN**  
Pusat Pengajian Teknologi Industri  
Universiti Sains Malaysia  
11800 Pulau Pinang, Malaysia  
[musfirah.z@usm.my](mailto:musfirah.z@usm.my)



## STABILITY OF WAX-BASED OLEOGEL AS NOVEL FRYING MEDIUM OF PAR-FRIED FRENCH FRIES

by

LAM XUE YUAN

A dissertation submitted in partial fulfillment of the requirements for the degree of  
Bachelor of Technology (B.Tech) in the field of Food Technology

School of Industrial Technology

Universiti Sains Malaysia

July 2020

## **DECLARATION BY AUTHOR**

This dissertation is composed of my original work and contains no material previously published or written by another person except where due reference has been made in the text. The content of my dissertation is the result of work I have carried out since the commencement of my research project and does not include a substantial part of work that has been submitted to qualify for the award of any other degree or diploma in any university or other tertiary institution.

\_\_\_\_ *Yuan* \_\_\_\_

(LAM XUE YUAN)

JULY 2020

## **ACKNOWLEDGEMENTS**

I would like to express my sincere appreciation and gratitude to my final year project supervisor, Dr. Musfirah Binti Zulkurnain, for her advice and guidance through this project. Without her dedication, this thesis would not be possible.

Furthermore, I would like to thank the School of Industrial Technology for allowing me to use the available facilities and equipment throughout my research study. I wish to acknowledge the help from all the lab assistants in School of Industrial Technology for their support and guidance on using the facilities and equipment throughout my research study. Ultimately, I would like to thank my fellow lab mates, course mates, and friends who have supported me and gave me encouragement during my research study. Finally, my special thanks are extended to my beloved family, for their love, moral support, and encouragement.

LAM XUE YUAN

JULY 2020

## TABLE OF CONTENTS

	<b>Page</b>
ACKNOWLEDGEMENTS	iii
TABLE OF CONTENTS	iv
LIST OF TABLES	vii
LIST OF FIGURES	viii
LIST OF ABBREVIATIONS	x
LIST OF SYMBOLS	xii
ABSTRAK	xiii
ABSTRACT	xv
CHAPTER 1 INTRODUCTION	
1.1 Research Background	1
1.2 Problem Statements	3
1.3 Objective of the Study	4
CHAPTER 2 LITERATURE REVIEW	
2.1 Oleogelator	5
2.1.1 Natural Edible Wax	7
2.1.2 Properties of Different Wax	7
2.2 Formation of Lipid Network to form Edible Oleogel (Oleogelation and Gelation Behaviour)	10
2.2.1 Use of Oleogel for Frying Purpose	15
2.3 French Fries	16
2.3.1 Frying Methods - Par Frying	17
2.3.2 Quality Parameters of Frying Medium	18
2.3.3 Effect of Frying Oil Composition on French Fries Quality	19

2.3.4 Oxidative Stability of Frying Medium for French Fries	21
2.3.5 Total Polar Compound (TPC)	24
2.3.6 Tocopherol level	25
<b>CHAPTER 3 MATERIALS AND METHODOLOGY</b>	
3.1 Materials	26
3.2 Preparation of Oleogel and French Fries	26
3.3 Frying Protocol of French Fries	27
3.4 Experimental Design	28
3.5 Analysis on French fries	30
3.5.1 Colour	30
3.5.2 Texture	31
3.5.3 Oil Uptake	31
3.5.4 Lipid Oxidation	32
3.6 Analysis on Oleogel Oil	33
3.6.1 Peroxide Value (PV)	33
3.6.2 Free Fatty Acid (FFA)	34
3.6.3 Viscosity	35
3.6.4 Total Oxidation Value (TOTOX)	35
3.7 Statistical Analysis	36
<b>CHAPTER 4 RESULTS AND DISCUSSION</b>	
4.1 Colour	37
4.2 Texture	45
4.3 Oil uptake	47
4.4 Viscosity	50
4.5 Lipid oxidation	51

4.6 PV	54
4.7 FFA	56
4.8 TOTOX	58
CHAPTER 5 CONCLUSION AND RECOMMENDATIONS	
5.1 Conclusions	63
5.2 Recommendation for Future Work	64
REFERENCES	65
APPENDICES	75

## LIST OF TABLES

<b>Table Caption</b>	<b>Page</b>
2.1 Classification of lipid-based oleogelators.	6
2.2 Physicochemical specifications of different plant waxes.	10
2.3 Gelling temperature ( $T_{gel}$ ) and crystallization temperatures $T_{c, onset}$ and $T_c$ of 5% w/w wax-based oleogels (rice bran oil) during cooling at 2 °C/min.	14
2.4 Fatty acid compositions of different oils.	19
2.5 Fatty acid compositions of oils.	20
4.1 Effect of different frying cycles using different type of oleogels during par frying on the redness of finish-fried French fries.	40
4.2 Fatty acid composition of palm olein oil.	60
4.3 FAC of palm olein obtained by gas chromatography after different frying cycles of French fries.	61

## LIST OF FIGURES

<b>Figure Caption</b>	<b>Page</b>
2.1 Brightfield light micrographs of wax organogels consisting of canola oil and 1% w/w rice bran wax (a), 1% w/w sunflower wax (b), 2% w/w candelilla wax (c), and 4% w/w carnauba wax (d) at their respective critical concentrations.	12
2.2 Differential scanning calorimetric traces for different neat waxes which included rice bran wax (a), sunflower wax (b), candelilla wax (c), and carnauba wax (d). Cooling (exotherms) modes are the positive heat flow while heating (endotherms) modes are the negative heat flow.	13
2.3 Percentage of free fatty acids (%) of the fresh oils and oil after 5 frying cycles.	23
4.1 Observation on the colour of finish fried French fries from 1 <sup>st</sup> (upper part) and 30 <sup>th</sup> (lower part) frying cycle using control (A), candelilla wax (B), and rice bran wax (C) for par frying.	38
4.2 Effect of different frying cycles using different type of oleogels during par frying on the lightness ( $L^*$ ) of finish-fried French fries.	39
4.3 Effect of different frying cycles using different type of oleogels on the yellowness ( $b^*$ ) of finish-fried French fries.	42
4.4 Effect of different type of oleogels on the total colour difference ( $\Delta E$ ) of French fries.	44
4.5 Effect of different frying cycles using different type of oleogels on the total colour difference ( $\Delta E$ ) of French fries.	45
4.6 Effect of different frying cycles using different type of oleogels on the firmness of French fries.	47
4.7 Effect of different frying cycles using different type of oleogels on the oil uptake of French fries.	48
4.8 Effect of different frying cycles on the viscosity of different type of oleogels used to par fry French fries for 30 cycles.	49

4.9	Scanning electron micrographs of instant noodles fried in palm oil, soybean oil, and oleogels (carnauba wax) ((a) Palm oil, (b) Soybean oil, (c) Oleogel (5 g/100 g), (d) Oleogel (10 g/100 g)).	50
4.10	Reaction between 2-thiobarbituric acid and malonaldehyde.	52
4.11	Standard curve obtained from five different concentrations of MDA stock solution with each concentration having five replicates.	53
4.12	Effect of different frying cycles using different type of oleogels on the lipid oxidation of French fries.	54
4.13	Effect of different frying cycles on the PV of different type of oleogels used to par fry French fries for 30 cycles.	55
4.14	Effect of different frying cycles on the FFA of different type of oleogels used to par fry French fries for 30 cycles.	57
4.15	Effect of different frying cycles on the TOTOX of different type of oleogels used to par fry French fries for 30 cycles.	59

## **LIST OF ABBREVIATIONS**

<b>Abbreviation</b>	<b>Caption</b>
°C	degree Celsius
a*	Redness
AOAC	Association of Official Analytical Chemists
AOCS	American Oil Chemists' Society
b*	Yellowness
BW	Beeswax
CDW	Candelilla wax
CBW	Carnauba wax
cm	Centimetre
CSO	Cottonseed oil
DSC	Differential scanning calorimeter
Eq	Equation
FFA	Free fatty acid
FTIR	Fourier transform infrared
g	Gram
GRAS	Generally recognised as safe
HOSFO	High oleic sunflower oil
hr	Hour
IV	Iodine value
kg	Kilogram
L	Litre
L*	Lightness
meq	Milliequivalent

mg	Milligram
min	Minute
mL	Millilitre
mm	Millimetre
N	Newton (Force)
psi	Pound per square inch
PV	Peroxide value
RBW	Rice bran wax
s	Second
SEM	Scanning electron microscope
SFW	Sunflower wax
TOTOX	Total oxidation value
TPC	Total polar compound
$\mu\text{m}$	Micrometer
UV-Vis	Ultraviolet-visible

## **LIST OF SYMBOLS**

<b>Symbol</b>	<b>Caption</b>
%	Percentage
C	Carbon
MDA	Malondialdehyde
TCA	Trichloroacetic acid
TMP	1,1,3,3-Tetraethoxypropane

## **KESTABILAN OLEOGEL BERASASKAN LILIN SEBAGAI MEDIUM MENGGORENG BAHARU BAGI PAR GORENG KENTANG**

### **ABSTRAK**

Oleogel berasaskan lilin membentuk rangkaian gel hidrofobik tiga dimensi dalam minyak dan berpotensi untuk melapisi struktur permukaan makanan goreng dari penyerapan minyak yang berlebihan. Kentang goreng adalah salah satu makanan ringan yang banyak dimakan yang menyumbang kepada pengambilan lemak yang berlebihan di seluruh dunia. Oleh itu, strategi untuk meningkatkan kestabilan oksidatif makanan goreng adalah aspek penting yang harus dipertimbangkan. Tujuan kajian ini adalah untuk mengkaji kefungsian oleogel berasaskan lilin dalam medium penggorengan dalam meningkatkan kestabilan oksidatif pada kentang goreng dan menilai kesannya terhadap sifat fisiokimia kedua-dua minyak kitaran penggorengan berulang kali dan kentang goreng. Jalur kentang dikisar dan menjalani proses penggorengan dua langkah: 1) par-goreng selama 1 minit pada suhu  $190^{\circ}\text{C}$  tanpa minyak gel (kawalan) dan dengan minyak gel (lilin 0.05%; lilin candelilla (CDW) atau lilin dedak padi (RBW)), simpan dalam pembeku sembur pada suhu  $-18^{\circ}\text{C}$  selama 30 minit, dan disejukbeku untuk menyerupai amalan komersial, dan 2) menggoreng selama 1.5 minit pada suhu  $190^{\circ}\text{C}$ . Sebanyak 30 kitaran menggoreng dilakukan. Sampel minyak pada selang 5 kitaran penggorengan dan kentang goreng dari kitar 1 dan 30 disimpan untuk analisis kualiti. Kentang goreng yang digoreng dengan minyak oleogel CDW menghasilkan tekstur dan jumlah perbezaan warna kentang goreng yang setanding berbanding dengan sampel kawalan. Walau bagaimanapun, oleogel RBW lebih terdedah kepada pengoksidaan dan menghasilkan warna kentang goreng yang lebih gelap. Untuk kualiti minyak yang digoreng berulang kali, minyak yang digunakan untuk menggoreng sampel CDW menunjukkan kestabilan oksidatif yang

lebih tinggi berbanding RBW dan sampel kawalan dengan nilai FFA terendah dan nilai PV dan TOTOX yang setanding. Secara keseluruhan, penggunaan oleogel dalam langkah par-goreng dijangka dapat mengurangi pengambilan minyak dari kentang goreng, dan oleogel CDW dipilih untuk kestabilan yang lebih baik terhadap pengoksidaan dan kualiti yang setanding dengan kawalan yang menjanjikan penghasilan kentang goreng yang lebih sihat.

## **STABILITY OF WAX-BASED OLEOGEL AS NOVEL FRYING MEDIUM OF PAR-FRIED FRENCH FRIES**

### **ABSTRACT**

Wax-based oleogels form three-dimensional hydrophobic gel network in oil and potential to coat the surface structure of fried food from excessive oil absorption. French fries are one of the highly consumed snacks that contribute to significant fat intake around the world. Therefore, strategies to improve oxidative stability of fried food is an important aspect to be considered. The aims of this study were to investigate the functionality of wax-based oleogels as par frying medium in improving oxidative stability of fried potato strips and evaluate their effects on physiochemical properties of both frying oil subjected to repeated frying cycles and French fries. Potato strips were blanched and subjected to two-steps frying process: 1) par frying for 1 min at 190 °C without (control) and with gelled oil (0.05% wax; candelilla (CDW) or rice bran (RBW)), blast frozen at -18 °C for 30 min, and stored in freezer to mimic commercial practice, and 2) frying for 1.5 min at 190 °C. A total of 30 frying cycles were carried out. Oil samples at interval of 5 frying cycles and French fries from 1<sup>st</sup> and 30<sup>th</sup> cycles were collected for quality analyses. French fries par fried with CDW oleogel oil resulted in comparable texture and total colour difference ( $\Delta E$ ) of French fries with the control samples. However, RBW oleogel was slightly more prone to oxidation and resulted in darker colour French fries. For the quality of oil subjected to repeated frying cycles, the oil used to fry the CDW sample showed higher oxidative stability compared to RBW and control samples with lowest FFA value and comparable in PV and TOTOX values. Overall, the use of oleogel during par frying were expected to reduce oil uptake of French fries, and CDW oleogel was preferred

with better stability against oxidation and comparable in quality with control which is promising in producing healthier French fries.