ON THE CATCH OF A JUVENILE WHALE SHARK RHINCODON TYPUS SMITH FROM MALABAR COAST

On the 27th February 1963 a juvenile whale shark Rhincodon typus Smith was caught in a boat seine 'Paithu vala' operating in 12 fathom water off Cannanore coast. This shark, noted for its timidity and gentleness, did not make any attempt to struggle free from its captors and died soon, probably due to exhaustion or shock. It was towed to Thayyil landing centre where we had occasion to examine it.

TABLE I
Measurements of Rhincodon typus Smith in metres

Length from tip of snout to	upper e	caudal lobe	4.65
-do-	lower	-do-	4.48
-do-	origin	of caudal fin	4.19
-do-	-do-	Ist dorsal	2.38
-do-	-do-	IInd dorsal	3.15
-do-	-do-	pectoral	1.24
-do-	-do-	pelvic	2,51
-do-	-do-	anal	3.00
Body depth at 1st dorsal			 0.86
-do- IInd dorsal		• •	 0.43
-do- caudal pedur	ıcl e		 0.20
Length of pectoral fin			 0.36
-do- pelvic fin			 0.23
-do- İst dorsal fin			 0.48
-do- IInd dorsal fin			 0.23
Width of the mouth			 0.52

The estimated weight of the shark was about 14 Quintals.

NOTES 175

The flesh was soft and whitish in colour as also observed by Chacko and Mathew (1954). During salt curing the brine formed was approximately equal in volume to that of the flesh cured which is quite unusual. The liver was comparatively small and weighed only 20 kg. It was very poor in oil content.

The authors are grateful to Shri L. B. Pradhan, Central Marine Fisheries Research Institute, Mandapam Camp, for his valuable suggestions and to Shri K. V. George, Central Marine Fisheries Research Institute, Mandapam Camp, for making some of the references available to us.

Central Marine Fisheries Research Sub-station, Kozhikode-5.

M. M. THOMAS

Central Marine Fisheries Research Centre, Cannanore.

K. R. KARTHA

REFERENCE

CHACKO, P. I. AND M. J. MATHEW, 1954. J. Bombay nat. Hist. Soc., 52: 623-624.