

ISSN 0972-2351

**A CODE LIST OF
COMMON MARINE
LIVING RESOURCES
OF THE INDIAN SEAS**

**CMFRI SPECIAL PUBLICATION
No. 12 (Revised)**



**NATIONAL MARINE LIVING RESOURCES
DATA CENTRE**

CENTRAL MARINE FISHERIES RESEARCH INSTITUTE
(Indian Council of Agricultural Research)
Cochin-14, India

December 2000

ISSN 0972-2351

**A CODE LIST OF
COMMON MARINE
LIVING RESOURCES
OF THE INDIAN SEAS**

**CMFRI SPECIAL PUBLICATION
No. 12 (Revised)**

**NATIONAL MARINE LIVING RESOURCES
DATA CENTRE**

**CENTRAL MARINE FISHERIES RESEARCH INSTITUTE
(Indian Council of Agricultural Research)
Cochin-14, India**

December 2000

Published by : DR. MOHAN JOSEPH MODAYIL
Director,
Central Marine Fisheries Research
Institute, Cochin-14.

Compiled by : Mr. P. K. MAHADEVAN PILLAI,
Ms. SINDHU K. AUGUSTINE
Central Marine Fisheries Research
Institute, Cochin-14.

Edited by : DR. K. J. MATHEW
Central Marine Fisheries Research
Institute, Cochin-14.

Preface to First Edition

The Central Marine Fisheries Research Institute has been estimating marine fish landings along the Indian coasts for the past three decades and the data are being furnished to Central and State Governments, industry and national and international agencies. The Institute is also involved with the assessment of our marine fishery resources and management of multispecies harvested by diverse fishing gears. In the years to come, our *commercially utilised marine animal and plant resources* may cover not only conventional fin and shell fishes, but also non-conventional groups, such as mesopelagics, sponges, corals and sea weeds. There are endangered groups, such as marine mammals and turtles, which are protected under the Wildlife Act. They occur as incidental catches or are 'occasionally stranded' and these need monitoring.

The National Marine Living Resources Data Centre (NMLRDC) at CMFRI was established with the object of facilitating the acquisition and handling of voluminous data, collected by the Institute, other fishery agencies and the industry, for rapid processing and dissemination to the end users. As this involves furnishing of data relating to a large variety of our fishery resources, it has become necessary to computerise the processing of data.

The Planning Commission has suggested that computerisation programme for acquisition and rapid dissemination of data at CMFRI Data Centre should be expedited. The National Workshop on "Acquisition and Dissemination of Data on Marine Living Resources of Indian Seas", held at Cochin from 21st to 23rd October 1982, recommended that CMFRI be provided with an electronic computing system for the above purpose. A prerequisite for this is codification and acquisition

of specieswise data for commercially important varieties presently being exploited, as well as some of the species potentially important. In order to facilitate this, code numbers have been given for genera and species with adequate provision for future addition of potentially important species from the Indian seas. Common names are given against species/genus. As regards fish, the various genera and species have been listed under different families as given by Berg (1940). The scientific and common names of fishes have been mostly taken from FAO Species Identification Sheets for the Eastern Indian Ocean and Western Central Pacific (Fishing areas 57 & 71, 1974), Munro (1955), Smith (1961) and Jones and Kumaran (1980). For other marine groups also latest nomenclature and common names, to the extent possible, have been given.

In Index I, the genera and species which have been codified, are arranged in alphabetical order to enable the user to locate easily the species and their code numbers. In Index II, the groups are given in alphabetical order.

This code book is hoped to be of help to our scientific and technical staff as well as other agencies in the collection of field data in a uniform pattern to feed the NMLRDC at CMFRI and also to help the Centre in speedily disseminating information.

I wish to express my sincere thanks to Shri. G. Venkataraman, Shri P. K. Mahadevan Pillai and Shri Joseph Andrews, and other scientific and technical staff belonging to the various divisions of this Institute for the special efforts they have taken to prepare and scrutinise the list of different groups. I am thankful to Shri T. Jacob for his valuable suggestions regarding the code format.

My special thanks are due to Shri M. Kumaran,

Scientist of this Institute, who took pains to go through the list of fishes critically with particular reference to species and common names. I am grateful to Dr. Leonard J.V. Compagno, Tiburon Centre for Environmental Studies, San Francisco State University for going through the list of sharks and giving valuable suggestions.

E.G. SILAS
Director

Preface to Revised Edition

The Central Marine Fisheries Research Institute, Cochin is the pioneer national establishment primarily engaged in marine fisheries research in the country. As a programme of dissemination of information the Institute published a code list of common marine living resources of the Indian seas in 1983. However, considerable changes have since occurred in the nomenclature of many of the genera, families and species of fishes. Hence it is felt that there is an urgent need to revise the code list incorporating these changes. The present publication is a result of this exercise.

While listing the species, meticulous care has been taken to follow international standards. Wherever necessary, synonyms are provided in parentheses.

I wish to congratulate Mr P.K. Mahadevan Pillai and Ms. Sindhu K. Augustine for venturing into this hard task and accomplishing it in a short time. It is expected that this volume will be useful to the research workers and students as a valuable reference.

Mohan Joseph Modayil
Director

CONTENTS

| | |
|---|-----|
| Preface to First Edition | i |
| Preface to Revised Edition | iv |
| Fin fishes | 1 |
| Shell fishes | 51 |
| Crustaceans | 51 |
| Molluscs | 55 |
| Marine Reptiles | 61 |
| Marine Birds | 61 |
| Marine Mammals | 61 |
| Sponges | 64 |
| Corals | 65 |
| Echinoderms | 68 |
| Seaweeds | 69 |
| Index I : Alphabetical arrangement of Genera and Species with code numbers | 71 |
| Index II : Alphabetical arrangement of Groups | 104 |
| Index III : Alphabetical arrangement of Families | 109 |

| Group/Genus/Species | Family/Common Name | Code |
|---------------------|--------------------|------|
|---------------------|--------------------|------|

FINFISHES

ELASMOBRANCHS

SHARKS

| | | |
|-----------------------------|----------------------|------|
| <i>Chiloscyllium</i> | HEMISCYLIIDAE | 0001 |
| <i>C. indicum</i> | Slender bamboo shark | 0002 |
| <i>C. griseum</i> | Grey bamboo shark | 0003 |
| <i>Nebrius</i> | GINGLYMOSTOMATIDAE | 0005 |
| <i>N. ferrugineus</i> | Tawny nurse shark | 0006 |
| <i>Rhiniodon</i> | RHINIODONTIDAE | 0010 |
| <i>R. typus</i> | Whale shark | 0011 |
| (= <i>Rhincodon typus</i>) | | |
| <i>Stegostoma</i> | STEGOSTOMATIDAE | 0015 |
| <i>S. fasciatum</i> | Zebra shark | 0016 |
| <i>Alopias</i> | ALOPIIDAE | 0020 |
| <i>A. pelagicus</i> | Pelagic thresher | 0021 |
| <i>A. superciliosus</i> | Bigeye thresher | 0022 |
| <i>A. vulpinus</i> | Thresher shark | 0023 |
| <i>Isurus</i> | LAMNIDAE | 0025 |
| <i>I. oxyrinchus</i> | Shortfin mako | 0026 |
| <i>Halaelurus</i> | SCYLIORHINIDAE | 0035 |
| <i>H. hispidus</i> | Cat shark | 0036 |
| <i>H. quagga</i> | Cat shark | 0037 |
| <i>Carcharhinus</i> | CARCHARHINIDAE | 0040 |
| <i>C. altimus</i> | Bignose shark | 0041 |
| <i>C. amblyrhynchoides</i> | Graced shark | 0042 |
| <i>C. amboinensis</i> | Pigeye shark | 0043 |

| Group/Genus/Species | Family/Common Name | Code |
|------------------------|------------------------|------|
| <i>C. brevipinna</i> | Spinner shark | 0044 |
| <i>C. dussumieri</i> | Whitecheek shark | 0045 |
| <i>C. hemiodon</i> | Pondicherry shark | 0046 |
| <i>C. leucas</i> | Bull shark | 0047 |
| <i>C. limbatus</i> | Blacktip shark | 0048 |
| <i>C. longimanus</i> | Oceanic whitetip shark | 0049 |
| <i>C. macroti</i> | Hardnose shark | 0050 |
| <i>C. melanopterus</i> | Blacktip reef shark | 0051 |
| <i>C. sorrah</i> | Spottail shark | 0052 |
| <i>Chaenogaleus</i> | HEMIGALEIDAE | 0055 |
| <i>C. macrostoma</i> | Hooktooth shark | 0056 |
| <i>Galeocerdo</i> | CARCHARHINIDAE | 0060 |
| <i>G. cuvieri</i> | Tiger shark | 0061 |
| <i>Hemigaleus</i> | HEMIGALEIDAE | 0065 |
| <i>H. microstoma</i> | Sicklefin weasel shark | 0066 |
| <i>Hemipristis</i> | | 0070 |
| <i>H. elongatus</i> | Snaggletooth shark | 0071 |
| <i>Lamiopsis</i> | CARCHARHINIDAE | 0075 |
| <i>L. temmincki</i> | Broadfin shark | 0076 |
| <i>Loxodon</i> | Sliteye shark | 0080 |
| <i>L. macrorhinus</i> | | 0081 |
| <i>Mustelus</i> | TRIAKIDAE | 0085 |
| <i>M. mosis</i> | Arabian smoothhound | 0086 |
| <i>Negaprion</i> | CARCHARHINIDAE | 0090 |
| <i>N. acutidens</i> | Sicklefin lemo shark | 0091 |

| Group/Genus/Species | Family/Common Name | Code |
|-----------------------|-------------------------------|------|
| <i>Rhizoprionodon</i> | | 0100 |
| <i>R. acutus</i> | Milk shark | 0101 |
| <i>R. oligolinx</i> | Grey sharpnose shark | 0102 |
| <i>Scoliodon</i> | | 0105 |
| <i>S. laticaudus</i> | Spadenose shark | 0106 |
| <i>Triaenodon</i> | | 0110 |
| <i>T. obesus</i> | Whitetip reef shark | 0111 |
| <i>Eusphyra</i> | SPHYRNIDAE | 0115 |
| <i>E. blochii</i> | Winghead shark | 0116 |
| <i>Sphyrna</i> | | 0120 |
| <i>S. lewini</i> | Scalloped hammerhead shark | 0121 |
| <i>S. mokarran</i> | Great hammerhead shark | 0122 |
| <i>S. zygaena</i> | Smooth hammerhead shark | 0123 |
| <i>Centrophorus</i> | SQUALIDE | 0125 |
| <i>C. moluccensis</i> | Spiny shark | 0126 |
| <i>Echinorhinus</i> | ECHINORHINIDAE | 0130 |
| <i>E. brucus</i> | Bramble shark | 0131 |
| Other sharks | | 0139 |
| SKATES | | |
| <i>Rhina</i> | RHINOBATIDAE | 0140 |
| <i>R. ancylostoma</i> | Bow-mouthed angel fish | 0141 |
| <i>Rhinobatos</i> | | 0145 |
| <i>R. granulatus</i> | Granulated shovel-nose ray | 0146 |
| <i>R. variegatus</i> | Variegated shovel-nose ray | 0147 |
| <i>Rhynchobatus</i> | | 0150 |
| <i>R. djiddensis</i> | White-spotted shovel-nose ray | 0151 |

| Group/Genus/Species | Family/Common Name | Code |
|--|----------------------------|------|
| <i>Anoxypristis</i> | PRISTIDAE | 0155 |
| <i>A. cuspidata</i> (= <i>Pristis cuspidatus</i>) | Pointed saw-fish | 0156 |
| <i>Pristis</i> | | 0160 |
| <i>P. microdon</i> | Small-toothed saw-fish | 0161 |
| <i>P. pectinata</i> | Pectinated saw-fish | 0162 |
| <i>P. zijsron</i> | Green saw-fish | 0163 |
| <i>Raja</i> | RAJIDAE | 0165 |
| <i>R. mamillidens</i> | Prickly skate | 0166 |
| Other skates | | 0174 |
| RAYS | | |
| <i>Aetoplatea</i> | DASYATIDAE(=TRYGONIDAE) | 0175 |
| <i>A. tentaculata</i> | Butterfly ray | 0176 |
| <i>Dasyatis</i> | | 0180 |
| <i>D. microps</i> | Common sting ray | 0181 |
| <i>D. zugei</i> (= <i>Amphotistius zugei</i>) | Pale-edged sting ray | 0182 |
| <i>D. kuhlii</i> (= <i>A. kuhlii</i>) | Blue-spotted sting ray | 0183 |
| <i>Gymnura</i> | | 0185 |
| <i>G. micrura</i> | Short-tailed butterfly ray | 0186 |
| <i>G. poecilura</i> | Long-tailed butterfly ray | 0187 |
| <i>Himantura</i> | | 0190 |
| <i>H. bleekeri</i> | Whip-tail stingray | 0191 |
| <i>H. gerrardi</i> | Gerrard's sting ray | 0192 |
| <i>H. imbricata</i> (= <i>Amphotistius imbricatus</i>) | Scaly stingray | 0193 |
| <i>H. jenkinsii</i> | Jenkis' sting ray | 0194 |
| <i>H. marginatus</i> (= <i>A. marginatus</i>) | Black-edged stingray | 0195 |

| Group/Genus/Species | Family/Common Name | Code |
|---|---------------------------|------|
| <i>H. uarnak</i> | Banded whip-tail stingray | 0196 |
| <i>Hypolophus</i> (= <i>Pastinachus</i>) | Cowtail ray | 0200 |
| <i>H. sephen</i> (= <i>P. sephen</i>) | Cowtail ray | 0201 |
| <i>Urogymnus</i> | | 0205 |
| <i>U. africanus</i> | Thorny ray | 0206 |
| <i>Aetobatus</i> | MYLIOBATIDIDAE | 0210 |
| <i>A. flagellum</i> | Common eagle ray | 0211 |
| <i>A. narinari</i> | Spotted eagle ray | 0212 |
| <i>Aetomylaeus</i> | | 0215 |
| <i>A. maculatus</i> | Mottled eagle ray | 0216 |
| <i>A. nichofii</i> | Nieuhof's eagle ray | 0217 |
| <i>Rhinoptera</i> | RHINOPTERIDAE | 0220 |
| <i>R. adspersa</i> | Rough cow ray | 0221 |
| <i>R. javanica</i> | Javanese cow ray | 0222 |
| <i>Manta</i> | MOBULIDAE | 0225 |
| <i>M. birostris</i> | Giant devil ray | 0226 |
| <i>Mobula</i> | | 0230 |
| <i>M. diabolus</i> | Lesser devil ray | 0231 |
| <i>Benthobatis</i> | TORPEDINIDAE | 0235 |
| <i>B. moresbyi</i> | Electric ray | 0236 |
| <i>Narcine</i> | | 0240 |
| <i>N. brunnea</i> | Brown electric ray | 0241 |
| <i>N. timlei</i> | Spotted electric ray | 0242 |
| <i>Narke</i> | | 0245 |
| <i>N. dipterygia</i> | Numbfish | 0246 |

| Group/Genus/Species | Family/Common Name | Code |
|--|-----------------------|------|
| <i>Torpedo</i> | | 0250 |
| <i>T. marmorata</i> | Torpedo electric ray | 0251 |
| Other rays | | 0259 |
| CHIMAERAS | | |
| <i>Neoharriota</i> | CHIMAERIDAE | 0260 |
| <i>N. pinnata</i> | Longnose chimaera | 0261 |
| TELEOSTS | | |
| TEN POUNDERS | | |
| <i>Elops</i> | ELOPIDAE | 0270 |
| <i>E. machnata</i> | Ten pounder | 0271 |
| TARPONS | | |
| <i>Megalops</i> | MEGALOPIDAE | 0275 |
| <i>M. cyprinoides</i> | Indo-pacific tarpon | 0276 |
| BONE FISH | | |
| <i>Albula</i> | ALBULIDAE | 0280 |
| <i>A. neoguinaica</i> (= <i>A. vulpes</i>) | Sharpjaw bone fish | 0281 |
| SHADS, HERRINGS, SPRATS AND SARDINES | | |
| <i>Anodontostoma</i> | CLUPEIDAE | 0285 |
| <i>A. chacunda</i> | Chacunda gizzard-shad | 0286 |
| <i>Dussumieria</i> | | 0290 |
| <i>D. acuta</i> | Rainbow sardine | 0291 |
| <i>D. elopsoides</i> | Rainbow sardine | 0292 |
| <i>Ehirava</i> | | 0295 |
| <i>E. fluviatilis</i> | Malabar sprat | 0296 |

| Group/Genus/Species | Family/Common Name | Code |
|---|------------------------------|------|
| <i>Escualosa</i> (= <i>Kowala</i>) | | 0300 |
| <i>E. thoracata</i> (= <i>K. coval</i>) | White sardine | 0301 |
| <i>Gonialosa</i> | | 0305 |
| <i>G. manmina</i> | Ganges gizzard-shad | 0306 |
| <i>Herklotsichthys</i> | | 0310 |
| <i>H. punctatus</i> | Spotted herring | 0311 |
| <i>Tenualosa</i> | | 0315 |
| <i>T. ilisha</i> (= <i>Hilsa ilisha</i>) | Hilsa shad | 0316 |
| <i>T. toli</i> (= <i>Hilsa toli</i>) | Toli shad | 0318 |
| <i>Hilsa</i> | | 0320 |
| <i>H. kelee</i> | Kelee shad | 0321 |
| <i>Ilisha</i> | | 0325 |
| <i>I. elongata</i> | Elongate ilisha | 0326 |
| <i>I. megaloptera</i> | Bigeye ilisha | 0327 |
| <i>I. melastoma</i> | Indian ilisha | 0328 |
| <i>I. filigera</i> | Common ilisha | 0329 |
| <i>Nematalosa</i> | | 0335 |
| <i>N. nasus</i> | Bloch's gizzard-shad | 0336 |
| <i>Opisthopterus</i> | | 0340 |
| <i>O. tardoore</i> | Tardoore | 0341 |
| <i>Pellona</i> | | 0345 |
| <i>P. ditchela</i> | Indian pellona | 0346 |
| <i>Raconda</i> | | 0350 |
| <i>R. russeliana</i> | Russel's smooth-back herring | 0351 |

| Group/Genus/Species | Family/Common Name | Code |
|--|-------------------------------------|------|
| <i>Sardinella</i> | | 0355 |
| <i>S. albella</i> | White sardinella | 0356 |
| <i>S. brachysoma</i> | Deep-body sardine | 0357 |
| <i>Amblygaster clupeioides</i> (= <i>S. clupeioides</i>) | Bleeker's smoothbelly sardinella | 0358 |
| <i>S. dayi</i> | Day's sardine | 0359 |
| <i>S. fimbriata</i> | Fringe-scale sardine | 0360 |
| <i>S. gibbosa</i> | Gold-stripe sardinella | 0361 |
| <i>S. longiceps</i> | Indian oil sardinella | 0362 |
| <i>S. melanura</i> | Black-tip sardinella | 0363 |
| <i>Amblygaster sirm</i> (= <i>S. sirm</i>) | Spotted sardinella | 0364 |
| <i>A. leiogaster</i> (= <i>S. leiogaster</i>) | Smoothbelly sardinella | 0365 |
| <i>Spratelloides</i> | | 0370 |
| <i>S. delicatulus</i> | Delicate round herring | 0371 |
| <i>S. gracilis</i> (= <i>S. japonicus</i>) | Striped round herring | 0372 |
| ANCHOVIES AND THRYSSA | | |
| <i>Coilia</i> | ENGRAULIDAE | 0375 |
| <i>C. dussumieri</i> | Gold-spotted granadier anchovy | 0376 |
| <i>C. neglecta</i> | Neglected granadier anchovy | 0377 |
| <i>Setipinna</i> | | 0380 |
| <i>S. taty</i> | Hairfin anchovy | 0381 |
| <i>Stolephorus</i> | | 0385 |
| <i>S. waitei</i> (= <i>S. bataviensis</i>) | Spotfaced anchovy | 0386 |
| <i>S. punctifer</i> (= <i>S. buccaneeri</i>) | Buccaneer anchovy | 0387 |
| <i>S. commersonii</i> | Commerson's anchovy | 0388 |
| <i>S. devisi</i> | Devis' anchovy | 0389 |
| <i>S. heterolobus</i> | Shorthead anchovy | 0390 |

| Group/Genus/Species | Family/Common Name | Code |
|--|------------------------|------|
| <i>S. indicus</i> | Indian anchovy | 0391 |
| <i>S. macrops</i> | Estuarine anchovy | 0392 |
| <i>Thryssa</i> | | 0400 |
| <i>T. baelama</i> (= <i>Thrissina baelama</i>) | Baelama anchovy | 0401 |
| <i>T. dussumieri</i> | Dussumier's thryssa | 0406 |
| <i>T. hamiltonii</i> | Hamilton's thryssa | 0407 |
| <i>T. kammalensis</i> | Madura anchovy | 0408 |
| <i>T. malabarica</i> | Malabar thryssa | 0409 |
| <i>T. mystax</i> | Moustached thryssa | 0410 |
| <i>T. purava</i> | Puruva anchovy | 0411 |
| <i>T. setirostris</i> | Long-jaw thryssa | 0412 |
| <i>T. vitrirostris</i> | Orangemouth thryssa | 0413 |
| Other clupeoids | | 0429 |
| WOLF HERRINGS | | |
| <i>Chirocentrus</i> | CHIROCENTRIDAE | 0430 |
| <i>C. dorab</i> | Dorab wolf-herring | 0431 |
| <i>C. nudus</i> | White-fin wolf-herring | 0432 |
| MILK FISHES | | |
| <i>Chanos</i> | CHANIDAE | 0435 |
| <i>C. chanos</i> | Milk-fish | 0436 |
| SLICK-HEADS | | |
| <i>Narcetes</i> | ALEPOCEPHALIDAE | 0440 |
| <i>N. erimelas</i> | Slick-head | 0441 |
| MARINE HATCHET-FISHES | | |
| <i>Polyipnus</i> | STERNOPTYCHIDAE | 0445 |
| <i>P. spinosus</i> | Hatchet-fish | 0446 |

| Group/Genus/Species | Family/Common Name | Code |
|---------------------------------|-------------------------|------|
| VIPER-FISHES | | |
| <i>Chauliodus</i> | CHAULIODONTIDAE | 0450 |
| <i>C. pammelas</i> | Viper-fish | 0451 |
| BRISTLEMOUTHS | | |
| <i>Gonostoma</i> | GONOSTOMATIDAE | 0455 |
| <i>G. elongatum</i> | Bristle-mouth | 0456 |
| SNAGGLETOOTHES | | |
| <i>Astronesthes</i> | ASTRONESTHIDAE | 0460 |
| <i>A. lucifer</i> | Brilliant snaggle tooth | 0461 |
| DEEP-SEA HERRINGS | | |
| <i>Bathyclupea</i> | BATHYCLUPEIDAE | 0465 |
| <i>B. hoskynii</i> | Deep-sea herring | 0466 |
| LIZARD FISHES | | |
| <i>Saurida</i> | SYNODONTIDAE | 0470 |
| <i>S. gracilis</i> | Gracile lizardfish | 0471 |
| <i>S. tumbil</i> | Greater lizardfish | 0472 |
| <i>S. undosquamis</i> | Brushtooth lizardfish | 0473 |
| <i>Synodus</i> | | 0480 |
| <i>S. indicus</i> | Indian lizardfish | 0481 |
| <i>S. binotatus</i> | Two-spot lizardfish | 0482 |
| <i>S. englemani</i> | Engleman's lizardfish | 0483 |
| <i>S. macrops</i> | Triplecross lizardfish | 0484 |
| <i>Trachinocephalus</i> | | 0485 |
| <i>T. myops</i> | Bluntnose lizardfish | 0486 |
| Other lizard fish | | 489 |
| BARRACUDINAS | | |
| <i>Lestidiops (= Lestidium)</i> | PARALEPIDAE | 0490 |
| <i>L. indopacifica</i> | Pike smelt | 0491 |

| Group/Genus/Species | Family/Common Name | Code |
|---------------------------------------|--------------------------|------|
| Other clupeoids | | 0489 |
| <i>Paralepis</i> | | 0495 |
| <i>P. brevicornis</i> | Common barracudina | 0496 |
| BOMBAY-DUCK | | |
| <i>Harpadon</i> | HARPADONTIDAE | 0500 |
| <i>H. nehereus</i> | Bombay-duck | 0501 |
| GREENEYES (THREAD-SAIL FISHES) | | |
| <i>Chlorophthalmus</i> | CHLOROPHTHALMIDAE | 0505 |
| <i>C. agassizi</i> | Shortnose greeneye | 0506 |
| <i>C. bicornis</i> | Spotted greeneye | 0507 |
| (= <i>C. corniger</i>) | | |
| LANCETFISHES | | |
| <i>Alepisaurus</i> | ALEPISAUROIDAE | 0510 |
| <i>A. ferox</i> | Lancetfish | 0511 |
| LANTERNFISHES | | |
| <i>Diaphus</i> | MYCTOPHIDAE | 0515 |
| <i>D. leutkeni</i> | Lutken's lanternfish | 0516 |
| <i>Myctophum</i> | | 0520 |
| <i>M. affine</i> | Short-head lanternfish | 0521 |
| <i>M. andreae</i> | Little lanternfish | 0522 |
| <i>M. aurolaternatum</i> | Coloured lanternfish | 0523 |
| <i>M. evermanni</i> | Evermann's lanternfish | 0524 |
| <i>M. reinhardti</i> | Reinhart's lanternfish | 0525 |
| <i>M. spinosum</i> | Spiny lanternfish | 0526 |
| <i>M. splendidum</i> | Splendid lanternfish | 0527 |
| <i>Neoscopelus</i> | | 0540 |
| <i>N. macrolepidotus</i> | Large-scaled lanternfish | 0541 |

| Group/Genus/Species | Family/Common Name | Code |
|---|------------------------|------|
| CATFISHES | | |
| <i>Arius</i> | ARIIDAE | 0545 |
| <i>A. caelatus</i> | Engraved catfish | 0546 |
| <i>A. dussumieri</i> | Blacktip sea catfish | 0547 |
| <i>A. jella</i> | Blackfin sea catfish | 0548 |
| <i>A. maculatus</i> | Spotted catfish | 0549 |
| <i>A. platystomus</i> | Flat-mouth sea catfish | 0550 |
| <i>A. sona</i> | Sona sea catfish | 0551 |
| <i>A. subrostratus</i> | Shovelnose sea catfish | 0552 |
| <i>A. tenuispinis</i> | Thinspine sea catfish | 0553 |
| <i>A. thalassinus</i> | Giant catfish | 0554 |
| <i>A. venosus</i> | Veined catfish | 0555 |
| <i>A. arius</i> | Threadfin sea catfish | 0556 |
| | | |
| <i>Batrachocephalus</i> | | 0560 |
| <i>B. mino</i> | Beardless sea catfish | 0561 |
| | | |
| <i>Macrones</i> | | 0565 |
| <i>M. gulio</i> | Long-whiskers catfish | 0566 |
| | | |
| <i>Osteogeneiosus</i> | | 0570 |
| <i>O. militaris</i> | Soldier catfish | 0571 |
| (= <i>O. stenocephalus</i>) | | |
| | | |
| Other catfishes | | 0574 |
| CATFISH EELS (EEL CATFISHES) | | |
| <i>Plotosus</i> | PLOTOSIDAE | 0575 |
| <i>P. limbatus</i> | Striped eel catfish | 0576 |
| (= <i>P. anguillaris</i>) | | |
| | | |
| <i>P. canius</i> | Eel catfish | 0577 |

| Group/Genus/Species | Family/Common Name | Code |
|---|--------------------------|------|
| EELS, MORAYS, CONGERS AND PIKES | | |
| <i>Anguilla</i> | ANGUILLIDAE | 0585 |
| <i>A. bicolor bicolor</i> | Shortfin eel | 0586 |
| <i>A. bengalensis bengalensis</i> (= <i>A. nebulosus nebulosus</i>) | Indian long-fin eel | 0587 |
| <i>Gymnothorax</i> | MURAENIDAE | 0590 |
| <i>G. fimbriatus</i> | Dark-spotted moray | 0591 |
| <i>G. pictus</i> | Spotted moray | 0592 |
| <i>G. undulatus</i> | Leopard moray | 0593 |
| <i>Thyrsoidea</i> | | 0595 |
| <i>T. macrura</i> | Giant slender moray | 0596 |
| <i>Congresox</i> | MURAENESOCIDAE | 0600 |
| <i>C. talabanoides</i> | Indian pike-conger | 0601 |
| <i>C. talabon</i> | Yellow pike-conger | 0602 |
| <i>Muraenesox</i> | | 0605 |
| <i>M. cinereus</i> | Dagger-tooth pike-conger | 0606 |
| <i>M. bagio</i> | Common pike-conger | 0607 |
| <i>Uroconger</i> | CONGRIDAE | 0610 |
| <i>U. lepturus</i> | Slender conger | 0611 |
| <i>Ariosoma</i> | | 0615 |
| <i>A. anago</i> | Sea conger | 0616 |
| <i>A. gnanadossi</i> | Sea conger | 0617 |
| <i>Coloconger</i> | | 0620 |
| <i>C. raniceps</i> | Deep-sea conger | 0621 |

| Group/Genus/Species | Family/Common Name | Code |
|---|-----------------------|------|
| <i>Nemichthys</i> | | 0630 |
| Other eels | | 0634 |
| NEEDLEFISHES, FULLBEAKS (GARFISHES) | | |
| <i>Ablennes</i> | BELONIDAE | 0635 |
| <i>A. hians</i> | Flat needlefish | 0636 |
| FULLBEAKS (GARFISHES) | | |
| <i>Strongylura</i> | | 0640 |
| <i>S. incisa</i> | Garfish | 0642 |
| <i>S. leiura</i> | Banded needlefish | 0643 |
| <i>S. strongylura</i> | Spot tail needlefish | 0644 |
| <i>Tylosurus</i> | | 0645 |
| <i>T. crocodilus crocodilus</i> (= <i>Strongylura crocodilus</i>) | Hound needlefish | 0646 |
| HALFBEAKS | | |
| <i>Hemirhamphus</i> | HEMIRAMPHIDAE | 0650 |
| <i>H. archipelagicus</i> | Jumping halfbeak | 0651 |
| <i>H. far</i> | Black-barred halfbeak | 0652 |
| <i>H. marginatus</i> | Barred halfbeak | 0653 |
| <i>Hyporhamphus</i> | | 0660 |
| <i>H. limbatus</i> (= <i>H. gaimardi</i>) | Congaturi halfbeak | 0661 |
| <i>H. xanthopterus</i> | Red-tipped halfbeak | 0663 |
| <i>H. quoyi</i> | Common halfbeak | 0664 |
| <i>Rhynchorhamphus</i> | | 0670 |
| <i>R. malabaricus</i> (= <i>R. georgii</i>) | Malabar halfbeak | 0671 |
| <i>Zenarchopterus</i> | | 0675 |
| <i>Z. dispar</i> | Viviparous halfbeak | 0676 |

| Group/Genus/Species | Family/Common Name | Code |
|---|---------------------------------|------|
| FLYINGFISHES | | |
| <i>Cheilopogon</i> | EXOCOETIDAE | 0680 |
| <i>C. cyanopterus</i> (= <i>Cypselurus cyanopterus</i>) | Margined flyingfish | 0681 |
| <i>C. furcatus</i> (= <i>Cypselurus furcatus</i>) | Spotfin flyingfish | 0682 |
| <i>Cypselurus</i> | | 0685 |
| <i>C. oligolepis</i> | Largescale flyingfish | 0686 |
| <i>C. poicilopterus</i> (= <i>C. spilopterus</i>) | Yellowing flyingfish | 0687 |
| <i>Exocoetus</i> | | 0690 |
| <i>E. volitans</i> | Tropical two-wing flyingfish | 0691 |
| <i>E. monocirrhus</i> | Barbel flyingfish | 0692 |
| <i>Hirundichthys</i> | | 0695 |
| <i>H. oxycephalus</i> | Bony flyingfish | 0696 |
| <i>H. coromandelensis</i> | Coromandel flyingfish | 0697 |
| <i>Parexocoetus</i> | | 0700 |
| <i>P. brachypterus</i> | Sailfin flyingfish | 0701 |
| <i>Prognichthys</i> | | 0705 |
| <i>P. brevipinnis</i> | Shortfin flyingfish | 0706 |
| SPOTTED CODLET (UNICORN COD) | | |
| <i>Bregmaceros</i> | BREGMACEROTIDAE | 0710 |
| <i>B. macclellandi</i> | Spotted codlet (unicorn cod) | 0711 |
| MORID CODS | | |
| <i>Physiculus</i> | MORIDAE | 0715 |
| <i>P. argyropastus</i> | Silver morid cod | 0716 |

| Group/Genus/Species | Family/Common Name | Code |
|-----------------------------------|-----------------------------|------|
| RATTAILS (GRENADIERS) | | |
| <i>Bathygadus</i> | MACROURIDAE | 0720 |
| <i>B. furvescens</i> | Dusky rattail | 0721 |
| <i>Coelorinchus</i> | | 0725 |
| <i>C. flabellispinis</i> | Spiny rattail | 0726 |
| <i>C. parallelus</i> | Spiny rattail | 0727 |
| <i>Hymenocephalus</i> | | 0730 |
| <i>Lionurus</i> | | 0735 |
| <i>L. pumiliceps</i> | Deep-head rattail | 0736 |
| <i>Macrurus</i> | | 0740 |
| <i>M. nasutus</i> | Blunt-snout rattail | 0741 |
| <i>Malacocephalus</i> | | 0745 |
| <i>M. laevis</i> | Brown rattail | 0746 |
| CORNETFISHES (FLUTEMOUTHS) | | |
| <i>Fistularia</i> | FISTULARIIDAE | 0750 |
| <i>F. petimba (= F. villosa)</i> | Cornet fish | 0751 |
| <i>F. commersonii</i> | Blue spotted red cornetfish | 0753 |
| BEARDFISHES | | |
| <i>Polymixia</i> | POLYMIKIIDAE | 0755 |
| <i>P. japonica</i> | Beardfish | 0756 |
| ALFONSINOS | | |
| <i>Beryx</i> | BERYCIDAE | 0760 |
| <i>B. splendens</i> | Slender alfonsino | 0761 |
| <i>B. decadactylus</i> | Alfonsino | 0762 |
| SLIMEHEADS | | |
| <i>Gephyroberyx</i> | TRACHICHTHYIDAE | 0765 |

| Group/Genus/Species | Family/Common Name | Code |
|--|-------------------------------|------|
| <i>Hoplostethus</i> | | 0770 |
| <i>H. mediterraneus</i> | Mediterranean slimehead | 0771 |
| <i>Trachichthys</i> (= <i>Trachichthodes</i>) | | 0775 |
| <i>T. spinosus</i> | Gilchrist's slimehead | 0776 |
| SQUIRRELFISHES AND SOLDIERFISHES | | |
| <i>Sargocentron</i> (= <i>Holocentrus</i>) | HOLOCENTRIDAE | 0780 |
| <i>S. diadema</i> (= <i>H. diadema</i>) | Crowned squirrelfish | 0781 |
| <i>S. lacteoguttatus</i> | White-spotted squirrelfish | 0782 |
| <i>S. rubrum</i> (= <i>H. ruber</i>) | Red squirrelfish | 0783 |
| <i>Myripristis</i> | | 0790 |
| <i>M. adustus</i> | Shadowfin soldierfish | 0791 |
| <i>M. murdjan</i> | Pinecone soldier fish | 0792 |
| BOARFISHES | | |
| <i>Antigonia</i> | CAPROIDAE | 0795 |
| <i>A. rubescens</i> | Boarfish | 0796 |
| DORIES | | |
| <i>Zen</i> | ZEIDAE | 0800 |
| <i>Z. scutatus</i> | Dories | 0801 |
| <i>Zenopsis</i> | | 0805 |
| <i>Z. nebulosa</i> | Dories | 0806 |
| BARRACUDAS | | |
| <i>Sphyræna</i> | SPHYRAENIDAE | 0810 |
| <i>S. acutipinnis</i> | Pointed-finned barracuda | 0811 |
| <i>S. barracuda</i> | Great barracuda | 0812 |
| <i>S. forsteri</i> | Bigeye barracuda | 0814 |

| Group/Genus/Species | Family/Common Name | Code |
|---|-----------------------|------|
| <i>S. jello</i> | Pick handle barracuda | 0815 |
| <i>S. obtusata</i> (= <i>S. chrysotaenia</i>) | Obtuse barracuda | 0817 |
| <i>S. genie</i> | Gold-band barracuda | 0818 |
| MULLETS | | |
| <i>Crenimugil</i> | MUGILIDAE | 0825 |
| <i>C. crenilabis</i> | Fringelip mullet | 0826 |
| <i>Liza</i> | | 0830 |
| <i>L. carinata</i> | Keeled mullet | 0831 |
| <i>L. macrolepis</i> | Largescale mullet | 0832 |
| <i>L. parsia</i> | Gold-spot mullet | 0833 |
| <i>L. subviridis</i> | Greenback mullet | 0834 |
| <i>L. tade</i> | Tade mullet | 0835 |
| <i>L. vaigiensis</i> | Squaretail mullet | 0836 |
| <i>Mugil</i> | | 0840 |
| <i>M. cephalus</i> | Flathead mullet | 0841 |
| <i>Valamugil</i> | | 0845 |
| <i>V. cunnesius</i> | Longarm mullet | 0846 |
| <i>V. seheli</i> | Blue-spot mullet | 0847 |
| <i>V. speigleri</i> | Speigler's mullet | 0848 |
| Other mullets | | 0859 |
| HARDYHEADS | | |
| <i>Allanetta</i> | ATHERINIDAE | 0860 |
| <i>A. forskali</i> | Forskal's hardyhead | 0861 |
| <i>Atherinomorus</i> (= <i>Pranesus</i>) | | 0865 |
| <i>A. lacunosus</i> (= <i>P. pinguis</i>) | Silverside hardyhead | 0866 |

| Group/Genus/Species | Family/Common Name | Code |
|---|---------------------------------|------|
| <i>Hypoatherina</i> (= <i>Stenatherina</i>) | | 0870 |
| <i>H. temmincki</i> (= <i>S. temmincki</i>) | Samoan silverside | 0871 |
| THREADFINS | | |
| <i>Eleutheronema</i> | POLYNEMIDAE | 0875 |
| <i>E. tetradactylum</i> | Four-finger threadfin | 0876 |
| <i>Polynemus</i> | | 0880 |
| <i>P. heptadactylus</i> | Sevenfinger threadfin | 0881 |
| <i>P. indicus</i> | Indian threadfin | 0882 |
| <i>P. paradiseus</i> | Paradise threadfin | 0883 |
| <i>P. plebeius</i> | Striped threadfin | 0884 |
| <i>P. sexfilis</i> | Golden sixthread threadfin | 0885 |
| <i>P. sextarius</i> | Blackspot threadfin | 0886 |
| <i>P. xanthonemus</i> | Silver sixthread threadfin | 0887 |
| PERCHLETS AND SEA PERCHES | | |
| <i>Ambassis</i> | AMBASSIDAE | 0895 |
| <i>A. commersoni</i> | Commerson's glassy perchlet | 0896 |
| <i>A. gymnocephalus</i> | Naked-head glassy perchlet | 0897 |
| <i>A. urotaenia</i> | Banded-tail glassy perchlet | 0898 |
| <i>Lates</i> | CENTROPOMIDAE | 0910 |
| <i>L. calcarifer</i> | Barramundi (Giant sea perch) | 0911 |
| <i>Psammoperca</i> | | 0915 |
| <i>P. waigiensis</i> | Waigeu sea perch | 0916 |
| GROUPERS, HINDS AND LYRETAILS (ROCKCODS) | | |
| <i>Cephalopholis</i> | SERRANIDAE | 0925 |
| <i>C. argus</i> | Peacock hind | 0926 |

| Group/Genus/Species | Family/Common Name | Code |
|---|-----------------------|------|
| <i>C. boenack</i> (= <i>C. pachycentron</i>) | Chocolate hind | 0927 |
| <i>C. miniata</i> (= <i>C. miniatus</i>) | Coral hind | 0928 |
| <i>C. sonnerati</i> | Tomato hind | 0930 |
| <i>Epinephelus</i> | | 0940 |
| <i>E. areolatus</i> | Aerolate grouper | 0941 |
| <i>E. bleekeri</i> | Dusky-tail grouper | 0942 |
| <i>E. chlorostigma</i> | Brown-spotted grouper | 0943 |
| <i>E. diacanthus</i> | Spinycheek grouper | 0944 |
| <i>E. fasciatus</i> | Blacktip grouper | 0945 |
| <i>E. malabaricus</i> | Malabar grouper | 0946 |
| <i>E. melanostigma</i> | One-blotch grouper | 0947 |
| <i>E. merra</i> | Honeycomb grouper | 0948 |
| <i>E. morrhua</i> | Comet grouper | 0949 |
| <i>E. tauvina</i> | Greasy grouper | 0950 |
| <i>E. undulosus</i> | Wavylined grouper | 0951 |
| <i>E. lanceolatus</i> (= <i>Promicrops lanceolatus</i>) | Giant grouper | 0952 |
| <i>Plectropomus</i> | | 0960 |
| <i>P. leopardus</i> | Leopard coral grouper | 0961 |
| <i>P. maculatus</i> | Spotted coral grouper | 0962 |
| <i>Variola</i> | | 0970 |
| <i>V. louti</i> | Yellow-edged lyretail | 0971 |
| <i>V. albimarginata</i> | White-edged lyretail | 0972 |
| Other rock cods, groupers etc. | | 0974 |
| TERAPON PERCHES (TIGERPERCHES) | | |
| <i>Pelates</i> | TERAPONIDAE | 0975 |
| <i>P. quadrilineatus</i> | Fourlined terapon | 0976 |

| Group/Genus/Species | Family/Common Name | Code |
|--------------------------------------|-----------------------------|------|
| <i>Terapon</i> | | 0980 |
| <i>T. jarbua</i> | Jarbua terapon | 0981 |
| <i>T. theraps</i> | Largescaled terapon | 0982 |
| <i>T. puta</i> | Smallscaled terapon | 0983 |
| DOTTYBACKS | | |
| <i>Pseudochromis</i> | PSEUDOCROMIDAE | 0990 |
| <i>P. tapeinosoma</i> | Dottyback | 0991 |
| ROUNDHEADS | | |
| <i>Plesiops</i> | PLESIOPIDAE | 0995 |
| <i>P. caeruleolineatus</i> | Roundhead | 0996 |
| FLAGTAILS | | |
| <i>Kuhlia</i> | KUHLIIDAE | 1000 |
| <i>K. mugil (= K. taeniura)</i> | Barred flagtail | 1001 |
| <i>K. rupestris</i> | Rock flagtail | 1002 |
| BULLSEYES, GLASSEYES, BIGEYES | | |
| <i>Priacanthus</i> | PRIACANTHIDAE | 1005 |
| <i>P. cruentatus</i> | Glass eye | 1006 |
| <i>P. hamrur</i> | Moontail bullseye | 1007 |
| <i>P. tayenus</i> | Purple-spotted bigeye | 1008 |
| CARDINALFISHES | | |
| <i>Apogon</i> | APOGONIDAE | 1110 |
| <i>A. leptacanthus</i> | Filamented cardinalfish | 1111 |
| <i>A. quadrifasciatus</i> | Four-lined cardinalfish | 1112 |
| <i>A. sangiensis</i> | Brown-speckled cardinalfish | 1113 |
| <i>Archamia</i> | | 1120 |
| <i>A. fucata</i> | Spotted cardinalfish | 1121 |
| <i>A. lineolatus</i> | Cross-banded cardinalfish | 1122 |

| Group/Genus/Species | Family/Common Name | Code |
|--|----------------------------|------|
| <i>Cheilodipterus</i> | | 1125 |
| <i>C. lachneri</i> | Toothed cardinalfish | 1126 |
| <i>Pristiapogon</i> | | 1130 |
| <i>P. fraenatus</i> | Bridled cardinalfish | 1131 |
| <i>Ostorhynchus</i> | | 1135 |
| <i>O. apogonides</i> | Tropical cardinalfish | 1136 |
| <i>O. endekataenia</i> | Eleven-band cardinalfish | 1137 |
| <i>O. nubilus</i> | Six-band cardinalfish | 1138 |
| <i>O. savayensis</i> | Bleeker's cardinalfish | 1139 |
| <i>Paramia</i> | | 1145 |
| <i>P. quinquelineata</i> | | 1146 |
| SILLAGOS (WHITINGS) | | |
| <i>Sillago</i> | SILLAGINIDAE | 1150 |
| <i>S. maculata</i> | Trumpeter sillago | 1151 |
| <i>S. sihama</i> | Silver sillago | 1152 |
| <i>S. vincenti</i> | Vincent's sillago | 1153 |
| <i>S. chondropus</i> | Clubfoot sillago | 1154 |
| FALSE WHITINGS | | |
| <i>Malacanthus</i> | MALACANTHIDAE | 1160 |
| <i>M. latovittatus</i> | Blue blanquilio | 1161 |
| FALSE TREVELLIES (WHITEFISH) | | |
| <i>Lactarius</i> | LACTARIIDAE | 1165 |
| <i>L. lactarius</i> | False trevally (Whitefish) | 1166 |
| COBIAS | | |
| <i>Rachycentron</i> | RACHYCENTRIDAE | 1170 |
| <i>R. canadum</i> (= <i>R. canadus</i>) | Cobia | 1171 |

| Group/Genus/Species | Family/Common Name | Code |
|---|---------------------|------|
| CARANGIDS, TREVELLIES, SCADS, QUEENFISHES, BLACK POMFRET | | |
| <i>Alectis</i> | CARANGIDAE | 1175 |
| <i>A. ciliaris</i> | Threadfin trevally | 1176 |
| <i>A. indicus</i> | Indian threadfish | 1177 |
| <i>Alepes</i> | | 1180 |
| <i>A. djeddaba</i> | Shrimpscad | 1181 |
| <i>Atule mate (= Alepes mate)</i> | Yellowtail scad | 1182 |
| <i>Alepes melanopterus</i> | Blackfin scad | 1183 |
| <i>Atropus</i> | | 1185 |
| <i>A. atropus</i> | Cleftbelly trevally | 1186 |
| <i>Carangoides</i> | | 1190 |
| <i>C. armatus</i> | Longfin trevally | 1191 |
| <i>C. chrysophrys</i> | Long-nose trevally | 1192 |
| <i>C. ferdau</i> | Blue trevally | 1193 |
| <i>C. gymnostethus</i> | Bludger trevally | 1194 |
| <i>C. malabaricus</i> | Malabar trevally | 1195 |
| <i>C. praeustus</i> | Brownback trevally | 1196 |
| <i>C. talamparoides</i> | Imposter trevally | 1197 |
| <i>Caranx</i> | | 1200 |
| <i>C. ignobilis</i> | Giant trevally | 1202 |
| <i>C. melampygus</i> | Bluefin trevally | 1203 |
| <i>C. sexfasciatus</i> | Bigeye trevally | 1204 |
| <i>C. lugubris</i> | Black jack | 1205 |
| <i>C. sem</i> | Blacktip trevally | 1206 |
| <i>C. tille</i> | Tille trevally | 1207 |
| <i>Decapterus</i> | | 1210 |
| <i>D. russelli (= D. dayi)</i> | Indian scad | 1211 |
| <i>D. macrosoma</i> | Shortfin scad | 1213 |

| Group/Genus/Species | Family/Common Name | Code |
|--|-------------------------|------|
| <i>Elagatis</i> | | 1220 |
| <i>E. bipinnulata</i> | Rainbow runner | 1221 |
| <i>Gnathanodon</i> | | 1225 |
| <i>G. speciosus</i> | Golden trevally | 1226 |
| <i>Megalaspis</i> | | 1230 |
| <i>M. cordyla</i> | Torpedo scad | 1231 |
| <i>Naucrates</i> | | 1235 |
| <i>N. ductor</i> | Pilot fish | 1236 |
| <i>Scomberoides</i> (= <i>Chorinemus</i>) | | 1240 |
| <i>S. commersonianus</i> | Talang queenfish | 1241 |
| <i>S. lysan</i> | Doublespotted queenfish | 1242 |
| <i>S. tala</i> | Barred queenfish | 1243 |
| <i>S. tol</i> | Needlescaled queenfish | 1244 |
| <i>Selar</i> | | 1250 |
| <i>S. boops</i> | Banded scad | 1251 |
| <i>S. crumenophthalmus</i> | Bigeye scad | 1252 |
| <i>Selaroides</i> | | 1260 |
| <i>S. leptolepis</i> | Yellow-stripe scad | 1261 |
| <i>Seriolina</i> (= <i>Seriola</i>) | | 1265 |
| <i>S. nigrofasciata</i> | Black-banded trevally | 1266 |
| <i>Trachinotus</i> | | 1270 |
| <i>T. baillonii</i> | Smallspotted dart | 1271 |
| <i>T. blochii</i> | Snubnose pompano | 1272 |
| <i>T. russelii</i> (= <i>T. botla</i>) | Largespotted dart | 1273 |
| <i>T. mookalee</i> | Indian pompano | 1274 |

| Group/Genus/Species | Family/Common Name | Code |
|---|--------------------------------|------|
| <i>Uraspis</i> | | 1280 |
| <i>U. helvola</i> (= <i>U. helvolus</i>) | Whitetongue jack | 1281 |
| <i>Parastromateus</i> (= <i>Formio</i>) | | 1285 |
| <i>P. niger</i> (= <i>F. niger</i>) | Black pomfret | 1286 |
| Other carangids | | 1289 |
| MOONFISH | | |
| <i>Mene</i> | MENIDAE | 1290 |
| <i>M. maculata</i> | Moonfish | 1291 |
| DOLPHIN FISHES | | |
| <i>Coryphaena</i> | CORYPHAENIDAE | 1295 |
| <i>C. hippurus</i> | Common dolphin fish | 1296 |
| <i>C. equiselis</i> | Pompano dolphin fish | 1297 |
| REDBAITS | | |
| <i>Dipterygnotus</i> | EMMELICHTHIDAE | 1300 |
| <i>D. leucogrammicus</i> | Redbait | 1301 |
| <i>Emmelichthys</i> | | 1305 |
| <i>E. nitidus</i> | Bonnetmouth | 1306 |
| JOBFISHES, SNAPPERS, FUSILIERS | | |
| <i>Aphareus</i> | LUTJANIDAE | 1310 |
| <i>A. furcatus</i> | Smooth-toothed jobfish | 1311 |
| <i>A. rutilans</i> | Rusty small-toothed jobfish | 1312 |
| <i>Aprion</i> | | 1315 |
| <i>A. virescens</i> | Green jobfish | 1316 |
| <i>Apsilus</i> | | 1320 |
| <i>A. fuscus</i> | Forktail snapper | 1321 |

| Group/Genus/Species | Family/Common Name | Code |
|--|---------------------------|------|
| <i>Caesio</i> and <i>Pterocaesio</i> | CAESIONIDAE | 1325 |
| <i>C. caeruleus</i> | Blue and gold fusilier | 1326 |
| <i>Pterocaesio chrysozona</i> (= <i>C. chrysozona</i>) | Goldband fusilier | 1327 |
| <i>P. pisang</i> (= <i>C. pisang</i>) | Bleeker's fusilier | 1328 |
| <i>P. tile</i> (= <i>C. tile</i>) | Tropical fusilier | 1329 |
| <i>C. xanthonotus</i> | Yellowfin fusilier | 1330 |
| <i>C. cuning</i> | Redbelly fusilier | 1331 |
| <i>Gymnocaesio</i> | | 1335 |
| <i>G. gymnopterus</i> | Slender fusilier | 1336 |
| <i>Lutjanus</i> | LUTJANIDAE | 1340 |
| <i>L. argentimaculatus</i> | Mangrove red snapper | 1341 |
| <i>L. bohar</i> | Two-spot snapper | 1342 |
| <i>L. fulviflammus</i> (= <i>L. fulviflamma</i>) | Back-spot snapper | 1343 |
| <i>L. gibbus</i> | Humpback red snapper | 1344 |
| <i>L. johni</i> | John's snapper | 1345 |
| <i>L. kasmira</i> | Common blue strip snapper | 1346 |
| <i>L. lutjanus</i> (= <i>L. lineolatus</i>) | Bigeye snapper | 1347 |
| <i>L. malabaricus</i> (= <i>L. sanguineus</i>) | Malabar blood snapper | 1348 |
| <i>L. russelli</i> | Russell's snapper | 1349 |
| <i>L. sebae</i> | Emperor red snapper | 1351 |
| <i>L. fulvus</i> (= <i>L. vaigiensis</i>) | Blacktail snapper | 1352 |
| <i>L. bengalensis</i> | Bengal snapper | 1353 |
| <i>Pristipomoides</i> | | 1360 |
| <i>P. typus</i> | Sharp-tooth jobfish | 1361 |
| <i>P. multidens</i> | Goldband jobfish | 1362 |
| Other snappers, Jobfishers etc. | | 1364 |

| Group/Genus/Species | Family/Common Name | Code |
|--|---------------------------------|------|
| THREADFIN BREAMS AND MONACLE BREAMS | | |
| <i>Nemipterus</i> | NEMIPTERIDAE | 1365 |
| <i>N. bipunctatus</i> (= <i>N. delagoae</i>) | Delagoa threadfin bream | 1366 |
| <i>N. japonicus</i> | Japanese threadfin bream | 1367 |
| <i>N. mesoprion</i> | Red-filament threadfin bream | 1369 |
| <i>N. peronii</i> (= <i>N. tolu</i>) | Notchedfin threadfin bream | 1371 |
| <i>N. nematophorus</i> | Doublewhip threadfin bream | 1372 |
| <i>N. randalli</i> | Roundall's threadfin bream | 1373 |
| <i>N. furcosus</i> | Forktailed threadfin bream | 1374 |
| <i>N. zysron</i> | Slender threadfin bream | 1375 |
| <i>Parascolopsis</i> | | 1380 |
| <i>P. eriomma</i> | Rosy dwarf monacle bream | 1381 |
| <i>P. aspinosa</i> | Smooth dwarf monacle bream | 1382 |
| <i>P. boesemani</i> | Redfin dwarf monacle bream | 1383 |
| <i>Scolopsis</i> | | 1385 |
| <i>S. bimaculatus</i> | Two-spot monacle bream | 1386 |
| <i>S. vosmeri</i> | White-cheeked monacle bream | 1387 |
| <i>S. bilineatus</i> | Two-lined monacle bream | 1388 |
| Other threadfin breams | | 1394 |
| TRIPLETAILS | | |
| <i>Lobotes</i> | LOBOTIDAE | 1395 |
| <i>L. surinamensis</i> | Tripletail | 1396 |
| <i>Datnioides</i> | | 1400 |
| <i>D. quadrifasciatus</i> | Four-banded tripletail | 1401 |

| Group/Genus/Species | Family/Common Name | Code |
|-----------------------------------|-----------------------|------|
| PONYFISHES (SILVERBELLIES) | | |
| <i>Gazza</i> | LEIOGNATHIDAE | 1405 |
| <i>G. achlamys</i> | Naked toothpony | 1406 |
| <i>G. minuta</i> | Toothpony | 1407 |
| <i>Leiognathus</i> | | 1410 |
| <i>L. berbis</i> | Berber ponyfish | 1411 |
| <i>L. bindus</i> | Orange-fin ponyfish | 1412 |
| <i>L. blochi</i> | Two-blotch ponyfish | 1413 |
| <i>L. brevisrostris</i> | Shortnose ponyfish | 1414 |
| <i>L. daura</i> | Gold-stripe ponyfish | 1415 |
| <i>L. dussumieri</i> | Dussumier's ponyfish | 1416 |
| <i>L. equulus</i> | Common ponyfish | 1417 |
| <i>L. fasciatus</i> | Striped ponyfish | 1418 |
| <i>L. jonesi</i> | Jone's ponyfish | 1419 |
| <i>L. leuciscus</i> | Whipfin ponyfish | 1420 |
| <i>L. lineolatus</i> | Ornate ponyfish | 1421 |
| <i>L. splendens</i> | Splendid ponyfish | 1422 |
| <i>L. elongatus</i> | Slender ponyfish | 1423 |
| <i>Secutor</i> | | 1430 |
| <i>S. insidiator</i> | Pugnose ponyfish | 1431 |
| <i>S. ruconius</i> | Deep pugnose ponyfish | 1432 |
| Other silverbellies | | 1434 |
| SILVER-BIDDIES (MOJARRAS) | | |
| <i>Gerres</i> | GERREIDAE | 1435 |
| <i>G. abbreviatus</i> | Deep-body silverbidy | 1436 |
| <i>G. filamentosus</i> | Whip-fin silverbidy | 1437 |
| <i>G. lucidus</i> | Saddleback silverbidy | 1438 |
| <i>G. macracanthus</i> | Bigeyed mojarra | 1439 |
| <i>G. oyena</i> | Common silverbidy | 1440 |
| <i>G. setifer</i> | Black-tipped mojarra | 1441 |
| <i>G. acinaces</i> | Longtail silver-bidy | 1442 |

| Group/Genus/Species | Family/Common Name | Code |
|--|--|------|
| <i>G. oblongus</i> | Slender silver-biddy | 1443 |
| <i>Pentaprion</i> | | 1445 |
| <i>P. longimanus</i> | Longfin silverbiddy | 1446 |
| SWEETLIPS AND GRUNTERS | | |
| <i>Plectorhyncus</i> (= <i>Gaterin</i>) | HAEMULIDAE (=POMADASIDAE) | 1450 |
| <i>P. diagrammus</i> | Silver-banded sweetlip | 1451 |
| <i>P. lineatus</i> | Yellow-banded sweetlip | 1452 |
| <i>P. gibbosus</i> (= <i>G. nigrus</i>) | Black sweetlip | 1453 |
| <i>P. orientalis</i> | Oriental sweetlip (= <i>G. orientalis</i>) | 1454 |
| <i>P. griseus</i> | Grey sweetlip | 1461 |
| <i>P. pictus</i> | Trout sweetlip | 1462 |
| <i>P. schotaf</i> | Minstrel sweet lip | 1463 |
| <i>Pomadasys</i> | | 1465 |
| <i>P. argyreus</i> | Bluecheek silver grunt | 1466 |
| <i>P. kaakan</i> (= <i>P. hasta</i>) | Javelin grunt | 1467 |
| <i>P. maculatum</i> (= <i>P. maculatus</i>) | Saddle grunt | 1468 |
| <i>P. argenteus</i> | Silver grunt | 1469 |
| <i>Diagramma</i> | | 1470 |
| <i>D. pictum</i> | Painted sweettip | 1471 |
| Other sweetlips and gronders | | 1474 |
| CROAKERS | | |
| <i>Chrysochir</i> (= <i>Atrobucca</i>) | SCIAENIDAE | 1475 |
| <i>C. aureus</i> (= <i>A. nibe</i>) | Reeve's croaker | 1476 |
| <i>Dendrophysa</i> | | 1480 |
| <i>D. russelli</i> | Goatee croaker | 1481 |

| Group/Genus/Species | Family/Common Name | Code |
|--------------------------|---------------------------|------|
| <i>Johnieops</i> | | 1485 |
| <i>J. aneus</i> | Greyfin croaker | 1486 |
| <i>J. sina</i> | Sin croaker | 1487 |
| <i>J. vogleri</i> | Sharptooth hammer croaker | 1488 |
| <i>J. macrorhyncus</i> | Bignout croaker | 1489 |
| <i>Johnius</i> | | 1495 |
| <i>J. belangerii</i> | Belenger's croaker | 1496 |
| <i>J. carutta</i> | Karut croaker | 1497 |
| <i>J. dussumieri</i> | Bearded croaker | 1498 |
| <i>J. elongatus</i> | Spindle croaker | 1499 |
| <i>J. macropterus</i> | Largefin croaker | 1500 |
| <i>Kathala</i> | | 1505 |
| <i>K. axillaris</i> | Kathala croaker | 1506 |
| <i>Nibea</i> | | 1510 |
| <i>N. maculata</i> | Blotched croaker | 1511 |
| <i>N. soldado</i> | Soldier croaker | 1512 |
| <i>N. albida</i> | Two-bearded croaker | 1513 |
| <i>Otolithes</i> | | 1515 |
| <i>O. cuvieri</i> | Lesser tigertooth croaker | 1516 |
| <i>O. ruber</i> | Tigertooth croaker | 1517 |
| <i>Otolithoides</i> | | 1520 |
| <i>O. biauritus</i> | Bronze croaker | 1521 |
| <i>Pennahia</i> | | 1525 |
| <i>P. macrophthalmus</i> | Bigeye croaker | 1526 |
| <i>Protonibea</i> | | 1530 |
| <i>P. diacanthus</i> | Spotted croaker | 1531 |

| Group/Genus/Species | Family/Common Name | Code |
|---|-------------------------|------|
| Other croakers | | 1544 |
| EMPEROR BREAMS (PIGFACE BREAMS) | | |
| <i>Lethrinus</i> | LETHRINIDAE | 1545 |
| <i>L. harak</i> | Thumbprint emperor | 1548 |
| <i>L. lentjan</i> | Red-spot emperor | 1549 |
| <i>L. elongatus</i> (= <i>L. miniata</i>) | Longface emperor | 1550 |
| <i>L. nebulosus</i> (= <i>L. choerorhynchus</i> , <i>L. frenatus</i>) | Spangled emperor | 1551 |
| <i>L. ornatus</i> | Ornate emperor | 1552 |
| <i>L. ramak</i> | Yellow-banded emperor | 1553 |
| <i>L. aurolineatus</i> | Striped large eye bream | 1554 |
| <i>L. microdon</i> | Smalltooth emperor | 1555 |
| <i>L. variegatus</i> | Variiegated emperor | 1556 |
| <i>Monotaxis</i> | | 1560 |
| <i>M. grandoculis</i> | Humpnose bigeye bream | 1561 |
| <i>Gnathodentex</i> | | 1565 |
| <i>G. aurolineatus</i> | Striped large-eye bream | 1566 |
| <i>Gymnocranius</i> | | 1570 |
| <i>G. griseus</i> | Grey large-eye bream | 1571 |
| Other emperor breams | | 1574 |
| SILVERBREAMS | | |
| <i>Argyrops</i> | SPARIDAE | 1575 |
| <i>A. spinifer</i> | Long-spine silverbream | 1576 |
| <i>Acanthopagrus</i> (= <i>Mylio</i>) | | 1580 |
| <i>A. berda</i> (= <i>M. berda</i>) | Picnic silverbream | 1581 |
| <i>A. latus</i> (= <i>M. latus</i>) | Yellowfin silverbream | 1582 |
| <i>Rhabdosargus</i> | | 1585 |
| <i>R. sarba</i> | Goldlined silverbream | 1586 |

| Group/Genus/Species | Family/Common Name | Code |
|---|-----------------------|------|
| GOATFISHES | | |
| <i>Mulloides</i> (= <i>Mulloidichthys</i>) | MULLIDAE | 1590 |
| <i>M. flavolineatus</i> | Yellowstripe goatfish | 1591 |
| <i>M. vanicolensis</i> | Yellowfin goatfish | 1592 |
| <i>Parupeneus</i> | | 1595 |
| <i>P. barberinus</i> | Dash-and-dot goatfish | 1596 |
| <i>P. indicus</i> | Indian goatfish | 1597 |
| <i>P. macronema</i> | Long barbel goatfish | 1598 |
| <i>P. bifasciatus</i> | Doublebar goatfish | 1599 |
| <i>P. cyclostomus</i> | Goldsaddle goatfish | 1600 |
| <i>P. cinnabarinus</i> | Cinnabar goatfish | 1601 |
| <i>Upeneus</i> | | 1605 |
| <i>U. sulphureus</i> | Sulphur goatfish | 1606 |
| <i>U. sundaicus</i> | Ochreband goatfish | 1607 |
| <i>U. vittatus</i> | Striped goatfish | 1608 |
| <i>U. tragula</i> | Freckled goatfish | 1609 |
| <i>U. bensasi</i> | Bensasi goatfish | 1610 |
| <i>U. moluccensis</i> | Gold band goatfish | 1611 |
| <i>U. taeniopterus</i> | Fin-stripe goatfish | 1612 |
| Other goatfishes | | 1614 |
| MOONIES (SILVER BATFISH) | | |
| <i>Monodactylus</i> | MONODACTYLIDAE | 1615 |
| <i>M. argenteus</i> | Silver moony | 1616 |
| <i>M. falciformis</i> | Full moony | 1617 |
| SWEEPERS | | |
| <i>Pempheris</i> | PEMPHERIDAE | 1620 |
| <i>P. moluca</i> | Moluccan sweeper | 1621 |
| <i>P. vanicolensis</i> | Vanikoro sweeper | 1622 |

| Group/Genus/Species | Family/Common Name | Code |
|------------------------------------|--------------------------|------|
| SEACHUBBS (STONEBREAMS) | | |
| <i>Kyphosus</i> | KYPHOSIDAE | 1625 |
| <i>K. bigibbus</i> | Striped seachubb | 1626 |
| <i>K. cinerascens</i> | Blue seachubb | 1627 |
| <i>K. vaigiensis</i> | Brass seachubb | 1628 |
| SPADEFISHES | | |
| <i>Ephippus</i> | EPHIPPIDAE | 1630 |
| <i>E. orbis</i> | Spadefish | 1631 |
| <i>Platax</i> | PLATACIDAE | 1635 |
| <i>P. orbicularis</i> | Round spadefish | 1636 |
| <i>P. teira</i> | Long-finned spadefish | 1637 |
| SICKLEFISHES | | |
| <i>Drepane</i> | DREPANIDAE | 1640 |
| <i>D. longimana</i> | Barred sicklefish | 1641 |
| <i>D. punctata</i> | Spotted sicklefish | 1642 |
| SCATS (BUTTERFISHES) | | |
| <i>Scatophagus</i> | SCATOPHAGIDAE | 1645 |
| <i>S. argus</i> | Spotted scats | 1646 |
| <i>S. tetracanthus</i> | Crossbar scats | 1647 |
| CORALFISHES AND ANGELFISHES | | |
| <i>Chaetodon</i> | CHAETODONTIDAE | 1650 |
| <i>C. auriga</i> | Filamented coralfish | 1651 |
| <i>C. collare</i> | White-collared coralfish | 1652 |
| <i>C. trifasciatus</i> | Three-banded coralfish | 1653 |
| <i>C. vagabundus</i> | Vagabond coralfish | 1654 |
| <i>C. xanthocephalus</i> | Yellow-headed coralfish | 1655 |
| <i>Pomacanthus</i> | POMACANTHIDAE | 1660 |
| (= <i>Pomacanthodes</i>) | | |
| <i>P. annularis</i> | Ringed angelfish | 1661 |

| Group/Genus/Species | Family/Common Name | Code |
|---|----------------------------|------|
| <i>P. imperator</i> | Imperial angelfish | 1662 |
| <i>P. semicirculatus</i> | Blue angelfish | 1663 |
| CICHLIDS | | |
| <i>Sarotherodon</i> | CICHLIDAE | 1670 |
| <i>S. mossambica</i> | Tilapia | 1671 |
| <i>Etoplus</i> | | 1675 |
| <i>E. suratensis</i> | Banded etroplus | 1676 |
| DEMOISELLES AND PULLERS (DAMSELFISHES) | | |
| <i>Abudefduf</i> | POMACENTRIDAE | 1680 |
| <i>A. biocellatus</i> | Two-spot demoiselle | 1681 |
| <i>A. septemfasciatus</i> | Seven-band demoiselle | 1682 |
| <i>A. sexfasciatus</i> | Six-band demoiselle | 1683 |
| <i>A. sordidus</i> | Black-saddle demoiselle | 1684 |
| <i>A. uniocellatus</i> | One-spot demoiselle | 1685 |
| <i>Amphiprion</i> | | 1690 |
| <i>A. percula</i> | Orange anemone fish | 1691 |
| <i>A. sebae</i> | Yellow-tailed anemone fish | 1692 |
| <i>Chromis</i> | | 1695 |
| <i>C. caeruleus</i> | Blue puller | 1696 |
| <i>C. ternatensis</i> | Greenish puller | 1697 |
| <i>Dascyllus</i> | | 1700 |
| <i>D. aruanus</i> | Banded puller | 1701 |
| <i>D. trimaculatus</i> | White-spotted puller | 1702 |
| <i>Lepidozygus</i> | | 1705 |
| <i>L. tapeinosoma</i> | Slender demoiselle | 1706 |
| <i>Pomacentrus</i> | | 1710 |
| <i>P. nigricans</i> | Dusky demoiselle | 1711 |

| Group/Genus/Species | Family/Common Name | Code |
|---|------------------------|------|
| <i>P. pavo</i> | Blue-band demoiselle | 1712 |
| <i>P. tripunctatus</i> | Three-spot demoiselle | 1713 |
| PARROTFISHES | | |
| <i>Scarus</i> (= <i>Callyodon</i>) | SCARIDAE | 1720 |
| <i>S. psittacus</i> (= <i>C. bataviensis</i>) | Common parrotfish | 1721 |
| <i>S. ghobban</i> (= <i>C. ghobban</i>) | Yellowscale parrotfish | 1722 |
| <i>Hipposcarus harid</i> (= <i>C. harid</i>) | Candelamao parrotfish | 1723 |
| <i>S. prasiognathos</i> (= <i>C. jathochir</i>) | Singapore parrotfish | 1724 |
| <i>S. scaber</i> (= <i>C. scaber</i>) | Fivesaddle parrotfish | 1725 |
| <i>S. sordidus</i> | Dusky parrotfish | 1727 |
| <i>Calatomus</i> (= <i>Cryptotomus</i>) | | 1730 |
| <i>C. spinidens</i> | Spinytooth parrotfish | 1731 |
| WRASSES | | |
| <i>Anampses</i> | LABRIDAE | 1735 |
| <i>A. caeruleopunctatus</i> | Blue-spotted wrasse | 1736 |
| <i>Cheilinus</i> | | 1740 |
| <i>C. chlorurus</i> | Floral wrasse | 1741 |
| <i>C. diagrammus</i> (= <i>C. diagramme</i>) | Checklined wrasse | 1742 |
| <i>C. trilobatus</i> | Triple-tailed wrasse | 1743 |
| <i>C. undulatus</i> | Humphead wrasse | 1744 |
| <i>Cheilio</i> | | 1750 |
| <i>C. inermis</i> | Cigar wrasse | 1751 |
| <i>Coris</i> | | 1755 |
| <i>C. gaimard africana</i> | African coris | 1756 |

| Group/Genus/Species | Family/Common Name | Code |
|--|----------------------|------|
| <i>Gomphosus</i> | | 1760 |
| <i>G. coeruleus</i> | Bird wrasse | 1761 |
| <i>Hemigymnus</i> | | 1765 |
| <i>H. fasciatus</i> | Barred thicklip | 1766 |
| <i>Hologymnosus</i> | | 1770 |
| <i>H. doliatus</i> (= <i>H. semidiscus</i>) | Pastel wrasse | 1771 |
| <i>Stethojulis</i> | | 1775 |
| <i>S. axillaris</i> | Red-spot wrasse | 1776 |
| <i>S. strigiventer</i> | Silver-band wrasse | 1777 |
| <i>Thalassoma</i> | | 1780 |
| <i>T. hardwicki</i> | Hardwick's wrasse | 1781 |
| <i>T. lunare</i> | Moon wrasse | 1782 |
| <i>T. purpureum</i> (= <i>T. purpurea</i>) | Surge wrasse | 1783 |
| GRUBFISH | | |
| <i>Parapercis</i> | MUGILOIDIDAE | 1785 |
| <i>P. pulchella</i> | Rosy grubfish | 1786 |
| <i>P. punctata</i> | Spotted grubfish | 1787 |
| <i>P. quadrispinosa</i> | Four-spined grubfish | 1788 |
| <i>P. hexophthalma</i> | Spotted sand smelt | 1789 |
| CHAMPSODONTID FISH (GAPERS) | | |
| <i>Champsodon</i> | CHAMPSODONTIDAE | 1790 |
| <i>C. vorax</i> | Champsodon fish | 1791 |
| <i>C. capensis</i> | Gapers | 1792 |
| BLENNIES | | |
| <i>Entomacrodus</i> | BLENNIDAE | 1795 |
| <i>E. straitus</i> | Streaked blenny | 1796 |
| <i>E. vermiculatus</i> | Vermiculated blenny | 1797 |

| Group/Genus/Species | Family/Common Name | Code |
|---|------------------------------|------|
| <i>Istiblennius</i> | | 1800 |
| <i>I. lineatus</i> | Lined blenny | 1801 |
| <i>Petroscirtes</i> | | 1805 |
| <i>P. mitratus</i> | White-spotted blenny | 1806 |
| <i>Plagiotremus</i> (= <i>Runula</i>) | | 1810 |
| <i>P. rhinorhynchos</i> (= <i>R. rhinorhynchos</i>) | Striped sabre-toothed blenny | 1811 |
| <i>P. tapeinosoma</i> (= <i>R. tapeinosoma</i>) | Spotted sabre-toothed blenny | 1812 |
| <i>Salarias</i> | | 1815 |
| <i>S. fasciatus</i> | Yellow-banded blenny | 1816 |
| BLINDFISHES | | |
| <i>Neobythites</i> | OPHIDIIDAE | 1820 |
| <i>N. conjugator</i> | Deep-sea blindfish | 1821 |
| <i>N. pterotus</i> | Alcock's deep-sea blindfish | 1822 |
| <i>N. steaticus</i> | Deep-sea blindfish | 1823 |
| DRAGONETS | | |
| <i>Callionymus</i> | CALLIONYMIDAE | 1830 |
| <i>C. japonicus</i> | Japanese dragonet | 1831 |
| <i>C. marleyi</i> (= <i>C. sagitta</i>) | Sand dragonet | 1832 |
| SPINEFOOTS | | |
| <i>Siganus</i> | SIGANIDAE | 1835 |
| <i>S. canaliculatus</i> (= <i>S. oramin</i>) | Whitespotted spinefoot | 1836 |
| <i>S. javus</i> | Streaked spinefoot | 1837 |
| <i>S. stellatus</i> | Brownspeckled spinefoot | 1839 |
| <i>S. lineatus</i> | Golden-lined spinefoot | 1840 |
| <i>S. virgatus</i> | Double-barred spinefoot | 1841 |
| <i>S. vermiculatus</i> | Vermiculated spinefoot | 1842 |

| Group/Genus/Species | Family/Common Name | Code |
|---|---|------|
| MOORISH IDOL | | |
| <i>Zanclus</i> | ZANCLIDAE | 1845 |
| <i>Z. canescens</i> | Moorish idol | 1846 |
| <i>Z. cornutus</i> | Moorish idol | 1847 |
| SURGEONFISHES AND UNICORNFISHES | | |
| <i>Acanthurus</i> | ACANTHURIDAE | 1850 |
| <i>A. bleekeri</i> | Bleeker's surgeonfish | 1851 |
| <i>A. leucosternon</i> | Powder blue surgeonfish | 1852 |
| <i>A. lineatus</i> | Lined surgeonfish | 1853 |
| <i>A. xanthopterus</i> (= <i>A. matoides</i>) | Yellowfin surgeonfish | 1854 |
| <i>A. triostegus</i> | Convict surgeonfish | 1855 |
| <i>A. dussumieri</i> | Eyestripe surgeonfish | 1857 |
| <i>Naso</i> | | 1860 |
| <i>N. brevirostris</i> | Short-nose unicornfish | 1861 |
| <i>N. tuberosus</i> | Hump-nose unicornfish | 1862 |
| <i>N. unicornis</i> | Bluespine unicornfish | 1863 |
| <i>Zebrasoma</i> | | 1865 |
| <i>Z. flavescens</i> | Yellow sail-finned surgeonfish | 1866 |
| <i>Z. xanthurum</i> | Dusky sail-finned surgeonfish (= <i>Z. xanthurus</i>) | 1867 |
| SNAKEMACKERELS, ESCOLARS, OILFISHES | | |
| <i>Neopinnula</i> (= <i>Epinnula</i>) | GEMPHYLIDAE | 1870 |
| <i>N. orientalis</i> (= <i>E. orientalis</i>) | Sackfish | 1871 |
| <i>Gempylus</i> | | 1875 |
| <i>G. serpens</i> | Snakemackerel | 1876 |
| <i>Promethichthys</i> | | 1880 |
| <i>P. prometheus</i> | Promethean escolar | 1881 |

| Group/Genus/Species | Family/Common Name | Code |
|--|---------------------|------|
| <i>Ruvettus</i> | | 1885 |
| <i>R. pretiosus</i> | Oil fish | 1886 |
| <i>Thyrsooides</i> | | 1890 |
| <i>T. marleyi</i> | Slender snoek | 1891 |
| HAIRTAILS (RIBBONFISHES) | | |
| <i>Benthodesmus</i> | TRICHUIRIDAE | 1895 |
| <i>B. tenuis</i> | Deep-sea ribbonfish | 1896 |
| <i>Eupleurogrammus</i> | | 1900 |
| <i>E. glossodon</i> | Longtooth hairtail | 1901 |
| (= <i>E. intermedius</i>) | | |
| <i>E. muticus</i> | Smallhead hairtail | 1902 |
| <i>Lepidopus</i> | | 1905 |
| <i>L. caudatus</i> | Frostfish | 1906 |
| <i>Lepturacanthus</i> | | 1910 |
| <i>L. savala</i> | Savalai hairtail | 1911 |
| <i>L. pantului</i> | Coromandel hairtail | 1912 |
| <i>Trichiurus</i> | | 1915 |
| <i>T. lepturus</i> | Largehead hairtail | 1916 |
| <i>T. auriga</i> | Pearly hairtail | 1917 |
| Other ribbonfisher | | 1919 |
| TUNAS, MACKERELS AND SEERFISHES | | |
| <i>Acanthocybium</i> | SCOMBRIDAE | 1920 |
| <i>A. solandri</i> | Wahoo | 1921 |
| <i>Auxis</i> | | 1925 |
| <i>A. rochei</i> | Bullet tuna | 1926 |
| <i>A. thazard</i> | Frigate tuna | 1927 |

| Group/Genus/Species | Family/Common Name | Code |
|---|------------------------|------|
| <i>Cybiosarda</i> | | 1930 |
| <i>C. elegans</i> | Leaping bonito | 1931 |
| <i>Euthynnus</i> | | 1935 |
| <i>E. affinis</i> | Kawakawa (little tuna) | 1936 |
| <i>Gymnosarda</i> | | 1940 |
| <i>G. unicolor</i> | Dogtooth tuna | 1941 |
| <i>Katsuwonus</i> | | 1945 |
| <i>K. pelamis</i> | Skipjack tuna | 1946 |
| <i>Rastrelliger</i> | | 1950 |
| <i>R. brachysoma</i> | Short-bodied mackerel | 1951 |
| <i>R. faughni</i> | Faughn's mackerel | 1952 |
| <i>R. kanagurta</i> | Indian mackerel | 1953 |
| <i>Sarda</i> | | 1960 |
| <i>S. orientalis</i> | Striped bonito | 1961 |
| <i>Scomberomorus</i> | | 1965 |
| <i>S. commerson</i> | Narrow-barred seerfish | 1966 |
| <i>S. guttatus</i> | Indo-pacific seerfish | 1967 |
| <i>S. koreanus</i> | Korean seerfish | 1968 |
| <i>S. lineolatus</i> | Streaked seerfish | 1969 |
| <i>Thunnus</i> | | 1975 |
| <i>T. alalunga</i> | Albacore | 1976 |
| <i>T. albacares</i> | Yellowfin tuna | 1977 |
| <i>T. obesus</i> | Bigeye tuna | 1978 |
| <i>T. tonggol</i> | Longtail tuna | 1979 |
| SAILFISHES, MARLINS AND BILLFISHES | | |
| <i>Istiophorus</i> | ISTIOPHORIDAE | 1985 |
| <i>I. platypterus</i> | Sailfish | 1986 |

| Group/Genus/Species | Family/Common Name | Code |
|---|------------------------|------|
| <i>Makaira</i> | | 1990 |
| <i>M. indica</i> | Black marlin | 1991 |
| <i>M. mazara</i> (= <i>M. nigricans</i>) | Blue marlin | 1992 |
| <i>M. tenuirostratus</i> | Longbill marlin | 1993 |
| <i>Tetrapterus</i> | | 2000 |
| <i>T. angustirostris</i> | Shortbill spearfish | 2001 |
| <i>T. audax</i> | Striped marlin | 2002 |
| WORDFISHES | | |
| <i>Xiphias</i> | XIPHIDAE | 2005 |
| <i>X. gladius</i> | Swordfish | 2006 |
| POMFRETS | | |
| <i>Pampus</i> | STROMATEIDAE | 2010 |
| <i>P. argenteus</i> | Silver pomfret | 2011 |
| <i>P. chinensis</i> | Chinese silver pomfret | 2012 |
| MEDUSAFISHES | | |
| <i>Pseneopsis</i> | CENTROLOPHIDAE | 2015 |
| <i>P. cyanea</i> | Indian ruff | 2016 |
| DRIFTFISHES | | |
| <i>Cubiceps</i> | NOMEIDAE | 2020 |
| <i>C. natalensis</i> | Gilchrist's driftfish | 2021 |
| <i>Ariomma</i> (= <i>Psenes</i>) | ARIOMMIDAE | 2025 |
| <i>A. cyanophrys</i> | Tropical driftfish | 2026 |
| <i>A. indica</i> (= <i>Psenes indicus</i>) | Indian driftfish | 2027 |
| HUMPHEADS | | |
| <i>Kurtis</i> | KURTIDAE | 2030 |
| <i>K. indicus</i> | Indian humphead | 2031 |

| Group/Genus/Species | Family/Common Name | Code |
|--|---------------------|------|
| GOBIES | | |
| <i>Acentrogobius</i> | GOBIIDAE | 2035 |
| <i>A. ornatus</i> | Ornate goby | 2036 |
| <i>Amblygobius</i> | | 2040 |
| <i>A. albimaculatus</i> | White-spotted goby | 2041 |
| <i>Bathygobius</i> | | 2045 |
| <i>B. fuscus</i> | Brown goby | 2046 |
| <i>Eleotriodes</i> | | 2050 |
| <i>E. sexguttatus</i> | Ocellated goby | 2051 |
| <i>Gobiodon</i> | | 2055 |
| <i>G. citrinus</i> | Lemon goby | 2056 |
| <i>Oxyurichthys</i> | | 2060 |
| <i>O. microlepis</i> | Small-scaled goby | 2061 |
| <i>Paragobiodon</i> | | 2065 |
| <i>P. echinocephalus</i> | Prickly-headed goby | 2066 |
| <i>Trypauchen</i> | | 2070 |
| <i>T. vagina</i> | Burrowing goby | 2071 |
| Other gobies | | 2074 |
| STINGFISHES AND FIREFISHES (SCORPIONFISHES) | | |
| <i>Dendrochirus</i> | SCORPAENIDAE | 2075 |
| <i>D. brachypterus</i> | Butterfly firefish | 2076 |
| <i>D. zebra</i> | Zebra firefish | 2077 |
| <i>Lioscorpius</i> | | 2080 |
| <i>Parascorpaena</i> | | 2085 |
| <i>P. picta</i> | Painted stingfish | 2086 |

| Group/Genus/Species | Family/Common Name | Code |
|----------------------------|-------------------------|------|
| <i>P. aurita</i> | Sting fish | 2087 |
| <i>Pterois</i> | | 2090 |
| <i>P. russellii</i> | Plaintail firefish | 2091 |
| <i>P. volitans</i> | Winged firefish | 2092 |
| <i>P. mombasse</i> | Frillfin turkey fish | 2093 |
| <i>Scorpaenodes</i> | | 2095 |
| <i>S. guamensis</i> | Guam stingfish | 2096 |
| <i>Scorpaenopsis</i> | | 2100 |
| <i>S. cirrhosa</i> | Hairy stingfish | 2101 |
| <i>S. gobbosa</i> | Humpbacked scorpionfish | 2102 |
| <i>Sebastapistes</i> | | 2105 |
| <i>S. nuchalis</i> | Dark-spot stingfish | 2106 |
| <i>S. strongia</i> | Brown-band stingfish | 2107 |
| SEAROBINS | | |
| <i>Lepidotriglas</i> | TRIGILIDAE | 2110 |
| <i>L. longipinnis</i> | Searobin | 2111 |
| <i>L. natalensis</i> | Naked-breast searobin | 2112 |
| <i>Peristedion</i> | | 2115 |
| <i>P. adeni</i> | Searobin | 2116 |
| <i>P. pothumaluva</i> | Yellow-finned searobin | 2117 |
| <i>P. rivers-andersoni</i> | Anderson's searobin | 2118 |
| FLATHEADS | | |
| <i>Thysanophrys</i> | PLATYCEPHALIDAE | 2120 |
| (= <i>Platycephalus</i>) | | |
| <i>T. carbunculus</i> | Carbuncle flathead | 2121 |
| (= <i>P. carbunculus</i>) | | |

| Group/Genus/Species | Family/Common Name | Code |
|---|-------------------------|------|
| <i>Cociella crocodila</i> (= <i>P. crocodilus</i>) | Crocodila flathead | 2122 |
| <i>Platycephalus indicus</i> | Bartail flathead | 2123 |
| <i>Grammoplites scaber</i> (= <i>P. scaber</i>) | Round flathead | 2124 |
| <i>Sorgogona tuberculata</i> (= <i>P. tuberculatus</i>) | Tuberculated flathead | 2125 |
| <i>Grammoplites suppositus</i> | Spotfin flathead | 2126 |
| <i>Rogadius asper</i> | Thorny flathead | 2127 |
| <i>Suggrundus rodricensis</i> | Spiny flathead | 2128 |
| Other flatheads | | 2129 |
| DEVILFISHES | | |
| <i>Minous</i> | SYNANCEIIDAE | 2130 |
| <i>M. inermis</i> | Smooth devilfish | 2131 |
| <i>Synanceja</i> | | 2135 |
| <i>S. verrucosa</i> | Devilfish | 2136 |
| FLYING GURNADS | | |
| <i>Dactyloptena</i> | DACTYLOPTERIDAE | 2140 |
| <i>D. macracanthus</i> | Shortwing flying gurnad | 2141 |
| <i>D. orientalis</i> | Oriental flying gurnad | 2142 |
| FLATFISHES | | |
| <i>Psettodes</i> | PSETTODIDAE | 2150 |
| <i>P. erumei</i> | Indian spiny turbot | 2151 |
| <i>Arnoglossus</i> | BOTHIDAE | 2155 |
| <i>A. tapeinosoma</i> | Large-scaled flounder | 2156 |
| <i>Bothus</i> | | 2160 |

| Group/Genus/Species | Family/Common Name | Code |
|---|---------------------------|------|
| <i>B. myriaster</i> (= <i>B. ovalis</i>) | Oval flounder | 2161 |
| <i>B. pantherinus</i> | Leopard flounder | 2162 |
| <i>Chascanopsetta</i> | | 2165 |
| <i>C. lugubris</i> | Pelican flounder | 2166 |
| <i>Crossorhombus</i> | | 2170 |
| <i>C. valderostratus</i> | Strong-scale flounder | 2171 |
| <i>Engyprosopon</i> | | 2175 |
| <i>E. grandisquamis</i> | Large-scale flounder | 2176 |
| <i>Laeops</i> | | 2180 |
| <i>Pseudorhombus</i> | | 2185 |
| <i>P. arsius</i> | Large-toothed flounder | 2186 |
| <i>P. javanicus</i> | Javan flounder | 2187 |
| <i>P. triocellatus</i> | Three-spotted flounder | 2188 |
| <i>P. elevatus</i> | Deep flounder | 2189 |
| <i>P. malayanus</i> | Malayan flounder | 2190 |
| <i>Poecilopsetta</i> | | 2195 |
| <i>P. maculosa</i> | Crusted flounder | 2196 |
| <i>P. praelonga</i> | Alcock's crusted flounder | 2197 |
| <i>Samaris</i> | PLEURONECTIDAE | 2200 |
| <i>S. cristatus</i> | Gray's crusted flounder | 2201 |
| <i>Samariscus</i> | | 2205 |
| <i>S. longimannus</i> | Long-finned flounder | 2206 |
| <i>S. maculatus</i> | Spotted flounder | 2207 |
| <i>Aesopia</i> | SOLEIDAE | 2210 |
| <i>A. cornuta</i> | Horned sole | 2211 |
| <i>Euryglossa</i> (= <i>Brachirus</i>) | | 2215 |

| Group/Genus/Species | Family/Common Name | Code |
|--|--------------------------|------|
| <i>E. orientalis</i> (= <i>B. orientalis</i>) | Oriental sole | 2216 |
| <i>Heteromycteris</i> | | 2220 |
| <i>H. oculus</i> | Eyed sole | 2221 |
| <i>Solea</i> | | 2225 |
| <i>S. elongata</i> | Elongate sole | 2226 |
| <i>S. ovata</i> | Ovate sole | 2227 |
| <i>Synaptura</i> | | 2230 |
| <i>S. commersoniana</i> | Commerson's sole | 2231 |
| <i>Zebrias</i> | | 2240 |
| <i>Z. quagga</i> | Fringefin zebra sole | 2241 |
| <i>Z. synapturoides</i> | Zebra sole | 2242 |
| <i>Cynoglossus</i> | CYNOGLOSSIDAE | 2245 |
| <i>C. bilineatus</i> | Lined tongue sole | 2247 |
| <i>C. dubius</i> | Carrot tonguesole | 2248 |
| <i>C. lida</i> | Shoulder-spot tonguesole | 2249 |
| <i>C. lingua</i> | Long tonguesole | 2250 |
| <i>C. macrolepidotus</i> (= <i>C. arel</i>) | Largescale tonguesole | 2246 |
| <i>C. macrostomus</i> | Malabar tonguesole | 2252 |
| <i>C. puncticeps</i> | Speckled tonguesole | 2253 |
| <i>C. carpenteri</i> | Hooked tonguesole | 2254 |
| <i>Paraplagusia</i> | | 2255 |
| <i>P. bilineata</i> | Double lined tonguesole | 2256 |
| Othe flat fishes | | 2259 |
| SUCKERFISHES | | |
| <i>Echeneis</i> | ECHENEIDAE | 2260 |
| <i>E. naucrates</i> | Live sharksucker | 2261 |

| Group/Genus/Species | Family/Common Name | Code |
|---|--------------------------|------|
| <i>Phtheichthys</i> | | 2265 |
| <i>P. lineatus</i> | Shark sucker | 2266 |
| <i>Remora</i> | | 2270 |
| <i>R. albescens</i> | White remora | 2271 |
| <i>R. remora</i> | Common remora | 2272 |
| TRIPODFISHES (TRIPLESPINES) | | |
| <i>Pseudotriacanthus</i> | TRIACANTHIDAE | 2275 |
| <i>P. strigilifer</i> | Long-spined tripodfish | 2276 |
| <i>Triacanthoides</i> | | 2280 |
| <i>T. athiops</i> | Leatherjacket tripodfish | 2281 |
| <i>Triacanthus</i> | | 2285 |
| <i>T. biaculeatus</i> (= <i>T. brevirostris</i>) | Shortnosed tripodfish | 2286 |
| FILEFISHES AND LEATHERJACKETS | | |
| <i>Abalistes</i> | BALISTIDAE | 2290 |
| <i>A. stellatus</i> | Starry triggerfish | 2291 |
| <i>Canthidermis</i> | | 2295 |
| <i>C. rotundatus</i> | Rotund filefish | 2296 |
| <i>Balistapus</i> | | 2300 |
| <i>B. undulatus</i> | Undulated filefish | 2301 |
| <i>Odonus</i> | | 2305 |
| <i>O. niger</i> | Red-toothed triggerfish | 2306 |
| <i>Rhinecanthus</i> | | 2310 |
| <i>R. aculeatus</i> | Prickly filefish | 2311 |
| <i>Sufflamen</i> | | 2315 |
| <i>S. frenatus</i> (= <i>S. capistratus</i>) | Masked triggerfish | 2316 |

| Group/Genus/Species | Family/Common Name | Code |
|--|--------------------------|------|
| <i>Melichthys</i> | MONACANTHIDAE | 2320 |
| <i>M. niger</i> | Black filefish | 2321 |
| <i>Paramonacanthus</i> | | 2325 |
| <i>P. choirocephalus</i> | Pig-faced leatherjacket | 2326 |
| <i>P. cingalensis</i> | Cingalese leather jacket | 2327 |
| <i>Amanses</i> | | 2330 |
| <i>A. sandwichiensis</i> | Spotted lesterjacket | 2331 |
| <i>Pervagor</i> | | 2335 |
| <i>P. tomentosus</i> | Mottled leatherjacket | 2336 |
| <i>Alutera</i> | | 2337 |
| <i>A. monoceros</i> | Unicorn leatherjacket | 2338 |
| Other filefishes | | 2339 |
| BOXFISHES | | |
| <i>Lactoria</i> | OSTRACIIDAE | 2340 |
| <i>L. cornuta</i> | Long-horn boxfish | 2341 |
| <i>Rhynchostracion</i> | | 2345 |
| <i>R. nasus</i> | Small-nosed boxfish | 2346 |
| <i>Ostracion</i> | | 2350 |
| <i>O. tuberculata</i> | Ocellated boxfish | 2351 |
| PUFFERFISHES AND TOBYS (BLOWFISHES) | | |
| <i>Lagocephalus</i> | TETRADONTIDAE | 2355 |
| <i>L. inermis</i> | Smooth-backed blowfish | 2356 |
| <i>Arothron (= Tetradon)</i> | | 2360 |
| <i>A. hispidus</i> | White-spotted blowfish | 2361 |
| <i>A. immaculatus</i> | Immaculate blowfish | 2362 |
| <i>A. nigropunctatus</i> | Black-spotted blowfish | 2363 |

| Group/Genus/Species | Family/Common Name | Code |
|--------------------------|--------------------------|------|
| <i>A. stellatus</i> | Starry blowfish | 2364 |
| <i>Sphaoeroides</i> | | 2370 |
| <i>S. hypselogeneion</i> | Ornament-banded blowfish | 2371 |
| PORCUPINE FISHES | | |
| <i>Diodon</i> | DIODONTIDAE | 2375 |
| <i>D. hystrix</i> | Spotted porcupine fish | 2376 |
| <i>D. holocanthus</i> | Balloonfish | 2377 |
| TOBYS | | |
| <i>Canthigaster</i> | TETRADONTIDAE | 2380 |
| <i>C. amboinensis</i> | Ocellated toby | 2381 |
| <i>C. margaritata</i> | Ocellated toby | 2382 |
| SUNFISHES | | |
| <i>Mola</i> | MOLIDAE | 2385 |
| <i>M. mola</i> | Giant sunfish | 2386 |
| <i>Masturus</i> | | 2387 |
| <i>M. lanceolatus</i> | Sunfish | 2388 |
| MONKFISHES | | |
| <i>Lophiodes</i> | LOPHIDAE | 2390 |
| <i>L. lugubris</i> | Ceylonese monkfish | 2391 |
| <i>L. mutilus</i> | Smooth angler | 2392 |
| FROGFISHES | | |
| <i>Antennarius</i> | ANTENNARIIDAE | 2395 |
| <i>A. leprosus</i> | Ocellated frogfish | 2396 |
| <i>A. nummifer</i> | Fringed frogfish | 2397 |
| <i>A. hispidus</i> | Common frogfish | 2398 |
| ANGLERFISHES | | |
| <i>Chaunax</i> | CHAUNACIDAE | 2400 |
| <i>C. pictus</i> | Painted anglerfish | 2401 |

| Group/Genus/Species | Family/Common Name | Code |
|----------------------------------|----------------------|------|
| BATFISHES | | |
| <i>Dibranchius</i> | OGEOCEPHALIDAE | 2405 |
| <i>D. nasutus</i> | Sea batfish | 2406 |
| <i>Haliutea</i> | | 2410 |
| <i>H. coccinea</i> | Round batfish | 2411 |
| <i>H. indica</i> | Indian batfish | 2412 |
| <i>H. stellata</i> | Red batfish | 2413 |
| <i>Malthopsis</i> | | 2420 |
| <i>M. triangularis</i> | Zloyd's batfish | 2421 |
| DRAGONFISHES | | |
| <i>Pegasus</i> | PEGASIDAE | 2425 |
| <i>P. draconis</i> | Short dragonfish | 2426 |
| <i>P. volitans</i> | Winged dragonfish | 2427 |
| MUD SKIPPERS | | |
| <i>Periophthalmus</i> | PERIOPHTHALMIDAE | 2435 |
| <i>P. koelreuteri</i> | Mud skipper | 2436 |
| RAZOR FISHES | | |
| <i>Centriscus</i> | CENTRISCIDAE | 2440 |
| <i>C. scutatus</i> | Razor fish | 2441 |
| PIPE FISHES AND SEAHORSES | | |
| <i>Micropphis</i> | SYNGNATHIDAE | 2445 |
| <i>M. brachyurus</i> | Short-tail pipe fish | 2446 |
| <i>Syngnathoides</i> | | 2450 |
| <i>S. biaculeatus</i> | Two-barbel pipefish | 2451 |
| <i>Syngnathus</i> | | 2455 |
| <i>S. spicifer djaring</i> | Slender pipe fish | 2456 |
| <i>Hippocampus</i> | | 2460 |
| <i>H. kuda</i> | Seahorse | 2461 |

SHELL FISHES

CRUSTACEANS

PENAEID PRAWNS

| | | |
|-------------------------|---------------------|------|
| <i>Hymenopenaeus</i> | | 4000 |
| <i>H. aequalis</i> | Veiled shrimp | 4001 |
| <i>Solenocera</i> | | 4005 |
| <i>S. crassicornis</i> | Coastal mud prawn | 4006 |
| <i>S. hextii</i> | Deep-sea mud shrimp | 4007 |
| <i>S. choprai</i> | Mud shrimp | 4008 |
| <i>Aristaeomorpha</i> | | 4010 |
| <i>A. wood-masoni</i> | Indian red shrimp | 4011 |
| <i>Aristeus</i> | | 4015 |
| <i>A. alcocki</i> | Arabian red shrimp | 4016 |
| <i>A. semidentatus</i> | Red shrimp | 4017 |
| <i>Atypopenaeus</i> | | 4020 |
| <i>A. stenodactylus</i> | Periscope shrimp | 4021 |
| <i>Metapenaeopsis</i> | | 4025 |
| <i>M. andamanensis</i> | Rice-velvet shrimp | 4026 |
| <i>M. stridulans</i> | Fiddler shrimp | 4027 |
| <i>Metapenaeus</i> | | 4030 |
| <i>M. affinis</i> | Jinga prawn | 4031 |
| <i>M. brevicornis</i> | Yellow prawn | 4032 |
| <i>M. dobsoni</i> | Flower-tail prawn | 4033 |
| <i>M. kutchensis</i> | Ginger shrimp | 4034 |
| <i>M. monoceros</i> | Speckled prawn | 4035 |

| Group/Genus/Species | Family/Common Name | Code |
|---------------------|--------------------|------|
|---------------------|--------------------|------|

SHELL FISHES

CRUSTACEANS

PENAEID PRAWNS

| | | |
|-------------------------|---------------------|------|
| <i>Hymenopenaeus</i> | | 4000 |
| <i>H. aequalis</i> | Veiled shrimp | 4001 |
| <i>Solenocera</i> | | 4005 |
| <i>S. crassicornis</i> | Coastal mud prawn | 4006 |
| <i>S. hextii</i> | Deep-sea mud shrimp | 4007 |
| <i>S. choprai</i> | Mud shrimp | 4008 |
| <i>Aristaeomorpha</i> | | 4010 |
| <i>A. wood-masoni</i> | Indian red shrimp | 4011 |
| <i>Aristeus</i> | | 4015 |
| <i>A. alcocki</i> | Arabian red shrimp | 4016 |
| <i>A. semidentatus</i> | Red shrimp | 4017 |
| <i>Atypopenaeus</i> | | 4020 |
| <i>A. stenodactylus</i> | Periscope shrimp | 4021 |
| <i>Metapenaeopsis</i> | | 4025 |
| <i>M. andamanensis</i> | Rice-velvet shrimp | 4026 |
| <i>M. stridulans</i> | Fiddler shrimp | 4027 |
| <i>Metapenaeus</i> | | 4030 |
| <i>M. affinis</i> | Jinga prawn | 4031 |
| <i>M. brevicornis</i> | Yellow prawn | 4032 |
| <i>M. dobsoni</i> | Flower-tail prawn | 4033 |
| <i>M. kutchensis</i> | Ginger shrimp | 4034 |
| <i>M. monoceros</i> | Speckled prawn | 4035 |

| Group/Genus/Species | Family/Common Name | Code |
|---------------------------|----------------------|------|
| <i>Parapenaeopsis</i> | | 4040 |
| <i>P. acclivirostris</i> | Hawknose shrimp | 4041 |
| <i>P. hardwickii</i> | Spear prawn | 4042 |
| <i>P. maxillipedo</i> | Torpedo shrimp | 4043 |
| <i>P. sculptilis</i> | Rainbow prawn | 4044 |
| <i>P. stylifera</i> | Kiddi prawn | 4045 |
| <i>P. uncta</i> | Uncta shrimp | 4046 |
| | | |
| <i>Parapenaeus</i> | | 4050 |
| <i>P. investigatoris</i> | Explorer rose shrimp | 4051 |
| <i>P. longipes</i> | Flamingo shrimp | 4052 |
| | | |
| <i>Penaeopsis</i> | | 4055 |
| <i>P. rectacuta</i> | Needle shrimp | 4056 |
| | | |
| <i>Penaeus</i> | | 4060 |
| <i>P. canaliculatus</i> | Witch prawn | 4061 |
| <i>P. indicus</i> | Indian white prawn | 4062 |
| <i>P. japonicus</i> | Kuruma prawn | 4063 |
| <i>P. latisulcatus</i> | King prawn | 4064 |
| <i>P. merguensis</i> | Banana prawn | 4065 |
| <i>P. monodon</i> | Giant tiger prawn | 4066 |
| <i>P. penicillatus</i> | Red-tail prawn | 4067 |
| <i>P. semisulcatus</i> | Green tiger prawn | 4068 |
| | | |
| <i>Trachypenaeus</i> | | 4075 |
| <i>T. curvirostris</i> | Rough shrimp | 4076 |
| | | |
| NON-PENAEID PRAWNS | | |
| <i>Acetes</i> | | 4080 |
| <i>A. erythraeus</i> | Paste shrimp | 4081 |
| <i>A. indicus</i> | Paste shrimp | 4082 |
| <i>A. japonicus</i> | Paste shrimp | 4083 |

| Group/Genus/Species | Family/Common Name | Code |
|------------------------|--------------------------|------|
| <i>Macrobrachium</i> | | 4090 |
| <i>M. equidens</i> | Rough river prawn | 4091 |
| <i>M. idae</i> | Orana river prawn | 4092 |
| <i>M. idella</i> | Slender river prawn | 4093 |
| <i>M. malcolmsonii</i> | Monsoon river prawn | 4094 |
| <i>M. rosenbergii</i> | Giant river prawn | 4095 |
| <i>M. rude</i> | Hairy river prawn | 4096 |
| <i>M. scabriculum</i> | Goda river prawn | 4097 |
| <i>Nematopalaemon</i> | | 4100 |
| <i>N. tenuipes</i> | Spider prawn | 4101 |
| <i>Exopalaemon</i> | | 4105 |
| <i>E. styliferus</i> | Roshna prawn | 4106 |
| <i>Exhippolysmata</i> | | 4110 |
| <i>E. ensirostris</i> | Hunter shrimp | 4111 |
| <i>Lysmata</i> | | 4115 |
| <i>L. vittata</i> | Indian lined shrimp | 4116 |
| <i>Heterocarpus</i> | | 4120 |
| <i>H. gibbosus</i> | Humpback nylon shrimp | 4121 |
| <i>H. wood-masoni</i> | Indian nylon shrimp | 4122 |
| <i>Parapandalus</i> | | 4125 |
| <i>P. spinipes</i> | Oriental narwal shrimp | 4126 |
| <i>Plesionika</i> | | 4130 |
| <i>P. ensis</i> | Striped gladiator shrimp | 4131 |
| <i>P. martia</i> | Golden shrimp | 4132 |

| Group/Genus/Species | Family/Common Name | Code |
|--------------------------|-------------------------|------|
| <i>Oplophorus</i> | | 4135 |
| <i>O. gracilirostris</i> | | 4136 |
| <i>Mysis</i> | Opposum shrimp | 4140 |
| Other prawns | | 4199 |
| <i>Palaemon</i> | | 4150 |
| <i>Leander</i> | | 4160 |
| LOBSTERS | | |
| <i>Panulirus</i> | | 4200 |
| <i>P. homarus</i> | Scalloped spiny lobster | 4201 |
| <i>P. ornatus</i> | Ornate spiny lobster | 4202 |
| <i>P. penicillatus</i> | Pronghorn spiny lobster | 4203 |
| <i>P. polyphagus</i> | Mud spiny lobster | 4204 |
| <i>P. versicolor</i> | Painted spiny lobster | 4205 |
| <i>Puerulus</i> | | 4210 |
| <i>P. sewelli</i> | Deep-sea yellow lobster | 4211 |
| <i>Thenus</i> | | 4215 |
| <i>T. orientalis</i> | Mud lobster | 4216 |
| CRABS | | |
| <i>Calappa</i> | | 4300 |
| <i>C. lophos</i> | | 4301 |
| <i>Matuta</i> | | 4305 |
| <i>M. lunaris</i> | | 4306 |
| <i>Scylla</i> | | 4310 |
| <i>S. serrata</i> | Green mud crab | 4311 |

| Group/Genus/Species | Family/Common Name | Code |
|-----------------------------------|--------------------|------|
| <i>S. tranquibarica</i> | Mud crab | 4312 |
| <i>Portunus</i> | | 4315 |
| <i>P. pelagicus</i> | Reticulate crab | 4316 |
| <i>P. sanguinolentus</i> | Spotted crab | 4317 |
| <i>Charybdis</i> | | 4325 |
| <i>C. annulata</i> | | 4326 |
| <i>C. cruciata</i> | Cross crab | 4327 |
| <i>C. edwardsi</i> | | 4328 |
| <i>C. natator</i> | | 4329 |
| <i>C. (goniohellenus) smithii</i> | | 4330 |
| <i>Varuna</i> | | 4335 |
| <i>V. litterata</i> | | 4336 |
| <i>Sesarma</i> | | 4340 |
| <i>S. tetragonum</i> | | 4341 |
| STOMATOPODS | | |
| <i>Oratosquilla</i> | | 4400 |
| <i>O. nepa</i> | Mantis shrimp | 4401 |
| Other stomatopods | | 4410 |

**MOLLUSCS
GASTROPODS**

| | | |
|------------------|------------------|------|
| <i>Dentalium</i> | Tusk shells | 4500 |
| <i>Haliotis</i> | Ear shells | 4505 |
| <i>Cellana</i> | Indian limpets | 4510 |
| <i>Diodora</i> | Key-hole limpets | 4515 |

| Group/Genus/Species | Family/Common Name | Code |
|---------------------------|------------------------|------|
| <i>Trochus</i> | Top shells | 4520 |
| <i>Umbonium</i> | Button shells | 4525 |
| <i>Turbo</i> | Turban shells | 4530 |
| <i>Nerita</i> | | 4535 |
| <i>Littorina</i> | | 4540 |
| <i>Turritella</i> | Screw shells | 4545 |
| <i>Telescopium</i> | Horn shells | 4550 |
| <i>Potamides</i> | Horn shells | 4555 |
| <i>Cerithium</i> | Horn shells | 4560 |
| <i>Calyptraea</i> | Cup and saucer limpets | 4565 |
| <i>Epitonium</i> | Wentle-traps | 4570 |
| <i>Tibia</i> | | 4575 |
| <i>T. curta</i> | Beak shell | 4576 |
| <i>Lambis</i> | Five-fingured shells | 4580 |
| <i>Strombus</i> | Wing shells | 4585 |
| <i>Cypraea</i> | | 4590 |
| <i>C. arabica</i> | Cowries | 4591 |
| <i>C. moneta</i> | Cowries | 4592 |
| <i>C. caput serpentis</i> | Cowries | 4593 |

| Group/Genus/Species | Family/Common Name | Code |
|---------------------|--------------------|------|
| <i>C. ligris</i> | Cowries | 4594 |
| <i>Natica</i> | | 4600 |
| <i>Carsis</i> | Helmet shells | 4605 |
| <i>Bursa</i> | Frog shells | 4610 |
| <i>Tona</i> | | 4615 |
| <i>Murex</i> | Murices | 4620 |
| <i>Thais</i> | Purples | 4625 |
| <i>Babylonia</i> | | 4630 |
| <i>B. spirata</i> | Whelks | 4631 |
| <i>B. zeylanica</i> | Whelks | 4632 |
| <i>Oliva</i> | Olives | 4635 |
| <i>Mitra</i> | Mitra shells | 4640 |
| <i>Xancus</i> | | 4645 |
| <i>X. pyrum</i> | Sacred chank | 4646 |
| <i>Voluta</i> | Volutes | 4650 |
| <i>Melo</i> | Begger's vessel | 4655 |
| <i>Aplysia</i> | Sea-hares | 4660 |
| <i>Conus</i> | Cones | 4665 |
| <i>Bulla</i> | | 4670 |
| <i>B. ampulla</i> | Bubble shell | 4671 |

| Group/Genus/Species | Family/Common Name | Code |
|--------------------------|---------------------|------|
| <i>Dolabella</i> | Sea-hares | 4675 |
| <i>Notarchus</i> | | 4680 |
| <i>Pirula</i> | | 4685 |
| <i>P. investigatoris</i> | | 4686 |
| BIVALVES | | |
| <i>Anadara</i> | | 4800 |
| <i>A. granosa</i> | Cockle (Blood clam) | 4801 |
| <i>Perna</i> | | 4805 |
| <i>P. indica</i> | Brown mussel | 4806 |
| <i>P. viridis</i> | Green mussel | 4807 |
| <i>Modiolus</i> | | 4810 |
| <i>M. barbatus</i> | Weaving mussel | 4811 |
| <i>M. striatus</i> | Weaving mussel | 4812 |
| <i>Lithophaga</i> | Date shells | 4815 |
| <i>Pinna</i> | | 4820 |
| <i>Pteria</i> | Wing shells | 4825 |
| <i>Pinctada</i> | | 4830 |
| <i>P. chemnitzii</i> | Pearl oyster | 4831 |
| <i>P. fucata</i> | Pearl oyster | 4832 |
| <i>P. margaritifera</i> | Pearl oyster | 4833 |
| <i>P. sugillata</i> | Pearl oyster | 4834 |
| <i>Pecten</i> | Scallops | 4840 |
| <i>Placenta</i> | | 4845 |
| <i>P. placenta</i> | Window-pane oyster | 4846 |

| Group/Genus/Species | Family/Common Name | Code |
|-----------------------|--------------------------|------|
| <i>Crassostrea</i> | | 4850 |
| <i>C. cucullata</i> | | 4851 |
| <i>C. discoidea</i> | West coast edible oyster | 4852 |
| <i>C. gryphoides</i> | | 4853 |
| <i>C. madrasensis</i> | East coast edible oyster | 4854 |
| <i>Cardita</i> | False cockles | 4860 |
| <i>Tridacna</i> | Giant clams | 4865 |
| <i>Donax</i> | Wedge clams | 4870 |
| <i>Katelysia</i> | | 4875 |
| <i>K. opima</i> | Clam | 4876 |
| <i>Meretrix</i> | | 4880 |
| <i>M. casta</i> | Clam | 4881 |
| <i>M. casta ovum</i> | Clam | 4882 |
| <i>M. meretrix</i> | Clam | 4883 |
| <i>Paphia</i> | | 4890 |
| <i>P. malabarica</i> | Clam | 4891 |
| <i>Pholas</i> | | 4895 |
| <i>Solen</i> | Razor shells | 4900 |
| <i>Martesia</i> | Borers | 4905 |
| <i>Teredo</i> | Ship-worms | 4910 |
| <i>Villorita</i> | | 4915 |
| <i>V. cyprinoides</i> | | 4916 |

| Group/Genus/Species | Family/Common Name | Code |
|--------------------------|--------------------|------|
| CEPHALOPODS | | |
| <i>Nautilus</i> | | 5000 |
| <i>Loliolus</i> | | 5005 |
| <i>L. investigatoris</i> | | 5006 |
| <i>Sepia</i> | | 5010 |
| <i>S. aculeata</i> | Cuttle fish | 5011 |
| <i>S. elliptica</i> | Cuttle fish | 5012 |
| <i>S. pharaonis</i> | Cuttle fish | 5013 |
| <i>S. prashadi</i> | Cuttle fish | 5014 |
| <i>Sepiella</i> | | 5020 |
| <i>S. inermis</i> | | 5021 |
| <i>Loligo</i> | | 5025 |
| <i>L. duvaucelii</i> | Squid | 5026 |
| <i>Sepioteuthis</i> | | 5030 |
| <i>S. lessoniana</i> | | 5031 |
| <i>Symplectoteuthis</i> | | 5035 |
| <i>S. oualaniensis</i> | | 5036 |
| <i>Doryteuthis</i> | | 5040 |
| <i>D. sibogae</i> | | 5041 |
| <i>D. singhalensis</i> | | 5042 |
| <i>Octopus</i> | | 5050 |
| <i>O. dollfusi</i> | Octopus | 5051 |
| <i>O. globosus</i> | Octopus | 5052 |
| <i>O. herdmani</i> | Octopus | 5053 |
| <i>Berrya</i> | | 5060 |
| <i>B. keralensis</i> | | 5061 |

| Group/Genus/Species | Family/Common Name | Code |
|---------------------|--------------------|------|
|---------------------|--------------------|------|

MARINE REPTILES

TURTLES

| | | |
|---------------------|--------------------|------|
| <i>Eretmochelys</i> | | 5100 |
| <i>E. imbricata</i> | Hawksbill turtle | 5101 |
| <i>Chelonia</i> | | 5105 |
| <i>C. mydas</i> | Green turtle | 5106 |
| <i>Caretta</i> | | 5110 |
| <i>C. caretta</i> | Loggerhead turtle | 5111 |
| <i>Lepidochelys</i> | | 5115 |
| <i>L. olivacea</i> | Olive ridley | 5116 |
| <i>Dermochelys</i> | | 5120 |
| <i>D. coriacea</i> | Leatherback turtle | 5121 |

SEASNAKES 5160-5249

CROCODILES

| | | |
|-------------------|------------------|------|
| <i>Crocodilus</i> | | 5250 |
| <i>C. porosus</i> | Marshy crocodile | 5251 |

MARINE BIRDS

5300-5399

MARINE BIRDS

5300-5399

**MARINE MAMMALS
WHALES, DOLPHINS AND PORPOISES**

| | | |
|--------------------|-------------------------|------|
| <i>Mesoplodon</i> | | 5400 |
| <i>M. bowdoini</i> | Splaytooth beaked whale | 5401 |

| Group/Genus/Species | Family/Common Name | Code |
|-------------------------|-------------------------------|------|
| <i>M. densirostris</i> | Densed beaked whale | 5402 |
| <i>M. ginkgodens</i> | Japanese beaked whale | 5403 |
| <i>M. grayi</i> | Grey beaked whale | 5404 |
| <i>M. hectori</i> | Skew beaked whale | 5405 |
| <i>M. layardi</i> | Sharptooth beaked whale | 5406 |
| <i>Ziphius</i> | | 5410 |
| <i>Z. cavirostris</i> | Goosebeak whale | 5411 |
| <i>Berardius</i> | | 5415 |
| <i>B. arnouxii</i> | Southern fourtooth whale | 5416 |
| <i>Hyperoodon</i> | | 5420 |
| <i>H. planifrons</i> | | 5421 |
| <i>Physeter</i> | | 5425 |
| <i>P. macrocephalus</i> | Great sperm whale | 5426 |
| <i>Kogia</i> | | 5430 |
| <i>K. breviceps</i> | Pygmy sperm whale | 5431 |
| <i>K. simus</i> | Dwarf sperm whale | 5432 |
| <i>Steno</i> | | 5435 |
| <i>S. bredanensis</i> | Rough-tooth dolphin | 5436 |
| <i>Sousa</i> | | 5440 |
| <i>S. chinensis</i> | Indo-pacific humpback dolphin | 5441 |
| <i>Pseudorca</i> | | 5445 |
| <i>P. crassidens</i> | False killer whale | 5446 |
| <i>Peponocephala</i> | | 5450 |
| <i>P. electra</i> | Melonhead whale | 5451 |

| Group/Genus/Species | Family/Common Name | Code |
|-------------------------|--------------------------------|------|
| <i>Feresa</i> | | 5455 |
| <i>F. attenuata</i> | Pigmy killer whale | 5456 |
| <i>Orcinus</i> | | 5460 |
| <i>O. orca</i> | Great killer whale | 5461 |
| <i>Globicephala</i> | | 5465 |
| <i>G. macrorhynchus</i> | Shortfin pilot whale | 5466 |
| <i>G. melaena</i> | Longfin pilot whale | 5467 |
| <i>Lagenodelphis</i> | | 5470 |
| <i>L. hosei</i> | Shortsnout dolphin | 5471 |
| <i>Lagenorhynchus</i> | | 5475 |
| <i>L. cruciger</i> | Hourglass dolphin | 5476 |
| <i>L. obscurus</i> | Dusky dolphin | 5477 |
| <i>Tursiops</i> | | 5480 |
| <i>T. truncatus</i> | Bottlenose dolphin | 5481 |
| <i>Grampus</i> | | 5485 |
| <i>G. griseus</i> | Grey dolphin | 5486 |
| <i>Stenella</i> | | 5490 |
| <i>S. attenuata</i> | Bridled dolphin | 5491 |
| <i>S. coeruleoalba</i> | Striped dolphin | 5492 |
| <i>S. longirostris</i> | Spinner dolphin | 5493 |
| <i>Delphinus</i> | | 5500 |
| <i>D. delphis</i> | Common dolphin | 5501 |
| <i>Lissodelphis</i> | | 5505 |
| <i>L. peroni</i> | Southern rightwhale dolphin | 5506 |

| Group/Genus/Species | Family/Common Name | Code |
|-------------------------|----------------------|------|
| <i>Neophocaena</i> | | 5510 |
| <i>N. phocaenoides</i> | Finless porpoise | 5511 |
| <i>Eubalaena</i> | | 5515 |
| <i>E. australis</i> | Southern right whale | 5516 |
| <i>Caperea</i> | | 5520 |
| <i>C. marginata</i> | Pygmy right whale | 5521 |
| <i>Balaenoptera</i> | | 5525 |
| <i>B. acutorostrata</i> | Minke whale | 5526 |
| <i>B. borealis</i> | Sei whale | 5527 |
| <i>B. edeni</i> | Bryde's whale | 5528 |
| <i>B. musculus</i> | Blue whale | 5529 |
| <i>B. physalus</i> | Fin whale | 5530 |
| <i>Megaptera</i> | | 5535 |
| <i>M. novaeangliae</i> | Humpback whale | 5536 |
| SEA COW | | |
| <i>Dugong</i> | | 5670 |
| <i>D. dugon</i> | Sea cow | 5671 |

SPONGES

| | |
|---|------|
| <i>Spongia</i> | 5700 |
| <i>S. officinalis</i> var. <i>Ceylonensis</i> | 5701 |
| | |
| <i>Dysidea</i> | 5705 |
| <i>D. herbacea</i> | 5706 |
| | |
| <i>Iotrochota</i> | 5710 |
| <i>I. baculifera</i> | 5711 |
| | |
| <i>Mycale</i> | 5715 |
| <i>M. mytilorum</i> | 5716 |

| Group/Genus/Species | Family/Common Name | Code |
|-------------------------|--------------------|------|
| <i>Amorphinopsis</i> | | 5720 |
| <i>A. excavans</i> | | 5721 |
| <i>Cliona</i> | | 5725 |
| <i>C. carpenteri</i> | | 5726 |
| <i>C. celata</i> | | 5727 |
| <i>C. lobata</i> | | 5728 |
| <i>C. margaritifera</i> | | 5729 |
| <i>C. vastifica</i> | | 5730 |
| <i>C. viridis</i> | | 5731 |
| <i>Tethya</i> | | 5735 |
| <i>T. robusta</i> | | 5736 |
| <i>Halina</i> | | 5740 |
| <i>H. plicata</i> | | 5741 |
| <i>Chondrilla</i> | | 5745 |
| <i>C. sacciformis</i> | | 5746 |

CORALS
STONY CORALS

| | |
|-----------------------|------|
| <i>Pocillopora</i> | 5800 |
| <i>P. damicornis</i> | 5801 |
| | |
| <i>Acropora</i> | 5805 |
| <i>A. corymbosa</i> | 5806 |
| <i>A. formosa</i> | 5807 |
| <i>A. humilis</i> | 5808 |
| <i>A. multiformis</i> | 5809 |
| <i>A. nobilis</i> | 5810 |
| | |
| <i>Montipora</i> | 5815 |
| <i>M. divaricata</i> | 5816 |

| Group/Genus/Species | Family/Common Name | Code |
|--------------------------|--------------------|------|
| <i>M. foliosa</i> | | 5817 |
| <i>Fungia</i> | | 5825 |
| <i>F. fungitus</i> | | 5826 |
| <i>F. horrida</i> | | 5827 |
| <i>F. scutaria</i> | | 5828 |
| <i>Goniopora</i> | | 5830 |
| <i>G. stokesi</i> | | 5831 |
| <i>Porites</i> | | 5835 |
| <i>P. compressa</i> | | 5836 |
| <i>P. lutea</i> | | 5837 |
| <i>P. solida</i> | | 5838 |
| <i>P. somaliensis</i> | | 5839 |
| <i>Favia</i> | | 5845 |
| <i>F. fавus</i> | | 5846 |
| <i>F. pallida</i> | | 5847 |
| <i>F. valenciennesii</i> | | 5848 |
| <i>Favites</i> | | 5855 |
| <i>F. abdita</i> | | 5856 |
| <i>Goniastrea</i> | | 5860 |
| <i>G. pectinata</i> | | 5861 |
| <i>G. rectiformis</i> | | 5862 |
| <i>Platygyra</i> | | 5865 |
| <i>P. lamellina</i> | | 5866 |
| <i>Leptoria</i> | | 5870 |
| <i>Hydnophora</i> | | 5875 |
| <i>H. exesa</i> | | 5876 |

| Group/Genus/Species | Family/Common Name | Code |
|------------------------|--------------------|------|
| <i>H. microconus</i> | | 5877 |
| <i>Echinopora</i> | | 5880 |
| <i>E. lamellosa</i> | | 5881 |
| <i>Galaxea</i> | | 5885 |
| <i>G. fascicularis</i> | | 5886 |
| <i>Symphyllia</i> | | 5890 |
| <i>S. radians</i> | | 5891 |
| <i>S. recta</i> | | 5892 |
| <i>Euphyllia</i> | | 5895 |
| <i>E. glabrescens</i> | | 5896 |
| <i>Dendrophyllia</i> | | 5900 |
| <i>D. aurea</i> | | 5901 |
| HYDROCORALS | | |
| <i>Heliopora</i> | | 5950 |
| <i>H. coerulea</i> | | 5951 |
| <i>Millepora</i> | | 5955 |
| <i>M. platyphyllia</i> | | 5956 |
| GORGONIDS | | |
| <i>Echinogorgia</i> | | 6000 |
| <i>E. furfuracea</i> | | 6001 |
| <i>Heterogorgia</i> | | 6005 |
| <i>H. ramosa</i> | | 6006 |
| <i>Isis</i> | | 6010 |
| <i>I. hippurus</i> | | 6011 |

| Group/Genus/Species | Family/Common Name | Code |
|-----------------------|--------------------|-----------|
| <i>Juncella</i> | | 6015 |
| <i>J. juncea</i> | | 6016 |
| <i>Lophogorgia</i> | | 6020 |
| <i>L. lutkeni</i> | | 6021 |
| <i>L. robrotincta</i> | | 6022 |
| <i>Plexauroides</i> | | 6025 |
| <i>P. indica</i> | | 6026 |
| <i>P. prealonga</i> | | 6027 |
| <i>Scirpearella</i> | | 6030 |
| <i>S. aurantiacea</i> | | 6031 |
| <i>Solenocaulon</i> | | 6035 |
| <i>S. ramosum</i> | | 6036 |
| <i>Suberogorgia</i> | | 6040 |
| <i>S. rubra</i> | | 6041 |
| <i>S. suberosa</i> | | 6042 |
| <i>Thesia</i> | | 6045 |
| <i>T. flava</i> | | 6046 |
| <i>Verrucella</i> | | 6050 |
| <i>V. flexuosa</i> | | 6051 |
| <i>V. rubra</i> | | 6052 |
| ANTIPATHARIANS | | 6100-6199 |

ECHINODERMS

SEA URCHINS

Salmacis

S. bicolor

Sea urchin

6200

6201

| Group/Genus/Species | Family/Common Name | Code |
|--------------------------------|--------------------|------|
| <i>S. virgulata</i> | Sea urchin | 6202 |
| <i>Tripneustes</i> | | 6205 |
| <i>T. gratilla</i> | Sea urchin | 6206 |
| <i>Stomoponeustes</i> | | 6210 |
| <i>S. variolaris</i> | Sea urchin | 6211 |
| SEA CUCUMBERS | | |
| <i>Thelenota</i> | | 6300 |
| <i>T. ananas</i> | Prickly fish | 6301 |
| <i>Actinopyga</i> | | 6305 |
| <i>A. echinites</i> | Deep-water redfish | 6306 |
| <i>A. mauritiana</i> | Surf redfish | 6307 |
| <i>A. miliaris</i> | Blackfish | 6308 |
| <i>Holothuria</i> | | 6315 |
| <i>H. (metriatyla) scabra</i> | Sandfish | 6316 |
| <i>H. (microthele) nobilis</i> | Teatfish | 6317 |
| <i>H. spinifera</i> | | 6318 |
| <i>H. atra</i> | | 6319 |

SEAWEEEDS

| | |
|----------------------|------|
| <i>Ulva</i> | 7000 |
| <i>U. fasciata</i> | 7001 |
| <i>U. reticulata</i> | 7002 |
| <i>U. regida</i> | 7003 |
| <i>Enteromorpha</i> | 7010 |
| <i>Chaetomorpha</i> | 7015 |
| <i>Caulerpa</i> | 7020 |
| <i>Codium</i> | 7025 |

| | |
|------------------------|-------|
| <i>Padina</i> | 7030 |
| <i>Colpomenia</i> | 7035 |
| <i>Hydroclathrus</i> | 70408 |
| <i>Hormophysa</i> | 7045 |
| <i>Sargassum</i> | 7050 |
| <i>S. illicifolium</i> | 7051 |
| <i>S. johnstonii</i> | 7052 |
| <i>S. myriocystum</i> | 7053 |
| <i>S. swartzii</i> | 7054 |
| <i>S. vulgare</i> | 7055 |
| <i>S. wightii</i> | 7056 |
| <i>Turbinaria</i> | 7060 |
| <i>T. conoides</i> | 7061 |
| <i>T. decurrens</i> | 7062 |
| <i>T. ornata</i> | 7063 |
| <i>Porphyra</i> | 7070 |
| <i>P. vietnamensis</i> | 7071 |
| <i>Gelidiella</i> | 7075 |
| <i>G. acerosa</i> | 7076 |
| <i>Gracilaria</i> | 7080 |
| <i>G. corticata</i> | 7081 |
| <i>G. crassa</i> | 7082 |
| <i>G. follifera</i> | 7083 |
| <i>G. verrucosa</i> | 7084 |
| <i>Sarconema</i> | 7090 |
| <i>Hypnea</i> | 7095 |
| <i>H. musciformis</i> | 7096 |
| <i>Spyridia</i> | 7100 |
| <i>Acanthophora</i> | 7105 |
| <i>A. muscoides</i> | 7106 |
| <i>Laurencia</i> | 7110 |
| <i>L. papillosa</i> | 7111 |

Index I

**Alphabetical Arrangement of Genera
and Species**

| Genus/Species | Code | Genus/Species | Code |
|--------------------------------------|------|-----------------------|------|
| <i>Abalistes</i> | 2290 | <i>Acetes</i> | 4080 |
| <i>A. stellatus</i> | 2291 | <i>A. erythraeus</i> | 4081 |
| | | <i>A. indicus</i> | 4082 |
| <i>Ablennes</i> | 0635 | <i>A. japonicus</i> | 4083 |
| <i>A. hians</i> | 0636 | | |
| | | <i>Acropora</i> | 5805 |
| <i>Abudefduf</i> | 1680 | <i>A. corymbosa</i> | 5806 |
| <i>A. biocellatus</i> | 1681 | <i>A. formosa</i> | 5807 |
| <i>A. septemfasciatus</i> | 1682 | <i>A. humilis</i> | 5808 |
| <i>A. sexfasciatus</i> | 1683 | <i>A. multiformis</i> | 5809 |
| <i>A. sordidus</i> | 1684 | <i>A. nobilis</i> | 5810 |
| <i>A. uniocellatus</i> | 1685 | | |
| <i>Acanthocybium</i> | 1920 | <i>Actinopyga</i> | 6305 |
| <i>A. solandri</i> | 1921 | <i>A. echinites</i> | 6306 |
| | | <i>A. mauritiana</i> | 6307 |
| <i>Acanthopagrus</i> | 1580 | <i>A. miliaris</i> | 6308 |
| (= <i>Mylio</i>) | | | |
| <i>A. berda</i> (= <i>M. berda</i>) | 1581 | <i>Aesopia</i> | 2210 |
| <i>A. latus</i> (= <i>M. latus</i>) | 1582 | <i>A. cornuta</i> | 2211 |
| | | | |
| <i>Acanthophora</i> | 7105 | <i>Aetobatus</i> | 0210 |
| <i>A. muscoides</i> | 7106 | <i>A. flagellum</i> | 0211 |
| | | <i>A. narinari</i> | 0212 |
| <i>Acanthurus</i> | 1850 | | |
| <i>A. bleekeri</i> | 1851 | <i>Aetomylaeus</i> | 0215 |
| <i>A. dussumieri</i> | 1857 | <i>A. maculatus</i> | 0216 |
| <i>A. leucosternon</i> | 1852 | <i>A. nichofii</i> | 0217 |
| <i>A. lineatus</i> | 1853 | | |
| <i>A. xanthopterus</i> | 1854 | <i>Aetoplatea</i> | 0175 |
| (= <i>A. matoides</i>) | | <i>A. tentaculata</i> | 0176 |
| <i>A. triostegus</i> | 1855 | | |
| | | <i>Albula</i> | 0280 |
| <i>Acentrogobius</i> | 2035 | <i>A. neoguinaica</i> | 0281 |
| <i>A. ornatus</i> | 2036 | (= <i>A. vulpes</i>) | |

| Genus/Species | Code | Genus/Species | Code |
|------------------------------------|------|---|------|
| <i>Alectis</i> | 1175 | <i>A. sirm</i> (= <i>Sardimella sirm</i>) | 0364 |
| <i>A. ciliaris</i> | 1176 | | |
| <i>A. indicus</i> | 1177 | <i>Amblygobius</i> | 2040 |
| <i>Alepes</i> | 1180 | <i>A. albimaculatus</i> | 2041 |
| <i>A. djeddaba</i> | 1181 | <i>Amorphinopsis</i> | 5720 |
| <i>Atule mate</i> | 1182 | <i>A. excavans</i> | 5721 |
| <i>Alepes melanopterus</i> | 1183 | <i>Amphiprion</i> | 1690 |
| <i>Alepisaurus</i> | 0510 | <i>A. percula</i> | 1691 |
| <i>A. ferox</i> | 0511 | <i>A. sebae</i> | 1692 |
| <i>Allanetta</i> | 0860 | <i>Anadara</i> | 4800 |
| <i>A. forskali</i> | 0861 | <i>A. granosa</i> | 4801 |
| <i>Alopias</i> | 0020 | <i>Anampses</i> | 1735 |
| <i>A. pelagicus</i> | 0021 | <i>A. caeruleopunctatus</i> | 1736 |
| <i>A. superciliosus</i> | 0022 | | |
| <i>A. vulpinus</i> | 0023 | <i>Anguilla</i> | 0585 |
| <i>Alutera</i> | 2337 | <i>A. bengalensis</i> | 0587 |
| <i>A. monoceros</i> | 2338 | <i>bengalensis</i> (= <i>A. nebulosus nebulosus</i>) | |
| <i>Amanses</i> | 2330 | <i>A. bicolor bicolor</i> | 0586 |
| <i>A. sandwichiensis</i> | 2331 | <i>Anodontostoma</i> | 0285 |
| <i>Ambassis</i> | 0895 | <i>A. chacunda</i> | 0286 |
| <i>A. commersoni</i> | 0896 | <i>Anoxypristis</i> | 0155 |
| <i>A. gymnocephalus</i> | 0897 | <i>A. cuspidata</i> | 0156 |
| <i>A. urotaenia</i> | 0898 | (= <i>Pristis cuspidatus</i>) | |
| <i>Amblygaster clupeioides</i> | 0358 | <i>Antennarius</i> | 2395 |
| (= <i>Sardimella clupeioides</i>) | | <i>A. hispidus</i> | 2398 |
| <i>A. leiogaster</i> | 0365 | <i>A. leprosus</i> | 2396 |
| (= <i>Sardimella leiogaster</i>) | | <i>A. nummifer</i> | 2397 |

| Genus/Species | Code | Genus/Species | Code |
|---------------------------|------|------------------------------|------|
| <i>Antigonia</i> | 0795 | <i>A. indica</i> | 2027 |
| <i>A. rubescens</i> | 0796 | (= <i>Psenes indicus</i>) | |
| | | <i>Ariosoma</i> | 0615 |
| <i>Aphareus</i> | 1310 | <i>A. anago</i> | 0616 |
| <i>A. furcatus</i> | 1311 | <i>A. gnanadosi</i> | 0617 |
| <i>A. rutilans</i> | 1312 | | |
| | | <i>Aristaeomorpha</i> | 4010 |
| | | <i>A. wood-masoni</i> | 4011 |
| <i>Aplysia</i> | 4660 | <i>Aristeus</i> | 4015 |
| | | <i>A. alcocki</i> | 4016 |
| | | <i>A. semidentatus</i> | 4017 |
| <i>Apogon</i> | 1110 | <i>Arius</i> | 0545 |
| <i>A. leptacanthus</i> | 1111 | <i>A. arius</i> | 0556 |
| <i>A. quadrifasciatus</i> | 1112 | <i>A. caelatus</i> | 0546 |
| <i>A. sangiensis</i> | 1113 | <i>A. dussumieri</i> | 0547 |
| | | <i>A. jella</i> | 0548 |
| <i>Aprion</i> | 1315 | <i>A. maculatus</i> | 0549 |
| <i>A. virescens</i> | 1316 | <i>A. platystomus</i> | 0550 |
| | | <i>A. sona</i> | 0551 |
| <i>Apsilus</i> | 1320 | <i>A. subrostratus</i> | 0552 |
| <i>A. fuscus</i> | 1321 | <i>A. tenuispinis</i> | 0553 |
| | | <i>A. thalassinus</i> | 0554 |
| <i>Archamia</i> | 1120 | <i>A. venosus</i> | 0555 |
| <i>A. fucata</i> | 1121 | | |
| <i>A. lineolatus</i> | 1122 | <i>Arnoglossus</i> | 2155 |
| <i>Argyrops</i> | 1575 | <i>A. tapeinosoma</i> | 2156 |
| <i>A. spinifer</i> | 1576 | | |
| <i>Ariomma (= Psenes)</i> | 2025 | <i>Arothron (= Tetradon)</i> | 2360 |
| <i>A. cyanophrys</i> | 2026 | <i>A. hispidus</i> | 2361 |

| Genus/Species | Code | Genus/Species | Code |
|--------------------------|------|-------------------------|------|
| <i>A. immaculatus</i> | 2362 | <i>B. musculus</i> | 5529 |
| <i>A. nigropunctatus</i> | 2363 | <i>B. physalus</i> | 5530 |
| <i>A. stellatus</i> | 2364 | | |
| <i>Astronesthes</i> | 0460 | <i>Balistapus</i> | 2300 |
| <i>A. lucifer</i> | 0461 | <i>B. undulatus</i> | 2301 |
| <i>Atherinomorus</i> | 0865 | <i>Bathyclupea</i> | 0465 |
| (= <i>Pranesus</i>) | | <i>B. hoskynii</i> | 0466 |
| <i>A. lacunosus</i> | 0866 | <i>Bathygadus</i> | 0720 |
| (= <i>P. pinguis</i>) | | <i>B. furvescens</i> | 0721 |
| <i>Atropus</i> | 1185 | <i>Bathygobius</i> | 2045 |
| <i>A. atropos</i> | 1186 | <i>B. fuscus</i> | 2046 |
| | | <i>Batrachocephalus</i> | 0560 |
| <i>Atule mate</i> | 1182 | <i>B. mino</i> | 0561 |
| (= <i>Alepes mate</i>) | | <i>Benthobatis</i> | 0235 |
| <i>Atypopenaeus</i> | 4020 | <i>B. moresbyi</i> | 0236 |
| <i>A. stenodactylus</i> | 4021 | <i>Benthodesmus</i> | 1895 |
| <i>Auxis</i> | 1925 | <i>B. tenuis</i> | 1896 |
| <i>A. rochei</i> | 1926 | <i>Berardius</i> | 5415 |
| <i>A. thazard</i> | 1927 | <i>B. arnouxii</i> | 5416 |
| <i>Babylonia</i> | 4630 | <i>Berrya</i> | 5060 |
| <i>B. spirata</i> | 4631 | <i>B. keralensis</i> | 5061 |
| <i>B. zeylanica</i> | 4632 | <i>Beryx</i> | 0760 |
| <i>Balaenoptera</i> | 5525 | <i>B. decadactylus</i> | 0762 |
| <i>B. acutorostrata</i> | 5526 | <i>B. splendens</i> | 0761 |
| <i>B. borealis</i> | 5527 | <i>Bothus</i> | 2160 |
| <i>B. edeni</i> | 5528 | <i>B. myriaster</i> | 2161 |
| | | (= <i>B. ovalis</i>) | |

| Genus/Species | Code | Genus/Species | Code |
|--|------|----------------------------|------|
| <i>B. pantherinus</i> | 2162 | <i>C. margaritata</i> | 2382 |
| <i>Bregmaceros</i> | 0710 | <i>Caperea</i> | 5520 |
| <i>B. macclellandi</i> | 0711 | <i>C. marginata</i> | 5521 |
| <i>Bulla</i> | 4670 | <i>Carangoides</i> | 1190 |
| <i>B. ampulla</i> | 4671 | <i>C. armatus</i> | 1191 |
| <i>Bursa</i> | 4610 | <i>C. chrysophrys</i> | 1192 |
| <i>Caesio and Pterocaesio</i> | 1325 | <i>C. ferdau</i> | 1193 |
| <i>C. caerulaureus</i> | 1326 | <i>C. gymnostethus</i> | 1194 |
| <i>C. chrysozona</i> | 1327 | <i>C. malabaricus</i> | 1195 |
| (= <i>Pterocaesio chrysozona</i>) | | <i>C. praeustus</i> | 1196 |
| <i>C. cuning</i> | 1331 | <i>C. talamparoides</i> | 1197 |
| <i>C. pisang</i> (= <i>P. pisang</i>) | 1328 | <i>Caranx</i> | 1200 |
| <i>C. tile</i> (= <i>P. tile</i>) | 1329 | <i>C. ignobilis</i> | 1202 |
| <i>C. xanthonotus</i> | 1330 | <i>C. lugubris</i> | 1205 |
| <i>Calappa</i> | 4300 | <i>C. melampygus</i> | 1203 |
| <i>C. lophos</i> | 4301 | <i>C. sem</i> | 1206 |
| <i>Calatomus</i> | 1730 | <i>C. sexfasciatus</i> | 1204 |
| (= <i>Cryptotomus</i>) | | <i>C. tille</i> | 1207 |
| <i>C. spinidens</i> | 1731 | <i>Carcharhinus</i> | 0040 |
| <i>Callionymus</i> | 1830 | <i>C. altimus</i> | 0041 |
| <i>C. japonicus</i> | 1831 | <i>C. amblyrhynchoides</i> | 0042 |
| <i>C. marleyi</i> | 1832 | <i>C. amboinensis</i> | 0043 |
| (= <i>C. sagitta</i>) | | <i>C. brevipinna</i> | 0044 |
| <i>Calloiodon</i> | 1720 | <i>C. dussumieri</i> | 0045 |
| <i>Calyptraea</i> | 4565 | <i>C. hemiodon</i> | 0046 |
| <i>Canthidermis</i> | 2295 | <i>C. leucas</i> | 0047 |
| <i>C. rotundatus</i> | 2296 | <i>C. limbatus</i> | 0048 |
| <i>Canthigaster</i> | 2380 | <i>C. longimanus</i> | 0049 |
| <i>C. amboinensis</i> | 2381 | <i>C. macloti</i> | 0050 |
| | | <i>C. melanopterus</i> | 0051 |
| | | <i>C. sorrah</i> | 0052 |
| | | <i>Cardita</i> | 4860 |

| Genus/Species | Code | Genus/Species | Code |
|-----------------------------|------|----------------------------------|------|
| <i>Caretta</i> | 5110 | <i>Champsodon</i> | 1790 |
| <i>C. caretta</i> | 5111 | <i>C. capensis</i> | 1792 |
| | | <i>C. vorax</i> | 1791 |
| <i>Carsis</i> | 4605 | <i>Chanos</i> | 0435 |
| <i>Caulerpa</i> | 7020 | <i>C. chanos</i> | 0436 |
| <i>Cellana</i> | 4510 | <i>Charybdis</i> | 4325 |
| | | <i>C. annulata</i> | 4326 |
| <i>Centriscus</i> | 2440 | <i>C. cruciata</i> | 4327 |
| <i>C. scutatus</i> | 2441 | <i>C. edwardsi</i> | 4328 |
| | | <i>C. (goniohellnus) smithii</i> | 4330 |
| <i>Centrophorus</i> | 0125 | <i>C. natator</i> | 4329 |
| <i>C. moluccensis</i> | 0126 | <i>Chascanopsetta</i> | 2165 |
| | | <i>C. lugubris</i> | 2166 |
| <i>Cephalopholis</i> | 0925 | <i>Chauliodus</i> | 0450 |
| <i>C. argus</i> | 0926 | <i>C. pammelas</i> | 0451 |
| <i>C. boenack</i> | 0927 | | |
| (= <i>C. pachycentron</i>) | | <i>Chaunax</i> | 2400 |
| <i>C. miniata</i> | 0928 | <i>C. pictus</i> | 2401 |
| (= <i>C. miniatus</i>) | | | |
| <i>C. sonnerati</i> | 0930 | <i>Cheilinus</i> | 1740 |
| <i>Cerithium</i> | 4560 | <i>C. chlorurus</i> | 1741 |
| <i>Chaenogaleus</i> | 0055 | <i>C. diagrammus</i> | 1742 |
| <i>C. macrostoma</i> | 0056 | (= <i>C. diagramme</i>) | |
| | | <i>C. trilobatus</i> | 1743 |
| <i>Chaetodon</i> | 1650 | <i>C. undulatus</i> | 1744 |
| <i>C. auriga</i> | 1651 | | |
| <i>C. collare</i> | 1652 | <i>Cheilio</i> | 1750 |
| <i>C. trifasciatus</i> | 1653 | <i>C. inermis</i> | 1751 |
| <i>C. vagabundus</i> | 1654 | | |
| <i>C. xanthocephalus</i> | 1655 | <i>Cheilodipterus</i> | 1125 |
| <i>Chaetomorpha</i> | 7015 | <i>C. lachneri</i> | 1126 |

| Genus/Species | Code | Genus/Species | Code |
|--------------------------------------|------|--------------------------------------|------|
| <i>Cheilopogon</i> | 0680 | <i>C. lobata</i> | 5728 |
| <i>C. cyanopterus</i> | 0681 | <i>C. margaritifera</i> | 5729 |
| (= <i>Cypselurus cyanopterus</i>) | | <i>C. vastifica</i> | 5730 |
| <i>C. furcatus</i> | 0682 | <i>C. viridis</i> | 5731 |
| (= <i>Cypselurus furcatus</i>) | | <i>Cociella crocodila</i> | 2122 |
| | | (= <i>Platycephalus crocodilus</i>) | |
| <i>Chelonia</i> | 5105 | <i>Codium</i> | 7025 |
| <i>C. mydas</i> | 5106 | <i>Coelorinchus</i> | 0725 |
| <i>Chiloscyllium</i> | 0001 | <i>C. flabellispinis</i> | 0726 |
| <i>C. griseum</i> | 0003 | <i>C. parallelus</i> | 0727 |
| <i>C. indicum</i> | 0002 | <i>Coilia</i> | 0375 |
| <i>Chirocentrus</i> | 0430 | <i>C. dussumieri</i> | 0376 |
| <i>C. dorab</i> | 0431 | <i>C. neglecta</i> | 0377 |
| <i>C. nudus</i> | 0432 | <i>Coloconger</i> | 0620 |
| <i>Chlorophthalmus</i> | 0505 | <i>C. raniceps</i> | 0621 |
| <i>C. agassizi</i> | 0506 | <i>Colpomenia</i> | 7035 |
| <i>C. bicornis</i> | 0507 | <i>Congresox</i> | 0600 |
| (= <i>C. corniger</i>) | | <i>C. talabanooides</i> | 0601 |
| <i>Chondrilla</i> | 5745 | <i>C. talabon</i> | 0602 |
| <i>C. sacciformis</i> | 5746 | <i>Conus</i> | 4665 |
| <i>Chromis</i> | 1695 | <i>Coris</i> | 1755 |
| <i>C. caeruleus</i> | 1696 | <i>C. gaimard africana</i> | 1756 |
| <i>C. ternatensis</i> | 1697 | <i>Coryphaena</i> | 1295 |
| <i>Chrysochir</i> | 1475 | <i>C. equiselis</i> | 1297 |
| (= <i>Atrobuca</i>) | | <i>C. hippurus</i> | 1296 |
| <i>C. aureus</i> (= <i>A. nibe</i>) | 1476 | <i>Crassostrea</i> | 4850 |
| <i>Cliona</i> | 5725 | <i>C. cucullata</i> | 4851 |
| <i>C. carpenteri</i> | 5726 | | |
| <i>C. celata</i> | 5727 | | |

| Genus/Species | Code | Genus/Species | Code |
|---------------------------|------|--|------|
| <i>C. discoidea</i> | 4852 | <i>C. oligolepis</i> | 0686 |
| <i>C. gryphoides</i> | 4853 | <i>C. poicilopterus</i> | 0687 |
| <i>C. madrasensis</i> | 4854 | (= <i>C. spilopterus</i>) | |
| <i>Crenimugil</i> | 0825 | <i>Dactyloptena</i> | 2140 |
| <i>C. crenilabis</i> | 0826 | <i>D. macracanthus</i> | 2141 |
| | | <i>D. orientalis</i> | 2142 |
| <i>Crocodylus</i> | 5250 | <i>Dascyllus</i> | 1700 |
| <i>C. porosus</i> | 5251 | <i>D. aruanus</i> | 1701 |
| | | <i>D. trimaculatus</i> | 1702 |
| <i>Crossorhombus</i> | 2170 | <i>Dasyatis</i> | 0180 |
| <i>C. valderostratus</i> | 2171 | <i>D. kuhlii</i> | 0183 |
| | | (= <i>Aetoplatea kuhlii</i>) | |
| <i>Cubiceps</i> | 2020 | <i>D. microps</i> | 0181 |
| <i>C. natalensis</i> | 2021 | <i>D. zugei</i> | 0182 |
| | | (= <i>Amphotistius zugei</i>) | |
| <i>Cybiosarda</i> | 1930 | <i>Datnioides</i> | 1400 |
| <i>C. elegans</i> | 1931 | <i>D. quadrifasciatus</i> | 1401 |
| <i>Cynoglossus</i> | 2245 | <i>Decapterus</i> | 1210 |
| <i>C. bilineatus</i> | 2247 | <i>D. russelli</i> (= <i>D. dayi</i>) | 1211 |
| <i>C. carpenteri</i> | 2254 | <i>D. macrosoma</i> | 1213 |
| <i>C. dubius</i> | 2248 | | |
| <i>C. lida</i> | 2249 | <i>Delphinus</i> | 5500 |
| <i>C. lingua</i> | 2250 | <i>D. delphis</i> | 5501 |
| <i>C. macrolepidotus</i> | 2246 | | |
| (= <i>C. arel</i>) | | <i>Dendrochirus</i> | 2075 |
| <i>C. macrostomus</i> | 2252 | <i>D. brachypterus</i> | 2076 |
| <i>C. puncticeps</i> | 2253 | <i>D. zebra</i> | 2077 |
| <i>Cypraea</i> | 4590 | <i>Dendrophyllia</i> | 5900 |
| <i>C. arabica</i> | 4591 | <i>D. aurea</i> | 5901 |
| <i>C. caput serpentis</i> | 4593 | | |
| <i>C. ligris</i> | 4594 | <i>Dendrophysa</i> | 1480 |
| <i>C. moneta</i> | 4592 | <i>D. russelli</i> | 1481 |
| <i>Cypselurus</i> | 0685 | <i>Dentalium</i> | 4500 |

| Genus/Species | Code | Genus/Species | Code |
|--------------------------|------|-------------------------|------|
| <i>Dermochelys</i> | 5120 | <i>Dysidea</i> | 5705 |
| <i>D. coriacea</i> | 5121 | <i>D. herbacea</i> | 5706 |
| <i>Diagramma</i> | 1470 | <i>Echeneis</i> | 2260 |
| <i>D. pictum</i> | 1471 | <i>E. naucrates</i> | 2261 |
| <i>Diaphus</i> | 0515 | <i>Echinogorgia</i> | 6000 |
| <i>D. leutkeni</i> | 0516 | <i>E. furfuracea</i> | 6001 |
| <i>Dibranchus</i> | 2405 | <i>Echinopora</i> | 5880 |
| <i>D. nasutus</i> | 2406 | <i>E. lamellosa</i> | 5881 |
| <i>Diodon</i> | 2375 | <i>Echinorhinus</i> | 0130 |
| <i>D. holocanthus</i> | 2377 | <i>E. brucus</i> | 0131 |
| <i>D. hystrix</i> | 2376 | | |
| <i>Diodora</i> | 4515 | <i>Ehirava</i> | 0295 |
| | | <i>E. fluviatilis</i> | 0296 |
| <i>Dipterygonotus</i> | 1300 | <i>Elagatis</i> | 1220 |
| <i>D. leucogrammicus</i> | 1301 | <i>E. bipinnulata</i> | 1221 |
| <i>Dolabella</i> | 4675 | <i>Eleotriodes</i> | 2050 |
| | | <i>E. sexguttatus</i> | 2051 |
| <i>Donax</i> | 4870 | <i>Eleutheronema</i> | 0875 |
| <i>D. oryteuthis</i> | 5040 | <i>E. tetradactylum</i> | 0876 |
| <i>D. sibogae</i> | 5041 | | |
| <i>D. singhulensis</i> | 5042 | <i>Elops</i> | 0270 |
| | | <i>E. machnata</i> | 0271 |
| <i>Drepane</i> | 1640 | <i>Emmelichthys</i> | 1305 |
| <i>D. longimana</i> | 1641 | <i>E. nitidus</i> | 1306 |
| <i>D. punctata</i> | 1642 | | |
| <i>Dugong</i> | 5670 | <i>Engyprosopon</i> | 2175 |
| <i>D. dugon</i> | 5671 | <i>E. grandisquamis</i> | 2176 |
| <i>Dussumieria</i> | 0290 | <i>Enteromorpha</i> | 7010 |
| <i>D. acuta</i> | 0291 | | |
| <i>D. elopsoides</i> | 0292 | | |

| Genus/Species | Code | Genus/Species | Code |
|-------------------------------------|------|--|------|
| <i>Entomacrodus</i> | 1795 | <i>Euphyllia</i> | 5895 |
| <i>E. straitus</i> | 1796 | <i>E. glabrescens</i> | 5896 |
| <i>E. vermiculatus</i> | 1797 | | |
| | | <i>Eupleurogrammus</i> | 1900 |
| <i>Ehippus</i> | 1630 | <i>E. glossodon</i> | 1901 |
| <i>E. orbis</i> | 1631 | (= <i>E. intermedius</i>) | |
| | | <i>E. muticus</i> | 1902 |
| <i>Epinephelus</i> | 0940 | | |
| <i>E. areolatus</i> | 0941 | <i>Eurglossa</i> (= <i>Brachirus</i>) | 2215 |
| <i>E. bleekeri</i> | 0942 | <i>E. orientalis</i> | 2216 |
| <i>E. chlorostigma</i> | 0943 | (= <i>B. orientalis</i>) | |
| <i>E. diacanthus</i> | 0944 | | |
| <i>E. fasciatus</i> | 0945 | <i>Eusphyra</i> | 0115 |
| <i>E. lanceolatus</i> | 0952 | <i>E. blochii</i> | 0116 |
| (= <i>Promicrops lanceolatus</i>) | | | |
| <i>E. malabaricus</i> | 0946 | <i>Euthynnus</i> | 1935 |
| <i>E. melanostigma</i> | 0947 | <i>E. affinis</i> | 1936 |
| <i>E. merra</i> | 0948 | | |
| <i>E. morrhua</i> | 0949 | <i>Exhippolysmata</i> | 4110 |
| <i>E. tauvina</i> | 0950 | <i>E. ensirostris</i> | 4111 |
| <i>E. undulosus</i> | 0951 | | |
| | | <i>Exocoetus</i> | 0690 |
| <i>Epitonium</i> | 4570 | <i>E. monocirrhus</i> | 0692 |
| | | <i>E. volitans</i> | 0691 |
| <i>Eretmochelys</i> | 5100 | | |
| <i>E. imbricata</i> | 5101 | <i>Exopalaemon</i> | 4105 |
| | | <i>E. styliferus</i> | 4106 |
| <i>Escualosa</i> (= <i>Kowala</i>) | 0300 | | |
| <i>E. thoracata</i> | 0301 | <i>Favia</i> | 5845 |
| (= <i>K. coval</i>) | | <i>F. fava</i> | 5846 |
| | | <i>F. pallida</i> | 5847 |
| <i>Etroplus</i> | 1675 | <i>F. valenciennesii</i> | 5848 |
| <i>E. suratensis</i> | 1676 | | |
| <i>Eubalaena</i> | 5515 | <i>Favites</i> | 5855 |
| <i>E. australis</i> | 5516 | <i>F. abdita</i> | 5856 |

| Genus/Species | Code | Genus/Species | Code |
|------------------------|------|-------------------------|------|
| <i>Fersea</i> | 5455 | <i>G. oblongus</i> | 1443 |
| <i>F. attenuata</i> | 5456 | <i>G. oyena</i> | 1440 |
| | | <i>G. setifer</i> | 1441 |
| <i>Fistularia</i> | 0750 | <i>Globicephala</i> | 5465 |
| <i>F. commersonii</i> | 0753 | <i>G. macrorhynchus</i> | 5466 |
| <i>F. petimba</i> | 0751 | <i>G. melaena</i> | 5467 |
| (= <i>F. villosa</i>) | | | |
| <i>Fungia</i> | 5825 | <i>Gnathanodon</i> | 1225 |
| <i>F. fungitus</i> | 5826 | <i>G. speciosus</i> | 1226 |
| <i>F. horrida</i> | 5827 | <i>Gnathodentex</i> | 1565 |
| <i>F. scutaria</i> | 5828 | <i>G. aurolineatus</i> | 1566 |
| <i>Galaxea</i> | 5885 | <i>Gobiodon</i> | 2055 |
| <i>G. fascicularis</i> | 5886 | <i>G. citrinus</i> | 2056 |
| <i>Galeocerdo</i> | 0060 | <i>Gomphosus</i> | 1760 |
| <i>G. cuvieri</i> | 0061 | <i>G. coeruleus</i> | 1761 |
| <i>Gazza</i> | 1405 | <i>Gonialosa</i> | 0305 |
| <i>G. achlamys</i> | 1406 | <i>G. manmina</i> | 0306 |
| <i>G. minuta</i> | 1407 | | |
| <i>Gelidiella</i> | 7075 | <i>Goniastrea</i> | 5860 |
| <i>G. acerosa</i> | 7076 | <i>G. pectinata</i> | 5861 |
| | | <i>G. rectiformis</i> | 5862 |
| <i>Gempylus</i> | 1875 | <i>Goniopora</i> | 5830 |
| <i>G. serpens</i> | 1876 | <i>G. stokesi</i> | 5831 |
| <i>Gephyroberyx</i> | 0765 | <i>Gonostoma</i> | 0455 |
| | | <i>G. elongatum</i> | 0456 |
| <i>Gerres</i> | 1435 | <i>Gracilaria</i> | 7080 |
| <i>G. abbreviatus</i> | 1436 | <i>G. corticata</i> | 7081 |
| <i>G. acinaces</i> | 1442 | <i>G. crassa</i> | 7082 |
| <i>G. filamentosus</i> | 1437 | <i>G. follifera</i> | 7083 |
| <i>G. lucidus</i> | 1438 | | |
| <i>G. macracanthus</i> | 1439 | | |

| Genus/Species | Code | Genus/Species | Code |
|----------------------------|------|--------------------------|------|
| <i>G. verrucosa</i> | 7084 | <i>Halina</i> | 5740 |
| | | <i>H. plicata</i> | 5741 |
| <i>Grammoplites scaber</i> | 2124 | | |
| (= <i>P. scaber</i>) | | <i>Haliotis</i> | 4505 |
| <i>G. suppositus</i> | 2126 | | |
| | | <i>Harpadon</i> | 0500 |
| <i>Grampus</i> | 5485 | <i>H. nehereus</i> | 0501 |
| <i>G. griseus</i> | 5486 | | |
| | | <i>Heliopora</i> | 5950 |
| <i>Gymnocaesio</i> | 1335 | <i>H. coerulea</i> | 5951 |
| <i>G. gymnopterus</i> | 1336 | | |
| | | <i>Hemigaleus</i> | 0065 |
| <i>Gymnocranius</i> | 1570 | <i>H. microstoma</i> | 0066 |
| <i>G. griseus</i> | 1571 | | |
| | | <i>Hemigymnus</i> | 1765 |
| <i>Gymnosarda</i> | 1940 | <i>H. fasciatus</i> | 1766 |
| <i>G. unicolor</i> | 1941 | | |
| | | <i>Hemipristis</i> | 0070 |
| <i>Gymnothorax</i> | 0590 | <i>H. elongatus</i> | 0071 |
| <i>G. fimbriatus</i> | 0591 | | |
| <i>G. pictus</i> | 0592 | <i>Hemirhamphus</i> | 0650 |
| <i>G. undulatus</i> | 0593 | <i>H. archipelagicus</i> | 0651 |
| | | <i>H. far</i> | 0652 |
| <i>Gymnura</i> | 0185 | <i>H. marginatus</i> | 0653 |
| <i>G. micrura</i> | 0186 | | |
| <i>G. poecilura</i> | 0187 | <i>Herklotsichthys</i> | 0310 |
| | | <i>H. punctatus</i> | 0311 |
| <i>Halaelurus</i> | 0035 | | |
| <i>H. hispidus</i> | 0036 | <i>Heterocarpus</i> | 4120 |
| <i>H. quagga</i> | 0037 | <i>H. gibbosus</i> | 4121 |
| | | <i>H. wood-masoni</i> | 4122 |
| <i>Haliotea</i> | 2410 | | |
| <i>H. coccinea</i> | 2411 | <i>Heterogorgia</i> | 6005 |
| <i>H. indica</i> | 2412 | <i>H. ramosa</i> | 6006 |
| <i>H. stellata</i> | 2413 | | |

| Genus/Species | Code | Genus/Species | Code |
|-------------------------------------|------|--|------|
| <i>Heteromycteris</i> | 2220 | <i>Hoplostethus</i> | 0770 |
| <i>H. oculus</i> | 2221 | <i>H. mediterraneus</i> | 0771 |
| <i>Hilsa</i> | 0320 | <i>Hormophysa</i> | 7045 |
| <i>H. kelee</i> | 0321 | <i>Hydnophora</i> | 5875 |
| <i>Himantura</i> | 0190 | <i>H. exesa</i> | 5876 |
| <i>H. bleekeri</i> | 0191 | <i>H. microconus</i> | 5877 |
| <i>H. gerrardi</i> | 0192 | <i>Hydroclathrus</i> | 7040 |
| <i>H. imbricata</i> | 0193 | <i>Hymenocephalus</i> | 0730 |
| (= <i>Amphotistius imbricatus</i>) | | <i>Hymenopenaeus</i> | 4000 |
| <i>H. jenkinsii</i> | 0194 | <i>H. aequalis</i> | 4001 |
| <i>H. marginatus</i> | 0195 | <i>Hyperoodon</i> | 5420 |
| (= <i>A. marginatus</i>) | | <i>H. planifrons</i> | 5421 |
| <i>H. uarnak</i> | 0196 | <i>Hypnea</i> | 7095 |
| <i>Hippocampus</i> | 2460 | <i>H. musciformis</i> | 7096 |
| <i>H. kuda</i> | 2461 | <i>Hypoatherina</i> | 0870 |
| <i>Hipposcarus harid</i> | 1723 | (= <i>Stenatherina</i>) | |
| (= <i>Callyodon harid</i>) | | <i>H. temmincki</i> | 0871 |
| <i>Hirundichthys</i> | 0695 | (= <i>S. temmincki</i>) | |
| <i>H. coromandelensis</i> | 0697 | <i>Hypolophus</i> | 0200 |
| <i>H. oxycephalus</i> | 0696 | (= <i>Pastinachus</i>) | |
| <i>Hologymnosus</i> | 1770 | <i>H. sephen</i> (= <i>P. sephen</i>) | 0201 |
| <i>H. doliatus</i> | 1771 | <i>Hyporhamphus</i> | 0660 |
| (= <i>H. semidiscus</i>) | | <i>H. limbatus</i> | 0661 |
| <i>Holothuria</i> | 6315 | (= <i>H. gaimardi</i>) | |
| <i>H. atra</i> | 6319 | <i>H. quoyi</i> | 0664 |
| <i>H. (metriatyla) scabra</i> | 6316 | <i>H. xanthopterus</i> | 0663 |
| <i>H. (microthele) nobilis</i> | 6317 | | |
| <i>H. spinifera</i> | 6318 | | |

| Genus/Species | Code | Genus/Species | Code |
|-------------------------|------|-------------------------|------|
| <i>Ilisha</i> | 0325 | <i>Katylisia</i> | 4875 |
| <i>I. elongata</i> | 0326 | <i>K. opima</i> | 4876 |
| <i>I. filigera</i> | 0329 | | |
| <i>I. megaloptera</i> | 0327 | <i>Kathala</i> | 1505 |
| <i>I. melastoma</i> | 0328 | <i>K. axillaris</i> | 1506 |
| | | | |
| <i>Iotrochota</i> | 5710 | <i>Katsuwonus</i> | 1945 |
| <i>I. baculifera</i> | 5711 | <i>K. pelamis</i> | 1946 |
| | | | |
| <i>Isis</i> | 6010 | <i>Kogia</i> | 5430 |
| <i>I. hippurus</i> | 6011 | <i>K. breviceps</i> | 5431 |
| | | <i>K. simus</i> | 5432 |
| | | | |
| <i>Istiblennius</i> | 1800 | | |
| <i>I. lineatus</i> | 1801 | <i>Kuhlia</i> | 1000 |
| | | <i>K. mugil</i> | 1001 |
| | | (= <i>K. taeniura</i>) | |
| <i>Istiophorus</i> | 1985 | <i>K. rupestris</i> | 1002 |
| <i>I. platypterus</i> | 1986 | | |
| | | | |
| <i>Isurus</i> | 0025 | <i>Kurtis</i> | 2030 |
| <i>I. oxyrinchus</i> | 0026 | <i>K. indicus</i> | 2031 |
| | | | |
| <i>Johnieops</i> | 1485 | <i>Kyphosus</i> | 1625 |
| <i>J. aneus</i> | 1486 | <i>K. bigibbus</i> | 1626 |
| <i>J. macrorhynchus</i> | 1489 | <i>K. cinerascens</i> | 1627 |
| <i>J. sina</i> | 1487 | <i>K. vaigiensis</i> | 1628 |
| <i>J. vogleri</i> | 1488 | | |
| | | <i>Lactarius</i> | 1165 |
| <i>Johnius</i> | 1495 | <i>L. lactarius</i> | 1166 |
| <i>J. belangerii</i> | 1496 | | |
| <i>J. carutta</i> | 1497 | <i>Lactoria</i> | 2340 |
| <i>J. dussumieri</i> | 1498 | <i>L. cornuta</i> | 2341 |
| <i>J. elongatus</i> | 1499 | | |
| <i>J. macropterus</i> | 1500 | <i>Laeops</i> | 2180 |
| | | | |
| <i>Juncella</i> | 6015 | <i>Lagenodelphis</i> | 5470 |
| <i>J. juncea</i> | 6016 | <i>L. hosei</i> | 5471 |

| Genus/Species | Code | Genus/Species | Code |
|------------------------|------|-------------------------------|------|
| <i>Lagenorhynchus</i> | 5475 | <i>Lepidopus</i> | 1905 |
| <i>L. cruciger</i> | 5476 | <i>L. caudatus</i> | 1906 |
| <i>L. obscurus</i> | 5477 | | |
| | | <i>Lepidotriglas</i> | 2110 |
| <i>Lagocephalus</i> | 2355 | <i>L. longipinnis</i> | 2111 |
| <i>L. inermis</i> | 2356 | <i>L. natalensis</i> | 2112 |
| | | | |
| <i>Lambis</i> | 4580 | <i>Lepidozygus</i> | 1705 |
| | | <i>L. tapeinosoma</i> | 1706 |
| | | | |
| <i>Lamiopsis</i> | 0075 | <i>Leptoria</i> | 5870 |
| <i>L. temmincki</i> | 0076 | | |
| | | | |
| <i>Lates</i> | 0910 | <i>Lepturacanthus</i> | 1910 |
| <i>L. calcarifer</i> | 0911 | <i>L. pantului</i> | 1912 |
| | | <i>L. savala</i> | 1911 |
| | | | |
| <i>Laurencia</i> | 7110 | <i>Lestidiops</i> | 0490 |
| <i>L. papillosa</i> | 7111 | (= <i>Lestidium</i>) | |
| | | <i>L. indopacifica</i> | 0491 |
| | | | |
| <i>Leander</i> | 4160 | | |
| | | <i>Lethrinus</i> | 1545 |
| <i>Leiognathus</i> | 1410 | <i>L. aurolineatus</i> | 1554 |
| <i>L. berbis</i> | 1411 | <i>L. elongatus</i> | 1550 |
| <i>L. bindus</i> | 1412 | (= <i>L. miniata</i>) | |
| <i>L. blochi</i> | 1413 | <i>L. harak</i> | 1548 |
| <i>L. brevirostris</i> | 1414 | <i>L. lentjan</i> | 1549 |
| <i>L. daura</i> | 1415 | <i>L. microdon</i> | 1555 |
| <i>L. dussumieri</i> | 1416 | <i>L. nebuloses</i> | 1551 |
| <i>L. elongatus</i> | 1423 | (= <i>L. choerorhynchus</i> , | |
| <i>L. equulus</i> | 1417 | <i>L. frenatus</i>) | |
| <i>L. fasciatus</i> | 1418 | <i>L. ornatus</i> | 1552 |
| <i>L. jonesi</i> | 1419 | <i>L. ramak</i> | 1553 |
| <i>L. leuciscus</i> | 1420 | <i>L. variegatus</i> | 1556 |
| <i>L. lineolatus</i> | 1421 | | |
| <i>L. splendens</i> | 1422 | | |
| | | <i>Lionurus</i> | 0735 |
| <i>Lepidochelys</i> | 5115 | <i>L. pumiliceps</i> | 0736 |
| <i>L. olivacea</i> | 5116 | | |

| Genus/Species | Code | Genus/Species | Code |
|----------------------------|------|----------------------------|------|
| <i>Lioscorpius</i> | 2080 | <i>L. bengalensis</i> | 1353 |
| | | <i>L. bohar</i> | 1342 |
| <i>Lissodelphis</i> | 5505 | <i>L. fulviflammus</i> | 1343 |
| <i>L. peroni</i> | 5506 | (= <i>L. fulviflamma</i>) | |
| | | <i>L. fulvus</i> | 1352 |
| <i>Lithophaga</i> | 4815 | (= <i>L. vaigiensis</i>) | |
| | | <i>L. gibbus</i> | 1344 |
| <i>Littorina</i> | 4540 | <i>L. johnei</i> | 1345 |
| | | <i>L. kasmira</i> | 1346 |
| <i>Liza</i> | 0830 | <i>L. lutjanus</i> | 1347 |
| <i>L. carinata</i> | 0831 | (= <i>L. lineolatus</i>) | |
| <i>L. macrolepis</i> | 0832 | <i>L. malabaricus</i> | 1348 |
| <i>L. parsia</i> | 0833 | (= <i>L. sanguineus</i>) | |
| <i>L. subviridis</i> | 0834 | <i>L. russelli</i> | 1349 |
| <i>L. tade</i> | 0835 | <i>L. sebae</i> | 1351 |
| <i>L. vaigiensis</i> | 0836 | | |
| <i>Lobotes</i> | 1395 | <i>Lysmata</i> | 4115 |
| <i>L. surinamensis</i> | 1396 | <i>L. vittata</i> | 4116 |
| <i>Loligo</i> | 5025 | <i>Macrobrachium</i> | 4090 |
| <i>L. duvaucelli</i> | 5026 | <i>M. equidens</i> | 4091 |
| <i>Loliolus</i> | 5005 | <i>M. idae</i> | 4092 |
| <i>L. investigatoris</i> | 5006 | <i>M. idella</i> | 4093 |
| <i>Lophiodes</i> | 2390 | <i>M. malcolmsonii</i> | 4094 |
| <i>L. lugubris</i> | 2391 | <i>M. rosenbergii</i> | 4095 |
| <i>L. mutilus</i> | 2392 | <i>M. rude</i> | 4096 |
| | | <i>M. scabriculum</i> | 4097 |
| <i>Lophogorgia</i> | 6020 | <i>Macrones</i> | 0565 |
| <i>L. lutkeni</i> | 6021 | <i>M. gulio</i> | 0566 |
| <i>L. robrotincta</i> | 6022 | <i>Macrurus</i> | 0740 |
| | | <i>M. nasutus</i> | 0741 |
| <i>Loxodon</i> | 0080 | <i>Makaira</i> | 1990 |
| <i>L. macrorhinus</i> | 0081 | <i>M. indica</i> | 1991 |
| <i>Lutjanus</i> | 1340 | <i>M. mazara</i> | 1992 |
| <i>L. argentimaculatus</i> | 1341 | (= <i>M. nigricans</i>) | |

| Genus/Species | Code | Genus/Species | Code |
|--------------------------|------|------------------------|------|
| <i>M. tenuirostratus</i> | 1993 | <i>M. maculata</i> | 1291 |
| <i>Malacanthus</i> | 1160 | <i>Meretrix</i> | 4880 |
| <i>M. latovittatus</i> | 1161 | <i>M. casta</i> | 4881 |
| <i>Malacocephalus</i> | 0745 | <i>M. casta ovum</i> | 4882 |
| <i>M. laevis</i> | 0746 | <i>M. meretrix</i> | 4883 |
| <i>Malthopsis</i> | 2420 | <i>Mesoplodon</i> | 5400 |
| <i>M. triangularis</i> | 2421 | <i>M. bowdoini</i> | 5401 |
| <i>Manta</i> | 0225 | <i>M. densirostris</i> | 5402 |
| <i>M. birostris</i> | 0226 | <i>M. ginkgodens</i> | 5403 |
| <i>Martesia</i> | 4905 | <i>M. grayi</i> | 5404 |
| <i>Masturus</i> | 2387 | <i>M. hectori</i> | 5405 |
| <i>M. lanceolatus</i> | 2388 | <i>M. layardi</i> | 5406 |
| <i>Matuta</i> | 4305 | <i>Metapenaeopsis</i> | 4025 |
| <i>M. lunaris</i> | 4306 | <i>M. andamanensis</i> | 4026 |
| <i>Megalaspis</i> | 1230 | <i>M. stridulans</i> | 4027 |
| <i>M. cordyla</i> | 1231 | <i>Metapenaeus</i> | 4030 |
| <i>Megalops</i> | 0275 | <i>M. affinis</i> | 4031 |
| <i>M. cyprinoides</i> | 0276 | <i>M. brevicornis</i> | 4032 |
| <i>Megaptera</i> | 5535 | <i>M. dobsoni</i> | 4033 |
| <i>M. novaeangliae</i> | 5536 | <i>M. kutchensis</i> | 4034 |
| <i>Melichthys</i> | 2320 | <i>M. monoceros</i> | 4035 |
| <i>M. niger</i> | 2321 | <i>Microphis</i> | 2445 |
| <i>Melo</i> | 4655 | <i>M. brachyurus</i> | 2446 |
| <i>Mene</i> | 1290 | <i>Millepora</i> | 5955 |
| | | <i>M. platyphyllia</i> | 5956 |
| | | <i>Minous</i> | 2130 |
| | | <i>M. inermis</i> | 2131 |
| | | <i>Mitra</i> | 4640 |

| Genus/Species | Code | Genus/Species | Code |
|----------------------------|------|--------------------------|------|
| <i>Mobula</i> | 0230 | <i>Mycale</i> | 5715 |
| <i>M. diabolus</i> | 0231 | <i>M. mytilorum</i> | 5716 |
| <i>Modiolus</i> | 4810 | <i>Myctophum</i> | 0520 |
| <i>M. barbatus</i> | 4811 | <i>M. affine</i> | 0521 |
| <i>M. striatus</i> | 4812 | <i>M. andreae</i> | 0522 |
| <i>Mola</i> | 2385 | <i>M. aurolaternatum</i> | 0523 |
| <i>M. mola</i> | 2386 | <i>M. evermanni</i> | 0524 |
| <i>Monodactylus</i> | 1615 | <i>M. reinhardti</i> | 0525 |
| <i>M. argenteus</i> | 1616 | <i>M. spinosum</i> | 0526 |
| <i>M. falciformis</i> | 1617 | <i>M. splendidum</i> | 0527 |
| <i>Monotaxis</i> | 1560 | <i>Myripristis</i> | 0790 |
| <i>M. grandoculis</i> | 1561 | <i>M. adustus</i> | 0791 |
| <i>Montipora</i> | 5815 | <i>M. murdjan</i> | 0792 |
| <i>M. divaricata</i> | 5816 | <i>Mysis</i> | 4140 |
| <i>M. foliosa</i> | 5817 | <i>Narctes</i> | 0440 |
| <i>Mugil</i> | 0840 | <i>N. erimelas</i> | 0441 |
| <i>M. cephalus</i> | 0841 | <i>Narcine</i> | 0240 |
| <i>Mulloides</i> | 1590 | <i>N. brunnea</i> | 0241 |
| (= <i>Mulloidichthys</i>) | | <i>N. timlei</i> | 0242 |
| <i>M. flavolineatus</i> | 1591 | <i>Narke</i> | 0245 |
| <i>M. vanicolensis</i> | 1592 | <i>N. dipterygia</i> | 0246 |
| <i>Muraenesox</i> | 0605 | <i>Naso</i> | 1860 |
| <i>M. cinereus</i> | 0606 | <i>N. brevirostris</i> | 1861 |
| <i>M. bagio</i> | 0607 | <i>N. tuberosus</i> | 1862 |
| <i>Murex</i> | 4620 | <i>N. unicornis</i> | 1863 |
| <i>Mustelus</i> | 0085 | <i>Natica</i> | 4600 |
| <i>M. mosis</i> | 0086 | <i>Naucrates</i> | 1235 |
| | | <i>N. ductor</i> | 1236 |

| Genus/Species | Code | Genus/Species | Code |
|---------------------------------------|------|--------------------------|------|
| <i>Nautilus</i> | 5000 | <i>N. pinnata</i> | 0261 |
| <i>Nebrius</i> | 0005 | <i>Neophocaena</i> | 5510 |
| <i>N. ferrugineus</i> | 0006 | <i>N. phocoenoides</i> | 5511 |
| <i>Negaprion</i> | 0090 | <i>Neoscopelus</i> | 0540 |
| <i>N. acutidens</i> | 0091 | <i>N. macrolepidotus</i> | 0541 |
| <i>Nematalosa</i> | 0335 | <i>Nerita</i> | 4535 |
| <i>N. nasus</i> | 0336 | <i>Nibea</i> | 1510 |
| <i>Nematopalaemon</i> | 4100 | <i>N. albida</i> | 1513 |
| <i>N. tenuipes</i> | 4101 | <i>N. maculata</i> | 1511 |
| | | <i>N. soldado</i> | 1512 |
| <i>Nemichthys</i> | 0630 | <i>Notarchus</i> | 4680 |
| <i>Nemipterus</i> | 1365 | <i>Octopus</i> | 5050 |
| <i>N. bipunctatus</i> | 1366 | <i>O. dollfusi</i> | 5051 |
| (= <i>N. delagoae</i>) | | <i>O. globosus</i> | 5052 |
| <i>N. furcosus</i> | 1374 | <i>O. herdmani</i> | 5053 |
| <i>N. japonicus</i> | 1367 | <i>Odonus</i> | 2305 |
| <i>N. mesoprion</i> | 1369 | <i>O. niger</i> | 2306 |
| <i>N. nematophorus</i> | 1372 | <i>Oliva</i> | 4635 |
| <i>N. peronii</i> (= <i>N. tolu</i>) | 1371 | <i>Opisthopterus</i> | 0340 |
| <i>N. randalli</i> | 1373 | <i>O. tardoore</i> | 0341 |
| <i>N. zysron</i> | 1375 | <i>Oplophorus</i> | 4135 |
| <i>Neobythites</i> | 1820 | <i>O. gracilirostris</i> | 4136 |
| <i>N. conjugator</i> | 1821 | <i>Oratosquilla</i> | 4400 |
| <i>N. pterotus</i> | 1822 | <i>O. nepa</i> | 4401 |
| <i>N. steaticus</i> | 1823 | <i>Orcinus</i> | 5460 |
| <i>Neoepinnula</i> | 1870 | <i>O. orca</i> | 5461 |
| (= <i>Epinnula</i>) | | | |
| <i>N. orientalis</i> | 1871 | | |
| (= <i>E. orientalis</i>) | | | |
| <i>Neoharriota</i> | 0260 | | |

| Genus/Species | Code | Genus/Species | Code |
|------------------------------|------|-----------------------------------|------|
| <i>Osteogeneiosus</i> | 0570 | Other mullets | 0859 |
| <i>O. militaris</i> | 0571 | | |
| (= <i>O. stenocephalus</i>) | | Other prawns | 4199 |
| <i>Ostorhynchus</i> | 1135 | Other rays | 0259 |
| <i>O. apogonides</i> | 1136 | | |
| <i>O. endekataenia</i> | 1137 | Other ribbonfishes | 1919 |
| <i>O. nubilus</i> | 1138 | | |
| <i>O. savayensis</i> | 1139 | Other rockcods, groupers etc. | 0974 |
| <i>Ostracion</i> | 2350 | | |
| <i>O. tuberculata</i> | 2351 | Other stomatopods | 4410 |
| Other carangids | 1289 | Other sharks | 0139 |
| Other catfishes | 0574 | Other silverbellies | 1434 |
| Other clupeoids | 0429 | Other skates | 0174 |
| Other croakers | 1544 | Other snappers, jobfishes etc. | 1364 |
| Other eels | 0634 | Other stomatopods | 4410 |
| Other emperor breams | 1574 | Other sweetlips and grunters | 1474 |
| Other filefishes, | 2339 | | |
| Other flatfishes | 2259 | Other threadfin breams | 1394 |
| Other flatheads | 2129 | <i>Otolithes</i> | 1515 |
| | | <i>O. cuvieri</i> | 1516 |
| | | <i>O. ruber</i> | 1517 |
| Other goatfishes | 1614 | | |
| Other gobies | 2074 | <i>Otolithoides</i> | 1520 |
| | | <i>O. biauritus</i> | 1521 |
| Other lizard-fishes | 0489 | <i>Oxyurichthys</i> | 2060 |
| | | <i>O. microlepis</i> | 2061 |

| Genus/Species | Code | Genus/Species | Code |
|--------------------------|------|------------------------------|------|
| <i>Padina</i> | 7030 | <i>P. sculptilis</i> | 4044 |
| | | <i>P. stylifera</i> | 4045 |
| <i>Palaemon</i> | 4150 | <i>P. uncta</i> | 4046 |
| <i>Pampus</i> | 2010 | <i>Parapenaeus</i> | 4050 |
| <i>P. argenteus</i> | 2011 | <i>P. investigatoris</i> | 4051 |
| <i>P. chinensis</i> | 2012 | <i>P. longipes</i> | 4052 |
| <i>Panulirus</i> | 4200 | <i>Parapercis</i> | 1785 |
| <i>P. homarus</i> | 4201 | <i>P. hexophthalma</i> | 1789 |
| <i>P. ornatus</i> | 4202 | <i>P. pulchella</i> | 1786 |
| <i>P. penicillatus</i> | 4203 | <i>P. punctata</i> | 1787 |
| <i>P. polyphagus</i> | 4204 | <i>P. quadrispinosa</i> | 1788 |
| <i>P. versicolor</i> | 4205 | | |
| <i>Paphia</i> | 4890 | <i>Paraplagusia</i> | 2255 |
| <i>P. malabarica</i> | 4891 | <i>P. bilineata</i> | 2256 |
| <i>Paragobiodon</i> | 2065 | <i>Parascolopsis</i> | 1380 |
| <i>P. echinocephalus</i> | 2066 | <i>P. aspinosa</i> | 1382 |
| | | <i>P. boesemani</i> | 1383 |
| | | <i>P. eriomma</i> | 1381 |
| <i>Paralepis</i> | 0495 | <i>Parascorpaena</i> | 2085 |
| <i>P. brevicornis</i> | 0496 | <i>P. aurita</i> | 2087 |
| <i>Paramia</i> | 1145 | <i>P. picta</i> | 2086 |
| <i>P. quinquelineata</i> | 1146 | | |
| <i>Paramonacanthus</i> | 2325 | <i>Parastromateus</i> | 1285 |
| <i>P. choirocephalus</i> | 2326 | = <i>Formio</i>) | |
| <i>P. cingalensis</i> | 2327 | <i>P. niger (= F. niger)</i> | 1286 |
| <i>Parapandalus</i> | 4125 | <i>Parexocoetus</i> | 0700 |
| <i>P. spinipes</i> | 4126 | <i>P. brachypterus</i> | 0701 |
| <i>Parapenaeopsis</i> | 4040 | <i>Parupeneus</i> | 1595 |
| <i>P. acclivirostris</i> | 4041 | <i>P. barberinus</i> | 1596 |
| <i>P. hardwickii</i> | 4042 | <i>P. bifasciatus</i> | 1599 |
| <i>P. maxillipedo</i> | 4043 | <i>P. cinnabarinus</i> | 1601 |

| Genus/Species | Code | Genus/Species | Code |
|--------------------------|------|----------------------------|------|
| <i>P. cyclostomus</i> | 1600 | <i>P. longimanus</i> | 1446 |
| <i>P. indicus</i> | 1597 | | |
| <i>P. macronema</i> | 1598 | <i>Peponocephala</i> | 5450 |
| | | <i>P. electra</i> | 5451 |
| <i>Pecten</i> | 4840 | | |
| | | <i>Periophthalmus</i> | 2435 |
| <i>Pegasus</i> | 2425 | <i>P. koelreuteri</i> | 2436 |
| <i>P. draconis</i> | 2426 | | |
| <i>P. volitans</i> | 2427 | <i>Peristedion</i> | 2115 |
| | | <i>P. adeni</i> | 2116 |
| <i>Pelates</i> | 0975 | <i>P. pothumaluva</i> | 2117 |
| <i>P. quadrilineatus</i> | 0976 | <i>P. rivers-andersoni</i> | 2118 |
| | | | |
| <i>Pellona</i> | 0345 | <i>Perna</i> | 4805 |
| <i>P. ditchela</i> | 0346 | <i>P. indica</i> | 4806 |
| | | <i>P. viridis</i> | 4807 |
| <i>Pempheris</i> | 1620 | | |
| <i>P. moluca</i> | 1621 | <i>Pervagor</i> | 2335 |
| <i>P. vanicolensis</i> | 1622 | <i>P. tomentosus</i> | 2336 |
| | | | |
| <i>Penaeopsis</i> | 4055 | <i>Petroscirtes</i> | 1805 |
| <i>P. rectacuta</i> | 4056 | <i>P. mitratus</i> | 1806 |
| | | | |
| <i>Penaeus</i> | 4060 | <i>Pholas</i> | 4895 |
| <i>P. canaliculatus</i> | 4061 | | |
| <i>P. indicus</i> | 4062 | <i>Phtheirichthys</i> | 2265 |
| <i>P. japonicus</i> | 4063 | <i>P. lineatus</i> | 2266 |
| <i>P. latisulcatus</i> | 4064 | | |
| <i>P. merguensis</i> | 4065 | <i>Physeter</i> | 5425 |
| <i>P. monodon</i> | 4066 | <i>P. macrocephalus</i> | 5426 |
| <i>P. penicillatus</i> | 4067 | | |
| <i>P. semisulcatus</i> | 4068 | <i>Physiculus</i> | 0715 |
| | | <i>P. argyropastus</i> | 0716 |
| <i>Pennahia</i> | 1525 | | |
| <i>P. macrophthalmus</i> | 1526 | <i>Pinctada</i> | 4830 |
| | | <i>P. chemnitzii</i> | 4831 |
| <i>Pentaprion</i> | 1445 | <i>P. fucata</i> | 4832 |

| Genus/Species | Code | Genus/Species | Code |
|------------------------------|------|----------------------------|------|
| <i>P. margaritifera</i> | 4833 | <i>P. schotaf</i> | 1463 |
| <i>P. sugillata</i> | 4834 | | |
| <i>Pinna</i> | 4820 | <i>Plectropomus</i> | 0960 |
| | | <i>P. leopardus</i> | 0961 |
| | | <i>P. maculatus</i> | 0962 |
| <i>Pirula</i> | 4685 | | |
| <i>P. investigatoris</i> | 4686 | <i>Plesionika</i> | 4130 |
| | | <i>P. ensis</i> | 4131 |
| <i>Placenta</i> | 4845 | <i>P. martia</i> | 4132 |
| <i>P. placenta</i> | 4846 | | |
| <i>Plagiotremus</i> | 1810 | <i>Plesiops</i> | 0995 |
| (= <i>Runula</i>) | | <i>P. caeruleolineatus</i> | 0996 |
| <i>P. rhinorhynchos</i> | 1811 | <i>Plexauroides</i> | 6025 |
| (= <i>R. rhinorhynchos</i>) | | <i>P. indica</i> | 6026 |
| <i>P. tapeinosoma</i> | 1812 | <i>P. prealonga</i> | 6027 |
| (= <i>R. tapeinosoma</i>) | | | |
| <i>Platax</i> | 1635 | <i>Plotosus</i> | 0575 |
| <i>P. orbicularis</i> | 1636 | <i>P. canius</i> | 0577 |
| <i>P. teira</i> | 1637 | <i>P. limbatus</i> | 0576 |
| | | (= <i>P. anguillaris</i>) | |
| <i>Platycephalus indicus</i> | 2123 | <i>Pocillopora</i> | 5800 |
| | | <i>P. damicornis</i> | 5801 |
| <i>Platygyra</i> | 5865 | | |
| <i>P. lamellina</i> | 5866 | <i>Poecilopsetta</i> | 2195 |
| | | <i>P. maculosa</i> | 2196 |
| <i>Plectorhynchus</i> | 1450 | <i>P. praelonga</i> | 2197 |
| (= <i>Gaterin</i>) | | | |
| <i>P. diagrammus</i> | 1451 | <i>Polyipnus</i> | 0445 |
| <i>P. gibbosus</i> | 1453 | <i>P. spinosus</i> | 0446 |
| (= <i>G. nigrus</i>) | | | |
| <i>P. griseus</i> | 1461 | <i>Polymixia</i> | 0755 |
| <i>P. lineatus</i> | 1452 | <i>P. japonica</i> | 0756 |
| <i>P. orientalis</i> | 1454 | | |
| (= <i>G. orientalis</i>) | | <i>Polynemus</i> | 0880 |
| <i>P. pictus</i> | 1462 | <i>P. heptadactylus</i> | 0881 |

| Genus/Species | Code | Genus/Species | Code |
|---------------------------------------|------|-----------------------|------|
| <i>P. indicus</i> | 0882 | <i>Potamides</i> | 4555 |
| <i>P. paradiseus</i> | 0883 | | |
| <i>P. plebeius</i> | 0884 | <i>Priacanthus</i> | 1005 |
| <i>P. sexfilis</i> | 0885 | <i>P. cruentatus</i> | 1006 |
| <i>P. sextarius</i> | 0886 | <i>P. hamrur</i> | 1007 |
| <i>P. xanthonemus</i> | 0887 | <i>P. tayenus</i> | 1008 |
| <i>Pomacanthus</i> | 1660 | <i>Pristiapogon</i> | 1130 |
| (= <i>Pomacanthodes</i>) | | <i>P. fraenatus</i> | 1131 |
| <i>P. annularis</i> | 1661 | | |
| <i>P. imperator</i> | 1662 | <i>Pristipomoides</i> | 1360 |
| <i>P. semicirculatus</i> | 1663 | <i>P. multidentis</i> | 1362 |
| | | <i>P. typus</i> | 1361 |
| <i>Pomacentrus</i> | 1710 | | |
| <i>P. nigricans</i> | 1711 | <i>Pristis</i> | 0160 |
| <i>P. pavo</i> | 1712 | <i>P. microdon</i> | 0161 |
| <i>P. tripunctatus</i> | 1713 | <i>P. pectinata</i> | 0162 |
| | | <i>P. zijsron</i> | 0163 |
| <i>Pomadasys</i> | 1465 | | |
| <i>P. argenteus</i> | 1469 | <i>Prognichthys</i> | 0705 |
| <i>P. argyreus</i> | 1466 | <i>P. brevipinnis</i> | 0706 |
| <i>P. kaakan</i> (= <i>P. hasta</i>) | 1467 | | |
| <i>P. maculatum</i> | 1468 | <i>Promethichthys</i> | 1880 |
| (= <i>P. maculatus</i>) | | <i>P. prometheus</i> | 1881 |
| | | | |
| <i>Porites</i> | 5835 | <i>Protonibea</i> | 1530 |
| <i>P. compressa</i> | 5836 | <i>P. diacanthus</i> | 1531 |
| <i>P. lutea</i> | 5837 | | |
| <i>P. solida</i> | 5838 | <i>Psammoperca</i> | 0915 |
| <i>P. somaliensis</i> | 5839 | <i>P. waigiensis</i> | 0916 |
| | | | |
| <i>Porphyra</i> | 7070 | <i>Pseneopsis</i> | 2015 |
| <i>P. vietnamensis</i> | 7071 | <i>P. cyanea</i> | 2016 |
| | | | |
| <i>Portunus</i> | 4315 | <i>Psettodes</i> | 2150 |
| <i>P. pelagicus</i> | 4316 | <i>P. erumei</i> | 2151 |
| <i>P. sanguinolentus</i> | 4317 | | |

| Genus/Species | Code | Genus/Species | Code |
|------------------------------------|------|-----------------------------|------|
| <i>Pseudochromis</i> | 0990 | <i>R. russeliana</i> | 0351 |
| <i>P. tapeinosoma</i> | 0991 | | |
| <i>Pseudorca</i> | 5445 | <i>Raja</i> | 0165 |
| <i>P. crassidens</i> | 5446 | <i>R. mamillidens</i> | 0166 |
| <i>Pseudorhombus</i> | 2185 | <i>Rastrelliger</i> | 1950 |
| <i>P. arsius</i> | 2186 | <i>R. brachysoma</i> | 1951 |
| <i>P. elevatus</i> | 2189 | <i>R. faughni</i> | 1952 |
| <i>P. javanicus</i> | 2187 | <i>R. kanagurta</i> | 1953 |
| <i>P. malayanus</i> | 2190 | <i>Remora</i> | 2270 |
| <i>P. triocellatus</i> | 2188 | <i>R. albescens</i> | 2271 |
| <i>Pseudotriacanthus</i> | 2275 | <i>R. remora</i> | 2272 |
| <i>P. strigilifer</i> | 2276 | <i>Rhabdosargus</i> | 1585 |
| <i>Pteria</i> | 4825 | <i>R. sarba</i> | 1586 |
| <i>Pterocaesio chrysozona</i> | 1327 | <i>Rhina</i> | 0140 |
| (= <i>Caesio chrysozona</i>) | | <i>R. ancylostoma</i> | 0141 |
| <i>P. pisang</i> | 1328 | <i>Rhinecanthus</i> | 2310 |
| (= <i>C. pisang</i>) | | <i>R. aculeatus</i> | 2311 |
| <i>P. tile</i> (= <i>C. tile</i>) | 1329 | <i>Rhiniodon</i> | 0010 |
| <i>Pterois</i> | 2090 | <i>R. typus</i> | 0011 |
| <i>P. mombasse</i> | 2093 | (= <i>Rhincodon typus</i>) | |
| <i>P. russellii</i> | 2091 | <i>Rhinobatos</i> | 0145 |
| <i>P. volitans</i> | 2092 | <i>R. granulatus</i> | 0146 |
| <i>Puerulus</i> | 4210 | <i>R. variegatus</i> | 0147 |
| <i>P. sewelli</i> | 4211 | <i>Rhinoptera</i> | 0220 |
| <i>Rachycentron</i> | 1170 | <i>R. adspersa</i> | 0221 |
| <i>R. canadum</i> | 1171 | <i>R. javanica</i> | 0222 |
| (= <i>R. canadus</i>) | | <i>Rhizoprionodon</i> | 0100 |
| <i>Raconda</i> | 0350 | | |

| Genus/Species | Code | Genus/Species | Code |
|------------------------|------|---------------------------------------|------|
| <i>R. acutus</i> | 0101 | <i>Sardinella</i> | 0355 |
| <i>R. oligolinx</i> | 0102 | <i>S. albella</i> | 0356 |
| <i>Rhynchobatus</i> | 0150 | <i>S. brachysoma</i> | 0357 |
| <i>R. djiddensis</i> | 0151 | <i>S. dayi</i> | 0359 |
| <i>Rhynchorhamphus</i> | 0670 | <i>S. fimbriata</i> | 0360 |
| <i>R. malabaricus</i> | 0671 | <i>S. gibbosa</i> | 0361 |
| (= <i>R. georgii</i>) | | <i>S. longiceps</i> | 0362 |
| <i>Rhynchostracion</i> | 2345 | <i>S. melanura</i> | 0363 |
| <i>R. nasus</i> | 2346 | <i>Sargassum</i> | 7050 |
| <i>Rogadius asper</i> | 2127 | <i>S. illicifolium</i> | 7051 |
| <i>Ruvettus</i> | 1885 | <i>S. johnstonii</i> | 7052 |
| <i>R. pretiosus</i> | 1886 | <i>S. myriocystum</i> | 7053 |
| <i>Salarias</i> | 1815 | <i>S. swartzii</i> | 7054 |
| <i>S. fasciatus</i> | 1816 | <i>S. vulgare</i> | 7055 |
| <i>Salmacis</i> | 6200 | <i>S. wightii</i> | 7056 |
| <i>S. bicolor</i> | 6201 | <i>Sargocentron</i> | 0780 |
| <i>S. virgulata</i> | 6202 | (= <i>Holocentrus</i>) | |
| <i>Samaris</i> | 2200 | <i>S. diadema</i> | 0781 |
| <i>S. cristatus</i> | 2201 | (= <i>H. diadema</i>) | |
| <i>Samariscus</i> | 2205 | <i>S. lacteoguttatus</i> | 0782 |
| <i>S. longimannus</i> | 2206 | <i>S. rubrum</i> (= <i>H. ruber</i>) | 0783 |
| <i>S. maculatus</i> | 2207 | <i>Sarotherodon</i> | 1670 |
| <i>Sarconema</i> | 7090 | <i>S. mossambica</i> | 1671 |
| <i>Sarda</i> | 1960 | <i>Saurida</i> | 0470 |
| <i>S. orientalis</i> | 1961 | <i>S. gracilis</i> | 0471 |
| | | <i>S. tumbil</i> | 0472 |
| | | <i>S. undosquamis</i> | 0473 |
| | | <i>Scarus</i> (= <i>Callyodon</i>) | 1720 |
| | | <i>S. ghobban</i> | 1722 |
| | | (= <i>C. ghobban</i>) | |
| | | <i>S. prasiognathos</i> | 1724 |
| | | (= <i>C. jathochir</i>) | |

| Genus/Species | Code | Genus/Species | Code |
|--|------|--------------------------------------|------|
| <i>S. psittacus</i> | 1721 | <i>S. cirrhosa</i> | 2101 |
| (= <i>C. bataviensis</i>) | | <i>S. gobbosa</i> | 2102 |
| <i>S. scaber</i> (= <i>C. scaber</i>) | 1725 | | |
| <i>S. sordidus</i> | 1727 | <i>Scylla</i> | 4310 |
| | | <i>S. serrata</i> | 4311 |
| <i>Scatophagus</i> | 1645 | <i>S. tranquibarica</i> | 4312 |
| <i>S. argus</i> | 1646 | | |
| <i>S. tetracanthus</i> | 1647 | <i>Sebastapistes</i> | 2105 |
| | | <i>S. nuchalis</i> | 2106 |
| <i>Scirpearrella</i> | 6030 | <i>S. strongia</i> | 2107 |
| <i>S. aurantiacea</i> | 6031 | | |
| | | <i>Secutor</i> | 1430 |
| <i>Scoliodon</i> | 0105 | <i>S. insidiator</i> | 1431 |
| <i>S. laticaudus</i> | 0106 | <i>S. ruconius</i> | 1432 |
| | | | |
| <i>Scolopsis</i> | 1385 | <i>Selar</i> | 1250 |
| <i>S. bilineatus</i> | 1388 | <i>S. boops</i> | 1251 |
| <i>S. bimaculatus</i> | 1386 | <i>S. crumenophthalmus</i> | 1252 |
| <i>S. vosmeri</i> | 1387 | | |
| | | <i>Selaroides</i> | 1260 |
| <i>Scomberoides</i> | 1240 | <i>S. leptolepis</i> | 1261 |
| (= <i>Chorinemus</i>) | | | |
| <i>S. commersonianus</i> | 1241 | <i>Sepia</i> | 5010 |
| <i>S. lysan</i> | 1242 | <i>S. aculeata</i> | 5011 |
| <i>S. tala</i> | 1243 | <i>S. elliptica</i> | 5012 |
| <i>S. tol</i> | 1244 | <i>S. pharaonis</i> | 5013 |
| | | <i>S. prashadi</i> | 5014 |
| <i>Scomberomorus</i> | 1965 | | |
| <i>S. commerson</i> | 1966 | <i>Sepiella</i> | 5020 |
| <i>S. guttatus</i> | 1967 | <i>S. inermis</i> | 5021 |
| <i>S. koreanus</i> | 1968 | | |
| <i>S. lineolatus</i> | 1969 | <i>Sepioteuthis</i> | 5030 |
| | | <i>S. lessoniana</i> | 5031 |
| <i>Scorpaenodes</i> | 2095 | | |
| <i>S. guamensis</i> | 2096 | <i>Seriolina</i> (= <i>Seriola</i>) | 1265 |
| | | <i>S. nigrofasciata</i> | 1266 |
| <i>Scorpaenopsis</i> | 2100 | | |

| Genus/Species | Code | Genus/Species | Code |
|--|------|-----------------------------|------|
| <i>Sesarma</i> | 4340 | <i>Sousa</i> | 5440 |
| <i>S. tetragonum</i> | 4341 | <i>S. chinensis</i> | 5441 |
| <i>Setipinna</i> | 0380 | <i>Sphaoeroides</i> | 2370 |
| <i>S. taty</i> | 0381 | <i>S. hypselogeneion</i> | 2371 |
| <i>Siganus</i> | 1835 | <i>Sphyraena</i> | 0810 |
| <i>S. canaliculatus</i> | 1836 | <i>S. acutipinnis</i> | 0811 |
| (= <i>S. oramin</i>) | | <i>S. barracuda</i> | 0812 |
| <i>S. javus</i> | 1837 | <i>S. forsteri</i> | 0814 |
| <i>S. lineatus</i> | 1840 | <i>S. jello</i> | 0815 |
| <i>S. stellatus</i> | 1839 | <i>S. obtusata</i> | 0817 |
| <i>S. vermiculatus</i> | 1842 | (= <i>S. chrysotaenia</i>) | |
| <i>S. virgatus</i> | 1841 | <i>S. qenie</i> | 0818 |
| <i>Sillago</i> | 1150 | <i>Sphyrna</i> | 0120 |
| <i>S. chondropus</i> | 1154 | <i>S. lewini</i> | 0121 |
| <i>S. maculata</i> | 1151 | <i>S. mokarran</i> | 0122 |
| <i>S. sihama</i> | 1152 | <i>S. zygaena</i> | 0123 |
| <i>S. vincenti</i> | 1153 | | |
| <i>Solea</i> | 2225 | <i>Spongia</i> | 5700 |
| <i>S. elongata</i> | 2226 | <i>S. officinalis</i> var. | 5701 |
| <i>S. ovata</i> | 2227 | <i>Ceylonensis</i> | |
| <i>Solen</i> | 4900 | <i>Spratelloides</i> | 0370 |
| <i>Solenocaulon</i> | 6035 | <i>S. delicatulus</i> | 0371 |
| <i>S. ramosum</i> | 6036 | <i>S. gracilis</i> | 0372 |
| | | (= <i>S. japonicus</i>) | |
| <i>Solenocera</i> | 4005 | <i>Spyridia</i> | 7100 |
| <i>S. choprai</i> | 4008 | <i>Stegostoma</i> | 0015 |
| <i>S. crassicornis</i> | 4006 | <i>S. fasciatum</i> | 0016 |
| <i>S. hextii</i> | 4007 | | |
| <i>Sorgogona tuberculata</i> | 2125 | <i>Stenella</i> | 5490 |
| (= <i>Platycephalus tuberculatus</i>) | | <i>S. attenuata</i> | 5491 |
| | | <i>S. coeruleoalba</i> | 5492 |

| Genus/Species | Code | Genus/Species | Code |
|-------------------------------|------|---------------------------------------|------|
| <i>S. longirostris</i> | 5493 | <i>S. frenatus</i> | 2316 |
| | | (= <i>S. capistratus</i>) | |
| <i>Steno</i> | 5435 | | |
| <i>S. bredanensis</i> | 5436 | <i>Symphyllia</i> | 5890 |
| | | <i>S. radians</i> | 5891 |
| <i>Stethojulis</i> | 1775 | <i>S. recta</i> | 5892 |
| <i>S. axillaris</i> | 1776 | | |
| <i>S. strigiventer</i> | 1777 | <i>Symplectoteuthis</i> | 5035 |
| | | <i>S. oualaniensis</i> | 5036 |
| <i>Stolephorus</i> | 0385 | | |
| <i>S. commersonii</i> | 0388 | <i>Synanceja</i> | 2135 |
| <i>S. devisi</i> | 0389 | <i>S. verrucosa</i> | 2136 |
| <i>S. heterolobus</i> | 0390 | | |
| <i>S. indicus</i> | 0391 | <i>Synaptura</i> | 2230 |
| <i>S. macrops</i> | 0392 | <i>S. commersoniana</i> | 2231 |
| <i>S. punctifer</i> | 0387 | | |
| (= <i>S. buccaneeri</i>) | | <i>Syngnathoides</i> | 2450 |
| <i>S. waitei</i> | 0386 | <i>S. biaculeatus</i> | 2451 |
| (= <i>S. bataviensis</i>) | | | |
| <i>Stomoponeustes</i> | 6210 | <i>Syngnathus</i> | 2455 |
| <i>S. variolaris</i> | 6211 | <i>S. spicifer djaring</i> | 2456 |
| | | | |
| <i>Strombus</i> | 4585 | <i>Synodus</i> | 0480 |
| | | <i>S. binotatus</i> | 0482 |
| | | <i>S. englemanni</i> | 0483 |
| <i>Strongylura</i> | 0640 | <i>S. indicus</i> | 0481 |
| <i>S. incisa</i> | 0642 | <i>S. macrops</i> | 0484 |
| <i>S. leiura</i> | 0643 | | |
| <i>S. strongylura</i> | 0644 | <i>Telescopium</i> | 4550 |
| | | | |
| <i>Suberogorgia</i> | 6040 | <i>Tenualosa</i> | 0315 |
| <i>S. rubra</i> | 6041 | <i>T. ilisha</i> | 0316 |
| <i>S. suberosa</i> | 6042 | (= <i>Hilsa ilisha</i>) | |
| | | <i>T. toli</i> (= <i>Hilsa toli</i>) | 0318 |
| <i>Suggrundus rodricensis</i> | 2128 | | |
| | | <i>Terapon</i> | 0980 |
| <i>Sufflamen</i> | 2315 | <i>T. jarbua</i> | 0981 |

| Genus/Species | Code | Genus/Species | Code |
|-------------------------------|------|----------------------------|------|
| <i>T. puta</i> | 0983 | <i>T. purava</i> | 0411 |
| <i>T. theraps</i> | 0982 | <i>T. setirostris</i> | 0412 |
| <i>Teredo</i> | 4910 | <i>T. vitrirostris</i> | 0413 |
| <i>Tethya</i> | 5735 | <i>Thunnus</i> | 1975 |
| <i>T. robusta</i> | 5736 | <i>T. alalunga</i> | 1976 |
| <i>Tetrapterus</i> | 2000 | <i>T. albacares</i> | 1977 |
| <i>T. angustirostris</i> | 2001 | <i>T. obesus</i> | 1978 |
| <i>T. audax</i> | 2002 | <i>T. tonggol</i> | 1979 |
| <i>Thais</i> | 4625 | <i>Thyrsitoides</i> | 1890 |
| <i>Thalassoma</i> | 1780 | <i>T. marleyi</i> | 1891 |
| <i>T. hardwicki</i> | 1781 | <i>Thyrsoidea</i> | 0595 |
| <i>T. lunare</i> | 1782 | <i>T. macrura</i> | 0596 |
| <i>T. purpureum</i> | 1783 | <i>Thysanophrys</i> | 2120 |
| (= <i>T. purpurea</i>) | | (= <i>Platycephalus</i>) | |
| <i>Thelenota</i> | 6300 | <i>T. carbunculus</i> | 2121 |
| <i>T. ananas</i> | 6301 | (= <i>P. carbunculus</i>) | |
| <i>Thenus</i> | 4215 | <i>Tibia</i> | 4575 |
| <i>T. orientalis</i> | 4216 | <i>T. curta</i> | 4576 |
| <i>Thesia</i> | 6045 | <i>Tona</i> | 4615 |
| <i>T. flava</i> | 6046 | <i>Torpedo</i> | 0250 |
| <i>Thryssa</i> | 0400 | <i>T. marmorata</i> | 0251 |
| <i>T. baelama</i> | 0401 | <i>Trachichthys</i> | 0775 |
| (= <i>Thrissina baelama</i>) | | (= <i>Trachichthodes</i>) | |
| <i>T. dussumieri</i> | 0406 | <i>T. spinosus</i> | 0776 |
| <i>T. hamiltonii</i> | 0407 | <i>Trachinocephalus</i> | 0485 |
| <i>T. kammalensis</i> | 0408 | <i>T. myops</i> | 0486 |
| <i>T. malabarica</i> | 0409 | | |
| <i>T. mystax</i> | 0410 | | |

| Genus/Species | Code | Genus/Species | Code |
|---|------|------------------------------------|------|
| <i>Trachinotus</i> | 1270 | <i>Turbo</i> | 4530 |
| <i>T. baillonii</i> | 1271 | | |
| <i>T. blochii</i> | 1272 | <i>Turritella</i> | 4545 |
| <i>T. mookalee</i> | 1274 | | |
| <i>T. russelii</i> (= <i>T. botla</i>) | 1273 | <i>Tursiops</i> | 5480 |
| | | <i>T. truncatus</i> | 5481 |
| <i>Trachypenaeus</i> | 4075 | | |
| <i>T. curvirostris</i> | 4076 | <i>Tylosurus</i> | 0645 |
| | | <i>T. crocodilus crocodilus</i> | 0646 |
| <i>Triacanthoides</i> | 2280 | (= <i>Strongylura crocodilus</i>) | |
| <i>T. athiops</i> | 2281 | | |
| | | <i>Ulva</i> | 7000 |
| <i>Triacanthus</i> | 2285 | <i>U. fasciata</i> | 7001 |
| <i>T. biaculeatus</i> | 2286 | <i>U. regida</i> | 7003 |
| (= <i>T. brevirostris</i>) | | <i>U. reticulata</i> | 7002 |
| | | | |
| <i>Triaenodon</i> | 0110 | <i>Umbonium</i> | 4525 |
| <i>T. obesus</i> | 0111 | | |
| | | <i>Upeneus</i> | 1605 |
| <i>Trichiurus</i> | 1915 | <i>U. bensasi</i> | 1610 |
| <i>T. auriga</i> | 1917 | <i>U. moluccensis</i> | 1611 |
| <i>T. lepturus</i> | 1916 | <i>U. sulphureus</i> | 1606 |
| | | <i>U. sundaicus</i> | 1607 |
| <i>Tridacna</i> | 4865 | <i>U. taeniopterus</i> | 1612 |
| | | <i>U. tragula</i> | 1609 |
| <i>Tripauchen</i> | 2070 | <i>U. vittatus</i> | 1608 |
| <i>T. vagina</i> | 2071 | | |
| | | <i>Uraspis</i> | 1280 |
| <i>Tripneustes</i> | 6205 | <i>U. helvola</i> | 1281 |
| <i>T. gratilla</i> | 6206 | (= <i>U. helvolus</i>) | |
| | | | |
| <i>Trochus</i> | 4520 | <i>Uroconger</i> | 0610 |
| | | <i>U. lepturus</i> | 0611 |
| | | | |
| <i>Turbinaria</i> | 7060 | <i>Urogymnus</i> | 0205 |
| <i>T. conoides</i> | 7061 | <i>U. africanus</i> | 0206 |
| <i>T. decurrens</i> | 7062 | | |
| <i>T. ornata</i> | 7063 | | |

| Genus/Species | Code | Genus/Species | Code |
|-------------------------|------|--------------------------|------|
| <i>Valamugil</i> | 0845 | <i>Zanclus</i> | 1845 |
| <i>V. cunnesius</i> | 0846 | <i>Z. canescens</i> | 1846 |
| <i>V. seheli</i> | 0847 | <i>Z. cornutus</i> | 1847 |
| <i>V. speigleri</i> | 0848 | | |
| <i>Variola</i> | 0970 | <i>Zembrasoma</i> | 1865 |
| <i>V. albimarginata</i> | 0972 | <i>Z. flavescens</i> | 1866 |
| <i>V. louti</i> | 0971 | <i>Z. xanthurum</i> | 1867 |
| | | (= <i>Z. xanthurus</i>) | |
| <i>Varuna</i> | 4335 | <i>Zebrias</i> | 2240 |
| <i>V. litterata</i> | 4336 | <i>Z. quagga</i> | 2241 |
| <i>Verrucella</i> | 6050 | <i>Z. synapturoides</i> | 2242 |
| <i>V. flexuosa</i> | 6051 | | |
| <i>V. rubra</i> | 6052 | <i>Zen</i> | 0800 |
| <i>Villorita</i> | 4915 | <i>Z. scutatus</i> | 0801 |
| <i>V. cyprinoides</i> | 4916 | <i>Zenarchopterus</i> | 0675 |
| <i>Voluta</i> | 4650 | <i>Z. dispar</i> | 0676 |
| <i>Xancus</i> | 4645 | <i>Zenopsis</i> | 0805 |
| <i>X. pyrum</i> | 4646 | <i>Z. nebulosa</i> | 0806 |
| <i>Xiphias</i> | 2005 | <i>Ziphius</i> | 5410 |
| <i>X. gladius</i> | 2006 | <i>Z. cavirostris</i> | 5411 |

Index II

Alphabetical Arrangement of Groups

| Group | Page No. | Group | Page No. |
|----------------------------|----------|-----------------------------------|----------|
| A | | Cichlids | 34 |
| Alfonsinos | 16 | Cobias | 22 |
| Anchovies | 8 | Congers | 13 |
| Angelfishes | 33 | Coralfishes | 33 |
| Anglerfishes | 49 | Corals | 65 |
| Antipatharians | 68 | Cornetfishes (Flutefishes) | 16 |
| B | | Crabs | 54 |
| Barracudas | 17 | Croakers | 29 |
| Barracudinas | 10 | Crocodiles | 61 |
| Batfishes | 50 | D | |
| Beardfishes | 16 | Damsel-fishes | 34 |
| Billfishes | 40 | Deep-sea herrings | 10 |
| Bivalves | 58 | Demoiselles | 34 |
| Black pomfret | 23 | Devilfishes | 44 |
| Blennies | 36 | Dolphin fishes | 25 |
| Blindfishes | 37 | Dolphins | 61 |
| Blowfishes | 48 | Dories | 17 |
| Boarfishes | 17 | Dottybacks | 21 |
| Bombay-duck | 11 | Dragonets | 37 |
| Bone fish | 6 | Dragonfishes | 50 |
| Boxfishes | 48 | Driftfishes | 41 |
| Bristlemouths | 10 | E | |
| Bullseyes | 21 | Echinoderms | 68 |
| Butter fishes | 33 | Eel cat fishes | 12 |
| C | | Eels | 13 |
| Carangids | 23 | Emperor breams(Pigface breams) | 31 |
| Cardinalfishes | 21 | Escolars | 38 |
| Catfish eels | 12 | F | |
| Catfishes | 12 | False trevellies (Whitefish) | 22 |
| Cephalopods | 60 | False whittings | 22 |
| Champsodontid fish(Gapers) | 36 | Filefishes | 47 |
| Chimaeras | 6 | | |

| Group | Page No. | Group | Page No. |
|------------------------------|----------|--------------------------|----------|
| Finefishes | 42 | | |
| Flagtails | 21 | | |
| Flatfishes | 44 | | |
| Flatheads | 43 | | |
| Flute fishes | 16 | | |
| Flyingfishes | 15 | | |
| Flying gurnads | 44 | | |
| Frogfishes | 49 | | |
| Fullbeaks (Garfishes) | 14 | | |
| Fusiliers | 25 | | |
| | | G | |
| Gapers | 36 | | |
| Garfishes | 14 | | |
| Gastropods | 55 | | |
| Goatfishes | 32 | | |
| Gobies | 42 | | |
| Gorgonids | 67 | | |
| Greeneyes(Thread-sailfishes) | 11 | | |
| Grenadiers | 16 | | |
| Groupers | 19 | | |
| Grubfish | 36 | | |
| Grunters | 29 | | |
| | | H | |
| Hairtails (Ribbonfishes) | 39 | | |
| Halfbeaks | 14 | | |
| Hardyheads | 18 | | |
| Herrings | 6 | | |
| Hinds | 19 | | |
| Humpheads | 41 | | |
| Hydrocorals | 67 | | |
| | | J | |
| Jobfishes | 25 | | |
| | | L | |
| | | Lancetfishes | 11 |
| | | Lanternfishes | 11 |
| | | Leatherjackets | 47 |
| | | Lizard-fishes | 10 |
| | | Lobsters | 54 |
| | | Lyretails (Rockcods) | 19 |
| | | M | |
| | | Mackerels | 39 |
| | | Marine birds | 61 |
| | | Marine hatchet-fishes | 9 |
| | | Marine mammals | 61 |
| | | Marlins | 40 |
| | | Medusafishes | 41 |
| | | Milk fishes | 9 |
| | | Mojarras | 28 |
| | | Monacle breams | 27 |
| | | Monkfishes | 49 |
| | | Moonfish | 25 |
| | | Moonies (Silver batfish) | 32 |
| | | Moorish idol | 38 |
| | | Morays | 13 |
| | | Morid cods | 15 |
| | | Mud skippers | 50 |
| | | Mullets | 18 |
| | | N | |
| | | Needlefishes, | 14 |
| | | Non-penaeid prawns | 52 |
| | | O | |
| | | Oilfishes | 38 |

| Group | Page No. | Group | Page No. |
|----------------------------|----------|------------------------------|----------|
| P | | Sea cow | 64 |
| Parrotfishes | 35 | Sea cucumbers | 69 |
| Penaeid prawns | 51 | Sea horses | 50 |
| Perchlets | 19 | Sea perches | 19 |
| Pigface breams | 31 | Sea robins | 43 |
| Pikes | 13 | Sea snakes | 61 |
| Pipe fishes | 50 | Sea urchins | 68 |
| Pomfrets | 41 | Seaweeds | 69 |
| Ponyfishes (Silverbellies) | 28 | Seerfishes | 39 |
| Porcupine fishes | 49 | Shads | 6 |
| Porpoises | 61 | Sharks | 1 |
| Pufferfishes | 48 | Sicklefishes | 33 |
| Pullers (Damsel-fishes) | 34 | Sillagos (Whittings) | 22 |
| Q | | Silverbellies | 28 |
| Queenfishes | 23 | Silver-biddies (Mojarras) | 28 |
| R | | Silverbreams | 31 |
| Rattails (Granadiers) | 16 | Skates | 3 |
| Rays | 4 | Slick-heads | 9 |
| Razor fishes | 50 | Slimeheads | 16 |
| Redbaits | 25 | Snaggletooths | 10 |
| Ribbon fishes | 39 | Snake mackerels | 38 |
| Rockods | 19 | Snappers | 25 |
| Roundheads | 21 | Spadefishes | 33 |
| S | | Spinefoots | 37 |
| Sailfishes (Marlins) | 40 | Sponges | 64 |
| Sardines | 6 | Spotted codlet (Unicorn cod) | 15 |
| Scads | 23 | Sprats | 6 |
| Scats (Butterfishes) | 33 | Squirrelfishes | 17 |
| Scorpionfishes | 42 | Stingfishes | 42 |
| Seachubbs(Stonebreams) | 33 | Stomatopods | 55 |
| | | Stonebreams | 33 |

| Group | Page No. | Group | Page No. |
|-----------------------------------|----------|-----------------------------|----------|
| Stony corals | 65 | Triplespines | 47 |
| Suckerfishes | 46 | Tripletails | 27 |
| Sunfishes | 49 | Tripodfishes (Triplespines) | 47 |
| Surgeonfishes | 38 | Tunas | 39 |
| Sweepers | 32 | Turtles | 61 |
| Sweetlips | 29 | | |
| Swordfishes | 41 | U | |
| T | | Unicorn cod | 15 |
| Tarpons | 6 | Unicornfishes | 38 |
| Teleosts | 6 | | |
| Ten pounders | 6 | V | |
| Terapon perches (Tigerperches) | 20 | Viper-fishes | 10 |
| Threadfin breams | 27 | | |
| Threadfins | 19 | W | |
| Thread-sail fishes | 11 | Whales | 61 |
| Thryssa | 8 | Whitefish | 22 |
| Tigerperches | 20 | Whittings | 22 |
| Tobys(Blowfishes) | 48, 49 | Wolf herrings | 9 |
| Trevelies | 23 | Wrasses | 35 |

Index III

**Alphabetical Arrangement
of Families**

| Family | Page No. | Family | Page No. |
|-----------------|----------|-------------------|----------|
| A | | Caproidae | - 17 |
| | | Carangidae | - 23 |
| Acanthuridae | - 38 | Carcharhinidae | - 1,2 |
| Albulidae | - 6 | Centriscidae | - 50 |
| Alepisauridae | - 11 | Centrolophidae | - 41 |
| Alepocephalidae | - 9 | Centropomidae | - 19 |
| Alopiidae | - 1 | Chaetodontidae | - 33 |
| Ambassidae | - 19 | Champsodontidae | - 36 |
| Anguillidae | - 13 | Chanidae | - 9 |
| Antennariidae | - 49 | Chauliodontidae | - 10 |
| Apogonidae | - 21 | Chaunacidae | - 49 |
| Ariidae | - 12 | Chimaeridae | - 6 |
| Ariommidae | - 41 | Chirocentridae | - 9 |
| Astronesthidae | - 10 | Chlorophthalmidae | - 11 |
| Atherinidae | - 18 | Cichlidae | - 34 |
| B | | Clupeidae | - 6 |
| Balistidae | - 47 | Congridae | - 13 |
| Bathyclupeidae | - 10 | Coryphaenidae | - 25 |
| Belonidae | - 14 | Cynoglossidae | - 46 |
| Berycidae | - 16 | D | |
| Blennidae | - 36 | Dactylopteridae | - 44 |
| Bothidae | - 44 | Dasyatidae | - 4 |
| Bregmacerotidae | - 15 | (= Trygonidae) | |
| C | | Diodontidae | - 49 |
| Caesionidae | - 26 | Drepanidae | - 33 |
| Callionymidae | - 37 | E | |
| | | Echeneidae | 46 |

| Family | Page No. | Family | Page No. |
|--------------------|----------|----------------|----------|
| Echinorhinidae | - 3 | L | |
| Elopidae | - 6 | Labriidae | - 35 |
| Emmelichthidae | - 25 | Lactaridae | - 22 |
| Engraulidae | - 8 | Lamnidae | - 1 |
| Ephippidae | - 33 | Leiognathidae | - 28 |
| Exocoetidae | - 15 | Lethrinidae | - 31 |
| F | | Lobotidae | - 27 |
| Fistulariidae | - 16 | Lophidae | - 49 |
| G | | Lutjanidae | - 25 |
| Gemphylidae | - 38 | M | |
| Gerreidae | - 28 | Macrouridae | - 16 |
| Ginglymostomatidae | - 1 | Malacanthidae | - 22 |
| Gobiidae | - 42 | Megalopidae | - 6 |
| Gonostomatidae | - 10 | Menidae | - 25 |
| H | | Mobulidae | - 5 |
| Haemulidae | - 29 | Molidae | - 49 |
| Harpadontidae | - 11 | Monacanthidae | - 48 |
| Hemigaleidae | - 2 | Monodactylidae | - 32 |
| Hemiramphidae | - 14 | Moridae | - 15 |
| Hemisicyliidae | - 1 | Mugilidae | - 18 |
| Holocentridae | - 17 | Mugiloididae | - 36 |
| I | | Mullidae | - 32 |
| Istiophoridae | - 40 | Muraenesocidae | - 13 |
| K | | Muraenidae | - 13 |
| Kuhliidae | - 21 | Myctophidae | - 11 |
| Kurtidae | - 41 | Myliobatididae | - 5 |
| Kyphosidae | - 33 | N | |
| | | Nemipteridae | - 27 |
| | | Nomeidae | - 41 |
| | | O | |
| | | Ogeocephalidae | - 50 |
| | | Ophidiidae | - 37 |

| Family | Page No. | Family | Page No. |
|------------------|----------|-----------------|----------|
| Ostraciidae | - 48 | Sciaenidae | - 29 |
| P | | Scombridae | - 39 |
| Paralepididae | - 10 | Scorpaenidae | - 42 |
| Pegasidae | - 50 | Scyliorhinidae | - 1 |
| Pempheridae | - 32 | Serranidae | - 19 |
| Periophthalmidae | - 50 | Siganidae | - 37 |
| Platacidae | - 33 | Sillaginidae | - 22 |
| Platycephalidae | - 43 | Soleidae | - 45 |
| Plesiopidae | - 21 | Sparidae | - 31 |
| Pleuronectidae | - 45 | Sphyraenidae | - 17 |
| Plotosidae | - 12 | Sphyrnidae | - 3 |
| Polymixiidae | - 16 | Squalidae | - 3 |
| Polynemidae | - 19 | Stegostomatidae | - 1 |
| Pomacanthidae | - 33 | Sternoptychidae | - 9 |
| Pomacentridae | - 34 | Stromateidae | - 41 |
| Pomadsidae | - 29 | Synanceiidae | - 44 |
| Priacanthidae | - 21 | Syngnathidae | - 50 |
| Pristidae | - 4 | Synodontidae | - 10 |
| Psettodidae | - 44 | T | |
| Pseudochromidae | - 21 | Teraponidae | - 20 |
| R | | Tetradontidae | - 48, 49 |
| Rachycentridae | - 22 | Torpedinidae | - 5 |
| Rajidae | - 4 | Trachichthyidae | - 16 |
| Rhiniodontidae | - 1 | Triacanthidae | - 47 |
| Rhinobatidae | - 3 | Triakidae | - 2 |
| Rhinopteridae | - 5 | Trichuiridae | - 39 |
| S | | Trigilidae | - 43 |
| Scaridae | - 35 | X | |
| Scatophagidae | - 33 | Xiphidae | - 41 |
| | | Z | |
| | | Zanclidae | - 38 |
| | | Zeidae | - 17 |