

ISSN 0972-2351

# MARINE BIODIVERSITY MUSEUM (A Designated National Repository)

## CATALOGUE

CMFRI Special Publication No. 107



**Central Marine Fisheries Research Institute**

(Indian Council of Agricultural Research)

Post Box No. 1603, Kochi - 682 018, Kerala, India  
e-mail: [director@cmfri.org.in](mailto:director@cmfri.org.in) [www.cmfri.org.in](http://www.cmfri.org.in)



Central Marine Fisheries Research Institute  
Cochin



MARINE BIODIVERSITY MUSEUM  
(A Designated National Repository)

CATALOGUE

*By*

Mary K. Manisseri  
Geetha Antony  
Rani Mary George  
Rekha J. Nair  
K.K. Joshi  
P.M. Geetha



Central Marine Fisheries Research Institute  
Cochin



Marine Biodiversity Museum  
(A Designated National Repository)

Catalogue

*By*

Dr. Mary K. Manisseri  
Dr. Geetha Antony  
Dr. Rani Mary George  
Smt. Rekha J. Nair  
Dr. K.K. Joshi  
Smt. P.M. Geetha

*Published by*

Dr. G. Syda Rao  
Director  
Central Marine Fisheries Research Institute  
Kochi- 682 018, Kerala, India  
Phone : +91-484-2394867  
Fax : +91-484-2394909  
E-mail : [director@cmfri.org.in](mailto:director@cmfri.org.in)  
[www.cmfri.org.in](http://www.cmfri.org.in)

ISSN0972-2351  
CMFRI Special Publication No. 107

© 2012, Central Marine Fisheries Research Institute, Kochi – 682018.

*Cover design:* P.R. Abhilash

*Printed at:* St. Francis Press, Kochi – 682 018

## Foreword



The Central Marine Fisheries Research Institute established at Mandapam, Tamil Nadu in 1947 set up its first Marine Museum with reference collections at Mandapam. This served as an important source of study material for researchers from all over the country. Four catalogues were brought out on the specimens in the reference collections of the Museum in late 1960s, in the form of bulletins. They were, 'Catalogue of sponges, corals, polychaetes, crabs and echinoderms' (Bull.No.7), 'Catalogue of fishes from the Laccadive Archipelago' (Bull.No. 8), 'Catalogue of molluscs, prawns, stomatopods and marine algae' (Bull.No. 9) and 'Catalogue of fishes (excluding those from Laccadives)' (Bull. No. 10).

Consequent upon the shifting of the headquarters of the Institute from Mandapam to Cochin, a Marine Biodiversity Museum was established at Cochin also. The Museum was inaugurated by Padma Vibhushan Prof. M.S. Swaminathan, on 4<sup>th</sup> February 2006. The Museum now houses around 1600 specimens including fishes, crustaceans, molluscs, echinoderms, corals, ascidians, seaweeds etc. The specimens are of fundamental importance to taxonomic, systematic and biodiversity studies. The present catalogue prepared by the Marine Biodiversity Division of the Institute is expected to encourage researchers to make use of the important collections of the Museum.

The major portion of the specimens in the Museum represents the collections made by scientists of CMFRI as part of their research activities. The keen interest shown and sincere effort put in by the scientists of the Institute in building up this Museum as a priceless gift to those who pursue science, need special mention. They have deposited their valuable specimens in the Museum and contributed in one way or the other to bring it to the present status. I congratulate all those who have been involved in the collection, preservation, identification and cataloguing of the specimens in the Marine Biodiversity Museum.

Dr. G. Syda Rao  
Director



## Preface

The Central Marine Fisheries Research Institute, Cochin was recognized as a 'Designated National Repository' by the Government of India, in December 2007 in consultation with the National Biodiversity Authority under the Biological Diversity Act, 2002. A Designated National Repository (DNR) is an Institution authorised to keep in safe custody specimens of different categories of biological material.

The Museum offers a glimpse of the bioresources of the Indian seas. Currently the museum houses six holotype specimens, 878 finfish species, 136 crustaceans, 217 molluscs, 44 echinoderms, 162 corals, 12 sponges, 20 ascidians, 82 seaweeds and 8 seagrasses besides a dolphin and three Antarctic birds. The Museum is open to scientists, teachers, students and the general public. The fact that students form more than 85% of the visitors highlights the role played by the Museum in education.

A catalogue of the specimens available in the Museum has been prepared as it is expected to be of immense use to those engaged in marine biodiversity studies. I sincerely thank Dr. G. Syda Rao, Director, CMFRI whose guidance and encouragement made this a reality.

It is gratefully acknowledged that the Museum acquired its present status as a result of the vision, effort and devotion shown by our former Directors, Dr. E.G. Silas, Dr. P.S.B.R. James, Dr. M. Devaraj, Dr. V.N. Pillai and Dr. Mohan Joseph Modayil. The efforts taken by Dr. N.G.K. Pillai, Dr. K.J. Mathew and Dr. A.A. Jayaprakash in building up the Museum need special mention.

I sincerely thank the Heads of different Divisions and scientists and technical staff of both the Headquarters and Regional and Research Centres of CMFRI for depositing valuable specimens in the Museum and helping in the identification of the same. The service rendered by the scientists and technical staff of the Marine Biodiversity Division is also gratefully acknowledged.

Dr. Mary K. Manisseri  
Head, Marine Biodiversity Division



# Contents

*Foreword*

*Preface*

Holotype Specimens	1
Marine Algae	2
Seagrass	4
Marine Algae displayed as Herbarium	4
Phylum Porifera	7
Phylum Gastrotricha	7
Phylum Bryozoa	7
Phylum Cnidaria (Coelenterata)	8
Phylum Arthropoda	12
Phylum Mollusca	16
Phylum Echinodermata	22
Phylum Chordata	
Ascidians	24
Fishes	25
Miscellaneous	46
Index	
Families	47
Species	51



## Holotype Specimens

	Acc. No.
Phylum : Gastrotricha	
Order : Macrotrichida	
Family : Thaumastodermatidae	
<b><i>Pseudostomella cheraensis</i></b>	MBM - 1.1.1.1
Priyalakshmi, Menon & Todaro, 2007	
Collected from : Cherai, Kerala	
Phylum : Bryozoa	
Class : Gymnolaemata	
Order : Cheilostomatida	
<b><i>Biflustra perambulata</i></b> Louis & Menon, 2009	MBM - J.1.1.1
Collected from : Cochin, Kerala	
Phylum : Cnidaria	
Class : Anthozoa	
Order : Scleractinia	
Family : Acroporidae	
<b><i>Acropora josephi</i></b> Rani & Sandhya, 2007	MBM - CF.1.1.1.43
Collected from : Krusadi Island, Tamil Nadu	
<b><i>Acropora valimunensis</i></b> Rani & Sandhya, 2007	MBM - CF.1.1.1.44
Collected from : Valimunai Island, Tamil Nadu	
<b><i>Acropora thomasi</i></b> Rani & Sandhya, 2007	MBM - CF.1.1.1.45
Collected from : Krusadi Island, Tamil Nadu	
<b><i>Acropora mannarensis</i></b> Rani & Sandhya, 2007	MBM - CF.1.1.1.46
Collected from : Krusadi Island, Tamil Nadu	

## Paratype Specimens

Phylum : Chordata	
Class : Actinopterygii	
Order : Perciformes	
Family : Symphysanodontidae	
<b><i>Symphysanodon xanthopterygion</i></b>	GB.31.146.1.2
Anderson & Bineesh, 2011	GB.31.146.1.2.1
Collected from : Off Kollam, Kerala	GB.31.146.1.2.2

Family	Scientific Name	Acc. No.
<b>MARINE ALGAE</b>		
<b>Bryopsidaceae</b>	<i>Bryopsis pennata</i> Lamouroux, 1809	AA.4.1.1.1
<b>Caulerpaceae</b>	<i>Caulerpa laetevirens</i> Montagne, 1842	AA.4.2.1.7
	<i>Caulerpa peltata</i> Lamouroux, 1809	AA.4.2.1.1
	<i>Caulerpa racemosa</i> (Forssk.) J. Agardh, 1873	AA.4.2.1.2
	<i>Caulerpa scalpelliformis</i> (R.Br.) C. Agardh, 1817	AA.4.2.1.3
	<i>Caulerpa serrulata</i> (Forssk.) J. Agardh, 1837	AA.4.2.1.6
	<i>Caulerpa sertularioides</i> (Gmelin) Howe, 1905	AA.4.2.1.4
	<i>Caulerpa taxifolia</i> (Vahl.) C. Agardh, 1817	AA.4.2.1.5
<b>Ceramiaceae</b>	<i>Centroceras clavulatum</i> (C.Ag.) Montagne, 1846	AC.8.1.1.1
	<i>Spyridia fusiformis</i> Borgesen, 1937	AC.8.1.2.1
<b>Champiaceae</b>	<i>Champia globulifera</i> Borgesen, 1937	AC.7.1.1.1
<b>Chnoosporaceae</b>	<i>Chnoospora implexa</i> J. Agardh, 1848	AB.2.1.1.1
<b>Cladophoraceae</b>	<i>Chaetomorpha antennina</i> Kuetzing, 1847	AA.2.1.1.1
	<i>Chaetomorpha aerea</i> (Dillw.) Kuetzing, 1849	AA.2.1.1.3
	<i>Chaetomorpha linum</i> (Muller) Kuetzing, 1845	AA.2.1.1.2
	<i>Cladophora bombayensis</i> Borgesen, 1935	AA.2.1.2.1
	<i>Cladophora fascicularis</i> (Mertens) Kuetzing, 1843	AA.2.1.2.2
	<i>Cladophora lehmanniana</i> (Lind.) Kuetzing, 1843	AA.2.1.2.3
<b>Codiaceae</b>	<i>Codium arabicum</i> Kuetzing, 1856	AA.4.4.1.1
	<i>Codium dwarkense</i> Borgesen, 1947	AA.4.4.1.2
<b>Corallinaceae</b>	<i>Amphiroa anceps</i> (Lam.) Decaisne, 1842	AC.5.1.1.1
	<i>Amphiroa fragilissima</i> (Linn.) Lamouroux, 1816	AC.5.1.1.2
	<i>Amphiroa foliacea</i> Lamouroux, 1824	AC.5.1.1.3
	<i>Cheilosporum spectabile</i> Harvey ex Grunow, 1874	AC.5.1.2.1
	<i>Jania rubens</i> (Linn.) Lamouroux, 1758	AC.5.1.3.1
<b>Dictyotaceae</b>	<i>Dictyota cervicornis</i> Kuetzing, 1859	AB.1.1.1.1
	<i>Dictyota divaricata</i> Lamouroux, 1809	AB.1.1.1.3
	<i>Dictyota dichotoma</i> (Huds.) Lamouroux, 1809	AB.1.1.1.2
	<i>Lobophora variegata</i> (Lam.) Womersley ex Oliveria, 1977	AB.1.1.3.1
	<i>Padina gymnospora</i> (Kuetz.) Sonder, 1871	AB.1.1.2.2
	<i>Padina tetrastromatica</i> Hauck, 1887	AB.1.1.2.1
	<i>Spatoglossum asperum</i> J. Agardh, 1894	AB.1.1.5.1
	<i>Stoehospermum marginatum</i> (C.Ag.) Kuetzing, 1843	AB.1.1.4.1
<b>Galaxauraceae</b>	<i>Scinaia bengalica</i> Borgesen, 1938	AC.1.1.1.1
<b>Gelidiellaceae</b>	<i>Gelidiella acerosa</i> (Forssk.) Feldmann & G. Hamel, 1934	AC.2.1.1.1

Family	Scientific Name	Acc. No.
Gracilariaceae	<i>Gracilaria arcuata</i> Zanardini, 1858	AC.3.1.1.1
	<i>Gracilaria corticata</i> var. <i>corticata</i> J.Agardh, 1852	AC.3.1.1.2
	<i>Gracilaria Pudumadamensis</i> V.Krishnamurthy & Rajendran, 1987	AC.3.1.1.3
	<i>Gracilaria salicornia</i> (C.Ag.) Dawson, 1954	AC.3.1.1.4
	<i>Gracilaria edulis</i> P. Silva, 1952	AC.3.1.1.5
	<i>Gracilaria foliifera</i> (Forssk.)Borgesesen, 1932	AC.3.1.1.6
	<i>Gracilariopsis lemaneiformis</i> Dawson, Acleto & Foldvik, 1823	AC.3.1.2.1
	Halimedaceae	<i>Halimeda gracilis</i> Harvey ex J. Agardh,1887
<i>Halimeda macroloba</i> Decaisne, 1841		AA.4.5.1.2
Halymeniaceae	<i>Grateloupia filicina</i> (Lam.) C. Agardh,1822	AC.4.1.1.1
	<i>Grateloupia lithophila</i> Borgesesen,1938	AC.4.1.1.2
	<i>Halymenia dilatata</i> Zanardini,1851	AC.4.1.2.1
	<i>Halymenia floresia</i> (Clem.y Rubio ) C.Agardh,1817	AC.4.1.2.2
Hypneaceae	<i>Hypnea pannosa</i> J. Agardh,1847	AC.6.1.1.1
	<i>Hypnea valentiae</i> (Turn.) Montagne,1841	AC.6.1.1.2
Liagoraceae	<i>Liagora doris</i> Zeh,1912	AC.1.2.1.1
	<i>Liagora orientalis</i> J.Agardh,1896	AC.1.2.1.2
Oscillatoriaceae	<i>Lyngbya majuscula</i> Gomont,1892	AD.1.1.1.1
Rhizophyllidaceae	<i>Portieria hornemannii</i> ( Lyngbye) P.C.Silva, 1987	AC.4.2.1.1
Rhodomelaceae	<i>Acanthophora muscoides</i> (Linn.) Bory de Saint -Vincent,1828	AC.8.2.1.1
	<i>Acanthophora spicifera</i> (Vahl.)Borgesesen,1910	AC.8.2.1.2
	<i>Chondria cornuta</i> Borgesesen, 1932	AC.8.2.3.1
	<i>Laurencia papillosa</i> (C.Ag.) Greville,1830	AC.8.2.2.1
	<i>Laurencia poitei</i> (Lam.) M.A.Howe,1918	AC.8.2.2.2
Rhodymeniaceae	<i>Botryocladia leptopoda</i> (J.Ag.) Kylin,1931	AC.7.2.1.1
	<i>Gelidiopsis variabilis</i> (J.Ag.) Schmitz,1851	AC.7.2.2.1
Sargassaceae	<i>Sargassum cristaefolium</i> C.Agardh,1820	AB.3.1.1.1
	<i>Sargassum polycystum</i> C. Agardh,1824	AB.3.1.1.2
	<i>Sargassum vulgare</i> C.Agardh, 1834	AB.3.1.1.4
	<i>Sargassum wightii</i> Greville,1848	AB.3.1.1.3
	<i>Turbinaria conoides</i> (J.Ag) Kuetz,1860	AB.3.1.2.1
	<i>Turbinaria decurrens</i> Bory de Saint-Vincent,1828	AB.3.1.2.2
	<i>Turbinaria ornata</i> J.Agardh,1848	AB.3.1.2.3
Scytosiphonaceae	<i>Colpomenia sinuosa</i> (Mert.ex Roth) Derbes & Solier,1851	AB.2.2.3.1
	<i>Hydroclathrus clathratus</i> ( C.Ag) Howe,1920	AB.2.2.1.1

Family	Scientific Name	Acc. No.
	<i>Rosenvingea intricata</i> (J.Ag.) Borgesen, 1914	AB.2.2.2.1
	<i>Rosenvingea nhatrangensis</i> Dawson, 1954	AB.2.2.2.2
Solieriaceae	<i>Kappaphycus alvarezii</i> (Doty) Doty ex P. Silva, 1996	AC.6.2.1.1
	<i>Sarconema filiforme</i> (Sonder)Kylin, 1932	AC.6.2.2.1
	<i>Solieria robusta</i> (Grev.) Kylin, 1934	AC.6.2.3.1
Udoteaceae	<i>Avrainvillea erecta</i> (Berk.) A.Gepp & E.Gepp, 1911	AA.4.3.1.1
Ulveaceae	<i>Enteromorpha compressa</i> (Linn.) Nees, 1820	AA.1.1.1.1
	<i>Ulva lactuca</i> Linnaeus, 1753	AA.1.1.2.1
	<i>Ulva reticulata</i> Forsskal, 1775	AA.1.1.2.2
Valoniaceae	<i>Boergesenia forbesii</i> (Harv.) J.Feldmann, 1938	AA.3.1.1.1
	<i>Valoniopsis pachynema</i> (G. Martens) Borgesen, 1934	AA.3.1.2.1
	<i>Valonia utricularis</i> C.Agardh, 1823	AA.3.1.3.1

## SEAGRASS

Hydrocharitaceae	<i>Enhalus koenigi</i> Richard, 1812	A1A.1.2.2.1
	<i>Halophila ovalis</i> (R.Brown) J.D. Hooker, 1858	A1A.1.2.1.2
	<i>Halophila ovata</i> Gaudichaud, 1827	A1A.1.2.1.1
	<i>Thalasia hemprichii</i> (Ehrenberg) Ascherson, 1871	A1A.1.2.3.1
Potamogetonaceae	<i>Cymodocea rotundata</i> Ehrenberg & Hemprich ex Ascherson, 1870	A1A.1.1.3.2
	<i>Cymodocea serrulata</i> Ascherson & Magnus	A1A.1.1.3.1
	<i>Halodule uninervis</i> (Forsskal) Ascherson, 1882	A1A.1.1.2.1
	<i>Syringodium isoetifolium</i> (Ascherson) Dandy, 1939	A1A.1.1.1.1

## MARINE ALGAE DISPLAYED AS HERBARIUM

Bryopsidaceae	<i>Bryopsis pennata</i> Lamouroux, 1809	AA.4.1.1.1
Caulerpaceae	<i>Caulerpa laetevirens</i> Montagne, 1842	AA.4.2.1.7
	<i>Caulerpa peltata</i> Lamouroux, 1809	AA.4.2.1.1
	<i>Caulerpa racemosa</i> (Forssk.)J.Agardh, 1873	AA.4.2.1.2
	<i>Caulerpa scalpelliformis</i> (R.Br.) C.Agardh, 1817	AA.4.2.1.3
	<i>Caulerpa serrulata</i> (Forssk.)J.Agardh, 1837	AA.4.2.1.6
	<i>Caulerpa sertularioides</i> (Gmelin) Howe, 1905	AA.4.2.1.4
	<i>Caulerpa taxifolia</i> (Vahl.) C.Agardh, 1817	AA.4.2.1.5
Ceramiaceae	<i>Centroceras clavulatum</i> (C.Ag.) Montagne, 1846	AC.8.1.1.1
	<i>Spyridia fusiformis</i> Borgesen, 1937	AC.8.1.2.1
Champiaceae	<i>Champia globulifera</i> Borgesen, 1937	AC.7.1.1.1
Chnoosporaceae	<i>Chnoospora implexa</i> J.Agardh, 1848	AB.2.1.1.1

Family	Scientific Name	Acc. No.
Cladophoraceae	<i>Chaetomorpha antennina</i> Kuetzing ,1847	AA.2.1.1.1
	<i>Chaetomorpha aerea</i> (Dillw.) Kuetzing ,1849	AA.2.1.1.3
	<i>Chaetomorpha linum</i> (Muller) Kuetzing ,1845	AA.2.1.1.2
	<i>Cladophora bombayensis</i> Borgesen ,1935	AA.2.1.2.1
	<i>Cladophora lehmanniana</i> (Lind.) Kuetzing ,1843	AA.2.1.2.3
Codiaceae	<i>Codium dwarkense</i> Borgesen,1947	AA.4.4.1.2
Corallinaceae	<i>Amphiroa anceps</i> (Lam.) Decaisne,1842	AC.5.1.1.1
	<i>Amphiroa fragilissima</i> (Linn.)Lamouroux,1816	AC.5.1.1.2
	<i>Amphiroa foliacea</i> Lamouroux,1824	AC.5.1.1.3
	<i>Cheilosporum spectabile</i> Harvvey ex Grunow,1874.	AC.5.1.2.1
	<i>Jania rubens</i> (Linn.)Lamouroux,1758	AC.5.1.3.1
Dictyotaceae	<i>Dictyota cervicornis</i> Kuetzing,1859	AB.1.1.1.1
	<i>Dictyota divaricata</i> Lamouroux,1809	AB.1.1.1.3
	<i>Dictyota dichotoma</i> (Huds.)Lamouroux,1809	AB.1.1.1.2
	<i>Lobophora variegata</i> (Lam.)Womersley ex Oliveria	AB.1.1.3.1
	<i>Padina tetrastromatica</i> Hauck,1887	AB.1.1.2.1
	<i>Spatoglossum asperum</i> J.Agardh,1894	AB.1.1.5.1
	<i>Stoechospermum marginatum</i> (C.Ag.) Kuetzing,1843	AB.1.1.4.1
Galaxauraceae	<i>Scinaia bengalica</i> Borgesen ,1938	AC.1.1.1.1
Gelidiellaceae	<i>Gelidiella acerosa</i> (Forssk.)Feldmann. & G. Hamel,1934	AC.2.1.1.1
Gracilariaceae	<i>Gracilaria arcuata</i> Zanardini,1858	AC.3.1.1.1
	<i>Gracilaria corticata</i> var. <i>corticata</i> J.Agardh,1852	AC.3.1.1.2
	<i>Gracilaria Pudumadamensis</i> V. Krishnamurthy & Rajendran,1987	AC.3.1.1.3
	<i>Gracilaria salicornia</i> (C.Ag.)Dawson,1954	AC.3.1.1.4
	<i>Gracilaria edulis</i> P. Silva,1952	AC.3.1.1.5
	<i>Gracilaria foliifera</i> (Forssk.)Borgesen, 1932	AC.3.1.1.6
	<i>Gracilariopsis lemneiformis</i> Dawson, Acleto & Foldvik,1823	AC.3.1.2.1
Halimedaceae	<i>Halimeda gracilis</i> Harvey .ex J.Agardh ,1887	AA.4.5.1.1
	<i>Halimeda macroloba</i> Decaisne,1841	AA.4.5.1.2
Halymeniaceae	<i>Grateloupia filicina</i> (Lam.) C.Agardh,1822	AC.4.1.1.1
	<i>Grateloupia lithophila</i> Borgesen,1938	AC.4.1.1.2
	<i>Halymenia dilatata</i> Zanardini,1851	AC.4.1.2.1
	<i>Halymenia floresia</i> (Clem.y Rubio ) C.Agardh,1817	AC.4.1.2.2
Hypneaceae	<i>Hypnea pannosa</i> J.Agardh,1847	AC.6.1.1.1
	<i>Hypnea valentiae</i> (Turn.)Montagne,1841	AC.6.1.1.2
Liagoraceae	<i>Liagora doris</i> Zeh,1912	AC.1.2.1.1
	<i>Liagora orientalis</i> J.Agardh,1896	AC.1.2.1.2

Family	Scientific Name	Acc. No.
<b>Rhizophyllidaceae</b>	<i>Portieria hornemannii</i> (Lyngbye) P.C.Silva, 1987	AC.4.2.1.1
<b>Rhodomelaceae</b>	<i>Acanthophora muscoides</i> (Linn.) Bory de Saint - Vincent, 1828	AC.8.2.1.1
	<i>Acanthophora spicifera</i> (Vahl.)Borgesesen, 1910	AC.8.2.1.2
	<i>Chondria cornuta</i> Borgesesen, 1932	AC.8.2.3.1
	<i>Laurencia papillosa</i> (C.Ag.) Greville, 1830	AC.8.2.2.1
	<i>Laurencia poitei</i> (Lam.)M.A.Howe,	AC.8.2.2.2
<b>Rhodymeniaceae</b>	<i>Botryocladia leptopoda</i> (J.Ag.)Kylin, 1931	AC.7.2.1.1
	<i>Gelidiopsis variabilis</i> (J.Ag.) Schmitz, 1851	AC.7.2.2.1
<b>Sargassaceae</b>	<i>Sargassum cristaefolium</i> C.Agardh, 1820	AB.3.1.1.1
	<i>Sargassum polycystum</i> C.Agardh, 1824	AB.3.1.1.2
	<i>Sargassum vulgare</i> C.Agardh, 1834	AB.3.1.1.4
	<i>Sargassum wightii</i> Greville, 1848	AB.3.1.1.3
	<i>Turbinaria conoides</i> (J.Ag.) Kuetzing, 1860	AB.3.1.2.1
<b>Scytosiphonaceae</b>	<i>Hydroclathrus clathratus</i> (C.Ag.) Howe, 1920	AB.2.2.1.1
	<i>Rosenvingea nhatrangensis</i> Dawson, 1954	AB.2.2.2.2
<b>Solieriaceae</b>	<i>Kappaphycus alvarezii</i> (Doty) Doty ex P. Silva, 1996	AC.6.2.1.1
	<i>Sarconema filiforme</i> (Sonder)Kylin, 1932	AC.6.2.2.1
	<i>Solieria robusta</i> (Grev.)Kylin, 1934	AC.6.2.3.1
<b>Ulvaceae</b>	<i>Enteromorpha compressa</i> (Linn.)Nees, 1820	AA.1.1.1.1
	<i>Ulva lactuca</i> Linnaeus, 1753	AA.1.1.2.1
	<i>Ulva reticulata</i> Forsskal, 1775	AA.1.1.2.2
<b>Valoniaceae</b>	<i>Boergesenia forbesii</i> (Harv.) J.Feldmann, 1938	AA.3.1.1.1
	<i>Valoniopsis pachynema</i> (G. Martens) Borgesesen, 1934	AA.3.1.2.1

## SEAGRASS

<b>Hydrocharitaceae</b>	<i>Enhalus koenigi</i> Richard, 1812	A1A.1.2.2.1
	<i>Halophila ovalis</i> (R.Brown) J.D. Hooker, 1858	A1A.1.2.1.2
	<i>Halophila ovata</i> Gaudichaud, 1827	A1A.1.2.1.1
<b>Potamogetonaceae</b>	<i>Cymodocea rotundata</i> Ehrenberg & Hemprich ex Ascherson, 1870	A1A.1.1.3.2
	<i>Cymodocea serrulata</i> Ascherson & Magnus	A1A.1.1.3.1
	<i>Halodule uninervis</i> (Forskall) Ascherson, 1882	A1A.1.1.2.1
	<i>Syringodium isoetifolium</i> (Ascherson) Dandy, 1939	A1A.1.1.1.1

Family	Scientific Name	Acc. No.
<b>PHYLUM PORIFERA</b>		
Adociidae	<i>Sigmatocia carnosa</i> (Dendy, 1905)	BA.3.1.1.1
	<i>Sigmatocia fibulata</i> (Schmidt, 1862)	BA.3.1.1.2
Axinellidae	<i>Axinella carteri</i> (Dendy, 1905)	BA.4.1.1.2
	<i>Axinella donnani</i> (Bowerbank, 1873)	BA.4.1.1.1
Dysideidae	<i>Dendrilla cactus</i> (Selenka, 1867)	BA.1.2.1.1
	<i>Dendrilla nigra</i> (Den., 1964)	BA.1.2.1.2
Haliclonidae	<i>Haliclona oculata</i> (Pallas, 1766)	BA.2.1.1.1
Hyalonematidae	<i>Hyalonema apertum</i> Schulze, 1886	BB.1.1.1.1
Spiraastrellidae	<i>Spiraastrella inconstans</i> var. <i>digitate</i> Dendy, 1905	BA.5.1.1.1
Spongiidae	<i>Spongia officinalis</i> var. <i>ceylonensis</i> Dendy, 1905	BA.1.1.1.1
	<i>Hyattella cribriformis</i> (Hyatt, 1877)	BA.1.1.2.1
	<i>Fasciospongia cavernosa</i> (Schmidt, 1862)	BA.1.1.3.1

## PHYLUM GASTROTRICHA

<i>Pseudostomella cheraensis</i> Priyalakshmi, Menon & Todaro, 2007	MBM - 1.1.1.1
--	---------------

## PHYLUM BRYOZOA

<i>Biflustra perambulata</i> Louis & Menon, 2009	MBM - J.1.1.1
---	---------------

Family	Scientific Name	Acc. No.
<b>PHYLUM CNIDARIA (COELENTERATA)</b>		
<b>Acroporidae</b>	<i>Acropora abrotanoides</i> (Lamarck, 1816)	CF.1.1.1.1
	<i>Acropora aspera</i> (Dana, 1846)	CF.1.1.1.2
	<i>Acropora corymbosa</i> (Lamarck, 1816)	CF.1.1.1.33
	<i>Acropora cytherea</i> (Dana, 1846)	CF.1.1.1.36
	<i>Acropora digitifera</i> (Dana, 1846)	CF.1.1.1.5
	<i>Acropora echinata</i> (Dana, 1846)	CF.1.1.1.6
	<i>Acropora efflorescens</i> Dana, 1846	CF.1.1.1.7
	<i>Acropora eurystoma</i> (Klunzinger, 1879)	CF.1.1.1.8
	<i>Acropora formosa</i> (Dana, 1846)	CF.1.1.1.10
	<i>Acropora forskali</i> (Ehrenberg, 1834)	CF.1.1.1.9
	<i>Acropora gravida</i> (Dana, 1846)	CF.1.1.1.11
	<i>Acropora hemprichii</i> (Ehrenberg, 1834)	CF.1.1.1.13
	<i>Acropora humilis</i> (Dana, 1846)	CF.1.1.1.12
	<i>Acropora hyacinthus</i> (Dana, 1846)	CF.1.1.1.14
	<i>Acropora hystrix</i> (Dana, 1846)	CF.1.1.1.34
	<i>Acropora indica</i> (Brook, 1893)	CF.1.1.1.15
	<i>Acropora intermedia</i> (Brook, 1891)	CF.1.1.1.16
	<i>Acropora irregularis</i> (Brook, 1892)	CF.1.1.1.17
	<i>Acropora josephi</i> Rani & Sandhya, 2007	CF.1.1.1.43
	<i>Acropora lamarcki</i> Veron, 2002	CF.1.1.1.18
	<i>Acropora listeri</i> (Brook, 1893)	CF.1.1.1.35
	<i>Acropora mannarensis</i> Rani & Sandhya, 2007	CF.1.1.1.46
	<i>Acropora millepora</i> (Ehrenberg, 1834)	CF.1.1.1.19
	<i>Acropora nasuta</i> (Dana, 1846)	CF.1.1.1.20
	<i>Acropora nobilis</i> (Dana, 1846)	CF.1.1.1.21
	<i>Acropora pacifica</i> Brook, 1891	CF.1.1.1.22
	<i>Acropora palifera</i> (Lamarck, 1816)	CF.1.1.1.23
	<i>Acropora pharaonis</i> (Milne-Edwards and Haime, 1860)	CF.1.1.1.24
	<i>Acropora quelchi</i> (Brook 1893)	CF.1.1.1.25
	<i>Acropora reticulata</i> (Brook, 1893)	CF.1.1.1.26
	<i>Acropora robusta</i> (Dana, 1846)	CF.1.1.1.27
	<i>Acropora secale</i> (Studer, 1878)	CF.1.1.1.28
	<i>Acropora stoddarti</i> Pillai and Scheer, 1976	CF.1.1.1.29
	<i>Acropora teres</i> (Verrill, 1866)	CF.1.1.1.30
	<i>Acropora thomasi</i> Rani & Sandhya, 2007	CF.1.1.1.45
	<i>Acropora valenciennesi</i> (Milne-Edwards and Haime, 1860)	CF.1.1.1.31
	<i>Acropora valida</i> (Dana, 1846)	CF.1.1.1.32
	<i>Acropora valimunensis</i> Rani & Sandhya, 2007	CF.1.1.1.44
	<i>Astreopora listeri</i> Bernard, 1896	CF.1.1.2.1
	<i>Astreopora myriophthalma</i> (Lamarck, 1816)	CF.1.1.2.2
<i>Montipora danae</i> (Milne-Edwards and Haime, 1851)	CF.1.1.3.1	
<i>Montipora digitata</i> (Dana, 1846)	CF.1.1.3.2	

Family	Scientific Name	Acc. No.
	<i>Montipora explanata</i> Brueggeman, 1789	CF.1.1.3.3
	<i>Montipora floweri</i> Wells, 1954	CF.1.1.3.5
	<i>Montipora foliosa</i> (Pallas, 1766)	CF.1.1.3.4
	<i>Montipora hispida</i> (Dana, 1846)	CF.1.1.3.6
	<i>Montipora monasteriata</i> (Forsskål, 1775)	CF.1.1.3.7
	<i>Montipora tuberculosa</i> (Lamarck, 1816)	CF.1.1.3.9
	<i>Montipora turgescens</i> Bernard, 1897	CF.1.1.3.10
	<i>Montipora venosa</i> (Ehrenberg, 1834)	CF.1.1.3.11
<b>Agariciidae</b>	<i>Gardineroseris planulata</i> (Dana, 1846)	CF.1.4.1.1
	<i>Pachyseris speciosa</i> (Dana, 1846)	CF.1.4.2.1
	<i>Pavona cactus</i> (Forsskal, 1775)	CF.1.4.3.1
	<i>Pavona divaricata</i> Lamarck, 1816	CF.1.4.3.2
	<i>Pavona minuta</i> Wells, 1954	CF.1.4.3.3
	<i>Pavona varians</i> Verrill, 1864	CF.1.4.3.4
<b>Alcyoniidae</b>	<i>Cladiella australis</i> (Macfadyen, 1936)	CC.6.3.1
	<i>Lobophytum pauciflorum</i> (Ehrenberg, 1834)	CC.6.4.1
	<i>Sarcophyton elegans</i> Moser, 1919	CC.6.1.1
	<i>Sinularia jasminae</i> Alderslade & Shirwaiker, 1991	CC.6.2.1
	<i>Sinularia kavarttiensis</i> Alderslade & Shirwaiker, 1991	CC.6.2.2
	<i>Sinularia parulekari</i> Alderslade & Shirwaiker, 1991	CC.6.2.3
<b>Dendrophylliidae</b>	<i>Dendrophyllia micranthus</i> (Ehrenberg, 1834)	CF.1.13.1.1
	<i>Tabastrea aurea</i> (Quoy & Gaimard, 1833)	CF.1.13.3.1
	<i>Turbinaria crater</i> (Pallas, 1766)	CF.1.13.2.1
	<i>Turbinaria frondens</i> (Dana, 1846)	CF.1.13.2.2
	<i>Turbinaria mesenterina</i> (Lamarck, 1816)	CF.1.13.2.3
	<i>Turbinaria peltata</i> (Esper, 1794)	CF.1.13.2.4
<b>Ellisellidae</b>	<i>Gorgonella umbraculum</i> Ellis & Solander, 1786	CC.2.1.1
	<i>Juncella juncea</i> (Pallas, 1766)	CC.2.2.1
<b>Euphylliidae</b>	<i>Euphyllia glabrescens</i> (Chamisso and Eysenhardt, 1821)	CF.1.12.1.1
<b>Faviidae</b>	<i>Cyphastrea microphthalma</i> (Lamarck, 1816)	CF.1.7.1.1
	<i>Cyphastrea serailia</i> (Forsskal, 1775)	CF.1.7.1.2
	<i>Diploastrea heliopora</i> (Lamarck, 1816)	CF.1.7.2.1
	<i>Echinopora horrida</i> Dana, 1846	CF.1.7.3.1
	<i>Echinopora lamellosa</i> (Esper, 1795)	CF.1.7.3.2
	<i>Favia favius</i> (Forsskal, 1775)	CF.1.7.4.1
	<i>Favia matthaii</i> (Vaughan, 1918)	CF.1.7.4.2
	<i>Favia pallida</i> (Dana, 1846)	CF.1.7.4.3
	<i>Favia rotundata</i> (Veron and Pichon, 1977)	CF.1.7.4.4
	<i>Favia speciosa</i> (Dana, 1846)	CF.1.7.4.5
	<i>Favia stelligera</i> (Dana, 1846)	CF.1.7.4.6
	<i>Favia valenciennesi</i> (Edwards & Haime, 1848)	CF.1.7.4.7

Family	Scientific Name	Acc. No.
	<i>Favites abdita</i> (Ellis and Solander, 1786)	CF.1.7.5.1
	<i>Favites bestae</i> Veron, 2000	CF.1.7.5.2
	<i>Favites complanata</i> (Ehrenberg, 1834)	CF.1.7.5.3
	<i>Favites flexuosa</i> (Dana, 1846)	CF.1.7.5.4
	<i>Favites halicora</i> (Ehrenberg, 1834)	CF.1.7.5.5
	<i>Favites melicerum</i> (Ehrenberg) Pillai, 1986	CF.1.7.5.7
	<i>Goniastrea australensis</i> (Milne-Edwards and Haime, 1857)	CF.1.7.6.1
	<i>Goniastrea pectinata</i> (Ehrenberg, 1834)	CF.1.7.6.2
	<i>Goniastrea retiformis</i> (Lamarck, 1816)	CF.1.7.6.3
	<i>Leptastrea bottae</i> (Milne-Edwards and Haime, 1849)	CF.1.7.7.1
	<i>Leptastrea purpurea</i> (Dana, 1846)	CF.1.7.7.2
	<i>Leptastrea transversa</i> Klunzinger, 1879	CF.1.7.7.4
	<i>Leptorea phrygia</i> (Ellis and Solander, 1786)	CF.1.7.11.1
	<i>Platygyra daedalea</i> (Ellis and Solander, 1786)	CF.1.7.9.1
	<i>Platygyra pini</i> Chevalier, 1975	CF.1.7.9.2
	<i>Platygyra sinensis</i> (Milne-Edwards and Haime, 1849)	CF.1.7.9.3
	<i>Plesiastrea versipora</i> (Lamarck, 1816)	CF.1.7.10.1
<b>Fungiidae</b>	<i>Ctenactis echinata</i> (Pallas, 1766)	CF.1.5.2.1
	<i>Cycloseris cyclolites</i> (Lamarck, 1801)	CF.1.5.1.1
	<i>Fungia fungites</i> (Linnaeus, 1758)	CF.1.5.3.3
	<i>Fungia repanda</i> Dana, 1846	CF.1.5.3.1
	<i>Fungia scutaria</i> Lamarck, 1801	CF.1.5.3.2
	<i>Fungia subrepanda</i> Doderlein, 1901	CF.1.5.3.4
	<i>Podabacia crustacea</i> (Pallas, 1766)	CF.1.5.4.1
<b>Gorgoniidae</b>	<i>Leptogorgia australensis</i> Ridley, 1844	CC.4.1.1
<b>Helioporidae</b>	<i>Heliopora coerulea</i> (Pallas, 1766)	CF.3.1.1.1
<b>Merulinidae</b>	<i>Hydnophora exesa</i> (Pallas, 1766)	CF.1.8.1.1
	<i>Hydnophora microconos</i> (Lamarck, 1816)	CF.1.8.1.2
	<i>Hydnophora rigida</i> (Dana, 1846)	CF.1.8.1.3
	<i>Merulina ampliata</i> (Ellis and Solander, 1786)	CF.1.8.2.1
<b>Milleporidae</b>	<i>Millepora dichotoma</i> (Forsskel, 1775)	CF.4.1.1.1
	<i>Millepora platyphylla</i> Hemprich and Ehrenberg, 1834	CF.4.1.1.2
	<i>Millepora truncata</i> Smitt, 1868	CF.4.1.1.3
<b>Mussidae</b>	<i>Acanthastrea echinata</i> (Dana, 1846)	CF.1.9.1.1
	<i>Acanthastrea simplex</i> Crossland, 1952	CF.1.9.1.2
	<i>Lobophyllia corymbosa</i> (Forsskål, 1775)	CF.1.9.2.1
	<i>Lobophyllia hemprichii</i> (Ehrenberg, 1834)	CF.1.9.2.2
	<i>Symphyllia pecta</i> (Dana, 1846)	CF.1.9.3.2
	<i>Symphyllia radians</i> Milne-Edwards and Haime, 1849	CF.1.9.3.1
<b>Oculinidae</b>	<i>Galaxea astreata</i> (Lamarck, 1816)	CF.1.10.1.1
	<i>Galaxea fascicularis</i> (Linnaeus, 1767)	CF.1.10.1.2

Family	Scientific Name	Acc. No.
Pectiniidae	<i>Mycedium elephantotus</i> (Pallas, 1766)	CF.1.11.1.1
	<i>Pectinia lactuca</i> (Pallas, 1766)	CF.1.11.1.2
Plexauridae	<i>Echinogorgia reticulata</i> (Esper, 1791)	CC.5.2.1
	<i>Echinomuricea indica</i> Thomson & Simpson, 1909	CC.5.3.1
	<i>Echinomuricea indomalaccensis</i> Ridley, 1884	CC.5.3.2
	<i>Plexauroides praelonga</i> var. <i>cinera</i> Ridley, 1844	CC.5.1.1.1
	<i>Plexauroides praelonga</i> var. <i>typica</i> Ridley, 1844	CC.5.1.1.2
	<i>Thesea flava</i> Nutting, 1910	CC.5.4.1
Pocilloporidae	<i>Pocillopora damicornis</i> (Linnaeus, 1758)	CF.1.2.11.1
	<i>Pocillopora eudouxii</i> Milne-Edwards and Haime, 1860	CF.1.2.11.2
	<i>Pocillopora lingulata</i> Dana, 1846	CF.1.2.11.3
	<i>Pocillopora meandrina</i> Dana, 1846	CF.1.2.11.4
	<i>Pocillopora verrucosa</i> (Ellis and Solander, 1786)	CF.1.2.11.5
	<i>Pocillopora woodjonesi</i> Vaughan, 1918	CF.1.2.11.6
	<i>Stylophora pistillata</i> (Esper, 1797)	CF.1.2.2.1
Poritidae	<i>Goniopora klunzingeri</i> Marenzeller, 1906	CF.1.6.1.4
	<i>Goniopora minor</i> Crossland, 1952	CF.1.6.1.1
	<i>Goniopora nigra</i> Pillai, 1969	CF.1.6.1.5
	<i>Goniopora planulata</i> (Ehrenberg, 1834)	CF.1.6.1.2
	<i>Goniopora stokesi</i> Milne-Edwards and Haime, 1851	CF.1.6.1.3
	<i>Porites andrewsi</i> Vaughan, 1918	CF.1.6.2.10
	<i>Porites colonensis</i> Zlatarski, 1990	CF.1.6.2.1
	<i>Porites compressa</i> Dana, 1846	CF.1.6.2.2
	<i>Porites cylindrica</i> Dana, 1846	CF.1.6.2.3
	<i>Porites echinulata</i> Klunzinger, 1879	CF.1.6.2.4
	<i>Porites lichen</i> Dana, 1846	CF.1.6.2.5
	<i>Porites lobata</i> Dana, 1846	CF.1.6.2.6
	<i>Porites mannarensis</i> Pillai, 1969	CF.1.6.2.11
	<i>Porites minicoiensis</i> Pillai, 1969	CF.1.6.2.7
	<i>Porites solida</i> (Forsskal, 1775)	CF.1.6.2.8
<i>Porites undulata</i> (Klunzinger, 1879)	CF.1.6.2.9	
	<i>Synarea convexa</i> (Verrill, 1901)	CF.1.6.3.1
Siderastreidae	<i>Coscinaraea monile</i> (Forsskal, 1775)	CF.1.3.2.1
	<i>Psammocora contigua</i> (Esper, 1797)	CF.1.3.1.1
	<i>Psammocora digitata</i> Milne-Edwards and Haime, 1851	CF.1.3.1.2
	<i>Psammocora haimeana</i> Milne-Edwards and Haime, 1851	CF.1.3.1.3
	<i>Psammocora nierstraszi</i> Van der Horst, 1921	CF.1.3.1.4
	<i>Psammocora profundacella</i> Gardiner, 1898	CF.1.3.1.5
	<i>Pseudosiderastrea tayamai</i> Yabe and Sugiyama, 1935	CF.1.3.3.1
	<i>Siderastrea savigniana</i> Milne-Edwards and Haime, 1850	CF.1.3.4.1
Subergorgiidae	<i>Subergorgia suberosa</i> (Pallas, 1766)	CC.1.2.1
Tubiporidae	<i>Tubipora musica</i> Linnaeus, 1758	CF.2.1.1.1

Family	Scientific Name	Acc. No.
<b>PHYLUM ARTHROPODA</b>		
<b>Aethridae</b>	<i>Aethra scruposa</i> (Linnaeus, 1764)	ED.5.9.1.1
<b>Alpheidae</b>	<i>Alpheus crassimanus</i> (Heller, 1862)	ED.2.5.1.1
<b>Aristeidae</b>	<i>Aristaeopsis edwardsiana</i> (Johnson, 1867)	ED.1.2.2.1
	<i>Aristeus alcocki</i> Ramadan, 1938	ED.1.2.1.1
<b>Calappidae</b>	<i>Calappa capellonis</i> (Laurie, 1906)	ED.5.2.1.3
	<i>Calappa lophos</i> (Herbst, 1785)	ED.5.2.1.1
	<i>Calappa philargius</i> (Linnaeus, 1758)	ED.5.2.1.2
	<i>Matuta banksii</i> Leach, 1817	ED.5.2.2.1
	<i>Matuta planipes</i> Fabricius, 1798	ED.5.2.2.2
<b>Carpiliidae</b>	<i>Carpilius convexus</i> (Forsskal, 1775)	ED.5.10.1.1
	<i>Carpilius maculatus</i> (Linnaeus, 1758)	ED.5.10.1.2
<b>Chasmocarcinidae</b>	<i>Chasmocarcinops gelasimoides</i> Alcock, 1900	ED.5.11.1.1
<b>Crangonidae</b>	<i>Pontocaris pennata</i> Bate, 1888	ED.2.6.1.1
<b>Dromiidae</b>	<i>Dromia dormia</i> (Linnaeus, 1763)	ED.5.1.1.1
	<i>Lauridromia dehaani</i> (Rathbun, 1923)	ED.5.1.2.1
<b>Enoplometopidae</b>	<i>Enoplometopus occidentalis</i> (Randall, 1840)	ED.3.4.1.1
<b>Epialtidae</b>	<i>Doclea hybrida</i> (Fabricius, 1787)	ED.5.3.1.1
	<i>Doclea ovis</i> (Fabricius, 1787)	ED.5.3.1.2
	<i>Hyastenus diacanthus</i> (De Hann, 1835)	ED.5.3.2.1
	<i>Stilbognathus curvirostris</i> A.Milne Edwards, 1865	ED.5.3.3.1
<b>Euphausiidae</b>	<i>Euphausia superba</i> Dana, 1852	EC.1.1.1.1
<b>Euryplacidae</b>	<i>Eucrate crenata</i> (De Haan, 1835)	ED.5.17.1.1
<b>Galenidae</b>	<i>Galene bispinosa</i> (Herbst, 1783)	ED.5.18.1.1
	<i>Halimede ochthodes</i> (Herbst, 1783)	ED.5.18.2.1
<b>Hippidae</b>	<i>Emerita asiatica</i> Milne-Edwards, 1883	ED.4.2.1.1
<b>Hippolytidae</b>	<i>Exhippolysmata ensirostris</i> (Kemp, 1914)	ED.2.3.1.1
	<i>Lysmata amboinensis</i> De Man, 1888	ED.2.3.2.1
<b>Inachidae</b>	<i>Camposcia retusa</i> Latreille, 1829	ED.5.16.2.1
	<i>Pleistacantha oryx</i> Ortmann, 1893	ED.5.16.1.1
<b>Leucosiidae</b>	<i>Ixoides cornutus</i> Mac Gilchrist, 1905	ED.5.6.2.1
	<i>Parilia major</i> Sakai, 1961	ED.5.6.1.1
	<i>Phylira globsus</i> (Fabricius, 1775)	ED.5.6.3.1
	<i>Ryphila cancellus</i> (Herbst, 1783)	ED.5.6.4.1

Family	Scientific Name	Acc. No.
Lysiosquillidae	<i>Lysiosquillina maculata</i> (Fabricius, 1793)	EB.1.1.3.1
Majidae	<i>Prismatopus aculeatus</i> (H. Milne Edwards, 1834)	ED.5.7.1.1
	<i>Schizophrys aspera</i> (H. Milne Edwards, 1834)	ED.5.7.2.1
Nephropidae	<i>Nephropsis carpenteri</i> Wood-Mason, 1885	ED.3.1.1.1
	<i>Nephropsis stewarti</i> Wood-Mason, 1872	ED.3.1.1.2
Ocypodidae	<i>Macrophthalmus (Venitus) latreillei</i> (Desmarest 1822)	ED.5.13.1.1
	<i>Ocypode ceratophthalmus</i> (Pallas, 1772)	ED.5.13.2.1
Oplophoridae	<i>Acanthephyra armata</i> A. Milne-Edwards, 1881	ED.2.1.1.1
	<i>Acanthephyra sanguinea</i> Woodmason & Alcock, 1892	ED.2.1.1.2
Palaemonidae	<i>Exopalaemon styliferus</i> (H. Milne Edwards, 1840)	ED.2.2.4.1
	<i>Macrobrachium equidens</i> (Dana, 1852)	ED.2.2.1.1
	<i>Macrobrachium rosenbergii</i> (De man, 1879)	ED.2.2.1.2
	<i>Macrobrachium rude</i> (Heller, 1862)	ED.2.2.1.3
	<i>Nematopalaemon tenuipes</i> (Henderson, 1893)	ED.2.2.3.1
Palinuridae	<i>Periclimenaeus inornatus</i> Kemp, 1922	ED.2.2.2.1
	<i>Linuparus somniosus</i> Berry and George, 1972	ED.3.2.1.1
	<i>Palinustus waguensis</i> Kubo, 1963	ED.3.2.2.1
	<i>Panulirus homarus</i> (Linnaeus, 1758)	ED.3.2.3.1
	<i>Panulirus ornatus</i> (Fabricius, 1798)	ED.3.2.3.2
	<i>Panulirus polyphagus</i> (Herbst, 1793)	ED.3.2.3.3
	<i>Panulirus versicolor</i> (Latreille, 1804)	ED.3.2.3.4
	<i>Puerulus sewelli</i> Ramadan, 1938	ED.3.2.4.1
Pandalidae	<i>Heterocarpoides levicarena</i> Bate, 1888	ED.2.4.2.1
	<i>Heterocarpus gibbosus</i> Bate, 1888	ED.2.4.1.1
	<i>Heterocarpus woodmasoni</i> Alcock, 1901	ED.2.4.1.2
	<i>Plesionika longicauda</i> Rathbun, 1901	ED.2.4.3.1
	<i>Plesionika martia</i> (Milne-Edwards, 1883)	ED.2.4.3.2
	<i>Plesionika adensameri</i> (Balss, 1914)	ED.2.4.3.3
Parthenopidae	<i>Cryptopodia angulata</i> Milne Edwards & Lucas, 1841	ED.5.4.1.1
	<i>Daldorfia horrida</i> (Linnaeus, 1758)	ED.5.4.3.1
	<i>Enoplolambrus echinatus</i> (Herbst, 1790)	ED.5.4.4.1
	<i>Parthenope longimanus</i> (Linnaeus, 1758)	ED.5.4.2.1
	<i>Rhinolambrus contrarius</i> (Herbst, 1804)	ED.5.4.5.1
Penaeidae	<i>Atypopenaeus stenodactylus</i> (Stimpson, 1860)	ED.1.3.1.1
	<i>Fenneropenaeus indicus</i> (H. Milne Edwards, 1837)	ED.1.3.7.1
	<i>Fenneropenaeus merguensis</i> (De Man, 1888)	ED.1.3.7.2
	<i>Marsupenaeus japonicus</i> (Bate, 1888)	ED.1.3.9.1
	<i>Megokris granulatus</i> (Haswell, 1879)	ED.1.3.11.1
	<i>Megokris sedili</i> (Hall, 1961)	ED.1.3.11.2

Family	Scientific Name	Acc. No.
	<i>Melicertus canaliculatus</i> (Olivier, 1811)	ED.1.3.8.1
	<i>Melicertus latisulcatus</i> (Kishinouye, 1896)	ED.1.3.8.2
	<i>Metapenaeopsis andamanensis</i> (Wood-Mason, 1891)	ED.1.3.3.1
	<i>Metapenaeopsis barbata</i> (De Haan, 1844)	ED.1.3.3.2
	<i>Metapenaeopsis coniger</i> (Wood-Mason, 1891)	ED.1.3.3.3
	<i>Metapenaeopsis stridulans</i> (Alcock, 1905)	ED.1.3.3.4
	<i>Metapenaeus affinis</i> (H. Milne Edwards, 1837)	ED.1.3.2.1
	<i>Metapenaeus brevicornis</i> (Milne-Edwards, 1837)	ED.1.3.2.2
	<i>Metapenaeus dobsoni</i> (Miers, 1878)	ED.1.3.2.3
	<i>Metapenaeus ensis</i> (De Haan, 1844)	ED.1.3.2.4
	<i>Metapenaeus lysianassa</i> (De Man, 1888)	ED.1.3.2.5
	<i>Metapenaeus monoceros</i> (Fabricius, 1798)	ED.1.3.2.6
	<i>Parapenaeopsis acclivirostris</i> Alcock, 1905	ED.1.3.4.1
	<i>Parapenaeopsis cornuta</i> (Kishinouye, 1900)	ED.1.3.4.2
	<i>Parapenaeopsis hardwickii</i> (Miers, 1878)	ED.1.3.4.3
	<i>Parapenaeopsis maxillipedo</i> Alcock, 1905	ED.1.3.4.4
	<i>Parapenaeopsis sculptilis</i> (Heller, 1862)	ED.1.3.4.5
	<i>Parapenaeopsis stylifera</i> (H. Milne Edwards, 1837)	ED.1.3.4.6
	<i>Parapenaeopsis uncta</i> Alcock, 1905	ED.1.3.4.7
	<i>Parapenaeus fissuroides</i> Crosnier, 1986	ED.1.3.5.1
	<i>Parapenaeus longipes</i> Alcock, 1905	ED.1.3.5.2
	<i>Penaeus monodon</i> Fabricius, 1798	ED.1.3.6.1
	<i>Penaeus semisulcatus</i> de Haan, 1844	ED.1.3.6.2
	<i>Trachysalambria curvirostris</i> (Stimpson, 1860)	ED.1.3.10.1
<b>Pilumnidae</b>	<i>Pilumnus vespertilio</i> (Fabricius, 1793)	ED.5.14.1.1
<b>Plagusiidae</b>	<i>Percnon planissimum</i> (Herbst, 1804)	ED.5.15.1.1
	<i>Plagusia squamosa</i> (Herbst, 1790)	ED.5.15.2.1
<b>Portunidae</b>	<i>Charybdis (Charybdis) lucifera</i> (Fabricius, 1798)	ED.5.5.1.2
	<i>Charybdis (Goniohellenus) hoplites</i> (Wood-Mason, 1877)	ED.5.5.2.1
	<i>Charybdis (Goniohellenus) truncata</i> (Fabricius, 1798)	ED.5.5.2.2
	<i>Charybdis feriatius</i> (Linnaeus, 1758)	ED.5.5.1.1
	<i>Charybdis natator</i> (Herbst, 1794)	ED.5.5.1.3
	<i>Charybdis orientalis</i> Dana, 1852	ED.5.5.3.1
	<i>Charybdis smithi</i> Macleay 1838	ED.5.5.3.2
	<i>Podophthalmus vigil</i> (Fabricius, 1798)	ED.5.5.6.1
	<i>Portunus (Monomia) gladiator</i> (Fabricius, 1798)	ED.5.5.4.2
	<i>Portunus (Monomia) gracilimanus</i> (Stimpson, 1858)	ED.5.5.4.3
	<i>Portunus (Portunus) pelagicus</i> (Linnaeus, 1758)	ED.5.5.5.2
	<i>Portunus (Portunus) sanguinolentus</i> (Herbst, 1783)	ED.5.5.5.1
	<i>Portunus argentatus</i> (White, 1847)	ED.5.5.4.1
	<i>Scylla serrata</i> (Forsskål, 1775)	ED.5.5.7.1
	<i>Scylla tranquebarica</i> (Fabricius, 1798)	ED.5.5.7.2

Family	Scientific Name	Acc. No.
	<i>Thalamita crenata</i> (Milne-Edwards, 1834)	ED.5.5.8.1
	<i>Thalamita danae</i> Stimpson, 1858	ED.5.5.8.2
Scyllaridae	<i>Scyllarus rugosus</i> Milne Edwards, 1837	ED.3.3.1.1
	<i>Thenus orientalis</i> (Lund, 1793)	ED.3.3.2.1
Sergestidae	<i>Acetes indicus</i> H. Milne Edwards, 1830	ED.1.5.1.1
Sicyoniidae	<i>Sicyonia lancifera</i> (Olivier, 1811)	ED.1.4.1.1
	<i>Sicyonia parajaponica</i> Crosnier, 2003	ED.1.4.1.2
Solenoceridae	<i>Solenocera choprai</i> Nataraj, 1945	ED.1.1.1.1
	<i>Solenocera crassicornis</i> (Milne-Edwards, 1837)	ED.1.1.1.2
	<i>Solenocera hextii</i> Wood-Mason and Alcock, 1891	ED.1.1.1.3
	<i>Solenocera melantho</i> (De Man, 1907)	ED.1.1.1.4
Squillidae	<i>Erugosquilla woodmasoni</i> (Kemp, 1911)	EB.1.1.1.5
	<i>Harpiosquilla annandalei</i> (Kemp, 1911)	EB.1.1.2.1
	<i>Harpiosquilla harpax</i> (de Haan, 1844)	EB.1.1.2.2
	<i>Miyakea nepa</i> (Latreille, 1828)	EB.1.1.1.3
	<i>Miyakea holoschista</i> (Kemp, 1911)	EB.1.1.1.2
	<i>Quollastria gonypetes</i> (Kemp, 1911)	EB.1.1.1.1
Xanthidae	<i>Atergatis integerrimus</i> (Lamarck, 1818)	ED.5.8.1.1
	<i>Atergatis subdentatus</i> De Haan 1835	ED.5.8.1.2
	<i>Demania baccalipes</i> (Alcock, 1898)	ED.5.8.6.1
	<i>Liagore rubromaculata</i> (De Haan, 1835)	ED.5.8.4.1
	<i>Menippe rumphii</i> (Fabricius, 1798)	ED.5.8.5.1

Family	Scientific Name	Acc. No.
<b>PHYLUM MOLLUSCA</b>		
<b>Anomiidae</b>	<i>Placenta placenta</i> (Linnaeus, 1758)	DC.10.1.1
<b>Architectonicidae</b>	<i>Architectonica perdix</i> (Hinds, 1844)	DB.7.1.1
	<i>Architectonica perspectiva</i> (Linnaeus, 1758)	DB.7.1.2
<b>Arcidae</b>	<i>Anadara granosa</i> (Linnaeus, 1758)	DC.1.1.1
	<i>Anadara rhombea</i> (Born, 1780)	DC.1.1.2
	<i>Arca granosa</i> (Lamarck, 1819)	DC.1.2.1
	<i>Arca inaequivalvis</i> Bruguière, 1789	DC.1.2.2
<b>Buccinidae</b>	<i>Babylonia spirata</i> Linnaeus, 1758	DB.24.1.1
	<i>Babylonia zeylanica</i> Bruguière, 1789	DB.24.1.2
	<i>Cantharus tranquebaricus</i> (Gmelin, 1791)	DB.24.2.1
<b>Bullidae</b>	<i>Bulla ampulla</i> Linnaeus, 1758	DB.37.1.1
<b>Bursidae</b>	<i>Bursa crumena</i> (Lamarck, 1816)	DB.19.1.1
	<i>Bursa spinosa</i> Lamarck, 1816	DB.19.1.3
	<i>Bursa subgranosa</i> (Beck, 1836)	DB.19.1.4
<b>Cancellariidae</b>	<i>Cancellaria lamberti</i> Souverbie, 1870	DB.33.1.1
<b>Cardiidae</b>	<i>Cardium assimile</i> Reeve, 1844	DC.14.1.1
	<i>Cardium flavum</i> Linnaeus, 1758	DC.14.1.2
<b>Carditidae</b>	<i>Cardita antiquata</i> Reeve, 1843	DC.12.1.1
	<i>Cardita bicolor</i> Lamarck, 1819	DC.12.1.2
	<i>Cardita variegata</i> Bruguière, 1792	DC.12.1.3
<b>Cassidae</b>	<i>Casmaria ponderosa</i> (Gmelin, 1791)	DB.17.1.1
	<i>Cassis cornuta</i> (Linnaeus, 1758)	DB.17.3.1
	<i>Phalium areola</i> (Linnaeus, 1758)	DB.17.2.1
	<i>Phalium bisulcatum</i> (Schubert & Wagner, 1829)	DB.17.2.2
	<i>Phalium canaliculatum</i> Bruguière, 1792	DB.17.2.3
	<i>Phalium glaucum</i> (Linnaeus, 1758).	DB.17.2.4
<b>Cerithiidae</b>	<i>Cerithium asper</i> (Linnaeus, 1758)	DB.9.1.1
	<i>Cerithium sinensis</i> (Gmelin, 1791)	DB.9.1.2
<b>Columbellidae</b>	<i>Pyrene flava</i> (Bruguière, 1789)	DB.23.1.1
<b>Conidae</b>	<i>Conus accuminatus</i> Brug., 1789	DB.35.1.24
	<i>Conus amadis</i> Gmelin, 1791	DB.35.1.1
	<i>Conus araneous</i> Lightfoot, 1786	DB.35.1.2
	<i>Conus archiepiscopus</i> Hwass, 1792	DB.35.1.3
	<i>Conus clarus</i> Smith, 1881	DB.35.1.4
	<i>Conus dalli</i> Stearns, 1873	DB.35.1.5
	<i>Conus ebraeus</i> Linnaeus, 1758	DB.35.1.6

Family	Scientific Name	Acc. No.
	<i>Conus episcopus</i> Hwass, 1792	DB.35.1.7
	<i>Conus geographus</i> Linnaeus, 1758	DB.35.1.8
	<i>Conus inscriptus</i> Reeve, 1843	DB.35.1.9
	<i>Conus lithoglyphus</i> Hwass, 1792	DB.35.1.10
	<i>Conus lividus</i> Hwass, 1792	DB.35.1.13
	<i>Conus loroisii</i> Kiener, 1845	DB.35.1.12
	<i>Conus miles</i> Linnaeus, 1758	DB.35.1.15
	<i>Conus monile</i> Hwass, 1792	DB.35.1.14
	<i>Conus pennaceus</i> Born, 1778	DB.35.1.16
	<i>Conus planorbis</i> Born, 1778	DB.35.1.18
	<i>Conus striatus</i> Linnaeus, 1758	DB.35.1.19
	<i>Conus tessulatus</i> Born, 1778	DB.35.1.20
	<i>Conus tulipa</i> Linnaeus 1758	DB.35.1.21
	<i>Conus violaceus</i> Gmelin, 1791	DB.35.1.22
	<i>Conus zonatus</i> Hwass, 1792	DB.35.1.23
<b>Cypraeidae</b>	<i>Cypraea annulus</i> Linnaeus, 1758	DB.15.1.1
	<i>Cypraea argus</i> Linnaeus, 1758	DB.15.1.2
	<i>Cypraea asellus</i> Linnaeus, 1758	DB.15.1.3
	<i>Cypraea caputserpentis</i> Linnaeus, 1758	DB.15.1.4
	<i>Cypraea diluculum</i> Reeve, 1845	DB.15.1.6
	<i>Cypraea erosa</i> Linnaeus, 1758	DB.15.1.7
	<i>Cypraea lynx</i> Linnaeus, 1758	DB.15.1.9
	<i>Cypraea scurra</i> Gmelin, 1791	DB.15.1.12
	<i>Cypraea spurca</i> Linnaeus, 1758	DB.15.1.13
	<i>Cypraea talpa</i> Linnaeus, 1758	DB.15.1.14
	<i>Cypraea tigris</i> Linnaeus, 1758	DB.15.1.15
	<i>Cypraea vitellus</i> Linnaeus, 1758	DB.15.1.17
	<i>Erronea erroneus</i> Linnaeus, 1758	DB.15.5.1
	<i>Gratiadusta pallida</i> Gray, 1824	DB.15.6.1
	<i>Ponda carneola</i> (Linnaeus, 1758)	DB.15.8.1
	<i>Talostolida teres</i> Gmelin, 1791	DB.15.9.1
<b>Donacidae</b>	<i>Donax cuneata</i> Linnaeus, 1758	DC.19.1.1
	<i>Donax sinusus</i> Gmelin, 1791	DC.19.1.2
<b>Ellobiidae</b>	<i>Melampus castaneus</i> Mühlfeld, 1818	DB.39.1.1
<b>Fascioliariidae</b>	<i>Fasciolaria filamentosa</i> Lamarck, 1822	DB.27.1.1
	<i>Fusinus forceps</i> (Perry, 1811)	DB.27.2.1
	<i>Fusinus nicobaricus</i> Lamarck, 1822	DB.27.2.2
	<i>Latirus craticulatus</i> (Linnaeus, 1758)	DB.27.3.1
	<i>Pleuroploca trapezium</i> (Linnaeus, 1758)	DB.27.4.1
<b>Ficidae</b>	<i>Ficus ficoides</i> (Lamarck, 1822)	DB.21.1.1
	<i>Ficus ficus</i> (Linnaeus, 1758)	DB.21.1.2
	<i>Ficus gracilis</i> (Sowerby, 1825)	DB.21.1.3

Family	Scientific Name	Acc. No.
<b>Haliotidae</b>	<i>Haliotis varia</i> Linnaeus, 1758	DB.1.1.1
<b>Haminoeidae</b>	<i>Atys naucum</i> Linnaeus, 1758	DB.38.1.1
<b>Harpidae</b>	<i>Harpa major</i> Röding, 1798	DB.31.1.2
<b>Loliginidae</b>	<i>Loligo duvauceli</i> (d' Orbigny, 1848)	DE.2.1.2.1
	<i>Loliolus hardwickei</i> (Gray, 1849)	DE.2.1.3.1
	<i>Sepioteuthis lessoniana</i> (Férussac, 1830)	DE.2.1.4.1
	<i>Uroteuthis (Photololigo) sibogae</i> (Adam, 1954)	DE.2.1.1.2
	<i>Uroteuthis singhalensis</i> (Ortmann, 1891)	DE.2.1.1.3
<b>Mactridae</b>	<i>Maetra cuneata</i> Chemnitz, 1782	DC.18.1.1
	<i>Maetra mera</i> (Reeve, 1853)	DC.18.1.2
<b>Malleidae</b>	<i>Malleus malleus</i> (Linnaeus, 1758)	DC.4.1.1
<b>Mitridae</b>	<i>Mitra ambigua</i> . Swainson, 1829	DB.29.1.1
	<i>Mitra ferruginea</i> Lamarck, 1811	DB.29.1.2
	<i>Strigatella litterata</i> Lamarck, 1811	DB.29.2.1
<b>Muricidae</b>	<i>Chicoreus adustus</i> (Lamarck, 1822)	DB.22.1.1
	<i>Chicoreus ramosus</i> (Linnaeus, 1758)	DB.22.1.2
	<i>Cronia contracta</i> (Reeve, 1846)	DB.22.2.1
	<i>Haustellum malabaricus</i> (E. A. Smith, 1894)	DB.22.3.1
	<i>Morula fusca</i> (Kuster, 1858)	DB.22.5.1
	<i>Murex haustellum</i> Linnaeus, 1758	DB.22.7.2
	<i>Murex murex</i> Linnaeus, 1758	DB.22.7.3
	<i>Murex tribulus</i> Linnaeus, 1758	DB.22.7.4
	<i>Murex virgineus</i> Röding, 1798	DB.22.7.5
	<i>Rapana bulbosa</i> (Solander, 1817)	DB.22.8.1
	<i>Thais siro</i> Kuroda, 1931	DB.22.9.1
<b>Mytilidae</b>	<i>Modiolus tulipa</i> Lamarck, 1819	DC.3.2.1
	<i>Perna viridis</i> (Linnaeus, 1758)	DC.3.1.1
<b>Nacellidae</b>	<i>Cellana radiata</i> (Born, 1778)	DB.2.1.1
<b>Nassariidae</b>	<i>Bullia vittata</i> Linnaeus, 1758	DB.13.1.1
	<i>Nassarius distortus</i> (Adams, 1852)	DB.13.2.1
	<i>Nassarius nivea</i> (Gmelin, 1971)	DB.13.2.3
	<i>Nassarius novaezelandiae</i> Reeve, 1854	DB.13.2.2
	<i>Nassarius stolatus</i> (Gmelin, 1971)	DB.13.2.4
<b>Nassidae</b>	<i>Nassa hepatica</i> (Montagu, 1803)	DB.26.1.1
<b>Naticidae</b>	<i>Natica albula</i> Récluz, 1851	DB.14.1.2
	<i>Natica didyma</i> (Röding, 1798)	DB.14.1.3
	<i>Natica lineata</i> Lamarck, 1822	DB.14.1.7
	<i>Natica picta</i> Récluz, 1843	DB.14.1.8

Family	Scientific Name	Acc. No.
	<i>Natica tigrina</i> (Röding, 1798)	DB.14.1.1
	<i>Natica vitellus</i> (Linnaeus, 1758)	DB.14.1.4
	<i>Polinices flemingianus</i> (Récluz, 1844)	DB.14.2.1
	<i>Polinices mammilla</i> (Linnaeus, 1758)	DB.14.2.2
	<i>Polinices melanostomus</i> (Gmelin, 1791)	DB.14.2.3
	<i>Sinum perspectivum</i> (Say, 1831)	DB.14.3.1
<b>Neritidae</b>	<i>Nerita albicilla</i> Linnaeus, 1758	DB.5.1.1
	<i>Nerita antiquata</i> Recluz, 1841	DB.5.1.2
	<i>Nerita plicata</i> Linnaeus, 1758	DB.5.1.3
	<i>Nerita polita</i> Linnaeus, 1758	DB.5.1.4
<b>Noetiidae</b>	<i>Noetia ponderosa</i> (Say, 1822)	DC.2.1.1
<b>Octopodidae</b>	<i>Cistopus indicus</i> (Rapp, 1835)	DE.3.1.1.1
	<i>Octopus aegina</i> (Gray, 1849)	DE.3.1.2.1
	<i>Octopus dollfusi</i> Robson, 1928	DE.3.1.2.6
	<i>Octopus globosus</i> (Appelhof, 1886)	DE.3.1.2.2
	<i>Octopus membranaceus</i> (Quoy & Gaimard, 1832)	DE.3.1.2.3
	<i>Octopus vulgaris</i> (Cuvier, 1797)	DE.3.1.2.4
<b>Olividae</b>	<i>Ancilla ampla</i> (Gmelin, 1791)	DB.28.1.1
	<i>Oliva gibbosa</i> Born, 1778	DB.28.2.1
	<i>Oliva oliva</i> (Linnaeus, 1758)	DB.28.2.3
	<i>Oliva textilina</i> Lamarck, 1811	DB.28.2.4
	<i>Oliva vidua</i> (Röding, 1798)	DB.28.2.5
	<i>Olivancillaria gibbosa</i> (Born, 1778)	DB.28.3.1
<b>Ommastrephidae</b>	<i>Sthenoteuthis oualaniensis</i> (Lesson, 1830)	DE.2.3.1.1
<b>Onychoteuthidae</b>	<i>Onychoteuthis banksii</i> (Leach, 1817)	DE.2.2.1.1
<b>Ostreidae</b>	<i>Crassostrea madrasensis</i> (Preston, 1916)	DC.11.1.1
<b>Ovulidae</b>	<i>Volva volva</i> Linnaeus, 1758	DB.16.1.1
<b>Pectinidae</b>	<i>Amusium pleuronectes</i> (Linnaeus, 1758)	DC.7.1.1
	<i>Chlamys tranquebaricus</i> Gmelin, 1791	DC.7.2.1
	<i>Pecten plica</i> Sowerby, 1839	DC.7.3.4
	<i>Pecten splendidulus</i> Sowerby, 1914	DC.7.3.3
	<i>Pecten tranquebaricus</i> Gmelin, 1791	DC.7.3.1
<b>Potamididae</b>	<i>Potamides cingulatus</i> (Gmelin, 1791)	DB.8.2.1
	<i>Telescopium telescopium</i> (Linnaeus, 1758)	DB.8.3.1
	<i>Terebralia palustris</i> (Linnaeus, 1767)	DB.8.1.1
<b>Psammobiidae</b>	<i>Asaphis deflorata</i> (Linnaeus, 1758)	DC.16.1.1
<b>Pteriidae</b>	<i>Pinctada fucata</i> (Gould, 1850)	DC.5.1.1
	<i>Pinctada margaritifera</i> (Linnaeus, 1758)	DC.5.1.2

Family	Scientific Name	Acc. No.
Ranellidae	<i>Biplex bozzetti</i> Beu, 1998	DB.18.1.1
	<i>Cymatium nicobaricum</i> (Röding, 1798)	DB.18.2.1
	<i>Cymatium perryi</i> Emerson & Old, 1963	DB.18.2.3
	<i>Cymatium tripus</i> (Gmelin, 1791)	DB.18.2.4
	<i>Distorsio anus</i> (Linnaeus, 1758)	DB.18.3.1
	<i>Distorsio reticulata</i> Röding, 1798	DB.18.3.2
Sepiidae	<i>Sepia aculeata</i> Van Hasselt, 1835	DE.1.1.1.1
	<i>Sepia pharaonis</i> (Ehrenberg, 1831)	DE.1.1.1.2
	<i>Sepia prashadi</i> Winckworth, 1936	DE.1.1.1.3
	<i>Sepiella inermis</i> (Orbigny, 1848)	DE.1.1.2.1
Spondylidae	<i>Spondylus imperialis</i> Chenu, 1843	DC.8.1.1
Strombidae	<i>Lambis chiragra</i> (Linnaeus, 1758)	DB.12.1.2
	<i>Lambis lambis</i> (Linnaeus, 1758)	DB.12.1.1
	<i>Strombus bulla</i> (Röding, 1798)	DB.12.2.1
	<i>Strombus canarium</i> Linnaeus, 1758	DB.12.2.2
	<i>Strombus dentatus</i> Linnaeus, 1758	DB.12.2.3
	<i>Strombus gibberulus</i> Linnaeus, 1758	DB.12.2.4
	<i>Strombus lentiginosus</i> Linnaeus, 1758	DB.12.2.5
	<i>Strombus listeri</i> Gray, 1852	DB.12.2.6
	<i>Strombus marginatus</i> Linnaeus, 1758	DB.12.2.7
	<i>Strombus mutabilis</i> Swainson, 1821	DB.12.2.8
	<i>Strombus urceus</i> Linnaeus, 1758	DB.12.2.9
	<i>Terebellum terebellum</i> (Linnaeus, 1758)	DB.12.3.1
	<i>Tibia curta</i> (Sowerby, 1842)	DB.12.4.1
<i>Tibia delicatula</i> Nevill, 1881	DB.12.4.2	
Tellinidae	<i>Tellina sinuata</i> Spengler, 1798	DC.17.1.1
Terebridae	<i>Terebra babylonia</i> Lamarck, 1822	DB.36.1.1
	<i>Terebra dimidiata</i> (Linnaeus, 1758)	DB.36.1.2
	<i>Terebra enulata</i> (Linnaeus, 1758)	DB.36.1.3
	<i>Terebra maculata</i> Linnaeus, 1758	DB.36.1.4
	<i>Terebra palustris</i> (Linnaeus, 1767)	DB.36.1.5
Thysanoteuthidae	<i>Thysanoteuthis rhombus</i> (Troschel, 1857)	DE.2.4.1.1
Tonnidae	<i>Tonna cumingii</i> (Reeve, 1849)	DB.20.1.1
	<i>Tonna dolium</i> (Linnaeus, 1758)	DB.20.1.2
	<i>Tonna fasciatum</i> (Bruguiere, 1789)	DB.20.1.3
Tridacnidae	<i>Tridacna maxima</i> Röding, 1798	DC.9.1.1
	<i>Tridacna squamosa</i> Lamarck, 1819	DC.9.1.2
Trochidae	<i>Euchelus atratus</i> (Gmelin, 1791)	DB.3.2.1
	<i>Trochus maculatus</i> Linnaeus, 1758	DB.3.1.1

Family	Scientific Name	Acc. No.
	<i>Trochus radiatus</i> Gmelin, 1791	DB.3.1.3
	<i>Trochus venetus</i> Reeve, 1862	DB.3.1.2
	<i>Umbonium vestiarius</i> (Linnaeus, 1758)	DB.3.3.1
<b>Turbinellidae</b>	<i>Vasum ceramicum</i> Linnaeus, 1758	DB.30.1.1
	<i>Vasum turbinellum</i> (Linnaeus, 1758)	DB.30.1.2
	<i>Xancus pyrum</i> (Linnaeus, 1758)	DB.30.2.1
<b>Turbinidae</b>	<i>Astraea stellata</i> (Gmelin, 1791)	DB.4.2.1
	<i>Turbo argyrostomus</i> Linnaeus, 1758	DB.4.1.1
<b>Turritellidae</b>	<i>Turritella attenuata</i> Reeve, 1849	DB.6.1.1
<b>Turridae</b>	<i>Brachytoma crenularis</i> Lamarck, 1816	DB.34.1.1
	<i>Turricula javana</i> (Linnaeus, 1758)	DB.34.2.1
<b>Veneridae</b>	<i>Callista erycina</i> (Linnaeus, 1758)	DC.15.1.1
	<i>Geloina bengalensis</i> Lamarck, 1818	DC.15.2.1
	<i>Katelsia opima</i> (Gmelin, 1791)	DC.15.3.1
	<i>Meretrix meretrix</i> (Linnaeus, 1758)	DC.15.4.1
	<i>Paphia alapapilionis</i> Röding, 1798	DC.15.5.2
	<i>Paphia malabarica</i> (Dillwyn, 1817)	DC.15.5.1
	<i>Pitar erycina</i> (Linnaeus, 1758)	DC.15.6.1
	<i>Venus listeri</i> (Gray, 1838)	DC.15.7.1
<b>Volemidae</b>	<i>Hemifusus cochlidium</i> (Linnaeus, 1758)	DB.25.1.1
	<i>Hemifusus pugilinus</i> (Born, 1778)	DB.25.1.2
<b>Volutidae</b>	<i>Harpulina loroisii</i> Valenciennes, 1863	DB.32.2.1
	<i>Voluta lapponica</i> Linnaeus, 1767	DB.32.1.1
<b>Xenophoridae</b>	<i>Xenophora corrugata</i> (Reeve, 1842)	DB.10.1.1

Family	Scientific Name	Acc. No.
<b>PHYLUM ECHINODERMATA</b>		
<b>Acanthasteridae</b>	<i>Acanthaster planci</i> (Linnaeus, 1758)	FA.6.1.1
<b>Astropectinidae</b>	<i>Astropecten indicus</i> Doderlein, 1888	FA.2.1.1
<b>Caudinidae</b>	<i>Acaudina molpadioides</i> (Semper, 1867)	FD.3.1.1
<b>Cidaridae</b>	<i>Prionocidaris verticillata</i> (Lamarck, 1816)	FC.1.1.1
<b>Clypeasteridae</b>	<i>Clypeaster rarispinus</i> de Meijere, 1903	FC.6.1.3
	<i>Clypeaster reticulatus</i> (Linnaeus, 1758)	FC.6.1.2
<b>Diadematidae</b>	<i>Astropyga radiata</i> (Leske, 1778)	FC.3.2.1
	<i>Echinothrix diadema</i> (Linnaeus, 1758)	FC.3.1.1
<b>Echinolampadidae</b>	<i>Echinolampas ovata</i> (Leske, 1778)	FC.8.1.1
<b>Echinometridae</b>	<i>Echinometra mathaei</i> (Blainville, 1825)	FC.4.1.1
<b>Gonioasteridae</b>	<i>Goniodiscaster scaber</i> (Moebius, 1859)	FA.3.1.1
<b>Holothuriidae</b>	<i>Actinopyga echinites</i> (Jaeger, 1833)	FD.2.1.1
	<i>Actinopyga mauritiana</i> (Quoy & Gaimard, 1833)	FD.2.1.2
	<i>Bohadschia argus</i> Jaeger, 1833	FD.2.2.1
	<i>Bohadschia marmorata</i> (Jaeger, 1833)	FD.2.2.2
	<i>Holothuria (Mertensiothuria) leucospilota</i> (Brandt, 1835)	FD.2.3.6
	<i>Holothuria (Mertensiothuria) pervicax</i> (Selank, 1867)	FD.2.3.7
	<i>Holothuria (Mertensiothuria) scabra</i> Jaeger, 1833	FD.2.3.8
	<i>Holothuria (Michrothela) nobilis</i> (Selanka, 1867)	FD.2.3.9
	<i>Holothuria (Thymiosycia) arenicola</i> Semper, 1868	FD.2.3.1
	<i>Holothuria (Thymiosycia) hilla</i> Lesson, 1830	FD.2.3.2
	<i>Holothuria (Thymiosycia) impatiens</i> (Forsskal, 1775)	FD.2.3.3
	<i>Holothuria spinifera</i> Théel, 1886	FD.2.3.10
<i>Holothuria (Semperothuria) moebi</i> (Ludwig, 1875)	FD.2.3.5	
<i>Labidodemas rugosum</i> (Ludwig, 1875)	FD.2.4.1	
<b>Laganidae</b>	<i>Laganum depressum</i> (L. Agassiz, 1841)	FC.9.2.1
	<i>Peronella lesueuri</i> (Valenciennes, 1841)	FC.9.1.1
<b>Loveniidae</b>	<i>Lovenia elongata</i> (Gray, 1845)	FC.10.1.1
<b>Ophiasteridae</b>	<i>Dactylosaster cylindricus</i> (Lamarck, 1816)	FA.1.1.1
<b>Linckiidae</b>	<i>Linckia guildingii</i> Gray, 1840	FA.5.1.2
	<i>Linckia multifora</i> (Lamarck, 1816)	FA.5.1.1
<b>Ophiocomidae</b>	<i>Ophiocoma dentata</i> Müller & Troschel, 1842	FB.2.1.1
	<i>Ophiocoma paica</i> Muller & Troschel, 1842	FB.2.1.2
<b>Oreasteridae</b>	<i>Culcita schmideliana</i> (Retzius, 1805)	FA.4.1.1
	<i>Pentacaster mammilatus</i> (Audouin, 1826)	FA.4.2.2

Family	Scientific Name	Acc. No.
	<i>Pentacaster regulus</i> (Muller & Torschel, 1842)	FA.4.2.1
	<i>Protoreaster lincki</i> (Blainville, 1830)	FA.4.3.1
<b>Scutellidae</b>	<i>Echinodiscus bisperforatus</i> Leske, 1778	FC.7.1.2
	<i>Echinodiscus auritus</i> Leske, 1778	FC.7.1.1
<b>Stichopodidae</b>	<i>Stichopus variegatus</i> Semper, 1868	FD.1.1.1
<b>Stomopneustidae</b>	<i>Stomopneustes variolaris</i> (Lamarck, 1816)	FC.5.1.1
<b>Temnopleuridae</b>	<i>Salmacis bicolor</i> L. Agassiz & Desor, 1846	FC.2.1.1
	<i>Salmacis virgulata</i> L. Agassiz & Desor, 1846	FC.2.1.2
	<i>Temnopleurus toreumaticus</i> (Leske, 1778)	FC.2.2.1

Family	Scientific Name	Acc. No.
--------	-----------------	----------

## PHYLUM CHORDATA

### ASCIDIANS

Asciidiidae	<i>Ascidia gemmata</i> Sluiter, 1895	HA.2.1.1.1
	<i>Ascidia sydneyensis</i> Stimpson, 1855	HA.2.1.1.2
	<i>Phallusia arabica</i> Savigny, 1816	HA.2.1.2.1
	<i>Phallusia nigra</i> Savigny, 1816	HA.2.1.2.2
Corellidae	<i>Rhodossoma turcicum</i> (Savigny, 1816)	HA.2.2.1.1
Didemnidae	<i>Didemnum psammathodes</i> , Sluiter, 1895	HA.1.1.1.1
	<i>Diplosoma swamiensis</i> Renganathan, 1986	HA.1.1.2.1
	<i>Lissoclinum fragile</i> (Van Name, 1902)	HA.1.1.3.1
Holozoidae	<i>Distaplia nathensis</i> (Meenakshi, 1998)	HA.1.2.1.1
Molgulidae	<i>Molgula bisinus</i> Monniot, 1989	HA.3.1.1.1
Polycitoridae	<i>Eudistoma lakshmiyani</i> Renganathan, 1986	HA.1.3.1.1
Polyclinidae	<i>Aplidium indicum</i> (Renganathan & Monniot, 1984)	HA.1.4.1.1
	<i>Polyclinum indicum</i> Sebastian, 1952	HA.1.4.2.1
	<i>Polyclinum madrasensis</i> Sebastian, 1952	HA.1.4.2.2
Pyuridae	<i>Herdmania momus</i> (Savigny, 1816)	HA.3.2.1.1
	<i>Microcosmus exasperatus</i> Heller, 1878	HA.3.2.2.1
	<i>Microcosmus helleri</i> Herdman, 1881	HA.3.2.2.2
Styelidae	<i>Eusynstyela tincta</i> (Van Name, 1902)	HA.3.3.1.1
	<i>Symplegma oceania</i> Tokioka, 1961	HA.3.3.2.1
	<i>Styela canopus</i> (Savigny, 1816)	HA.3.3.3.1

Family	Scientific Name	Acc. No.
<b>FISHES</b>		
<b>Acanthuridae</b>	<i>Acanthurus gahhm</i> (Forsskål, 1775)	GB.31.1.1.1
	<i>Acanthurus leucosternon</i> Bennett, 1833	GB.31.1.1.18
	<i>Acanthurus lineatus</i> (Linnaeus, 1758)	GB.31.1.1.19
	<i>Acanthurus mata</i> (Cuvier, 1829)	GB.31.1.1.21
	<i>Acanthurus nigricauda</i> Duncker & Mohr, 1929	GB.31.1.1.24
	<i>Acanthurus nigrofuscus</i> (Forsskål, 1775)	GB.31.1.1.25
	<i>Acanthurus thompsoni</i> (Fowler, 1923)	GB.31.1.1.35
	<i>Acanthurus triostegus</i> (Linnaeus, 1758)	GB.31.1.1.36
	<i>Acanthurus xanthopterus</i> Valenciennes, 1835	GB.31.1.1.38
	<i>Ctenochaetus strigosus</i> (Bennett, 1828)	GB.31.1.2.7
	<i>Naso brevirostris</i> (Cuvier, 1829)	GB.31.1.3.3
	<i>Naso hexacanthus</i> (Bleeker, 1855)	GB.31.1.3.8
	<i>Naso lituratus</i> (Forster, 1801)	GB.31.1.3.9
	<i>Naso tuberosus</i> Lacepède, 1801	GB.31.1.3.17
	<i>Naso vlamingii</i> (Valenciennes, 1835)	GB.31.1.3.19
<i>Zebrasoma veliferum</i> (Bloch, 1795)	GB.31.1.6.6	
<b>Acropomatidae</b>	<i>Acropoma japonicum</i> Günther, 1859	GB.31.2.1.4
<b>Albulidae</b>	<i>Albula vulpes</i> (Linnaeus, 1758)	GB.2.1.1.6
<b>Alepisauridae</b>	<i>Alepisaurus ferox</i> Lowe, 1833	GB.8.1.1.1
<b>Alopiidae</b>	<i>Alopias vulpinus</i> (Bonnaterre, 1788)	GA.6.1.1.3
<b>Ambassidae</b>	<i>Ambassis gymnocephalus</i> (Lacepède, 1802)	GB.31.4.1.9
<b>Anguillidae</b>	<i>Anguilla bicolor</i> McClelland, 1844	GB.4.1.1.2
<b>Antennariidae</b>	<i>Antennarius commerson</i> (Lacepède, 1798)	GB.25.1.2.6
	<i>Antennarius indicus</i> Schultz, 1964	GB.25.1.2.7
	<i>Antennarius pictus</i> (Shaw, 1794)	GB.25.1.2.8
	<i>Histrio histrio</i> (Linnaeus, 1758)	GB.25.1.6.1
<b>Aploactinidae</b>	<i>Erisphex pottii</i> (Steindachner, 1896)	GB.38.4.7.8
<b>Apogonidae</b>	<i>Apogon aureus</i> (Lacepède, 1802)	GB.31.9.1.17
	<i>Apogon guamensis</i> Valenciennes, 1832	GB.31.9.1.75
	<i>Apogon kiensis</i> Jordan & Snyder, 1901	GB.31.9.1.76
	<i>Apogon multitaeniatus</i> Cuvier, 1828	GB.31.9.1.119
	<i>Apogon quadrifasciatus</i> Cuvier, 1828	GB.31.9.1.155
	<i>Apogon septemstriatus</i> Günther, 1880	GB.31.9.1.179
	<i>Apogon taeniatus</i> Cuvier, 1828	GB.31.9.1.188
	<i>Archamia fucata</i> (Cantor, 1849)	GB.31.9.3.3
	<i>Archamia macroptera</i> (Cuvier, 1828)	GB.31.9.3.8
	<i>Holapogon maximus</i> (Boulenger, 1888)	GB.31.9.4.1

Family	Scientific Name	Acc. No.
Ariidae	<i>Arius jella</i> Day, 1877	GB.39.4.2.38
	<i>Arius maculatus</i> (Thunberg, 1792)	GB.39.4.2.49
	<i>Arius platystomus</i> Day, 1877	GB.39.4.2.69
	<i>Arius subrostratus</i> Valenciennes, 1840	GB.39.4.2.81
	<i>Arius tenuispinis</i> Day, 1877	GB.39.4.2.83
	<i>Arius thalassinus</i> (Rüppell, 1837)	GB.39.4.2.84
	<i>Arius venosus</i> Valenciennes, 1840	GB.39.4.2.85
	<i>Nemapteryx caelata</i> (Valenciennes, 1840)	GB.39.4.17.1
	<i>Osteogeneiosus militaris</i> (Linnaeus, 1758)	GB.39.4.18.1
<i>Plicofollis dussumieri</i> (Valenciennes, 1840)	GB.39.4.19.1	
Ariommatidae	<i>Ariomma indica</i> (Day, 1871)	GB.31.10.1.5
Aulostomidae	<i>Aulostomus chinensis</i> (Linnaeus, 1766)	GB.19.8.1.1
Balistidae	<i>Abalistes stellatus</i> (Anonymous, 1798)	GB.43.1.1.2
	<i>Abalistes stellaris</i> (Bloch & Schneider, 1801)	GB.43.1.1.3
	<i>Balistapus undulatus</i> (Park, 1797)	GB.43.1.2.1
	<i>Balistes rotundatus</i> Marion de Procé, 1822	GB.43.1.3.1
	<i>Balistooides conspicillum</i> (Bloch & Schneider, 1801)	GB.43.1.4.1
	<i>Balistooides viridescens</i> (Bloch & Schneider, 1801)	GB.43.1.4.2
	<i>Canthidermis maculata</i> (Bloch, 1786)	GB.43.1.5.2
	<i>Melichthys niger</i> (Bloch, 1786)	GB.43.1.6.2
	<i>Odonus niger</i> (Rüppell, 1836)	GB.43.1.7.1
	<i>Pseudobalistes flavimarginatus</i> (Rüppell, 1829)	GB.43.1.11.1
	<i>Pseudobalistes fuscus</i> (Bloch & Schneider, 1801)	GB.43.1.11.2
	<i>Rhinecanthus aculeatus</i> (Linnaeus, 1758)	GB.43.1.8.2
	<i>Rhinecanthus rectangulus</i> (Bloch & Schneider, 1801)	GB.43.1.8.6
	<i>Sufflamen bursa</i> (Bloch & Schneider, 1801)	GB.43.1.9.2
	<i>Sufflamen chrysopterum</i> (Bloch & Schneider, 1801)	GB.43.1.9.3
<i>Sufflamen fraenatum</i> (Latreille, 1804)	GB.43.1.9.4	
<i>Xanthichthys lineopunctatus</i> (Hollard, 1854)	GB.43.1.10.4	
Batrachoididae	<i>Allenbatrachus grunniens</i> (Linnaeus, 1758)	GB.9.1.1.1
Belonidae	<i>Ablennes hians</i> (Valenciennes, 1846)	GB.10.2.1.1
	<i>Strongylura leiura</i> (Bleeker, 1850)	GB.10.2.8.7
	<i>Tylosurus crocodilus</i> (Péron & Lesueur, 1821)	GB.10.2.9.2
Bothidae	<i>Bothus myriaster</i> (Temminck & Schlegel, 1846)	GB.33.3.3.9
	<i>Bothus pantherinus</i> (Rüppell, 1830)	GB.33.3.3.11
	<i>Chascanopsetta lugubris</i> Alcock, 1894	GB.33.3.4.4
	<i>Neolaeops microphthalmus</i> (von Bonde, 1922)	GB.33.3.5.1
Bramidae	<i>Brama dussumieri</i> Cuvier, 1831	GB.31.19.1.4
	<i>Brama japonica</i> Hilgendorf, 1878	GB.31.19.1.5
Bregmacerotidae	<i>Bregmaceros atlanticus</i> Goode & Bean, 1886	GB.18.1.1.2
	<i>Bregmaceros mccllellandi</i> Thompson, 1840	GB.18.1.1.8

Family	Scientific Name	Acc. No.
Caesionidae	<i>Caesio caerulea</i> Lacepède, 1801	GB.31.20.1.1
	<i>Caesio cuning</i> (Bloch, 1791)	GB.31.20.1.2
	<i>Pterocaesio chrysozona</i> (Cuvier, 1830)	GB.31.20.4.2
	<i>Pterocaesio tile</i> (Cuvier, 1830)	GB.31.20.4.3
Callionymidae	<i>Callionymus beniteguri</i> Jordan & Snyder, 1900	GB.31.22.3.11
	<i>Callionymus carebares</i> Alcock, 1890	GB.31.22.3.16
	<i>Callionymus filamentosus</i> Valenciennes, 1837	GB.31.22.3.29
	<i>Callionymus gardineri</i> Regan, 1908	GB.31.22.3.35
	<i>Callionymus marleyi</i> Regan, 1919	GB.31.22.3.154
	<i>Callionymus pusillus</i> Delaroche, 1809	GB.31.22.3.155
	<i>Synchiropus lineolatus</i> (Valenciennes, 1837)	GB.31.22.11.14
Carangidae	<i>Alectis ciliaris</i> (Bloch, 1787)	GB.31.24.1.2
	<i>Alectis indicus</i> (Rüppell, 1830)	GB.31.24.1.3
	<i>Alepes djedaba</i> (Forsskål, 1775)	GB.31.24.2.2
	<i>Alepes kleinii</i> (Bloch, 1793)	GB.31.24.2.3
	<i>Atropus atropos</i> (Bloch & Schneider, 1801)	GB.31.24.8.1
	<i>Atule mate</i> (Cuvier, 1833)	GB.31.24.4.1
	<i>Carangoides armatus</i> (Rüppell, 1830)	GB.31.24.6.1
	<i>Carangoides chrysophrys</i> (Cuvier, 1833)	GB.31.24.6.4
	<i>Carangoides coeruleopinnatus</i> (Rüppell, 1830)	GB.31.24.6.6
	<i>Carangoides dinema</i> Bleeker, 1851	GB.31.24.6.7
	<i>Carangoides equula</i> (Temminck & Schlegel, 1844)	GB.31.24.6.8
	<i>Carangoides ferdau</i> (Forsskål, 1775)	GB.31.24.6.9
	<i>Carangoides gymnostethus</i> (Cuvier, 1833)	GB.31.24.6.11
	<i>Carangoides hedlandensis</i> (Whitley, 1934)	GB.31.24.6.12
	<i>Carangoides malabaricus</i> (Bloch & Schneider, 1801)	GB.31.24.6.14
	<i>Carangoides oblongus</i> (Cuvier, 1833)	GB.31.24.6.15
	<i>Carangoides orthogrammus</i> (Jordan & Gilbert, 1822)	GB.31.24.6.17
	<i>Carangoides plagiotaenia</i> Bleeker, 1857	GB.31.24.6.16
	<i>Carangoides praeustus</i> (Bennett, 1830)	GB.31.24.6.19
	<i>Carangoides talamparoides</i> Bleeker, 1852	GB.31.24.6.21
	<i>Caranx heberi</i> (Bennett, 1830)	GB.31.24.7.5
	<i>Caranx hippos</i> (Linnaeus, 1766)	GB.31.24.7.6
	<i>Caranx ignobilis</i> (Forsskål, 1775)	GB.31.24.7.7
	<i>Caranx lugubris</i> Poey, 1860	GB.31.24.7.8
	<i>Caranx melampygus</i> Cuvier, 1833	GB.31.24.7.10
	<i>Caranx papuensis</i> Alleyne & Macleay, 1877	GB.31.24.7.11
	<i>Caranx sexfasciatus</i> Quoy & Gaimard, 1825	GB.31.24.7.15
	<i>Caranx tille</i> Cuvier, 1833	GB.31.24.7.16
	<i>Decapterus kurroides</i> Bleeker, 1855	GB.31.24.9.3
	<i>Decapterus lajang</i> Bleeker, 1855	GB.31.24.9.4
	<i>Decapterus macarellus</i> (Cuvier, 1833)	GB.31.24.9.5
	<i>Decapterus macrosoma</i> Bleeker, 1851	GB.31.24.9.6

Family	Scientific Name	Acc. No.
	<i>Decapterus russelli</i> (Rüppell, 1830)	GB.31.24.9.10
	<i>Decapterus tabl</i> Berry, 1968	GB.31.24.9.12
	<i>Elagatis bipinnulata</i> (Quoy & Gaimard, 1825)	GB.31.24.10.1
	<i>Gnathanodon speciosus</i> (Forsskål, 1775)	GB.31.24.11.9
	<i>Megalaspis cordyla</i> (Linnaeus, 1758)	GB.31.24.14.1
	<i>Parastromateus niger</i> (Bloch, 1795)	GB.31.24.18.1
	<i>Scomberoides commersonianus</i> Lacepède, 1801	GB.31.24.21.1
	<i>Scomberoides lysan</i> (Forsskål, 1775)	GB.31.24.21.2
	<i>Scomberoides tala</i> (Cuvier, 1832)	GB.31.24.21.3
	<i>Scomberoides tol</i> (Cuvier, 1832)	GB.31.24.21.4
	<i>Selar crumenophthalmus</i> (Bloch, 1793)	GB.31.24.22.2
	<i>Selaroides leptolepis</i> (Cuvier, 1833)	GB.31.24.23.1
	<i>Seriola rivoliana</i> Valenciennes, 1833	GB.31.24.24.8
	<i>Seriolina nigrofasciata</i> (Rüppell, 1829)	GB.31.24.25.1
	<i>Trachinotus baillonii</i> (Lacepède, 1801)	GB.31.24.27.3
	<i>Trachinotus blochii</i> (Lacepède, 1801)	GB.31.24.27.4
	<i>Trachinotus botla</i> (Shaw, 1803)	GB.31.24.27.5
	<i>Trachinotus mookalee</i> Cuvier, 1832	GB.31.24.27.15
	<i>Ulua mentalis</i> (Cuvier, 1833)	GB.31.24.30.2
	<i>Uraspis helvola</i> (Forster, 1801)	GB.31.24.29.1
	<i>Uraspis secunda</i> (Poey, 1860)	GB.31.24.29.2
	<i>Uraspis uraspis</i> (Günther, 1860)	GB.31.24.29.3
<b>Carapidae</b>	<i>Encheliophis homei</i> (Richardson, 1846)	GB.28.3.2.3
	<i>Snyderidia canina</i> Gilbert, 1905	GB.28.3.4.1
<b>Carcharinidae</b>	<i>Carcharhinus amblyrhynchoides</i> (Whitley, 1934)	GA.1.1.1.4
	<i>Carcharhinus leucas</i> (Müller & Henle, 1839)	GA.1.1.1.18
	<i>Carcharhinus melanopterus</i> (Quoy & Gaimard, 1824)	GA.1.1.1.22
	<i>Carcharhinus sorrah</i> (Müller & Henle, 1839)	GA.1.1.1.29
	<i>Galeocerdo cuvier</i> (Péron & Lesueur, 1822)	GA.1.1.2.1
	<i>Rhizoprionodon acutus</i> (Rüppell, 1837)	GA.1.1.10.1
	<i>Scoliodon laticaudus</i> Müller & Henle, 1838	GA.1.1.11.1
	<i>Triaenodon obesus</i> (Rüppell, 1837)	GA.1.1.12.1
<b>Centriscidae</b>	<i>Centriscus scutatus</i> Linnaeus, 1758	GB.19.3.2.2
<b>Centrolophidae</b>	<i>Psenopsis cyanea</i> (Alcock, 1890)	GB.31.29.4.1
	<i>Psenopsis obscura</i> Haedrich, 1967	GB.31.29.4.5
<b>Centrophoridae</b>	<i>Centrophorus atomarginatus</i> Garman, 1913	GA.12.1.1.2
	<i>Centrophorus granulatus</i> (Bloch & Schneider, 1801)	GA.12.1.1.3
	<i>Centrophorus squamosus</i> (Bonnaterre, 1788)	GA.12.1.1.9
	<i>Deania profundorum</i> (Smith & Radcliffe, 1912)	GA.12.1.2.1
<b>Cepolidae</b>	<i>Acanthocephala limbata</i> (Valenciennes, 1835)	GB.31.31.1.4
	<i>Cepola macrophthalma</i> (Linnaeus, 1758)	GB.31.31.2.3

Family	Scientific Name	Acc. No.
	<i>Owstonia simoterus</i> (Smith, 1968)	GB.31.31.3.7
	<i>Owstonia weberi</i> (Gilchrist, 1922)	GB.31.31.3.10
	<i>Sphenanthias whiteheadi</i> Talwar 1973	GB.31.31.4.1
<b>Chaetodontidae</b>	<i>Chaetodon auriga</i> Forsskål, 1775	GB.31.33.2.6
	<i>Chaetodon citrinellus</i> Cuvier, 1831	GB.31.33.2.14
	<i>Chaetodon collare</i> Bloch, 1787	GB.31.33.2.15
	<i>Chaetodon decussatus</i> Cuvier, 1829	GB.31.33.2.18
	<i>Chaetodon gardineri</i> Norman, 1939	GB.31.33.2.19
	<i>Chaetodon kleinii</i> Bloch, 1790	GB.31.33.2.36
	<i>Chaetodon lunula</i> (Lacepède, 1802)	GB.31.33.2.41
	<i>Chaetodon marleyi</i> Regan, 1921	GB.31.33.2.44
	<i>Chaetodon melannotus</i> Bloch & Schneider, 1801	GB.31.33.2.45
	<i>Chaetodon octofasciatus</i> Bloch, 1787	GB.31.33.2.58
	<i>Chaetodon oxycephalus</i> Bleeker, 1853	GB.31.33.2.59
	<i>Chaetodon plebeius</i> Cuvier, 1831	GB.31.33.2.63
	<i>Chaetodon trifasciatus</i> Park, 1797	GB.31.33.2.83
	<i>Chaetodon vagabundus</i> Linnaeus, 1758	GB.31.33.2.86
	<i>Chaetodon xanthocephalus</i> Bennett, 1833	GB.31.33.2.88
	<i>Forcipiger flavissimus</i> Jordan & McGregor, 1898	GB.31.33.5.1
	<i>Forcipiger longirostris</i> (Broussonet, 1782)	GB.31.33.5.2
	<i>Heniochus acuminatus</i> (Linnaeus, 1758)	GB.31.33.7.1
	<i>Heniochus diphreutes</i> Jordan, 1903	GB.31.33.7.4
	<i>Heniochus monoceros</i> Cuvier, 1831	GB.31.33.7.5
<b>Chanidae</b>	<i>Chanos chanos</i> (Forsskål, 1775)	GB.20.1.1.1
<b>Chirocentridae</b>	<i>Chirocentrus dorab</i> (Forsskål, 1775)	GB.13.1.1.1
	<i>Chirocentrus nudus</i> Swainson, 1839	GB.13.1.1.2
<b>Chlorophthalmidae</b>	<i>Chlorophthalmus agassizi</i> Bonaparte, 1840	GB.8.6.1.2
	<i>Chlorophthalmus bicornis</i> Norman, 1939	GB.8.6.1.5
	<i>Chlorophthalmus punctatus</i> Gilchrist, 1904	GB.8.6.1.6
<b>Cichlidae</b>	<i>Etroplus maculatus</i> (Bloch, 1795)	GB.31.41.66.2
	<i>Etroplus suratensis</i> (Bloch, 1790)	GB.31.41.66.3
	<i>Oreochromis mossambicus</i> (Peters, 1852)	GB.31.41.135.22
	<i>Pterophyllum scalare</i> (Schultze, 1823)	GB.31.41.162.3
<b>Cirrhitidae</b>	<i>Cirrhilus pinnulatus</i> (Forster, 1801)	GB.31.42.4.12
	<i>Paracirrhites forsteri</i> (Schneider, 1801)	GB.31.42.12.3
<b>Clupeidae</b>	<i>Amblygaster clupeoides</i> Bleeker, 1849	GB.13.2.2.1
	<i>Amblygaster sirm</i> (Walbaum, 1792)	GB.13.2.2.3
	<i>Anodontostoma chacunda</i> (Hamilton, 1822)	GB.13.2.3.1
	<i>Dussumeria acuta</i> Valenciennes, 1847	GB.13.2.13.1
	<i>Dussumeria elopsoides</i> Bleeker, 1849	GB.13.2.13.3

Family	Scientific Name	Acc. No.
	<i>Escualosa thoracata</i> (Valenciennes, 1847)	GB.13.2.16.2
	<i>Hilsa kelee</i> (Cuvier, 1829)	GB.13.2.24.1
	<i>Nematalosa nasus</i> (Bloch, 1795)	GB.13.2.31.7
	<i>Sardinella albella</i> (Valenciennes, 1847)	GB.13.2.37.1
	<i>Sardinella fimbriata</i> (Valenciennes, 1847)	GB.13.2.37.6
	<i>Sardinella gibbosa</i> (Bleeker, 1849)	GB.13.2.37.7
	<i>Sardinella jussieu</i> (Lacepède, 1803)	GB.13.2.37.10
	<i>Sardinella longiceps</i> Valenciennes, 1847	GB.13.2.37.12
	<i>Tenualosa ilisha</i> (Hamilton, 1822)	GB.13.2.44.1
	<i>Tenualosa toli</i> (Valenciennes, 1847)	GB.13.2.44.5
<b>Congridae</b>	<i>Conger cinereus</i> Rüppell, 1830	GB.4. 4.5.1
	<i>Uroconger lepturus</i> (Richardson, 1845)	GB.4.4.17.2
<b>Coryphaenidae</b>	<i>Coryphaena hippurus</i> Linnaeus, 1758	GB.31.44.1.2
<b>Cynoglossidae</b>	<i>Cynoglossus arel</i> (Bloch & Schneider, 1801)	GB.33.5.1.4
	<i>Cynoglossus bilineatus</i> (Lacepède, 1802)	GB.33.5.1.6
	<i>Cynoglossus dubius</i> Day, 1873	GB.33.5.1.16
	<i>Cynoglossus lida</i> (Bleeker, 1851)	GB.33.5.1.28
	<i>Cynoglossus lingua</i> Hamilton, 1822	GB.33.5.1.31
	<i>Cynoglossus macrolepidotus</i> (Bleeker, 1851)	GB.33.5.1.33
	<i>Cynoglossus macrostomus</i> Norman, 1928	GB.33.5.1.35
	<i>Cynoglossus puncticeps</i> (Richardson, 1846)	GB.33.5.1.46
	<i>Paraplagusia bilineata</i> (Bloch, 1787)	GB.33.5.2.1
<b>Dactylopteridae</b>	<i>Dactyloptena orientalis</i> (Cuvier, 1829)	GB.38.12.1.3
	<i>Dactyloptena peterseni</i> (Nyström, 1887)	GB.38.12.1.5
<b>Dasyatidae</b>	<i>Dasyatis kuhlii</i> (Müller & Henle, 1841)	GA.7.1.1.19
	<i>Dasyatis thetidis</i> Ogilby, 1899	GA.7.1.1.37
	<i>Himantura imbricata</i> (Bloch & Schneider, 1801)	GA.7.1.2.9
	<i>Himantura uarnak</i> (Gmelin, 1789)	GA.7.1.2.22
	<i>Pteroplatytrygon violacea</i> (Bonaparte, 1832)	GA.7.1.3.1
	<i>Neotrygon kuhlii</i> (Müller & Henle, 1841)	GA.7.1.4.1
<b>Diodontidae</b>	<i>Cyclichthys orbicularis</i> (Bloch, 1785)	GB.43.2.3.2
	<i>Diodon holocanthus</i> Linnaeus, 1758	GB.43.2.4.2
<b>Drepaneidae</b>	<i>Drepane longimana</i> (Bloch & Schneider, 1801)	GB.31.52.1.2
	<i>Drepane punctata</i> (Linnaeus, 1758)	GB.31.52.1.3
<b>Echenidae</b>	<i>Echeneis naucrates</i> Linnaeus, 1758	GB.31.53.1.1
<b>Echinorhinidae</b>	<i>Echinorhinus brucus</i> (Bonnaterre, 1788)	GA.3.1.1.1
<b>Emmelichthyidae</b>	<i>Emmelichthys nitidus</i> Richardson, 1845	GB.31.58.1.3
	<i>Erythrocles acarina</i> Kotthaus, 1974	GB.31.58.2.1
	<i>Erythrocles schlegelii</i> (Richardson, 1846)	GB.31.58.2.4

Family	Scientific Name	Acc. No.
Engraulidae	<i>Coilia dussumieri</i> Valenciennes, 1848	GB.13.4.6.4
	<i>Coilia neglecta</i> Whitehead, 1967	GB.13.4.6.10
	<i>Encrasicholina devisi</i> (Whitley, 1940)	GB.13.4.7.1
	<i>Encrasicholina heteroloba</i> (Rüppell, 1837)	GB.13.4.7.2
	<i>Encrasicholina punctifer</i> Fowler, 1938	GB.13.4.7.5
	<i>Setipinna taty</i> (Valenciennes, 1848)	GB.13.4.14.1
	<i>Stolephorus baganensis</i> Hardenberg, 1933	GB.13.4.15.2
	<i>Stolephorus commersonnii</i> Lacepède, 1803	GB.13.4.15.8
	<i>Stolephorus indicus</i> (van Hasselt, 1823)	GB.13.4.15.12
	<i>Stolephorus insularis</i> Hardenberg, 1933	GB.13.4.15.13
	<i>Stolephorus waitei</i> Jordan & Seale, 1926	GB.13.4.15.20
	<i>Thryssa malabarica</i> (Bloch, 1795)	GB.13.4.16.13
	<i>Thryssa mystax</i> (Bloch & Schneider, 1801)	GB.13.4.16.15
	<i>Thryssa setirostris</i> (Broussonet, 1782)	GB.13.4.16.20
	<i>Thryssa vitrirostris</i> (Gilchrist & Thompson, 1908)	GB.13.4.16.21
Ephippidae	<i>Ephippus orbis</i> (Bloch, 1787)	GB.31.60.2.2
	<i>Platax orbicularis</i> (Forsskål, 1775)	GB.31.60.4.3
	<i>Platax teira</i> (Forsskål, 1775)	GB.31.60.4.5
Etmopteridae	<i>Etmopterus pusillus</i> (Lowe, 1839)	GA.12.3.1.1
Evermannellidae	<i>Evermannella balbo</i> (Risso, 1820)	GB.8.7.2.2
Exocoetidae	<i>Cheilopogon furcatus</i> (Mitchill, 1815)	GB.10.3.2.1
	<i>Cheilopogon suttoni</i> (Whitley & Colefax, 1938)	GB.10.3.2.23
	<i>Cypselurus comatus</i> (Mitchill, 1815)	GB.10.3.1.3
	<i>Cypselurus oligolepis</i> (Bleeker, 1865)	GB.10.3.1.8
	<i>Cypselurus poecilopterus</i> (Valenciennes, 1847)	GB.10.3.1.9
Fistulariidae	<i>Fistularia commersonii</i> Rüppell, 1838	GB.19.4.1.2
	<i>Fistularia petimba</i> Lacepède, 1803	GB.19.4.1.3
Gempylidae	<i>Gempylus serpens</i> Cuvier, 1829	GB.31.62.3.1
	<i>Neoepinnula orientalis</i> (Gilchrist & von Bonde, 1924)	GB.31.62.6.2
	<i>Rexea prometheoides</i> (Bleeker, 1856)	GB.31.62.10.6
	<i>Ruvettus pretiosus</i> Cocco, 1853	GB.31.62.20.1
Gerreidae	<i>Gerres erythrourus</i> (Bloch, 1791)	GB.31.63.4.7
	<i>Gerres filamentosus</i> Cuvier, 1829	GB.31.63.4.8
	<i>Gerres limbatus</i> Cuvier, 1830	GB.31.63.4.12
	<i>Gerres longirostris</i> (Lacepède, 1801)	GB.31.63.4.13
	<i>Gerres macracanthus</i> Bleeker, 1854	GB.31.63.4.14
	<i>Gerres oyena</i> (Forsskål, 1775)	GB.31.63.4.21
	<i>Pentaprion longimanus</i> (Cantor, 1849)	GB.31.63.6.1
Gobiidae	<i>Bathygobius fuscus</i> (Rüppell, 1830)	GB.31.66.25.14
	<i>Gobiodon citrinus</i> (Rüppell, 1838)	GB.31.66.93.7

Family	Scientific Name	Acc. No.
	<i>Oxyurichthys microlepis</i> (Bleeker, 1849)	GB.31.66.155.10
	<i>Taenioides cirratus</i> (Blyth, 1860)	GB.31.66.220.1
	<i>Trypauchen vagina</i> (Bloch & Schneider, 1801)	GB.31.66.225.3
<b>Gonostomatidae</b>	<i>Cyclothone acclinidens</i> Garman, 1899	GB.41.2.3.1
<b>Haemulidae</b>	<i>Diagramma pictum</i> (Thunberg, 1792)	GB.31.68.5.1
	<i>Plectorhinchus albovittatus</i> (Rüppell, 1838)	GB.31.68.10.11
	<i>Plectorhinchus flavomaculatus</i> (Cuvier, 1830)	GB.31.68.10.10
	<i>Plectorhinchus gibbosus</i> (Lacepède, 1802)	GB.31.68.10.13
	<i>Plectorhinchus orientalis</i> (Bloch, 1793)	GB.31.68.10.24
	<i>Plectorhinchus pictus</i> (Tortonese, 1936)	GB.31.68.10.26
	<i>Plectorhinchus schotaf</i> (Forsskål, 1775)	GB.31.68.10.32
	<i>Plectorhinchus vittatus</i> (Linnaeus, 1758)	GB.31.68.10.5
	<i>Pomadasys argyreus</i> (Valenciennes, 1833)	GB.31.68.11.4
	<i>Pomadasys hasta</i> (Bloch, 1790)	GB.31.68.11.15
	<i>Pomadasys kaakan</i> (Cuvier, 1830)	GB.31.68.11.18
	<i>Pomadasys maculatus</i> (Bloch, 1793)	GB.31.68.11.21
<b>Hemiramphidae</b>	<i>Hemiramphus archipelagicus</i> Collette & Parin, 1978	GB.10.4.6.1
	<i>Hemiramphus far</i> (Forsskål, 1775)	GB.10.4.6.6
	<i>Hemiramphus lutkei</i> Valenciennes, 1847	GB.10.4.6.7
	<i>Hemiramphus marginatus</i> Lesueur, 1821	GB.10.4.6.8
	<i>Hyporhamphus affinis</i> (Günther, 1866)	GB.10.4.7.1
	<i>Hyporhamphus dussumieri</i> (Valenciennes, 1847)	GB.10.4.7.2
	<i>Hyporhamphus limbatus</i> (Valenciennes, 1847)	GB.10.4.7.15
	<i>Hyporhamphus quoyi</i> (Valenciennes, 1847)	GB.10.4.7.26
	<i>Rhynchorhamphus georgii</i> (Valenciennes, 1847)	GB.10.4.10.2
	<i>Rhynchorhamphus malabaricus</i> Collette, 1976	GB.10.4.10.3
<b>Hemiscylliidae</b>	<i>Chiloscyllium griseum</i> (Müller & Henle, 1838)	GA.8.3.1.4
	<i>Chiloscyllium indicum</i> (Gmelin, 1789)	GA.8.3.1.5
<b>Heteropneustidae</b>	<i>Heteropneustes fossilis</i> (Bloch, 1794)	GB.39.21.1.1
<b>Hexanchidae</b>	<i>Hepranchias perlo</i> (Bonnaterre, 1788)	GA.5.2.1.1
<b>Holocentridae</b>	<i>Myripristis adusta</i> Bleeker, 1853	GB.11.5.3.1
	<i>Myripristis botche</i> Cuvier, 1829	GB.11.5.3.2
	<i>Myripristis murdjan</i> (Forsskål, 1775)	GB.11.5.3.18
	<i>Myripristis pralinia</i> Cuvier, 1829	GB.11.5.3.19
	<i>Neoniphon argenteus</i> (Valenciennes, 1831)	GB.11.5.4.1
	<i>Neoniphon opercularis</i> (Valenciennes, 1831)	GB.11.5.4.4
	<i>Neoniphon sammara</i> (Forsskål, 1775)	GB.11.5.4.5
	<i>Ostichthys archiepiscopus</i> (Valenciennes, 1862)	GB.11.5.5.1
	<i>Pristilepis oligolepis</i> (Whitley, 1941)	GB.11.5.6.1
	<i>Sargocentron caudimaculatum</i> (Rüppell, 1838)	GB.11.5.8.2
	<i>Sargocentron melanospilos</i> (Bleeker, 1858)	GB.11.5.8.18

Family	Scientific Name	Acc. No.
	<i>Sargocentron praslin</i> (Lacepède, 1802)	GB.11.5.8.19
	<i>Sargocentron rubrum</i> (Forsskål, 1775)	GB.11.5.8.23
	<i>Sargocentron seychellense</i> (Smith & Smith, 1963)	GB.11.5.8.24
	<i>Sargocentron spiniferum</i> (Forsskål, 1775)	GB.11.5.8.26
	<i>Sargocentron violaceum</i> (Bleeker, 1853)	GB.11.5.8.32
<b>Kuhliidae</b>	<i>Kuhlia mugil</i> (Forster, 1801)	GB.31.75.1.5
<b>Kyphosidae</b>	<i>Kyphosus cinerascens</i> (Forsskål, 1775)	GB.31.77.7.3
	<i>Kyphosus vaigiensis</i> (Quoy & Gaimard, 1825)	GB.31.77.7.12
<b>Labridae</b>	<i>Anampses caeruleopunctatus</i> Rüppell, 1829	GB.31.78.4.1
	<i>Bodianus axillaris</i> (Bennett, 1832)	GB.31.78.7.2
	<i>Bodianus neilli</i> (Day, 1867)	GB.31.78.7.21
	<i>Cheilinus chlorourus</i> (Bloch, 1791)	GB.31.78.9.2
	<i>Cheilinus diagrammus</i> (Lacepède, 1801)	GB.31.78.9.3
	<i>Cheilinus trilobatus</i> Lacepède, 1801	GB.31.78.9.7
	<i>Cheilinus undulatus</i> Rüppell, 1835	GB.31.78.9.8
	<i>Cheilio inermis</i> (Forsskål, 1775)	GB.31.78.10.1
	<i>Choerodon robustus</i> (Günther, 1862)	GB.31.78.11.1
	<i>Coris formosa</i> (Bennett, 1830)	GB.31.78.15.14
	<i>Coris gaimard</i> (Quoy & Gaimard, 1824)	GB.31.78.15.15
	<i>Gomphosus caeruleus</i> Lacepède, 1801	GB.31.78.25.1
	<i>Gomphosus varius</i> Lacepède, 1801	GB.31.78.25.2
	<i>Halichoeres hortulanus</i> (Lacepède, 1801)	GB.31.78.26.25
	<i>Halichoeres marginatus</i> Rüppell, 1835	GB.31.78.26.36
	<i>Halichoeres nigrescens</i> (Bloch & Schneider, 1801)	GB.31.78.26.37
	<i>Halichoeres scapularis</i> (Bennett, 1832)	GB.31.78.26.64
	<i>Halichoeres zeylonicus</i> (Bennett, 1833)	GB.31.78.26.65
	<i>Hemigymnus fasciatus</i> (Bloch, 1792)	GB.31.78.27.1
	<i>Hemigymnus melapterus</i> (Bloch, 1791)	GB.31.78.27.2
	<i>Hologymnosus doliatus</i> (Lacepède, 1801)	GB.31.78.29.2
	<i>Iniistius pavo</i> (Valenciennes, 1840)	GB.31.78.30.5
	<i>Labroides dimidiatus</i> (Valenciennes, 1839)	GB.31.78.33.2
	<i>Labropsis xanthonota</i> Randall, 1981	GB.31.78.34.6
	<i>Novaculichthys taeniourus</i> (Lacepède, 1801)	GB.31.78.45.2
	<i>Pteragogus flagellifera</i> (Valenciennes, 1839)	GB.31.78.59.4
	<i>Stethojulis albovittata</i> (Bonnaterre, 1788)	GB.31.78.61.1
	<i>Stethojulis strigiventer</i> (Bennett, 1833)	GB.31.78.61.8
	<i>Stethojulis trilineata</i> (Bloch & Schneider, 1801)	GB.31.78.61.10
	<i>Thalassoma hardwickii</i> (Bennett, 1830)	GB.31.78.67.9
	<i>Thalassoma hebracium</i> (Lacepède, 1801)	GB.31.78.67.10
	<i>Thalassoma janseni</i> (Bleeker, 1856)	GB.31.78.67.12
	<i>Thalassoma lunare</i> (Linnaeus, 1758)	GB.31.78.67.15
	<i>Thalassoma purpureum</i> (Forsskål, 1775)	GB.31.78.67.20
	<i>Xyrichtys pentadactylus</i> (Linnaeus, 1758)	GB.31.78.68.1

Family	Scientific Name	Acc. No.
Lactariidae	<i>Lactarius lactarius</i> (Bloch & Schneider, 1801)	GB.31.80.1.1
Latidae	<i>Lates calcarifer</i> (Bloch, 1790)	GB.31.81.1.1
	<i>Psammoperca waigiensis</i> (Cuvier, 1828)	GB.31.81.2.3
Leiognathidae	<i>Equulites leuciscus</i> (Günther, 1860)	GB.31.83.4.1
	<i>Gazza achlamys</i> Jordan & Starks, 1917	GB.31.83.1.1
	<i>Gazza minuta</i> (Bloch, 1795)	GB.31.83.1.3
	<i>Leiognathus berbis</i> (Valenciennes, 1835)	GB.31.83.2.2
	<i>Leiognathus bindus</i> (Valenciennes, 1835)	GB.31.83.2.3
	<i>Leiognathus blochii</i> (Valenciennes, 1835)	GB.31.83.2.4
	<i>Leiognathus brevirostris</i> (Valenciennes, 1835)	GB.31.83.2.5
	<i>Leiognathus daura</i> (Cuvier, 1829)	GB.31.83.2.6
	<i>Leiognathus dussumieri</i> (Valenciennes, 1835)	GB.31.83.2.8
	<i>Leiognathus elongatus</i> (Günther, 1874)	GB.31.83.2.9
	<i>Leiognathus equulus</i> (Forsskål, 1775)	GB.31.83.2.10
	<i>Leiognathus fasciatus</i> (Lacepede, 1803)	GB.31.83.2.11
	<i>Leiognathus jonesi</i> James, 1971	GB.31.83.2.13
	<i>Leiognathus leuciscus</i> (Günther, 1860)	GB.31.83.2.17
	<i>Leiognathus lineolatus</i> (Valenciennes, 1835)	GB.31.83.2.14
	<i>Leiognathus smithursti</i> (Ramsay & Ogilby, 1886)	GB.31.83.2.26
	<i>Leiognathus splendens</i> (Cuvier, 1829)	GB.31.83.2.28
	<i>Leiognathus striatus</i> James & Badrudeen, 1991	GB.31.83.2.30
	<i>Secutor insidiator</i> (Bloch, 1787)	GB.31.83.3.3
	<i>Secutor ruconius</i> (Hamilton, 1822)	GB.31.83.3.4
Lethrinidae	<i>Gnathodentex aureolineatus</i> (Lacepede, 1802)	GB.31.86.1.1
	<i>Gymnocranius griseus</i> (Temminck & Schlegel, 1843)	GB.31.86.2.6
	<i>Lethrinus conchyliaius</i> (Smith, 1959)	GB.31.86.3.5
	<i>Lethrinus harak</i> (Forsskål, 1775)	GB.31.86.3.12
	<i>Lethrinus lentjan</i> (Lacepede, 1802)	GB.31.86.3.14
	<i>Lethrinus mahsena</i> (Forsskål, 1775)	GB.31.86.3.15
	<i>Lethrinus microdon</i> Valenciennes, 1830	GB.31.86.3.16
	<i>Lethrinus miniatus</i> (Forster, 1801)	GB.31.86.3.17
	<i>Lethrinus nebulosus</i> (Forsskål, 1775)	GB.31.86.3.18
	<i>Lethrinus obsoletus</i> (Forsskål, 1775)	GB.31.86.3.19
	<i>Lethrinus ornatus</i> Valenciennes, 1830	GB.31.86.3.20
	<i>Lethrinus rubrioperculatus</i> Sato, 1978	GB.31.86.3.25
<i>Monotaxis grandoculis</i> (Forsskål, 1775)	GB.31.86.4.1	
Lobotidae	<i>Lobotes surinamensis</i> (Bloch, 1790)	GB.31.87.1.2
Lophidae	<i>Lophiodes insidiator</i> (Regan, 1921)	GB.25.12.1.8
	<i>Lophiodes mutilus</i> (Alcock, 1894)	GB.25.12.1.12
Lophotidae	<i>Eumecichthys fiski</i> (Günther, 1890)	GB.23.2.1.1

Family	Scientific Name	Acc. No.
<b>Lutjanidae</b>	<i>Aphareus furca</i> (Lacepède, 1801)	GB.31.88.1.1
	<i>Aphareus rutilans</i> Cuvier, 1830	GB.31.88.1.2
	<i>Aprion virescens</i> Valenciennes, 1830	GB.31.88.2.1
	<i>Lipocheilus carnolabrum</i> (Chan, 1970)	GB.31.88.6.1
	<i>Lutjanus argentimaculatus</i> (Forsskål, 1775)	GB.31.88.7.7
	<i>Lutjanus bengalensis</i> (Bloch, 1790)	GB.31.88.7.9
	<i>Lutjanus biguttatus</i> (Valenciennes, 1830)	GB.31.88.7.10
	<i>Lutjanus bohar</i> (Forsskål, 1775)	GB.31.88.7.12
	<i>Lutjanus decussatus</i> (Cuvier, 1828)	GB.31.88.7.20
	<i>Lutjanus fulviflamma</i> (Forsskål, 1775)	GB.31.88.7.21
	<i>Lutjanus fulvus</i> (Forster, 1801)	GB.31.88.7.28
	<i>Lutjanus gibbus</i> (Forsskål, 1775)	GB.31.88.7.30
	<i>Lutjanus johnii</i> (Bloch, 1792)	GB.31.88.7.38
	<i>Lutjanus kasmira</i> (Forsskål, 1775)	GB.31.88.7.40
	<i>Lutjanus lemniscatus</i> (Valenciennes, 1828)	GB.31.88.7.41
	<i>Lutjanus lutjanus</i> Bloch, 1790	GB.31.88.7.42
	<i>Lutjanus madras</i> (Valenciennes, 1831)	GB.31.88.7.43
	<i>Lutjanus malabaricus</i> (Bloch & Schneider, 1801)	GB.31.88.7.46
	<i>Lutjanus quinquelineatus</i> (Bloch, 1790)	GB.31.88.7.47
	<i>Lutjanus rivulatus</i> (Cuvier, 1828)	GB.31.88.7.48
	<i>Lutjanus russellii</i> (Bleeker, 1849)	GB.31.88.7.58
	<i>Lutjanus sebae</i> (Cuvier, 1816)	GB.31.88.7.60
	<i>Lutjanus vitta</i> (Quoy & Gaimard, 1824)	GB.31.88.7.61
	<i>Parapristipomoides squamimaxillaris</i> (Kami, 1973)	GB.31.88.11.1
	<i>Pinjalo lewisi</i> Allen & Anderson, 1987	GB.31.88.12.1
	<i>Pinjalo pinjalo</i> (Bleeker, 1850)	GB.31.88.12.2
	<i>Pristipomoides auricilla</i> (Jordan, Evermann & Tanaka, 1927)	GB.31.88.13.3
	<i>Pristipomoides sieboldii</i> (Bleeker, 1854)	GB.31.88.13.9
	<i>Pristipomoides typus</i> Bleeker, 1852	GB.31.88.13.10
	<b>Macroramphosidae</b>	<i>Macroramphosus scolopax</i> (Linnaeus, 1758)
<b>Malacanthidae</b>	<i>Malacanthus latovittatus</i> (Lacepède, 1801)	GB.31.90.5.2
<b>Megalopidae</b>	<i>Megalops cyprinoides</i> (Broussonet, 1782)	GB.16.2.1.2
<b>Menidae</b>	<i>Mene maculata</i> (Bloch & Schneider, 1801)	GB.31.91.5.1
<b>Monacanthidae</b>	<i>Aluterus monoceros</i> (Linnaeus, 1758)	GB.43.4.3.3
	<i>Anacanthus barbatus</i> Gray, 1830	GB.43.4.6.1
	<i>Cantherhines sandwichiensis</i> (Quoy & Gaimard, 1824)	GB.43.4.8.1
	<i>Lalmohania velutina</i> Hutchins, 1994	GB.43.4.16.1
	<i>Paramonacanthus choirocephalus</i> (Bleeker, 1852)	GB.43.4.20.3
	<i>Stephanolepis auratus</i> (Castelnau, 1861)	GB.43.4.26.1
	<i>Thamnaconus fajardoi</i> Smith, 1953	GB.43.4.27.3

Family	Scientific Name	Acc. No.
Mugilidae	<i>Crenimugil crenilabis</i> (Forsskål, 1775)	GB.26.1.6.1
	<i>Liza carinata</i> (Valenciennes, 1836)	GB.26.1.8.6
	<i>Liza parsia</i> (Hamilton, 1822)	GB.26.1.8.14
	<i>Liza subviridis</i> (Valenciennes, 1836)	GB.26.1.8.20
	<i>Liza vaigiensis</i> (Quoy & Gaimard, 1825)	GB.26.1.8.23
	<i>Mugil cephalus</i> Linnaeus, 1758	GB.26.1.9.4
	<i>Valamugil seheli</i> (Forsskål, 1775)	GB.26.1.16.8
	<i>Valamugil speigleri</i> (Bleeker, 1858-59)	GB.26.1.16.9
Mullidae	<i>Mulloidichthys flavolineatus</i> (Lacepède, 1801)	GB.31.95.1.2
	<i>Parupeneus barberinus</i> (Lacepède, 1801)	GB.31.95.3.2
	<i>Parupeneus cyclostomus</i> (Lacepède, 1801)	GB.31.95.3.8
	<i>Parupeneus forsskali</i> (Fourmanoir & Guézé, 1976)	GB.31.95.3.9
	<i>Parupeneus heptacanthus</i> (Lacepède, 1802)	GB.31.95.3.10
	<i>Parupeneus indicus</i> (Shaw, 1803)	GB.31.95.3.11
	<i>Parupeneus macronemus</i> (Lacepède, 1801)	GB.31.95.3.15
	<i>Parupeneus pleurostigma</i> (Bennett, 1831)	GB.31.95.3.20
	<i>Parupeneus trifasciatus</i> (Lacepède, 1801)	GB.31.95.3.27
	<i>Upeneus japonicus</i> (Houttuyn, 1782)	GB.31.95.6.10
	<i>Upeneus moluccensis</i> (Bleeker, 1855)	GB.31.95.6.13
	<i>Upeneus sulphureus</i> Cuvier, 1829	GB.31.95.6.18
	<i>Upeneus sundaicus</i> (Bleeker, 1855)	GB.31.95.6.19
	<i>Upeneus tragula</i> Richardson, 1846	GB.31.95.6.21
<i>Upeneus vittatus</i> (Forsskål, 1775)	GB.31.95.6.22	
Muraenesocidae	<i>Congresox talabon</i> (Cuvier, 1829)	GB.4.8.1.1
	<i>Muraenesox cinereus</i> (Forsskål, 1775)	GB.4.8.3.2
Muraenidae	<i>Echidna nebulosa</i> (Ahl, 1789)	GB.4.9.5.5
	<i>Gymnothorax enigmaticus</i> McCosker & Randall, 1982	GB.4.9.9.25
	<i>Gymnothorax eurostus</i> (Abbott, 1860)	GB.4.9.9.27
	<i>Gymnothorax favagineus</i> Bloch & Schneider, 1801	GB.4.9.9.29
	<i>Gymnothorax flavimarginatus</i> (Rüppell, 1830)	GB.4.9.9.31
	<i>Gymnothorax meleagris</i> (Shaw, 1795)	GB.4.9.9.56
	<i>Gymnothorax punctatus</i> Bloch & Schneider, 1801	GB.4.9.9.57
	<i>Gymnothorax ruppellii</i> (McClelland, 1844)	GB.4.9.9.82
<i>Strophidon sathete</i> (Hamilton, 1822)	GB.4.9.14.1	
<i>Uropterygius concolor</i> Rüppell, 1838	GB.4.9.15.1	
Myctophidae	<i>Benthoosema pterotum</i> (Alcock, 1890)	GB.27.1.1.4
	<i>Benthoosema suborbitale</i> (Gilbert, 1913)	GB.27.1.1.5
	<i>Bolinichthys longipes</i> (Brauer, 1906)	GB.27.1.2.3
	<i>Diaphus aliciae</i> Fowler, 1934	GB.27.1.5.2
	<i>Diaphus effulgens</i> (Goode & Bean, 1896)	GB.27.1.5.20
	<i>Diaphus fragilis</i> Tåning, 1928	GB.27.1.5.23
<i>Diaphus watasei</i> Jordan & Starks, 1904	GB.27.1.5.73	

Family	Scientific Name	Acc. No.
	<i>Diogenichthys panurgus</i> Bolin, 1946	GB.27.1.6.3
	<i>Lampanyctus turneri</i> (Fowler, 1934)	GB.27.1.12.21
	<i>Myctophum aurolaternatum</i> Garman, 1899	GB.27.1.13.1
<b>Myliobatidae</b>	<i>Aetobatus narinari</i> (Euphrasen, 1790)	GA.7.4.2.1
	<i>Manta birostris</i> (Walbaum, 1792)	GA.7.4.5.1
	<i>Myliobatis aquila</i> (Linnaeus, 1758)	GA.7.4.3.1
	<i>Rhinoptera adspersa</i> Müller & Henle, 1841	GA.7.4.4.1
	<i>Rhinoptera javanica</i> Müller & Henle, 1841	GA.7.4.4.4
<b>Narcinidae</b>	<i>Benthobatis moresbyi</i> Alcock, 1898	GA.14.1.1.1
	<i>Narcine brunnea</i> Annandale, 1909	GA.14.1.4.5
	<i>Narcine timlei</i> (Bloch & Schneider, 1801)	GA.14.1.4.17
	<i>Narke dipterygia</i> (Bloch & Schneider, 1801)	GA.14.1.7.2
<b>Nemichthyidae</b>	<i>Avocettina paucipora</i> Nielsen & Smith, 1978	GB.4.11.1.4
	<i>Nemichthys scolopaceus</i> Richardson, 1848	GB.4.11.3.3
<b>Nemipteridae</b>	<i>Nemipterus bipunctatus</i> (Valenciennes, 1830)	GB.31.98.1.6
	<i>Nemipterus japonicus</i> (Bloch, 1791)	GB.31.98.1.12
	<i>Nemipterus mesoprion</i> (Bleeker, 1853)	GB.31.98.1.14
	<i>Nemipterus peronii</i> (Valenciennes, 1830)	GB.31.98.1.18
	<i>Nemipterus randalli</i> Russell, 1986	GB.31.98.1.19
	<i>Nemipterus zysron</i> (Bleeker, 1857)	GB.31.98.1.20
	<i>Parascolopsis aspinosa</i> (Rao & Rao, 1981)	GB.31.98.2.1
	<i>Parascolopsis boesemani</i> (Rao & Rao, 1981)	GB.31.98.2.2
	<i>Parascolopsis eriomma</i> (Jordan & Richardson, 1909)	GB.31.98.2.5
	<i>Scolopsis bimaculatus</i> Rüppell, 1828	GB.31.98.5.4
	<i>Scolopsis vosmeri</i> (Bloch, 1792)	GB.31.98.5.15
<b>Nettastomatidae</b>	<i>Venefica proboscidea</i> (Vaillant, 1888)	GB.4.12.6.3
<b>Nomeidae</b>	<i>Cubiceps baxteri</i> McCulloch, 1923	GB.31.99.1.1
	<i>Cubiceps squamiceps</i> (Lloyd, 1909)	GB.31.99.1.10
	<i>Psenes cyanophrys</i> Valenciennes, 1833	GB.31.99.2.1
<b>Ogocephalidae</b>	<i>Haliuetaea coccinea</i> Alcock, 1889	GB.25.15.4.1
	<i>Haliuetaea hancocki</i> Regan, 1908	GB.25.15.4.2
	<i>Haliuetsopsis micropa</i> (Alcock, 1891)	GB.25.15.4.3
<b>Ophichthidae</b>	<i>Ophichthus rutidodermatoides</i> (Bleeker, 1853)	GB.4.13.25.56
	<i>Pisodonophis boro</i> (Hamilton, 1822)	GB.4.13.26.1
	<i>Pisodonophis cancrivorus</i> (Richardson, 1848)	GB.4.13.26.2
<b>Ophidiidae</b>	<i>Brotula multibarbata</i> Temminck & Schlegel, 1846	GB.28.4.5.3
	<i>Monomitopus nigripinnis</i> (Alcock, 1889)	GB.28.4.16.3
	<i>Neobythites steatiticus</i> Alcock, 1894	GB.28.4.17.14
<b>Opistognathidae</b>	<i>Opistognathus nigromarginatus</i> Rüppell, 1830	GB.31.104.1.1

Family	Scientific Name	Acc. No.
Ostraciidae	<i>Lactoria cornuta</i> (Linnaeus, 1758)	GB.43.5.8.1
	<i>Ostracion cubicus</i> Linnaeus, 1758	GB.43.5.9.1
	<i>Tetrosomus gibbosus</i> (Linnaeus, 1758)	GB.43.5.10.1
Paralichthyidae	<i>Pseudorhombus arsius</i> (Hamilton, 1822)	GB.33.7.9.3
	<i>Pseudorhombus elevatus</i> Ogilby, 1912	GB.33.7.9.9
	<i>Pseudorhombus javanicus</i> (Bleeker, 1853)	GB.33.7.9.10
	<i>Pseudorhombus natalensis</i> Gilchrist, 1904	GB.33.7.9.11
	<i>Pseudorhombus triocellatus</i> (Bloch & Schneider, 1801)	GB.33.7.9.26
Parazenidae	<i>Cyttopsis rosea</i> (Lowe, 1843)	GB.44.4.1.1
Pegasidae	<i>Eurypegasus draconis</i> (Linnaeus, 1766)	GB.19.7.1.1
Pempheridae	<i>Pempheris mangula</i> Cuvier, 1829	GB.31.108.2.8
	<i>Pempheris molucca</i> Cuvier, 1829	GB.31.108.2.9
	<i>Pempheris vanicolensis</i> Cuvier, 1831	GB.31.108.2.20
Pentacerotidae	<i>Histioporus typus</i> Temminck & Schlegel, 1844	GB.31.109.2.3
Percophidae	<i>Chironema chlorotaenia</i> McKay, 1971	GB.31.113.1.1
Peristediidae	<i>Peristedion investigatoris</i> (Alcock, 1898)	GB.38.20.3.12
	<i>Peristedion weberi</i> Smith, 1934	GB.38.20.3.24
	<i>Satyrichthys adeni</i> (Lloyd, 1907)	GB.38.20.4.1
Phosichthyidae	<i>Ichthyococcus ovatus</i> (Cocco, 1838)	GB.41.3.1.5
	<i>Vinciguerra nimbaria</i> (Jordan & Williams, 1895)	GB.41.3.5.4
Pinguipedidae	<i>Parapercis alboguttata</i> (Günther, 1872)	GB.31.116.2.1
	<i>Parapercis hexophthalma</i> (Cuvier, 1829)	GB.31.116.2.23
	<i>Parapercis quadrispinosa</i> (Weber, 1813)	GB.31.116.2.40
	<i>Parapercis robinsoni</i> Fowler, 1929	GB.31.116.2.42
Platycephalidae	<i>Cociella crocodila</i> (Cuvier, 1829)	GB.38.21.2.1
	<i>Grammoplites scaber</i> (Linnaeus, 1758)	GB.38.21.6.2
	<i>Grammoplites suppositus</i> (Troschel, 1840)	GB.38.21.6.3
	<i>Kumococius rodericensis</i> (Cuvier, 1829)	GB.38.21.8.1
	<i>Papilloculiceps longiceps</i> (Cuvier, 1829)	GB.38.21.9.1
	<i>Platycephalus indicus</i> (Linnaeus, 1758)	GB.38.21.12.10
	<i>Sorsogona tuberculata</i> (Cuvier, 1829)	GB.38.21.14.9
	<i>Suggrundus macracanthus</i> (Bleeker, 1869)	GB.38.21.16.8
Plesiobatidae	<i>Plesiobatis daviesi</i> (Wallace, 1967)	GA.7.6.1.1
Plesiopidae	<i>Plesiops coeruleolineatus</i> Rüppell, 1835	GB.31.117.9.3
Plotosidae	<i>Plotosus canius</i> Hamilton, 1822	GB.39.29.8.3
	<i>Plotosus limbatus</i> Valenciennes, 1840	GB.39.29.8.5
	<i>Plotosus lineatus</i> (Thunberg, 1787)	GB.39.29.8.6

Family	Scientific Name	Acc. No.
Polymixiidae	<i>Polymixia nobilis</i> Lowe, 1838	GB.34.1.1.7
Polynemidae	<i>Eleutheronema tetradactylum</i> (Shaw, 1804)	GB.31.119.1.1
	<i>Filimanus heptadactyla</i> (Cuvier, 1829)	GB.31.119.2.1
	<i>Leptomelanosoma indicum</i> (Shaw, 1804)	GB.31.119.3.1
	<i>Polydactylus plebeius</i> (Broussonet, 1782)	GB.31.119.7.15
	<i>Polydactylus sexfilis</i> (Valenciennes, 1831)	GB.31.119.7.17
	<i>Polydactylus sextarius</i> (Bloch & Schneider, 1801)	GB.31.119.7.18
	<i>Polynemus paradiseus</i> Linnaeus, 1758	GB.31.119.8.5
Pomacanthidae	<i>Apolemichthys xanthurus</i> (Bennett, 1833)	GB.31.121.1.9
	<i>Centropyge flavicauda</i> Fraser-Brunner, 1933	GB.31.121.2.1
	<i>Centropyge multispinis</i> (Playfair, 1867)	GB.31.121.2.23
	<i>Pomacanthus imperator</i> (Bloch, 1787)	GB.31.121.6.5
	<i>Pomacanthus semicirculatus</i> (Cuvier, 1831)	GB.31.121.6.10
Pomacentridae	<i>Abudefduf bengalensis</i> (Bloch, 1787)	GB.31.122.1.1
	<i>Abudefduf septemfasciatus</i> (Cuvier, 1830)	GB.31.122.1.13
	<i>Abudefduf sexfasciatus</i> (Lacepède, 1801)	GB.31.122.1.14
	<i>Abudefduf sordidus</i> (Forsskål, 1775)	GB.31.122.1.15
	<i>Abudefduf vaigiensis</i> (Quoy & Gaimard, 1825)	GB.31.122.1.19
	<i>Amphiprion ephippium</i> (Bloch, 1790)	GB.31.122.6.1
	<i>Amphiprion sebae</i> Bleeker, 1853	GB.31.122.6.25
	<i>Chromis caerulea</i> (Cuvier, 1830)	GB.31.122.9.17
	<i>Chromis opercularis</i> (Günther, 1867)	GB.31.122.9.60
	<i>Chrysiptera glauca</i> (Cuvier, 1830)	GB.31.122.11.1
	<i>Dascyllus aruanus</i> (Linnaeus, 1758)	GB.31.122.10.2
	<i>Dascyllus carneus</i> Fischer, 1885	GB.31.122.10.4
	<i>Dascyllus trimaculatus</i> (Rüppell, 1829)	GB.31.122.10.5
	<i>Neoglyphidodon melas</i> (Cuvier, 1830)	GB.31.122.12.1
	<i>Neopomacentrus cyanomos</i> (Bleeker, 1856)	GB.31.122.18.5
	<i>Neopomacentrus sindensis</i> (Day, 1873)	GB.31.122.18.6
	<i>Pomacentrus brachialis</i> Cuvier, 1830	GB.31.122.22.20
	<i>Premnas biaculeatus</i> (Bloch, 1790)	GB.31.122.23.1
	Priacanthidae	<i>Cookeolus japonicus</i> (Cuvier, 1829)
<i>Heteropriacanthus cruentatus</i> (Lacepède, 1801)		GB.31.124.2.1
<i>Priacanthus hamrur</i> (Forsskål, 1775)		GB.31.124.3.5
<i>Pristigenys niphonia</i> (Cuvier, 1829)		GB.31.124.4.3
Pristigasteridae	<i>Ilisha filigera</i> (Valenciennes, 1847)	GB.13.5.2.5
	<i>Ilisha megaloptera</i> (Swainson, 1839)	GB.13.5.2.10
	<i>Ilisha melastoma</i> (Bloch & Schneider, 1801)	GB.13.5.2.11
	<i>Opisthopterus tardoore</i> (Cuvier, 1829)	GB.13.5.5.1
	<i>Pellona ditchela</i> Valenciennes, 1847	GB.13.5.6.4
Proscylliidae	<i>Eridacnis radcliffei</i> Smith, 1913	GA.1.4.2.1

Family	Scientific Name	Acc. No.
Psettodidae	<i>Psettodes erumei</i> (Bloch & Schneider, 1801)	GB.33.10.1.3
Rachycentridae	<i>Rachycentron canadum</i> (Linnaeus, 1766)	GB.31.129.1.1
Rajidae	<i>Raja miraletus</i> Linnaeus, 1758 <i>Rostroraja alba</i> (Lacepède, 1803)	GA.11.1.21.17 GA.11.1.25.1
Rhincodontidae	<i>Rhincodon typus</i> Smith, 1828	GA.8.6.1.1
Rhinidae	<i>Rhina ancylostoma</i> Bloch & Schneider, 1801	GA.11.2.1.1
Rhinobatidae	<i>Glaucostegus granulatus</i> (Cuvier, 1829) <i>Rhinobatos annandalei</i> Norman, 1926 <i>Rhinobatos annulatus</i> Müller & Henle, 1841 <i>Rhinobatos variegates</i> Nair & Lal Mohan, 1973	GA.11.4.1.3 GA.11.4.2.1 GA.11.4.2.2 GA.11.4.2.3
Rhinochimaeridae	<i>Neoharriota pinnata</i> Schnakenbeck, 1931	GA.2.3.1.1
Rhynchobatidae	<i>Rhynchobatus djiddensis</i> (Forsskål, 1775)	GA.11.14.1.1
Samaridae	<i>Samaris cristatus</i> Gray 1831 <i>Samaris macrolepis</i> Norman 1927	GB.33.12.2.2 GB.33.12.2.3
Scaridae	<i>Bolbometopon muricatum</i> (Valenciennes, 1840) <i>Calotomus spinidens</i> (Quoy & Gaimard, 1824) <i>Chlorurus sordidus</i> (Forsskål, 1775) <i>Leptoscarus vaigiensis</i> (Quoy & Gaimard, 1824) <i>Scarus collana</i> Rüppell, 1835 <i>Scarus frenatus</i> Lacepède, 1802 <i>Scarus ghobban</i> Forsskål, 1775 <i>Scarus psittacus</i> Forsskål, 1775 <i>Scarus scaber</i> Valenciennes, 1840 <i>Scarus tricolor</i> Bleeker, 1847	GB.31.131.1.1 GB.31.131.2.3 GB.31.131.4.15 GB.31.131.7.1 GB.31.131.9.8 GB.31.131.9.17 GB.31.131.9.20 GB.31.131.9.36 GB.31.131.9.41 GB.31.131.9.45
Scatophagidae	<i>Scatophagus argus</i> (Linnaeus, 1766)	GB.31.132.1.1
Schilbeidae	<i>Horabagrus brachysoma</i> (Günther, 1864)	GB.39.31.5.1
Sciaenidae	<i>Atrobucca alcocki</i> Talwar, 1980 <i>Atrobucca trewavasae</i> Talwar & Sathirajan, 1975 <i>Chrysochir aureus</i> (Richardson, 1846) <i>Daysciaena albida</i> (Cuvier, 1830) <i>Dendrophysa russellii</i> (Cuvier, 1829) <i>Johnius amblycephalus</i> (Bleeker, 1855) <i>Johnius belangerii</i> (Cuvier, 1830) <i>Johnius borneensis</i> (Bleeker, 1851) <i>Johnius carutta</i> Bloch, 1793 <i>Johnius dussumieri</i> (Cuvier, 1830) <i>Johnius glaucus</i> (Day, 1876) <i>Johnius macropterus</i> (Bleeker, 1853)	GB.31.134.4.2 GB.31.134.4.10 GB.31.134.5.1 GB.31.134.7.1 GB.31.134.8.4 GB.31.134.9.1 GB.31.134.9.3 GB.31.134.9.4 GB.31.134.9.7 GB.31.134.9.8 GB.31.134.9.16 GB.31.134.9.33

Family	Scientific Name	Acc. No.
	<i>Johnius macrorhynchus</i> (Mohan, 1976)	GB.31.134.9.24
	<i>Kathala axillaris</i> (Cuvier, 1830)	GB.31.134.10.1
	<i>Nibea maculata</i> (Bloch & Schneider, 1801)	GB.31.134.23.4
	<i>Otolithes cuvieri</i> Trewavas, 1974	GB.31.134.27.1
	<i>Otolithes ruber</i> (Bloch & Schneider, 1801)	GB.31.134.27.2
	<i>Otolithoides biauritus</i> (Cantor, 1849)	GB.31.134.28.1
	<i>Panna microdon</i> (Bleeker, 1849)	GB.31.134.30.2
	<i>Paranibea semiluctuosa</i> (Cuvier, 1830)	GB.31.134.33.1
	<i>Pennahia anea</i> (Bloch, 1793)	GB.31.134.35.1
	<i>Protonibea diacanthus</i> (Lacepède, 1802)	GB.31.134.38.1
	<i>Pseudotolithus elongatus</i> (Bowdich, 1825)	GB.31.134.39.12
	<i>Umbrina canariensis</i> Valenciennes, 1843	GB.31.134.48.4
	<i>Umbrina ronchus</i> Valenciennes, 1843	GB.31.134.48.14
<b>Scombridae</b>	<i>Auxis rochei</i> (Risso, 1810)	GB.31.135.3.2
	<i>Auxis thazard</i> (Lacepède, 1800)	GB.31.135.3.1
	<i>Euthynnus affinis</i> (Cantor, 1849)	GB.31.135.5.1
	<i>Gymnosarda unicolor</i> (Rüppell, 1836)	GB.31.135.6.1
	<i>Katsuwonus pelamis</i> (Linnaeus, 1758)	GB.31.135.9.1
	<i>Rastrelliger kanagurta</i> (Cuvier, 1816)	GB.31.135.11.3
	<i>Sarda orientalis</i> (Temminck & Schlegel, 1844)	GB.31.135.13.1
	<i>Scomberomorus commerson</i> (Lacepède, 1800)	GB.31.135.14.3
	<i>Scomberomorus guttatus</i> (Bloch & Schneider, 1801)	GB.31.135.14.5
	<i>Thunnus albacares</i> (Bonnaterre, 1788)	GB.31.135.15.2
	<i>Thunnus tonggol</i> (Bleeker, 1851)	GB.31.135.15.8
<b>Scorpaenidae</b>	<i>Apistus carinatus</i> (Bloch & Schneider, 1801)	GB.38.24.5.1
	<i>Dendrochirus brachypterus</i> (Cuvier, 1829)	GB.38.24.11.5
	<i>Dendrochirus zebra</i> (Cuvier, 1829)	GB.38.24.11.6
	<i>Minous dempsterae</i> Eschmeyer, Hallacher & Rama-Rao, 1979	GB.38.24.24.1
	<i>Minous monodactylus</i> (Bloch & Schneider, 1801)	GB.38.24.24.2
	<i>Pterois miles</i> (Bennett, 1828)	GB.38.24.38.4
	<i>Pterois russellii</i> Bennett, 1831	GB.38.24.38.7
	<i>Pterois volitans</i> (Linnaeus, 1758)	GB.38.24.38.9
	<i>Rhinopias eschmeyeri</i> Condé, 1977	GB.38.24.39.1
	<i>Scorpaena neglecta</i> Temminck & Schlegel, 1843	GB.38.24.40.1
	<i>Scorpaenodes guamensis</i> (Quoy & Gaimard, 1824)	GB.38.24.41.1
	<i>Snyderina guentheri</i> (Boulenger, 1889)	GB.38.24.45.1
	<i>Synanceia verrucosa</i> Bloch & Schneider, 1801	GB.38.24.50.5
	<i>Trachicephalus uranoscopus</i> (Bloch & Schneider, 1801)	GB.38.24.53.3
	<i>Vespicula cypho</i> (Fowler, 1938)	GB.38.24.55.2
<b>Scyliorhinidae</b>	<i>Cephaloscyllium silasi</i> (Talwar, 1974)	GA.1.6.1.1
	<i>Halaelurus quagga</i> (Alcock, 1899)	GA.1.6.2.1

Family	Scientific Name	Acc. No.
Serranidae	<i>Aethaloperca rogae</i> (Forsskål, 1775)	GB.31.139.2.1
	<i>Cephalopholis argus</i> Schneider, 1801	GB.31.139.14.2
	<i>Cephalopholis aurantia</i> (Valenciennes, 1828)	GB.31.139.14.3
	<i>Cephalopholis boenak</i> (Bloch, 1790)	GB.31.139.14.4
	<i>Cephalopholis formosa</i> (Shaw, 1812)	GB.31.139.14.7
	<i>Cephalopholis miniata</i> (Forsskål, 1775)	GB.31.139.14.13
	<i>Cephalopholis sonnerati</i> (Valenciennes, 1828)	GB.31.139.14.20
	<i>Cephalopholis urodeta</i> (Forster, 1801)	GB.31.139.14.23
	<i>Epinephelus albomarginatus</i> Boulenger, 1903	GB.31.139.22.5
	<i>Epinephelus andersoni</i> Boulenger, 1903	GB.31.139.22.8
	<i>Epinephelus areolatus</i> (Forsskål, 1775)	GB.31.139.22.9
	<i>Epinephelus bleekeri</i> (Vaillant, 1878)	GB.31.139.22.12
	<i>Epinephelus chlorostigma</i> (Valenciennes, 1828)	GB.31.139.22.18
	<i>Epinephelus coeruleopunctatus</i> (Bloch, 1790)	GB.31.139.22.21
	<i>Epinephelus diacanthus</i> (Valenciennes, 1828)	GB.31.139.22.28
	<i>Epinephelus epistictus</i> (Temminck & Schlegel, 1842)	GB.31.139.22.30
	<i>Epinephelus fasciatus</i> (Forsskål, 1775)	GB.31.139.22.35
	<i>Epinephelus flavocaeruleus</i> (Lacepède, 1802)	GB.31.139.22.37
	<i>Epinephelus hexagonatus</i> (Forster, 1801)	GB.31.139.22.45
	<i>Epinephelus latifasciatus</i> (Temminck & Schlegel, 1842)	GB.31.139.22.52
	<i>Epinephelus longispinis</i> (Kner, 1864)	GB.31.139.22.54
	<i>Epinephelus malabaricus</i> (Bloch & Schneider, 1801)	GB.31.139.22.58
	<i>Epinephelus merra</i> Bloch, 1793	GB.31.139.22.61
	<i>Epinephelus poecilnotus</i> (Temminck & Schlegel, 1842)	GB.31.139.22.73
	<i>Epinephelus polyphkadion</i> (Bleeker, 1867)	GB.31.139.22.74
	<i>Epinephelus quoyanus</i> (Valenciennes, 1830)	GB.31.139.22.79
	<i>Epinephelus radiatus</i> (Day, 1868)	GB.31.139.22.80
	<i>Epinephelus tauvina</i> (Forsskål, 1775)	GB.31.139.22.92
	<i>Epinephelus undulosus</i> (Quoy & Gaimard, 1824)	GB.31.139.22.93
	<i>Grammistes sexlineatus</i> (Thunberg, 1792)	GB.31.139.26.1
	<i>Holanthias rhodopeplus</i> (Günther, 1872)	GB.31.139.29.9
	<i>Meganthias filiferus</i> Randall & Heemstra, 2008	GB.31.139.62.1
	<i>Pseudanthias fasciatus</i> (Kamohara, 1955)	GB.31.139.44.18
<i>Pseudanthias marcia</i> Randall & Hoover, 1993	GB.31.139.44.35	
<i>Pseudanthias pulcherrimus</i> (Heemstra & Randall, 1986)	GB.31.139.44.44	
<i>Sacura margaritacea</i> (Hilgendorf, 1879)	GB.31.139.45.2	
<i>Variola louti</i> (Forsskål, 1775)	GB.31.139.61.2	
Siganidae	<i>Siganus argenteus</i> (Quoy & Gaimard, 1825)	GB.31.140.1.1
	<i>Siganus canaliculatus</i> (Park, 1797)	GB.31.140.1.2
	<i>Siganus javus</i> (Linnaeus, 1766)	GB.31.140.1.7
	<i>Siganus lineatus</i> (Valenciennes, 1835)	GB.31.140.1.9
	<i>Siganus oramin</i> (Bloch & Schneider, 1801)	GB.31.140.1.10
	<i>Siganus rivulatus</i> Forsskål & Niebuhr, 1775	GB.31.140.1.18
	<i>Siganus stellatus</i> (Forsskål, 1775)	GB.31.140.1.20

Family	Scientific Name	Acc. No.
	<i>Siganus vermiculatus</i> (Valenciennes, 1835)	GB.31.140.1.25
	<i>Siganus virgatus</i> (Valenciennes, 1835)	GB.31.140.1.26
<b>Sillaginidae</b>	<i>Sillago argentifasciata</i> Martin & Montalban, 1935	GB.31.141.3.4
	<i>Sillago chondropus</i> Bleeker, 1849	GB.31.141.3.10
	<i>Sillago indica</i> McKay, Dutt & Sujatha, 1985	GB.31.141.3.13
	<i>Sillago sihama</i> (Forsskål, 1775)	GB.31.141.3.26
	<i>Sillago soringa</i> Dutt & Sujatha, 1982	GB.31.141.3.27
<b>Soleidae</b>	<i>Aesopia cornuta</i> Kaup, 1858	GB.33.14.2.1
	<i>Austroglossus pectoralis</i> (Kaup, 1858)	GB.33.14.4.2
	<i>Brachirus annularis</i> Fowler, 1934	GB.33.14.6.1
	<i>Brachirus orientalis</i> (Bloch & Schneider, 1801)	GB.33.14.6.10
	<i>Pardachirus pavoninus</i> (Lacepède, 1802)	GB.33.14.20.1
	<i>Solea ovata</i> Richardson, 1846	GB.33.14.21.8
	<i>Synaptura commersonii</i> (Lacepède, 1802)	GB.33.14.24.3
	<i>Synaptura cornuta</i> (Kaup, 1858)	GB.33.14.24.4
	<i>Zebrias quagga</i> (Kaup, 1858)	GB.33.14.28.13
	<i>Zebrias synapturoides</i> (Jenkins, 1910)	GB.33.14.28.16
<b>Sparidae</b>	<i>Acanthopagrus berda</i> (Forsskål, 1775)	GB.31.142.1.2
	<i>Acanthopagrus bifasciatus</i> (Forsskål, 1775)	GB.31.142.1.3
	<i>Acanthopagrus latus</i> (Houttuyn, 1782)	GB.31.142.1.5
	<i>Argyrops spinifer</i> (Forsskål, 1775)	GB.31.142.4.4
	<i>Chrysolephus cristiceps</i> (Valenciennes, 1830)	GB.31.142.10.2
	<i>Crenidens crenidens</i> (Forsskål, 1775)	GB.31.142.12.1
	<i>Rhabdosargus sarba</i> (Forsskål, 1775)	GB.31.142.30.4
<b>Sphyraenidae</b>	<i>Sphyraena barracuda</i> (Edwards, 1771)	GB.31.143.1.4
	<i>Sphyraena flavicauda</i> (Ruppell, 1838)	GB.31.143.1.5
	<i>Sphyraena jello</i> Cuvier, 1829	GB.31.143.1.15
	<i>Sphyraena obtusata</i> Cuvier, 1829	GB.31.143.1.18
<b>Sphyrnidae</b>	<i>Eusphyra blochii</i> (Cuvier, 1816)	GA.1.7.1.1
	<i>Sphyrna lewini</i> (Griffith and Smith, 1834)	GA.1.7.2.3
<b>Stomiidae</b>	<i>Astronesthes boulengeri</i> Gilchrist, 1902	GB.41.4.2.2
	<i>Astronesthes caulophorus</i> Regan & Trewavas, 1929	GB.41.4.2.3
	<i>Chauliodus sloani</i> Bloch & Schneider, 1801	GB.41.5.5.8
	<i>Stomias nebulosus</i> Alcock, 1889	GB.41.5.25.8
<b>Stromateidae</b>	<i>Pampus argenteus</i> (Euphrasen, 1788)	GB.31.145.1.1
<b>Symphysanodontidae</b>	<i>Symphysanodon typus</i> Bleeker, 1878	GB.31.146.1.6
	<i>Symphysanodon xanthopterygion</i> Anderson & Bineesh, 2011	GB.31.146.1.2

Family	Scientific Name	Acc. No.
Syngnathidae	<i>Hippocampus kuda</i> Bleeker, 1852	GB.19.9.16.28
	<i>Hippocampus whitei</i> Bleeker, 1855	GB.19.9.16.42
	<i>Syngnathoides biaculeatus</i> (Bloch, 1785)	GB.19.9.27.1
	<i>Trachyrhamphus longirostris</i> Kaup, 1856	GB.19.9.29.3
	<i>Trachyrhamphus serratus</i> (Temminck & Schlegel, 1850)	GB.19.9.29.4
Synodontidae	<i>Harpadon nehereus</i> (Hamilton, 1822)	GB.8.15.1.3
	<i>Harpadon squamosus</i> Alcock, 1891	GB.8.15.1.4
	<i>Saurida gracilis</i> (Quoy & Gaimard, 1824)	GB.8.15.2.7
	<i>Saurida isarankurai</i> Shindo & Yamada, 1972	GB.8.15.2.8
	<i>Saurida longimanus</i> Norman, 1939	GB.8.15.2.9
	<i>Saurida nebulosa</i> Valenciennes, 1850	GB.8.15.2.10
	<i>Saurida tumbil</i> (Bloch, 1795)	GB.8.15.2.17
	<i>Saurida undosquamis</i> (Richardson, 1848)	GB.8.15.2.18
	<i>Synodus binotatus</i> Schultz, 1953	GB.8.15.3.1
	<i>Synodus indicus</i> (Day, 1873)	GB.8.15.3.2
	<i>Synodus variegatus</i> (Lacepède, 1803)	GB.8.15.3.28
	<i>Trachinocephalus myops</i> (Forster, 1801)	GB.8.15.8.1
Terapontidae	<i>Pelates quadrilineatus</i> (Bloch, 1790)	GB.31.147.9.2
	<i>Terapon jarbua</i> (Forsskål, 1775)	GB.31.147.15.1
	<i>Terapon puta</i> Cuvier, 1829	GB.31.147.15.2
	<i>Terapon theraps</i> Cuvier, 1829	GB.31.147.15.3
Tetraodontidae	<i>Acreichthys tomentosus</i> (Linnaeus, 1758)	GB.43.6.1.1
	<i>Arothron hispidus</i> (Linnaeus, 1758)	GB.43.6.2.1
	<i>Arothron immaculatus</i> (Bloch & Schneider, 1801)	GB.43.6.2.2
	<i>Arothron stellatus</i> (Anonymous, 1798)	GB.43.6.2.3
	<i>Canthigaster margaritata</i> (Rüppell, 1829)	GB.43.6.4.17
	<i>Canthigaster solandri</i> (Richardson, 1845)	GB.43.6.4.30
	<i>Chelonodon laticeps</i> Smith, 1948	GB.43.6.6.1
	<i>Chelonodon patoca</i> (Hamilton, 1822)	GB.43.6.6.2
	<i>Lagocephalus inermis</i> (Temminck & Schlegel, 1850)	GB.43.6.15.3
	<i>Lagocephalus lagocephalus</i> (Linnaeus, 1758)	GB.43.6.15.4
	<i>Lagocephalus lunaris</i> (Bloch & Schneider, 1801)	GB.43.6.15.6
	<i>Lagocephalus scleratus</i> (Gmelin, 1789)	GB.43.6.15.8
	<i>Lagocephalus spadiceus</i> (Richardson, 1845)	GB.43.6.15.7
	<i>Takifugu oblongus</i> (Bloch, 1786)	GB.43.6.24.9
<i>Torquigener hypselogeneion</i> (Bleeker, 1852)	GB.43.6.25.1	
Torpedinidae	<i>Torpedo marmorata</i> Risso, 1810	GA.14.2.1.10
Trachichthyidae	<i>Gephyroberyx darwinii</i> (Johnson, 1866)	GB.11.6.2.1
	<i>Hoplostethus melanopterus</i> Fowler, 1938	GB.11.6.3.1
Triacanthidae	<i>Pseudotriacanthus strigillifer</i> (Cantor, 1849)	GB.43.7.1.1
	<i>Triacanthus biaculeatus</i> (Bloch, 1786)	GB.43.7.2.1
	<i>Triacanthus nieuhoftii</i> Bleeker, 1852	GB.43.7.2.2

Family	Scientific Name	Acc. No.
Triacanthodidae	<i>Triacanthodes ethiops</i> Alcock, 1894	GB.43.8.10.2
Triakidae	<i>Iago omanensis</i> (Norman, 1939)	GA.1.8.6.2
	<i>Mustelus moisis</i> Hemprich & Ehrenberg, 1899	GA.1.8.7.15
Trichiuridae	<i>Eupleurogrammus glossodon</i> (Bleeker, 1860)	GB.31.152.5.1
	<i>Eupleurogrammus mulicus</i> (Gray, 1831)	GB.31.152.5.2
	<i>Lepturacanthus pantului</i> (Gupta, 1966)	GB.31.152.8.1
	<i>Lepturacanthus savala</i> (Cuvier, 1829)	GB.31.152.8.2
	<i>Trichiurus auriga</i> Klunzinger, 1884	GB.31.152.10.1
	<i>Trichiurus gangeticus</i> Gupta, 1966	GB.31.152.10.3
	<i>Trichiurus lepturus</i> Linnaeus, 1758	GB.31.152.10.4
Triglidae	<i>Chelidonichthys capensis</i> (Cuvier, 1829)	GB.38.25.4.1
	<i>Lepidotrigla bentuviai</i> Richards & Saksena, 1977	GB.38.25.6.6
	<i>Lepidotrigla multispinosa</i> Smith, 1934	GB.38.25.6.34
	<i>Lepidotrigla omanensis</i> Regan, 1905	GB.38.25.6.38
	<i>Pterygotrigla hemisticta</i> (Temminck & Schlegel, 1843)	GB.38.25.9.4
	<i>Trigla lyra</i> Linnaeus, 1758	GB.38.25.10.1
Uranoscopidae	<i>Ichthyoscopus lebeck</i> (Bloch & Schneider, 1801)	GB.31.155.4.4
	<i>Pleuroscopus pseudodorsalis</i> Barnard, 1927	GB.31.155.6.1
	<i>Uranoscopus archionema</i> Regan, 1921	GB.31.155.8.3
Xiphiidae	<i>Xiphias gladius</i> Linnaeus, 1758	GB.31.157.1.1
Zanclidae	<i>Zanclus cornutus</i> (Linnaeus, 1758)	GB.31.158.1.1
Zeidae	<i>Zenopsis conchifer</i> (Lowe, 1852)	GB.44.5.1.1

## Miscellaneous

	Acc.No.
Seaweed Products: Agar Agar	AD.1
Sargassum powder	AD.6
Seaweed meal	AD.2
Seaweed pickle	AD.5
Pleistocenic stony corals and marine molluscs	Misc. 27
Sea anemone	CC.3
<i>Obelia</i> colony	CB.2.1.1
Horny coral	CC.4.2
<i>Physalia</i> sp.	CB.3.1.1
Deep sea isopod - <i>Bathynomus giganteus</i>	Misc. 18
Hermit crab	ED.4.1.1.1
Crab freeze-dried	Misc.17
Pearl oyster with pearl cultured at Vizhinjam	Misc.30
Pearl oyster with <i>in situ</i> pearl	Misc.32
<i>Mabe</i> pearl	Misc. 33
Shell of <i>Pinctada margaritifera</i>	Misc.26
<i>Placuna placenta</i> plate on <i>Crassostrea madrasensis</i>	Misc.28
Operculum of gastropod	Misc.29
Egg mass of marine gastropods	Misc.12,13,15
Egg mass of sacred chank	Misc.16
Egg mass of squid	Misc.14
Cuttle bone	Misc.31
Egg case of <i>Neoharriotta pinnata</i>	Misc.11
Egg case of shark	Misc.9,10
Egg case of cat shark	Misc.34
Eggs of catfish	Misc.1
Larvae of <i>Arius maculatus</i>	Misc.2
Eel larvae	Misc.3
Young ones of puffer fish	Misc.4
Tail fin of shark	Misc. 5
Masmin	Misc. 35
Eggs of turtle	Misc.22,23
Hatchlets of olive ridley ( <i>Lepidochelys olivacea</i> )	Misc.21
Soft shelled turtle	Misc.36
Sea snake	Misc.7,8
Land snake	Misc.6
Birds from Antarctica: Penguin (Stuffed specimen)	Misc.19
<i>Thalassoica antarctica</i>	Misc.20
Dolphin: <i>Stenella longirostris</i>	Misc.24
Skull of Dolphin	Misc.25
<i>Grampus griseus</i> G.Cuvier, 1812 (Stuffed specimen)	Misc.37
Sea cow <i>Dugong dugon</i> (Muller, 1776) (Stuffed specimen)	Misc.38

Family	Page	Family	Page
--------	------	--------	------

## Index - Families

Acanthasteridae	22	Carcharhinidae	28
Acanthuridae	25	Cardiidae	16
Acropomatidae	25	Carditidae	16
Acroporidae	8	Carpiliidae	12
Adociidae	7	Cassidae	16
Aethridae	12	Caudinidae	22
Agaricidae	9	Caulerpaceae	2, 4
Albulidae	25	Centriscidae	28
Alcyoniidae	9	Centrolophidae	28
Alepisauridae	25	Centrophoridae	28
Alopiidae	25	Cepolidae	28
Alpheidae	12	Ceramiaceae	2, 4
Ambassidae	25	Cerithidae	16
Anguillidae	25	Chaetodontidae	29
Anomiidae	16	Champiaceae	2, 4
Antennariidae	25	Chanidae	29
Aploactinidae	25	Chasmocarcinidae	12
Apogonidae	25	Chirocentridae	29
Architectonicidae	16	Chlorophthalmidae	29
Arcidae	16	Chnoosporaceae	2, 4
Ariidae	26	Cichlidae	29
Ariommatidae	26	Cidaridae	22
Aristeidae	12	Cirrhitidae	29
Asciidiidae	24	Cladophoraceae	2, 5
Astropectinidae	22	Clupeidae	29
Aulostomidae	26	Clypeasteridae	22
Axinellidae	7	Codiaceae	2, 5
Balistidae	26	Columbellidae	16
Batrachoididae	26	Congridae	30
Belonidae	26	Conidae	16
Bothidae	26	Corallinaceae	2, 5
Bramidae	26	Corellidae	24
Bregmacerotidae	26	Coryphaenidae	30
Bryopsidaceae	2, 4	Crangonidae	12
Buccinidae	16	Cynoglossidae	30
Bullidae	16	Cypraeidae	17
Bursidae	16	Dactylopteridae	30
Caesionidae	27	Dasyatidae	30
Calappidae	12	Dendrophylliidae	9
Callionymidae	27	Diadematidae	22
Cancellariidae	16	Dictyotaceae	2, 5
Carangidae	27	Didemnidae	24
Carapidae	28	Diodontidae	30

Family	Page	Family	Page
Donacidae	17	Heteropneustidae	32
Drepaneidae	30	Hexanchidae	32
Dromiidae	12	Hippidae	12
Dysideidae	7	Hippolytidae	12
Echenidae	30	Holocentridae	32
Echinolampadidae	22	Holothuriidae	22
Echinometridae	22	Holozoidae	24
Echinorhinidae	30	Hyalonematidae	7
Ellisellidae	9	Hydrocharitaceae	4, 6
Ellobiidae	17	Hypneaceae	3, 5
Emmelichthyidae	30	Inachidae	12
Engraulidae	31	Kuhliidae	33
Enoplometopidae	12	Kyphosidae	33
Ephippidae	31	Labridae	33
Epialtidae	12	Lactariidae	34
Etmopteridae	31	Laganidae	22
Euphausiidae	12	Latidae	34
Euphyllidae	9	Leiognathidae	34
Euryplacidae	12	Lethrinidae	34
Evermannellidae	31	Leucosiidae	12
Exocoetidae	31	Liagoraceae	3, 5
Fasciolaridae	17	Linckiidae	22
Faviidae	9	Lobotidae	34
Ficidae	17	Loliginidae	18
Fistulariidae	31	Lophidae	34
Fungiidae	10	Lophotiidae	34
Galaxauraceae	2, 5	Loveniidae	22
Galenidae	12	Lutjanidae	35
Gelidiellaceae	2, 5	Lysiosquillidae	13
Gempylidae	31	Macroramphosidae	35
Gerreidae	31	Mactridae	18
Gobiidae	31	Majidae	13
Gonioasteridae	22	Malacanthidae	35
Gonostomatidae	32	Malleidae	18
Gorgoniidae	10	Megalopidae	35
Gracilariaceae	3, 5	Menidae	35
Haemulidae	32	Merulinidae	10
Haliclonidae	7	Milleporidae	10
Halimedaceae	3, 5	Mitridae	18
Haliotidae	18	Molgulidae	24
Halymeniaceae	3, 5	Monacanthidae	35
Haminoeidae	18	Mugilidae	36
Harpidae	18	Mullidae	36
Helioporidae	10	Muraenesocidae	36
Hemiramphidae	32	Muraenidae	36
Hemiscylliidae	32	Muricidae	18

Family	Page	Family	Page
Mussidae	10	Percophidae	38
Myctophidae	36	Peristediidae	38
Myliobatidae	37	Phosichthyidae	38
Mytilidae	18	Pilumnidae	14
Nacellidae	18	Pinguipedidae	38
Narcinidae	37	Plagusiidae	14
Nassariidae	18	Platycephalidae	38
Nassidae	18	Plesiobatidae	38
Naticidae	18	Plesiopidae	38
Nemichthyidae	37	Plexauridae	11
Nemipteridae	37	Plotosidae	38
Nephropidae	13	Pocilloporidae	11
Neritidae	19	Polycitoridae	24
Nettastomatidae	37	Polyclinidae	24
Noetiidae	19	Polymixiidae	39
Nomeidae	37	Polynemidae	39
Octopodidae	19	Pomacanthidae	39
Oculinidae	10	Pomacentridae	39
Ocypodidae	13	Poritidae	11
Ogocephalidae	37	Portunidae	14
Olividae	19	Potamididae	19
Ommastrephidae	19	Potamogetonaceae	4, 6
Onychoteuthidae	19	Priacanthidae	39
Ophichthidae	37	Pristigasteridae	39
Ophidiasteridae	22	Proscylliidae	39
Ophidiidae	37	Psammobidae	19
Ophiocomidae	22	Psettodidae	40
Opistognathidae	37	Pteriidae	19
Oplophoridae	13	Pyridae	24
Oreasteridae	22	Rachycentridae	40
Oscillatoriaceae	3	Rajidae	40
Ostraciidae	38	Ranellidae	20
Ostreidae	19	Rhincodontidae	40
Ovulidae	19	Rhinidae	40
Palaemonidae	13	Rhinobatidae	40
Palinuridae	13	Rhinochimaeridae	40
Pandalidae	13	Rhizophyllidaceae	3, 6
Paralichthyidae	38	Rhodomelaceae	3, 6
Parazenidae	38	Rhodymeniaceae	3, 6
Parthenopidae	13	Rhynchobatidae	40
Pectinidae	19	Samaridae	40
Pectiniidae	11	Sargassaceae	3, 6
Pegasidae	38	Scaridae	40
Pemppheridae	38	Scatophagidae	40
Penaeidae	13	Schilbeidae	40
Pentacerotidae	38	Sciaenidae	40

Family	Page	Family	Page
Scombridae	41	Tellinidae	20
Scorpaenidae	41	Temnopleuridae	23
Scutellidae	23	Terapontidae	44
Scyllorhinidae	41	Terebridae	20
Scyllaridae	15	Tetraodontidae	44
Scytosiphonaceae	3, 6	Thysanoteuthidae	20
Sepiidae	20	Tonnidae	20
Sergestidae	15	Torpedinidae	44
Serranidae	42	Trachichthyidae	44
Sicyoniidae	15	Triacanthidae	44
Siderastreidae	11	Triacanthodidae	45
Siganidae	42	Triakidae	45
Sillaginidae	43	Trichiuridae	45
Soleidae	43	Tridacnidae	20
Solenoceridae	15	Triglidae	45
Solieriaceae	4, 6	Trochidae	20
Sparidae	43	Tubiporidae	11
Sphyracnidae	43	Turbinellidae	21
Sphyrnidae	43	Turbinidae	21
Spiraastrellidae	7	Turitellidae	21
Spondyliidae	20	Turridae	21
Spongiidae	7	Udoteaceae	4
Squillidae	15	Ulvaceae	4, 6
Stichopodidae	23	Uranoscopidae	45
Stomiidae	43	Valoniaceae	4, 6
Stomopneustidae	23	Veneridae	21
Stromateidae	43	Volemidae	21
Strombidae	20	Volutidae	21
Styelidae	24	Xanthidae	15
Subergorgiidae	11	Xenophoridae	21
Symphysanodontidae	43	Xiphiidae	45
Syngnathidae	44	Zanclidae	45
Synodontidae	44	Zeidae	45



Species	Page
---------	------

## Index - Species

<i>Abalistes stellaris</i> (Bloch & Schneider, 1801)	26
<i>Abalistes stellatus</i> (Anonymous, 1798)	26
<i>Ablennes hians</i> (Valenciennes, 1846)	26
<i>Abudefduf bengalensis</i> (Bloch, 1787)	39
<i>Abudefduf septemfasciatus</i> (Cuvier, 1830)	39
<i>Abudefduf sexfasciatus</i> (Lacepède, 1801)	39
<i>Abudefduf sordidus</i> (Forsskål, 1775)	39
<i>Abudefduf vaigiensis</i> (Quoy & Gaimard, 1825)	39
<i>Acanthaster planci</i> (Linnaeus, 1758)	22
<i>Acanthastrea echinata</i> (Dana, 1846)	10
<i>Acanthastrea simplex</i> Crossland, 1952	10
<i>Acanthephyra armata</i> A. Milne-Edwards, 1881	13
<i>Acanthephyra sanguinea</i> Woodmason & Alcock, 1892	13
<i>Acanthocephala limbata</i> (Valenciennes, 1835)	28
<i>Acanthopagrus berda</i> (Forsskål, 1775)	43
<i>Acanthopagrus bifasciatus</i> (Forsskål, 1775)	43
<i>Acanthopagrus latus</i> (Houttuyn, 1782)	43
<i>Acanthophora muscoides</i> (Linn.) Bory de Saint-Vincent, 1828	3, 6
<i>Acanthophora spicifera</i> (Vahl.) Borgesen, 1910	3, 6
<i>Acanthurus gahm</i> (Forsskål, 1775)	25
<i>Acanthurus leucosternon</i> Bennett, 1833	25
<i>Acanthurus lineatus</i> (Linnaeus, 1758)	25
<i>Acanthurus mata</i> (Cuvier, 1829)	25
<i>Acanthurus nigricauda</i> Duncker & Mohr, 1929	25
<i>Acanthurus nigrofuscus</i> (Forsskål, 1775)	25
<i>Acanthurus thompsoni</i> (Fowler, 1923)	25
<i>Acanthurus triostegus</i> (Linnaeus, 1758)	25
<i>Acanthurus xanthopterus</i> Valenciennes, 1835	25
<i>Acaudina molpadioides</i> (Semper, 1867)	22
<i>Acetes indicus</i> H. Milne Edwards, 1830	15
<i>Acreichthys tomentosus</i> (Linnaeus, 1758)	44
<i>Acropoma japonicum</i> Günther, 1859	25
<i>Acropora abrotanoides</i> (Lamarck, 1816)	8
<i>Acropora aspera</i> (Dana, 1846)	8
<i>Acropora corymbosa</i> (Lamarck, 1816)	8
<i>Acropora cytherea</i> (Dana, 1846)	8
<i>Acropora digitifera</i> (Dana, 1846)	8
<i>Acropora echinata</i> (Dana, 1846)	8
<i>Acropora efflorescens</i> Dana, 1846	8
<i>Acropora eurystoma</i> (Klunzinger, 1879)	8
<i>Acropora formosa</i> (Dana, 1846)	8
<i>Acropora forskali</i> (Ehrenberg, 1834)	8

Species	Page
<i>Acropora gravida</i> (Dana, 1846)	8
<i>Acropora hemprichii</i> (Ehrenberg, 1834)	8
<i>Acropora humilis</i> (Dana, 1846)	8
<i>Acropora hyacinthus</i> (Dana, 1846)	8
<i>Acropora hystrix</i> (Dana, 1846)	8
<i>Acropora indica</i> (Brook, 1893)	8
<i>Acropora intermedia</i> (Brook, 1891)	8
<i>Acropora irregularis</i> (Brook, 1892)	8
<i>Acropora josephi</i> Rani & Sandhya, 2007	1, 8
<i>Acropora lamarcki</i> Veron, 2002	8
<i>Acropora listeri</i> (Brook, 1893)	8
<i>Acropora mannarensis</i> Rani & Sandhya, 2007	1, 8
<i>Acropora millepora</i> (Ehrenberg, 1834)	8
<i>Acropora nasuta</i> (Dana, 1846)	8
<i>Acropora nobilis</i> (Dana, 1846)	8
<i>Acropora pacifica</i> Brook, 1891	8
<i>Acropora palifera</i> (Lamarck, 1816)	8
<i>Acropora pharaonis</i> (Milne-Edwards and Haime, 1860)	8
<i>Acropora quelchi</i> (Brook 1893)	8
<i>Acropora reticulata</i> (Brook, 1893)	8
<i>Acropora robusta</i> (Dana, 1846)	8
<i>Acropora secale</i> (Studer, 1878)	8
<i>Acropora stoddarti</i> Pillai and Scheer, 1976	8
<i>Acropora teres</i> (Verrill, 1866)	8
<i>Acropora thomasi</i> Rani & Sandhya, 2007	1, 8
<i>Acropora valenciennesi</i> (Milne-Edwards and Haime, 1860)	8
<i>Acropora valida</i> (Dana, 1846)	8
<i>Acropora valimunensis</i> Rani & Sandhya, 2007	1, 8
<i>Actinopyga echinites</i> (Jaeger, 1833)	22
<i>Actinopyga mauritiana</i> (Quoy & Gaimard, 1833)	22
<i>Aesopia cornuta</i> Kaup, 1858	43
<i>Aethaloperca rogae</i> (Forsskål, 1775)	42
<i>Aethra scruposa</i> (Linnaeus, 1764)	12
<i>Aetobatus narinari</i> (Euphrasen, 1790)	37
<i>Albula vulpes</i> (Linnaeus, 1758)	25
<i>Alectis ciliaris</i> (Bloch, 1787)	27
<i>Alectis indicus</i> (Rüppell, 1830)	27
<i>Alepes djedaba</i> (Forsskål, 1775)	27
<i>Alepes kleinii</i> (Bloch, 1793)	27
<i>Alepisaurus ferox</i> Lowe, 1833	25
<i>Allenbatrachus grunniens</i> (Linnaeus, 1758)	26
<i>Alopias vulpinus</i> (Bonnaterre, 1788)	25
<i>Alpheus crassimanus</i> (Heller, 1862)	12
<i>Aluterus monoceros</i> (Linnaeus, 1758)	35

Species	Page
<i>Ambassis gymnocephalus</i> (Lacepède, 1802)	25
<i>Amblygaster clupeioides</i> Bleeker, 1849	29
<i>Amblygaster sirm</i> (Walbaum, 1792)	29
<i>Amphiprion ephippium</i> (Bloch, 1790)	39
<i>Amphiprion sebae</i> Bleeker, 1853	39
<i>Amphiroa anceps</i> (Lam.) Decaisne, 1842	2, 5
<i>Amphiroa foliacea</i> Lamouroux, 1824	2, 5
<i>Amphiroa fragilissima</i> (Linn.) Lamouroux, 1816	2, 5
<i>Amusium pleuronectes</i> (Linnaeus, 1758)	19
<i>Anacanthus barbatus</i> Gray, 1830	35
<i>Anadara granosa</i> (Linnaeus, 1758)	16
<i>Anadara rhombea</i> (Born, 1780)	16
<i>Anampses caeruleopunctatus</i> Rüppell, 1829	33
<i>Ancilla ampla</i> (Gmelin, 1791)	19
<i>Anguilla bicolor</i> McClelland, 1844	25
<i>Anodontostoma chacunda</i> (Hamilton, 1822)	29
<i>Antennarius commerson</i> (Lacepède, 1798)	25
<i>Antennarius indicus</i> Schultz, 1964	25
<i>Antennarius pictus</i> (Shaw, 1794)	25
<i>Aphareus furca</i> (Lacepède, 1801)	35
<i>Aphareus rutilans</i> Cuvier, 1830	35
<i>Apistus carinatus</i> (Bloch & Schneider, 1801)	41
<i>Aplidium indicum</i> (Renganathan & Monniot, 1984)	24
<i>Apogon aureus</i> (Lacepède, 1802)	25
<i>Apogon guamensis</i> Valenciennes, 1832	25
<i>Apogon kiensis</i> Jordan & Snyder, 1901	25
<i>Apogon multitaeniatus</i> Cuvier, 1828	25
<i>Apogon quadrifasciatus</i> Cuvier, 1828	25
<i>Apogon septemstriatus</i> Günther, 1880	25
<i>Apogon taeniatus</i> Cuvier, 1828	25
<i>Apolemichthys xanthurus</i> (Bennett, 1833)	39
<i>Aprion virescens</i> Valenciennes, 1830	35
<i>Arca granosa</i> (Lamarck, 1819)	16
<i>Arca inaequalis</i> Bruguière, 1789	16
<i>Archamia fucata</i> (Cantor, 1849)	25
<i>Archamia macroptera</i> (Cuvier, 1828)	25
<i>Architectonica perdix</i> (Hinds, 1844)	16
<i>Architectonica perspectiva</i> (Linnaeus, 1758)	16
<i>Argyrops spinifer</i> (Forsskål, 1775)	43
<i>Ariomma indica</i> (Day, 1871)	26
<i>Aristaeopsis edwardsiana</i> (Johnson, 1867)	12
<i>Aristeus alcocki</i> Ramadan, 1938	12
<i>Arius jella</i> Day, 1877	26
<i>Arius maculatus</i> (Thunberg, 1792)	26

Species	Page
<i>Arius platystomus</i> Day, 1877	26
<i>Arius subrostratus</i> Valenciennes, 1840	26
<i>Arius tenuispinis</i> Day, 1877	26
<i>Arius thalassinus</i> (Rüppell, 1837)	26
<i>Arius venosus</i> Valenciennes, 1840	26
<i>Arothron hispidus</i> (Linnaeus, 1758)	44
<i>Arothron immaculatus</i> (Bloch & Schneider, 1801)	44
<i>Arothron stellatus</i> (Anonymous, 1798)	44
<i>Asaphis deflorata</i> (Linnaeus, 1758)	19
<i>Ascidia gemmata</i> Sluiter, 1895	24
<i>Ascidia sydneyensis</i> Stimpson, 1855	24
<i>Astraea stellata</i> (Gmelin, 1791)	21
<i>Astreopora listeri</i> Bernard, 1896	8
<i>Astreopora myriophthalma</i> (Lamarck, 1816)	8
<i>Astronesthes bouleengeri</i> Gilchrist, 1902	43
<i>Astronesthes caulophorus</i> Regan & Trewavas, 1929	43
<i>Astropecten indicus</i> Doderlein, 1888	22
<i>Astropyga radiata</i> (Leske, 1778)	22
<i>Atergatis integerrimus</i> (Lamarck, 1818)	15
<i>Atergatis subdentatus</i> De Haan 1835	15
<i>Atrobucca alcocki</i> Talwar, 1980	40
<i>Atrobucca trewavasae</i> Talwar & Sathirajan, 1975	40
<i>Atropus atropos</i> (Bloch & Schneider, 1801)	27
<i>Atule mate</i> (Cuvier, 1833)	27
<i>Atypopenaeus stenodactylus</i> (Stimpson, 1860)	13
<i>Atys naucum</i> Linnaeus, 1758	18
<i>Aulostomus chinensis</i> (Linnaeus, 1766)	26
<i>Austroglossus pectoralis</i> (Kaup, 1858)	43
<i>Auxis rochei</i> (Risso, 1810)	41
<i>Auxis thazard</i> (Lacepède, 1800)	41
<i>Avocettina paucipora</i> Nielsen & Smith, 1978	37
<i>Avrainvillea erecta</i> (Berk.) A.Gepp & E.Gepp, 1911	4
<i>Axinella carteri</i> (Dendy, 1905)	7
<i>Axinella donnani</i> (Bowerbank, 1873)	7
<i>Babylonia spirata</i> Linnaeus, 1758	16
<i>Babylonia zeylanica</i> Bruguiere, 1789	16
<i>Balistapus undulatus</i> (Park, 1797)	26
<i>Balistes rotundatus</i> Marion de Procé, 1822	26
<i>Balistoides conspicillum</i> (Bloch & Schneider, 1801)	26
<i>Balistoides viridescens</i> (Bloch & Schneider, 1801)	26
<i>Bathygobius fuscus</i> (Rüppell, 1830)	31
<i>Benthobatis moresbyi</i> Alcock, 1898	37
<i>Benthoosema pterotum</i> (Alcock, 1890)	36
<i>Benthoosema suborbitale</i> (Gilbert, 1913)	36

Species	Page
<i>Biflustra perambulata</i> Louis & Menon, 2009	1, 7
<i>Biplex bozzetti</i> Beu, 1998	20
<i>Bodianus axillaris</i> (Bennett, 1832)	33
<i>Bodianus neilli</i> (Day, 1867)	33
<i>Boergesenia forbesii</i> (Harv.) J.Feldmann, 1938	4, 6
<i>Bohadschia argus</i> Jaeger, 1833	22
<i>Bohadschia marmorata</i> (Jaeger, 1833 )	22
<i>Bolbometopon muricatum</i> (Valenciennes, 1840)	40
<i>Bolinichthys longipes</i> (Brauer, 1906)	36
<i>Bothus myriaster</i> (Temminck & Schlegel, 1846)	26
<i>Bothus pantherinus</i> (Rüppell, 1830)	26
<i>Botryocladia leptopoda</i> (J.Ag.) Kylin, 1931	3, 6
<i>Brachirus annularis</i> Fowler, 1934	43
<i>Brachirus orientalis</i> (Bloch & Schneider, 1801)	43
<i>Brachytoma crenularis</i> Lamarck, 1816	21
<i>Brama dussumieri</i> Cuvier, 1831	26
<i>Brama japonica</i> Hilgendorf, 1878	26
<i>Bregmaceros atlanticus</i> Goode & Bean, 1886	26
<i>Bregmaceros maclellandi</i> Thompson, 1840	26
<i>Brotula multibarbata</i> Temminck & Schlegel, 1846	37
<i>Bryopsis pennata</i> Lamouroux, 1809	2, 4
<i>Bulla ampulla</i> Linnaeus, 1758	16
<i>Bullia vittata</i> Linnaeus, 1758	18
<i>Bursa crumena</i> (Lamarck, 1816)	16
<i>Bursa spinosa</i> Lamarck, 1816	16
<i>Bursa subgranosa</i> (Beck, 1836)	16
<i>Caesio caeruleaurea</i> Lacepède, 1801	27
<i>Caesio cuning</i> (Bloch , 1791)	27
<i>Calappa capellonis</i> (Laurie, 1906)	12
<i>Calappa lophos</i> (Herbst, 1785)	12
<i>Calappa philargius</i> (Linnaeus, 1758)	12
<i>Callionymus beniteguri</i> Jordan & Snyder, 1900	27
<i>Callionymus carebares</i> Alcock, 1890	27
<i>Callionymus filamentosus</i> Valenciennes, 1837	27
<i>Callionymus gardineri</i> Regan, 1908	27
<i>Callionymus marleyi</i> Regan, 1919	27
<i>Callionymus pusillus</i> Delaroche, 1809	27
<i>Callista erycina</i> (Linnaeus, 1758)	21
<i>Calotomus spinidens</i> (Quoy & Gaimard, 1824)	40
<i>Camposcia retusa</i> Latreille, 1829	12
<i>Cancellaria lamberti</i> Souverbie, 1870	16
<i>Cantharus tranquebaricus</i> (Gmelin, 1791)	16
<i>Cantherhines sandwichiensis</i> (Quoy & Gaimard, 1824)	35
<i>Canthidermis maculata</i> (Bloch, 1786)	26

Species	Page
<i>Canthigaster margaritata</i> (Rüppell, 1829)	44
<i>Canthigaster solandri</i> (Richardson, 1845)	44
<i>Carangoides armatus</i> (Rüppell, 1830)	27
<i>Carangoides chrysophrys</i> (Cuvier, 1833)	27
<i>Carangoides coeruleopinnatus</i> (Rüppell, 1830)	27
<i>Carangoides dinema</i> Bleeker, 1851	27
<i>Carangoides equula</i> (Temminck & Schlegel, 1844)	27
<i>Carangoides ferdau</i> (Forsskål, 1775)	27
<i>Carangoides gymnotethus</i> (Cuvier, 1833)	27
<i>Carangoides hedlandensis</i> (Whitley, 1934)	27
<i>Carangoides malabaricus</i> (Bloch & Schneider, 1801)	27
<i>Carangoides oblongus</i> (Cuvier, 1833)	27
<i>Carangoides orthogrammus</i> (Jordan & Gilbert, 1822)	27
<i>Carangoides plagiotaenia</i> Bleeker, 1857	27
<i>Carangoides praeustus</i> (Bennett, 1830)	27
<i>Carangoides talamparoides</i> Bleeker, 1852	27
<i>Caranx heberi</i> (Bennett, 1830)	27
<i>Caranx hippos</i> (Linnaeus, 1766)	27
<i>Caranx ignobilis</i> (Forsskål, 1775)	27
<i>Caranx lugubris</i> Poey, 1860	27
<i>Caranx melampygus</i> Cuvier, 1833	27
<i>Caranx papuensis</i> Alleyne & Macleay, 1877	27
<i>Caranx sexfasciatus</i> Quoy & Gaimard, 1825	27
<i>Caranx tille</i> Cuvier, 1833	27
<i>Carcharhinus amblyrhynchoides</i> (Whitley, 1934)	28
<i>Carcharhinus leucas</i> (Müller & Henle, 1839)	28
<i>Carcharhinus melanopterus</i> (Quoy & Gaimard, 1824)	28
<i>Carcharhinus sorrah</i> (Müller & Henle, 1839)	28
<i>Cardita antiquata</i> Reeve, 1843	16
<i>Cardita bicolor</i> Lamarck, 1819	16
<i>Cardita variegata</i> Bruguière, 1792	16
<i>Cardium assimile</i> Reeve, 1844	16
<i>Cardium flavum</i> Linnaeus, 1758	16
<i>Carpilius convexus</i> (Forsskål, 1775)	12
<i>Carpilius maculatus</i> (Linnaeus, 1758)	12
<i>Casmaria ponderosa</i> (Gmelin, 1791)	16
<i>Cassis cornuta</i> (Linnaeus, 1758)	16
<i>Caulerpa laetevirens</i> Montagne, 1842	2, 4
<i>Caulerpa peltata</i> Lamouroux, 1809	2, 4
<i>Caulerpa racemosa</i> (Forssk.) J. Agardh, 1873	2, 4
<i>Caulerpa scalpelliformis</i> (R.Br.) C. Agardh, 1817	2, 4
<i>Caulerpa serrulata</i> (Forssk.) J. Agardh, 1837	2, 4
<i>Caulerpa sertularioides</i> (Gmelin) Howe, 1905	2, 4
<i>Caulerpa taxifolia</i> (Vahl.) C. Agardh, 1817	2, 4

Species	Page
<i>Cellana radiata</i> (Born, 1778)	18
<i>Centriscus scutatus</i> Linnaeus, 1758	28
<i>Centroceras clavulatum</i> (C.Ag.) Montagne, 1846	2, 4
<i>Centrophorus atromarginatus</i> Garman, 1913	28
<i>Centrophorus granulatus</i> (Bloch & Schneider, 1801)	28
<i>Centrophorus squamosus</i> (Bonnaterre, 1788)	28
<i>Centropyge flavicauda</i> Fraser-Brunner, 1933	39
<i>Centropyge multispinis</i> (Playfair, 1867)	39
<i>Cephalopholis argus</i> Schneider, 1801	42
<i>Cephalopholis aurantia</i> (Valenciennes, 1828)	42
<i>Cephalopholis boenak</i> (Bloch, 1790)	42
<i>Cephalopholis formosa</i> (Shaw, 1812)	42
<i>Cephalopholis miniata</i> (Forsskål, 1775)	42
<i>Cephalopholis sonnerati</i> (Valenciennes, 1828)	42
<i>Cephalopholis urodeta</i> (Forster, 1801)	42
<i>Cephaloscyllium silasi</i> (Talwar, 1974)	41
<i>Cepola macrophthalma</i> (Linnaeus, 1758)	28
<i>Cerithium asper</i> (Linnaeus, 1758)	16
<i>Cerithium sinensis</i> (Gmelin, 1791)	16
<i>Chaetodon auriga</i> Forsskål, 1775	29
<i>Chaetodon citrinellus</i> Cuvier, 1831	29
<i>Chaetodon collare</i> Bloch, 1787	29
<i>Chaetodon decussatus</i> Cuvier, 1829	29
<i>Chaetodon gardineri</i> Norman, 1939	29
<i>Chaetodon kleinii</i> Bloch, 1790	29
<i>Chaetodon lunula</i> (Lacepède, 1802)	29
<i>Chaetodon marleyi</i> Regan, 1921	29
<i>Chaetodon melannotus</i> Bloch & Schneider, 1801	29
<i>Chaetodon octofasciatus</i> Bloch, 1787	29
<i>Chaetodon oxycephalus</i> Bleeker, 1853	29
<i>Chaetodon plebeius</i> Cuvier, 1831	29
<i>Chaetodon trifasciatus</i> Park, 1797	29
<i>Chaetodon vagabundus</i> Linnaeus, 1758	29
<i>Chaetodon xanthocephalus</i> Bennett, 1833	29
<i>Chaetomorpha aerea</i> (Dillw.) Kuetzing, 1849	2, 5
<i>Chaetomorpha antennina</i> Kuetzing, 1847	2, 5
<i>Chaetomorpha linum</i> (Muller) Kuetzing, 1845	2, 5
<i>Champia globulifera</i> Borgesen, 1937	2, 4
<i>Chanos chanos</i> (Forsskål, 1775)	29
<i>Charybdis (Charybdis) lucifera</i> (Fabricius, 1798)	14
<i>Charybdis (Goniohellenus) hoplites</i> (Wood-Mason, 1877)	14
<i>Charybdis (Goniohellenus) truncata</i> (Fabricius, 1798)	14
<i>Charybdis feriatius</i> (Linnaeus, 1758)	14
<i>Charybdis natator</i> (Herbst, 1794)	14

Species	Page
<i>Charybdis orientalis</i> Dana, 1852	14
<i>Charybdis smithi</i> Macleay 1838	14
<i>Chascanopsetta lugubris</i> Alcock, 1894	26
<i>Chasmocarcinops gelasimoides</i> Alcock, 1900	12
<i>Chauliodus sloani</i> Bloch & Schneider, 1801	43
<i>Cheilinus chlorourus</i> (Bloch, 1791)	33
<i>Cheilinus diagrammus</i> (Lacepède, 1801)	33
<i>Cheilinus trilobatus</i> Lacepède, 1801	33
<i>Cheilinus undulatus</i> Rüppell, 1835	33
<i>Cheilio inermis</i> (Forsskål, 1775)	33
<i>Cheilopogon furcatus</i> (Mitchill, 1815)	31
<i>Cheilopogon suttoni</i> (Whitley & Colefax, 1938)	31
<i>Cheilosporum spectabile</i> Harvrey ex Grunow, 1874	2, 5
<i>Chelidonichthys capensis</i> (Cuvier, 1829)	45
<i>Chelonodon laticeps</i> Smith, 1948	44
<i>Chelonodon patoca</i> (Hamilton, 1822)	44
<i>Chicoreus adustus</i> (Lamarck, 1822)	18
<i>Chicoreus ramosus</i> (Linnaeus, 1758)	18
<i>Chiloscyllium griseum</i> (Müller & Henle, 1838)	32
<i>Chiloscyllium indicum</i> (Gmelin, 1789)	32
<i>Chirocentrus dorab</i> (Forsskål, 1775)	29
<i>Chirocentrus nudus</i> Swainson, 1839	29
<i>Chlamys tranquebaricus</i> Gmelin, 1791	19
<i>Chlorophthalmus agassizi</i> Bonaparte, 1840	29
<i>Chlorophthalmus bicornis</i> Norman, 1939	29
<i>Chlorophthalmus punctatus</i> Gilchrist, 1904	29
<i>Chlorurus sordidus</i> (Forsskål, 1775)	40
<i>Chnoospora implexa</i> J. Agardh, 1848	2, 4
<i>Choerodon robustus</i> (Günther, 1862)	33
<i>Chondria cornuta</i> Borgeesen, 1932	3, 6
<i>Chironema chlorotaenia</i> McKay, 1971	38
<i>Chromis caerulea</i> (Cuvier, 1830)	39
<i>Chromis opercularis</i> (Günther, 1867)	39
<i>Chrysiptera glauca</i> (Cuvier, 1830)	39
<i>Chrysolephus cristiceps</i> (Valenciennes, 1830)	43
<i>Chrysochir aureus</i> (Richardson, 1846)	40
<i>Cirrhitus pinnulatus</i> (Forster, 1801)	29
<i>Cistopus indicus</i> (Rapp, 1835)	19
<i>Cladiella australis</i> (Macfadyen, 1936)	9
<i>Cladophora bombayensis</i> Borgeesen, 1935	2, 5
<i>Cladophora fascicularis</i> (Mertens) Kuetzing, 1843	2
<i>Cladophora lehmanniana</i> (Lind.) Kuetzing, 1843	2, 5
<i>Clypeaster rarispinus</i> de Meijere, 1903	22
<i>Clypeaster reticulatus</i> (Linnaeus, 1758)	22

Species	Page
<i>Cociella crocodila</i> (Cuvier, 1829)	38
<i>Codium arabicum</i> Kuetzing, 1856	2
<i>Codium dwarkense</i> Borgesen, 1947	2, 5
<i>Coilia dussumieri</i> Valenciennes, 1848	31
<i>Coilia neglecta</i> Whitehead, 1967	31
<i>Colpomenia sinuosa</i> (Mert.ex Roth) Derbes & Solier, 1851	3
<i>Conger cinereus</i> Rüppell, 1830	30
<i>Congresox talabon</i> (Cuvier, 1829)	36
<i>Conus accuminatus</i> Brug., 1789	16
<i>Conus amadis</i> Gmelin, 1791	16
<i>Conus araneous</i> Lightfoot, 1786	16
<i>Conus archiepiscopus</i> Hwass, 1792	16
<i>Conus clarus</i> Smith, 1881	16
<i>Conus dalli</i> Stearns, 1873	16
<i>Conus ebraeus</i> Linnaeus, 1758	16
<i>Conus episcopus</i> Hwass, 1792	17
<i>Conus geographus</i> Linnaeus, 1758	17
<i>Conus inscriptus</i> Reeve, 1843	17
<i>Conus lithoglyphus</i> Hwass, 1792	17
<i>Conus lividus</i> Hwass, 1792	17
<i>Conus loraissii</i> Kiener, 1845	17
<i>Conus miles</i> Linnaeus, 1758	17
<i>Conus monile</i> Hwass, 1792	17
<i>Conus pennaceus</i> Born, 1778	17
<i>Conus planorbis</i> Born, 1778	17
<i>Conus striatus</i> Linnaeus, 1758	17
<i>Conus tessulatus</i> Born, 1778	17
<i>Conus tulipa</i> Linnaeus 1758	17
<i>Conus violaceus</i> Gmelin, 1791	17
<i>Conus zonatus</i> Hwass, 1792	17
<i>Cookeolus japonicus</i> (Cuvier, 1829)	39
<i>Coris formosa</i> (Bennett, 1830)	33
<i>Coris gaimard</i> (Quoy & Gaimard, 1824)	33
<i>Coryphaena hippurus</i> Linnaeus, 1758	30
<i>Coscinaraea monile</i> (Forsskal, 1775)	11
<i>Crassostrea madrasensis</i> (Preston, 1916)	19
<i>Crenidens crenidens</i> (Forsskål, 1775)	43
<i>Crenimugil crenilabis</i> (Forsskål, 1775)	36
<i>Cronia contracta</i> (Reeve, 1846)	18
<i>Cryptopodia angulata</i> Milne Edwards & Lucas, 1841	13
<i>Ctenactis echinata</i> (Pallas, 1766)	10
<i>Ctenochaetus strigosus</i> (Bennett, 1828)	25
<i>Cubiceps baxteri</i> McCulloch, 1923	37
<i>Cubiceps squamiceps</i> (Lloyd, 1909)	37

Species	Page
<i>Culcita schmideliana</i> (Retzius, 1805)	22
<i>Cylichthys orbicularis</i> (Bloch, 1785)	30
<i>Cycloseris cyclolites</i> (Lamarck, 1801)	10
<i>Cyclothone acclinidens</i> Garman, 1899	32
<i>Cymatium nicobaricum</i> (Röding, 1798)	20
<i>Cymatium perryi</i> Emerson & Old, 1963	20
<i>Cymatium tripus</i> (Gmelin, 1791)	20
<i>Cymodocea rotundata</i> Ehrenberg & Hemprich ex Ascherson, 1870	4, 6
<i>Cymodocea serrulata</i> Ascherson & Magnus	4, 6
<i>Cynoglossus arel</i> (Bloch & Schneider, 1801)	30
<i>Cynoglossus bilineatus</i> (Lacepede, 1802)	30
<i>Cynoglossus dubius</i> Day, 1873	30
<i>Cynoglossus lida</i> (Bleeker, 1851)	30
<i>Cynoglossus lingua</i> Hamilton, 1822	30
<i>Cynoglossus macrolepidotus</i> (Bleeker, 1851)	30
<i>Cynoglossus macrostomus</i> Norman, 1928	30
<i>Cynoglossus puncticeps</i> (Richardson, 1846)	30
<i>Cyphastrea micropthalma</i> (Lamarck, 1816)	9
<i>Cyphastrea serailia</i> (Forsskal, 1775)	9
<i>Cypraea annulus</i> Linnaeus, 1758	17
<i>Cypraea argus</i> Linnaeus, 1758	17
<i>Cypraea asellus</i> Linnaeus, 1758	17
<i>Cypraea caputserpentis</i> Linnaeus, 1758	17
<i>Cypraea diluculum</i> Reeve, 1845	17
<i>Cypraea erosa</i> Linnaeus, 1758	17
<i>Cypraea lynx</i> Linnaeus, 1758	17
<i>Cypraea scurra</i> Gmelin, 1791	17
<i>Cypraea spurca</i> Linnaeus, 1758	17
<i>Cypraea talpa</i> Linnaeus, 1758	17
<i>Cypraea tigris</i> Linnaeus, 1758	17
<i>Cypraea vitellus</i> Linnaeus, 1758	17
<i>Cypselurus comatus</i> (Mitchill, 1815)	31
<i>Cypselurus oligolepis</i> (Bleeker, 1865)	31
<i>Cypselurus poecilopterus</i> (Valenciennes, 1847)	31
<i>Cyttopsis rosea</i> (Lowe, 1843)	38
<i>Dactyloptena orientalis</i> (Cuvier, 1829)	30
<i>Dactyloptena peterseni</i> (Nyström, 1887)	30
<i>Dactylosaster cylindricus</i> (Lamarck, 1816)	22
<i>Daldorfia horrida</i> (Linnaeus, 1758)	13
<i>Dascyllus aruanus</i> (Linnaeus, 1758)	39
<i>Dascyllus carneus</i> Fischer, 1885	39
<i>Dascyllus trimaculatus</i> (Rüppell, 1829)	39
<i>Dasyatis kuhlii</i> (Müller & Henle, 1841)	30
<i>Dasyatis thetidis</i> Ogilby, 1899	30

Species	Page
<i>Daysciaena albida</i> (Cuvier, 1830)	40
<i>Deania profundorum</i> (Smith & Radcliffe, 1912)	28
<i>Decapterus kurroides</i> Bleeker, 1855	27
<i>Decapterus lajang</i> Bleeker, 1855	27
<i>Decapterus macarellus</i> (Cuvier, 1833)	27
<i>Decapterus macrosoma</i> Bleeker, 1851	27
<i>Decapterus russelli</i> (Rüppell, 1830)	28
<i>Decapterus tabl</i> Berry, 1968	28
<i>Demania baccalipes</i> (Alcock, 1898)	15
<i>Dendrilla cactus</i> (Selenka, 1867)	7
<i>Dendrilla nigra</i> (Den., 1964)	7
<i>Dendrochirus brachypterus</i> (Cuvier, 1829)	41
<i>Dendrochirus zebra</i> (Cuvier, 1829)	41
<i>Dendrophyllia micranthus</i> (Ehrenberg, 1834)	9
<i>Dendrophysa russelii</i> (Cuvier, 1829)	40
<i>Diagramma pictum</i> (Thunberg, 1792)	32
<i>Diaphus aliciae</i> Fowler, 1934	36
<i>Diaphus efulgens</i> (Goode & Bean, 1896)	36
<i>Diaphus fragilis</i> Tåning, 1928	36
<i>Diaphus watasei</i> Jordan & Starks, 1904	36
<i>Dictyota cervicornis</i> Kuetzing, 1859	2, 5
<i>Dictyota dichotoma</i> (Huds.) Lamouroux, 1809	2, 5
<i>Dictyota divaricata</i> Lamouroux, 1809	2, 5
<i>Didemnum psammathodes</i> , Sluiter, 1895	24
<i>Diodon holocanthus</i> Linnaeus, 1758	30
<i>Diogenichthys panurgus</i> Bolin, 1946	37
<i>Diploastrea heliopora</i> (Lamarck, 1816)	9
<i>Diplosoma swamiensis</i> Renganathan, 1986	24
<i>Distaplia nathensis</i> (Meenakshi, 1998)	24
<i>Distorsio anus</i> (Linnaeus, 1758)	20
<i>Distorsio reticulata</i> Röding, 1798	20
<i>Doclea hybrida</i> (Fabricius, 1787)	12
<i>Doclea ovis</i> (Fabricius, 1787)	12
<i>Donax cuneata</i> Linnaeus, 1758	17
<i>Donax sinosus</i> Gmelin, 1791	17
<i>Drepane longimana</i> (Bloch & Schneider, 1801)	30
<i>Drepane punctata</i> (Linnaeus, 1758)	30
<i>Dromia dormia</i> (Linnaeus, 1763)	12
<i>Dussumieria acuta</i> Valenciennes, 1847	29
<i>Dussumieria elopsoides</i> Bleeker, 1849	29
<i>Echeneis naucrates</i> Linnaeus, 1758	30
<i>Echidna nebulosa</i> (Ahl, 1789)	36
<i>Echinodiscus auritus</i> Leske, 1778	23
<i>Echinodiscus bisperforatus</i> Leske, 1778	23

Species	Page
<i>Echinogorgia reticulata</i> (Esper, 1791)	11
<i>Echinolampas ovata</i> (Leske, 1778)	22
<i>Echinometra mathaei</i> (Blainville, 1825)	22
<i>Echinomuricea indica</i> Thomson & Simpson, 1909	11
<i>Echinomuricea indomalaccensis</i> Ridley, 1884	11
<i>Echinopora horrida</i> Dana, 1846	9
<i>Echinopora lamellosa</i> (Esper, 1795)	9
<i>Echinorhinus brucus</i> (Bonnaterre, 1788)	30
<i>Echinothrix diadema</i> (Linnaeus, 1758)	22
<i>Elagatis bipinnulata</i> (Quoy & Gaimard, 1825)	28
<i>Eleutheronema tetradactylum</i> (Shaw, 1804)	39
<i>Emerita asiatica</i> Milne-Edwards, 1883	12
<i>Emmelichthys nitidus</i> Richardson, 1845	30
<i>Encheliophis homei</i> (Richardson, 1846)	28
<i>Encrasicholina devisi</i> (Whitley, 1940)	31
<i>Encrasicholina heteroloba</i> (Rüppell, 1837)	31
<i>Encrasicholina punctifer</i> Fowler, 1938	31
<i>Enhalus koenigi</i> Richard, 1812	4, 6
<i>Enoplolambus echinatus</i> (Herbst, 1790)	13
<i>Enoplometopus occidentalis</i> (Randall, 1840)	12
<i>Enteromorpha compressa</i> (Linn.) Nees, 1820	4, 6
<i>Ephippus orbis</i> (Bloch, 1787)	31
<i>Epinephelus albomarginatus</i> Boulenger, 1903	42
<i>Epinephelus andersoni</i> Boulenger, 1903	42
<i>Epinephelus areolatus</i> (Forsskål, 1775)	42
<i>Epinephelus bleekeri</i> (Vaillant, 1878)	42
<i>Epinephelus chlorostigma</i> (Valenciennes, 1828)	42
<i>Epinephelus coeruleopunctatus</i> (Bloch, 1790)	42
<i>Epinephelus diacanthus</i> (Valenciennes, 1828)	42
<i>Epinephelus epistictus</i> (Temminck & Schlegel, 1842)	42
<i>Epinephelus fasciatus</i> (Forsskål, 1775)	42
<i>Epinephelus flavocaeruleus</i> (Lacepède, 1802)	42
<i>Epinephelus hexagonatus</i> (Forster, 1801)	42
<i>Epinephelus latifasciatus</i> (Temminck & Schlegel, 1842)	42
<i>Epinephelus longispinis</i> (Kner, 1864)	42
<i>Epinephelus malabaricus</i> (Bloch & Schneider, 1801)	42
<i>Epinephelus merra</i> Bloch, 1793	42
<i>Epinephelus poecilonotus</i> (Temminck & Schlegel, 1842)	42
<i>Epinephelus polyphkadion</i> (Bleeker, 1867)	42
<i>Epinephelus quoyanus</i> (Valenciennes, 1830)	42
<i>Epinephelus radiatus</i> (Day, 1868)	42
<i>Epinephelus tauvina</i> (Forsskål, 1775)	42
<i>Epinephelus undulosus</i> (Quoy & Gaimard, 1824)	42
<i>Equulites leuciscus</i> (Günther, 1860)	34

Species	Page
<i>Eridacnis radcliffei</i> Smith, 1913	39
<i>Erisphex pottii</i> (Steindachner, 1896)	25
<i>Erronea erronea</i> Linnaeus, 1758	17
<i>Erugosquilla woodmasoni</i> (Kemp, 1911)	15
<i>Erythrocles acarina</i> Kotthaus, 1974	30
<i>Erythrocles schlegelii</i> (Richardson, 1846)	30
<i>Escualosa thoracata</i> (Valenciennes, 1847)	30
<i>Etmopterus pusillus</i> (Lowe, 1839)	31
<i>Etroplus maculatus</i> (Bloch, 1795)	29
<i>Etroplus suratensis</i> (Bloch, 1790)	29
<i>Euichelus atratus</i> (Gmelin, 1791)	20
<i>Eucrate crenata</i> (De Haan, 1835)	12
<i>Eudistoma lakshmiyani</i> Renganathan, 1986	24
<i>Eumecichthys fiski</i> (Günther, 1890)	34
<i>Euphausia superba</i> Dana, 1852	12
<i>Euphyllia glabrescens</i> (Chamisso and Eysenhardt, 1821)	9
<i>Eupleurogrammus glossodon</i> (Bleeker, 1860)	45
<i>Eupleurogrammus muticus</i> (Gray, 1831)	45
<i>Eurypegasus draconis</i> (Linnaeus, 1766)	38
<i>Eusphyra blochii</i> (Cuvier, 1816)	43
<i>Eusynstyela tincta</i> (Van Name, 1902)	24
<i>Euthynnus affinis</i> (Cantor, 1849)	41
<i>Evermannella balbo</i> (Risso, 1820)	31
<i>Exhippolysmata ensirostris</i> (Kemp, 1914)	12
<i>Exopalaemon styliferus</i> (H. Milne Edwards, 1840)	13
<i>Fasciolaria filamentosa</i> Lamarck, 1822	17
<i>Fasciospongia cavernosa</i> (Schmidt, 1862)	7
<i>Favia fava</i> (Forsskal, 1775)	9
<i>Favia matthaii</i> (Vaughan, 1918)	9
<i>Favia pallida</i> (Dana, 1846)	9
<i>Favia rotundata</i> (Veron and Pichon, 1977)	9
<i>Favia speciosa</i> (Dana, 1846)	9
<i>Favia stelligera</i> (Dana, 1846)	9
<i>Favia valenciennesi</i> (Edwards & Haime, 1848)	9
<i>Favites abdita</i> (Ellis and Solander, 1786)	10
<i>Favites bestae</i> Veron, 2000	10
<i>Favites complanata</i> (Ehrenberg, 1834)	10
<i>Favites flexuosa</i> (Dana, 1846)	10
<i>Favites halicora</i> (Ehrenberg, 1834)	10
<i>Favites melicerum</i> (Ehrenberg) Pillai, 1986	10
<i>Fenneropenaeus indicus</i> (H. Milne Edwards, 1837)	13
<i>Fenneropenaeus merguensis</i> (De Man, 1888)	13
<i>Ficus ficoides</i> (Lamarck, 1822)	17
<i>Ficus ficus</i> (Linnaeus, 1758)	17

Species	Page
<i>Ficus gracilis</i> (Sowerby, 1825)	17
<i>Filimanus heptadactyla</i> (Cuvier, 1829)	39
<i>Fistularia commersonii</i> Rüppell, 1838	31
<i>Fistularia petimba</i> Lacepède, 1803	31
<i>Forcipiger flavissimus</i> Jordan & McGregor, 1898	29
<i>Forcipiger longirostris</i> (Broussonet, 1782)	29
<i>Fungia fungites</i> (Linnaeus, 1758)	10
<i>Fungia repanda</i> Dana, 1846	10
<i>Fungia scutaria</i> Lamarck, 1801	10
<i>Fungia subrepanda</i> Doderlein, 1901	10
<i>Fusinus forceps</i> (Perry, 1811)	17
<i>Fusinus nicobaricus</i> Lamarck, 1822	17
<i>Galaxea astreata</i> (Lamarck, 1816)	10
<i>Galaxea fascicularis</i> (Linnaeus, 1767)	10
<i>Galene bispinosa</i> (Herbst, 1783)	12
<i>Galeocerdo cuvier</i> (Péron & Lesueur, 1822)	28
<i>Gardineroseris planulata</i> (Dana, 1846)	9
<i>Gazza achlamys</i> Jordan & Starks, 1917	34
<i>Gazza minuta</i> (Bloch, 1795)	34
<i>Gelidiella acerosa</i> (Forssk.)Feldmann & G. Hamel,1934	2, 5
<i>Gelidiopsis variabilis</i> (J.Ag.) Schmitz,1851	3, 6
<i>Geloina bengalensis</i> Lamarck, 1818	21
<i>Gempylus serpens</i> Cuvier, 1829	31
<i>Gephyroberyx darwini</i> (Johnson, 1866)	44
<i>Gerres erythrourus</i> (Bloch, 1791)	31
<i>Gerres filamentosus</i> Cuvier, 1829	31
<i>Gerres limbatus</i> Cuvier, 1830	31
<i>Gerres longirostris</i> (Lacepède, 1801)	31
<i>Gerres macracanthus</i> Bleeker, 1854	31
<i>Gerres oyena</i> (Forsskål, 1775)	31
<i>Glaucostegus granulatus</i> (Cuvier, 1829)	40
<i>Gnathanodon speciosus</i> (Forsskål, 1775)	28
<i>Gnathodentex aureolineatus</i> (Lacepède, 1802)	34
<i>Gobiodon citrinus</i> (Rüppell, 1838)	31
<i>Gomphosus caeruleus</i> Lacepède, 1801	33
<i>Gomphosus varius</i> Lacepède, 1801	33
<i>Goniastrea australensis</i> (Milne-Edwards and Haime, 1857)	10
<i>Goniastrea pectinata</i> (Ehrenberg, 1834)	10
<i>Goniastrea retiformis</i> (Lamarck, 1816)	10
<i>Goniodiscaster scaber</i> (Moebius, 1859)	22
<i>Goniopora klunzingeri</i> Marenzeller, 1906	11
<i>Goniopora minor</i> Crossland, 1952	11
<i>Goniopora nigra</i> Pillai, 1969	11
<i>Goniopora planulata</i> (Ehrenberg, 1834)	11

Species	Page
<i>Goniopora stokesi</i> Milne-Edwards and Haime, 1851	11
<i>Gorgonella umbraculum</i> Ellis & Solander, 1786	9
<i>Gracilaria arcuata</i> Zanardini, 1858	3, 5
<i>Gracilaria corticata</i> var. <i>corticata</i> J. Agardh, 1852	3, 5
<i>Gracilaria edulis</i> P. Silva, 1952	3, 5
<i>Gracilaria foliifera</i> (Forssk.) Borgesen, 1932	3, 5
<i>Gracilaria Pudumadamensis</i> V. Krishnamurthy & Rajendran, 1987	3, 5
<i>Gracilaria salicornia</i> (C. Ag.) Dawson, 1954	3, 5
<i>Gracilariopsis lemneiformis</i> Dawson, Acleto & Foldvik, 1823	3, 5
<i>Grammistes sexlineatus</i> (Thunberg, 1792)	42
<i>Gammoplites scaber</i> (Linnaeus, 1758)	38
<i>Gammoplites suppositus</i> (Troschel, 1840)	38
<i>Grateloupia filicina</i> (Lam.) C. Agardh, 1822	3, 5
<i>Grateloupia lithophila</i> Borgesen, 1938	3, 5
<i>Gratiadusta pallida</i> Gray, 1824	17
<i>Gymnocranium griseus</i> (Temminck & Schlegel, 1843)	34
<i>Gymnosarda unicolor</i> (Rüppell, 1836)	41
<i>Gymnothorax enigmaticus</i> McCosker & Randall, 1982	36
<i>Gymnothorax eurostus</i> (Abbott, 1860)	36
<i>Gymnothorax favagineus</i> Bloch & Schneider, 1801	36
<i>Gymnothorax flavimarginatus</i> (Rüppell, 1830)	36
<i>Gymnothorax meleagris</i> (Shaw, 1795)	36
<i>Gymnothorax punctatus</i> Bloch & Schneider, 1801	36
<i>Gymnothorax ruppellii</i> (McClelland, 1844)	36
<i>Halaelurus quagga</i> (Alcock, 1899)	41
<i>Halichoeres hortulanus</i> (Lacepede, 1801)	33
<i>Halichoeres marginatus</i> Rüppell, 1835	33
<i>Halichoeres nigrescens</i> (Bloch & Schneider, 1801)	33
<i>Halichoeres scapularis</i> (Bennett, 1832)	33
<i>Halichoeres zeylonicus</i> (Bennett, 1833)	33
<i>Haliclona oculata</i> (Pallas, 1766)	7
<i>Halieutaea coccinea</i> Alcock, 1889	37
<i>Halieutaea hancocki</i> Regan, 1908	37
<i>Halieutopsis micropa</i> (Alcock, 1891)	37
<i>Halimeda gracilis</i> Harvey ex J. Agardh, 1887	3, 5
<i>Halimeda macroloba</i> Decaisne, 1841	3, 5
<i>Halimede ochthodes</i> (Herbst, 1783)	12
<i>Haliotis varia</i> Linnaeus, 1758	18
<i>Halodule uninervis</i> (Forskall) Ascherson, 1882	4, 6
<i>Halophila ovalis</i> (R. Brown) J.D. Hooker, 1858	4, 6
<i>Halophila ovata</i> Gaudichaud, 1827	4, 6
<i>Halymenia dilatata</i> Zanardini, 1851	3, 5
<i>Halymenia floresia</i> (Clem. y Rubio ) C. Agardh, 1817	3, 5
<i>Harpa major</i> Röding, 1798	18

Species	Page
<i>Harpadon nehereus</i> (Hamilton, 1822)	44
<i>Harpadon squamosus</i> Alcock, 1891	44
<i>Harpiosquilla annandalei</i> (Kemp, 1911)	15
<i>Harpiosquilla harpax</i> (de Haan, 1844)	15
<i>Harpulina lotoisii</i> Valenciennes, 1863	21
<i>Haustellum malabaricus</i> (E. A. Smith, 1894)	18
<i>Heliopora coerulea</i> (Pallas, 1766)	10
<i>Hemifusus cochlidium</i> (Linnaeus, 1758)	21
<i>Hemifusus pugilinus</i> (Born, 1778)	21
<i>Hemigymnus fasciatus</i> (Bloch, 1792)	33
<i>Hemigymnus melapterus</i> (Bloch, 1791)	33
<i>Hemiramphus archipelagicus</i> Collette & Parin, 1978	32
<i>Hemiramphus far</i> (Forsskål, 1775)	32
<i>Hemiramphus lutkei</i> Valenciennes, 1847	32
<i>Hemiramphus marginatus</i> Lesueur, 1821	32
<i>Heniochus acuminatus</i> (Linnaeus, 1758)	29
<i>Heniochus diphreutes</i> Jordan, 1903	29
<i>Heniochus monoceros</i> Cuvier, 1831	29
<i>Heptanchias perlo</i> (Bonnaterre, 1788)	32
<i>Herdmania momus</i> (Savigny, 1816)	24
<i>Heterocarpoides levicarena</i> Bate, 1888	13
<i>Heterocarpus gibbosus</i> Bate, 1888	13
<i>Heterocarpus woodmasoni</i> Alcock, 1901	13
<i>Heteropneustes fossilis</i> (Bloch, 1794)	32
<i>Heteropriacanthus cruentatus</i> (Lacepède, 1801)	39
<i>Hilsa kelee</i> (Cuvier, 1829)	30
<i>Himantura imbricata</i> (Bloch & Schneider, 1801)	30
<i>Himantura uarnak</i> (Gmelin, 1789)	30
<i>Hippocampus kuda</i> Bleeker, 1852	44
<i>Hippocampus whitei</i> Bleeker, 1855	44
<i>Histioplerus typus</i> Temminck & Schlegel, 1844	38
<i>Histrion histrio</i> (Linnaeus, 1758)	25
<i>Holanthias rhodopeplus</i> (Günther, 1872)	42
<i>Holapogon maximus</i> (Boulenger, 1888)	25
<i>Hologymnosus doliatus</i> (Lacepède, 1801)	33
<i>Holothuria (Mertensiothuria) leucospilota</i> (Brandt, 1835)	22
<i>Holothuria (Mertensiothuria) pervicax</i> (Selank, 1867)	22
<i>Holothuria (Mertensiothuria) scabra</i> Jaeger, 1833	22
<i>Holothuria (Michrothela) nobilis</i> (Selanka, 1867)	22
<i>Holothuria (Thymiosycia) arenicola</i> Semper, 1868	22
<i>Holothuria (Thymiosycia) hilla</i> Lesson, 1830	22
<i>Holothuria (Thymiosycia) impatiens</i> (Forsskal, 1775)	22
<i>Holothuria spinifera</i> Théel, 1886	22
<i>Holothuria (Semperothuria) moebi</i> (Ludwig, 1875)	22

Species	Page
<i>Hoplostethus melanopterus</i> Fowler, 1938	44
<i>Horabagrus brachysoma</i> (Günther, 1864)	40
<i>Hyalonema apertum</i> Schulze, 1886	7
<i>Hyastenus diacanthus</i> (De Hann, 1835)	12
<i>Hyattella cribriformis</i> (Hyatt, 1877)	7
<i>Hydnophora exesa</i> (Pallas, 1766)	10
<i>Hydnophora microconos</i> (Lamarck, 1816)	10
<i>Hydnophora rigida</i> (Dana, 1846)	10
<i>Hydroclathrus clathratus</i> (C. Ag.) Howe, 1920	3, 6
<i>Hypnea pannosa</i> J. Agardh, 1847	3, 5
<i>Hypnea valentiae</i> (Turn.) Montagne, 1841	3, 5
<i>Hyporhamphus affinis</i> (Günther, 1866)	32
<i>Hyporhamphus dussumieri</i> (Valenciennes, 1847)	32
<i>Hyporhamphus limbatus</i> (Valenciennes, 1847)	32
<i>Hyporhamphus quoyi</i> (Valenciennes, 1847)	32
<i>Iago omanensis</i> (Norman, 1939)	45
<i>Ichthyococcus ovatus</i> (Cocco, 1838)	38
<i>Ichthyoscopus lebeck</i> (Bloch & Schneider, 1801)	45
<i>Ilisha filigera</i> (Valenciennes, 1847)	39
<i>Ilisha megaloptera</i> (Swainson, 1839)	39
<i>Ilisha melastoma</i> (Bloch & Schneider, 1801)	39
<i>Iniistius pavo</i> (Valenciennes, 1840)	33
<i>Ixoides cornutus</i> Mac Gilchrist, 1905	12
<i>Jania rubens</i> (Linn.) Lamouroux, 1758	2, 5
<i>Johnius amblycephalus</i> (Bleeker, 1855)	40
<i>Johnius belangerii</i> (Cuvier, 1830)	40
<i>Johnius borneensis</i> (Bleeker, 1851)	40
<i>Johnius carutta</i> Bloch, 1793	40
<i>Johnius dussumieri</i> (Cuvier, 1830)	40
<i>Johnius glaucus</i> (Day, 1876)	40
<i>Johnius macropterus</i> (Bleeker, 1853)	40
<i>Johnius macrorhynchus</i> (Mohan, 1976)	41
<i>Juncella juncea</i> (Pallas, 1766)	9
<i>Kappaphycus alvarezii</i> (Doty) Doty ex P. Silva, 1996	4, 6
<i>Katelsia opima</i> (Gmelin, 1791)	21
<i>Kathala axillaris</i> (Cuvier, 1830)	41
<i>Katsuwonus pelamis</i> (Linnaeus, 1758)	41
<i>Kuhlia mugil</i> (Forster, 1801)	33
<i>Kumococius rodericensis</i> (Cuvier, 1829)	38
<i>Kyphosus cinerascens</i> (Forsskål, 1775)	33
<i>Kyphosus vaigiensis</i> (Quoy & Gaimard, 1825)	33
<i>Labidodemas rugosum</i> (Ludwig, 1875)	22
<i>Labroides dimidiatus</i> (Valenciennes, 1839)	33
<i>Labropsis xanthonota</i> Randall, 1981	33

Species	Page
<i>Lactarius lactarius</i> (Bloch & Schneider, 1801)	34
<i>Lactoria cornuta</i> (Linnaeus, 1758)	38
<i>Laganum depressum</i> (L. Agassiz, 1841)	22
<i>Lagocephalus inermis</i> (Temminck & Schlegel, 1850)	44
<i>Lagocephalus lagocephalus</i> (Linnaeus, 1758)	44
<i>Lagocephalus lunaris</i> (Bloch & Schneider, 1801)	44
<i>Lagocephalus scleratus</i> (Gmelin, 1789)	44
<i>Lagocephalus spadiceus</i> (Richardson, 1845)	44
<i>Lalmohania velutina</i> Hutchins, 1994	35
<i>Lambis chiragra</i> (Linnaeus, 1758)	20
<i>Lambis lambis</i> (Linnaeus, 1758)	20
<i>Lampanyctus turneri</i> (Fowler, 1934)	37
<i>Lates calcarifer</i> (Bloch, 1790)	34
<i>Latirus craticulatus</i> (Linnaeus, 1758)	17
<i>Laurencia papillosa</i> (C.Ag.) Greville, 1830	3, 6
<i>Laurencia poitei</i> (Lam.) M.A.Howe, 1918	3, 6
<i>Lauridromia dehaani</i> (Rathbun, 1923)	12
<i>Leiognathus berbis</i> (Valenciennes, 1835)	34
<i>Leiognathus bindus</i> (Valenciennes, 1835)	34
<i>Leiognathus blochii</i> (Valenciennes, 1835)	34
<i>Leiognathus brevis</i> (Valenciennes, 1835)	34
<i>Leiognathus daura</i> (Cuvier, 1829)	34
<i>Leiognathus dussumieri</i> (Valenciennes, 1835)	34
<i>Leiognathus elongatus</i> (Günther, 1874)	34
<i>Leiognathus equulus</i> (Forsskål, 1775)	34
<i>Leiognathus fasciatus</i> (Lacepede, 1803)	34
<i>Leiognathus jonesi</i> James, 1971	34
<i>Leiognathus leuciscus</i> (Günther, 1860)	34
<i>Leiognathus lineolatus</i> (Valenciennes, 1835)	34
<i>Leiognathus smithursti</i> (Ramsay & Ogilby, 1886)	34
<i>Leiognathus splendens</i> (Cuvier, 1829)	34
<i>Leiognathus striatus</i> James & Badrudeen, 1991	34
<i>Lepidotrigla bentuviai</i> Richards & Saksena, 1977	45
<i>Lepidotrigla multispinosa</i> Smith, 1934	45
<i>Lepidotrigla omanensis</i> Regan, 1905	45
<i>Leptastrea bottae</i> (Milne-Edwards and Haime, 1849)	10
<i>Leptastrea purpurea</i> (Dana, 1846)	10
<i>Leptastrea transversa</i> Klunzinger, 1879	10
<i>Leptogorgia australensis</i> Ridley, 1844	10
<i>Leptomelanosoma indicum</i> (Shaw, 1804)	39
<i>Leptorea phrygia</i> (Ellis and Solander, 1786)	10
<i>Leptoscarus vaigiensis</i> (Quoy & Gaimard, 1824)	40
<i>Lepturacanthus pantului</i> (Gupta, 1966)	45
<i>Lepturacanthus savala</i> (Cuvier, 1829)	45

Species	Page
<i>Lethrinus conchylatus</i> (Smith, 1959)	34
<i>Lethrinus harak</i> (Forsskål, 1775)	34
<i>Lethrinus lentjan</i> (Lacepède, 1802)	34
<i>Lethrinus mahsena</i> (Forsskål, 1775)	34
<i>Lethrinus microdon</i> Valenciennes, 1830	34
<i>Lethrinus miniatus</i> (Forster, 1801)	34
<i>Lethrinus nebulosus</i> (Forsskål, 1775)	34
<i>Lethrinus obsoletus</i> (Forsskål, 1775)	34
<i>Lethrinus ornatus</i> Valenciennes, 1830	34
<i>Lethrinus rubrioperculatus</i> Sato, 1978	34
<i>Liagora doris</i> Zeh, 1912	3, 5
<i>Liagora orientalis</i> J. Agardh, 1896	3, 5
<i>Liagore rubromaculata</i> (De Haan, 1835)	15
<i>Linckia guildingii</i> Gray, 1840	22
<i>Linckia multifora</i> (Lamarck, 1816)	22
<i>Linuparus somniosus</i> Berry and George, 1972	13
<i>Lipocheilus carnolabrum</i> (Chan, 1970)	35
<i>Lissoclinum fragile</i> (Van Name, 1902)	24
<i>Liza carinata</i> (Valenciennes, 1836)	36
<i>Liza parsia</i> (Hamilton, 1822)	36
<i>Liza subviridis</i> (Valenciennes, 1836)	36
<i>Liza vaigiensis</i> (Quoy & Gaimard, 1825)	36
<i>Lobophora variegata</i> (Lam.) Womersley ex Oliveria, 1977	2, 5
<i>Lobophyllia corymbosa</i> (Forsskål, 1775)	10
<i>Lobophyllia hemprichii</i> (Ehrenberg, 1834)	10
<i>Lobophytum pauciflorum</i> (Ehrenberg, 1834)	9
<i>Lobotes surinamensis</i> (Bloch, 1790)	34
<i>Loligo duvauceli</i> (d'Orbigny, 1848)	18
<i>Loliolus hardwickei</i> (Gray, 1849)	18
<i>Lophiodes insidiator</i> (Regan, 1921)	34
<i>Lophiodes mutilus</i> (Alcock, 1894)	34
<i>Lovenia elongata</i> (Gray, 1845)	22
<i>Lutjanus argentimaculatus</i> (Forsskål, 1775)	35
<i>Lutjanus bengalensis</i> (Bloch, 1790)	35
<i>Lutjanus biguttatus</i> (Valenciennes, 1830)	35
<i>Lutjanus bohar</i> (Forsskål, 1775)	35
<i>Lutjanus decussatus</i> (Cuvier, 1828)	35
<i>Lutjanus fulviflamma</i> (Forsskål, 1775)	35
<i>Lutjanus fulvus</i> (Forster, 1801)	35
<i>Lutjanus gibbus</i> (Forsskål, 1775)	35
<i>Lutjanus johnii</i> (Bloch, 1792)	35
<i>Lutjanus kasmira</i> (Forsskål, 1775)	35
<i>Lutjanus lemniscatus</i> (Valenciennes, 1828)	35
<i>Lutjanus lutjanus</i> Bloch, 1790	35

Species	Page
<i>Lutjanus madras</i> (Valenciennes, 1831)	35
<i>Lutjanus malabaricus</i> (Bloch & Schneider, 1801)	35
<i>Lutjanus quinquelineatus</i> (Bloch, 1790)	35
<i>Lutjanus rivulatus</i> (Cuvier, 1828)	35
<i>Lutjanus russellii</i> (Bleeker, 1849)	35
<i>Lutjanus sebae</i> (Cuvier, 1816)	35
<i>Lutjanus vitta</i> (Quoy & Gaimard, 1824)	35
<i>Lyngbya majuscula</i> Gomont, 1892	3
<i>Lysioquillina maculata</i> (Fabricius, 1793)	13
<i>Lysmata amboinensis</i> De Man, 1888	12
<i>Macrobrachium equidens</i> (Dana, 1852)	13
<i>Macrobrachium rosenbergii</i> (De man, 1879)	13
<i>Macrobrachium rude</i> (Heller, 1862)	13
<i>Macrophthalmus (Venitus) latreillei</i> (Desmarest 1822)	13
<i>Macroramphosus scolopax</i> (Linnaeus, 1758)	35
<i>Mactra cuneata</i> Chemnitz, 1782	18
<i>Mactra mera</i> (Reeve, 1853)	18
<i>Malacanthus latovittatus</i> (Lacepède, 1801)	35
<i>Malleus malleus</i> (Linnaeus, 1758)	18
<i>Manta birostris</i> (Walbaum, 1792)	37
<i>Marsupenaeus japonicus</i> (Bate, 1888)	13
<i>Matuta banksii</i> Leach, 1817	12
<i>Matuta planipes</i> Fabricius, 1798	12
<i>Megalaspis cordyla</i> (Linnaeus, 1758)	28
<i>Megalops cyprinoides</i> (Broussonet, 1782)	35
<i>Meganthias filiferus</i> Randall & Heemstra, 2008	42
<i>Megokris granulatus</i> (Haswell, 1879)	13
<i>Megokris sedili</i> (Hall, 1961)	13
<i>Melampus castaneus</i> Mühlfeld, 1818	17
<i>Melicertus canaliculatus</i> (Olivier, 1811)	14
<i>Melicertus latisulcatus</i> (Kishinouye, 1896)	14
<i>Melichthys niger</i> (Bloch, 1786)	26
<i>Mene maculata</i> (Bloch & Schneider, 1801)	35
<i>Menippe rumphii</i> (Fabricius, 1798)	15
<i>Meretrix meretrix</i> (Linnaeus, 1758)	21
<i>Merulina ampliata</i> (Ellis and Solander, 1786)	10
<i>Metapenaepsis andamanensis</i> (Wood-Mason, 1891)	14
<i>Metapenaepsis barbata</i> (De Haan, 1844)	14
<i>Metapenaepsis coniger</i> (Wood-Mason, 1891)	14
<i>Metapenaepsis stridulans</i> (Alcock, 1905)	14
<i>Metapenaeus affinis</i> (H. Milne Edwards, 1837)	14
<i>Metapenaeus brevicornis</i> (Milne-Edwards, 1837)	14
<i>Metapenaeus dobsoni</i> (Miers, 1878)	14
<i>Metapenaeus ensis</i> (De Haan, 1844)	14

Species	Page
<i>Metapenaeus lysianassa</i> (De Man, 1888)	14
<i>Metapenaeus monoceros</i> (Fabricius, 1798)	14
<i>Microcosmus exasperatus</i> Heller, 1878	24
<i>Microcosmus helleri</i> Herdman, 1881	24
<i>Millepora dichotoma</i> (Forsskel, 1775)	10
<i>Millepora platyphylla</i> Hemprich and Ehrenberg, 1834	10
<i>Millepora truncata</i> Smitt, 1868	10
<i>Minous dempsterae</i> Eschmeyer, Hallacher & Rama-Rao, 1979	41
<i>Minous monodactylus</i> (Bloch & Schneider, 1801)	41
<i>Mitra ambigua</i> . Swainson, 1829	18
<i>Mitra ferruginea</i> Lamarck, 1811	18
<i>Miyakea nepa</i> ((Latreille, 1828)	15
<i>Miyakea holoschista</i> (Kemp, 1911)	15
<i>Modiolus tulipa</i> Lamarck, 1819	18
<i>Molgula bisinus</i> Monniot, 1989	24
<i>Monomitopus nigripinnis</i> (Alcock, 1889)	37
<i>Monotaxis grandoculis</i> (Forsskål, 1775)	34
<i>Montipora danae</i> (Milne-Edwards and Haime, 1851)	8
<i>Montipora digitata</i> (Dana, 1846)	8
<i>Montipora explanata</i> Brueggeman, 1789	9
<i>Montipora floweri</i> Wells, 1954	9
<i>Montipora foliosa</i> (Pallas, 1766)	9
<i>Montipora hispida</i> (Dana, 1846)	9
<i>Montipora monasteriata</i> (Forsskål, 1775)	9
<i>Montipora tuberculosa</i> (Lamarck, 1816)	9
<i>Montipora turgescens</i> Bernard, 1897	9
<i>Montipora venosa</i> (Ehrenberg, 1834)	9
<i>Morula fusca</i> (Kuster, 1858)	18
<i>Mugil cephalus</i> Linnaeus, 1758	36
<i>Mulloidichthys flavolineatus</i> (Lacepède, 1801)	36
<i>Muraenesox cinereus</i> (Forsskål, 1775)	36
<i>Murex haustellum</i> Linnaeus, 1758	18
<i>Murex murex</i> Linnaeus, 1758	18
<i>Murex tribulus</i> Linnaeus, 1758	18
<i>Murex virgineus</i> Roding, 1798	18
<i>Mustelus moisis</i> Hemprich & Ehrenberg, 1899	45
<i>Mycedium elephantotus</i> (Pallas, 1766)	11
<i>Myctophum aurolaternatum</i> Garman, 1899	37
<i>Myliobatis aquila</i> (Linnaeus, 1758)	37
<i>Myripristis adusta</i> Bleeker, 1853	32
<i>Myripristis botche</i> Cuvier, 1829	32
<i>Myripristis murdjan</i> (Forsskål, 1775)	32
<i>Myripristis pralinia</i> Cuvier, 1829	32
<i>Narcine brunnea</i> Annandale, 1909	37

Species	Page
<i>Narcine timplei</i> (Bloch & Schneider, 1801)	37
<i>Narke dipterygia</i> (Bloch & Schneider, 1801)	37
<i>Naso brevirostris</i> (Cuvier, 1829)	25
<i>Naso hexacanthus</i> (Bleeker, 1855)	25
<i>Naso lituratus</i> (Forster, 1801)	25
<i>Naso tuberosus</i> Lacepède, 1801	25
<i>Naso vlamingii</i> (Valenciennes, 1835)	25
<i>Nassa hepatica</i> (Montagu, 1803)	18
<i>Nassarius distortus</i> (Adams, 1852)	18
<i>Nassarius nivea</i> (Gmelin, 1971)	18
<i>Nassarius novaezelandiae</i> Reeve, 1854	18
<i>Nassarius stolatus</i> (Gmelin, 1971)	18
<i>Natica albula</i> Récluz, 1851	18
<i>Natica didyma</i> (Röding, 1798)	18
<i>Natica lineata</i> Lamarck, 1822	18
<i>Natica picta</i> Récluz, 1843	18
<i>Natica tigrina</i> (Röding, 1798)	19
<i>Natica vitellus</i> (Linnaeus, 1758)	19
<i>Nemapteryx caelata</i> (Valenciennes, 1840)	26
<i>Nematalosa nasus</i> (Bloch, 1795)	30
<i>Nematopalaemon tenuipes</i> (Henderson, 1893)	13
<i>Nemichthys scolopaceus</i> Richardson, 1848	37
<i>Nemipterus bipunctatus</i> (Valenciennes, 1830)	37
<i>Nemipterus japonicus</i> (Bloch, 1791)	37
<i>Nemipterus mesoprion</i> (Bleeker, 1853)	37
<i>Nemipterus peronii</i> (Valenciennes, 1830)	37
<i>Nemipterus randalli</i> Russell, 1986	37
<i>Nemipterus zysron</i> (Bleeker, 1857)	37
<i>Neobythites steatiticus</i> Alcock, 1894	37
<i>Neopinnula orientalis</i> (Gilchrist & von Bonde, 1924)	31
<i>Neoglyphidodon melas</i> (Cuvier, 1830)	39
<i>Neoharriota pinnata</i> Schnakenbeck, 1931	40
<i>Neolaeops microphthalmus</i> (von Bonde, 1922)	26
<i>Neoniphon argenteus</i> (Valenciennes, 1831)	32
<i>Neoniphon opercularis</i> (Valenciennes, 1831)	32
<i>Neoniphon sammara</i> (Forsskål, 1775)	32
<i>Neopomacentrus cyanomos</i> (Bleeker, 1856)	39
<i>Neopomacentrus sindensis</i> (Day, 1873)	39
<i>Neotrygon kuhlii</i> (Müller & Henle, 1841)	30
<i>Nephropsis carpenteri</i> Wood-Mason, 1885	13
<i>Nephropsis stewarti</i> Wood-Mason, 1872	13
<i>Nerita albicilla</i> Linnaeus, 1758	19
<i>Nerita antiquata</i> Recluz, 1841	19
<i>Nerita plicata</i> Linnaeus, 1758	19

Species	Page
<i>Nerita polita</i> Linnaeus, 1758	19
<i>Nibea maculata</i> (Bloch & Schneider, 1801)	41
<i>Noetia ponderosa</i> (Say, 1822)	19
<i>Novaculichthys taeniourus</i> (Lacepède, 1801)	33
<i>Octopus aegina</i> (Gray, 1849)	19
<i>Octopus dollfusi</i> Robson, 1928	19
<i>Octopus globosus</i> (Appelhof, 1886)	19
<i>Octopus membranaceus</i> (Quoy & Gaimard, 1832)	19
<i>Octopus vulgaris</i> (Cuvier, 1797)	19
<i>Ocyrode ceratophthalmus</i> (Pallas, 1772)	13
<i>Odonus niger</i> (Rüppell, 1836)	26
<i>Oliva gibbosa</i> Born, 1778	19
<i>Oliva oliva</i> (Linnaeus, 1758)	19
<i>Oliva textilina</i> Lamarck, 1811	19
<i>Oliva vidua</i> (Röding, 1798)	19
<i>Olivancillaria gibbosa</i> (Born, 1778)	19
<i>Onychoteuthis banksii</i> (Leach, 1817)	19
<i>Ophichthus rutidodermatoides</i> (Bleeker, 1853)	37
<i>Ophiocoma dentata</i> Müller & Troschel, 1842	22
<i>Ophiocoma paica</i> Muller & Troschel, 1842	22
<i>Opisthopterus taroore</i> (Cuvier, 1829)	39
<i>Opistognathus nigromarginatus</i> Rüppell, 1830	37
<i>Oreochromis mossambicus</i> (Peters, 1852)	29
<i>Osteogeneiosus militaris</i> (Linnaeus, 1758)	26
<i>Ostichthys archiepiscopus</i> (Valenciennes, 1862)	32
<i>Ostracion cubicus</i> Linnaeus, 1758	38
<i>Otolithes cuvieri</i> Trewavas, 1974	41
<i>Otolithes ruber</i> (Bloch & Schneider, 1801)	41
<i>Otolithoides biauritus</i> (Cantor, 1849)	41
<i>Owstonia simoterus</i> (Smith, 1968)	29
<i>Owstonia weberi</i> (Gilchrist, 1922)	29
<i>Oxyurichthys microlepis</i> (Bleeker, 1849)	32
<i>Pachyseris speciosa</i> (Dana, 1846)	9
<i>Padina gymnospora</i> (Kuetz.) Sonder, 1871	2
<i>Padina tetrastromatica</i> Hauck, 1887	2, 5
<i>Palinustus waguensis</i> Kubo, 1963	13
<i>Pampus argenteus</i> (Euphrasen, 1788)	43
<i>Panna microdon</i> (Bleeker, 1849)	41
<i>Panulirus homarus</i> (Linnaeus, 1758)	13
<i>Panulirus ornatus</i> (Fabricius, 1798)	13
<i>Panulirus polyphagus</i> (Herbst, 1793)	13
<i>Panulirus versicolor</i> (Latreille, 1804)	13
<i>Paphia alapapilionis</i> Röding, 1798	21
<i>Paphia malabarica</i> (Dillwyn, 1817)	21

Species	Page
<i>Papilloculiceps longiceps</i> (Cuvier, 1829)	38
<i>Paracirrhites forsteri</i> (Schneider, 1801)	29
<i>Paramonacanthus choirocephalus</i> (Bleeker, 1852)	35
<i>Paranibea semiluctuosa</i> (Cuvier, 1830)	41
<i>Parapenaeopsis acclivirostris</i> Alcock, 1905	14
<i>Parapenaeopsis cornuta</i> (Kishinouye, 1900)	14
<i>Parapenaeopsis hardwickii</i> (Miers, 1878)	14
<i>Parapenaeopsis maxillipedo</i> Alcock, 1905	14
<i>Parapenaeopsis sculptilis</i> (Heller, 1862)	14
<i>Parapenaeopsis stylifera</i> (H. Milne Edwards, 1837)	14
<i>Parapenaeopsis uncta</i> Alcock, 1905	14
<i>Parapenaeus fissuroides</i> Crosnier, 1986	14
<i>Parapenaeus longipes</i> Alcock, 1905	14
<i>Parapercis alboguttata</i> (Günther, 1872)	38
<i>Parapercis hexophthalma</i> (Cuvier, 1829)	38
<i>Parapercis quadrispinosa</i> (Weber, 1813)	38
<i>Parapercis robinsoni</i> Fowler, 1929	38
<i>Paraplagusia bilineata</i> (Bloch, 1787)	30
<i>Parapristipomoides squamimaxillaris</i> (Kami, 1973)	35
<i>Parascolopsis aspinosa</i> (Rao & Rao, 1981)	37
<i>Parascolopsis boesemani</i> (Rao & Rao, 1981)	37
<i>Parascolopsis eriomma</i> (Jordan & Richardson, 1909)	37
<i>Parastromateus niger</i> (Bloch, 1795)	28
<i>Pardachirus pavoninus</i> (Lacepède, 1802)	43
<i>Parilia major</i> Sakai, 1961	12
<i>Parthenope longimanus</i> (Linnaeus, 1758)	13
<i>Parupeneus barberinus</i> (Lacepède, 1801)	36
<i>Parupeneus cyclostomus</i> (Lacepède, 1801)	36
<i>Parupeneus forsskali</i> (Fourmanoir & Guézé, 1976)	36
<i>Parupeneus heptacanthus</i> (Lacepède, 1802)	36
<i>Parupeneus indicus</i> (Shaw, 1803)	36
<i>Parupeneus macronemus</i> (Lacepède, 1801)	36
<i>Parupeneus pleurostigma</i> (Bennett, 1831)	36
<i>Parupeneus trifasciatus</i> (Lacepède, 1801)	36
<i>Pavona cactus</i> (Forsskal, 1775)	9
<i>Pavona divaricata</i> Lamarck, 1816	9
<i>Pavona minuta</i> Wells, 1954	9
<i>Pavona varians</i> Verrill, 1864	9
<i>Pecten plica</i> Sowerby, 1839	19
<i>Pecten splendidulus</i> Sowerby, 1914	19
<i>Pecten tranquebaricus</i> Gmelin, 1791	19
<i>Pectinia lactuca</i> (Pallas, 1766)	11
<i>Pelates quadrilineatus</i> (Bloch, 1790)	44
<i>Pellona ditchela</i> Valenciennes, 1847	39

Species	Page
<i>Pelsionika longicauda</i> Rathbun, 1901	13
<i>Pempheris mangula</i> Cuvier, 1829	38
<i>Pempheris molucca</i> Cuvier, 1829	38
<i>Pempheris vanicolensis</i> Cuvier, 1831	38
<i>Penaeus monodon</i> Fabricius, 1798	14
<i>Penaeus semisulcatus</i> de Haan, 1844	14
<i>Pennahia anea</i> (Bloch, 1793)	41
<i>Pentaceraster mammilatus</i> (Audouin, 1826)	22
<i>Pentaceraster regulus</i> (Muller & Torschel, 1842)	23
<i>Pentaprion longimanus</i> (Cantor, 1849)	31
<i>Percnon planissimum</i> (Herbst, 1804)	14
<i>Periclimenaeus inornatus</i> Kemp, 1922	13
<i>Peristedion investigatoris</i> (Alcock, 1898)	38
<i>Peristedion weberi</i> Smith, 1934	38
<i>Perna viridis</i> (Linnaeus, 1758)	18
<i>Peronella lesueurii</i> (Valenciennes, 1841)	22
<i>Phalium areola</i> (Linnaeus, 1758)	16
<i>Phalium bisulcatum</i> (Schubert & Wagner, 1829)	16
<i>Phalium canaliculatum</i> Bruguiere, 1792	16
<i>Phalium glaucum</i> (Linnaeus, 1758).	16
<i>Phallusia arabica</i> Savigny, 1816	24
<i>Phallusia nigra</i> Savigny, 1816	24
<i>Phylira globsus</i> (Fabricius, 1775)	12
<i>Pilumnus vespertilio</i> (Fabricius, 1793)	14
<i>Pinctada fucata</i> (Gould, 1850)	19
<i>Pinctada margaritifera</i> (Linnaeus, 1758)	19
<i>Pinjalo lewisi</i> Allen & Anderson, 1987	35
<i>Pinjalo pinjalo</i> (Bleeker, 1850)	35
<i>Pisodonophis boro</i> (Hamilton, 1822)	37
<i>Pisodonophis cancrivorus</i> (Richardson, 1848)	37
<i>Pitar erycina</i> (Linnaeus, 1758)	21
<i>Placenta placenta</i> (Linnaeus, 1758)	16
<i>Plagusia squamosa</i> (Herbst, 1790)	14
<i>Platax orbicularis</i> (Forsskål, 1775)	31
<i>Platax teira</i> (Forsskål, 1775)	31
<i>Platycephalus indicus</i> (Linnaeus, 1758)	38
<i>Platygyra daedalea</i> (Ellis and Solander, 1786)	10
<i>Platygyra pini</i> Chevalier, 1975	10
<i>Platygyra sinensis</i> (Milne-Edwards and Haime, 1849)	10
<i>Plectorhinchus albovittatus</i> (Rüppell, 1838)	32
<i>Plectorhinchus flavomaculatus</i> (Cuvier, 1830)	32
<i>Plectorhinchus gibbosus</i> (Lacepède, 1802)	32
<i>Plectorhinchus orientalis</i> (Bloch, 1793)	32
<i>Plectorhinchus pictus</i> (Tortonese, 1936)	32

Species	Page
<i>Plectorhinchus schotaf</i> (Forsskål, 1775)	32
<i>Plectorhinchus vittatus</i> (Linnaeus, 1758)	32
<i>Pleistacantha oryx</i> Ortmann, 1893	12
<i>Plesiastrea versipora</i> (Lamarck, 1816)	10
<i>Plesiobatis daviesi</i> (Wallace, 1967)	38
<i>Plesionika adensameri</i> (Bals, 1914)	13
<i>Plesionika martia</i> (Milne-Edwards, 1883)	13
<i>Plesiops coeruleolineatus</i> Rüppell, 1835	38
<i>Pleuroploca trapezium</i> (Linnaeus, 1758)	17
<i>Pleuroscopus pseudodorsalis</i> Barnard, 1927	45
<i>Plexauroides praelonga</i> var. <i>cinera</i> Ridley, 1844	11
<i>Plexauroides praelonga</i> var. <i>typica</i> Ridley, 1844	11
<i>Plicofollis dussumieri</i> (Valenciennes, 1840)	26
<i>Plotosus canius</i> Hamilton, 1822	38
<i>Plotosus limbatus</i> Valenciennes, 1840	38
<i>Plotosus lineatus</i> (Thunberg, 1787)	38
<i>Pocillopora damicornis</i> (Linnaeus, 1758)	11
<i>Pocillopora eudouxi</i> Milne-Edwards and Haime, 1860	11
<i>Pocillopora lingulata</i> Dana, 1846	11
<i>Pocillopora meandrina</i> Dana, 1846	11
<i>Pocillopora verrucosa</i> (Ellis and Solander, 1786)	11
<i>Pocillopora woodjonesi</i> Vaughan, 1918	11
<i>Podabacia crustacea</i> (Pallas, 1766)	10
<i>Podophthalmus vigil</i> (Fabricius, 1798)	14
<i>Polinices flemingianus</i> (Récluz, 1844)	19
<i>Polinices mammilla</i> (Linnaeus, 1758)	19
<i>Polinices melanostomus</i> (Gmelin, 1791)	19
<i>Polyclinum indicum</i> Sebastian, 1952	24
<i>Polyclinum madrasensis</i> Sebastian, 1952	24
<i>Polydactylus plebeius</i> (Broussonet, 1782)	39
<i>Polydactylus sexfilis</i> (Valenciennes, 1831)	39
<i>Polydactylus sextarius</i> (Bloch & Schneider, 1801)	39
<i>Polymixia nobilis</i> Lowe, 1838	39
<i>Polynemus paradiseus</i> Linnaeus, 1758	39
<i>Pomacanthus imperator</i> (Bloch, 1787)	39
<i>Pomacanthus semicirculatus</i> (Cuvier, 1831)	39
<i>Pomacentrus brachialis</i> Cuvier, 1830	39
<i>Pomadasys argyreus</i> (Valenciennes, 1833)	32
<i>Pomadasys hasta</i> (Bloch, 1790)	32
<i>Pomadasys kaakan</i> (Cuvier, 1830)	32
<i>Pomadasys maculatus</i> (Bloch, 1793)	32
<i>Ponda carneola</i> (Linnaeus, 1758)	17
<i>Pontocaris pennata</i> Bate, 1888	12
<i>Porites andrewsi</i> Vaughan, 1918	11

Species	Page
<i>Porites colonensis</i> Zlatarski, 1990	11
<i>Porites compressa</i> Dana, 1846	11
<i>Porites cylindrica</i> Dana, 1846	11
<i>Porites echinulata</i> Klunzinger, 1879	11
<i>Porites lichen</i> Dana, 1846	11
<i>Porites lobata</i> Dana, 1846	11
<i>Porites mannarensis</i> Pillai, 1969	11
<i>Porites minicoiensis</i> Pillai, 1969	11
<i>Porites solida</i> (Forsskal, 1775)	11
<i>Porites undulata</i> (Klunzinger, 1879)	11
<i>Portieria hornemannii</i> (Lyngbye) P.C.Silva, 1987	3, 6
<i>Portunus (Monomia) gladiator</i> (Fabricius, 1798)	14
<i>Portunus (Monomia) gracilimanus</i> (Stimpson, 1858)	14
<i>Portunus (Portunus) pelagicus</i> (Linnaeus, 1758)	14
<i>Portunus (Portunus) sanguinolentus</i> (Herbst, 1783)	14
<i>Portunus argentatus</i> (White, 1847)	14
<i>Potamides cingulatus</i> (Gmelin, 1791)	19
<i>Premnas biaculeatus</i> (Bloch, 1790)	39
<i>Priacanthus hamrur</i> (Forsskal, 1775)	39
<i>Prionocidaris verticillata</i> (Lamarck, 1816)	22
<i>Prismatopus aculeatus</i> (H. Milne Edwards, 1834)	13
<i>Pristigenys nipponia</i> (Cuvier, 1829)	39
<i>Pristilepis oligolepis</i> (Whitley, 1941)	32
<i>Pristipomoides auricilla</i> (Jordan, Evermann & Tanaka, 1927)	35
<i>Pristipomoides sieboldii</i> (Bleeker, 1854)	35
<i>Pristipomoides typus</i> Bleeker, 1852	35
<i>Protonibea diacanthus</i> (Lacepède, 1802)	41
<i>Protoreaster lincki</i> (Blainville, 1830)	23
<i>Psammocora contigua</i> (Esper, 1797)	11
<i>Psammocora digitata</i> Milne-Edwards and Haime, 1851	11
<i>Psammocora haimeana</i> Milne-Edwards and Haime, 1851	11
<i>Psammocora nierstraszi</i> Van der Horst, 1921	11
<i>Psammocora profundacella</i> Gardiner, 1898	11
<i>Psammoperca waigiensis</i> (Cuvier, 1828)	34
<i>Psenes cyanophrys</i> Valenciennes, 1833	37
<i>Psenopsis cyanea</i> (Alcock, 1890)	28
<i>Psenopsis obscura</i> Haedrich, 1967	28
<i>Psettodes erumei</i> (Bloch & Schneider, 1801)	40
<i>Pseudanthias fasciatus</i> (Kamohara, 1955)	42
<i>Pseudanthias marcia</i> Randall & Hoover, 1993	42
<i>Pseudanthias pulcherimus</i> (Heemstra & Randall, 1986)	42
<i>Pseudobalistes flavimarginatus</i> (Rüppell, 1829)	26
<i>Pseudobalistes fuscus</i> (Bloch & Schneider, 1801)	26
<i>Pseudorhombus arsius</i> (Hamilton, 1822)	38

Species	Page
<i>Pseudorhombus elevatus</i> Ogilby, 1912	38
<i>Pseudorhombus javanicus</i> (Bleeker, 1853)	38
<i>Pseudorhombus natalensis</i> Gilchrist, 1904	38
<i>Pseudorhombus triocellatus</i> (Bloch & Schneider, 1801)	38
<i>Pseudosiderastrea tayamai</i> Yabe and Sugiyama, 1935	11
<i>Pseudostomella cheraensis</i> Priyalakshmi, Menon & Todaro, 2007	1, 7
<i>Pseudotolithus elongatus</i> (Bowdich, 1825)	41
<i>Pseudotriacanthus strigilifer</i> (Cantor, 1849)	44
<i>Pteragogus flagellifera</i> (Valenciennes, 1839)	33
<i>Pterocaesio chrysozona</i> (Cuvier, 1830)	27
<i>Pterocaesio tile</i> (Cuvier, 1830)	27
<i>Pterois miles</i> (Bennett, 1828)	41
<i>Pterois russellii</i> Bennett, 1831	41
<i>Pterois volitans</i> (Linnaeus, 1758)	41
<i>Pterophyllum scalare</i> (Schultze, 1823)	29
<i>Pteroplatytrygon violacea</i> (Bonaparte, 1832)	30
<i>Pterygotrigla hemisticta</i> (Temminck & Schlegel, 1843)	45
<i>Puerulus sewelli</i> Ramadan, 1938	13
<i>Pyrene flava</i> (Bruguère, 1789)	16
<i>Quollastraia gonypetes</i> (Kemp, 1911)	15
<i>Rachycentron canadum</i> (Linnaeus, 1766)	40
<i>Raja miraletus</i> Linnaeus, 1758	40
<i>Rapana bulbosa</i> (Solander, 1817)	18
<i>Rastrelliger kanagurta</i> (Cuvier, 1816)	41
<i>Rexea prometheoides</i> (Bleeker, 1856)	31
<i>Rhabdosargus sarba</i> (Forsskål, 1775)	43
<i>Rhina ancylostoma</i> Bloch & Schneider, 1801	40
<i>Rhincodon typus</i> Smith, 1828	40
<i>Rhinecanthus aculeatus</i> (Linnaeus, 1758)	26
<i>Rhinecanthus rectangulus</i> (Bloch & Schneider, 1801)	26
<i>Rhinobatos annandalei</i> Norman, 1926	40
<i>Rhinobatos annulatus</i> Müller & Henle, 1841	40
<i>Rhinobatos variegates</i> Nair & Lalmohan, 1973	40
<i>Rhinolambrus contrarius</i> (Herbst, 1804)	13
<i>Rhinopias eschmeyeri</i> Condé, 1977	41
<i>Rhinoptera adspersa</i> Müller & Henle, 1841	37
<i>Rhinoptera javanica</i> Müller & Henle, 1841	37
<i>Rhizoprionodon acutus</i> (Rüppell, 1837)	28
<i>Rhodosoma turcicum</i> (Savigny, 1816)	24
<i>Rhynchobatus djiddensis</i> (Forsskål, 1775)	40
<i>Rhynchorhamphus georgii</i> (Valenciennes, 1847)	32
<i>Rhynchorhamphus malabaricus</i> Collette, 1976	32
<i>Rosenvingea intricata</i> (J.Ag.) Borgesen, 1914	4
<i>Rosenvingea nhatrangensis</i> Dawson, 1954	4, 6

Species	Page
<i>Rostroraja alba</i> (Lacepède, 1803)	40
<i>Ruvettus pretiosus</i> Cocco, 1853	31
<i>Ryphila cancellus</i> (Herbst, 1783)	12
<i>Sacura margaritacea</i> (Hilgendorf, 1879)	42
<i>Salmacis bicolor</i> L.Agassiz & Desor, 1846	23
<i>Salmacis virgulata</i> L.Agassiz & Desor, 1846	23
<i>Samaris cristatus</i> Gray 1831	40
<i>Samaris macrolepis</i> Norman 1927	40
<i>Sarconema filiforme</i> (Sonder)Kylin, 1932	4, 6
<i>Sarcophyton elegans</i> Moser, 1919	9
<i>Sarda orientalis</i> (Temminck & Schlegel, 1844)	41
<i>Sardinella albella</i> (Valenciennes, 1847)	30
<i>Sardinella fimbriata</i> (Valenciennes, 1847)	30
<i>Sardinella gibbosa</i> (Bleeker, 1849)	30
<i>Sardinella jussieu</i> (Lacepède, 1803)	30
<i>Sardinella longiceps</i> Valenciennes, 1847	30
<i>Sargassum cristaefolium</i> C.Agardh, 1820	3, 6
<i>Sargassum polycystum</i> C. Agardh, 1824	3, 6
<i>Sargassum vulgare</i> C.Agardh, 1834	3, 6
<i>Sargassum wightii</i> Greville, 1848	3, 6
<i>Sargocentron caudimaculatum</i> (Rüppell, 1838)	32
<i>Sargocentron melanospilos</i> (Bleeker, 1858)	32
<i>Sargocentron praslin</i> (Lacepède, 1802)	33
<i>Sargocentron rubrum</i> (Forsskål, 1775)	33
<i>Sargocentron seychellense</i> (Smith & Smith, 1963)	33
<i>Sargocentron spiniferum</i> (Forsskål, 1775)	33
<i>Sargocentron violaceum</i> (Bleeker, 1853)	33
<i>Satyrichthys adeni</i> (Lloyd, 1907)	38
<i>Saurida gracilis</i> (Quoy & Gaimard, 1824)	44
<i>Saurida isarankurai</i> Shindo & Yamada, 1972	44
<i>Saurida longimanus</i> Norman, 1939	44
<i>Saurida nebulosa</i> Valenciennes, 1850	44
<i>Saurida tumbil</i> (Bloch, 1795)	44
<i>Saurida undosquamis</i> (Richardson, 1848)	44
<i>Scarus collana</i> Rüppell, 1835	40
<i>Scarus frenatus</i> Lacepède, 1802	40
<i>Scarus ghobban</i> Forsskål, 1775	40
<i>Scarus psittacus</i> Forsskål, 1775	40
<i>Scarus scaber</i> Valenciennes, 1840	40
<i>Scarus tricolor</i> Bleeker, 1847	40
<i>Scatophagus argus</i> (Linnaeus, 1766)	40
<i>Schizophris aspera</i> (H.Milne Edwards, 1834)	13
<i>Scinaia bengalica</i> Borgesen, 1938	2, 5
<i>Scoliodon laticaudus</i> Müller & Henle, 1838	28

Species	Page
<i>Scolopsis bimaculatus</i> Rüppell, 1828	37
<i>Scolopsis vosmeri</i> (Bloch, 1792)	37
<i>Scomberoides commersonnianus</i> Lacepède, 1801	28
<i>Scomberoides lysan</i> (Forsskål, 1775)	28
<i>Scomberoides tala</i> (Cuvier, 1832)	28
<i>Scomberoides tol</i> (Cuvier, 1832)	28
<i>Scomberomorus commerson</i> (Lacepède, 1800)	41
<i>Scomberomorus guttatus</i> (Bloch & Schneider, 1801)	41
<i>Scorpaena neglecta</i> Temminck & Schlegel, 1843	41
<i>Scorpaenodes guamensis</i> (Quoy & Gaimard, 1824)	41
<i>Scylla serrata</i> (Forsskål, 1775)	14
<i>Scylla tranquebarica</i> (Fabricius, 1798)	14
<i>Scyllarus rugosus</i> Milne Edwards, 1837	15
<i>Secutor insidiator</i> (Bloch, 1787)	34
<i>Secutor ruconius</i> (Hamilton, 1822)	34
<i>Selar crumenophthalmus</i> (Bloch, 1793)	28
<i>Selaroides leptolepis</i> (Cuvier, 1833)	28
<i>Sepia aculeata</i> Van Hasselt, 1835	20
<i>Sepia pharaonis</i> (Ehrenberg, 1831)	20
<i>Sepia prashadi</i> Winckworth, 1936	20
<i>Sepiella inermis</i> (Orbigny, 1848)	20
<i>Sepioteuthis lessoniana</i> (Férussac, 1830)	18
<i>Seriola rivoliana</i> Valenciennes, 1833	28
<i>Seriolina nigrofasciata</i> (Rüppell, 1829)	28
<i>Setipinna taty</i> (Valenciennes, 1848)	31
<i>Sicyonia lancifera</i> (Olivier, 1811)	15
<i>Sicyonia parajaponica</i> Crosnier, 2003	15
<i>Siderastrea savignyana</i> Milne-Edwards and Haime, 1850	11
<i>Siganus argenteus</i> (Quoy & Gaimard, 1825)	42
<i>Siganus canaliculatus</i> (Park, 1797)	42
<i>Siganus javus</i> (Linnaeus, 1766)	42
<i>Siganus lineatus</i> (Valenciennes, 1835)	42
<i>Siganus oramin</i> (Bloch & Schneider, 1801)	42
<i>Siganus rivulatus</i> Forsskål & Niebuhr, 1775	42
<i>Siganus stellatus</i> (Forsskål, 1775)	42
<i>Siganus vermiculatus</i> (Valenciennes, 1835)	43
<i>Siganus virgatus</i> (Valenciennes, 1835)	43
<i>Sigmatocia carnosa</i> (Dendy, 1905)	7
<i>Sigmatocia fibulata</i> (Schmidt, 1862)	7
<i>Sillago argentifasciata</i> Martin & Montalban, 1935	43
<i>Sillago chondropus</i> Bleeker, 1849	43
<i>Sillago indica</i> McKay, Dutt & Sujatha, 1985	43
<i>Sillago sihama</i> (Forsskål, 1775)	43
<i>Sillago soringa</i> Dutt & Sujatha, 1982	43

Species	Page
<i>Sinularia jasmineae</i> Alderslade & Shirwaiker, 1991	9
<i>Sinularia kavarttensis</i> Alderslade & Shirwaiker, 1991	9
<i>Sinularia parulekari</i> Alderslade & Shirwaiker, 1991	9
<i>Sinum perspectivum</i> (Say, 1831)	19
<i>Snyderidia canina</i> Gilbert, 1905	28
<i>Snyderina guentheri</i> (Boulenger, 1889)	41
<i>Solea ovata</i> Richardson, 1846	43
<i>Solenocera choprai</i> Nataraj, 1945	15
<i>Solenocera crassicornis</i> (Milne-Edwards, 1837)	15
<i>Solenocera hextii</i> Wood-Mason and Alcock, 1891	15
<i>Solenocera melantho</i> (De Man, 1907)	15
<i>Solieria robusta</i> (Grev.) Kylin, 1934	4, 6
<i>Sorsogona tuberculata</i> (Cuvier, 1829)	38
<i>Spatoglossum asperum</i> J. Agardh, 1894	2, 5
<i>Sphenanthias whiteheadi</i> Talwar 1973	29
<i>Sphyaena barracuda</i> (Edwards, 1771)	43
<i>Sphyaena flavicauda</i> (Ruppell, 1838)	43
<i>Sphyaena jello</i> Cuvier, 1829	43
<i>Sphyaena obtusata</i> Cuvier, 1829	43
<i>Sphyrna lewini</i> (Griffith and Smith, 1834)	43
<i>Spirastrella inconstans</i> var. <i>digitate</i> Dendy, 1905	7
<i>Spondylus imperialis</i> Chenu, 1843	20
<i>Spongia officinalis</i> var. <i>ceylonensis</i> Dendy, 1905	7
<i>Spyridia fusiformis</i> Borgesen, 1937	2, 4
<i>Spyridia fusiformis</i> Borgesen, 1937	4
<i>Stephanolepis auratus</i> (Castelnau, 1861)	35
<i>Stethojulis albobittata</i> (Bonnaterre, 1788)	33
<i>Stethojulis strigiventer</i> (Bennett, 1833)	33
<i>Stethojulis trilineata</i> (Bloch & Schneider, 1801)	33
<i>Sthenoteuthis oualaniensis</i> (Lesson, 1830)	19
<i>Stichopus variegatus</i> Semper, 1868	23
<i>Stilbognathus curvirostris</i> A. Milne Edwards, 1865	12
<i>Stoechospermum marginatum</i> (C. Ag.) Kuetzing, 1843	2, 5
<i>Stolephorus baganensis</i> Hardenberg, 1933	31
<i>Stolephorus commersonnii</i> Lacepède, 1803	31
<i>Stolephorus indicus</i> (van Hasselt, 1823)	31
<i>Stolephorus insularis</i> Hardenberg, 1933	31
<i>Stolephorus waitei</i> Jordan & Seale, 1926	31
<i>Stomias nebulosus</i> Alcock, 1889	43
<i>Stomopneustes variolaris</i> (Lamarck, 1816)	23
<i>Strigatella litterata</i> Lamarck, 1811	18
<i>Strombus bulla</i> (Röding, 1798)	20
<i>Strombus canarium</i> Linnaeus, 1758	20
<i>Strombus dentatus</i> Linnaeus, 1758	20

Species	Page
<i>Strombus gibberulus</i> Linnaeus, 1758	20
<i>Strombus lentiginosus</i> Linnaeus, 1758	20
<i>Strombus listeri</i> Gray, 1852	20
<i>Strombus marginatus</i> Linnaeus, 1758	20
<i>Strombus mutabilis</i> Swainson, 1821	20
<i>Strombus urceus</i> Linnaeus, 1758	20
<i>Strongylura leiura</i> (Bleeker, 1850)	26
<i>Strophidon sathete</i> (Hamilton, 1822)	36
<i>Styela canopus</i> (Savigny, 1816)	24
<i>Stylophora pistillata</i> (Esper, 1797)	11
<i>Subergorgia suberosa</i> (Pallas, 1766)	11
<i>Sufflamen bursa</i> (Bloch & Schneider, 1801)	26
<i>Sufflamen chrysopterum</i> (Bloch & Schneider, 1801)	26
<i>Sufflamen fraenatum</i> (Latreille, 1804)	26
<i>Suggrundus macracanthus</i> (Bleeker, 1869)	38
<i>Symphyllia pecta</i> (Dana, 1846)	10
<i>Symphyllia radians</i> Milne-Edwards and Haime, 1849	10
<i>Symphysanodon typus</i> Bleeker, 1878	43
<i>Symphysanodon xanthopterygion</i> Anderson & Bineesh, 2011	1, 43
<i>Symplegma oceania</i> Tokioka, 1961	24
<i>Synanceia verrucosa</i> Bloch & Schneider, 1801	41
<i>Synaptura commersonii</i> (Lacepède, 1802)	43
<i>Synaptura cornuta</i> (Kaup, 1858)	43
<i>Synarea convexa</i> (Verrill, 1901)	11
<i>Synchiropus lineolatus</i> (Valenciennes, 1837)	27
<i>Syngnathoides biaculeatus</i> (Bloch, 1785)	44
<i>Synodus binotatus</i> Schultz, 1953	44
<i>Synodus indicus</i> (Day, 1873)	44
<i>Synodus variegatus</i> (Lacepède, 1803)	44
<i>Syringodium isoetifolium</i> (Ascherson) Dandy, 1939	4, 6
<i>Taenioides cirratus</i> (Blyth, 1860)	32
<i>Takifugu oblongus</i> (Bloch, 1786)	44
<i>Talostolida teres</i> Gmelin, 1791	17
<i>Telescopium telescopium</i> (Linnaeus, 1758)	19
<i>Tellina sinuata</i> Spengler, 1798	20
<i>Temnopleurus toreumaticus</i> (Leske, 1778)	23
<i>Tenualosa ilisha</i> (Hamilton, 1822)	30
<i>Tenualosa toli</i> (Valenciennes, 1847)	30
<i>Terapon jarbua</i> (Forsskål, 1775)	44
<i>Terapon puta</i> Cuvier, 1829	44
<i>Terapon theraps</i> Cuvier, 1829	44
<i>Terebellum terebellum</i> (Linnaeus, 1758)	20
<i>Terebra babylonia</i> Lamarck, 1822	20
<i>Terebra dimidiata</i> (Linnaeus, 1758)	20

Species	Page
<i>Terebra enulata</i> (Linnæus, 1758)	20
<i>Terebra maculata</i> Linnaeus, 1758	20
<i>Terebra palustris</i> (Linnaeus, 1767)	20
<i>Terebralia palustris</i> (Linnaeus, 1767)	19
<i>Tetrosomus gibbosus</i> (Linnaeus, 1758)	38
<i>Thais siro</i> Kuroda, 1931	18
<i>Thalamita crenata</i> (Milne-Edwards, 1834)	15
<i>Thalamita danae</i> Stimpson, 1858	15
<i>Thalasia hemprichii</i> (Ehrenberg) Ascherson, 1871	4
<i>Thalassoma hardwickii</i> (Bennett, 1830)	33
<i>Thalassoma hebracium</i> (Lacepède, 1801)	33
<i>Thalassoma janseni</i> (Bleeker, 1856)	33
<i>Thalassoma lunare</i> (Linnaeus, 1758)	33
<i>Thalassoma purpureum</i> (Forsskål, 1775)	33
<i>Thamnaconus fajardoi</i> Smith, 1953	35
<i>Thenus orientalis</i> (Lund, 1793)	15
<i>Thesea flava</i> Nutting, 1910	11
<i>Thryssa malabarica</i> (Bloch, 1795)	31
<i>Thryssa mystax</i> (Bloch & Schneider, 1801)	31
<i>Thryssa setirostris</i> (Broussonet, 1782)	31
<i>Thryssa vitrirostris</i> (Gilchrist & Thompson, 1908)	31
<i>Thunnus albacares</i> (Bonnatere, 1788)	41
<i>Thunnus tonggol</i> (Bleeker, 1851)	41
<i>Thysanoteuthis rhombus</i> (Troschel, 1857)	20
<i>Tibia curta</i> (Sowerby, 1842)	20
<i>Tibia delicatula</i> Nevill, 1881	20
<i>Tonna cumingii</i> (Reeve, 1849)	20
<i>Tonna dolium</i> (Linnaeus, 1758)	20
<i>Tonna fasciatum</i> (Bruguiere, 1789)	20
<i>Torpedo marmorata</i> Risso, 1810	44
<i>Torquigener hypselogeneion</i> (Bleeker, 1852)	44
<i>Trachicephalus uranoscopus</i> (Bloch & Schneider, 1801)	41
<i>Trachinocephalus myops</i> (Forster, 1801)	44
<i>Trachinotus baillonii</i> (Lacepède, 1801)	28
<i>Trachinotus blochii</i> (Lacepède, 1801)	28
<i>Trachinotus botla</i> (Shaw, 1803)	28
<i>Trachinotus mookalee</i> Cuvier, 1832	28
<i>Trachyrhamphus longirostris</i> Kaup, 1856	44
<i>Trachyrhamphus serratus</i> (Temminck & Schlegel, 1850)	44
<i>Trachysalambria curvirostris</i> (Stimpson, 1860)	14
<i>Triacanthodes ethiops</i> Alcock, 1894	45
<i>Triacanthus biaculeatus</i> (Bloch, 1786)	44
<i>Triacanthus nieuhofii</i> Bleeker, 1852	44
<i>Triaenodon obesus</i> (Rüppell, 1837)	28

Species	Page
<i>Trichiurus auriga</i> Klunzinger, 1884	45
<i>Trichiurus gangeticus</i> Gupta, 1966	45
<i>Trichiurus lepturus</i> Linnaeus, 1758	45
<i>Tridacna maxima</i> Röding, 1798	20
<i>Tridacna squamosa</i> Lamarck, 1819	20
<i>Trigla lyra</i> Linnaeus, 1758	45
<i>Trochus maculatus</i> Linnaeus, 1758	20
<i>Trochus radiatus</i> Gmelin, 1791	21
<i>Trochus venetus</i> Reeve, 1862	21
<i>Trypauchen vagina</i> (Bloch & Schneider, 1801)	32
<i>Tubastrea aurea</i> (Quoy & Gaimard, 1833)	9
<i>Tubipora musica</i> Linnaeus, 1758	11
<i>Turbinaria conoides</i> (J.Ag) Kuetz, 1860	3, 6
<i>Turbinaria crater</i> (Pallas, 1766)	9
<i>Turbinaria decurrens</i> Bory de Saint-Vincent, 1828	3
<i>Turbinaria frondens</i> (Dana, 1846)	9
<i>Turbinaria mesenterina</i> (Lamarck, 1816)	9
<i>Turbinaria ornata</i> J. Agardh, 1848	3
<i>Turbinaria peltata</i> (Esper, 1794)	9
<i>Turbo argyrostomus</i> Linnaeus, 1758	21
<i>Turricula javana</i> (Linnaeus, 1758)	21
<i>Turritella attenuata</i> Reeve, 1849	21
<i>Tylosurus crocodilus</i> (Péron & Lesueur, 1821)	26
<i>Ulua mentalis</i> (Cuvier, 1833)	28
<i>Ulva lactuca</i> Linnaeus, 1753	4, 6
<i>Ulva reticulata</i> Forsskal, 1775	4, 6
<i>Umbonium vestiarium</i> (Linnaeus, 1758)	21
<i>Umbrina canariensis</i> Valenciennes, 1843	41
<i>Umbrina ronchus</i> Valenciennes, 1843	41
<i>Upeneus japonicus</i> (Houttuyn, 1782)	36
<i>Upeneus moluccensis</i> (Bleeker, 1855)	36
<i>Upeneus sulphureus</i> Cuvier, 1829	36
<i>Upeneus sundaicus</i> (Bleeker, 1855)	36
<i>Upeneus tragula</i> Richardson, 1846	36
<i>Upeneus vittatus</i> (Forsskål, 1775)	36
<i>Uranoscopus archionema</i> Regan, 1921	45
<i>Uraspis helvola</i> (Forster, 1801)	28
<i>Uraspis secunda</i> (Poey, 1860)	28
<i>Uraspis uraspis</i> (Günther, 1860)	28
<i>Uroconger lepturus</i> (Richardson, 1845)	30
<i>Uropterygius concolor</i> Rüppell, 1838	36
<i>Uroteuthis (Photololigo) sibogae</i> (Adam, 1954)	18
<i>Uroteuthis singhalensis</i> (Ortmann, 1891)	18
<i>Valamugil seheli</i> (Forsskål, 1775)	36

Species	Page
<i>Valamugil speigleri</i> (Bleeker, 1858-59)	36
<i>Valonia utricularis</i> C.Agardh,1823	4
<i>Valoniopsis pachynema</i> ( G. Martens) Borgesen,1934	4, 6
<i>Variola louti</i> (Forsskål, 1775)	42
<i>Vasum ceramicum</i> Linnaeus, 1758	21
<i>Vasum turbinellum</i> (Linnaeus, 1758)	21
<i>Venefica proboscidea</i> (Vaillant, 1888)	37
<i>Venus listeri</i> (Gray, 1838)	21
<i>Vespicola cypho</i> (Fowler, 1938)	41
<i>Vinciguerrria nimbaria</i> (Jordan & Williams, 1895)	38
<i>Voluta lapponica</i> Linnaeus, 1767	21
<i>Volva volva</i> Linnaeus, 1758	19
<i>Xancus pyrum</i> (Linnaeus, 1758)	21
<i>Xanthichthys lineopunctatus</i> (Hollard, 1854)	26
<i>Xenophora corrugata</i> (Reeve, 1842)	21
<i>Xiphias gladius</i> Linnaeus, 1758	45
<i>Xyrichtys pentadactylus</i> (Linnaeus, 1758)	33
<i>Zanclus cornutus</i> (Linnaeus, 1758)	45
<i>Zembrasoma veliferum</i> (Bloch, 1795)	25
<i>Zebrias quagga</i> (Kaup, 1858)	43
<i>Zebrias synapturoides</i> (Jenkins, 1910)	43
<i>Zenopsis conchifer</i> (Lowe, 1852)	45



