

University of Nebraska - Lincoln
DigitalCommons@University of Nebraska - Lincoln

USGS Staff -- Published Research

US Geological Survey

2013

National valuation of monarch butterflies indicates an untapped potential for incentive-based conservation

Jay E. Diffendorfer

United States Geological Survey, Geosciences and Environmental Change Science Center, Denver, CO, jediffendorfer@usgs.gov

John B. Loomis

Colorado State University, Fort Collins, CO

Leslie Ries

University of Maryland, The National Socio-environmental Synthesis Center

Karen Oberhauser

University of Minnesota

Laura Lopez-Hoffman

The University of Arizona

See next page for additional authors

Follow this and additional works at: <http://digitalcommons.unl.edu/usgsstaffpub>

Diffendorfer, Jay E.; Loomis, John B.; Ries, Leslie; Oberhauser, Karen; Lopez-Hoffman, Laura; Semmens, Darius; Semmens, Brice; Butterfield, Bruce; Bagstad, Ken; Goldstein, Josh; Wiederholt, Ruscena; Mattson, Brady; and Thogmartin, Wayne E., "National valuation of monarch butterflies indicates an untapped potential for incentive-based conservation" (2013). *USGS Staff -- Published Research*. 802.

<http://digitalcommons.unl.edu/usgsstaffpub/802>

This Article is brought to you for free and open access by the US Geological Survey at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in USGS Staff -- Published Research by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Authors

Jay E. Diffendorfer, John B. Loomis, Leslie Ries, Karen Oberhauser, Laura Lopez-Hoffman, Darius Semmens, Brice Semmens, Bruce Butterfield, Ken Bagstad, Josh Goldstein, Ruscena Wiederholt, Brady Mattson, and Wayne E. Thogmartin

National valuation of monarch butterflies indicates an untapped potential for incentive-based conservation

Jay E. Diffendorfer¹, John B. Loomis², Leslie Ries^{3,4}, Karen Oberhauser⁵, Laura Lopez-Hoffman⁶, Darius Semmens¹, Brice Semmens⁷, Bruce Butterfield⁸, Ken Bagstad¹, Josh Goldstein², Ruscena Wiederholt⁶, Brady Mattsson⁹, & Wayne E. Thogmartin¹⁰

¹ United States Geological Survey, Geosciences and Environmental Change Science Center, Denver, CO 80225, USA

² Department of Agricultural and Resource Economics, Colorado State University, Fort Collins, CO, USA

³ Department of Biology, University of Maryland, College Park, MD 20742, USA

⁴ The National Socio-environmental Synthesis Center, 1 Park Place, Annapolis, MD, 21401, USA

⁵ Department of Fisheries, Wildlife and Conservation Biology, University of Minnesota, St Paul, MN, USA

⁶ School of Natural Resources and the Environment and Udall Center for Studies in Public Policy, The University of Arizona, Tucson, AZ 85721, USA

⁷ Scripps Institution of Oceanography, University of California, San Diego, 9500 Gilman Drive, La Jolla CA 92093, USA

⁸ National Gardening Association, Po Box 4515, Burlington, VT 05406, USA

⁹ Department of Forest and Soil Sciences, University of Natural Resources and Life Sciences, Vienna, Austria

¹⁰ United States Geological Survey, Upper Midwest Environmental Sciences Center, 2630 Fanta Reed Road, La Crosse, WI 54603, USA

Keywords

Conservation planning; contingent valuation; ecosystem services; *Danaus plexippus*; migration; monarch; willingness to pay.

Correspondence

Jay Diffendorfer, United States Geological Survey, Geosciences and Environmental Change Science Center, Denver, CO, 80225, USA. Tel: +011-303-236-5369. E-mail: jediffendorfer@usgs.gov

Received

16 May 2013

Accepted

3 September 2013

Editor

R. Damania

[Corrected after online publication November 6, 2013: Removed USGS draft disclaimer inadvertently left in published article.]

doi: 10.1111/conl.12065

Abstract

The annual migration of monarch butterflies (*Danaus plexippus*) has high cultural value and recent surveys indicate monarch populations are declining. Protecting migratory species is complex because they cross international borders and depend on multiple regions. Understanding how much, and where, humans place value on migratory species can facilitate market-based conservation approaches. We performed a contingent valuation study of monarchs to understand the potential for such approaches to fund monarch conservation. The survey asked U.S. respondents about the money they would spend, or have spent, growing monarch-friendly plants, and the amount they would donate to monarch conservation organizations. Combining planting payments and donations, the survey indicated U.S. households valued monarchs as a total one-time payment of \$4.78–\$6.64 billion, levels similar to many endangered vertebrate species. The financial contribution of even a small percentage of households through purchases or donations could generate new funding for monarch conservation through market-based approaches.

Introduction

The multigenerational migration of North American monarch butterflies (*Danaus plexippus*) between breeding grounds in the northern U.S. and southern Canada and wintering grounds in central Mexico and coastal California is one of the world's most spectacular natural events (Figure 1). People's interest in monarchs and their fascinating, visible biology is obvious. They are the official

insect or butterfly of seven U.S. states; celebrated via festivals in Mexico, the United States, and Canada; the focus of science curricula; and the subject of multiple citizen-science projects that track juveniles, adults, and disease dynamics.

Since 1999, the size of the overwintering colonies in Mexico and California have declined (Brower *et al.* 2012; Xerces 2013), and the 2012 survey in Mexico showed


Monarch butterfly fall and spring migrations

Figure 1 Fall (southward) and spring (northward) migrations of the monarch butterfly (blue arrows), the four monarch regions used in the study, and location of respondents to the national survey (black dots).

the lowest colony size yet recorded, which prompted wide-scale media reports (Wines 2013). Habitat loss in the overwintering sites in Mexico and California is well-documented (Brower *et al.* 2002; Ramirez *et al.* 2006), although no direct empirical link between declining overwintering habitat and monarch numbers exists. In addition, the growing use of glyphosate-tolerant genetically modified crops has reduced larval host plant (milkweed, *Asclepias* spp) abundances in farm fields across United States and Canada. Increasing acreage of glyphosate-tolerant corn and soybeans are negatively correlated to monarch numbers, with the area of milkweed in farm fields in the United States declining from an estimated 213,000 to 40,300 ha (Pleasants & Oberhauser 2012).

Monarchs represent one of many migratory species whose complex annual cycle requires conservation actions across diverse stakeholders and countries (Behrens *et al.* 2008; Skagen & Knopf 1993). Developing conservation strategies for migratory species requires a blend of approaches, such as spatial models of habitat use, tracking individuals to identify stopover locations, and prioritizing funding for conservation actions across multiple locations or countries (McCarthy *et al.* 2010; Miller 2011). One growing conservation strategy develops economic incentive-based, market-oriented mechanisms for conservation practices (Kinzig *et al.* 2011). Examples of such approaches include ecotourism, public or private payments for ecosystem services or the conservation practices that produce them, and tax incentives (Salzman

2005). For monarchs, funds generated in one region, for example the United States, could be spent locally, or transferred to support conservation in other parts of their range, such as overwintering locations. Currently, ecotourism in the Monarch Butterfly Biosphere Reserve in Mexico and a fund compensating landowners who have lost their rights to log overwintering forests are key methods for conserving overwinter habitat (Missrie 2004; Honey-Rosés *et al.* 2009).

Monarch ecology creates unique opportunities for market-based conservation approaches because many households can plant nectar plants and milkweed to offset ongoing losses in the breeding habitat. For example, the Monarch Waystation program asks participants to plant monarch friendly gardens on their property and has more than 6,000 registered habitats (MonarchWatch 2013). Monarch-focused plantings may produce significant income for the horticultural industry, creating a potential for market-based monarch conservation. Thus, understanding the geographic patterns of community support is keenly important for successful conservation of migratory species. For example, if residents will only support local conservation efforts, but the critical conservation need is elsewhere, incentive-based programs will not function efficiently. The main goal of this article is to use the economic tool of contingent valuation to assess the value that people across the United States place on monarchs, and on conserving and restoring their habitat.

Economists use contingent valuation methods to assess the value society places on ecosystem goods and services that cannot be bought and sold. In contingent valuation, surveys elicit how much value people have for conserving a species or protecting its habitat. These methods estimate the “nonuse” value of a species, such as existence and bequest values, in addition to traditional “use values” such as viewing, hunting, or fishing. Like any survey-based research method, there are limitations to contingent valuation, and development of the general approach continues to be refined and debated. It has been suggested that some contingent valuation studies violate one or more economic principles put forward to test the method (Hausman 2012). However, reviews and meta-analyses suggest assessments of the public’s willingness to pay for species or habitat conservation generally follow expectations from economic theory (Carson 2012; Kling *et al.* 2012), show predictable results, and enable hypothesis testing (Lindhjem and Tuan 2012; Morse-Jones *et al.* 2012). Despite the scholarly discussion over contingent valuation, it is a legally accepted method for valuing species and other environmental goods and services (Portney 1994). To date, species valuation based on this approach has informed resource management decision making (Chichilnisky 1998), allowed comparisons of po-

tential monetary investments across endangered species (Loomis & White 1996; Lindhjem & Tuan 2012), and aided in assessing the costs of species conservation relative to their societal value (Rubin *et al.* 1991). Estimating the value of migratory species in different parts of their range allows decision makers to structure economic incentives across the various geographic regions and jurisdictions involved in management.

We examined the potential to develop economic incentives for monarch conservation by assessing the amounts and regional patterns of money Americans might be willing to pay to plant monarch friendly gardens and donate to groups that conserve and restore monarch habitat. We also investigated whether there are regional differences in willingness to pay. Previous studies reported a distance-decay function exists for willingness to pay, with higher payments when the focus of the survey is closer to where respondents live (Pate & Loomis 1997; Morse-Jones *et al.* 2012). Thus, we expected respondents to show a preference for conserving monarchs closer to where they lived, and that there would be broad geographic patterns in donations across regions important to monarch biology. We report a surprisingly high economic value for monarchs based on contingent valuation as well as geographic patterns in willingness to pay.

Methods

We analyzed willingness to pay data from a national survey commissioned by the National Gardening Association (NGA) via Harris Interactive, an international polling company. In 2012, NGA included six questions regarding knowledge, attitudes, and willingness to pay for monarch conservation to its annual survey of U.S. households. Though commissioned by a gardening association, the survey was sent to a random selection of *all* US households; participation in gardening was not a factor in selecting respondents. The online survey was designed to provide a stratified random sample that was demographically and economically representative of all U.S. households (see Supporting Information). The survey asked questions about willingness to pay for planting nectar or milkweed plants and donating to conserve monarch habitat in five regions across their range (Figure 1). The survey did not include respondents in Mexico or Canada, so it does not estimate the value residents of these countries place on monarchs. Of the 2,290 respondents, 2,132 lived within regions where monarchs were common, not surprising given the widespread distribution of monarchs in the United States (Figure 1). Monarch’s general ubiquity coupled with extensive media attention suggests respondents were likely familiar with the species they were being asked to value. One respondent was

removed from the survey because the value they entered was so large we suspected a typographical error (they reported having invested \$2,344 planting milkweed vs. a survey mean of \$44). The final sample size was 2,289 individuals.

We estimated mean values of the amount respondents had spent or would spend planting nectar plants and milkweeds directly from the values respondents entered in the survey. The calculated means included payments of zero. To estimate the potential interest in planting nectar plants and milkweed, we first took the average willingness to pay for future plantings of nectar and milkweed and multiplied by 118 million households (United States Census Bureau 2012). We then corrected this estimate by multiplying it by the proportion of respondents that would plant and had space. We note that the survey may overestimate willingness to pay for planting nectar plants specifically to help monarchs because these plants attract other species and are themselves attractive.

After describing two organizations supporting overwintering habitat conservation in Mexico (the Monarch Butterfly Fund) and breeding, migratory, and overwintering habitat conservation in the United States (the Monarch Joint Venture), the survey asked “What is the one time amount you would donate to the Monarch Butterfly Fund and/or the Monarch Joint Venture described earlier, to support each of the following efforts to stop the loss of monarchs?” Respondents were presented with conservation actions in the five regions illustrated in Figure 1, and nine discrete categories of monetary donations (\$0, \$10, \$20, \$30, \$40, \$50, \$75, \$100, and \$150), for each of the five regions (see Supporting Information).

Respondents indicating zero willingness to pay required additional investigation to uncover if these were “valid zeros”, or what economists call “protest zeros.” For valid zeros, respondents gave reasons for not donating to monarch conservation that clearly indicated the respondent did not value monarch butterflies enough to donate (e.g., they selected “protecting areas for this species is not worth the money to me”; “I do not believe protecting the monarch butterfly is important”; and “I live outside the range of monarch butterflies”); these \$0 responses were included in our analyses and are considered nonprotest responses as their zero willingness to pay response was consistent with their statements that they get no benefits from monarchs.

However, some of the respondents selecting \$0 for a donation value also indicated that they received some benefits from the species because they answered either “very important,” “important,” or “somewhat important” to the question “How important to you is helping to save monarchs?” These respondents were opposed to the particular way in which conservation was to be financed (“I

do not trust that the money spent will result in protecting areas”), or the idea that they are responsible for paying for conservation (“It is unfair to expect me to pay for monarch conservation”). Such responses (24.2% of all respondents), called “protest bids” by economists, indicated the respondent may not have approved of the hypothetical payment approach of donating to the conservation organizations, despite valuing monarchs enough to want to save them. It is standard practice in contingent valuation to drop respondents who do not accept the premise of the valuation question as their responses are not indicative of their values (Halstead & Luloff 1992). However, to ensure the broadest interpretation of our results, when estimating mean values of donations at regional or national scales, we calculated and report the analyses both with and without protest votes.

We used these data to explore geographic patterns in donations. Our goal was to understand first if regions showed different patterns of donations, and second if respondents were more likely to donate, and more likely to donate higher amounts, to areas close to their region or to their region itself. To examine these patterns we fit ordered categorical models to the data and compared models using Akaike’s Information Criterion adjusted for finite sample sizes (AICc) (Burnham & Anderson 2002). We present differences in AICc between models, and interpret differences >2 as strong support for the model with the lowest score. We also present model likelihoods and model weights, which provide information on the support of a model relative to other candidate models.

The donations data were categorical with unequal intervals between the categories and highly skewed, with large donations rare, and donations of zero common (Figure 1). We initially attempted to use all nine categories of donations in the models, but these failed to converge given small sample sizes or no data at the larger donation values. The data generally grouped around donations of zero, donations between 1 and 50, and donations >50 (Figure S1), so we pooled responses into these three categories to allow model convergence. We estimated both national and regional mean donations from the categorical donations data conservatively, by using the dollar value of the box selected by a respondent as the lower bound for their donation to a region, rather than assuming the dollar value lies in the midpoint of the interval between the dollar value checked and the next highest dollar amount (Cameron & Huppert 1989). The model selection approach contrasted a model in which the proportion of respondents donating to the three categories varied across all five regions (a full model), a model where proportions of donations varied across larger areas (the western United States, eastern United States, and Mexico), and a null model with no spatial variation in

donations. We performed this model selection approach for respondents residing in each of the four monarch regions in the United States.

To understand spatial patterns in donations, we estimated the total willingness to pay between all possible combinations of individual regions and mapped this. We first estimated the average donation per respondent between all combinations of regions (excluding protest votes) directly from the survey data. The survey included the respondents Zip Code, so we categorized the region of residence for each respondent, and used this to estimate average donations from one region to another. We then multiplied this average by the number of households in a region, calculated as the sum of household numbers by Zip Code from the 2010 U.S. Census.

Results

More than half (55%) of the respondents were “not aware” monarch butterfly populations are believed to be declining, whereas 39% were “somewhat aware,” “aware,” or “very aware.” Nevertheless, 70% indicated conserving monarchs was “important” or “very important” to them whereas 3% indicated it was “not important.” Small percentages of American households currently grow nectar plants (13%) or milkweed (4%), but as much as a quarter of American households would like to grow nectar plants (29%) and milkweed (24%). An additional 19% did not have space and 18% were not interested in growing plants beneficial to monarchs.

We estimated both the current expenditures of U.S. households and their willingness to spend in the future by asking “What is the one time amount you would spend, or have spent, to grow flowering nectar plants or milkweed that benefit monarchs at your home?” (see Supporting Information). These values are one-time payments and represent the total value a person would pay at the time of the survey. Responding U.S. households have already spent an average of $\$7.36 \pm 0.79$ (mean \pm standard error) for nectar plants and $\$2.22 \pm 0.26$ for milkweed. When multiplied by 118 million U.S. households (United States Census Bureau 2012), the national amounts already spent were \$868 (\$685–\$1050, 95% confidence interval) and \$262 (\$201–\$322) million, for nectar plants and milkweed, respectively.

Respondents’ interest in growing monarch-friendly plants appears to be as large as the existing expenditures. We estimated a one-time willingness to pay of \$933 (\$861–\$1,004) million for nectar plants and \$473 (\$432–\$513) million for milkweed across U.S. households after excluding respondents who indicated they had no space to plant or no interest in doing so. A different method,

Table 1 Modeling results for willingness to donate data by region^a

Model	AICc	Δ AICc	Log-likelihood	Model weight
Respondents from California overwintering				
Full	658.23	0.76	−322.73	0.41
East versus west	657.47	0.00	−323.74	0.59
Null	709.46	51.99	−351.73	0.00
Respondents from western breeding				
Full	1083.56	25.29	−534.78	0.00
East versus west	1058.27	0.00	−524.13	1.00
Null	1188.84	130.57	−591.42	0.00
Respondents from eastern spring				
Full	2231.84	0.00	−1108.92	1.00
East versus west	2246.13	14.29	−1117.06	0.00
Null	2363.21	131.37	−1178.61	0.00
Respondents from eastern summer				
Full	4282.97	0.00	−2134.48	1.00
East versus west	4378.75	95.78	−2184.37	0.00
Null	4659.77	376.80	−2285.01	0.00

^aResults from ordered-categorical model selection to determine if willingness to donate across three donation categories (\$0, \$10–50, and >\$50), was a function of the region where respondents lived. “Full” = a model in which the proportion of donations to each category varied across five regions, $df = 7$; “Area” = a model with donations varying between the Eastern and Western U.S., $df = 5$; “Null” = a model with no spatial variation in donations, $df = 3$. Delta AICc is the difference between the model in that row, and the model with the lowest AICc value.

based on respondents’ interest in growing plants in the future, produced similar results. Based on answers to the survey, 16% more households may grow nectar plants in the future than currently do (29% who answered they would grow-13% who answered they currently grow). If these households spent the same amount as those who currently grow these plants ($\$40.39 \pm 4.79$), this would result in \$762 million of one-time nectar plant purchases. For milkweed, households spent $\$20.37 \pm 4.7$ and 20% more households may grow milkweed, resulting in \$480 million for new purchases.

The data on willingness to donate for protecting monarch habitat showed two main trends First, people were willing to donate to both the region where they lived and other regions that monarchs use. For those respondents willing to make donations, 50% would donate to all five regions, 8% to four regions, 10% to three regions, and 15% to two regions. Just 17% would donate to only one region. Second, as we expected based on previous studies (Pate & Loomis 1997; Morse-Jones *et al.* 2012), where people lived affected their willingness to pay. In general, respondents were more likely to donate, and had higher proportions of large donations, to the region or area of the United States where they lived (Table 1; Figure 2). Model selection indicated respondents from three of four regions (CA overwintering,




Figure 2 The proportion of respondents living in a particular region not donating, donating \$1–\$49, and \geq \$50 to either the same, or a different, region.

Western breeding and Eastern spring) were more likely to support habitat conservation in the large areas of the United States where they lived (Table 1; Figure 2a–c) and respondents in the Eastern Summer region showed a preference to support habitat conservation primarily within the east summer region itself (Figure 2d). Eastern Spring respondents had the highest proportions of both donations and large donations to the Eastern summer region, followed by their own region. In all cases, the proportion of respondents donating, and the proportion of large donations to Mexico were lower than to the U.S. regions (Figures 2 and 3).

The geographic patterns associated with respondents' donations resulted in differences in the mean donations to a region. Though respondents were willing to donate to all regions, they were willing to donate more

to the east summer region and less to Mexico (Table 2), though these differences (\sim \$1–\$3.00) were small relative to the mean regional donations (\sim \$5.00–\$9.00). Respondents in both the east summer and east spring region, 82% of respondents living in any monarch region, were more likely to donate, and more likely to donate larger amounts to the east summer region (Figure 2c and d), which drove the observed higher mean donations to this region. Likewise, patterns of relatively lower proportions of respondents donating, and lower proportions of large donations, explain the lower mean value of donations to Mexico.

Summing across regions, the mean household one-time donations varied from \$31–\$41 depending on the inclusion or exclusion, respectively, of protest votes. Multiplying the lower confidence interval for our low




Figure 3 The estimated one-time transfer of donations between or within regions. Arrows, and their width, represent the amount of the donation from residents in a region to conservation groups working in a different region. Circular arrows represent the amount of the donation from residents to the region where they live. Wider arrows represent larger one-time donations. Arrows are labeled with the donation in 100 millions of U.S. dollars.

estimate (protest votes included, \$28.52) and the upper confidence interval from our high estimate (protests excluded, \$44.23) by 118 million households, we estimate a nationwide one-time willingness to donate between \$3.37 and \$5.22 billion to maintain monarch butterfly habitat. Adding one-time purchases for plants and donations, U.S. households would be willing to spend from \$4.78 to \$6.64 billion to support monarch butterfly conservation.

Discussion

Our results suggest the majority of U.S. households believe monarchs and their conservation are important. The results further suggest U.S. households might support a more sizeable market focused on monarch friendly plants. Some studies indicate the charisma of

a species affects its perceived value (Metrick & Weitzman 1996; Richardson & Loomis 2009) whereas others suggest the degree of endangerment matters more (Tisdell *et al.* 2007). In general, insects have lower perceived values than other animals (Coursey 1994). For monarchs, the range of willingness to pay per respondent for monarchs (\$53.89–\$74.03) was within the range of those reported for endangered vertebrate species in Asia, Oceania, and the United States, but lower than values for other well-known and culturally iconic species such as elephants, bald eagles, pandas, and gray whales (Loomis & White 1996; Richardson & Loomis 2009; Lindhjem & Tuan 2012).

Monarch popularity, as shown by the survey results, could become an advertising focus for butterfly-supporting products that tap into the large, existing, gardening market in the United States. In the 2012 NGA

Table 2 Regional willingness to donate per household^a

	Mexico	East spring	East summer	Total east	West breeding	California overwinter	Total west	Total United States
Protest	\$5.07 ±	\$6.08 ±	\$7.41 ±	\$18.56 ±	\$6.39 ±	\$6.21 ±	\$12.6 ±	\$31.16 ±
votes included	0.28	0.28	0.32	0.82	0.30	0.29	0.57	1.35
(n = 2,289)	(0.26)	(0.32)	(0.38)		(0.33)	(0.31)		
Without	\$6.65 ±	\$7.97 ±	\$9.72 ±	\$24.34 ±	\$8.38 ±	\$8.14 ±	\$16.53	\$40.87 ±
Protest	0.36	0.36	0.40	1.04	0.38	0.38	±	1.71
votes							0.73	
(n = 1,733)	(0.33)	(0.42)	(0.49)		(0.42)	(0.40)		

^aMeans ± standard errors in U.S. dollars represent the amount respondents were willing to donate for conserving monarch habitat in each region. The proportion of respondents with donations > \$0 are in parentheses. Estimates are shown with and without protest respondents.

survey, households identified as “do-it-yourself lawn and gardeners” generated \$29.1 billion of retail sales on all aspects of their lawns and gardens (NGA 2012). Our survey suggests consumers might pay more for monarch friendly milkweeds and nectar plants grown without systemic insecticides in the potting soil. The use of systematic insecticides, such as neonicotinoids, is standard practice for many nursery-grown plants. These insecticides target a wide diversity of insects, including Lepidoptera (moths and butterflies), are present in the tissue and nectar of plants, and can kill feeding caterpillars and adults (Goulson 2013). In addition, given respondents willingness to support monarch habitat conservation or restoration, consumers might be more interested in buying nectar-producing plants or milkweeds if they indicate a small percentage of sales will be donated to habitat conservation. These funds could support restoration programs in the United States, Mexico, and Canada, including areas where monarch habitat has, or will be, impacted by climate or land use change.

Our survey of public interest in monarch butterflies may reflect a more general interest in pollinators which are in decline globally (Burkle *et al.* 2013). As an example of public interest, a recent Time magazine cover was dedicated to the decline of honeybees (Walsh 2013). Similar to monarchs, market-based conservation practices could be highly effective for pollinators. For example, a percentage of revenue from honey sales going to habitat conservation could act synergistically with monarch habitat conservation. Indeed, many policies discussed by Garibaldi *et al.* (2013) as methods to maintain effective pollination for crops would also enhance nectar plant availability for monarchs. Monarch reliance on milkweed for reproduction, however, will require a species-specific approach, although milkweed will benefit a wide range of pollinators.

Public interest in monarchs and pollinators could be considered a potential source for innovative conserva-

tion practices. Funding could be used to conserve and restore existing habitats, plant monarch-supporting plants, and on education programs for the public and growers that discuss trade-offs between herbicide-tolerant crops and monarch populations. Care should be taken to avoid perverse outcomes such as planting invasive plants or those requiring unsustainable levels of water, or buying captive bred monarchs that may not survive.

The spatial patterns of payments suggest U.S. households will support habitat conservation in all parts of the monarch range, but have a preference for programs that generally benefit the region or area of the country where they live. These regional preferences are not large relative to the general willingness to support conservation in all parts of the monarchs range. These results suggest support for both the development of market-based approaches to generate funding for activities designed to increase local monarch habitat, as well as national and international conservation activities. Contingent valuation studies, such as this one, are a critical step toward not only understanding how the general public values migratory species but also to provide insights in how to align conservation and economic values for migratory species protection across their range.

Acknowledgments

This work was conducted as part of the “Animal Migration and Spatial Subsidies: Establishing a Framework for Conservation Markets” working group supported by the John Wesley Powell Center for Analysis and Synthesis, funded by the U.S. Geological Survey. Any use of trade, product, or firm names are for descriptive purposes only and do not imply endorsement by the U.S. Government. We thank P. Cryan, J. Dubovsky, G. McCracken, R. Medellin, A. Russell, D. Stephens, E. Schwiag, and E. Zipkin for feedback. J. Havens and C. Gakpoulos helped

developed the figures. Two excellent anonymous reviews improved the article substantially.

Supporting Information

Additional Supporting Information may be found in the online version of this article at the publisher's web site:

Figure S1(a–d). Frequency histograms of the check box values selected by respondents living in a particular region. Values on the survey were \$0, \$10, \$20, \$30, \$40, \$50, \$75, \$100, and \$150.

References

- Behrens, V., Rauschmayer, F. & Wittmer, H. (2008). Managing international 'problem' species: why pan-European cormorant management is so difficult. *Environ. Conserv.*, **35**, 55–63.
- Brower, L.P., Castilleja, G., Peralta, A., *et al.* (2002). Quantitative changes in forest quality in a principal overwintering area of the monarch butterfly in Mexico, 1971–1999. *Conserv. Biol.*, **16**, 346–359.
- Brower, L.P., Taylor, O.R., Williams, E.H., *et al.* (2012). Decline of monarch butterflies overwintering in Mexico: is the migratory phenomenon at risk? *Insect Conserv. Diver.*, **5**, 95–100.
- Burkle, L.A., Marlin, J.C. & Knight, T.M. (2013). Plant-pollinator interactions over 120 years: loss of species, co-occurrence, and function. *Science*, **339**, 1611–1615.
- Burnham, K.P. & Anderson, D.R. (2002). *Model selection and multimodel inference. A practical information-theoretic approach*, 2nd ed. Springer-Verlag, New York.
- Cameron, T.A. & Huppert, D.D. (1989). OLS versus ML estimation of non-market resource values with payment card interval data. *J. Environ. Econ. Manage.*, **17**, 230–246.
- Carson, R.T. (2012). Contingent valuation: a practical alternative when prices aren't available. *J. Econ. Perspect.*, **26**, 27–42.
- Chichilnisky, G. (1998). Economic returns from the biosphere. *Nature (London)*, **391**, 629–630.
- Coursey, D. (1994). The revealed demand for a public good: evidence from endangered and threatened species. *NYU Environ. Law J.*, **6**, 411–449.
- Garibaldi, L.A., Steffan-Dewenter, I., Winfree, R., *et al.* (2013). Wild pollinators enhance fruit set of crops regardless of honey bee abundance. *Science*, **339**, 1608–1611.
- Goulson, D. (2013). REVIEW: an overview of the environmental risks posed by neonicotinoid insecticides. *J. Appl. Ecol.*, **50**, 977–987.
- Halstead, J. & Luloff, A. (1992). Protest bidders in contingent valuation. *Northeast. J. Agric. Resour. Econ.*, **21**, 160–169.
- Hausman, J. (2012). Contingent valuation: from dubious to hopeless. *J. Econ. Perspect.*, **26**, 43–56.
- Honey-Rosés, J., López-García, J., Rendón-Salinas, E., *et al.* (2009). To pay or not to pay? Monitoring performance and enforcing conditionality when paying for forest conservation in Mexico. *Environ. Conserv.*, **36**, 120–128.
- Kinzig, A.P., Perrings, C., Chapin, F.S., *et al.* (2011). Paying for ecosystem services—promise and peril. *Science*, **334**, 603–604.
- Kling, C.L., Phaneuf, D.J. & Zhao, J. (2012). From Exxon to BP: Has some number become better than no number? *J. Econ. Perspect.*, **26**, 3–26.
- Lindhjem, H. & Tuan, T. (2012). Valuation of species and nature conservation in Asia and Oceania: a meta-analysis. *Environ. Econ. Policy Studies*, **14**, 1–22.
- Loomis, J.B. & White, D.S. (1996). Economic benefits of rare and endangered species: summary and meta-analysis. *Ecol. Econ.*, **18**, 197–206.
- McCarthy, M.A., Thompson, C.J., Hauser, C., *et al.* (2010). Resource allocation for efficient environmental management. *Ecol. Lett.*, **13**, 1280–1289.
- Metrick, A. & Weitzman, M.L. (1996). Patterns of behavior in endangered species preservation. *Land Econ.*, **72**, 1–16.
- Miller, K. (2011). Conservation of migratory species in a changing climate: strategic behavior and policy design. *Environ. Law*, **41**, 573–598.
- Missrie, M. (2004). Design and implementation of a new protected area for overwintering monarch butterflies in Mexico. Pages 141–150 in K.S. Oberhauser, M.J. Solensky, editors. *The monarch butterfly: biology and conservation*. Cornell University Press, Ithaca, NY.
- MonarchWatch. (2013). Monarch Watch Waystation Program. <http://monarchwatch.org/waystations/> (visited 3 May, 2013).
- Morse-Jones S., Bateman I.J., Kontoleon A., *et al.* (2012). Stated preferences for tropical wildlife conservation amongst distant beneficiaries: charisma, endemism, scope and substitution effects. *Ecol. Econ.*, **78**, 9–18.
- NGA. (2012). *National Gardening Survey: the national gardening association's comprehensive study of consumer gardening practices, trends, and product sales*. National Gardening Association, South Burlington, VT, USA.
- Pate, J. & Loomis, J. (1997). The effect of distance on willingness to pay values: a case study of wetlands and salmon in California. *Ecol. Econ.*, **20**, 199–207.
- Pleasant, J.M. & Oberhauser, K.S. (2012). Milkweed loss in agricultural fields because of herbicide use: effect on the monarch butterfly population. *Insect Conserv. Diver.*, **6**, 135–144.
- Portney, P. (1994). The contingent valuation debate: why economists should care. *J. Econ. Perspect.*, **8**, 3–17.
- Ramirez, M., Miranda, G. & Zubieta, R. (2006). *Serie Cartografica Monarca Volumen 1. Vegetacion y Cubiertas del Suelo, 2006*. Reserva de la Biosfera Mariposa Monarca. Instituto de Geografia, UNAM, Mexico City, Mexico.

- Richardson, L. & Loomis, J. (2009). The total economic value of threatened, endangered and rare species: an updated meta-analysis. *Ecol. Econ.*, **68**, 1535-1548.
- Rubin, J., Helfand, G. & Loomis, J. (1991). A benefit-cost analysis of the northern spotted owl. *J. Forest.*, **89**, 25-30.
- Salzman, J. (2005). Creating markets for ecosystem services: notes from the field. *New York University Law Review*, **80**, 871-961.
- Skagen, S.K. & Knopf, F.L. (1993). Toward conservation of midcontinental shorebird migrations. *Conserv. Biol.*, **7**, 533-541.
- Tisdell, C., Nantha, H.S. & Wilson, C. (2007). Endangerment and likeability of wildlife species: how important are they for payments proposed for conservation? *Ecol. Econ.*, **60**, 627-633.
- United States Census Bureau. (2012). Statistical Abstract of the United States (131st Edition), Washington, DC.
- Walsh, B. (2013). The plight of the honeybee. Pages 14-29. *TIME*, Time Inc.
- Wines, M. (2013). Monarch migration plunges to lowest level in decades. Page 1. *New York Times*. New York times, New York, USA.
- Xerces. (2013). The Xerces Society for invertebrate conservation, Western Monarch thanksgiving count. <http://www.xerces.org/butterfly-conservation/western-monarch-thanksgiving-count/> (visited 3 May, 2013).

Supporting Information

Harris Interactive Survey Methodology Statement

The sample is representative of the U.S. population. Figures for age, sex, race/ethnicity, education, region and household income were weighted where necessary to bring them into line with their actual proportions in the population.

All sample surveys and polls, whether or not they use probability sampling, are subject to multiple sources of error which are most often not possible to quantify or estimate, including sampling error, coverage error, error associated with non-response, error associated with question wording and response options, and post-survey weighting and adjustments. Therefore, Harris Interactive avoids the words "margin of error" as they are misleading. All that can be calculated are different possible sampling errors with different probabilities for pure, un-weighted, random samples with 100% response rates. These are only theoretical because no published polls come close to this ideal.

Respondents for this survey were selected from among those who have agreed to participate in Harris Interactive surveys. The data have been weighted to reflect the composition of the adult population. Because the sample is based on those who agreed to participate in the Harris Interactive panel, no estimates of theoretical sampling error can be calculated.

Monarch Survey

The test was administered online. The text below is what respondents read while taking the survey. Unlike the actual survey, we have labeled each question to enhance clarity with "Question 1", etc. Uppercase prose indicates the specific instructions for the Harris programmer to randomize the order of responses, or structure the questions. These are included to show details of the survey as experienced by respondents.

The next few questions are about monarch butterflies. Below is some information regarding monarchs. Please read the text below and click on the forward arrow to proceed to the questions.


Monarch butterfly migration

Each spring monarch butterflies fly north, having spent the winter densely packed in a few forests in Central Mexico. In the spring and summer, they travel thousands of miles into the eastern United States and Canada, reproducing along the way. In the fall, the last generation of the year flies back to central Mexico for the winter. Mass migrations are not common in butterflies, and no other species is known to have such concentrated winter colonies.

During migration and breeding, adult monarchs feed on nectar produced by the flowers of many different plants. Monarchs also breed while migrating and lay eggs exclusively on milkweed plants, which their caterpillars require to develop into adults. The photograph shows a monarch feeding on a milkweed flower (Korall, Creative commons, CC-SA license).

There are two main groups of monarchs; a group that lives east, and another that lives west of the Rocky Mountains. Three main areas support the eastern populations -- forests in Mexico where they spend the winter; areas in Mexico and southern United States that support migration and breeding in the spring and fall; and areas in north, central, and eastern United States and Canada that support migration and breeding in the summer. The smaller, western monarch

population winters along the California coast and moves into the western United States to reproduce. The map shows the migration of both groups and the winter, spring (green) and summer (yellow) areas for the eastern population.



Monarch population declines

Recent studies show the number of monarchs wintering in Mexico declined by about 65% from 1999 to 2010. There has been an even larger decline (about 90%) in California sites over the same period.

Threats to monarchs

- Threats to monarchs in Mexico: forest destruction in winter locations.
- Threats in migratory and breeding areas in the US, Mexico, and Canada: fewer milkweed for breeding and flowering plants for food due to new agricultural practices that either don't leave space for these plants to grow or actively remove milkweeds; and expansion of cities and suburbs into natural habitats and former farmlands.

Question 1. How aware were you, before reading about it here, that monarch numbers were in decline?

To review the information again, please click here.

- Not at all aware
- Somewhat aware
- Aware
- Very aware
- Don't know

Question 2. In your opinion, how important is it to help save monarchs?

To review the information again, please click here.

- Not at all important
- Somewhat important
- Important
- Very important

Don't know

Question 3. Which of the following statements describe your experience/interest in growing monarch butterfly-friendly plants at home ? Please select all that apply.

To review the information again, please click here.

[RANDOMIZE, KEEPING 01,02 TOGETHER, AND 03,04 TOGETHER]

[MULTIPLE RESPONSE; CANNOT SELECT 01-03 TOGETHER, OR 02-04 TOGETHER, OR 05 TOGETHER WITH 01,02]

- 01 Currently grow flowering nectar plants that benefit monarchs
- 02 Currently grow milkweed that benefits monarchs
- 03 Would like to grow flowering nectar plants that benefit monarchs but currently do not
- 04 Would like to grow milkweed that benefits monarchs but currently do not
- 05 Don't have space to grow any flowering nectar plants or milkweed that benefit monarchs
- Not interested in planting any flowering nectar plants or milkweed that benefit monarchs
- Don't know

Question 4. What is the one time amount of money you would spend, or have spent, to grow flowering nectar plants or milkweed that benefit monarchs at your home? If you have not, or will not, spend any money enter "0". Please answer in whole dollars; do not answer in dollars and cents.

To review the information again, please click here.

[RANDOMIZE, BUT KEEP 01, 02 TOGETHER AND 03, 04 TOGETHER]

- 01 Willing to spend to grow flowering nectar plants that benefit monarchs
- 02 Willing to spend to grow milkweed that benefits monarchs
- 03 Already spent to grow flowering nectar plants that benefit monarchs
- 04 Already spent to grow milkweed that benefits monarchs

Below is some additional information regarding monarch butterflies. Please read the text below and click on the forward arrow to proceed to the questions.

What can be done to protect monarch butterflies on a larger scale?

Conserving monarchs will require the following strategies.

- Forests in Mexico: Halt logging activities in existing Mexican wintering sites and plant trees at locations that have been logged.
- Wintering sites in California: Protect sites from development and plant trees in locations that have been degraded.
- Migratory and breeding areas in Mexico, the US, and Canada: Preserve migratory areas and increase the availability of milkweed and flowering plants to support breeding and migrating butterflies.

How could these conservation actions be supported?

- In Mexico, the Monarch Butterfly Fund helps pay for replanting forests in the winter locations and engages local farmers in conserving migratory areas.

- In the US, the Monarch Joint Venture helps pay for increasing milkweed and flowering plants for monarchs on both public and private lands, and for preserving the California winter sites.

Without the conservation efforts described above, monarch populations will most likely continue to decline. If funds are available for protecting and replanting forests, and increasing milkweed and flowering plant availability, it is very likely the decline in monarch populations can be stopped or slowed substantially.

Question 5. What is the one time amount you would donate to the Monarch Butterfly Fund and/or the Monarch Joint Venture described earlier, to support each of the following efforts to stop the loss of monarchs? (There are no right or wrong answers, we are just interested in your honest response.).

To review the information again, please click here.

[DISPLAY HORIZONTALLY]

\$0 \$10 \$20 \$30 \$40 \$50 \$75 \$100 \$150

[RANDOMIZE, KEEPING 1-3 TOGETHER AND 4,5 TOGETHER]

[PROGRAMMER: DISPLAY HEADERS]

Eastern Monarch Population

- 1 Winter sites in Mexico
- 2 Spring and fall migratory and breeding areas in Mexico and the southern US
- 3 Summer migratory and breeding areas in the north, central, and eastern US

Western Monarch Population

- 4 Migratory and breeding areas in the western US
- 5 Winter sites in California

Question 6. Which of the following statements describe the reason(s) you are not willing to donate any money to the Monarch Butterfly Fund and/or the Monarch Joint Venture for their monarch conservation efforts? Please select all that apply.

To review the information again, please click here.

[RANDOMIZE]

Protecting areas for this species is not worth the money to me.

It is unfair to expect me to pay for monarch conservation.

I do not believe protecting the monarch butterfly is important.


I do not trust that the money spent will result in protecting monarch butterfly areas.

I live outside the range of monarch areas.

Other [INSERT NON-MANDATORY TEXT BOX]


Figure 1a-d. Frequency histograms of the check box values selected by respondents living in a particular region. Values on the survey were \$0, \$10, \$20, \$30, \$40, \$50, \$75, \$100, and \$150.

A




B

West Breeding



C

East Spring



D

East Summer

