

1967

## EC67-1422 Mr. Poultryman...Here's a Message for You! About Pesticides and Pesticide Residues

John Furrer

Earl Gleaves

Robert E. Roselle

*University of Nebraska-Lincoln*, [rroselle1@unl.edu](mailto:rroselle1@unl.edu)

Follow this and additional works at: <http://digitalcommons.unl.edu/extensionhist>

---

Furrer, John; Gleaves, Earl; and Roselle, Robert E., "EC67-1422 Mr. Poultryman...Here's a Message for You! About Pesticides and Pesticide Residues" (1967). *Historical Materials from University of Nebraska-Lincoln Extension*. 3857.  
<http://digitalcommons.unl.edu/extensionhist/3857>


This Article is brought to you for free and open access by the Extension at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Historical Materials from University of Nebraska-Lincoln Extension by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

AGRI  
S  
85  
E7  
#67-1422

EC 67-1422

# MR. POULTRYMAN...

HERE'S A MESSAGE  
FOR YOU!



## ABOUT PESTICIDES AND PESTICIDE RESIDUES

Extension Service

University of Nebraska College of Agriculture and Home Economics  
and U. S. Department of Agriculture Cooperating

E. F. Frolik, Dean

J. L. Adams, Director



# PESTICIDES

THEY ARE USED TO DESTROY OR PREVENT INSECTS, MITES, RODENTS, WEEDS, FUNGI AND OTHER PESTS OF MAN, ANIMALS AND PLANTS.

WE USE A LOT OF PESTICIDES IN OUR POULTRY BUSINESS."

Pesticide residues can be detected in poultry and eggs in minute amounts. The presence of most residues is illegal and may cause you severe financial loss. Improper use of pesticides can result in eggs and meat unsuitable for sale.

## PESTICIDE RESIDUES MOST OFTEN RESULT FROM --

1. Direct application to birds of materials not approved for that use.
2. Contamination of feed and water during treatment or in storage.
3. Improper treatment of premises, nests, roosts or birds.
4. The use of feed made with ingredients containing pesticide residues.
5. Excessive or careless use of pesticides.

# FOR PEST CONTROL..

## ON BIRDS USE:

coumaphos (Co-Ral)  
malathion  
carbaryl (Sevin)  
allethrin and pyrethrin  
rotenone  
sulfur  
coal tar oils  
(on legs and feet only)  
naled (Dibrom)

## IN POULTRY HOUSES FOR FLIES USE:

DDVP (Vapona)  
naled (Dibrom)  
malathion  
pyrethrins and allethrin  
ronnel (Korlan)  
dimethoate (Cygon)  
dimetilan (treated bands)  
trichlorofon (Dipterex)

## ON LITTER FOR LICE AND MITES USE:

coumaphos (Co-Ral)  
malathion  
nicotine sulfate (roost paint)  
carbaryl (Sevin)  
rotenone

## FOR FLY MAGGOTS IN MANURE USE:

malathion  
trichlorofon (Dipterex)  
calcium arsenate  
DDVP (Vapona)

See your County Agent for detailed information. Ask for his bulletin "Insect and Mite Control for Poultry."

POULTRYMEN SHOULD NOT USE --

aldrin  
BHC  
DDT  
dieldrin

endrin  
lindane  
endosulfan  
(Thiodan)  
toxaphene

-- on birds, in buildings, on premises or on crops. And don't use feed which might contain these materials.

Prepared By:

JOHN D. FURRER  
EARL W. GLEAVES  
ROBERT E. ROSELLE



**LARRY THE  
LABEL SAYS:**

- .. Identify Your Problem
- .. Select the Right Insecticide
- .. Study the Label
- .. Apply as Directed
- .. Clean Up Afterwards

**AND**

- .. Store pesticides in original labeled containers out of the reach of children.
- .. Rinse empty metal, glass and plastic jugs and cans. Two rinsings remove 95% of the removable pesticide.
- .. Burn paper bags and cardboard boxes, making sure to stay out of the smoke.



*Use Pesticides Safely*  
**FOLLOW THE LABEL**

U.S. DEPARTMENT OF AGRICULTURE

Prepared by: JOHN D. FURRER  
EARL W. CLEAVES  
ROBERT F. ROSSIE