

The Marine Algae of Tasmania Check List with Localities

By

ERIC R. GUILER

(Zoology Department, University of Tasmania)

INTRODUCTION

In the course of ecological studies undertaken recently it has been found necessary to identify numerous seaweeds and a great need has been felt for an up-to-date list of the species recorded from Tasmania. In order to diminish this gap in our literature the following list has been prepared. The species have been recorded both from the literature and the collection.

The most recent list of Tasmanian seaweeds is that published by Lucas in 1928. This list was incomplete in many respects as the author did not include many species preserved in the Rodway Herbarium, and in many records Lucas did not give any clue as to the locality in which he found the species. Since 1928 many changes in nomenclature have taken place and these complicate the identification from the earlier works.

Lucas recorded 418 species. The present list contains about 130 species which were not in Lucas's list as well as a great number of new locality records.

The late Mrs. Perrin contributed the names of several species which are new to Tasmania as well as a high proportion of new locality records. Mr. A. Cribb has identified species for me as well as donated specimens to the University Herbarium. He has also provided me with much valuable guidance on synonymy and without his help this work would never have been completed. Professor V. J. Chapman sent me a list of some species which are recorded from Tasmania and Miss L. B. Moore of the D.S.I.R. of New Zealand has revised the Sphaerelariaceae.

The species are listed with the localities at which they have been found and the name of the person responsible for the record is also given. If the record was published the date of publication is given after the author's name. For the sake of brevity this date has been omitted from all references to the list published by Lucas and Lucas & Perrin. Also in the interests of brevity several author's names have been reduced to initials. These are as listed below:—

- L. == Lucas, 1928
- R. == Rodway (Herbarium)
- L.A.M. == Mrs. Meredith
- P.B. == Miss Batt (Private collection)
- P. == Mrs. Perrin
- L. & P. == Lucas & Perrin, 1936
- H.N.B. == Professor Barber
- H.D.G. == Professor Gordon
- H. == Harvey (*Phycologica Australis*)

I would like to thank Professor H. N. Barber for the use of facilities in the Botany Department of the University of Tasmania.

CYANOPHYTA

CHROOCOCCALES CHROOCOCCACEAE

Entophysalis Kützing

- E. deusta* (Meneghini) Drouet & Daily On dead *Haliotis* shells, Southport, 3/1950 (Cribb).

NOSTACALES OSCILLATORIACEAE

Hydrocoleum Kützing

- H. glutinosum* (Ag.) Gomont On *Bostrychia*, Port Arthur, 1/1951 (Cribb).

- H. lyngbyaceum* Kütz. On *Zostera*, Port Arthur, 2/1951 (Cribb).

- L. confervoides* Ag. **Lyngbya** Agardh

- Point Puer, 6/1951 (Cribb).

RIVULARIACEAE

Calothrix Agardh

- On *Phaeophyta*, Stewart Bay, 1/1951 (Cribb).

- C. aeruginosa* Born. & Flah. Southport, 3/1951, and Stewarts Bay, 6/1951 (Cribb).

Isactis Thuret

- I. plana* (Harv.) Thuret Low Head, 9/1950, and Port Arthur, 2/1951 (Cribb).

- R. australis* Harv.

- Port Arthur, 2/1950 (Cribb); Point Puer, 4/1952, Eaglehawk Neck, 4/1951 (E.R.G.).

CHLOROPHYTA

ULOTRICHALES ULVACEAE

Ulva Linnaeus

- Ulva lactuca* L.

- Passim (L.); Shot Tower and Southport (R.); Orford (L.A.M.); Tarroona, 7/1946 (P.B.); Low Head and Currie River (P.); Southport, 6/1950 (Cribb); Eaglehawk Neck, Blackman's Bay, D'Entrecasteaux Channel; Freycinet Peninsula, Dover (E.R.G.). This species is found on all coasts of Tasmania. It reaches a maximum development in spring and early summer. No locality (L.); Bicheno and Low Head (P.); Tasmania (Chapman, personal communication).

Enteromorpha Link

- No locality (L.).

- E. acanthophora* Kütz.

- No locality (L.).

- E. bulbos* (Suhr)

- Kütz.

<i>E. clathrata</i> (Roth.)	Orford (L.A.M.) ; Brackish water, Clarence
J. Ag.	Plains (R.).
<i>E. compressa</i> (L.)	George Town (L.).
Grev.	
<i>E. flexuosa</i> (Wulf.)	No locality (L.).
J. Ag.	
<i>E. gunniana</i>	Thouin Bay (R.) ; George Town (Gunn).
<i>E. intestinalis</i> (L.)	Low Head, Currie R. and Bridport (P.) ; Brack-
Link.	ish lagoon at mouth of Huon River (R.).
<i>E. lingulata</i> J. Ag.	No locality (L.).
<i>E. linza</i> (L.) J. Ag.	Retreat, River Derwent (R.).
<i>E. procera</i> Ahln. f.	Tasmania (Chapman, personal communica-
<i>subundulata</i>	tion).
Schiff.	
<i>E. prolifera</i> (Muell.)	Retreat, River Derwent (R.).
J. Ag.	
<i>E. ramulosa</i> (Engl.)	No locality (L.).
Hook.	

CLADOPHORALES CLADOPHORACEAE

	Cladophora Kützing
<i>C. bainesii</i> Harv.	Tamar and Derwent Rivers (R.) ; Taroona, 10/45 (P.B.).
<i>C. feredayi</i> Harv.	Tamar (L.) ; Derwent and Retreat (R.) ; Bass Strait (H.).
<i>C. ferruginea</i> Harv.	No locality (L.) ; Port Arthur on <i>Hormosira</i> (J.).
<i>C. flacada</i> (L.) Kütz.	Retreat, Derwent R. (R.).
<i>C. flavescens</i> (Roth)	Dover (Cribb).
Kütz.	
<i>C. flexuosa</i> (Griff.)	Port Arthur, 1/1951 (Cribb).
Harv.	
<i>C. gracilis</i> (Griff.)	R. Derwent (R.) ; P. Arthur, 6/1951 (Cribb) ;
Kütz.	Southport (Cribb) ; George Town (Grunow).
<i>C. gracillima</i> Harv.	No locality (L.) ; George Town.
<i>C. pellucida</i> (Huds.)	Derwent (R.).
Kütz.	
<i>C. stuartii</i> Hary.	No locality (L.).
<i>C. valonioides</i> Sond.	Tasmania (Chapman, personal communica-
	tion).

Chaetomorpha Kützing

<i>C. aerea</i> (Dillw.)	Thouin Bay and R. Derwent (R.).
Kütz.	
<i>C. coliformis</i> (Mont.)	Southport (Stuart) ; Triabunna, 3/1950
Kütz.	(Cribb).
<i>C. darwinii</i> (Hook.)	Passim (L.) ; Bellerive (R.) ; P. Arthur
Kütz.	(Cribb) ; Blackman's Bay (H.N.B.) ; Low Head,
	Currie R. and Bicheno (P.) ; Adventure Bay,
<i>C. valida</i> (H. & H.)	4/1947 (P.B.).
Kütz.	Southport (R.) ; P. Arthur and Low Head,
	9/1950 (Cribb).

SIPHONALES VALONIACEAE

Dictyosphaeria Decaisne*D. sericea* Harv.

Mouth of R. Derwent (R.) ; Northern Tasmania (L., 1936) ; Currie R. (P.).

CAULERPACEAE

Bryopsis Lamouroux*B. plumosa* (Huds.) Ag.

Passim (L.) ; Bicheno, Low Head, Adventure Bay (P.) ; Huon River (R.) ; Orford (L.A.M.).

B. hypnoides Lamour.

Eaglehawk Neck (R.).

B. australis Sond.

P. Arthur, 1/1951 (Cribb).

CAULERPACEAE

Caulerpa Lamouroux

Port Arthur (Cribb).

C. annulata Lucas

Passim (L.) ; Maria Is., 1915 (R.) ; Raminea, Southport (R.) ; Orford (L.A.M.) ; Tasmania (L., 1936) ; Currie R. (9/1950, Cribb) ; Marrawah, Cape Grim, Musselroe Bay, Currie R. (P.).

C. cactoides (Turn.) Ag.

Passim (L.) ; Actaeon Is. (R.) ; Tasmania (L., 1936) ; Currie R., 9/1950 (Cribb) ; Currie R., Musselroe Bay, Adventure Bay (P.).

C. flexilis Lamour.

No locality (L.).

C. hypnoides (R. Br.) Ag.

No locality (L.) ; Low Head (P.) ; Tasmania (L.) ; Adventure Bay, 4/1947 (P.B.) ; Currie R. (Cribb).

C. hypnoides var. *Muelleri*

Passim (L.) ; Orford (L.A.M.) ; Low Head, Currie R., Eddystone Pt., Devonport (P.).

C. longifolia Ag.

Orford (L.A.M.) ; Tasmania (L., 1936) ; N. Coast (L.) ; Maria Is., Barnes Bay (R.) ; Oyster Bay (L., 1915) ; Southport (L., 1936) ; Currie R. (P.).

C. longifolia var. *crispata* (Harv.)

Norm. Pitt Water, 11/1950 (Cribb) ; Tasmania (Gunn).

C. obscuru Sond.

North Coast (L.) ; Tasmania (L., 1936) ; Bass Strait and Tasmania (Harv.) ; Currie R. and Low Head (P.).

C. scalpelliformis (R. Br.) Ag.

Maria Is., Shot Tower (R.) ; Tasmania (L., 1936) ; Tamar (Harv.) ; Coles Bay, Cape Grim, Currie R., Triabunna (P.).

C. sedoides (R. Br.) Ag.

Passim (L.) ; Tasmania (L., 1936) ; Blackman's Bay (H.N.B.) ; Currie R., 9/1950, P. Arthur, 6/1951 (Cribb) ; Currie R., Cape Grim, P. Arthur, Low Head.

C. simpliciuscula (Turn.) Ag.

No locality (H.D.G.) ; Blackman's Bay (H.N.B.) ; Tasmania (L., 1936) ; Currie R., Musselroe Bay (P.).

C. simpliciuscula var. *vesiculifera*

Tasmania (L., 1938 & 1936) ; Currie R. (P.).

C. trifaria Harv. Port Esperance, Channel (L.) ; Orford (L.A.M.) ; Derwent R., Maria Is. (R.) ; Oyster Bay (L., 1915) ; Marrawah (P.) ; Port Arthur 6/1951 (Cribb).

DASYCLADACEAE

Polyphysa Lamouroux

P. peniculata Ag. Boomer Marsh, 1949 (Dr. Curtis).

CODIACEAE

Codium Stackhouse

R. Derwent (L.) ; *Bellerive* (R.) ; *Low Head*, *Currie R.* (P.). Confused with other species (Cribb).

Tasmania (L., 1936) ; Currie R. (P.).

PHAEOPHYTA

ISOGENERETAE ECTOCARPALES ECTOCARPACEAE

Ectocarpus Lyngbye

Channel (R.) ; On *Epymenia*, Pt. Puer, 1/1951 (Cribb).

Tasmania (Harv.) ; no locality (L.) ; on *Zostera* at Low Head, 9/1950 ; on *Macrocystis* at Pt. Puer, 6/1951 (Cribb).

No locality (L.).

George Town (Harv.) ; Low Head (P.).

Pylaiella Bory

P. littoralis (L.) Kjell. Southport, 9/1950 (Cribb).

SPHACELARIALES STYPOCAULACEAE

Halopteris Kützing

- H. hordacea* (Harv.)
Sauv.
Low Head, Currie River, Eddystone Point, Marrawah and Bicheno (Perrin); Blackman's Bay, Derwent Estuary (Perrin per L.B. Moore); Southport (Stuart).
H. funicularius
(Mont.) Sauv.
Burnie, Low Head and Bridport (Lucas); Orford and Southport (Melbourne Herbarium); Taroona (H.D.G.); Taroona (L. B. Moore); all these records were supplied by Miss Moore.
H. pseudospicata Sauv.
Currie River (Perrin & Lucas); Emu Bay (Melbourne Herb.); Currie River, Burnie, Devonport; Eaglehawk Neck (L. B. Moore). All these records were supplied by Miss Moore. Miss Moore states that this species is covered in part by *H. hordacea*. Rodway records *S. paniculatum* from Shot Tower, Derwent and Devonport. Miss P. Batt has a specimen from Taroona, 7/1946.
- Stylocaulon* (*Halopteris*) *paniculatum* (Suhr.)
Kütz.

P. spectabile Reinke**Phloeocaulon** Geyler

Low Head (Lucas); Wynyard (Perrin); Miss Moore states that some or all of these specimens are labelled *Xanthosiphonia wattsii* in error.

X. wattsii J. Ag.**Xanthosiphonia** J. Ag.

East beach at Low Head, Marrawah (Perrin). These records do not include those noted by Miss Moore as being in error.

P. botrycadus H.f. &
H.) Reinke**Ptilopogon** Reinke

Drift at Taroona (L. B. Moore).

CLADOSTEPHACEAE

Cladostephus Ag.

- C. spongiosus* (Lightf.)
Ag.
Passim (L.); Low Head (H.D.G.); Port Arthur, 6/1951 (Cribb); Southport, Derwent and Devonport (R.).
C. verticillatus
(Lightf.) Ag.
Tasmania (Stuart).

CUTLERIALES CUTLERİACEAE

Cutleria Greville

- C. multifida* Greville
No locality (R. & L.).

*DICTYOTALES DICTYOTACEAE***Dictyota** Lamouroux

- D. bifurca* J. Ag.
D. dichotoma (Huds.) Lamouroux
D. diemenensis Sond.
D. furcellata C. Ag.
D. nigricans J. Ag.
D. noevesa Suhr.
D. ocellata J. Ag.
D. vittarioides J. Ag.
- P. paniculatum* J. Ag.
- D. fasciculatus* J. Ag.
D. gunnianus J. Ag.
D. taeniaeformis J. Ag.
- D. muelleri* (Sond.) Schmitz
- L. bicuspidata* Aresch.
- D. muelleri* (Sond.) Schmidt
- D. aerostichoides* (J. Ag.) Boergesen

Pachydictyon J. Ag.

Orford (L.A.M.) ; Passim (L.).

Dilophus J. Ag.

No locality (L.).
 No locality (L.).
 Low Head (L.).

Dictyopteris Lamouroux

Tarona, 2/1951 (Cribb).

Lobospira Areschoug

Oyster Bay (Lucas, 1915).

Dictyopteris Web. & Mohr.

Tasmania (H.) ; Maria Is. (R.) ; Orford (L.A.M.) ; Tasmania (L., 1936) ; Low Head, Currie River, Swansea, Adventure Bay (P.) ; Blackman's Bay (H.N.B.).
 No locality (L.) ; Tasmania (L., 1936).

ZONARIEAE

Pocockiella Papenfuss

Channel (R.) ; Eaglehawk Neck (P.).

Zonaria Ag.

Orford (L.A.M.) ; Devonport, Derwent and Channel (R.) ; Tasmania (L., 1936) ; Tasmania (H.) ; Low Head, Currie River, Eddystone Pt. and Montagu (P.) ; Tarona, 4/1946 (P.B.).
 Kent Is. (L.) ; Tasmania (L., 1936).

Z. subarticulata (Lamour.) Papenfuss

Z. stuposa R. Br.

HETERGENERATAE CHORDARIALES MYRIONEMATACEAE

Myrionema Greville

M. strangulans (Grev.)
Frequent on *Ulva* (L.) ; Derwent (R.) ; Low Head, Bridport (P.) ; On *Ulva* at Southport, 10/1951 (Cribb).

ELACHISTACEAE

Elachista Duby

E. australis J. Ag.
Derwent (R.).

CORYNOPHLAEACEAE

Leathesia Gray

L. diffiformis (L.)
Aresch.
Low Head ; Ulverstone (L.) ; Tasmania (L., 1936).

CHORDARIACEAE

Chordaria Ag.

Channel (R.) ; Passim (L.) ; George Town (H.).

Cladosiphon Kützing

Eaglehawk Neck (R.).

Eudesme J. Ag.

George Town (Gunn).

Myriogloia Kuckuck

Derwent (R.) ; George Town (H.) ; Bicheno, 1/1952 (H.N.B.).

Polycerea J. Ag.

No locality (L.).

Suringaria Kylin

Ulverstone (L.).

Tinocladia Kylin

T. australis (Harv.)
Kylin
Low Head, Orford (L.).

SPERMATOCHNACEAE

- S. harveyana* Kylin **Stilepsis** Kockuck
S. harveyana Kylin George Town (H.).

SPLANCHNIDIACEAE

- S. rugosum* (L.) Grev. **Splanchnidium** Greville
S. rugosum (L.) Grev. Thouin Bay (R.) ; George Town (H.) ; Low Head and Currie River (P.).

DICTYOSIPHONALES PUNCTARIACEAE

- Adenocystis** Hooker F. & Harv.
A. utricularis (Bory) Skottsberg Port Arthur (J.) ; Eaglehawk Neck (H.N.B. & E.R.G.) ; Orford, Currie River (P.) ; Safety Cove, Trial Harbour (E.R.G.).

SPOROCHNALES SPOROCHNACEAE

- Bellotia** Harvey
B. eriophorum Harv. North Coast (L.) ; Dredged, 20 fathoms near Actaeon Is. (R.) ; Cambridge (R.) ; Bass Strait (L., 1936) ; Eddystone Point and Currie River (P.).

Carpomitra Kützing

- C. mitriformis* Tasmania (L., 1936).

Nereia Zanardini

- N. australis* Harv. Widely distributed (L.) ; Tasmania (L., 1936).

Perithalia J. Ag.

- P. inermis* (R. Br.) J. Ag. Shot Tower and Devonport (R.) ; Port Arthur (Stuart) ; Passim (L., 1915) ; Ralph's Bay, 2/1948 (P.B.) ; Port Arthur, 10/1951 (Cribb) ; Low Head, Currie River, Musselroe Bay, Eddy-stone Point, Wynyard, Cape Grim, Marrawah (P.).

Sporochnus Agardh

- S. apodus* Harv.
S. comosus Ag.
S. herculeus J. Ag.
S. radiciformis (R. Br.) Ag.
- George Town (L.).
 Passim, especially the North Coast (L.) ; Muddy Plains (R.) ; Tasmania (L., 1936) ; Low Head and Currie R. (P.).
 George Town (L.).
 Derwent and Maria Is. (R.) ; Tasmania (L., 1936) ; Low Head, George Town (P.) ; Orford (L.A.M.).

*DICTYOSIPHONALES PUNCTARIACEAE****Adenocystis*** Hooker F. & Harv.

- A. utricularis* (Bory) Skottsberg Port Arthur (J.) ; Eaglehawk Neck (H.N.B. & E. R. G.) ; Orford, Currie River (P.) ; Safety Cove, Trial Harbour (E.R.G.).

Asperococcus Lamouroux

- A. bullosus* Lamour. Passim (L.) ; Channel and Eaglehawk Neck (R.) ; Tasmania (L., 1936) ; Low Head (P.).

Colpomenia Derbes & Solier

- C. sinuosa* (Roth.) Derb. & Sol. Passim (L.) ; Bellerive (R.) ; Low Head (P.)

Ilea J. Ag.

- I. fascia* (Muell.) Fris. Tamar (L.).

Scytosiphon Agardh

- S. lomentaria* (Lyng.) J. Ag. Passim (L.) ; Derwent (R.) ; Tasmania (L., 1936) ; Howrah, Eaglehawk Neck, Dover Blackman's Bay (E.R.G.) ; Low Head (Cribb). This species forms a winter growth on the shore.

Stictyosiphon Kützing

- S. decaisnei* (H. & H.) Murray Lucas (no locality) ; Orford (L.A.M.).

*CHNOOSPORACEAE****Scytothamnus*** Hooker F. & Harvey

- S. australis* (J. Ag.) H. & H. Low Head (L.).

*LAMINARIALES LESSONIACEAE****Lessonia*** Bory

- L. corrugata* Lucas Thouin Bay (R.) ; Bicheno, Orford, Adventure Bay, Marrawah ; Cape Grim, Eddystone Pt. (P.) ; Betsy Is. ; Blackman's Bay (E.R.G.).

Macrocystis Ag.

- M. pyrifera* (L.) Agardh Passim (L.) ; Tasmania (L., 1936) ; Derwent, Huon and Thouin Bay (R.) ; Low Head, Wynyard, Devonport (P.) ; Safety Cove (H.D.G.) ; East Coast, Port Arthur (E.R.G.).

*ALARIACEAE****Ecklonia*** Horneman

- E. radiata* (Ag.) J. Ag. Passim (L.) ; Tasmania (L., 1936) ; Blackman's Bay (H.D.G.) ; Derwent (R.) ; Low Head, Currie River, Adventure Bay, Cape Grim, Marrawah, Eddystone Pt. (P.) ; Eaglehawk Neck, Dover (E.R.G.).

CYCLOSPOREAE FUCALES DURVILLACEAE

Durvillea Bory

D. antarctica (Cham.)
Hariot.

Drift, Port Arthur, 1/1950 (Cribb); Drift, Tarroona, 1/1949 (Moore).

Sarcophycus Kützing

S. potatorum (Labill.)
Kütz.

Channel (R.); Safety Cove (H.D.G.); Tasmania, all coasts (L., 1936). This record of all coasts is not correct. The species is confined to wave-exposed places. Rodway's record for the Channel is also dubious as the only part of the Channel in which I have found this species is Roaring Beach, near Dover, where it occupies a very restricted area. Eaglehawk Neck, Sleepy Bay, Remarkable Cave, Point Seymour, Trial Harbour (E.R.G.).

Hormosira Endlicher

H. banksii (Turn.)
Decaisne

Channel, Maria Is., Thouin Bay, Southport (R.); Tasmania (H.); Safety Cove (H.D.G.); Low Head, Montagu, Marrawah (P.); Blackman's Bay; Trial Harbour, Betsy Is., Dover, Eaglehawk Neck, Coles Bay, Boat Harbour (N. Coast), Burnie, Devonport, (E.R.G.); Boomer Marsh (Curtis). This species is found on practically all shores of Tasmania, but it only rarely forms a Hormosiretum, e.g., Point Puer.

Nottheia Bailey & Harvey

N. anomala Bailey &
Harvey

On *Hormosira* from Thouin Bay (R.); Tasmania (L., 1936); Port Arthur (Cribb); Currie River, Cape Grim, Musselroe Bay (P.).

FUCACEAE

Myriodesma Decaisne

M. integrifolia Harv.

Ulverstone, Tamar (L.); Tasmania (L., 1936).

Phyllospora Ag.

P. comosa (Labill.)
Ag.

Devonport, Mouth of Huon River, Thouin Bay, Woody Is. (R.); Tasmania (L., 1936); Tasmania (H.); Port Arthur (Cribb); Low Head, Currie River, Montagu, Marrawah (P.); Eaglehawk Neck, Sleepy Bay, Point Seymour, Trial Harbour (E.R.G.).

Scytothalia Greville

S. dorycarpa (Turn.)
Grev.

Kent Is. (L.); Tasmania and Tamar Heads (L., 1936); Low Head (P.).

Seirococcus Greville

S. axillaris (R. Br.)
Grev.

Orford (L.A.M.) ; Passim (L.) ; Channel and Devonport (R.) ; Tasmania (L., 1936) ; Coles Bay (H.N.B.) ; Tasmania (H.) ; Low Head, Currie River, Cape Grim, Marrawah, Musselroe Bay, Eddystone Pt. (P.).

Xiphophora Montague

X. billardieri Mont.

Channel, Derwent and Bellerive (R.) ; Blackman's Bay (H.N.B.) ; Tasmania (L., 1936) ; Port Arthur (Cribb) ; Bicheno, Marrawah (P.) ; Eaglehawk Neck (E.R.G.).

X. chondrophylla (R. Br.) Mont.

Devonport (R.) ; Tasmania (L., 1936) ; Adventure Bay, 4/1947 (P.B.) ; Low Head, Currie River (P.) ; George Town (Gunn) ; Eaglehawk Neck (E.R.G.).

CYSTOSEIRACEAE

Carpoglossum Kützing

C. confluens (R. Br.)
Kütz.

Derwent and Channel (R.) ; George Town (Gunn) ; Port Dalrymple (H.) ; Tasmania (L., 1936) ; Low Head, Currie R., Marrawah, Cape Grim (P.) ; Blackman's Bay (H.N.B.).

Cystophora J. Ag.

Maria Is., Barnes Bay (R.) ; Tasmania (L., 1936) ; South Arm (P.B.) ; Orford (L.A.M.) ; Blackman's Bay (H.N.B.).

Southport (R.) ; Tasmania and Oyster Bay (L., 1915) ; Tasmania (L., 1936) ; East Coast (P.) . Tasmania (L., 1936).

Orford (L.A.M.) ; Low Head (H.D.G.) ; Derwent, Bellerive, Channel (R.) ; Tasmania (L., 1936) ; Blackman's Bay (H.N.B.) ; Currie River, Adventure Bay, Cape Grim, Marrawah, Musselroe Bay (P.) ; Port Arthur, 10/1951 (Cribb).

Tasmania (L., 1936) ; Adventure Bay (4/1947, P.B.) ; Low Head, Currie R., Cape Grim, Marrawah, Eddystone Pt., Adventure Bay (P.) . Tasmania (L., 1936).

Tasmania (L.) ; Low Head, Currie River (P.) ; George Town (Gunn).

Passim (L.) ; Bellerive, Devonport and Barnes Bay (Rodway) ; Tasmania (L., 1936) ; Low Head, Currie River (P.).

No locality (L.).

Burnie (L.) ; Tasmania (L., 1936).

C. platylobium (Mert.)
J. Ag.

Tasmania (L., 1936) ; Adventure Bay (4/1947, P.B.) ; Low Head, Currie R., Cape Grim, Marrawah, Eddystone Pt., Adventure Bay (P.) . Tasmania (L., 1936).

C. polycystidea Aresch.
C. retorta (Mert.)
J. Ag.

Tasmania (L.) ; Low Head, Currie River (P.) ; George Town (Gunn). Passim (L.) ; Bellerive, Devonport and Barnes Bay (Rodway) ; Tasmania (L., 1936) ; Low Head, Currie River (P.).

C. retroflexa (Labill.)
J. Ag.

No locality (L.).

C. scalaris J. Ag.
C. siliquosa J. Ag.

Burnie (L.) ; Tasmania (L., 1936).

- C. spartoides* (Turn.)
Ag.
Devonport (R.) ; Tasmania (L., 1936) ; Blackman's Bay (H.N.B.) ; Low Head, Currie River (P.) ; Grange, Eaglehawk Neck, Safety Cove (E.R.G.).
- C. subfarzinata*
(Mert.) J. Ag.
C. torulosa (R. Br.)
J. Ag.
Tasmania (L., 1936).
Devonport, Southport, Derwent (R.) ; Swansea (L.) ; Tasmania (L., 1936) ; Tasmania (H.) ; Blackman's Bay (H.N.B.) ; Port Arthur, 3/1950 (Cribb) ; Low Head, Currie River, Musselroe Bay, Eddystone Pt. (P.) ; Orford (L.A.M.) ; Coles Bay (E.R.G.).
- C. uvifera* (Ag.) J. Ag.
Tasmania (H.) ; Devonport and Maria Is. (R.) ; Oyster Bay and Tasmania (L., 1915) ; Low Head Currie River, Eddystone Pt., Cape Grim (P.) ; Port Arthur (Harv.) ; Muddy Plains (R.) ; Brown's River and Southport (L.) ; Blackman's Bay (H.N.B.) ; Marrawah, Cape Grim, Bicheno, Orford (P.).
- Cystophyllum** J. Ag.
No locality (L.) ; Tasmania (L., 1936) ; George Town (Gunn).
- SARGASSACEAE
- Sargassum** Ag.
Burnie (L.) ; Tasmania (L., 1936).
South Arm (L.).
- S. decurrens* (R. Br.)
Ag.
No locality (L., 1938).
- S. grande* J. Ag.
Port Esperance (L.) ; Low Head (P.) ; Port Arthur, 10/1951 (Cribb).
- S. gunnianum* J. Ag.
S. heteromorphum
J. Ag.
Low Head (L.).
Low Head (L.) ; Currie River (P.).
- S. lacerifolium* (Turn.)
Ag.
Tamar (L., 1936).
- S. laevigatum* J. Ag.
S. linearifolium
(Turn.) J. Ag.
S. membranaceum
J. Ag.
No locality (L.).
- S. muricatum* J. Ag.
S. paradoxum (R. Br.)
Harv.
Tasmania (L.) ; King Island (Mrs. Spong).
Orford (L.A.M.) ; Bellerive, Channel (R.) ; Low Head (H.D.G.) ; Currie River, Musselroe Bay, Eddystone Pt. (P.) ; Tasmania (H.) ; Sandy Bay (Dr. Lyall) ; Southport (Stuart) ; George Town (Gunn) ; Port Arthur (H.).
- S. rhyncophorum*
J. Ag.
No locality (L.).

- S. sonderi* J. Ag.
S. undulatum J. Ag.
S. varians Sonder
S. verruculosum
 (Mert.) Ag.
- S. vestitum* (R. Br.)
 Ag.

Low Head, Derwent (L.) ; Orford (P.).
 Tasmania and Oyster Bay (L., 1915).
 Low Head (L.), (H.D.G.) ; Currie River (P.).
 Shot Tower, Ralph's Bay, Thouin Bay (R.) ;
 Channel, Port Esperance (L.) ; Port Arthur,
 Oyster Bay (L., 1915) ; Thouin Bay, Low Head
 (H.D.G.) ; Montagu (P.) ; Tasmania (H.) ;
 Sandy Bay (Dr. Lyall) ; Southport (Stuart) ;
 George Town (Gunn) ; Port Arthur (H.).
 Kent Is.; Burnie, Derwent (L.).

S. agardhii Greville

Scaberia Greville

North Coast (L.) ; Tasmania (H.) ; Tasmania
 (L., 1936) ; Tasmania and Oyster Bay (L.,
 1915) ; Low Head, Currie River, Devonport,
 Wynyard, Stanley (P.).

RHODOPHYTA

BANGIOIDEAE *BANGIALES* BANGIACEAE

Bangia Lyngbye

- B. atropurpurea*
 (Roth.) Ag.
B. ciliaris subspecies
 Harv.
B. fuscopurpurea
 (Dillw.) Lyngb.

Derwent and Blackman's Bay (R.).
 George Town (H.).
 Southport, 10/1951 (Cribb).

Porphyra Ag.

- P. columbina* Mont.
P. umbilicalis (L.)
 J. Ag.
P. woolhousiae Harv.

Howrah, Eaglehawk Neck, Blackman's Bay,
 Dover (E.R.G.). Identified by H. B. S.
 Womersley.
 Southport, 6/1951 (Cribb) ; Bellerive (R.) ;
 Passim (L.) ; Sandy Bay (R.) ; Low Head,
 Bicheno (P.).
 On *Macrocystis* (H.).

FLORIDEAE *NEMALIONALES* BONNEMAISONIACEAE

Asparagopsis Montagne

- A. armata* Harv.

Devonport, Tamar, Low Head, Middleton (P.) ;
 Eaglehawk Neck (L.) ; Tasmania (Gunn) ;
 Tasmania (L. & P.).

Delisea Lamouroux

- D. elegans* (Ag.)
 Mont.

North Coast, Derwent (R.) ; Low Head, Currie
 River, Eddystone Pt., Musselroe Bay, Adven-
 ture Bay (P.) ; Port Arthur, 1/1951 (Cribb) ;
 Tasmania (Levrin, 1946).

- D. hypnoides* Harv.
D. pulchra (Grev.)
 Mont.
D. serrata Kütz.
- P. australasica* Harv.
- P. intermedia* Lucas
- P. sabulifera* J. Ag.
- L. conferta* (R. Br.)
 J. Ag.
- Tamar, Low Head (P.) ; George Town (H.).
 Port Arthur (H.) ; Port Arthur, 2/1950
 (Cribb).
 Huon River (R.).
- Tasmania (L. & P.) ; Oyster Bay (L., 1915) ;
 Port Esperance (L.) ; Low Head, Currie River,
 Cape Grim, Eddystone Pt. (P.).
 Channel (R.) ; Low Head, Musselroe Bay,
 Eddystone Pt. (P.) ; Orford, 6/1950 (Cribb).
 Tasmania (Lodder).
- Ptilonia** J. Ag.
- Southport (Stuart) ; Southport (R.) ; Kent Is.
 (Brown) ; Tasmania (L. & P.) ; George Town
 (Gunn) ; Southport, 10/1951 (Cribb).

HELMINTHOCLADIACEAE

Batrachospermum Roth

- Esk River (L.) ; Mt. Field Plateau (R.).
 Lake Leila, Cradle Mountain (R.).
 No locality (L.).

Liagora Lamouroux

- North Tasmania (L. & P.) ; George Town (H.).
 Tasmania (L. & P.).

Helminthocladia J. Ag.

- Tamar, Ulverstone, Kelso, Currie River (P.) ;
 Tasmania (L. & P.) ; George Town (Gunn).

CHAETANGIACEAE

Gloiophloea J. Ag.

- Tamar, George Town, Derwent (Cribb).

Chaetangium Kützing

- Brown's River (Gunn) ; Huon River (R.) ;
 Eaglehawk Neck (L.).
 Port Arthur (H.).

Gelidium Lamouroux

- No locality (L.) ; Low Head, Cape Grim, Currie
 River, Eddystone Pt. (P.) ; Port Arthur, 2/1950
 (Cribb).

- Circular Head, Southport (H.) ; Tasmania (L.
 & P.) ; Low Head, Currie River, Devonport,
 Wynyard, Cape Grim (P.).

G. scinaoides J. Ag.

C. lingula Harv.

C. flabellatum Harv.

G. australe J. Ag.

G. glandulaefolium
 H. & H.

Pterocladia J. Ag.

P. lucida (R. Br.)
J. Ag. No locality (Univ. Herb.) ; Cape Grim, Marrawah, Bicheno, Eddystone Pt. (P.).

CRYPTONEMIALES DUMONTIACEAE**Dasyploea** Montagne

D. tasmanica Harv. Circular Head (H.) ; Tasmania (L. & P.) ; Low Head (P.) ; Stewart's Bay, 6/1951 (Cribb).

SQUAMARIACEAE**Ethelia** W. von Bosse

E. australis (Sond.)
W. v. Bosse Bass Strait (H.) ; Sandy Bay (R.) ; Tasmania (L. & P.) ; Blackman's Bay, 4/1948 (H.N.B.) ; Eddystone Pt., Currie River, Marrawah (P.).

Peysonnelia Decaisne

P. gunniana J. Ag. George Town (H.).

CORALLINACEAE CORALLINEAE**Amphiroa** Lamouroux

A. tasmanica Sond. No locality (L.).

Corallina Linnaeus

C. cuvieri Lamour. Tasmania (L. & P.) ; Passim (L.) ; Shot Tower, Actaeon Is., Blackman's Bay (R.) ; Low Head, Currie R., Marrawah, Cape Grim, Eddystone Pt. (P.) ; Pt. Puer, 2/1952 (Cribb). Triabunna, 3/1950 (Cribb).

C. denudata Sond.
C. officinalis L. Bellerive (R.) ; Passim (L.) ; Low Head, Currie River (P.) ; Pt. Puer, 3/1951 (Cribb).

C. pilifera Lamour. Oyster Bay (Lucas, 1915) ; Southport, 10/1951 (Cribb).

Melobesia Lamouroux

M. tasmanica (Fosl.)
de Toni Tasmania.

Jania Lamouroux

J. micrarthrodia Lamouroux Channel (R.) ; Tasmania (L. & P.) ; On *Zostera* Port Arthur, 2/1950 (Cribb) ; On *Zostera*, Stewart's Bay, 1/1951 (Cribb) ; Low Head, Currie River (P.).

J. natalensis Harv. Triabunna, 3/1950 (Cribb).

Metagoniolithon W. von Bosse

M. charoides (Lamour.) W. v.
Bosse North Coast (L.) ; Actaeon Is. (R.) ; Tasmania (L. & P.) ; Triabunna, 3/1950 (Cribb).

<i>M. stelligera</i> (Lam.) W. v. Bosse	Tasmania (H.) ; Oyster Bay (Lucas, 1915) ; Passim (L.) ; Tasmania (L. & P.) ; Currie R., 9/1950 (Cribb).
<i>C. elegans</i> (H. & H.) Aresch.	Cheilosporum Decaisne George Town (Gunn).
	Arthrocardia Decaisne
<i>A. mallardiae</i> (Harv.) Aresch.	Passim (L.).
<i>A. wardii</i> (Harv.) Aresch.	Tasmania (L. & P.).

MASTOPHOREAE

Metamastophora Setchell

<i>M. canaliculata</i> (Harv.) Setchell	Tasmania (Stuart) ; Tasmania (L. & P.).
<i>M. flabellata</i> (Sond.) Setchell	Passim (L.) ; Shot Tower (R.).

LITHOTHAMNIEAE

Lithothamnion Philippi

<i>L. muelleri</i> Lenorm.	On <i>Gelidium australe</i> , Port Arthur, 3/1950 (Cribb).
<i>L. patena</i> (H. & H.) Heydrich	On <i>Ballia callitricha</i> , Port Arthur, 10/1951 (Cribb).

Lithophyllum Philippi

<i>L. hyperellum</i> Foslie	Pt. Puer, Eaglehawk Neck, Trial Harbour, Sleepy Bay (E.R.G.). Identified by H. B. S. Womersley.
-----------------------------	---

GRATELOUPIACEAE

Halymenia Ag.

<i>H. chondropsidea</i> J. Ag.	No locality (L.).
<i>H. speciosa</i> Zan.	George Town (Mrs. Goodwin).

Grateloupia Ag.

<i>G. dubia</i> Zan.	Hobart (L.).
<i>G. filicina</i> (Wulf.) Ag.	Passim (L.) ; Sandy Bay (R.) ; Tasmania (L. & P.) ; Low Head, 9/1950, Bellerive, 3/1950 (Cribb).
<i>G. prolifera</i> J. Ag.	Tasmania (L. & P.) ; Taroona, 9/1946 (P.B.).

Pachymenia J. Ag.

- P. apoda* J. Ag.
P. orbicularis (Zan.)
 S. & G.
- No locality (L.) ; Tasmania (L. & P.).
 Tasmania (Cribb).

Prionitis J. Ag.

- Prionitis* sp.
 Eddystone Pt., Musselroe Bay (P.).

Polyopes J. Ag.

- P. constrictus* (Turn.)
 J. Ag.
- Port Arthur, 10/1951 (Cribb).

Carpopeltis Schmitz

- C. phyllophora* (H. &
 H.) Schmitz
 Port Arthur (Jeanneret) ; Southport (Stuart).

Thamnochonium Kützing

- T. claviferum* J. Ag.
 Tasmania (H.) ; Tasmania (L. & P.) ; Actaeon
 Is. (R.) ; Ralph's Bay, 2/1948 (P.B.) ; Passim
 (L.) ; Currie R., Devonport, Marrawah (P.).

CALLYMIENIACEAE

Callophyllis Kützing

- C. coccinea* Harv.
 Passim (L.) ; Bellerive (R.) ; Oyster Bay
 (Lucas, 1915) ; Tasmania (L. & P.) ; Adventure
 Bay, 4/1947 (P.B.) ; Low Head, Currie
 River, Devonport, Wynyard, Montagu, Mussel-
 roe Bay, Eddystone Pt., Swansea, Bicheno, Ad-
 venture Bay, Middleton, Dover (P.) ; Port Ar-
 thur, 10/1951, and 1/1951, Southport, 10/1951
 (Cribb).
C. fimbriata H. & H.

George Town (Gunn).

- C. harveyana* J. Ag.
C. lambertii (Turn.)
 Grev.
 No locality (L.) ; Tasmania (L. & P.).
 North Coast (L.) ; Shot Tower (R.) ; Orford
 (L.A.M.) ; Tasmania (L. & P.) ; Low Head,
 Currie River, Eddystone Pt., Adventure Bay
 (P.).

Tasmania (Gunn).

- C. lingulata* J. Ag.
C. microcarpa Zan.
- George Town (Goodwin).

Callymenia J. Ag.

- C. cibrosa* Harv.
 Tamar (Fereday) ; Tasmania (L. & P.) ; East
 Coast (Gunn) ; Orford (L.A.M.) ; Musselroe
 Bay, Adventure Bay (P.).
C. tasmanica Harv.
 Tamar (H.) ; Orford (L.A.M.) ; Tasmania (L.
 & P.) ; Currie River, Musselroe Bay, Eddystone
 Pt., Adventure Bay (P.).

Polycoelia J. Ag.

P. fastigiata Harv. Tamar (H.) ; Orford (L.A.M.) ; Musselroe Bay,

P. laciniata J. Ag. Currie River (P.).

Meredithia J. Ag.

M. polycoelioides J. Ag. Orford (L.A.M.) ; Tasmania (L. & P.).

GIGARTINALES NEMASTOMACEAE**Nemastoma** J. Ag.

N. feredayae Harv. George Town (Mrs. Fereday) ; Tasmania (L. & P.) ; Low Head, Currie River, Swansea (P.).

N. palmata Harv. Tasmania (L. & P.) ; Swansea (P.).

GRACILARIACEAE**Curdiea** Harvey

Orford (L.A.M.) ; Rare in Tasmania (L. & P.) ; Eddystone Pt., Cape Grim, Musselroe Bay (P.).

Orford (L.A.M.).

Trematocarpus Kützing

Kent Islands (R. Br.).

Gracilaria Greville

Tasmania (L. & P.) ; Derwent (R.), (L.) ; Pt. Arthur, 1/1951 (Cribb) ; Bridport (P.).

Sandy Bay (R.).

Ralph's Bay, 1940 (Univ. Herb.) ; Tamar, Middleton, Adventure Bay (P.).

No locality (L.).

Melanthalia Montagne

Tasmania (Gunn) ; Remine and Devonport (R.) ; Tasmania (L. & P.) ; Currie River, Eddy-stone Pt., Bicheno, Orford, Adventure Bay, Cape Grim (P.) ; Port Arthur, 10/1951 (Cribb).

Calliblepharis Kützing

George Town (H.).

PLOCAMIACEAE**Plocamium** Lamouroux

Passim (L.) ; Adventure Bay, 4/1947 (P.B.) ; Maria Is., Oyster Bay (Lucas, 1915) ; Devonport (R.) ; Low Head, Eddystone Pt., Currie River (P.).

P. costatum (J. Ag.)
H. & H.

- P. coccineum* v. *flexuosum* Harv.
P. dilatum J. Ag.
P. mertensii (Grev.)
 Harv.
P. patagiatum J. Ag.
P. procerum (J. Ag.)
 Harv.
P. telfairiae Harv.
- Port Arthur, 3/1950 (Cribb); Passim (L.); Low Head, Musselroe Bay, Eddystone Pt. (P.).
 No locality (L.).
 Passim (L.); Derwent (R.); Low Head (P.).
 Tasmania (L.); Low Head, George Town (P.).
 Passim (L.); Tasmania (H.); Shot Tower (R.); Eddystone Pt., Musselroe Bay, Flinders Is., Tamar (P.).
 Tasmania (L. & P.); No locality (L.); Passim (L.); Adventure Bay, 4/1947 (P.B.); Maria Is. (R.); Devonport, Southport and Ralph's Bay (Univ. Herb.). This species was recorded as *P. angustum* and *P. gracile* by Lucas. Low Head, 9/1950 (Cribb); Tasmania (Levrинг, 1946).

Phacelocarpus Endlicher and Diesing

- P. alatus* Harv.
P. complanatus Harv.

P. labillardieri (Mert.)
 J. Ag.
- Southport (R.).
 Southport (Stuart); Tasmania (L. & P.); Musselroe Bay, Eddystone Pt., Cape Grim (P.); Tasmania (Levrинг, 1946).
 Passim (L.); South Arm, 7/1946 (P.B.); Tasmania (H.); Devonport (R.); Tasmania (L. & P.); Low Head, Currie River, Eddystone Pt., Bicheno, Swansea, Orford, Adventure Bay, Cape Grim, Marrawah, Cape Sorell (P.); Port Arthur, 10/1951 (Cribb).

SARCODIACEAE

Nizymenia Sonder

- Southport (Stuart); Gordon, Eddystone Pt., Currie River (P.); Tasmania (L. & P.).

SOLIERIACEAE

Solieria J. Agardh

- Ralph's Bay (R.); Tasmania (L. & P.); George Town (H.); Low Head, Currie River, George Town, Devonport (P.); Tasmania (Levrинг, 1946).

- No locality (L.); Tasmania (Levrинг, 1946).

RABDONIACEAE

Areschougia Harvey

- Orford (L.A.M.); Tasmania (L. & P.); Low Head, Currie River (P.); George Town (Gunn).

- Southport (Stuart; Port Esperance (L.).

- A. laurencia* (H. & H.)
 Harv.

- A. stuartii* Harv.

Erythroclonium Sonder*E. muelleri* Sond.

Actaeon Is. (R.) ; Orford (L.A.M.) ; Tasmania (L. & P.) ; Currie River (P.) ; Taroona, 2/1951 (Cribb).

R. coccinea Harv.**Rhabdonia Harvey***R. dendroides* Harv.

George Town (H.) ; Devonport (R.) ; Tasmania (L. & P.) ; Low Head, Adventure Bay (P.).

R. mollis (Harv.)

Tasmania (L. & P.).

Lucas

George Town (P.).

R. nigrescens Harv.

No locality (L.) ; Tasmania (L. & P.) ; Low Head, Currie River, Montague (P.) ; George Town (H.).

R. umbellata Zan.

No locality (L.) ; Ulverstone, Musselroe Bay (P.).

R. verticillata Harv.

George Town (H.) ; Channel, Ralph's Bay (R.) ; Tasmania (L. & P.) ; Orford (L.A.M.) ; Low Head, Currie River, Devonport, Wynyard (P.).

RHODOPHYLLIDACEAE**Rhodophyllum Kützing***R. goodwiniae* J. Ag.

Tamar (Mrs. Goodwin) ; Tasmania (L. & P.) ; Tamar (L.) ; Channel (R.) ; Tasmania (L. & P.) ; Orford (L.A.M.) ; Taroona (H.D.G.) ; Currie River, Eddystone Pt., Adventure Bay, Middleton (P.) ; Southport, 10/1951 (Cribb) ; Tasmania (Levrin, 1946).

R. membranacea Harv.

No locality (L.) ; Tasmania (L. & P.) ; Low Head, Montague, Currie River, Musselroe Bay, Eddystone Pt. (P.) ; George Town (Gunn) ; Southport (Stuart).

R. multipartita Harv.

No locality (L.) ; Port Arthur (Lyall) ; Port Arthur (H.) ; Low Head, Currie River, Eddy-stone Pt., Musselroe Bay, George Town (P.).

Meristotheca J. Agardh

Orford (L.A.M.).

HYPNEACEAE**Hypnea Lamouroux***H. episcopalis* H. & H.

Passim (L.) ; Tasmania (H.) ; Tasmania (L. & P.) ; Low Head, Currie River, Montagu, Devonport (P.).

H. musciformis
(Wulf.) Lamouroux

George Town (Gunn).

H. seticulosa J. Ag.

Passim (L.) ; Tasmania (L. & P.) ; Low Head, Cape Grim, Currie River (P.).

Rhododactylis J. Ag.

R. bulbosa (Harv.)
J. Ag.

No locality (L.) ; East Coast of Tasmania (Gunn) ; Derwent (Oldfield).

MYCHODEACEAE

Mychodea Harvey

M. carnosa Harv.

Tamar (L.) ; George Town (H.), (Gunn) ; Derwent (R.) ; Cape Grim, Musselroe Bay, Eddystone Pt., Montagu (P.) ; Lewisham, 11/1950 (Cribb).

M. disticha Harv.

Derwent (R.) ; East Coast (Gunn).

M. hamata Harv.

Passim (L.) ; Low Head, George Town, Currie River (P.) ; Port Arthur, 10/1951 (Cribb) ; Tasmania, George Town, Port Arthur (H.).

Orford (L.A.M.).

M. membranacea
Harv.

George Town (H.).

M. terminalis Harv.

Gymnogongrus Martius

G. fastigiatus Harv.

Forester's River (Gunn) ; Eaglehawk Neck (P.).

E. dentatum J. Ag.

Ectoclinium J. Ag.

No locality (L.) ; Tasmania (Gunn) ; Low Head (Cribb).

Stenogramma Harvey

S. interrupta (Ag.)
Mont.

Bellerive (R.) ; mouth of Derwent (L.) ; George Town, Port Arthur (H.) ; Tasmania (L. & P.) ; Eaglehawk Neck (P.).

ACROTYLACEAE

Acrotylus J. Ag.

A. australis J. Ag.

Tasmania (H.) ; Tasmania (L. & P.) ; Musselroe Bay, Eddystone Pt., Cape Grim, Marrawah (P.).

GIGARTINACEAE

Gigartina Stackhouse

Derwent (R.).

G. aciculifera Zan.
G. ancistroclada Mont.

Mouth of Derwent (Gunn, Rodway) ; Brown's River (Gunn) ; Bellerive (R.) ; Musselroe Bay, Eddystone Pt. (P.).

G. binderi Harv.

Hobart, Burnie (L.).

G. brachiata Harv.

George Town (H.) ; Orford (L.A.M.).

G. congesta Zan.

No locality (L.) ; Hobart (Cribb).

G. crassicaulis (J. Ag.)

Passim (L.) ; Bellerive (R.) ; Tasmania (H.) ; Huon River (R.) ; Orford (L.A.M.) ; Tasmania (L. & P.) ; Low Head, Eddystone Pt., Cape Grim, Marrawah (P.).

S. & G.

<i>G. gigantea</i> J. Ag.	No locality (L.) ; Tasmania (L. & P.) ; Swansea, Adventure Bay, Eddystone Pt. (P.).
<i>G. muelleriana</i> S. & G.	Tasmania (L. & P.) ; Musselroe Bay, Eddystone Pt., Marrawah, Cape Grim (P.) ; Low Head, 1944 (H.D.G.).
<i>G. pinnata</i> S. & G.	Swansea (P.).
<i>G. radula</i> (Esp.) J. Ag.	Orford (L.A.M.) ; Eddystone Pt. (P.).
<i>G. wehliae</i> Sond.	Hobart (Melb. Herb.).
 Rhodoglossum J. Ag.	
<i>R. prolifera</i> J. Ag.	No locality (L.).
 Iridaea Bory	
<i>I. australasica</i> (J. Ag.) Lucas & Perrin	No locality (L.) ; Tasmania (L. & P.) ; Low Head (P.).
<i>I. folifera</i> Harv.	No locality (L.) ; George Town (P.) ; George Town (Gunn).
<i>I. harveyi</i> J. Ag.	No locality (L.) ; George Town (Gunn).
<i>I. polycarpa</i> Harv.	No locality (L.) ; Low Head (P.) ; Stewart's Bay, 6/1951 (Cribb).
<i>I. purpurea</i> J. Ag.	No locality (L.) ; Low Head (P.).
? <i>I. latissima</i> (H. & H.) Grunow	No locality (L.) ; Orford (L.A.M.).

DICRANEMACEAE

Dicranema Sonder
Flinders Is. (H.).

RHODYMENIALES RHODYMENIACEAE FAUCHEAE

Bindera Harvey
<i>B. splanchnoides</i> Harv.
N. Tasmania (L. & P.) ; Bellerive (R.) ; George Town (Archer) ; Musselroe Bay, Currie River (P.) ; George Town (H.).
 Gloioderma J. Ag.
<i>G. australis</i> J. Ag.
No locality (L.) ; E. Coast (Gunn) ; Currie R. Eddystone Pt., (P.).
<i>G. fruiticosum</i> (Harv.) de Toni
Tasmania (L. & P.).
<i>G. speciosa</i> (Harv.) J. Ag.
Low Head (P.) ; George Town (Goodwin).
<i>G. wilsonis</i> (J. Ag.) de Toni
Currie River, Eddystone Pt. (P.) ; Tasmania (L. & P.).

RHODYMENIEAE

Botryocladia Kylin
George Town (Harv.), (L.).

- Chrysymenia** J. Ag.
C. coccinea Harv. Van Diemen's Land (H.) ; George Town (H.).
- Sebdenia** Berthold
S. kallymenioides (Harv.) de Toni Orford (L.A.M.).
Sebdenia sp. Adventure Bay, Bellerive (P.).
- Erythrymenia** Schmitz
E. meredithiana (J. Ag.) Kylin Orford (L.A.M.).
- Gloiosaccion** Harvey
G. brownii (Harv.) Tamar, Ulverstone, Channel (L.) ; Tasmania (L. & P.) ; Mouth of Derwent and Huon Rivers, Maria Is., Channel (R.) ; Orford (L.A.M.) ; Blackman's Bay, 4/1948 (H.N.B.).
J. Ag.
- Epymenia** Kützing
E. cuneata (Harv.) East Coast (Gunn) ; Port Esperance (L.).
J. Ag.
- E. halymenioides* J. Ag. Channel (L.) ; Orford (L.A.M.).
E. membranacea Harv. Southport (Stuart) ; George Town (H.).
E. wilsonis Sond. Port Arthur, 10/1951 (Cribb).
- Rhodymenia** Greville
R. corallina (Bory) George Town (Gunn).
Grev.
- R. foliifera* Harv. Channel (R.) ; Orford (L.A.M.), 10/1951 (Cribb).
R. linearis J. Ag. No locality (L.) ; Low Head, Currie River, Eddystone Pt. (P.).
R. pinnulata Zan. No locality (L.) ; George Town (Goodwin).
R. prolifcans Zan. No locality (L.) ; George Town (Goodwin).
- Hymenocladia** J. Ag.
H. polymorpha (Harv.) J. Ag. Flinders Is. (H.) ; George Town (H.).
Tasmania (L. & P.) ; Low Head, Adventure Bay, Eddystone Pt. (P.).
- CHAMPIACEAE CHAMPIEAE**
- Champia** Desveau
C. affinis (H. & H.) George Town (H.) ; No locality (L.).
J. Ag.
- C. insignis* Lucas Derwent Estuary (L. & P.).
C. obsoleta Harv. George Town, Southport (Stuart) ; Derwent (R.) ; Stewart's Bay, 6/1951, Southport, 10/1951 (Cribb) ; Low Head (P.).
- C. parvula* (Ag.) No locality (L.) ; George Town (H.).

C. tasmanica Harv. Blackman's Bay, Bellerive, Southport (R.) ; Low Head, Eddystone Pt., Musselroe Bay, Cape Grim (P.).

Chylocladia Greville

C. clavellosa (Turn.) Grev.
George Town (H.).

CERAMIALES CERAMIACEAE GRIFFITHSIAE

Griffithsia C. Ag.

G. antarctica H. & H. Brown's River (Gunn ; George Town (H.).
G. flabelliformis Harv. George Town (Gunn) ; No locality (L.) ; Tasmania (L. & P.).
G. gracilis Harv. George Town (H.) ; Low Head (P.).
G. grandis Middleton (P.).
G. gunniana J. Ag. No locality (L.) ; Tasmania (L. & P.) ; Tasmania (Levring, 1946).
G. monilis Harv. Bellerive (R.) ; Tasmania (L. & P.) ; Port Arthur, 10/1951 (Cribb).
G. ovalis Harv. Coles Bay, 2/1950 (H.N.B.).

MONOSPOREAE

Neomonospora Setchell & Gardner

N. arachnoides (Harv.) Womersley No locality (L.) ; George Town (H.).
N. elongata (Harv.) Womersley Tasmania (L. & P.) ; No locality (L.) ; Low Head, George Town, Musselroe Bay, Eddystone Pt., Currie River (P.) ; George Town (Gunn).
N. griffithsioides (Sond.) Womersley Orford (L.A.M.) ; George Town (Gunn) ; Derwent, Huon, Bellerive, Southport (R.) ; Tasmania (L. & P.).

Bornetia Thuret

B. meredithiana J. Ag. Orford (L.A.M.) ; Tasmania (L. & P.) ; Southport, 10/1951 (Cribb).

Pleonosporium Naegeli

P. comatum (J. Ag.) de Toni No locality (L.) ; Tasmania (L. & P.).

SPERMOTHAMNIEAE

Spermothamnion Areschoug

S. turneri (Mert.) Aresch. No locality (L.).

CALLITHAMNIEAE

Callithamnion Lyngbye

C. fastigiatum Harv. George Town (Gunn) ; Low Head, Currie R., Musselroe Bay, Bridport (P.).

<i>C. corymbosum</i> (Smith) C. Ag.	On shells, <i>Posidonia</i> , &c., at Low Head, 9/1950, on shells, tube worms, at Spring Bay, 6/1951 (Cribb).
<i>C. laricinum</i> Harv.	Port Arthur (H.) ; Tasmania (L. & P.).
<i>S. byssoides</i> de Toni var. <i>caulescens</i> J. Ag.	Seirospora Harvey No locality (L.).

SPONGOCOLONIEAE

Haloplegma Montagne

<i>H. preisii</i> Sond.	Orford (L.A.M.) ; North Coast (L.) ; Low Head, Currie River, Eddystone Pt., Marrawah (P.) ; Taroona, 1/1948 (P.B.).
-------------------------	---

Spongoclonium Sonder

<i>S. angustatum</i> (H. & H.) de Toni	George Town (H.).
<i>S. latissimum</i> (H. & H.) de Toni	North Coast (L.) ; George Town (Gunn) ; Low Head, George Town, Bell Bay (P.).
<i>S. paradoxum</i> (Harv.) de Toni	Derwent (L.) ; Sandy Bay (R.) ; Tasmania (L. & P.) ; Pilot Station, Derwent, 2/1950 (Cribb).
<i>S. scoparium</i> J. Ag.	Orford (L.A.M.).
<i>S. violaceum</i> (Harv.) de Toni	Tamar (H.) ; Derwent (L.).
<i>S. wilsonianum</i> J. Ag.	George Town (P.).
<i>S. wollastonianum</i> J. Ag.	Low Head (P.).

Warrenia Kützing

<i>W. comosa</i> Harv.	Derwent and Muddy Plains Beach (R.) ; Tamar (H.) ; Tasmania (Gunn, (L. & P.) ; Low Head, George Town, Pt. Effingham (P.).
------------------------	---

PTILOTEAE

Euptilota Kützing

<i>E. articulata</i> (J. Ag.) Schmitz	Passim (L.) ; George Town (Gunn) ; Tasmania (L. & P.) ; Low Head, Currie River, Musselroe Bay, Eddystone Pt., Adventure Bay (P.) ; Tasmania (Levring, 1946). King Island (Mrs. Spong) ; Tasmania (L. & P.) ; Low Head, Currie River (P.).
<i>E. coralloidea</i> (J. Ag.) Schmitz	Orford (L.A.M.) ; Port Arthur (Jeannerett) ; Southport (Stuart) ; Tasmania (Harv.), (L. & P.).
<i>E. jeannerettii</i> (Harv.) Schmitz	

Rhodocallis Kützing

<i>R. elegans</i> Kütz.	Southport (Stuart) ; Actaeon Is. (R.) ; Tasmania (L. & P.) ; Blackman's Bay, 4/1948 (H.N.B.) ; Orford, 10/1951 (Cribb).
-------------------------	---

DASYPHILEAE

- D. preissii* Sonder
M. insignis (Harv.)
 de Toni
G. annulata (Harv.)
- Dasyphila** Sonder
 Tasmania (L. & P.).
- Muellerena** Schmitz
 Ulverstone (L.) ; Derwent (R.) ; Tasmania (L. & P.) ; Low Head, Currie River (P.).
- Gulsonia** Harvey
 George Town (Gunn) ; Low Head, Currie River (P.).

CROUANIEAE

- A. dispar* (Harv.)
 J. Ag.
A. divergens (J. Ag.)
 de Toni
A. flaccidum (H. & H.)
 de Toni
A. mucronatum
 (J. Ag.) de Toni
A. nodiferum J. Ag.
A. plumula (Ellis)
 Thuret
- B. callitricha* (Ag.)
 Mont.
- B. mariana* Harv.
- B. robertiana* Harv.
- B. scoparia* Harv.
- C. australis* (Harv.)
 L. Ag.
- Antithamnion** Naegeli
 East Coast (Gunn) ; Tasmania (L. & P.).
- George Town (Gunn, (H.) ; Tasmania (L. & P.) ; Swansea (P.).
 Tasmania (Gunn).
- Passim (L.) ; Channel (R.) ; Tasmania (L. & P.) ; Low Head, George Town, Currie River, Eddystone Pt., Middleton (P.) ; George Town (Gunn).
 Port Arthur (L.).
 George Town (H.) ; Derwent (L.) ; Tasmania (L. & P.).
- Ballia** Harvey
 Tasmania (L. & P.) ; Orford (L.A.M.) ; King Is., Derwent and Remine (R.) ; Passim (L.) ; Adventure Bay, 4/1947 (P.B.) ; Blackman's Bay, 2/1948 (H.N.B.) ; Low Head, Cape Grim, Marrawah, Eddystone Pt., (P.) ; Port Arthur 10/1951 (Cribb).
 Eddystone Pt., Cape Grim (P.) ; Port Arthur, 10/1951 (Cribb).
- Southport (Stuart) ; Tasmania (L. & P.) ; Eddystone Pt., Cape Grim, Sorell (P.) ; Port Arthur, 10/1951 (Cribb).
 King Is., Remine (R.) ; Port Arthur (L.) ; Blackman's Bay, 2/1948 (H.N.B.) ; Tasmania (L. & P.).
- Crouania** J. Ag.
 Table Cape (H.) ; Low Head (L.) ; Tasmania (L. & P.).

<i>C. gracilis</i> J. Ag.	No locality (L.).
<i>C. hanowooides</i> (Sond.) de Toni	On <i>Gelidium australe</i> , Pt. Puer, 2/1952 (Cribb).
<i>C. mucosa</i> Womersley	Among <i>Zostera</i> , Low Head, 9/1950 (Cribb).
<i>C. muelleri</i> Harv.	Currie River (P.).
<i>C. vestita</i> Harv.	Bicheno (P.).

Lasiothalia Harvey

<i>L. hirsuta</i> Harv.	Ulverstone (L.) ; Tasmania (L. & P.) ; Low Head, George Town (P.) ; Tasmania (Levrin, 1946).
-------------------------	--

SPYRIDIEAE

Spyridia Harvey

<i>S. biannulata</i> J. Ag.	No locality (L.) ; Tasmania (L. & P.) ; Low Head (P.).
<i>S. breviarticulata</i> J. Ag.	No locality (L.).
<i>S. filamentosa</i> (Wulf.) Harv.	George Town (Univ. Herb.) ; Port Arthur, 6/1950 (Cribb).
<i>S. opposita</i> Harv.	Tasmania (L. & P.) ; Southport (Stuart) ; Derwent (R.).

CERAMIEAE

Centroceras Kützing

<i>C. clavulatum</i> (Ag.) Mont.	Passim (L.) ; Port Esperance, Eaglehawk Neck (R.) ; Orford (L.A.M.) ; Port Arthur, 1/1951 (Cribb) ; Bicheno, 10/1951 (Cribb).
----------------------------------	---

Ceramium Wiggers

<i>C. aequabile</i> J. Ag.	Passim (L.) ; Low Head, Bridport (P.) ; George Town (Gunn) ; Orford (L.A.M.).
<i>C. deslongchampii</i> Chauv.	No locality (L.).
<i>C. divergens</i> J. Ag.	Tasmania (L.) ; Currie River (P.).
<i>C. excellens</i> J. Ag.	Derwent (L.) ; Tasmania (L. & P.).
<i>C. fastigiatum</i> Harv.	On <i>Zostera</i> , Port Arthur, 10/1951 (Cribb).
<i>C. gracillimum</i> Griff. & Harv.	George Town (H.) ; Tasmania (L. & P.).
<i>C. isogonium</i> Harv.	Tasmania (L. & P.).
<i>C. monacanthum</i> J. Ag.	Derwent (R.).
<i>C. nobile</i> J. Ag.	Derwent (L., R.) ; Tasmania (L. & P.) ; Low Head, George Town (P.).
<i>C. puberulum</i> Sond.	Tamar (L.) ; Tasmania (L. & P.) ; Low Head, George Town (P.), (Gunn).
<i>C. ramulosum</i> H. & H.	Tamar (Gunn).
<i>C. stichidiosum</i> J. Ag.	No locality (L.).

- C. subcartilagineum* J. Ag.
C. tenuissimum (Lyngb.) J. Ag.
C. torulosum J. Ag.
- Passim (L.) ; Tasmania (L. & P.) ; Low Head, Musselroe Bay, Eddystone Pt. (P.).
 Tasmania (H.).
- Maria Is., Derwent (R.).

Thamnocarpus Harvey

- T. gunnianus* Harv.
T. harveyanus J. Ag.
- George Town (H.) ; Tasmania (L. & P.).
 No locality (L.).

Microcladia Greville

- M. pinnata* J. Ag.
- Tasmania (Levring, 1946).

WRANGELIEAE

Wrangelia Ag.

- W. ballioides* J. Ag.
- Tasmania (L. & P.) ; Tamar, Low Head, Montagu, Cape Grim, Eddystone Pt. (P.).
- W. crassa* H. & H.
- George Town (Gunn) ; Tasmania (L. & P.).
- W. gunniana* J. Ag.
- No locality (L.).
- W. jeanneretti* H. & H.
- Port Arthur (H.).
- W. mucronata* Harv.
- Tasmania (L. & P.) ; Currie River, Musselroe Bay (P.).
- W. nobilis* Harv.
- Tamar (H.) ; Port Esperance (L.) ; Tasmania (L. & P.) ; Orford (L.A.M.) ; Low Head (P.) ; Low Head, 9/1950 (Cribb) ; Orford, 10/1951 (Cribb).
- W. plumosa* Harv.
- D'Entrecaseaux Channel (R.) ; Passim (L.) ; Tasmania (L. & P.) ; George Town (Gunn) ; Flinders Is., Low Head, Ulverstone, Bicheno, Adventure Bay (P.).
- W. protensa* Harv.
- George Town (H.) ; Tasmania (L. & P.) ; Low Head, Musselroe Bay, Currie River (P.).
- W. setigera* Harv.
- George Town (Gunn), (H.).
- W. velutina* Harv.
- Tasmania (Levring, 1946).
- W. verticillata* Harv.
- Tasmania (L. & P.) ; Musselroe Bay, Currie R. (P.).

DASYACEAE

Dasya C. Ag.

- D. capillaris* H. & H.
- Tamar (H.) ; Channel (R.) ; Low Head, 1944 (H.D.G.) ; Tasmania (L. & P.) ; George Town (P.).
- D. ceramoides* Harv.
- Huon River, Actaeon Is. (R.) ; Tasmania (L. & P.) ; Low Head, George Town, Gordon (P.).
- D. elongata* Sond.
- Tasmania (Levring, 1946).
- D. feredayae* Harv.
- George Town (Mrs. Fereday) ; Derwent (R.) ; Low Head, Currie River (P.).
- D. haffiae* Harv.
- Table Cape (H.) ; George Town (Gunn) ; Tasmania (L. & P.) ; Low Head (P.).

- D. hapalothrix* Harv. George Town and Pt. Rapid (H.) ; Tasmania (L. & P.).
D. meredithiae J. Ag. Low Head, Currie River (P.) ; Taroona, 9/1946 (P.B.).
D. naccariooides Harv. Passim (L.) ; Tasmania (L. & P.) ; Cape Portland, George Town, Low Head, Currie River, Musselroe Bay, Eddystone Pt. (P.) ; George Town (Gunn) ; Port Arthur, 1/1951 (Cribb).
D. tasmanica Sond. George Town (H.) ; Low Head, Currie River (P.).
D. urceolata Harv. Derwent (R.) ; Tasmania (L. & P.).
D. villosa Harv. Passim (L.) ; Barnes Bay, Ralph's Bay (R.) ; Tasmania (L. & P.) ; Bell Bay, Tamar, Kelso, Currie River, Eddystone Pt., Montagu, Adventure Bay (P.).

Halodictyon Zanardini

- H. arachniodeum* Harv. Tasmania (L. & P.) ; Coles Bay (P.).

Heterosiphonia Montagne

- H. archeri* (Harv.) George Town (Archer).
 de Toni
H. gunniana (Harv.) Passim (L.) ; Tasmania (L. & P.) ; Low Head, 1944 (H.D.G.) ; George Town, Middleton (P.).
 Falk.
H. microcladioides George Town (Gunn).
 (J. Ag.) Falk.
H. muelleri (Sond.) Ulverstone, Tamar, Musselroe Bay, Low Head (P.) ; Tasmania (H.), (L. & P.).
 de Toni
H. struthiopenna No locality (L.) ; Low Head, George Town (P.).
 (J. Ag.) de Toni
H. wrangeliooides Low Head, 9/1950 (Cribb).
 (Harv.) Falk.

Thuretia Decaisne

- T. quercifolia* Decaisne Flinders Is., Musselroe Bay (P.).

DELESSERIACEAE DELESSERIEAE

Apoglossum J. Ag.

- A. ruscifolium* (Turn.) Tamar (L.) ; Very doubtful (Cribb).
 J. Ag.

- A. tasmanicum* (F. v. M.) J. Ag. Ralph's Bay, Barnes Bay (R.) ; Tamar (Harv.) ; Port Esperance (L.) ; Tasmania (L. & P.) ; Low Head (P.).

Claudea Lamouroux

- C. elegans* Lamour. George Town (L.) ; Tamar (H.), (Fereday), (L. & P.).

Hemineura Harvey*H. frondosa* Harv.

Derwent, Sandy Bay (R.) ; Passim (L.) ; Tasmania (H.), (L. & P.) ; Low Head, 9/1950 (Cribb) ; Port Arthur, 2/1952 (Cribb) ; Musselroe Bay, Eddystone Pt., Middleton (P.).
Tamar (L.).

H. wilsonia J. Ag.**Halicide** J. Ag.*H. similans* J. Ag.

Tamar (H.) ; No locality (R.).

H. heterocystideum
J. Ag.**Hypoglossum** Kützing

Channel (R.).

H. spathulatum
(Kütz.) J. Ag.

Tamar (P.).

P. imbricata (Aresch.)
J. Ag.**Phitymophora** J. Ag.

Passim (L.) ; Sandy Bay (R.) ; Tasmania (L. & P.).

S. corymbosa J. Ag.**Sarcomenia** Sonder

Low Head, Currie River (P.).

S. dasyoides Harv.

Ulverstone (L.).

S. tenera (Harv.)
J. Ag.

Low Head, Currie River (P.).

S. victoriae (Harv.)
J. Ag.

Low Head, Gordon (P.).

S. linearis (Sond.)
Schmitz**Sonderella** Schmitz

Tamar (Quaife).

C. leprieurii (Mont.)
J. Ag.**Caloglossa** Harvey

Tasmania, estuaries (L. & P.) ; no locality (L.).

NITOPHYLLEAE

Cryptopleura Kützing

No locality (L.).

C. endiviaefolia (H. &
H.) Kylin**Hymenena** Greville

Retreat (R.).

H. affinis (Harv.)
Kylin

Tamar (L.).

H. curdiana (Harv.)
Kylin

No locality (L.).

H. multipartita (H. &
H.) Kylin

Nitophyllum Greville

- N. crispum* (Kütz.)
J. Ag.
N. hymenema Zan.
N. obsoletum Zan.
N. perrinae Lucas
N. polyanthum J. Ag.
N. uncinatum (Turn.)
J. Ag.
- North Coast (L.) ; Low Head, 9/1950 (Cribb) ; Tasmania (Levring, 1946).
Hobart (Cribb).
George Town (Goodwin).
George Town (L. & P.).
No locality (L.).
George Town, Low Head (P.).

Mesotrema J. Ag.

- M. australis* (Harv.)
Pap.
? *M. gigas* (Harv.)
Pap.
- Tasmania (Gunn), (H.).
Tamar (H.).

Platyclinia J. Ag.

- P. stipitata* (Harv.)
J. Ag.
- Tasmania (L. & P.) ; Tasmania (L.).

Myriogramme Kylin

- M. gattyana* (J. Ag.)
Kylin
M. gunniana (Harv.)
Kylin
- Derwent (R.).
George Town (Gunn) ; Tasmania (L. & P.) ; Orford, 6/1950, and 1/1952 (Cribb) ; Tasmania (Levring, 1946).

RHODOMELACEAE POLYSIPHONIEAE

Chiracantha Falkenberg

- C. arborea* (Harv.)
Falk.
C. valida (J. Ag.)
Falk.
- George Town (H.) ; Tasmania (L. & P.) ; Currie River (P.).
Low Head, 9/1950 (Cribb).

Pithyopsis Falkenberg

- P. tasmanica* (Sond.)
Falk.
- George Town (H.) ; Currie River (P.).

Bryocladia Schmitz

- B. ericoides* (Harv.)
Schmitz
- Eaglehawk Neck (L.) ; Port Arthur, Tasmania (H.) ; Port Arthur, 1/1951 (Cribb).

Lophurella Schmitz

- L. hookeriana* (J. Ag.)
Falk.
- Port Arthur, 2/1951 (Cribb).

- L. periclados* (Sond.)
Schmitz
- Derwent (R.) ; Brown's River (Gunn) ; Southport (H.) ; Channel (R.) ; Tasmania (L. & P.) ; Low Head, Currie River (P.).

Falkenbergia Schmitz

F. vagabunda (Harv.)
Falk.

P. abciissa H. & H.

P. caespitula Sonder
P. cancellata Harv.

P. crassiuscula Harv.
P. dasyoides Zan.

P. ferulacea Suhr.

P. flavesiensis Zan.
P. frutex Harv.

P. fuscescens Harv.

P. hookeri Harv.

P. hystrix H. & H.

P. laxa Harv.

P. longissima J. Ag.
P. macartha Zan.
P. mallardiae Harv.
P. mollis H. & H.

P. nigrita Sond.
P. patersonis Sond.

P. spinuligera Zan.
P. succulenta Harv.

B. australis (Ag.)
Schmitz

Polysiphonia Greville

Ulverstone, Port Esperance (L.) ; Tasmania (L. & P.) ; Low Head, Flinders Is. (P.) ; Bellerive, 3/1950, Southport, 10/1951 (Cribb).

Eaglehawk Neck (R.).
Shot Tower (R.) ; Bellerive, Tasmania (L. & P.) ; Low Head (P.) ; Tasmania (Levrin, 1946).

East Coast (Gunn), (L. & P.).
George Town (L. & P.).

Table Cape (Miss Mackenzie) ; Burnie (Carter) ; both quoted by Lucas, 1928. Tasmania (L. & P.).

George Town (L. & P.).
Derwent (R.) ; Tasmania (L. & P.) ; Low Head and all parts of Tasmania (P.).
Port Arthur, 1/1951, and 3/1950, Dover, 3/1951 (Cribb).

Tasmania (L. & P.) ; Passim (L.) ; Taroona, 1/1948 (P.B.) ; Channel (R.) ; Low Head, Montagu, Middleton, Bellerive, Currie River, Musselroe Bay (P.) ; Pittwater, 12/1951, Lewisham, 11/1950, Port Arthur, 1/1952, Taroona, 1/1951, Southport, 10/1951 (Cribb).

Passim (L.) ; Tasmania (L. & P.) ; Low Head, Currie River, Eddystone Pt., Musselroe Bay, Montagu (P.) ; Tasmania (Levrin, 1946).

East Coast (Gunn) ; Tasmania, on *Zostera* (L. & P.).

Derwent (R.).
George Town (Goodwin).
Snug (L.) ; Devonport (R.) ; Low Head (P.).
Passim (L.) ; Actaeon Is., Risdon, Sandy Bay (R.) ; Tasmania (L.) ; George Town, Tamar (P.).

Derwent, Southport (R.) ; Tasmania (L. & P.).
In *Zostera*, Low Head, 9/1950 (Cribb) ; Tasmania (Stuart).

George Town (Goodwin).
George Town (Gunn) ; Tasmania (L. & P.) ; Low Head (P.).

LOPHOTHALIEAE

Brogniartella Bory

Tasmania (H.), (L. & P.) ; Tamar, Low Head, Middleton (P.).

B. feredayae (J. Ag.)
Schmitz
B. sarcocaulon
(Harv.) Schmitz George Town (Fereday) ; Currie River, Middle-ton (P.).
North Coast (L.) ; Derwent (R.) ; Tasmania (L. & P.).

D. bulbochaete
(Harv.) Falk. **Doxodasya** Schmitz
George Town (H.) ; Low Head, Currie River (P.).

L. verticillata (Harv.)
Kütz. **Lophothalia** Kützing
George Town (H.) ; Tasmania (L. & P.) ; Tamar (P.).

BOSTRYCHIEAE

Bostrychia Montagne

B. harveyi Mont.
B. mixta H. & H.
B. simpliciuscula
Harv. Tasmania (Stuart) ; Tasmania (L. & P.) ; Dover Creek, 9/1950 (Cribb).
Port Arthur (H.) ; Port Arthur, 1/1951 (Cribb).
Port Arthur (H.).

CHONDRIEAE

Chondria C. Ag.

C. debilis Harv.
C. fusifolia H. & H.
C. harveyana J. Ag.
C. ovalifolia J. Ag.
C. succulenta (J. Ag.)
Falk.
C. tenuissima (God. &
Wood) C. Ag. Tasmania (Gunn) ; George Town (L. & P.).
Huon (R.) ; Derwent (L.) ; Tasmania (L. & P.) ; Low Head (P.).
Channel (R.).
Low Head (P.).
Channel (R.).
George Town (L. & P.).

Cladurus Falkenberg

C. elatus (Sond.) Falk. Tasmania (L. & P.) ; Currie River, Devonport (P.) ; Low Head, 1944 (H.D.G.).

Maschalostroma Schmitz

M. fastigiata Falk. George Town (P.).

C. incrassatum J. Ag.
C. opuntioides (Harv.)
J. Ag.
C. verticillatum
(Harv.) J. Ag.

Coelocionium J. Ag.

Tasmania (L.A.M.), (L. & P.).
George Town (Gunn).

Maria Is. (R.).

Dolichoscelis J. Ag.

D. clavifera J. Ag. Tasmania (L.A.M.), (L. & P.).

LAURENCIEAE

Janczewskia Solms*J. tasmanica* Falk.*L. botryoides* (Turn.) Gaill.*L. elata* (Ag.) Harv.*L. filiformis* (Ag.) Mont.*L. forsteri* (Mert.) Grev.*L. heteroclada* Harv.*L. obtusa* (Huds.) Lamour.*L. tasmanica* H. & H.*C. umbellata* J. Ag.**Laurencia** Lamouroux

Derwent, Huon, Sandy Bay (R.) ; Tasmania (Gunn), (L. & P.) ; Low Head, Musselroe Bay (P.) ; Southport, 10/1951 (Cribb).

Passim (L.) ; Tasmania (L. & P.) ; Cape Grim, Eddystone Pt., Marrawah, Currie River (P.) ; Port Arthur, 3/1951 (Cribb).

No locality (L.) ; Tasmania (L. & P.) ; George Town (H.) ; Devonport (P.).

Blackman's Bay, Sandy Bay (R.) ; Tasmania (L. & P.) ; Low Head, Currie River, Eddystone Pt. (P.).

King Is. (Spong).

Passim (L.) ; Maria Is., Huon (R.).

Tamar, Eaglehawk Neck (L.) ; Retreat, Maria Is. (R.) ; Tasmania (L. & P.) ; Currie River, Low Head (P.) ; Low Head, 9/1950 (Cribb).

Corynecladia J. Ag.

Orford (L.A.M.).

PTEROSIPHONIEAE

Dictyenia Greville*D. harveyana* Sond.*D. myriacantha* Kütz.*D. tridens* (Mert.) Grev.

Passim (L.) ; Tasmania (L. & P.) ; Low Head, George Town, Eddystone Pt., Middleton (P.) ; Bellerive, Shot Tower (R.) ; George Town (H.) ; George Town (H.) ; Low Head, Currie River (P.).

Tasmania (L. & P.) ; Musselroe Bay (P.).

Jeannerettia Hooker & Harvey*J. lobata* H. & H.*J. pedicillata* (Harv.) Pap.

Passim (L.) ; Tasmania (L. & P.) ; Oyster Bay, Port Arthur, Tasmania (Lucas, 1915) ; Blackman's Bay, 5/1948 (H.N.B.) ; Low Head, George Town, Eddystone Pt., Cape Grim, Marrawah (P.).

Passim (L.) ; Tasmania (L. & P.) ; Retreat (R.) ; Low Head, Tamar, Currie River, Eddystone Pt. (P.) ; Stewart's Bay, 6/1951, Orford, 6/1950 (Cribb).

POLYZONIEAE

Euzoniella Falkenberg

- E. harveyana* (Dene.)
Falk.
E. incisa (J. Ag.)
Falk.
- Tasmania (Falkenberg).
North Coast (L.) ; Tasmania (H.), (L. & P.) ;
Actaeon Is., Bellerive (R.) ; Low Head, 9/1950
(Cribb).

HERPOSIPHONIEAE

Herposiphonia Nageli

- H. monilifera* (H. &
H.) Falk.
H. versicolor (H. &
H.) Falk.
- Tasmania (Gunn).
Passim (L.) ; Tasmania (L. & P.) ; Low Head,
George Town, Currie River (P.) ; Port Arthur,
1/1952 (Cribb).

Herpopteros Falkenberg

- H. fallax* Falk.
- No locality (L.) ; Tasmania (L. & P.) ;

AMANSIEAE

Lenormandia Sonder

- L. marginata* H. & H.
L. muelleri Sond.
L. prolifera (Ag.)
J. Ag.
L. smithiae (H. & H.)
Falk.
- Passim (L.) ; George Town (Gunn) ; Channel
(R.) ; Tasmania (L. & P.) ; South Arm, 8/1946
(P.B.) ; Low Head, Currie River, Eddystone
Pt., Marrawah, Middleton, Gordon (P.) ;
Taroona, 2/1951 (Cribb) ; Tasmania (Levring,
1946).
Tasmania (L. & P.) ; Musselroe Bay, Swansea
(P.).
Tasmania (Gunn) ; Low Head (P.) ; Stewart's
Bay, 6/1951 (Cribb).
No locality (L.) ; Eddystone Pt., Swansea (P.) ;
3 miles S.E. of Cape Barren Is., 11/1951
(Cribb).

Protokuetzingia Falkenberg

- P. australasica*
(Mont.) Falk.
- Tasmania (H.) ; Low Head (P.) ; Orford,
1/1952 (Cribb).

REFERENCES

- LUCAS, A. H. S., 1915—Report on the algae dredged by F.I.S. Endeavour. *Biol. Res.* 3, 2, 1915, pp. 55-7.
_____, 1928.—The Marine algae of Tasmania. *Proc. Roy. Soc. Tasm.*, 1928.
_____, 1936.—The Seaweeds of South Australia, Part I. Adelaide, 1936.
LUCAS, A. H. S. & PERRIN, F., 1936.—The Seaweeds of South Australia, Part II. Adelaide, 1936.