Discrete Mathematics and Theoretical Computer Science

Weak embeddings of posets to the Boolean lattice

Dömötör Pálvölgyi^{1*}

¹ MTA-ELTE Lendület Combinatorial Geometry Research Group, Institute of Mathematics, Eötvös Loránd University (ELTE), Budapest, Hungary

received 24th May 2017, revised 28th Nov. 2017, accepted 13th Jan. 2018.

The goal of this paper is to prove that several variants of deciding whether a poset can be (weakly) embedded into a small Boolean lattice, or to a few consecutive levels of a Boolean lattice, are **NP**-complete, answering a question of Griggs and of Patkós. As an equivalent reformulation of one of these problems, we also derive that it is **NP**-complete to decide whether a given graph can be embedded into the two middle levels of some hypercube.

Keywords: extremal combinatorics, forbidden subposet, NP-completeness

1 Introduction

A poset (P, \leq) is a partially ordered set on |P| elements. An injective map f from poset P to poset Q is called a *weak embedding* if for every $p, q \in P$ we have $f(p) \leq f(q)$ if $p \leq q$, and it is called a *(strong) embedding* if $f(p) \leq f(q)$ if and only if $p \leq q$. Similarly, an injective map f from graph G to graph H is called an *embedding* if for any edge uv of G its image f(u)f(v) is an edge of H, and it is called an *induced embedding* if uv is an edge of G if and only if f(u)f(v) is an edge of H. (Be careful that simply *embedding* is *strong* embedding for posets, but for graphs, it is the equivalent of *weak* poset embeddings — unfortunately, both are standard terminology.) The *Hasse diagram* of a poset P is a graph whose vertex set is V(P) and whose edges are pairs $\{p, q\}$ satisfying that there is no r for which p < r < q holds. When speaking of elements of P, the terms *neighborhood* and *distance* refer to the Hasse diagram of P. Thus, we call the elements adjacent to an element x in the Hasse diagram the *neighbors* of x, and the length of the shortest path in the Hasse diagram connecting some elements x and y their *distance*. The *Boolean lattice* of $\{1, \ldots, n\}$, B_n , has 2^n elements, one for each subset of $\{1, \ldots, n\}$, where the ordering is given by containment structure, i.e., $X \leq Y$ if $X \subset Y$. The k^{th} level of a Boolean lattice is the collection of its elements of $\lfloor \frac{n-e+1}{2} \rfloor^{\text{th}}$ to $\lfloor \frac{n+e-1}{2} \rfloor^{\text{th}}$ as the *emiddle levels* of B_n .

^{*}Research supported by the Marie Skłodowska-Curie action of the EU, under grant IF 660400 and by the Lendület program of the Hungarian Academy of Sciences (MTA), under grant number LP2017-19/2017.

In this paper we study the decision complexity of whether a poset admits a weak embedding to (some levels of) B_n (where n is arbitrary, given as part of the input). Apparently, earlier only strong embeddings to B_n have been studied, first in [24], while the **NP**-completeness of the problem was established in [22]; for more recent results related to complexity, see [12, 20]. We find it somewhat surprising that weak embeddings have not yet been studied. There are, however, some graph problems that are equivalent to weak embedding questions to two consecutive levels, e.g., the Middle Levels conjecture is that there is a Hamiltonian cycle in the union of the two middle levels of every B_{2n+1} — this has been recently solved by Mütze [17]; for a shorter proof, see [10].

We write $P \subset Q$ if P has a weak embedding to Q. This indeed defines a partial order on the posets, i.e., $P \subset Q \subset R$ implies $P \subset R$ and $P \subset Q \subset P$ implies that P and Q are isomorphic. If $P \subset Q$, we say that Q contains (a copy of) P, otherwise we say that Q is P-free. We denote by d(P) the smallest integer such that $P \subset B_{d(P)}$. (For strong embeddings, this parameter is called the 2-dimension of P, and embeddings to B_n are called bit-vector encodings.) As $P \subset C_{|P|} \subset B_{|P|-1}$, where C_n denotes the chain (totally ordered poset) on n elements, d(P) is always some non-negative integer. Despite the huge literature of embedding trees to the hypercube [4, 14], it seems that d(P) has not even been studied for trees. The problem of determining the value of $d(T_k)$, where T_k denotes the complete binary tree of depth k, can be shown to be equivalent to a search problem proposed by G.O.H. Katona [13], which is also open.

We also study weak embeddings to the union of a few consecutive levels of the Boolean lattice. We denote by e(P) the *largest* integer such that any e(P) consecutive levels of any Boolean lattice are *P*-free. It follows from the definitions that $e(P) \leq d(P)$, as any d(P) + 1 levels of any Boolean lattice contain a copy of $B_{d(P)}$ which contains a copy of *P*. If *P* has a smallest and a largest element, then e(P) = d(P), while examples for small posets for which inequality holds include the so-called *Fork* poset on three elements, a, b, c, with a < b, c, for which $e(P_{\text{fork}}) = 1 < d(P_{\text{fork}}) = 2$, and the so-called *Butterfly* poset on four elements, w, x, y, z, with w, x < y, z, for which $e(P_{\text{butterfly}}) = 2 < d(P_{\text{butterfly}}) = 3$. We also note that $h(P) - 1 \leq e(P) \leq d(P)$, where h(P) is the *height* of the poset, i.e., the *cardinality* of its longest subchain.

The parameter e(P) has been introduced in Griggs, Li and Lu [8], as it naturally came up while studying the largest possible size of a P-free subposet of B_n , denoted by La(n, P). This parameter has been first studied by Katona in the 1980s for general posets; for a recent survey see Griggs and Li [7]. The general conjecture, implicitly contained in the earlier works of Katona and others, and explicitly first stated by Bukh [3], and a couple of months later, independently, by Griggs and Lu [9], is that $\pi(P) = \lim_{n \to \infty} \frac{La(n,P)}{\binom{n}{n/2}}$ always exists, and equals to e(P). (Note that $e(P) \leq \pi(P)$ follows from that the union of the e(P) middle levels of B_n are P-free.) This has only been proved for special posets. The most general result is due to Bukh [3], which says that if the Hasse diagram of P is a tree, then $\pi(P) = h(P) - 1 = e(P)$.

Motivated by this, Griggs [6] and Patkós [19] asked independently around the same time the complexity of determining e(P).* Answering their questions, we show the following.

^{*} Griggs has also asked for the complexity of determining the 2-dimension of *P*, but this has already been proved to be **NP**-complete by Stahl and Wille [22]; for a more accessible version, see Habib et al. [12].

Weak embeddings of posets to the Boolean lattice

Theorem 1. To decide whether d(P) is at most n and to decide whether e(P) is at most n are both **NP**-complete.

Remark 2. In fact, as we will see from the proof, it is already **NP**-complete for posets with a smallest and a largest element (in which case d(P) = e(P)) to determine whether these parameters equal h(P) - 1.

Theorem 3. To decide whether $e(P) \leq 1$ is **NP**-complete.

Remark 4. The graph theoretic reformulation of Theorem 3 is that it is **NP**-complete to decide whether a given graph can be embedded into two consecutive levels of some hypercube.

Theorem 5. To decide whether a poset can be weakly embedded into the union of the third and fourth level of some Boolean lattice is NP-complete.

Remark 6. Both Theorems 3 and 5 also hold for strong embeddings, as the respective posets used in their proofs can only have a strong embedding to the required structures (see Corollary 12).

Finally, using our methods we also sketch the proof of a related result.

Theorem 7. To decide whether a graph is an induced subgraph of a Johnson graph is NP-complete.

2 Preliminaries

2.1 Connection to graph embeddings

It is well-known that directed and undirected graph embedding problems can be easily reduced to each other by simple gadgets. * The same is true for weak poset embedding problems. To reduce a weak poset embedding problem to a directed graph embedding problem, notice that P weakly embeds to Q if and only if the *transitive closure* of P embeds to the *transitive closure* of Q. To reduce a graph embedding problem to a weak poset embedding problem, let us denote by \hat{G} the two-level poset obtained from a graph G as follows. The elements of \hat{G} are the vertices and edges of G, and any edge is larger than its endpoints (these are the only relations). Thus, the vertices of G form an antichain in \hat{G} , the lower level, and the edges of G also form an antichain in \hat{G} , the upper level.

Proposition 8. *G* is a subgraph of *H* if and only if \hat{G} weakly embeds to \hat{H} .

The interested reader can find the simple proof of Proposition 8 in [2]. As deciding whether a graph is a subgraph of another graph, known as the SUBGRAPH ISOMORPHISM problem, is **NP**-complete [5], we get that weak embedding for posets is also **NP**-complete.

Corollary 9. Deciding whether P weakly embeds to Q or not is **NP**-complete, already if both P and Q have only two levels.

Remark 10. Note that Theorem 1 is *not* a strengthening of this corollary, as here Q is also given as part of the input, while in Theorem 1 B_n has exponential size (but its description, the binary encoding of n, is $\log \log of$ the size of B_n).

^{*} The interested reader can find a collection of similar reductions in Booth and Colbourn [2].

2.2 Uniqueness of embedding of two consecutive levels into two consecutive levels

Let $L_2(k)$ denote the union of the two middle levels of B_k .

Observation 11. Any weak embedding of $L_2(k)$ to $L_2(n)$ is distance-preserving, i.e., the distance between any two elements of $L_2(k)$ is the same as the distance between their images in $L_2(n)$.

Proof: The proof is by induction on k. The statement is trivially true for k = 0, 1. Take a weak embedding $f : L_2(k) \to L_2(n)$. Pick an arbitrary element $x \in L_2(k)$ and denote the (unique) element at distance k from it by \bar{x} . The distance between x and any element other than \bar{x} is preserved by induction. Take a neighbor y of \bar{x} — using induction, the distance of f(y) and f(x) is k - 1. This implies that there are exactly $\lfloor k \rfloor$ neighbors of f(y) that fall on a shortest path between f(x) and f(y), thus at distance k - 2 from f(x). Since y has exactly $\lfloor k \rfloor$ neighbors in $L_2(k)$ that are different from \bar{x} , and f maps each of them on a shortest path between x and y by induction, there are no more neighbors of f(y) that could be on a shortest path between x and y, thus all of them have distance k from f(x). This implies that $f(\bar{x})$ must be at distance k from f(x).

Corollary 12. Any weak embedding of $L_2(k)$ to $L_2(n)$ is also a strong embedding.

Corollary 13. For any two elements $p, q \in B_n$ that are on the same level or on consecutive levels at distance k, there is a unique^{*} embedding of $L_2(k)$ to B_n whose image contains both p and q.

Proof: Since we need to preserve order relations when embedding a poset, it is determined which two levels of B_n we need to embed into, and can thus apply Observation 11.

We will denote the above unique embedding of $L_2(k)$ to B_n by $L_2[p;q]$. Sometimes we will also use $L_2[p;q]$ to denote the "upside-down reversal" of this poset, which is different when k is even, as in addition to the level L of p and q, it uses the level above L instead of the level below L — this will not lead to confusion, as from the context it will always be clear which two levels we embed into.

2.3 NP-complete 3-uniform hypergraph coloring problems

We will use the **NP**-completeness of MON-NAE-3-SAT, which is (equivalent to) the problem of deciding whether the vertices of a 3-uniform hypergraph are properly 2-colorable, and 3-RAINBOW, which is the problem of deciding whether the vertices of a 3-uniform hypergraph are 3-colorable, such that every hyperedge contains each color exactly once (such colorings are called *rainbow*). The **NP**-completeness of MON-NAE-3-SAT was proved by Lovász [15] (it also follows from Schaefer's dichotomy theorem [21]), but we could not find our 3-RAINBOW problem in the literature; it is an easy exercise to show that is **NP**-complete. For completeness, we sketch a proof independently discovered by Jukka Suomela [23] and Antoine Amarilli [1].

Proof: (Suomela; Amarilli) We reduce to our problem whether the chromatic number of a graph is at most 3. Construct a 3-uniform hypergraph \mathcal{H} from a graph G as follows. The vertices of \mathcal{H} are the vertices and edges of G, and the edges of \mathcal{H} are the triples $\{(u, v, uv) \mid uv \text{ is an edge of } G\}$. It is straightforward to see that \mathcal{H} has a rainbow 3-coloring if and only if G has a proper 3-coloring.

^{*} Unique up to composition with an element of $Aut(L_2(k))$.

3 Proof of Theorem 1

This section contains the proof of Theorem 1. The problem is trivially contained in **NP**, thus it is enough to prove that it is **NP**-hard to decide whether $P \subset B_{h(P)}$ for an input poset P that has a smallest and a largest element. The reduction is from MON-NAE-3-SAT, the problem of deciding whether the vertices of a 3-uniform hypergraph \mathcal{H} are properly 2-colorable.

The vertices of \mathcal{H} will be denoted by v_1, \ldots, v_n . The height of the poset P will be 3n and it will be a union of two sets, P_1 and P_2 . The restriction of P to P_1 is isomorphic to a subposet of B_{3n} , which is over the elements $X = \{a_1, b_1, c_1, a_2, b_2, \ldots, c_n\}$. First we describe P_1 , then we will describe the elements of P_2 via their relations to P_1 . If an element $p \in P$ is mapped to some set S, then we write $p \to S$. The question will be to decide whether P embeds to B_{3n} or not.

 P_1 contains every subset of X with at most 9 elements, except the pairs of the form $\{a_i, b_i\}$ and $\{a_i, c_i\}$, and except that from the sextuples P_1 only contains the ones of the form $\{a_i, b_i, a_j, b_j, a_k, b_k\}$ or $\{a_i, c_i, a_j, c_j, a_k, c_k\}$. (So P_1 contains $2\binom{n}{3}$ sextuples.) P_1 also contains a chain of length 3n - 8 for every 9-element set S starting at S and ending in X, guaranteeing that S has to be at least 3n - 9 levels lower than X. (This requires at most $\binom{n}{9}(3n - 10)$ additional elements.) Thus, the smallest element of P_1 is the empty set, and its largest element will be X. This implies that if P embeds into B_{3n} , then all the elements of P_1 really must be embedded into the same level as the subset of X that was used to define them.

For notational convenience, after a suitable renaming/permutation of the base set, it can even be achieved that each one element set of P_1 is mapped to "itself," e.g., $\{a_i\} \rightarrow \{a_i\}$. This also implies that all elements of P_1 are mapped to the set defining them.

Now we describe the elements of P_2 , which will depend on the hypergraph \mathcal{H} . These are not defined as a subset of X but by their relations to some of the earlier defined subsets.

 P_2 contains for each vertex v_i an element denoted by x_i such that $\{a_i\} < x_i < \{a_i, b_i, c_i\}$. Thus if P embeds into B_{3n} , then $x_i \to \{a_i, b_i\}$ or $x_i \to \{a_i, c_i\}$.

Finally, P_2 contains for every hyperedge $y_{\ell} = \{v_i, v_j, v_k\}$ an element Z_{ℓ} for which $x_i, x_j, x_k < Z_{\ell} < \{a_i, b_i, c_i, a_j, b_j, c_j, a_k, b_k, c_k\}$. Thus if P embeds into B_{3n} , then Z_{ℓ} has to be the unique sextuple that is above x_i, x_j, x_k , so its position is determined by the choice of x_i, x_j, x_k .

As $\{a_i, b_i, a_j, b_j, a_k, b_k\}$ and $\{a_i, c_i, a_j, c_j, a_k, c_k\}$ must have the respective elements of P mapped to them in any weak embedding of P into B_{3n} , we have that P embeds into B_{3n} if and only if there is a choice of the position of the elements x_i such that for no hyperedge $\{v_i, v_j, v_k\}$ we have $(x_i \to \{a_i, b_i\}$ and $x_j \to \{a_j, b_j\}$ and $x_k \to \{a_k, b_k\}$) or $(x_i \to \{a_i, c_i\}$ and $x_j \to \{a_j, c_j\}$ and $x_k \to \{a_k, c_k\}$). But if $x_i \to \{a_i, b_i\}$ corresponds to coloring v_i red and $x_i \to \{a_i, c_i\}$ corresponds to coloring v_i blue, this is clearly equivalent to whether \mathcal{H} is 2-colorable or not.

This finishes the proof of Theorem 1.

4 Proof of Theorem 5

This section contains the proof of Theorem 5. The problem is trivially contained in **NP**, thus it is enough to prove that it is **NP**-hard to decide whether a given poset P has a weak embedding to the union of the third and fourth levels of some Boolean lattice. The reduction is from 3-RAINBOW, which is the problem of deciding whether the vertices of a 3-uniform hypergraph have a rainbow 3-coloring, i.e., a 3-coloring where every hyperedge contains each color exactly once.

Now we describe the elements of the two-level poset P that we construct from \mathcal{H} . Most elements of P will be defined by subsets of an unspecified base set, with the containment relations preserved.

There is an element $\{a, b, c\}$ that can be thought of as the center of P, and will be the (unique) element with the most neighbors among all elements of P. In any embedding $\{a, b, c\}$ will have to go somewhere on the third level, as there are several elements that are bigger than it, thus, with a slight abuse of notation, we can suppose that it goes to $\{a, b, c\}$.

For every vertex v_i , add an element $\{a, b, c, x_i\}$ to P, and for every hyperedge y_ℓ , add an element $\{a, b, c, z_\ell\}$ to P (where x_i and z_ℓ are different for each vertex and for each hyperedge). We can again suppose that these elements are mapped to "themselves". The way the elements corresponding to vertices and hyperedges can be distinguished is that each $\{a, b, c, x_i\}$ has only one other neighbor, COL_i , which thus can be mapped to either $\{a, b, x_i\}$, $\{a, c, x_i\}$ or $\{b, c, x_i\}$, but each $\{a, b, c, z_\ell\}$ has three further neighbors, $Z_{\ell,i}$, $Z_{\ell,j}$ and $Z_{\ell,k}$, where $y_\ell = \{v_i, v_j, v_k\}$. The three neighbors, $Z_{\ell,i}$, $Z_{\ell,j}$ and $Z_{\ell,k}$, need to be mapped in some permutation to the three neighbors of $\{a, b, c, z_\ell\}$ that are different from $\{a, b, c\}$, i.e., to $\{a, b, z_\ell\}$, $\{a, c, z_\ell\}$ and $\{b, c, z_\ell\}$.

Finally, for every vertex $v_i \in y_\ell$, there is an element $X_{i,\ell}$ that has two neighbors, COL_i and $Z_{\ell,i}$. Therefore, $X_{i,\ell}$ and $Z_{\ell,i}$ must be mapped either to $\{a, b, x_i, z_\ell\}$ and $\{a, b, z_\ell\}$, or to $\{a, c, x_i, z_\ell\}$ and $\{a, c, z_\ell\}$, or to $\{b, c, x_i, z_\ell\}$ and $\{b, c, z_\ell\}$, depending on COL_i .

We now have to show that P can be weakly embedded into the union of the third and fourth levels of some B_n if and only if \mathcal{H} has a rainbow 3-coloring. If \mathcal{H} has a rainbow 3-coloring, then let the image of COL_i be $\{a, b, x_i\}$ if v_i is colored with the first color, $\{a, c, x_i\}$ if v_i is colored with the second color, and $\{b, c, x_i\}$ if v_i is colored with the third color. From this the embedding of $X_{i,\ell}$ and $Z_{\ell,i}$ follows. The fact that all three colors appear at each hyperedge $y_{\ell} = \{v_i, v_j, v_k\}$ guarantees that the three neighbors of $\{a, b, c, z_\ell\}$, $Z_{\ell,i}$, $Z_{\ell,j}$, $Z_{\ell,k}$, will not conflict with each other. If P has an embedding, then a rainbow 3-coloring of \mathcal{H} can be derived in a similar way.

This finishes the proof of Theorem 5.

Remark 14. The above constructed poset P can in fact be embedded into the union of the χ -th and $(\chi+1)$ st levels of some B_n if and only if \mathcal{H} has a rainbow χ -coloring. To see this, the above proof needs to be modified only in that $\{a, b, c\}$ has to go to some set with χ elements, and thus there are χ choices instead of three for the image of each COL_x .

5 Proof of Theorem 3

This section contains the proof of Theorem 3. The main idea is similar to the proof of Theorem 5, but it is more complicated, and we extensively use Observation 11. As before, the **NP**-membership is trivial,

and we prove NP-hardness by constructing a poset P from a hypergraph \mathcal{H} such that \mathcal{H} has a rainbow 3-coloring if and only if $e(P) \leq 1$, i.e., if P can be embedded into some two consecutive levels of a Boolean lattice. We will denote the union of "these" two levels by L_2 . This is a bit of a cheating, since we do not know which two levels of which Boolean lattice P could be embedded into. One can think of L_2 either as the union of two sufficiently large levels, or even as the union of two infinite levels, for which our question could be equivalently formulated.

Now we describe the elements of the two-level poset P. Most elements of P will be defined by subsets of an unspecified base set, with the containment relations preserved.

There will be two elements, $\{a, b, c\}$ and $\{p, q, r\}$, which play a central role in the construction. P will contain all $\binom{6}{3} + \binom{6}{4}$ elements of $L_2[\{a, b, c\}; \{p, q, r\}]$. Observation 11 implies that when we weakly embed P to L_2 , then the distance of the images of $\{a, b, c\}$ and $\{p, q, r\}$ will be six, thus we can conclude that a, b, c, p, q and r must all be different. We can also suppose that $\{a, b, c\}$ and $\{p, q, r\}$ are, respectively, mapped to some elements $\{a, b, c, W\}$ and $\{p, q, r, W\}$ (which we can consider as "themselves") where W contains some additional elements of the base set.

For every hyperedge y_{ℓ} , we add $L_2[\{a, b, c, z_{\ell}\}; \{p, q, r, z_{\ell}\}]$ to P (where z_{ℓ} is different for each hyperedge). With another application of Observation 11, we can suppose that these elements are mapped to "themselves + W".

For every vertex v_i , we add two neighboring vertices, $\{a, b, c, x_i\}$ and COL_i to P. We can suppose that $\{a, b, c, x_i\}$ is mapped to $\{a, b, c, x_i, W\}$. COL_i is ideally mapped to one of $\{a, b, x_i, W\}$, $\{a, c, x_i, W\}$ and $\{b, c, x_i, W\}$; for this, we have to eliminate the possibility of it being mapped to some $\{a, b, c, x_i, W \setminus \{w\}\}$. This is why we needed all the complications compared to the construction used to prove Theorem 5.

Finally, for every vertex x_i that is in the hyperedge z_ℓ , we add one more degree two element, $X_{i,\ell}$, that is connected to COL_i and $Z_{\ell,i}$. The element $Z_{\ell,i}$ will be one of the elements from $L_2[\{a, b, c, z_\ell\}; \{p, q, r, z_\ell\}]$ that neighbors $\{a, b, c, z_\ell\}$, i.e., one of $\{a, b, z_\ell\}$, $\{a, c, z_\ell\}$ and $\{b, c, z_\ell\}$. Using Observation 11, we know that $Z_{\ell,i}$ has to be embedded as one of $\{a, b, z_\ell, W\}$, $\{a, c, z_\ell, W\}$ and $\{b, c, z_\ell, W\}$. Therefore, $X_{i,\ell}$ must be mapped either to $\{a, b, x_i, z_\ell, W\}$, $\{a, c, x_i, z_\ell, W\}$ or $\{b, c, x_i, z_\ell, W\}$, and thus COL_i to $\{a, b, x_i, W\}$, $\{a, c, x_i, W\}$, or $\{b, c, x_i, W\}$, and thus COL_i to $\{a, b, x_i, W\}$, $\{a, c, x_i, W\}$.

We now have to show that \mathcal{H} has a rainbow 3-coloring if and only if P can be weakly embedded into L_2 . If \mathcal{H} has a rainbow 3-coloring, then let the image of COL_i be $\{a, b, x_i, W\}$ if v_i is colored with the first color, $\{a, c, x_i, W\}$ if v_i is colored with the second color, and $\{b, c, x_i, W\}$ if v_i is colored with the third color. From this the embedding of $X_{i,\ell}$ and $Z_{\ell,i}$ follows. The fact that all three colors appear at each hyperedge $y_{\ell} = \{v_i, v_j, v_k\}$ guarantees that the three neighbors of $\{a, b, c, z_{\ell}, W\}$, $Z_{\ell,i}$, $Z_{\ell,j}$ and $Z_{\ell,k}$, will not conflict with each other. If P has an embedding, then a rainbow 3-coloring of \mathcal{H} can be derived in a similar way.

This finishes the proof of Theorem 3.

6 Proof of Theorem 7

The vertices of the Johnson graph J(n, k) are the k-element subsets of an n-element base set, and two vertices are connected if they differ in exactly two elements. A graph G is an *induced Johnson subgraph* if there exists an induced copy of G in J(n, k) for some n, k. These graphs were defined in [18] and

later studied in [16]. The rest of this section contains a sketch of the proof of Theorem 7. (The details are omitted due to the similarity to the proof of Theorem 3.)

The problem is trivially in **NP**. We prove **NP**-hardness by constructing a graph G from any 3-uniform \mathcal{H} such that G is an induced Johnson subgraph if and only if \mathcal{H} has a rainbow 3-coloring. We need the following variant of Observation 11, which can be similarly proved by induction.

Observation 15. For any n, k, n', k', any embedding of J(n, k) to J(n', k') is distance-preserving.

Denote the vertices of \mathcal{H} by v_1, \ldots, v_n and its hyperedges by y_1, \ldots, y_m . Now we describe how to construct G from \mathcal{H} .

G will contain a clique on n + m vertices, $x_1, \ldots, x_n, z_1, \ldots, z_m$ (to be mapped to $\{a, b, c, x_i\}$ and $\{a, b, c, z_\ell\}$), and another clique on m vertices, z'_1, \ldots, z'_m (to be mapped to $\{p, q, r, z_\ell\}$).

G also contains a disjoint copy of J(6,3) (which is the same as the edge graph of a cube) for each pair z_{ℓ}, z'_{ℓ} , such that z_{ℓ} and z'_{ℓ} are contained in this copy of J(6,3) at distance three from each other. These embeddings are unique due to Observation 15.

Finally, G contains a vertex $XZ_{i,\ell}$ (to be mapped to either $\{a, b, x_i, z_\ell\}$, $\{a, c, x_i, z_\ell\}$, or $\{b, c, x_i, z_\ell\}$, depending on the color of v_i) for each $v_i \in y_\ell$. $XZ_{i,\ell}$ is connected to x_i, z_ℓ , and each other vertex of the form $XZ_{i,\ell'}$. (Thus the vertices $(x_i, XZ_{i,\ell}, XZ_{i,\ell'}, \ldots)$ form a clique whose size is one more than the degree of v_i in \mathcal{H} .)

Similarly to the proof of Theorem 3, it can be proved that the only possible embedding of G to a Johnson graph is the one described in the construction (with a possible extra W in each set). The fact that $XZ_{i,\ell}$ and $XZ_{j,\ell}$ are not neighbors guarantees that every hyperedge must indeed have all three colors.

This finishes the sketch of the proof of Theorem 7.

7 Open problems

We have seen that determining d(P) and e(P) exactly is hard, but is it possible to efficiently approximate these parameters? By placing a copy of P above another copy of P (i.e., all elements of one copy are larger than any element of the other copy), we obtain a poset P + P for which d(P + P) = 2d(P) + 1 and e(P + P) = 2e(P) + 2, if P has a smallest and a largest element. This shows that we cannot hope for an additive constant approximation.

On the other hand, by Mirsky's theorem (the dual of Dilworth's theorem), one can partition any poset P on n elements to h + 1 = h(P) + 1 antichains on $n_0, \ldots n_h$ elements where $\sum_{i=0}^h n_i = n$, and embed these antichains one above the other. For an antichain A_i on n_i elements $d(A_i) \le 1 + \log n_i$, thus $d(P) \le \sum_{i=0}^h 1 + \log n_i \le h + h \log \frac{n}{h}$. (It was proved by Grósz, Methuku and Tompkins [11] that almost the same upper bound also holds even for $\pi(P)$. They have also noted that the upper bound is almost sharp if $n_i \approx n/h$ for all i.) From below we trivially have both $\log n \le d(P)$ and $h \le d(P)$, thus this gives a 2-approximation for $\log d(P)$.

It would be interesting to close the gap between these bounds.

Acknowledgements. I would like to thank Balázs Patkós for calling my attention to the problem, and thank him, Balázs Keszegh, Máté Vizer, Abhishek Methuku and Joshua Cooper for discussions. I would

also like to thank the anonymous reviewers for several useful suggestions on improving the presentation of the results.

References

- [1] A. Amarilli, 2016, http://cstheory.stackexchange.com/a/36002/419.
- [2] K. S. Booth, C. J. Colbourn, Problems polynomially equivalent to graph isomorphism, Report CS-77-04, Computer Science Department, University of Waterloo, 1979. Available at cs. uwaterloo.ca/research/tr/1977/CS-77-04.pdf.
- [3] B. Bukh, Set families with a forbidden subposet, Electronic J. of Combinatorics, 16 (2009), R142, 11p.
- [4] S. A. Choudum, S. Lavanya, Embedding a subclass of trees into hypercubes, Discrete Mathematics 311 (2011), 866-871.
- [5] S. A. Cook, The complexity of theorem-proving procedures, Proc. 3rd ACM Symposium on Theory of Computing (1971), 151-158.
- [6] J. R. Griggs, 2013, www.iwoca.org/problems/Griggs.pdf.
- [7] J. R. Griggs, W.-T. Li, Progress on poset-free families of subsets, in Recent Trends in Combinatorics (A. Beveridge, J. R. Griggs, L. Hogben, G. Musiker, P. Tetali, eds), Springer, Berlin, 2016, 317-338.
- [8] J.R. Griggs, W.-T. Li, L. Lu, Diamond-free families. J. Comb. Theory (Ser. A) 119 (2012), 310-322.
- [9] J.R. Griggs, L. Lu, On families of subsets with a forbidden subposet. Comb. Probab. Comput. 18 (2009), 731-748.
- [10] P. Gregor, T. Mütze, J. Nummenpalo, A short proof of the middle levels theorem, http://arxiv. org/abs/1710.08249.
- [11] D. Grósz, A. Methuku, C. Tompkins, An Improvement of the General Bound on the Largest Family of Subsets Avoiding a Subposet, Order 34 (2017), 113-125.
- [12] M. Habib, L. Nourine, O. Raynaud, E. Thierry, Computational aspects of the 2-dimension of partially ordered sets, Theor. Comput. Sci. 312 (2004), 401-431.
- [13] G.O.H. Katona, Emléktábla Workshop, page 21, determine $\nu(G)$ (in the special case when G is a complete binary tree), 2013, http://www.renyi.hu/~emlektab/emlektabla5problems.pdf.
- [14] M. Livingston, Q. F. Stout, Embeddings in hypercubes, Mathematical and Computer Modelling 11 (1988), 222-227.
- [15] L. Lovász, Coverings and coloring of hypergraphs, in Proceedings of the Fourth Southeastern Conference on Combinatorics, Graph Theory, and Computing, Boca Raton, Florida, 1973, 3-12.

- [16] M. A. Malik, A. Ali, Some results on induced subgraphs of Johnson graphs, International Mathematical Forum 7 (2012), 445-454.
- [17] T. Mütze, Proof of the middle levels conjecture, Proc. Lond. Math. Soc. 112 (2016), 677-713.
- [18] R. Naimi, J. Shaw, Induced Subgraphs of Johnson Graphs, http://arxiv.org/abs/1008. 0595.
- [19] B. Patkós, personal communication, 2014.
- [20] O. Raynaud, E. Thierry, The complexity of embedding orders into small products of chains, Order 27 (2010), 365-381.
- [21] T. J. Schaefer, The complexity of satisfiability problems, in Proceedings of 10th Symposium on Theory of Computing (STOC), ACM Press, New York (1978), 216-226.
- [22] J. Stahl, R. Wille, Preconcepts and set representation of contexts, in Classification as a tool of research (W. Gaul, M. Schader, eds.), North-Holland, Amsterdam (1986), 431-438.
- [23] J. Suomela, 2010, http://cstheory.stackexchange.com/a/353/419.
- [24] W. T. Trotter, Embedding finite posets in cubes, Discrete Math. 12 (1975), 165-172.