Improving immunization uptake rates among Gypsies, Roma and Travellers: a qualitative study of the views of service providers

Julie Mytton¹, Helen Bedford², Louise Condon³, Cath Jackson⁴, on behalf of the UNITING team

Address correspondence to Julie Mytton, E-mail: Julie.Mytton@uwe.ac.uk.

ABSTRACT

Background Gypsies, Roma and Travellers are at risk of low uptake of routine immunizations. Interventions to improve uptake in these communities are seldom evaluated. As part of a qualitative study exploring barriers and facilitators to immunization uptake in Travellers, we report service provider (SP) perspectives.

Methods We interviewed immunization SPs working with six Traveller communities across four UK cities. Participants included frontline staff and those with strategic or commissioning roles. Semi-structured interviews explored perceived attitudes of Travellers to vaccinations, local service delivery, and opportunities and challenges to improving uptake. Audio-recordings were transcribed, analyzed thematically and mapped to a socio-ecological model of health.

Results 39 SPs participated. Four overarching themes were identified: building trusting relationships between SPs and Travellers; facilitating attendance at appointments; improving record keeping and monitoring and responding to local and national policy change. Travellers were perceived as largely supportive of immunizations, though system and organizational processes were recognized barriers to accessing services.

Conclusions Findings were broadly consistent across Traveller groups and settings. The barriers identified could often be addressed within existing infrastructure, though require system or policy change. Development of a culturally competent system appears important to enable equity in access to immunizations for Travellers.

Keywords cultural identity, ethnicity, immunization

Background

The UK vaccination programme provides protection against a range of potentially serious infections^{1, 2} but uptake rates differ markedly between regions,³ by socio-economic status, religion and ethnicity.^{4–7} Outbreaks of infection occur where there are pockets of low immunity.^{8, 9} Gypsies, Roma and Travellers are known to be at risk of low uptake of immunizations^{10–12} with outbreaks of measles reported from these communities.¹³ Similar issues have been noted in migrant, refugee and asylum seeking communities across Europe.¹⁴

Gypsies, Roma and Travellers are a heterogeneous community, made up of people considered for cultural, social and political reasons to be an ethnic group.¹⁵ Unlike in continental

Europe, 'Gypsy' remains a non-pejorative term in the UK, used both within and outside the community. In the 2011 census, a new category allowed Gypsies and Irish Travellers to self-identify as 'Gypsy or Irish Traveller' for the first time; a Roma category is planned for the next census. ¹⁶ Broad definitions of Gypsies and Travellers also include show people, boat dwellers and New Travellers. For the purposes of this article, 'Travellers' is used to describe all Gypsy, Roma and Traveller

Julie Mytton, Professor of Child Health
Helen Bedford, Professor of Children's Health
Louise Condon, Professor of Nursing
Cath Jackson, Visiting Senior Research Fellow

¹Centre for Public Health and Wellbeing, University of the West of England, Coldharbour Lane, Bristol BS16 1QY UK

²Population, Policy and Practice Research and Teaching Department, UCL Great Ormond Street, Institute of Child Health, 30 Guilford Street, London WC1N 1EH, UK

 $^{^3\}mathrm{Swansea}$ University, Singleton Park, Sketty, Swansea SA2 8PP, Wales, UK

⁴Department of Health Sciences, University of York, Heslington, York YO10 5DD, UK

people. The size of the UK Traveller community is unknown; one estimate of 200 000 Roma and 200–300 000 Gypsies and Travellers has been reported, ¹⁷ though the validity of these estimates is uncertain.

Travellers are generally considered to have poorer health than the general population and when compared to other disadvantaged groups, ^{18–20} though health status may vary depending on how Travellers are included in such studies. ²¹ Travellers are considered to have lower uptake of preventive health care. ^{22–24} Health system contributing factors include discrimination against Travellers ¹⁶, ²⁵ leading to lack of trust in health providers, reluctance to register Travellers by GP practices ²⁶ and a failure to routinely collect ethnicity data during NHS care. ¹⁶ Within Traveller communities, language and literacy difficulties, insufficient knowledge of health systems, poverty ²³ and beliefs about self-reliance ²² are perceived by Travellers and service providers (SP) as barriers to accessing services.

Public health decision-makers need to identify effective interventions to improve Traveller immunization rates. Interventions recommended for children from vulnerable groups include special clinics, domiciliary and hospital-based immunization.²⁷ Methods to improve immunization uptake in Traveller communities have included both proactive methods (e.g. specialist health visiting services) and reactive methods (e.g. targeted campaigns during outbreaks). 28, 29 Such interventions are seldom evaluated, so their acceptability, sustainability and effectiveness are unclear. Most interventions are initiated and implemented by healthcare providers and commissioners, and may have limited involvement of Traveller communities.³⁰ The UNITING study³¹ was commissioned by the NIHR HTA programme in order to understand barriers and facilitators to immunization uptake from the perspective of Travellers themselves, and of those engaged in providing services. This paper reports healthcare providers' and commissioners' perspectives.

Methods

The methods of the UNITING study are described elsewhere.^{31–34} The underpinning theoretical framework was the social ecological model (SEM)³⁵, which recognizes that the determinants of individuals' behaviour are complex and operate at multiple levels (intrapersonal, interpersonal, institutional, community, policy).

Setting and participants

This research involved SP working in four UK cities where six Traveller communities were based (Bristol—English Gypsy and Irish Traveller, Romanian Roma; Glasgow—Scottish Show people, Romanian and Slovakian Roma; London—Irish Traveller; York—English Gypsy). Within each city we aimed to recruit 6–8 SPs; a mix of 'frontline workers' (e.g. health visitors, community workers) and those working in strategic or commissioning roles (e.g. health protection, public health, Clinical Commissioning Groups).

Access and recruitment

Potential participants were identified from research team networks, local gatekeepers and interviews with Travellers. They were approached by telephone, e-mail or face-to-face, and provided with study information. In Bristol, York and London, SPs were not offered financial reimbursement for their time. In Glasgow, financial reimbursement facilitated recruitment of GPs and practice nurses. Recruitment, consent and data collection occurred between April 2014 and August 2015.

Data collection

Interviews were predominantly one-to-one, except for a few small-group interviews. Interviews were conducted in the participants' workplace or at the local university and recorded digitally. A topic guide ensured consistency of data collection both within and across the four cities, although the format was flexible to allow participants to raise issues they considered important (Box 1). Interviews focused primarily on the UK childhood immunization schedule, though to better understand issues relating to adult immunization, we also discussed adult flu and whooping cough vaccinations.

Box 1 Topics covered during the interviews

- Views on local Travellers' perceptions towards immunization and accessing health services (e.g. changes over time/generations, key decision-makers, impact of housing and employment on Travellers' lives)
- Views of other SP about the local Traveller community (e.g. discrimination)
- Their immunization service provision (e.g. childhood, young people, adult immunization; settled versus roadside, families and in schools)
- Actions or opportunities to increase uptake of immunization in the local Traveller community

Data analysis

The interviews were transcribed verbatim and data subjected to a within-community thematic analysis using the Framework approach³⁶, which is designed to address programme and policy-related questions. The stages of framework analysis (familiarization, constructing a thematic framework, indexing

Table 1 Service provider participants

Role	Examples	Number
Frontline staff	GPs, practice managers, outreach nurses, local authority traveller teams, head teachers, school nurses, voluntary sector workers	22
Strategic or commissioning roles	NHS leads for immunization, primary care, community services, health improvement and children's services, public health leads in local authorities	17
Total		39

and charting, mapping and interpretation) were undertaken independently for each city. QSR NVivo 10 and Microsoft Excel 2010 software packages facilitated data management. The final step was a thematic cross-community and cross-city synthesis that took account of the inferences derived from all SPs' data as a whole.³⁷ The final themes and sub-themes were mapped to the five levels of the SEM.

Results

We interviewed 39 SPs across the four cities (Table 1). Sixteen of the SPs supported immunization uptake for the general population including Traveller communities, whilst the remainder had a specific focus working with one or more Traveller community.

Integrated results from both Travellers and SPs are provided elsewhere.³¹ Here we present four overarching themes arising from the SP interviews that summarize their views on the accessibility of immunization services for Travellers. For each we report potential barriers to immunization uptake for Traveller families and the opportunities and actions suggested by participants to address these issues. Where there were differences in views for SPs working with different Traveller communities, these have been highlighted.

Building trusting relationships

SPs in all cities spoke of the importance of building trusting relationships with Traveller families. A lack of staff understanding of Travellers' cultural norms was viewed as a barrier to establishing relationships. SPs reported the need to understand community concerns regarding specific vaccines (particularly pertussis and MMR) that may underlie historical poor acceptance of vaccines. Fears regarding autism compounded prior concerns about live vaccines. Immunization concerns were reported to spread rapidly within communities by word of mouth and through social media.

"A lot of them would say they know someone who's had a bad reaction; you know, 'oh little Johnny was real bad after that, and my mother said never

to let, she'd never let them have it again', sort of thing. They don't know all the facts... they think they do... they very much react to what they hear on the television... or what someone else on site has told them." (BH301, Health Visitor, Bristol).

SPs widely reported low English literacy amongst communities with predominantly oral traditions. Limited spoken English was a barrier for Roma communities in Bristol and Glasgow, which reduced health workers' confidence that consent was fully informed. As Roma interpreters were rarely available, a third language, usually Romanian or Slovakian was used, risking mis-translation. Concerns were exacerbated if the interpreter belonged to a culturally higher status than the patient; SPs perceiving such interpreters lacked respectful engagement and listened less well to patient's concerns. SPs in all cities reported instances of discriminatory comments or actions; these related to stereotypical views of Travellers as lazy or unclean, or health professionals being resentful of any additional time required. Reassuringly, discrimination was now more likely to be challenged as unacceptable.

"I think there are still pockets where they are very much treated as 'these people' we do have individuals that challenge within the team and say, 'well that's not appropriate to say that'. (GH304, NHS Service Team Leader, Glasgow).

SPs reported a shift towards higher immunization uptake in younger English Gypsy and Irish Traveller parents which they perceived to be secondary to improved knowledge compared to older generations. Improved knowledge was attributed to better literacy and less dependence on advice from older generations, possibly related to a more settled lifestyle. Roma families were reported to be keen to integrate. SPs reported some communities rejecting the HPV vaccine because acceptance of a vaccine against a sexually transmitted infection could be perceived as endorsing sexual partnerships before marriage. In some areas SPs emphasized its role in protecting against cervical cancer, though this was acknowledged as problematic since cancer was known to be rarely discussed openly within some Traveller communities.

SPs described ways to support the development of trusting relationships. These included continuity of services and individual care providers, and face-to-face engagement. Specialist Health Visitors for Travellers were highly valued in all four cities for their strong relationships with families and knowledge of Traveller culture. At the time of our study, Specialist Health Visitors and community link workers were funded in Bristol and Glasgow, though such posts no longer existed in York or the London study area. Bilingual health workers in primary care settings were also highly valued. Achieving trusting relationships enabled improved attendance.

"[They attend] because they feel safe at that practice, they feel that they are listened to . . . ". (BH308, Health Visitor, Bristol).

Facilitating attendance at appointments

SPs reported that many families, not just Traveller families, forget or are too busy to attend appointments. Generic recall and reminder systems work for some, largely settled, Traveller families, but were recognized as not universally effective due to frequent travel or not being registered with a GP. Traveller culture was described by some SPs as being responsive to health need rather than proactive (York, Glasgow). SPs in Bristol and Glasgow reported that Roma families were unfamiliar with the UK primary healthcare system when recently arrived. Having a large family with many children increased difficulties of booking and attending appointments.

"so we try to tailor it to each of their needs really, It would be lovely to have a blanket... Traveller....everyone comes, but their needs are very different, just like everyday families are very different" (YH005, Children's Centre Support Worker, York).

A shift to less frequent travelling was described by SPs in Bristol, York and Glasgow. This facilitated consistent registration with the same GP and improved immunization uptake. In contrast, Glasgow SPs described travel within the Roma communities that interrupted immunization delivery.

Participants described using opportunistic reminders when families were attending for other face-to-face contacts. These supplemented tailoring the recall and reminder system, e.g. by text or phone calls. First languages could be used where English was known to be limited. Suggested ways of facilitating uptake of immunization appointments included opportunistic immunization in primary care, A&E or drop-in clinics, appointment systems that enable appointments 'today or tomorrow', come-and-wait clinics or specialist Traveller clinics. In Bristol, York and London, SPs recognized that whilst outreach or home vaccination can target those most in

need, this approach does not encourage users to engage with routine services.

"....all they want is an appointment to know when they can go" (BH301, Health Visitor, Bristol).

Improving record keeping and monitoring

Of concern for SPs across all sites was the lack of routine data collection on Traveller ethnicity, such as GP practices not recording Traveller ethnicity at registration and the Child Health Information System (CHIS) not including this information. Even when families' ethnic group was recorded by one service (e.g. health visiting or midwifery), systems did not enable these data to be shared with other services.

"If a child's had a vaccination with another health professional, health visiting team, it goes onto a different database and we don't automatically get informed when they have had it" (LH303, Practice Nurse, London).

Currently NHS systems do not offer a Gypsy, Traveller or Roma ethnic category for staff to complete. Some SPs reported that immunizations given in hospital or school took a long time to be recorded on CHIS, often not appearing until after the family had moved. Therefore, SPs meeting a Traveller family newly moved to their area could not reliably access information on the immunizations already offered to, or accepted by, that family.

To facilitate better understanding of the size and demographics of the local Traveller community SPs described various approaches. In Bristol, SPs reported using postcodes of Traveller sites and 'typical' Roma surnames to estimate the size of Traveller communities. In York, London and Bristol, health visitors welcomed 'hand overs' from colleagues reporting that a Traveller family had moved to their area. In Glasgow and Bristol, GP records had been flagged to facilitate opportunistic and targeted activities. SPs in Bristol, York and Glasgow reported ethnic group being well-recorded on Local Authority Education records. Where it was feasible to link health and education data, this proved helpful.

Responding to local and national policy change

The 2013 NHS reforms in England,³⁸ resulted in changes to the commissioning and delivery of public health services, including immunization. Staff from Public Health teams in Primary Care Trusts who were responsible for the health needs assessment of Travellers and the commissioning of community services moved to Local Authorities, while those involved in health protection and immunization programmes moved to a new organization called Public Health England.

SPs in Bristol, York and London all perceived these to have had a negative impact on their ability to improve uptake of immunizations in Traveller communities. Consequences reported included loss of capacity, contacts, organizational memory and designated authority for action, across both health and partner services. There was a perception from SPs in both Bristol and York that such changes risked widening inequalities in Traveller health, and that teams had shifted from proactive to reactive provision.

"I mean, it was all very coherent, and now it's not..... There's incidents waiting to happen really" (YH003a, Public Health Professional, York).

SPs in all cities described the impact on uptake of reduced funding for immunization. Examples included reduced funding for awareness campaigns or staff training. SPs reported that specialist health visitor posts were sometimes no longer available, and that commissioners and funders failed to recognize the complexity of those roles and their added value. Translation and interpretation services were also affected. One school nurse reported an immunization session in a school being cancelled as there was no budget to pay for the interpreter needed.

"And the frustrations are at times that people just don't listen. You know last year we pulled [name of school] from immunisations because of, at that point there were more Slovakian families with Slovakian children and yet this year. .. they gave us Roma. .. they gave us Romanian, gave us Polish. .. didn't give us Slovakian. Slovakian was the one that I needed. So it's just really hard." (GH303, School Nurse, Glasgow).

SPs reported that successful initiatives to increase uptake were commonly developed with community members or in partnership with voluntary sector organizations. Examples included a Roma 'Pathways to health' resource (Glasgow), a GP registration initiative (London), multi-sectoral advice and signposting 'drop-in' services (Bristol and Glasgow) and 'popup' clinics.

"You know, the problem is if you, if you don't adapt to the communities you are working with then you end up missing people and people will not get preventative healthcare" (GH302, Social Services Team Leader, Glasgow).

No SP reported the need to adapt services for Scottish Showpeople as their immunization needs were considered similar to the majority population.

SPs across all cities emphasized the value of working collaboratively with agencies outside the health sector. Collaborative working frequently involved sharing information, joint meetings and coordinated strategic planning. Joint visits to

families or working together at Traveller-focused services were common. In Bristol and York, health visitors worked with the Traveller Education Service and Children's Centre Support Workers. In London, SPs reported that funding for joint working with the Traveller Education Service was no longer available. In Glasgow, education, health, housing and employment services jointly prepared a single strategy to support the Roma community. However, frontline SPs were sometimes not aware of such strategic documents.

Discussion

Main finding of this study

The SPs described a variety of initiatives that influenced the ability of Traveller families to access immunization services. It was recognized how wider determinants of health such as insecure housing tenure, poverty and discrimination impacted on the ability of Travellers to attend appointments. Masseria et al.³⁹ highlight this point in relation to Roma across Europe. Trust is a prerequisite to delivering effective services to children and families,⁴⁰ and thus specialist health visitors for Travellers, through their joined-up working, had the potential to counter the impact of wider determinants of health.

The absence of high-quality data describing family ethnic group was a significant barrier to monitoring inequalities in uptake and the impact of targeted activities. Interviews were conducted in the period following the implementation of the Health and Social Care Act 2012 in England. Many SPs described how the health system reforms had affected their organizational structure, strategic planning and funding of immunization services in general, often adversely affecting immunization services for harder to reach groups. Such experiences were not reported by SPs in Scotland as the NHS Reforms affected only England. Health specified in the services affected only England.

What is already known on this topic

The UK National Institute for Health and Care Excellence (NICE) have produced guidance on reducing inequalities in immunization uptake in the under 19s.²⁷ Recommendations include having a person in every GP practice responsible for leading immunization delivery, but they do not recommend having staff culturally competent to support families. Trust has been found to be essential for engagement.⁴⁰ NICE recommendations to be flexible in the provision of appointments, with targeted invitations, reminder and recall systems are directly supported by the SP participants in this study. McFadden, Smith⁴² and NICE support outreach services for children who have missed immunizations. SPs in England in this study advised that resources and capacity to undertake

home visits are increasingly challenged and that such practices do not encourage engagement with routine services. These findings support evidence reviews indicating that improving access may be both cheaper and more effective than outreach services. As Other recommendations from NICE include systems for recording and transferring information on vaccination status. However, they do not specify the need to record ethnic group, nor do they recognize the challenges faced by some travelling families who may need to register with a new general practice relatively frequently. The UK Measles and Rubella elimination strategy highlights how the absence of recording of Traveller status challenges the assessment of uptake of MMR in Traveller families.

What this study adds

Efforts to improve health outcomes in underserved communities may draw on models supporting individual behaviour change⁴⁵ or societal behaviour change.^{46, 47} The UNITING study³¹ found that Traveller communities were largely supportive of immunizations, especially in younger generations. This would suggest that whilst awareness and motivation may be issues for some Travellers, for others it is a failure of a culturally competent system to provide the opportunity to access immunizations. This study found that SP perceived system and organizational barriers were the issues most in need of change, a finding largely supported by the Travellers in this study whose views are reported elsewhere.³¹ This finding is also supported by research in Kent where interviews with Traveller mothers regarding MMR⁴² found that a lack of tailored services and situational constraints, as described in the Tailoring Immunization Programmes approach endorsed by the World Health Organisation, ^{48–50} impeded uptake in communities relatively accepting of immunization.

Reviews have highlighted the limited evidence of effective interventions to improve immunization rates in underserved populations.⁵¹ However, the barriers to immunization uptake in Traveller families described by SPs and the jointly prioritized interventions identified through the UNITING study³¹ reflect changes to systems that should be regarded as good practice. It is likely that good practice does exist, variably across the country, but to be fully adopted they will require system change at both institutional and policy level. Trusted outreach workers have the potential to be highly influential to negotiate positive health action in Traveller families, 52, 53 confirming the value placed on Specialist Health Visitors for Travellers by SPs in this study. We found that SPs, and Traveller participants, 31 recognized the value of recording of Traveller status in health records to enable targeted support to be made available. Deficits in data recording hinder efforts to address health inequalities and are not acceptable.⁵⁴ Existing

records can be enhanced through data linkage with education or census records.

Limitations of this study

The UNITING study was a large qualitative study following a theoretically based protocol and data analysis framework. We consider that the representational generalisability³⁷ of the data emerging from the SPs involved in this study was good, with 39 participants including both front line and strategic managers and commissioners. There is similarity in the SP professions and disciplines between four sites in this study and other locations across England and Scotland, suggesting that inferential generalisability³⁷ is also robust.

Conclusions

This paper describes the strategies for raising immunization uptake for Traveller families as perceived by frontline immunization practitioners and by strategic decision makers. They describe broadly consistent concerns across four different settings and for six different Traveller groups. The views of Traveller families described elsewhere^{31, 32} agree in part with those expressed by SPs and illustrate the importance of bringing SPs and service users together when exploring health improvement opportunities. The study also illustrates the value of qualitative research to unearth the beliefs and behaviours that underpin health service use. The issues that need addressing could mostly be tackled through system and policy change, should be feasible within existing infrastructure and commissioning arrangements, and may contribute to reducing inequalities in the uptake of immunizations in Traveller communities.

Funding

This project was funded by the National Institute for Health Research Health Technology Assessment Programme [Grant reference 12/17/05]. The views and opinions expressed therein are those of the authors and do not necessarily reflect those of the Health Technology Assessment Programme, NIHR, NHS or the Department of Health and Social Care. The funder was not involved in the design of the study, collection, analysis and interpretation of data or in writing the manuscript.

Authorship

J.M. contributed to study conception and design, co-led data collection in Bristol and prepared the initial draft of this paper. H.B. contributed to the study conception and design, led data collection in London. LC contributed to study conception and

design, co-led data collection in Bristol. C.J. was the Principal Investigator of the UNITING study. She conceived, designed and led the study, contributed to data collection in York and data analysis of the main study. All authors read, revised and approved the final manuscript.

Conflicts of interest

None of the authors declare a conflict of interest.

Acknowledgements

The UNITING research team would like to thank all the SP and Travellers who took part in the interviews. We are also very grateful to our Community Partners and the Independent Project Advisory Group who guided us throughout the study; and to our collaborators who facilitated our contact with the SP and Traveller communities. These individuals are listed below. Without this support, our study would not have been possible. Thanks also to Paula Cowan (University of York) for providing administrative support and to Colin Clark and Lynn Poole (University of the West of Scotland) for their advice at the start of the study. Community Partners • Shirell Johnson, member of Glasgow Scottish Showpeople community • Danielle Thomas, member of Glasgow Scottish Showpeople community • London Gypsy and Traveller Forum • York Travellers Trust Advisory Steering Group Independent Project Advisory Group • Martin Schweiger (Chair), Public Health Consultant, Public Health England • Jill Edwards, Research Fellow, University of Leeds • Patrice van-Cleemput, Freelance Research Consultant Collaborators • Hilary Beach, University of the West of England, Bristol • Sarah Bridgman, North Somerset Community Partnership Community Interest Company • Annie Crocker, Member of English Gypsy Community, Bristol • Gill Francis, North East London NHS Foundation Trust • Bridget Gallagher, NHS Greater Glasgow & Clyde • Jacob Jablonowski, formerly Wellspring Healthy Living Centre, Bristol • Sheila Lally, North Bristol NHS Trust • Anne Marie McCulloch, NHS Greater Glasgow & Clyde • Luiza McRae, Freelance Interpreter • Gillian Thomson, NHS Greater Glasgow & Clyde • Linda Vousden, North Bristol NHS Trust • Lewisham Irish Community Centre • Local Planning Group in Glasgow • London Gypsy and Traveller Unit • Southwark Traveller Action Group • York Travellers Trust.

References

1 Lang S, Loving S, McCarthy ND et al. Two centuries of immunisation in the UK (part 1). Arch Dis Child 2020;105(2):115–21.

- 2 Lang S, Loving S, McCarthy ND et al. Two centuries of immunisation in the UK (part II). 2019. doi: 10.1136/archdischild-2019-317707.
- 3 Screening and Immunisations Team NHS Digital. *Childhood Vaccination Coverage Statistics; England 2017–18*. London: NHS Digital, 2018 Available from: https://files.digital.nhs.uk/55/D9C4C2/child-vacc-stateng-2017-18-report.pdf. (13 May 2020, date last accessed).
- 4 Mixer RE, Jamrozik K, Newsom D. Ethnicity as a correlate of the uptake of the first dose of mumps, measles and rubella vaccine. J Epidemiol Community Health 2007;61(9):797–801.
- 5 Fisher H, Audrey S, Mytton JA *et al.* Examining inequalities in the uptake of the school-based HPV vaccination programme in England: a retrospective cohort study. *J Public Health* 2013;**36**(1):36–45.
- 6 Tessier E, Warburton F, Tsang C. et al., Population-level factors predicting variation in influenza vaccine uptake among adults and young children in England, 2015/16 and 2016/17. Vaccine 2018;36(23):3231–8.
- 7 Wagner KS, van Wijgerden JC, Andrews N et al. Childhood vaccination coverage by ethnicity within London between 2006/2007 and 2010/2011. Arch Dis Child 2014;99(4):348–53.
- 8 Pegorie M, Shankar K, Welfare WS et al. Measles outbreak in greater Manchester, England, October 2012 to September 2013: epidemiology and control. 2014;19(49):20982.
- 9 Public Health Wales, Abertawe Bro Morgannwg University Health Board PHB, Hywel Dda Health Board and Public Health Wales. Outbreak of Measles in Wales, November 2012–July 2013: Report of the agencies which responded to the outbreak 2013. Cardiff: Public Health Wales.
- Feder GS, Vaclavik T, Streetly A. Traveller gypsies and childhood immunization: a study in East London. Br J Gen Pract 1993;43(372): 281–4.
- 11 Dar O, Gobin M, Hogarth S et al. Mapping the gypsy traveller community in England: what we know about their health service provision and childhood immunization uptake. J Public Health 2013;35(3): 404–12.
- 12 Dixon KC, Mullis R, Blumenfeld T. Vaccine uptake in the Irish travelling community: an audit of general practice records. *J Public Health* 2016;**39**(4):e235–e41.
- 13 Maduma-Butshe A, McCarthy N. The burden and impact of measles among the gypsy–traveller communities, Thames Valley, 2006–09. J Public Health 2012;35(1):27–31.
- 14 Giambi C, Del Manso M, Marchetti G et al. Immunisation of migrants in EU/EEA countries: policies and practices. Vaccine 2019;37(36):5439–51.
- Margalit G, Matras Y. Gypsies in Germany–German Gypsies? Identity and Politics of Sinti and Roma in Germany. In: Stauber R, Vago R (eds). The Roma - A Minority in Europe. Historical, Political and Social Perspectives. Oxford: Berghahn, 2007, 103–16.
- 16 Women and Equalities Committee. *Tackling the Inequalities Faced by Gypsy, Roma and Traveller Communities*. London: UK Parliament Women and Equalities Committee, 2019.
- 17 Brown P, Scullion L, Martin P. Migrant Roma in the United Kingdom; Population Size and Experiences of Local Authorities and Partners. Final Report. Manchester: University of Salford, 2013.
- 18 Van Cleemput P, Parry G. Health status of gypsy-travellers. J Public Health Med 2001;23:129–34.

- 19 Parekh N, Rose T. Health inequalities of the Roma in Europe: a literature review. *Cent Eur J Public Health* 2011;**19**(3):139–42.
- 20 Parry G, Van Cleemput P, Peters J et al. Health status of gypsies and travellers in England. J Epidemiol Community Health 2007;61(3):198–204.
- 21 Acton TC, Acton J, Acton J et al. Why we need to up our numbers game: a non-parametric approach to the methodology and politics of the demography of Roma, gypsy, traveller and other ethnic populations. Radical Statistics 2016;114:3–23.
- 22 Van Cleemput P, Parry G, Thomas K et al. Health-related beliefs and experiences of gypsies and travellers: a qualitative study. J Epidemiol Community Health 2007;61(3):205–10.
- 23 Cook B, Wayne GF, Valentine A et al. Revisiting the evidence on health and health care disparities among the Roma: a systematic review 2003– 2012. Int J Public Health 2013;58(6):885–911.
- 24 Aspinall PJ. Hidden Needs Identifying Key Vulnerable Groups in Data Collections: Vulnerable Migrants, Gypsies and Travellers, Homeless People, and Sex Workers. Canterbury: University of Kent. Centre for Health Services Studies, 2014.
- 25 Equality and Human Rights Commission. *England's Most Disadvantaged Groups: Gypsies, Travellers and Roma*, 2016.
- 26 Van Cleemput P. Social exclusion of gypsies and travellers: health impact. J Res Nurs 2010;15(4):315–27.
- 27 NICE. Reducing Inequalities in Immunisation Uptake in the Under 19s. Public Health Guidance PH21 2017 Available from: https://www.nice.org.uk/guidance/ph21/chapter/Appendix-A-Membership-of-the-Public-Health-Interventions-Advisory-Committee-PHIAC-the-NICE-project-team-and-external-contractors (13 March 2020, date last accessed).
- 28 Aspinall PJ. A Review of the Literature on the Health Beliefs, Health Status and Use of Services in the Gypsy Traveller Population, and of Appropriate Health Care Interventions. Cardiff: Welsh Assembly Government, 2006.
- 29 Van Cleemput P. Health care needs of travellers. Arch Dis Child 2000;82(1):32–7.
- 30 Hudson J, Lowe S. Understanding the Policy Process: Analysing Welfare Policy and Practice. Bristol: The Policy Press, 2004.
- 31 Jackson C, Dyson L, Bedford H *et al.* UNderstanding uptake of immunisations in TravellIng aNd gypsy communities (UNIT-ING): a qualitative interview study. *Health Technol Assess* 2016;**20**(72): 1–208.
- 32 Jackson C, Bedford H, Condon L et al. UNderstanding uptake of immunisations in TravellIng aNd gypsy communities (UNIT-ING): protocol for an exploratory, qualitative study. BMJ Open 2015;5(6):e008564—e.
- 33 Jackson C, Bedford H, Cheater FM *et al.* Needles, jabs and jags: a qualitative exploration of barriers and facilitators to child and adult immunisation uptake among gypsies, Travellers and Roma. *BMC Public Health* 2017;**17**(1):254.
- 34 Condon L, Bedford H, Ireland L *et al.* Engaging gypsy, Roma and traveller communities in research: maximising opportunities and overcoming challenges. *Qual Health Res* 2019;**29**(9):1324–33.
- 35 McLeroy KR, Bibeau D, Steckler A *et al.* An ecological perspective on health promotion programs. *Health Educ Q* 1988;**15**(4):351–77.

- 36 Bryman AE, Burgess B (eds). Analysing Qualitative Data, 1st edn. London: Routledge, 1994, 246.
- 37 Ritchie JB, Lewis J, Nicholls CM, Ormston R (eds). Qualitative Research Practice: A Guide for Social Science Students and Researchers. London: Sage Publications Ltd, 2013.
- 38 Health and Social Care Act 2012. London The Stationery Office, 2012.
- 39 Masseria C, Mladovsky P, Hernández-Quevedo C. The socioeconomic determinants of the health status of Roma in comparison with non-Roma in Bulgaria, Hungary and Romania. Eur J Public Health 2010;20(5):549–54.
- 40 McFadden A, Siebelt L, Gavine A et al. Gypsy, Roma and traveller access to and engagement with health services: a systematic review. Eur J Public Health 2018;28(1):74–81.
- 41 Chantler T, Lwembe S, Saliba V *et al.* "It's a complex mesh"-how large-scale health system reorganisation affected the delivery of the immunisation programme in England: a qualitative study. *BMC Health Serv Res* 2016;**16**(1):489.
- 42 Smith D, Newton P. Structural barriers to measles, mumps and rubella (MMR) immunisation uptake in gypsy, Roma and traveller communities in the United Kingdom. *Crit Public Health* 2017;27(2):238–47.
- 43 Carr SM, Lhussier M, Forster N et al. Outreach programmes for health improvement of traveller communities: a synthesis of evidence. Public Health Research 2014;2(3):1–168.
- 44 England PH. Measles and Rubella elimination strategy 2019. London: Public Health England: PHE Publications, 2019.
- 45 Michie S, van Stralen MM, West R. The behaviour change wheel: a new method for characterising and designing behaviour change interventions. *Implement Sci* 2011;6:42.
- 46 National Advisory Committee on Bioethics Dublin I. Nudging in Public Health An Ethical Framework, 2015.
- 47 Perry CD, Chhatralia K, Damesick D et al. (eds). In: Behavioural Insights in Health Care Nudging to Reduce Inefficiency and Waste. London: The Health Foundation, 2015.
- 48 Public Health England. Tailoring Immunisation Programmes: Charedi community, north London (Gateway No. 2018108). London: PHE Publications, 2018
- 49 World Health Organization Regional Office for Europe. *Tailoring Immunization Programmes (TIP)* Geneva: World Health Organisation; 2020 Available from: http://www.euro.who.int/tip (13 May 2020, date last accessed).
- 50 Habersaat KB, Jackson C. Understanding vaccine acceptance and demand—and ways to increase them. *Bundesgesundheitsblatt-Gesundheitsforschung-Gesundheitsschut* 2020;**63**(1):32–9.
- 51 Riches E, Hamilton S, Reid G. Interventions to Improve Engagement with Immunisation Programmes in Selected Underserved Populations. Edinburgh, Scotland: NHS Health Scotland, 2019.
- 52 McFadden A, Atkin K, Bell K *et al.* Community engagement to enhance trust between gypsy/travellers, and maternity, early years' and child dental health services: protocol for a multi-method exploratory study. *Int J Equity Health* 2016;**15**(1):183.
- 53 Lhussier M, Carr SM, Forster N. A realist synthesis of the evidence on outreach programmes for health improvement of traveller communities. J Public Health (Oxf) 2016;38(2):e125–e32.

Downloaded from https://academic.oup.com/jpubhealth/article-abstract/doi/10.1093/pubmed/fdaa100/5869187 by guest on 11 July 2020

54 Burchardt T, Obolenskaya P, Vizard P et al. Experience of multiple disadvantage among Roma, Gypsy and Traveller children in England and Wales. London: London School of Economics, 2018.