



Plumb, L., Benoy-Deeney, F., Casula, A., Braddon, F. E. M., Tse, Y., Inward, C., Marks, S., Steenkamp, R., Medcalf, J., & Nitsch, D. (2020). COVID-19 in children with chronic kidney disease: findings from the UK renal registry. *Archives of Disease in Childhood*.  
<https://doi.org/10.1136/archdischild-2020-319903>

Peer reviewed version

License (if available):  
CC BY-NC

Link to published version (if available):  
[10.1136/archdischild-2020-319903](https://doi.org/10.1136/archdischild-2020-319903)

[Link to publication record in Explore Bristol Research](#)  
PDF-document

This is the author accepted manuscript (AAM). The final published version (version of record) is available online via BMJ Publishing Group at <http://dx.doi.org/10.1136/archdischild-2020-319903> . Please refer to any applicable terms of use of the publisher.

## University of Bristol - Explore Bristol Research

### General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available: <http://www.bristol.ac.uk/pure/user-guides/explore-bristol-research/ebr-terms/>

## **COVID-19 in children with Chronic Kidney Disease: findings from the UK Renal Registry**

**Authors:** Lucy Plumb BMBS<sup>1,2</sup>, Fran Benoy-Deeney BA<sup>1</sup>, Anna Casula PhD<sup>1</sup>, Fiona E M Braddon BA(Hons)<sup>1</sup>, Vincent Tse MB ChB<sup>3</sup>, Carol D Inward MD<sup>4</sup>, Stephen D Marks MD<sup>5,6</sup>, Retha Steenkamp PhD<sup>1</sup>; James Medcalf MD<sup>1,7</sup>, Dorothea Nitsch MSc Dr.med.<sup>1,8,9</sup>,

<sup>1</sup>UK Renal Registry, The Renal Association, Bristol, UK

<sup>2</sup>Population Health Sciences, University of Bristol Medical School, Bristol, UK

<sup>3</sup>The Newcastle upon Tyne Hospitals NHS Foundation Trust, Newcastle, UK.

<sup>4</sup>University Hospitals Bristol and Weston NHS Foundation Trust, Bristol, UK

<sup>5</sup>University College London Great Ormond Street Institute of Child Health, London UK

<sup>6</sup>NIHR Great Ormond Street Hospital Biomedical Research Centre, London, UK

<sup>7</sup>University of Leicester, Leicester, UK

<sup>8</sup>Royal Free London NHS Foundation Trust, London, UK

<sup>9</sup>London School of Hygiene and Tropical Medicine, London, UK

**Corresponding author:** Lucy Plumb; UK Renal Registry, Brandon House Building 20A1, Southmead Road, Bristol, BS34 7RR, United Kingdom. Email: [lucy.plumb@nhs.net](mailto:lucy.plumb@nhs.net), telephone: +44 7834 987966. ORCID ID: 0000-0002-38738567.

**Word count:** 524 words.

Dear Editor,

As Munro and Faust point out, there appears a stark contrast in the case and mortality rates of SARS-CoV-2 infection among children compared with the adult population[1]. Whether infection in children is generally mild or asymptomatic which goes undetected or children are less susceptible to contracting the infection, is unclear until screening programmes are introduced. What also remains uncertain is the risk of severe infection for children with significant underlying health concerns, including those with chronic kidney disease (CKD). The few studies reported have so far shown reassuringly low numbers and complication rates in children with coexisting diseases such as cancer and liver transplant recipients[2,3]. The NHS England COVID-19 service evaluation (<https://www.rcpch.ac.uk/resources/covid-19-service-evaluation-audit-care-needs-children-admitted-hospital-england>) has to date, identified 220 confirmed cases in England of whom 44.4% of cases have coexisting disease; 2 children are reported to have CKD.

At the UK Renal Registry (UKRR) and in collaboration with the British Association for Paediatric Nephrology, we have established an ongoing weekly COVID-19 surveillance system specifically for children with CKD. Lead clinicians from all 13 UK paediatric nephrology centres are asked to actively report cases with a confirmed positive COVID-19 antigen test: data including NHS number, date of birth and whether the child is on kidney replacement therapy (KRT: dialysis or kidney transplant) are requested. Leads also inform the UKRR if no cases are identified. Data are checked and validated, with the NHS Demographics Batch Service used to capture date of death for patients in England and Wales, the devolved nations for which this service is available. The UKRR is part of the Renal Association and collects, reports, and analyses high-quality clinical data on children and adults with CKD. A legal basis to collect and analyse data is provided under section 251 support for research and audit.

Between 26 March and 15 July 2020, five UK children with CKD who tested positive with SARS-CoV-2 infection were reported; none have died. Cases were identified across the UK and included children

with stage IV CKD and stage V requiring KRT. The majority (4/5) were male with a median age of 11 years (interquartile range 8-12 years). While such low numbers preclude further analysis of risk factors, these data support the observation that infection in children with chronic coexisting disease is fortunately uncommon. It is likely that this figure represents children unwell enough to attend hospital for testing, however it is encouraging that none have experienced adverse outcomes to date. In addition to weekly surveillance reporting, linkage of UKRR data for prevalent children in England with advanced CKD (stages 4, 5 and on KRT) to Public Health England and Hospital Episode Statistics (HES) data in the near future will enable us to accurately determine infection prevalence rates as well as comprehensively review infection-related hospitalisation episodes.

In light of these findings, alongside those from international colleagues[4], the BAPN has relaxed shielding criteria for children with kidney disease, details of which can be found on the Renal Association website: <https://renal.org/covid-19/>. This work, along with emerging evidence from other specialties, has enabled the Royal College of Paediatrics & Child Health to revise recommendations[5] which have since been adopted by the UK Government.

**Acknowledgements:** We thank our BAPN and UKRR colleagues for their ongoing support. We are grateful to the registry leads from the 13 UK Paediatric Nephrology centres for submitting weekly infection data to the UKRR: Susan Burns, Mairead Convery, Shuman Haq, Shivaram Hegde, Andrew Lunn, Michal Malina, Grace McCall, Henry Morgan, Mordi Muorah, Kay Tyerman, Manish Sinha, Dean Wallace. L.P is funded by a National Institute for Health Research (NIHR), Doctoral Research Fellowship (2016-09-055). The views expressed are those of the authors and not necessarily those of the NHS, the NIHR or the Department of Health and Social Care.

**Disclosures:** The authors have no conflicts of interest to declare.

## References:

1. Munro APS, Faust SN. *Arch Dis Child*. Epub ahead of print: 09 June 2020.  
DOI:10.1136/archdischild-2020-319474
2. D'Antiga L. Coronaviruses and immunosuppressed patients: the facts during the third epidemic. *Liver Transplant*. Epub: 20 March 2020. DOI:10.1002/lt.25756
3. Balduzzi A, Brivio E, Rovelli A, Rizzari C, Gasperini S, Melzi ML, Conter V, Biondi A. Lessons after the early management of the COVID-19 outbreak in a pediatric transplant and hemato-oncology center embedded within a COVID-19 dedicated hospital in Lombardia, Italy. *Estote parati. Bone Marrow Transplant*. 2020; 20:1-6.
4. Marlais M, Wlodkowski T, Vivarelli M, Pape L, Tönshoff B, Schaefer F, Tullus K. The severity of COVID-19 in children on immunosuppressive medication. *Lancet Child Adolesc Health*. Epub: 13 May 2020. DOI: 10.1016/S2352-4642(20)30145-0.
5. Royal College of Paediatrics & Child Health. COVID-19 – 'shielding' guidance for children and young people. Website: <https://www.rcpch.ac.uk/resources/covid-19-shielding-guidance-children-young-people>. Last accessed 07 July 2020.