

**Review Article****A COMPREHENSIVE REVIEW OF WOODFORDIA FLORIBUNDA SALISB.****Kumari Sangeeta^{1*}, Singh D.C², Chaubey Suresh³, Yadav Chhavi¹**¹PG Scholar, ²Prof & HOD, ³Associate professor, PG Dept. Of Dravyaguna, Rishikul Campus, UAU, Haridwar, India.**ABSTRACT**

Indian medicinal plants are the essence of Ayurveda and Ayurvedic treatments. When used judiciously and clocking with the basic principles they produce miraculous effects. Fire flamed Bush (*Woodfordia floribunda salisb*), commonly called as *Dhavari*, *Dhataki*, belongs to the family Lythraceae. It is an important medicinal plant of tropical and subtropical India. *Dhataki* is a deciduous shrub, usually with a much fluted stem, spreading branches, 1-3 m high, rarely up to 7 m, commonly occurring throughout North India, ascending to an altitude of 1,500 m in the Himalayas, but rather scarce in South India. Acharya Charak quoted it among the fermenting agents (*Asava yoni*) and described under *Purisasangrahniya*, *Mutravirajaniya* and *Sandhaniya* group of drugs. The reported pharmacological activities of *Woodfordia floribunda salisb*. are antitumor activity, DNA inhibitory activity, immunomodulatory activity, antioxidant activities, antihyperglycemic activity, anti-inflammatory and analgesic properties, antimicrobial activity, hepatoprotective activity, etc. *Dhataki* is one of the major ingredient of many important formulations used in Ayurvedic system of medicine such as *Dhatakyadi taila*, *Dhatakyadi curna*, *Pusyanuga curna*, *Brhat Gangadhara curna*, *Arvindasava*. So this review paper is an attempt of the author to provide details of this medicinal plant *Dhataki* about its classical references, synonyms, botanical description, phytochemical and pharmacological activity and classical medicinal uses.

KEYWORDS: Fire flamed Bush, *Woodfordia floribunda salisb*., *Dhataki*, *Sandhaniya*.**INTRODUCTION**

Fire flame bush (*Woodfordia floribunda salisb*.) commonly called as *Dhataki*. The generic name of the plant honors E. James Alexander woodford (1771-1837), a botanist and physician who was the first to successfully grow *woodfordia* to flowers under glass.¹ It is mainly emphasized in the ancient Ayurvedic texts as one of the most important fermentation products, hence the names *Madyapuspa* and *Madakara*. According to professor Priyavrat Sharma in his Dravyaguna vijnanam the main function of *Dhatki* is Stambhan.² *Dhatki* is widely cultivated as an ornamental shrub. It is cultivated in gardens for its flowers, which are borne during the summer months. The flowers are flame coloured, hence the name is fire flamed bush, and yield a red dye used to color fabrics. Flower of *Dhataki* is *Sangrahak*, *Uttejak* (stimulant), *Vishnasak* (anti poisonous), *Raktsravnirodhak*, *Vranropak* (wound healing), *Vransodhak*. This plant are reported to be used for the treatment of dysentery, diarrhoea, *Sangrahani*, *Raktpradar*, leucorrhoea, piles, liver disease, *Sarpvish*, wound.³ Dried flower are useful in disorders of the mucous membranes, haemorrhoids and derangements of the liver. In the konkan leaves are used in bilious sickness, juice of leaves is applied to the crown of the head, while the patient is made to hold a mouthful of sesamum oil.⁴

Botanical Origin

Woodfordia floribunda Salisb; *Woodfordia fruticosa* (L.) kurz.; *Lythrum fruticosum* Linn.²

Family: Lythraceae**Scientific Classification⁵****Table 1: Showing Scientific Classification of *Woodfordia floribunda Salisb*.**

| | |
|----------|----------------------|
| Kingdom: | Plantae |
| Phylum: | Tracheophyta |
| Class: | Magnoliopsida |
| Order: | Myrtales |
| Family: | Lythraceae |
| Genus: | <i>Woodfordia</i> |
| Species: | <i>W. Floribunda</i> |

Vernacular Name :**Table 2: Showing Vernacular Name of *Woodfordia floribunda Salisb*.**

| | |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sanskrit⁶ | <i>Dhatupushpika</i> , <i>Dhauri</i> , <i>Agnijwala</i> , <i>Kunjara</i> , <i>Tamrapushpi</i> , <i>Madkara</i> , <i>Madniyahetu</i> , <i>Madyavasini</i> , <i>Subhiksha</i> , <i>Sidhupuspi</i> , <i>Bahupuspika</i> , <i>Gucchapuspa</i> , <i>Parvatiya</i> |
| English | Fire flame bush, Shiranji tea |
| Hindi | Davi, Tavi, Dhaiphul |
| Gujarati | Dhavadi |
| Marathi | Dhalas |
| Kannada | Bela, Tamrapuspi |
| Malyalam | Tatiri, Tatiripuspi |
| Tamil | Dhattari, Jargi, Velakkai |
| Telugu | Dhataki, Jargi, Serinji |
| Oriya | Dhobo |
| Konkani | Dhauri |
| Urdu⁷ | Jetiko |

The plant is commonly known as *Dhataki* because it provides nourishment to all tissues. Its flowers are red in colour (*Tamrapushpi*). Its flowers are similar to red flames (*Agnijwala*). Its flower will do *Dhatu* and *Sareera poshan* (*Dhatupushpika*). It bears flowers profusely in bunches (*Bahupuspika*, *Guchchapusa*). It grows in hills (*Parvatiya*). The flowers are used in fermentation of alcoholic beverages (*Madkara*, *Madniyahetu*, *Madyavasini*, *Sidhupuspi*). As it cures *Trishna* etc, very effectively (*Subhiksha*).⁸

Botanical Description

It is an evergreen bushy shrub up to 5m tall with diffuse irregular branching. Black spots are found on the surface of new branches, bark smooth, young shoot terete, clothed with fine white pubescence.⁹

Leaves – Somewhere three leaves are seen in a cluster at a point. 5-9 by 4.3-2.5 cm. opposite breadth, lanceolate or ovate, acuminate simple, serrate margin, 3-sessile, acute, softly velvety above, base rounded or cordate, 16-12 pairs nerves.

Flower – 5 to 75 bright reddish colour, tubular, cymes, pedicel short, glandular pubescent, flowers are grown on the whole parts of branches. They are arisen in small clusters. Calyx- 1.6 cm. long striate, covered with glandular dots; petals longer than calyx teeth.

Fruit – 1 cm. small, seeds are brownish bright, irregularly dehiscent, seeds coneate-obovoid brown, smooth.

Seed – light brown, very minute, oblong, very numerous entirely glabrous not exhibiting at any period of its development the smallest trace of a papilla (Flowers in Feb – April and fruits in April – June).

The flowers are stimulant and an infusion of the flowers and leaves is used as an herbal tea.¹⁰

Habitat

This plant is found throughout India. They are mostly found in the forest of Dehradun at the altitude of 5000' feet. It is also cultivated in gardens. In the other countries Ceylon, Baluchistan, Tropical Africa, China, Japan, Sumatra and Java.¹¹

Chemical Constituents

Flower – Hecogenin, inositol, kaemperol-3-glucoside, naringenin-7-7 glucoside, tannins (pyrogallol and hydrolysable types), woodfordins A,B, & C, lawsone, betulin etc.¹²

Dried Flower – Dimeric hydrolysable tannins – woodfordins a,b & c, and trimeric tannins woodfordin d and oenothien a and b.¹³

Leaves – Oenothien-b, quercetin-3-0-a-l-arabinoside, quercetin-3-0-6"- β- d-galactopyranoside and myricetin-3-0-arabino pyranoside.¹⁴

Stem – Octacosanol and sitosterol¹⁵

Classical References

In *Brihatrayi*, *Acharya Charak* has mentioned *Dhataki* under *Purisasangrahaniya*, *Mutravirajaniya*, and *Sandhaniya mahakasaya* (c.s.su 4/5,31,34)¹⁶ while *Acharya Sushruta* and *Vagbhata* has placed under *Priyavadi* and *Ambasthadi gana* (su.s.su 38/45,46)¹⁷ (A.h.su. 15/38)¹⁸. *Acharya Bhavamisra* In *Bhava prakash nighantu*, placed *Dhataki* in *Haritakyadi verg*.¹⁹ In *Dhanwantari nighantu*,

Dhataki is mentioned in *Chandnadi verg*.²⁰ *Raj nighantu* quoted *Dhataki* in *Pipalyadi verg*.²¹ *Kaiyadeva nighantu* has described *Dhataki* under *Ausadhi verg*.²² In *Saushrut nighantu* it is mentioned in *Ambasthadi gana*.²³ In *Sodhala nighantu*, *Dhataki* is mentioned in *Chandanadi verg*.²⁴ According to *Yogaratanakara*, the flowers of *Woodfordia floribunda* have been used as a substitute for *Glycyrrhiza glabra*.²⁵

Pharmacological Activities

Antimicrobial activity: Different extracts of dried flowers of *W. Fruticosa* have been reported for their significant antibacterial activity against 14 human pathogens. The methanolic extract has been reported to be most active against *Pseudomonas pseudoalcaligenes* and also more effective against gram negative bacteria as compare to gram positive bacteria.²⁶⁻²⁷

Antiulcer activity: The antiulcer potential of *W.fruticosa* has been reported in ethanol, hydrochloric acid (HCL) and Non-steroid Anti-inflammatory Drugs NSAIDS (Diclofenac sodium) induced ulcer in stomach of Wister albino rats. The roots were extracted with chloroform and methanol. Both the extracts have found to significant antiulcer activity.²⁸⁻²⁹

Hepatoprotective activity: Hepatoprotective activity of petroleum ether, chloroform, ethyl alcohol, and aqueous extract of the flower of *W.fruticosa* has been reported against carbon tetrachloride induced hepatotoxicity.³⁰ And phenytoin induced liver damage in rats.³¹ The methanolic extract of the flowers of *W. Fruticosa* has been reported for hepatoprotective activity against acetaminophen induced hepatic injury in rats³² and diclofenac sodium induced hepatic damage in rats.³³

Antitumor activity: Woodfordin C, a macro-ring hydrolyzable tannin dimer from dried flower was reported to possess antitumor activity.³⁴

Wound healing activity: Oral administration of the ethanolic extract of *W.fruticosa* flower was effective in wound healing.³⁵

Immunomodulatory activity: The ethanolic extract of the flowers of *W.fruticosa* was found to show 60% increased bone marrow cells proliferation and offer protection towards cyclophosphamide induced myelosuppression which represent the stimulation of bone marrow.³⁶

Anti fertility activity: Anti fertility activity of successive alcoholic, individual aqueous and individual hydroalcoholic extracts was studied in female albino rats. The results revealed that the successive alcoholic extract showed promising abortifacient activity at 100 mg/kg body weight.³⁷

Antibacterial activity: The methanol extract of *W.fruticosa* was most active against *P. Pseudoalcaligenes* in comparison to all the microorganism tested. The plant extract are more active against Gram positive bacteria than Gram-negative bacteria.³⁶

Antihyperglycemic activity: The ethanolic extract of *W. Fruticosa* flowers (250 and 500 mg/kg) significantly reduced fasting blood glucose level and increase insulin level after 21 days treatment in streptozotocin diabetic rats.³⁷

Antiviral activity: Methanolic and aqueous extracts of the flower and leaves inhibited avian myeloblastosis virus reverse transcriptase (RT). No cytotoxicity was observed in the extracts even at concentrations where there was over 90% inhibition of RT activity.

Antipyretic activity: The ethanolic extract of the flower of *W. fruticosa* was show significant antipretic activity at a dose of 500 mg/kg body weight.

Analgesic activity: The present study revealed the positive analgesic activity of extracts of *W. Fruticosa* stem bark in hot plate model and acetic acid induced writhing model. Pain sensation in acetic acid induced writhing methods is elicited by triggering localized inflammatory responses resulting the release of the free arachidonic acid from tissue phospholipids via cyclooxygenase (COX), and prostaglandin biosynthesis.³⁸⁻³⁹

DNA inhibitory activity: The inhibitory activity of Woodfruticodin (woodfordin C) a new cyclic dimeric hydrolyzable tannin isolated from the leaves of *Woodfordia fruticosa* toward deoxyribonucleic acid (DNA) topoisomerase along with three known flavonol glycosides and three known flavonol glycoside gallates.⁴⁰

Antioxidant activity: The methanolic extract of *Woodfordia fruticosa* flowers on thioacetamide induced oxidative stress in rats in 100 and 200 mg/kg dose. Various serum enzymes like aspartate aminotransferase, alkaline phosphatase and lactate dehydrogenase were studied. Histopathological changes of liver tissue were also evaluated.⁴¹

Antiproliferative activity: The effect of methanolic extract of *W. Fruticosa* flowers on hepatocellular carcinoma. The effect was tested by following the serum parameters like AFP, ALP, LDH, bilirubin; tissue level of GSH, CAT, MDA, histopathology of liver and immunohistochemical analysis of vascular endothelial growth factor. Antiproliferative effect of the ex was studied in human hepatoma plc/ prf/ 5 cells by MTT assay. The chemotherapeutic drug, 5-fluorouracil (5-fu) was used as positive control.⁴¹

Anti-leucorrhoea activity : A clinical study of *Majuphala* powder & *Dhataki pushpa* powder to assess the effect in leucorrhoea is undertaken on 30 patients, were divided in three groups Group A of 10 patients were received *Majuphala churna* for 21 days & internally *Yonidhavan* done with *Majuphala* Decoction for 10 days. Group B of 10 patients received internally *Dhataki pushpa* powder externally *Yonidhavana* with *Dhataki pushpa* powder for 10 days. Group c of 10 patients (control group) were received wheat flour in above said same manner.

-Group A (*Majuphala*) & B (*Dhataki*) had shown highly significant results in both cordial & associated symptoms of leucorrhoea as compared to control group.

-In local pathology group A (*Majuphala*) & Group B (*Dhataki*) showed significant results in group A (*Majuphala*) in cervicitis the results were significant.

-Group B (*Dhataki*) showed significant results in Hb% [2].

Ayurvedic Properties And Pharmacological Effect

According to Ayurveda Literature, *Dhataki* is *Kashaya* (astringent) in taste (*Rasa*), light (*Laghu*), dry

(*Ruksha*) in properties (*Guna*), pungent (*Katu*) in metabolism (*Vipaka*); cold (*Sheeta*) in potency (*Veerya*); *Kapha- Pitta hara*, *Madakari* in action(*Karma*). Due to these properties, it pacify *Kapha* and *Pitta dosha* while aggravate *Vata dosha*.¹² Flower of *Dhataki* is highly beneficial in *Atisara*, *Raktatisara*, *Jwaratisara*, *Pravahika*, *Sangrahani*, *Raktpradara*, *Arsha*, Liver disorder, *Sarpavisha*, *Vrta*. *Sushruta* mentioned about the properties of *Dhataki pushpa* as *Bhagnasandhankara*, *Pittahara* and *Vrnaropan* (su.s.su.38/45,46).

Medicinal Uses

1. Charaka has indicated the paste should be dusted with the powder of *Priyangu*, *Lodhra* and *Katphala* mixed with *Lajjalu* and *Dhatki* or of *Panchavalkala* mixed with *Badari* powder or of *Dhataki* and *Lodhra* in fracture with wound. By this wounds heal up. (cs.ci.25,66,67)⁴²
2. Charaka has mentioned *Lodhra*, *Dhataki*, *Indrayava*, *Karanja* and *Jati*-paste of these should be used in *Kustha* for an ointment and paste. (cs.ci.7.95)⁴³
3. *Sushruta*, in conjunctivitis caused by *Pitta*, powder or liquid extract of *Dhataki* and *Candana* mixed with breast-milk should be used as collyrium. (ss.u.10.9)⁴⁴
4. *Vagbhata*, for child, *Modaka* (sweet bolus) prepared of *Dhataki* flowers, *Sarkara* and parched paddy should be given in diarrhoea. (A.H.U.1.39)⁴⁵
5. One suffering from dysentery should take *Dhataki*, *Badari* leaves, *Kapittha* juice, honey and *Lodhra*-all together with curd. (BP.Ci.2.120)⁴⁶
6. Liquid gruel processed with *Dhataki* decoction and *Sunthi* and added with sour pomegranate seeds is useful in fever, diarrhoea and abdominal pain. (BS.atisara.318)⁴⁶
7. Powder of *Dhataki* or *Amalaki* 10 gm mixed with profuse honey should be used in Leucorrhoea. (VM.63.4)⁴⁷
8. For conception, the woman, during season, should take *Nilotpala* mixed with *Dhataki* flowers and honey in morning. By this she conceives. (GN.6.5.9)⁴⁷
9. According to *Bhavamishra* - *Dhataki* and *Badari patra churna* with *Dahi* in *Atisar*.
10. *Vangsen*- *Dhataki puspa*, *Sautha* and *Dadimbej peya* in *Jwaratisar*.⁴⁸
11. According to *Sodhal*- 1 Tola (11gm) *Dhataki puspa churna* with *Tandulodak* in *Svetpradar*.⁴⁸
12. *Cakradutta*- *dhataki puspa churna* use for *Vrnaropan*.
13. In *Prajasthapana* - *Nilotpala* and *Dhataki* are mixed and taken with honey in the morning during the *Ritukala* (period of ovulation).¹²
14. In case of *Pittabhisya*nda, the powder or juice of *Dhataki* and *Candana* are mixed with breast milk and applied as *Anjana* (s.s.ut.10).¹²
15. According to *Sharangdhar*, *Dhatakyadi kwath* in *Balatisara*, contains (*Dhataki puspa*, *Belgiri*, *Lodhra*, *Sugandhabala*, *Gajjipali* decoction with honey).⁴⁹
16. *Dhatkyadi taila* for external use in *Sutikaroga*.⁵⁰

17. According to Bapat the fresh leaves are an excellent remedy in cases of snake-bite. The juice is given internally, a few drops poured into each nostril and some rubbed on the part of bitten.⁵¹

Part Used: Flower, bark, leaves

Dosage: Powder 1-5 g, *Pushpachurna*- 3-6 g.

Important Preparations: *Dhatakyadi taila*, *Dhatakyadi curna*, *Pusyanuga curna*, *Brhat Gangadhara curna*, *Kutajarishtha*, *Pippaliyaasava*, *Kanakasava*, *Abhayarishtha*, *Ashokarishtha*, *Paarthyadyarishtha*, *Aravindasava*.⁵²

CONCLUSION

This paper is an attempt of the author to give a detail review of this important medicinal plant used in Indian system of medicine *Dhataki* (*Woodfordia floribunda* salisb.). In this article, we had discussed about the classical references, phytochemicals, pharmacognostical and pharmacological properties of *Woodfordia floribunda* salisb. The various phytochemical present in it are glucoside, tannins, alkaloids which act as active biological constituents and are responsible for different pharmacological actions of *Woodfordia floribunda* salisb. The present Paper also revealed that *Woodfordia floribunda* salisb. act as antimicrobial, antitumor, antifertility, antihyperglycemic, analgesic, antiproliferative and hepatoprotective activity.

REFERENCES

- Graham SA. Systematics of *Woodfordia* (Lythraceae). Systematic Botany 1995; 20[4]:482-502.
- Dravyaguna vijnana, vol. II, by Dr. J.L.N Sastry foreword by Prof. K.C. Chunekar, Chaukhambha Orientalia Varanasi, edition second 2005, pg- 236
- Mahaasadhya Nighantu by Pt. Aryadasa kumara singha, Chowkhamba Vidyabhawan Varanasi, edition first - 1971, pg-53
- Indian Materia Medica edited by The late Dr. K.M.Nadkarni, Bombay Popular Prakashan, reprint edition- 2007, pg-1296
- W. Fruticosa*, Global Biodiversity information Facility. Available at URL: <http://www.gbif.org/species/6708992> [Accessed on 21-11-13].
- Bhavaprakasa Nighantu of Sri Bhavamisra, commentary by Dr.K.C.Chunekar, Chaukhambha Bharati Academy Varanasi, edition 2006
- Agro's Dictionary of Medicinal plants by Narayan Das Prajapati and Dr. U.Kumar, published by Agrobios (India), Jodhpur, reprinted-2005, pg-376
- Namarupajnanam by Priya vrat Sharma, Chaukhambha Visvabharati Varanasi, reprint- 2011, pg- 112.
- Indian Medicinal Plants in Children Diseases by Dr. C. S. Yadav, Chaukhambha Orientalia Varanasi, India, first edition- 2000. Pg- 83.
- Anonymous, standardization of single drugs of Unani Medicine, part 2, Central Council of Research in Unani Medicine, New Delhi 1987, pg- 126-131
- Ghani N. Khazainul Advia. Vol. 1st, Idara Kitab ul Shifa, New Delhi, 1971. pp. 700,701.
- Dravyaguna Vijnana, Vol. II, by Dr. J.L.N.Sastry, foreword by Prof. K.C.Chunekar, Chaukhambha Orientalia Varanasi, edition second -2005. p-237.
- Rastogi RP, Mehrotra BN. Compendium of Indian Medicinal Plants. Vol- 1, Central Drug Research Institute, Lucknow, 1991, pp. 14, 61, 67, 276, 710.
- Finose A, Devaki K. Phytochemical and chromatographic studies in the Flowers of *Woodfordia fruticosa* (L) kurz. Asian journal of plant Science and Research zoll; 1(3): 81-85.
- Mishra P, Mishra D, Awasthi A, Arnold R. Physicochemical Analysis and chemo- profiling of Ayurvedic Single Drugs of Herbel origin- *Woodfordia fruticosa* (Linn) kurz. Science Secure Journals 2013; 2 (1): 16-21.
- Caraka Samhita by Pt. Kasinatha Sastri or Dr. Gorakha Natha Chaturvedi, part-1, Chaukhambha Bharati Academy Varanasi, reprint year-2008, pg-75
- Susruta Samhita of Maharsi Susruta by Kaviraja Ambikadutta Shastri part-1, Chaukhambha Sanskrit Sansthan Varanasi, reprint-2011, pg- 186.
- Astangahridayam of Vagbhata by Kaviraja Atrideva Gupta edited by Vaidya Yadunandana Upadhyaya, Chaukhambha Prakashan Varanasi, reprint-2014.
- Bhavaprakasa Nighantu of Sri Bhavamisra, commentary by Prof. K.C.Chunekar, Chaukhambha Bharati Academy Varanasi, reprint-2013, pg- 106.
- Dhanvantari Nighantu edited by Prof. Priya vrat sharma, translated by Dr. Guru Prasad sharma, Chaukhambha Orientalia Varanasi, edition fourth- 2005, pg-107.
- Raja Nighantu of Pandit Narahari by Dr. Indradeva Tripathi, introduction by Acharya Viswanatha dwivedi, Chowkhamba Krishnadas Academy Varanasi, edition- 2006, pg- 177.
- Kaiyadeva Nighantu (Pathyapathya vibodhakah), edited and translated by Prof. Priyavrata Sharma and Dr. Guru Prasada Sharma, Chaukhambha Orientalia Varanasi, edition second- 2006, pg- 198.
- Saushrut Nighantu, edited by Dr. Kashiraj Sharma suvedi & Dr.Narendre nath tiwari, Mahendra sanskrit viswavidyalaya beljhundi dad, Nepal, edition- 2007, pg- 93.
- Sodhala Nighantu, commentator Prof.(Dr.) Gyanendra pandey, editor Prof. R.R. Dwivedi, foreword Prof. M.S.Baghel, Chowkhamba Krishnadas Academy Varanasi, edition- 2009, pg- 81.
- Saxena N. 1992. Yogaratnakara- An important source book in medicine. Indian journal of History of science. 27(1), 15-28.
- Kumaraswamy MV, Kavitha H, Satish S; Antibacterial Potential of Extracts of *Woodfordia fruticosa* Kurz on Human pathogens. Word Journal of medical sciences. 2008; 3(2): 93-96.
- Parekh J, Chanda S; In vitro Antibacterial activity of the crude methanol extract of *Woodfordia fruticosa* Flower. Brazilian Journal of Microbiology, 2007; 38:204-207.

28. Chanda S, Baravalia Y, Kaneria M; Protective effect of *Polyalthia long folia* var. *Pendula* leaves on ethanol and ethanol/HCL induced ulcer in rats and its antimicrobial potency. *Asian Pacific Journal of Tropical Medicine*. 2011; 4(9): 673-9.
29. Mihira V, Ramana KV, Ramakrishna S, Rambabu P; Evaluation of Anti- Ulcer activity of *Woodfordia fruticosa* Roots. *An International Journal of Advances in pharmaceutical sciences*, 2011; 2:2-3.
30. Brinda D, Geetha R; Evaluation of the protective efficacy of *Woodfordia fruticosa* on phenytoin induced liver damage in rats. *Journal of cell and tissue research*, 2009; 9(3): 1981-1984.
31. Baravalia Y, Chanda S, Kaneria M; Hepatoprotective effect of *Woodfordia fruticosa* Kurz flowers. *Asian Pacific Journal of Tropical Medicine*, 2011; 4(9):673-679
32. Baravalia Y, Vaghasiya Y, Chanda S; Hepatoprotective effect of *Woodfordia fruticosa* Kurz flowers on diclofenac sodium induced liver toxicity in rats. *Asian Pacific Journal of Tropical Medicine*. 2011; 4(5): 342-346.
33. Lal UR, Tripathi SM, Jachak SM, Bhutani KK, Singh IP; HPLC Analysis and Standardization of Arjunarishta- An Ayurvedic Cardio protective formulation. *Sci Pharm*. 2009;77:605-616.
34. Yoshida T, Chou T, Nitta A, Miyamoto K, Koshiura R, Okuda T; Woodfordin C, a macro-ring hydrolysable tannin dimmer with antitumor activity, and accompanying dimmers from *Woodfordia fruticosa* flowers. *Chem. Pharm Bull (Tokyo)*. 1990;38(5): 1211-1217.
35. Verma N, Amresh G, Sahu PK, Mishra N, Rao Ch V, Singh P; Wound healing potential of flowers extract of *Woodfordia fruticosa* Kurz; *Indian Journal of Biochemistry & Biophysics*, 2013;50:296-304.
36. Shah AS, Juvekar AR; In- vitro and in- vivo Immunostimulatory activity of *Woodfordia fruticosa* flowers on non- specific immunity. *Pharma Biol*, 2010;48(9): 1053-1058.
37. Kushlani H, Tatke P, Singh KK; Antifertility activity of dried flowers of *Woodfordia fruticosa kurz*. *Indian Journal of Pharmaceutical sciences*. 2006;68(4):512-529.
38. Ahmed F, Hossain MH, Rahman AA, Shahid IZ; Antinociceptive and sedative effects of the bark of *Cerbera odollam* Gaertn. *Oriental pharmacy and Experimental Medicine*, 2006; 6:344-348.
39. Durate IDG, Nakamura M, Ferreira SH; Participation of the sympathetic system in acetic acid-induced writhing in mice. *Brazilian Journal of Medicine and Biological Research*, 1988; 21: 341-343.
40. Kadota S, Takamori Y, Nyein KN, Kikuchi T, Tanaka K, Ekimoto H. Constituents of the Leaves of *Woodfordia fruticosa* Kurz. Isolation, structure, and Proton and Carbon-13 Nuclear Magnetic Resonance Signal Assignment of Woodfruticosin (Woodfordin C), An Inhibitor of Deoxyribonucleic Acid Topoisomerase 2. *Chem pharm Bull* 1990; 38(10):2687-97.
41. Seema Rani, Khaleequr Rahman, Mohd. Younis, Sadiya Noorul Basar, Dhawa (*Woodfordia fruticosa* (L.) Kurz.): A Versatile Medicinal Plant, *International journal of pharmaceutical sciences and drug research*, 2015;7(4):315-320.
42. Caraka Samhita of Agnivesa, by Pt. Kasinatha Sastri, Dr. Gorakha Natha Chaturvedi, Part-2, Chaukhambha Bharati Academy Varanasi, edition-2009, pg-707,708.
43. Ibid; pg-264.
44. Susruta Samhita of Maharsi- Susruta by Kaviraja Ambikadutta Shastri, Part-2, Chaukhambha Sanskrit Sansthan Varanasi, edition- 2010, pg-55.
45. Astangahrdayam of Vagbhata by Kaviraja Atrideva Gupta, Chaukhambha Prakashan Varanasi, edition-2014, pg-618.
46. Classical Uses of MEDICINAL PLANTS by Priya Vrat Sharma, Chaukhambha Visvabharati Varanasi, edition-2004, pg-203.
47. Ibid; pg-204.
48. Nighantu Adarsa, by Bapalal G. Vaidya, Chaukhambha Bharati Academy Varanasi, edition- 2002, pg- 601.
49. Sharngadhar Samhita of Acharya Sharngadhar by Dr. Smt. Shailaja Srivastava, Chaukhambha Orientalia Varanasi, edition-2005, pg-146.
50. Bhaisajya Ratnavali of Kaviraja Govind Das sen, edited with ' Siddhiprada' Hindi commentary by Prof. Siddhi Nandan Mishra, Chaukhamba Surbharati Prakashan Varanasi, edition-2007, pg- 1072.
51. Indian Medicinal plants by Kirtikar, K.R & Basu, B.D. Text volume 2, International Book Distributors Publishers & Distributors 9/3, Rajpur Road Dehradun, edition-2006, pg-1075.
52. Bhaisajya Ratnavali of Kaviraj Govind Das Sen by Prof. Siddhi Nandan Mishra, Chaukhamba Surbharati Prakashan Varanasi, edition-2007.

Cite this article as:

Kumari Sangeeta, Singh D.C, Singh, Chaubey Suresh, Yadav Chhavi. A comprehensive review of woodfordia floribunda salisb. *International Journal of Ayurveda and Pharma Research*. 2016;4(9):20-24.

Source of support: Nil, Conflict of interest: None Declared

***Address for correspondence**

Dr Kumari Sangeeta

PG Scholar,

PG Dept. Of Dravyaguna, Rishikul

Campus, UAU, Haridwar.

Ph no. 8449901532,

Email : sroygkvharidwar@gmail.com