

## Facile synthesis of tunable dendritic fibrous SBA-15 (DFSBA-15) with radial wrinkle structure

*Chi Cheng Chong<sup>a</sup>, Syahida Nasuha Bukhari<sup>a</sup>, Yoke Wang Cheng<sup>a</sup>, Herma Dina Setiabudi<sup>a,b</sup>, Lee Peng Teh<sup>c</sup>, Aishah Abdul Jalil<sup>d,e</sup>*

<sup>a</sup> Faculty of Chemical and Process Engineering Technology, College of Engineering Technology, Universiti Malaysia Pahang, 26300, Gambang, Kuantan, Pahang, Malaysia

<sup>b</sup> Centre of Excellence for Advanced Research in Fluid Flow, Universiti Malaysia Pahang, 26300, Gambang, Kuantan, Pahang, Malaysia

<sup>c</sup> Centre for Advanced Materials and Renewable Resources, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, 43600, UKM, Bangi, Selangor, Malaysia

<sup>d</sup> School of Chemical and Energy Engineering, Faculty of Engineering, Universiti Teknologi Malaysia, 81310, UTM, Johor Bahru, Johor, Malaysia

<sup>e</sup> Centre of Hydrogen Energy, Institute of Future Energy, Universiti Teknologi Malaysia, UTM, 81310, Johor Bahru, Johor, Malaysia

### ABSTRACT

In this study, typical mesoporous hexagonal rod-typed SBA-15 was successfully transformed into spherical shape with additional dendrimers, namely Dendritic Fibrous SBA-15 (DFSBA-15) by employing microwave-assisted microemulsion system. Physiochemical properties of DFSBA-15 were greatly influenced by aging temperature, urea/TEOS ratio, co-surfactant types, and aging time. It was found that the co-surfactant types were insignificant in controlling the pore size, while the aging conditions (temperature and time) were significant in controlling the fiber density. The analysis results (XRD, N<sub>2</sub> physisorption, FTIR, and TEM) confirmed the optimal conditions for DFSBA-15 synthesis were at aging temperature of 100 °C, urea/TEOS ratio of 0.5, *n*-butanol as co-surfactant, and aging time of 12 h. The as-synthesized optimized DFSBA-15 was compared with the conventional SBA-15 via XRD, N<sub>2</sub> physisorption, FTIR, CO<sub>2</sub>-TPD, NH<sub>3</sub>-TPD, TGA, TEM, and FESEM-EDX. As compared, DFSBA-15 rendered vast accessibility to the adsorption sites, higher basicity (~86% enhancement) and acidity (~66% enhancement), abundant siliceous framework and higher thermal stability (~19% enhancement), owing to its radially oriented pores which elongated to the outer surface from the nucleus of its sphere. The outcome of this study anticipated the wide applications of DFSBA-15 in catalysis and biomedical fields by revealing the facile protocols of optimal DFSBA-15 synthesis.

### KEYWORDS

Dendritic fibrous SBA-15; Morphology transformation; Tunable properties

**ACKNOWLEDGEMENTS**

This work was financially supported by Universiti Malaysia Pahang (UMP) through Research University Grant (RDU1803174) and Postgraduate Research Grant Scheme (PGRS180300).