

## RESEARCH ARTICLE SUMMARY

## CORONAVIRUS

## Inborn errors of type I IFN immunity in patients with life-threatening COVID-19

Qian Zhang *et al.*

**INTRODUCTION:** Clinical outcomes of human severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infection range from silent infection to lethal coronavirus disease 2019 (COVID-19). Epidemiological studies have identified three risk factors for severe disease: being male, being elderly, and having other medical conditions. However, interindividual clinical variability remains huge in each demographic category. Discovering the root cause and detailed molecular, cellular, and tissue- and body-level mechanisms underlying life-threatening COVID-19 is of the utmost biological and medical importance.


**RATIONALE:** We established the COVID Human Genetic Effort ([www.covidhge.com](http://www.covidhge.com)) to test

the general hypothesis that life-threatening COVID-19 in some or most patients may be caused by monogenic inborn errors of immunity to SARS-CoV-2 with incomplete or complete penetrance. We sequenced the exome or genome of 659 patients of various ancestries with life-threatening COVID-19 pneumonia and 534 subjects with asymptomatic or benign infection. We tested the specific hypothesis that inborn errors of Toll-like receptor 3 (TLR3)- and interferon regulatory factor 7 (IRF7)-dependent type I interferon (IFN) immunity that underlie life-threatening influenza pneumonia also underlie life-threatening COVID-19 pneumonia. We considered three loci identified as mutated in patients with life-threatening influenza: *TLR3*, *IRF7*, and *IRF9*. We also con-

sidered 10 loci mutated in patients with other viral illnesses but directly connected to the three core genes conferring influenza susceptibility: *TICAM1/TRIF*, *UNC93B1*, *TRAF3*, *TBK1*, *IRF3*, and *NEMO/IKBKG* from the TLR3-dependent type I IFN induction pathway, and *IFNAR1*, *IFNAR2*, *STAT1*, and *STAT2* from the IRF7- and IRF9-dependent type I IFN amplification pathway. Finally, we considered various modes of inheritance at these 13 loci.

**RESULTS:** We found an enrichment in variants predicted to be loss-of-function (pLOF), with a minor allele frequency <0.001, at the 13 candidate loci in the 659 patients with life-threatening COVID-19 pneumonia relative to the 534 subjects with asymptomatic or benign infection ( $P = 0.01$ ). Experimental tests for all 118 rare nonsynonymous variants (including both pLOF and other variants) of these 13 genes found in patients with critical disease identified 23 patients (3.5%), aged 17 to 77 years, carrying 24 deleterious variants of eight genes. These variants underlie autosomal-recessive (AR) deficiencies (*IRF7* and *IFNAR1*) and autosomal-dominant (AD) deficiencies (*TLR3*, *UNC93B1*, *TICAM1*, *TBK1*, *IRF3*, *IRF7*, *IFNAR1*, and *IFNAR2*) in four and 19 patients, respectively. These patients had never been hospitalized for other life-threatening viral illness. Plasmacytoid dendritic cells from IRF7-deficient patients produced no type I IFN on infection with SARS-CoV-2, and *TLR3*<sup>-/-</sup>, *TLR3*<sup>+/-</sup>, *IRF7*<sup>-/-</sup>, and *IFNAR1*<sup>-/-</sup> fibroblasts were susceptible to SARS-CoV-2 infection in vitro.

**CONCLUSION:** At least 3.5% of patients with life-threatening COVID-19 pneumonia had known (AR *IRF7* and *IFNAR1* deficiencies or AD *TLR3*, *TICAM1*, *TBK1*, and *IRF3* deficiencies) or new (AD *UNC93B1*, *IRF7*, *IFNAR1*, and *IFNAR2* deficiencies) genetic defects at eight of the 13 candidate loci involved in the TLR3- and IRF7-dependent induction and amplification of type I IFNs. This discovery reveals essential roles for both the double-stranded RNA sensor TLR3 and type I IFN cell-intrinsic immunity in the control of SARS-CoV-2 infection. Type I IFN administration may be of therapeutic benefit in selected patients, at least early in the course of SARS-CoV-2 infection. ■



**Inborn errors of TLR3- and IRF7-dependent type I IFN production and amplification underlie life-threatening COVID-19 pneumonia.** Molecules in red are encoded by core genes, deleterious variants of which underlie critical influenza pneumonia with incomplete penetrance, and deleterious variants of genes encoding biochemically related molecules in blue underlie other viral illnesses. Molecules represented in bold are encoded by genes with variants that also underlie critical COVID-19 pneumonia.

The full author list and the list of affiliations is available in the full article online.  
Corresponding author: Jean-Laurent Casanova ([casanova@rockefeller.edu](mailto:casanova@rockefeller.edu))  
This is an open-access article distributed under the terms of the Creative Commons Attribution license (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.  
Cite this article as Q. Zhang *et al.*, *Science* 370, eabd4570 (2020). DOI: 10.1126/science.abd4570

**READ THE FULL ARTICLE AT**  
<https://doi.org/10.1126/science.abd4570>

## RESEARCH ARTICLE

## CORONAVIRUS

## Inborn errors of type I IFN immunity in patients with life-threatening COVID-19

Qian Zhang<sup>1</sup>, Paul Bastard<sup>2,3\*</sup>, Zhiyong Liu<sup>1\*</sup>, J  r  mie Le Pen<sup>4\*</sup>, Marcela Moncada-Velaz<sup>1\*</sup>, Jie Chen<sup>1\*</sup>, Masato Ogishi<sup>1\*</sup>, Ira K. D. Sabli<sup>5\*</sup>, Stephanie Hodeib<sup>5\*</sup>, Cecilia Korol<sup>2\*</sup>, J  r  mie Rosain<sup>2,3\*</sup>, Kaya Bilguvar<sup>6\*</sup>, Junqiang Ye<sup>7\*</sup>, Alexandre Bolze<sup>8\*</sup>, Benedetta Bigio<sup>1\*</sup>, Rui Yang<sup>1\*</sup>, Andr  s Augusto Arias<sup>1,9,10\*</sup>, Qinhu Zhou<sup>1\*</sup>, Yu Zhang<sup>11,12\*</sup>, Fanny Onodj<sup>13</sup>, Sarantis Korniotis<sup>13</sup>, L  a Karpf<sup>13</sup>, Quentin Philippot<sup>2,3</sup>, Marwa Chbihi<sup>2,3</sup>, Lucie Bonnet-Madin<sup>14</sup>, Karim Dorgham<sup>15</sup>, Nikaia Smith<sup>16</sup>, William M. Schneider<sup>4</sup>, Brandon S. Razoooky<sup>4</sup>, Hans-Heinrich Hoffmann<sup>4</sup>, Eleftherios Michailidis<sup>4</sup>, Leen Moens<sup>17</sup>, Ji Eun Han<sup>1</sup>, Lazaro Lorenzo<sup>2,3</sup>, Lucy Bizien<sup>2,3</sup>, Philip Meade<sup>18</sup>, Anna-Lena Neehus<sup>2,3</sup>, Aileen Camille Ugurbil<sup>1</sup>, Aur  lien Corneau<sup>19</sup>, Gaspard Kerner<sup>2,3</sup>, Peng Zhang<sup>1</sup>, Franck Rapaport<sup>1</sup>, Yoann Seeleuthner<sup>2,3</sup>, Jeremy Manry<sup>2,3</sup>, Cecile Masson<sup>20</sup>, Yohann Schmitt<sup>20</sup>, Agatha Schl  ter<sup>21</sup>, Tom Le Voyer<sup>2,3</sup>, Taushif Khan<sup>22</sup>, Juan Li<sup>1</sup>, Jacques Fellay<sup>23,24,25</sup>, Lucie Roussel<sup>26</sup>, Mohammad Shahrooei<sup>27,28</sup>, Mohammed F. Alosaimi<sup>29</sup>, Davood Mansouri<sup>30,31,32</sup>, Haya Al-Saud<sup>33</sup>, Fahd Al-Mulla<sup>34</sup>, Feras Almourfi<sup>33</sup>, Saleh Zaid Al-Muhsen<sup>35</sup>, Fahad Alshohime<sup>29</sup>, Saeed Al Turki<sup>36,37</sup>, Rana Hasanato<sup>29</sup>, Diederik van de Beek<sup>38</sup>, Andrea Biondi<sup>39</sup>, Laura Rachele Bettini<sup>39</sup>, Mariella D'Angio<sup>39</sup>, Paolo Bonfanti<sup>40</sup>, Luisa Imberti<sup>41</sup>, Alessandra Sottini<sup>41</sup>, Simone Paghera<sup>41</sup>, Eugenia Quiros-Roldan<sup>42</sup>, Camillo Rossi<sup>43</sup>, Andrew J. Oler<sup>44</sup>, Miranda F. Tompkins<sup>45</sup>, Camille Alba<sup>45</sup>, Isabelle Vandernoot<sup>46</sup>, Jean-Christophe Goffard<sup>47</sup>, Guillaume Smits<sup>46</sup>, Isabelle Migeotte<sup>48</sup>, Filomeen Haerynck<sup>49</sup>, Pere Soler-Palacin<sup>50</sup>, Andrea Martin-Nalda<sup>50</sup>, Roger Colobran<sup>51</sup>, Pierre-Emmanuel Morange<sup>52</sup>, Sevgi Keles<sup>53</sup>, Fatma   lkesen<sup>54</sup>, Tayfun Ozcelik<sup>55</sup>, Kadriye Kart Yasar<sup>56</sup>, Sevtap Senoglu<sup>56</sup>,   semi Nur Karabela<sup>56</sup>, Carlos Rodr  guez-Gallego<sup>57,58</sup>, Giuseppe Novelli<sup>59</sup>, Sami Hraiech<sup>60</sup>, Yacine Tandjaoui-Lambiotte<sup>61,62</sup>, Xavier Duval<sup>63,64</sup>, C  dric Laouenan<sup>63,64,65</sup>, COVID-STORM Clinicians<sup>†</sup>, COVID Clinicians<sup>†</sup>, Imagine COVID Group<sup>†</sup>, French COVID Cohort Study Group<sup>†</sup>, CoV-Contact Cohort<sup>†</sup>, Amsterdam UMC Covid-19 Biobank<sup>†</sup>, COVID Human Genetic Effort<sup>†</sup>, NIAID-USUHS/TAGC COVID Immunity Group<sup>†</sup>, Andrew L. Snow<sup>66</sup>, Clifton L. Dalgard<sup>45,67</sup>, Joshua D. Milner<sup>68</sup>, Donald C. Vinh<sup>26</sup>, Trine H. Mogensen<sup>69,70</sup>, Nico Marr<sup>22,71</sup>, Andr  s N. Spaan<sup>1,72</sup>, Bertrand Boisson<sup>1,2,3</sup>, St  phanie Boisson-Dupuis<sup>1,2,3</sup>, Jacinta Bustamante<sup>1,2,3,73</sup>, Anne Puel<sup>1,2,3</sup>, Michael J. Ciancanelli<sup>1,74</sup>, Isabelle Meyts<sup>17,75</sup>, Tom Maniatis<sup>7,76</sup>, Vassili Soumelis<sup>13,77</sup>, Ali Amara<sup>14</sup>, Michel Nussenzweig<sup>78,79</sup>, Adolfo Garc  a-Sastre<sup>18,80,81,82</sup>, Florian Kramer<sup>18</sup>, Aurora Pujol<sup>21</sup>, Darragh Duffy<sup>16</sup>, Richard P. Lifton<sup>83,84,85</sup>, Shen-Ying Zhang<sup>1,2,3</sup>, Guy Gorochov<sup>15</sup>, Vivien B  ziat<sup>1,2,3</sup>, Emmanuelle Jouanguy<sup>1,2,3</sup>, Vanessa Sancho-Shimizu<sup>5</sup>, Charles M. Rice<sup>4</sup>, Laurent Abel<sup>1,2,3</sup>, Luigi D. Notarangelo<sup>11,12</sup>, Aur  lie Cobat<sup>1,2,3</sup>, Helen C. Su<sup>11,12</sup>, Jean-Laurent Casanova<sup>1,2,3,79,86</sup>

Clinical outcome upon infection with severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) ranges from silent infection to lethal coronavirus disease 2019 (COVID-19). We have found an enrichment in rare variants predicted to be loss-of-function (LOF) at the 13 human loci known to govern Toll-like receptor 3 (TLR3)- and interferon regulatory factor 7 (IRF7)-dependent type I interferon (IFN) immunity to influenza virus in 659 patients with life-threatening COVID-19 pneumonia relative to 534 subjects with asymptomatic or benign infection. By testing these and other rare variants at these 13 loci, we experimentally defined LOF variants underlying autosomal-recessive or autosomal-dominant deficiencies in 23 patients (3.5%) 17 to 77 years of age. We show that human fibroblasts with mutations affecting this circuit are vulnerable to SARS-CoV-2. Inborn errors of TLR3- and IRF7-dependent type I IFN immunity can underlie life-threatening COVID-19 pneumonia in patients with no prior severe infection.

Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) has already claimed at least 1 million lives, has been detected in at least 20 million people, and has probably infected at least another 200 million. The clinical manifestations range from silent infection to lethal disease, with an infection fatality rate of 0.1 to 0.9%. Three epidemiological factors increase the risk of severity: (i) increasing age, decade by decade, after the age of 50, (ii) being male,

and (iii) having various underlying medical conditions (1). However, even taking these factors into account, there is immense inter-individual clinical variability in each demographic category considered. Following on from our human genetic studies of other severe infectious diseases (2, 3), we established the COVID Human Genetic Effort (<https://www.covidhge.com>) to test the general hypothesis that in some patients, life-threatening coronavirus disease 2019 (COVID-19) may be


caused by monogenic inborn errors of immunity to SARS-CoV-2 with incomplete or complete penetrance (4). We enrolled 659 patients (74.5% men and 25.5% women, 13.9% of whom died) of various ancestries between 1 month and 99 years of age (Fig. 1A). These patients were hospitalized for life-threatening pneumonia caused by SARS-CoV-2 (critical COVID-19). We sequenced their whole genome ( $N = 364$ ) or exome ( $N = 295$ ), and principal component analysis (PCA) on these data confirmed their ancestries (Fig. 1B).

## Candidate variants at 13 human loci that govern immunity to influenza virus

We first tested the specific hypothesis that inborn errors of Toll-like receptor 3 (TLR3)- and interferon regulatory factor 7 (IRF7)-dependent type I interferon (IFN) immunity, which underlie life-threatening influenza pneumonia, may also underlie life-threatening COVID-19 pneumonia (5) (Fig. 2). We considered three loci previously shown to be mutated in patients with critical influenza pneumonia: *TLR3* (6), *IRF7* (7), and *IRF9* (8). We also considered 10 loci mutated in patients with other viral illnesses but directly connected to the three core genes conferring influenza susceptibility: *TICAMI/TRIF* (9), *UNC93B1* (10), *TRAF3* (11), *TBK1* (12), *IRF3* (13), and *NEMO/IKBKG* (14) in the TLR3-dependent type I IFN induction pathway, and *IFNARI* (15), *IFNAR2* (16), *STAT1* (17), and *STAT2* (18) in the IRF7- and IRF9-dependent type I IFN amplification pathway. We collected both monoallelic and biallelic nonsynonymous variants with a minor allele frequency (MAF) <0.001 at all 13 loci. Twelve of the 13 candidate loci are autosomal, whereas *NEMO* is X-linked. For the latter gene, we considered only a recessive model (19). Autosomal-dominant (AD) inheritance has not been proven for six of the 12 autosomal loci (*UNC93B1*, *IRF7*, *IFNARI*, *IFNAR2*, *STAT2*, and *IRF9*). Nevertheless, we considered heterozygous variants because none of the patients enrolled had been hospitalized for critical viral infections before COVID-19, raising the possibility that any underlying genetic defects that they might have display a lower penetrance for influenza and other viral illnesses than for COVID-19, which is triggered by a more virulent virus.

## Enrichment of variants predicted to be LOF at the influenza susceptibility loci

We found four unrelated patients with biallelic variants of *IRF7* or *IFNARI* (Table 1 and table S1). We also found 113 patients carrying 113 monoallelic variants at 12 loci: *TLR3* ( $N = 7$  patients/7 variants), *UNC93B1* ( $N = 10/9$ ), *TICAMI* ( $N = 17/15$ ), *TRAF3* ( $N = 6/6$ ), *TBK1* ( $N = 12/11$ ), *IRF3* ( $N = 5/5$ ), *IRF7* ( $N = 20/13$ ), *IFNARI* ( $N = 14/13$ ), *IFNAR2* ( $N = 17/15$ ), *STAT1* ( $N = 4/4$ ), *STAT2* ( $N = 11/11$ ), and *IRF9* ( $N = 4/4$ ). We detected no copy number variation



**Fig. 1. Demographic and genetic data for the COVID-19 cohort.** (A) Age and sex distribution of patients with life-threatening COVID-19. (B) PCA of patient (with or without LOF variants in the 13 candidate genes) and control cohorts (patients with mild or asymptomatic disease and individuals from the 1000 Genomes Project).

<sup>1</sup>St. Giles Laboratory of Human Genetics of Infectious Diseases, Rockefeller Branch, The Rockefeller University, New York, NY, USA. <sup>2</sup>Laboratory of Human Genetics of Infectious Diseases, Necker Branch, INSERM U1163, Necker Hospital for Sick Children, Paris, France. <sup>3</sup>University of Paris, Imagine Institute, Paris, France. <sup>4</sup>Laboratory of Virology and Infectious Disease, The Rockefeller University, New York, NY, USA. <sup>5</sup>Department of Paediatric Infectious Diseases & Virology, Imperial College London, London, UK. <sup>6</sup>Yale Center for Genome Analysis and Department of Genetics, Yale School of Medicine, New Haven, CT, USA. <sup>7</sup>Zukerman Mind Brain Behavior Institute, Columbia University, New York, NY, USA. <sup>8</sup>Helix, San Mateo, CA, USA. <sup>9</sup>Primary Immunodeficiencies Group, University of Antioquia UdeA, Medellin, Colombia. <sup>10</sup>School of Microbiology, University of Antioquia UdeA, Medellin, Colombia. <sup>11</sup>Laboratory of Clinical Immunology and Microbiology, Division of Intramural Research, NIAID, NIH, Bethesda, MD, USA. <sup>12</sup>NIAID Clinical Genomics Program, NIH, Bethesda, MD, USA. <sup>13</sup>Université de Paris, Institut de Recherche Saint-Louis, INSERM U976, Hôpital Saint-Louis, Paris, France. <sup>14</sup>Laboratory of Genomes & Cell Biology of Disease, INSERM U944, CNRS UMR 7212, Université de Paris, Institut de Recherche Saint-Louis, Hôpital Saint-Louis, Paris, France. <sup>15</sup>Sorbonne Université, Inserm, Centre d'Immunologie et des Maladies Infectieuses-Paris (CIMI PARIS), Assistance Publique-Hôpitaux de Paris (AP-HP) Hôpital Pitié-Salpêtrière, Paris, France. <sup>16</sup>Translational Immunology Lab, Institut Pasteur, Paris, France. <sup>17</sup>Laboratory for Inborn Errors of Immunity, Department of Microbiology, Immunology and Transplantation, Department of Pediatrics, University Hospitals Leuven, KU Leuven, Leuven, Belgium. <sup>18</sup>Department of Microbiology, Icahn School of Medicine at Mount Sinai, New York, NY, USA. <sup>19</sup>Sorbonne Université, UMS037, PASS, Plateforme de Cytométrie de la Pitié-Salpêtrière CyPS, Paris, France. <sup>20</sup>Bioinformatics Platform, Structure Fédérative de Recherche Necker, INSERM UMR1163, Université de Paris, Imagine Institute, Paris, France. <sup>21</sup>Neurometabolic Diseases Laboratory, IDIBELL-Hospital Duran i Reynals, CIBERER U759, and Catalan Institution of Research and Advanced Studies (ICREA), Barcelona, Spain. <sup>22</sup>Department of Immunology, Research Branch, Sidra Medicine, Doha, Qatar. <sup>23</sup>School of Life sciences, Ecole Polytechnique Fédérale de Lausanne, Lausanne, Switzerland. <sup>24</sup>Precision Medicine Unit, Lausanne University Hospital and University of Lausanne, Lausanne, Switzerland. <sup>25</sup>Swiss Institute of Bioinformatics, Lausanne, Switzerland. <sup>26</sup>Infectious Disease Susceptibility Program, Research Institute, McGill University Health Centre, Montréal, Québec, Canada. <sup>27</sup>Specialized Immunology Laboratory of Dr. Shahrooei, Sina Medical Complex, Ahvaz, Iran. <sup>28</sup>Department of Microbiology and Immunology, Clinical and Diagnostic Immunology, KU Leuven, Leuven, Belgium. <sup>29</sup>Department of Pathology and Laboratory Medicine, College of Medicine, King Saud University, Riyadh, Saudi Arabia. <sup>30</sup>Department of Clinical Immunology and Infectious Diseases, National Research Institute of Tuberculosis and Lung Diseases, Shahid Beheshti University of Medical Sciences, Tehran, Iran. <sup>31</sup>The Clinical Tuberculosis and Epidemiology Research Center, National Research Institute of Tuberculosis and Lung Diseases (NRITLD), Masih Daneshvari Hospital, Shahid Beheshti, University of Medical Sciences, Tehran, Iran. <sup>32</sup>Pediatric Respiratory Diseases Research Center, National Research Institute of Tuberculosis and Lung Diseases, Shahid Beheshti, Iran. <sup>33</sup>National Center of Genomics Technology, King Abdulaziz City for Science and Technology, Riyadh, Saudi Arabia. <sup>34</sup>Dasman Diabetes Institute, Department of Genetics and Bioinformatics, Kuwait. <sup>35</sup>Immunology Research Laboratory, Department of Pediatrics, College of Medicine and King Saud University Medical City, King Saud University, Riyadh, Saudi Arabia. <sup>36</sup>Translational Pathology, Department of Pathology and Laboratory Medicine, King Abdulaziz Medical City, Misery of National Guard Health Affairs, Riyadh, Saudi Arabia. <sup>37</sup>Cancer & Blood Research, King Abdullah International Medical Research Center, Riyadh, Saudi Arabia. <sup>38</sup>Amsterdam UMC, Department of Neurology, Amsterdam Neuroscience, Amsterdam, Netherlands. <sup>39</sup>Pediatric Department and Centro Tettamanti-European Reference Network PaedCan, EuroBloodNet, MetabERN-University of Milano-Bicocca-Fondazione MBBM-Ospedale, San Gerardo, Monza, Italy. <sup>40</sup>Department of Infectious Diseases, San Gerardo Hospital-University of Milano-Bicocca, Monza, Italy. <sup>41</sup>CREA Laboratory, Diagnostic Laboratory, ASST Spedali Civili di Brescia, Brescia, Italy. <sup>42</sup>Department of Infectious and Tropical Diseases, University of Brescia and ASST Spedali di Brescia, Brescia, Italy. <sup>43</sup>Chief Medical Officer, ASST Spedali Civili di Brescia, Brescia, Italy. <sup>44</sup>Bioinformatics and Computational Biosciences Branch, Office of Cyber Infrastructure and Computational Biology, NIAID, NIH, Bethesda, MD, USA. <sup>45</sup>PRIMER, Uniformed Services University of the Health Sciences, Bethesda, MD, USA. <sup>46</sup>Center of Human Genetics, Hôpital Erasme, Université Libre de Bruxelles, Brussels, Belgium. <sup>47</sup>Department of Internal Medicine, Hôpital Erasme, Université Libre de Bruxelles, Brussels, Belgium. <sup>48</sup>Fonds de la Recherche Scientifique (FNRS) and Center of Human Genetics, Hôpital Erasme, Université Libre de Bruxelles, Brussels, Belgium. <sup>49</sup>Department of Paediatric Immunology and Pulmonology, Centre for Primary Immunodeficiency Ghent (CPiG), PID Research Lab, Jeffrey Modell Diagnosis and Research Centre, Ghent University Hospital, Ghent, Belgium. <sup>50</sup>Pediatric Infectious Diseases and Immunodeficiencies Unit, Hospital Universitari Vall d'Hebron, Vall d'Hebron Research Institute, Vall d'Hebron Barcelona Hospital Campus, Universitat Autònoma de Barcelona (UAB), Barcelona, Catalonia, Spain. <sup>51</sup>Immunology Division, Genetics Department, Hospital Universitari Vall d'Hebron, Vall d'Hebron Research Institute, Vall d'Hebron Barcelona Hospital Campus, UAB, Barcelona, Catalonia, Spain. <sup>52</sup>Aix Marseille Univ, INSERM, INRAE, C2VN, CHU Timone, Marseille, France. <sup>53</sup>Necmettin Erbakan University, Meram Medical Faculty, Division of Pediatric Allergy and Immunology, Konya, Turkey. <sup>54</sup>Department of Infectious Diseases and Clinical Microbiology, Konya Training and Research Hospital, Konya, Turkey. <sup>55</sup>Department of Molecular Biology and Genetics, Bilkent University, Bilkent-Ankara, Turkey. <sup>56</sup>Departments of Infectious Diseases and Clinical Microbiology, Bakirkoy Dr. Sadi Konuk Training and Research Hospital, University of Health Sciences, Istanbul, Turkey. <sup>57</sup>Department of Immunology, Hospital Universitario de G.C. Dr. Negrín, Canarian Health System, Las Palmas de Gran Canaria, Spain. <sup>58</sup>University Fernando Pessoa Canarias, Las Palmas de Gran Canaria, Spain. <sup>59</sup>Department of Biomedicine and Prevention, University of Rome "Tor Vergata", Rome, Italy. <sup>60</sup>Intensive Care Unit, AP-HM, Marseille, France. <sup>61</sup>Avicenne Hospital Intensive Care Unit, APHP, Bobigny, INSERM U1272 Hypoxia & Lung, Paris, France. <sup>62</sup>PH Réanimation CHU Avicenne, Bobigny, INSERM U1272 Hypoxie & Poumon, Paris, France. <sup>63</sup>Université de Paris, IAME UMR-S 1137, INSERM, Paris, France. <sup>64</sup>Inserm CIC 1425, Paris, France. <sup>65</sup>AP-HP, Département Épidémiologie Biostatistiques et Recherche Clinique, Hôpital Bichat, Paris, France. <sup>66</sup>Department of Pharmacology & Molecular Therapeutics, Uniformed Services University of the Health Sciences, Bethesda, MD, USA. <sup>67</sup>Department of Anatomy, Physiology & Genetics, Uniformed Services University of the Health Sciences, Bethesda, MD, USA. <sup>68</sup>Division of Pediatric Allergy, Immunology and Rheumatology, Columbia University, New York, USA. <sup>69</sup>Department of Infectious Diseases, Aarhus University Hospital, Skejby, Denmark. <sup>70</sup>Department of Biomedicine, Aarhus University, Aarhus, Denmark. <sup>71</sup>College of Health and Life Sciences, Hamad Bin Khalifa University, Doha, Qatar. <sup>72</sup>Department of Medical Microbiology, Utrecht UMC, Utrecht, Netherlands. <sup>73</sup>Study Center for Primary Immunodeficiencies, Necker Hospital for Sick Children, Paris, France. <sup>74</sup>Turnstone Biologics, New York, NY, USA. <sup>75</sup>Department of Pediatrics, University Hospitals Leuven, KU Leuven, Leuven, Belgium. <sup>76</sup>New York Genome Center, New York, NY, USA. <sup>77</sup>AP-HP, Hôpital Saint-Louis, Laboratoire d'Immunologie, Paris, France. <sup>78</sup>Laboratory of Molecular Immunology, Rockefeller University, New York, NY, USA. <sup>79</sup>Howard Hughes Medical Institute, Icahn School of Medicine at Mount Sinai, New York, NY, USA. <sup>80</sup>Department of Medicine, Division of Infectious Diseases, Icahn School of Medicine at Mount Sinai, New York, NY, USA. <sup>81</sup>Global Health and Emerging Pathogens Institute, Icahn School of Medicine at Mount Sinai, New York, NY, USA. <sup>82</sup>The Tisch Cancer Institute, Icahn School of Medicine at Mount Sinai, New York, NY, USA. <sup>83</sup>Laboratory of Genetics and Genomics, The Rockefeller University, New York, NY, USA. <sup>84</sup>Department of Genetics, Yale University School of Medicine, New Haven, CT, USA. <sup>85</sup>Yale Center for Genome Analysis, Yale School of Medicine, New Haven, CT, USA. <sup>86</sup>Pediatric Hematology and Immunology Unit, Necker Hospital for Sick Children, AP-HP, Paris, France.

\*These authors contributed equally to this work.

†All collaborators and their affiliations appear at the end of this paper.

‡These authors contributed equally to this work.

§These authors contributed equally to this work.

¶Corresponding author. Email: casanova@rockefeller.edu


for these 13 genes. Unexpectedly, one of these variants has been reported in patients with life-threatening influenza pneumonia (*TLR3* p.Pro554Ser) (6, 20) and another was shown to be both deleterious and dominant-negative

(*IFNAR1* p.Pro335del) (21). Nine of the 118 biallelic or monoallelic variants were predicted to be LOF (pLOF), whereas the remaining 109 were missense or in-frame indels (table S1). In a sample of 534 controls with asymptomatic

or mild SARS-CoV-2 infection, we found only one heterozygous pLOF variation with a MAF <0.001 at the 13 loci (*IRF7* p.Leu99fs). A PCA-adjusted burden test on the 12 autosomal loci revealed significant enrichment in pLOF variants in patients relative to controls [ $P = 0.01$ ; odds ratio (OR) = 8.28; 95% confidence interval (CI) = 1.04 to 65.64] under an AD mode of inheritance. The same analysis performed on synonymous variants with a MAF <0.001 was not significant ( $P = 0.19$ ), indicating that our ethnicity-adjusted burden test was well calibrated.

**Experimentally deleterious alleles at the influenza susceptibility loci in 3.5% of patients**


We tested these 118 variants experimentally in ad hoc overexpression systems. We found that 24 variants of eight genes were deleterious (including all the pLOF variants) because they were loss-of-expression, LOF, or severely hypomorphic: *TLR3* ( $N = 4$  variants), *UNC93B1* ( $N = 1$ ), *TICAM1* ( $N = 3$ ), *TBK1* ( $N = 2$ ), *IRF3* ( $N = 2$ ), *IRF7* ( $N = 8$ ), *IFNAR1* ( $N = 3$ ), and *IFNAR2* ( $N = 1$ ) (table S1, Fig. 3, and figs. S1 to S8). Consistently, heterozygous LOF variants of *IRF3* and *IRF7* were reported in single patients with life-threatening influenza pneumonia (22, 23). The remaining 94 variants were biochemically neutral. Twenty-three patients carried these 24 deleterious variants, resulting in four autosomal-recessive (AR) deficiencies (homozygosity or compound heterozygosity



**Fig. 2. Illustration of TLR3- and IRF7-dependent type I IFN production and amplification circuit.** Molecules in red are encoded by core genes, deleterious variants of which underlie critical influenza pneumonia with incomplete penetrance; deleterious variants of genes encoding biochemically related molecules in blue underlie other viral illnesses. Type I IFNs also induce themselves. ISGs, interferon-stimulated genes.

**Table 1. Disease-causing variants identified in patients with life-threatening COVID-19.**


Gene	Inheritance	Genetic form	Genotype	Gender	Age [years]	Ancestry/residence	Outcome
<i>TLR3</i>	AD	Known	p.Ser339fs/WT	M	40	Spain	Survived
<i>TLR3</i>	AD	Known	p.Pro554Ser/WT	M	68	Italy	Survived
<i>TLR3</i>	AD	Known	p.Trp769*/WT	M	77	Italy	Survived
<i>TLR3</i>	AD	Known	p.Met870Val/WT	M	56	Colombia/Spain	Survived
<i>UNC93B1</i>	AD	New	p.Glu96*/WT	M	48	Venezuela/Spain	Survived
<i>TICAM1</i>	AD	Known	p.Thr41le/WT	M	49	Italy	Survived
<i>TICAM1</i>	AD	Known	p.Ser60Cys/WT	F	61	Vietnam/France	Survived
<i>TICAM1</i>	AD	Known	p.Gln392Lys/WT	F	71	Italy	Deceased
<i>TBK1</i>	AD	Known	p.Phe24Ser/WT	F	46	Venezuela/Spain	Survived
<i>TBK1</i>	AD	Known	p.Arg308*/WT	M	17	Turkey	Survived
<i>IRF3</i>	AD	Known	p.Glu49del/WT	F	23	Bolivia/Spain	Survived
<i>IRF3</i>	AD	Known	p.Asn146Lys/WT	F	60	Italy	Survived
<i>IRF7</i>	AR	Known	p.Pro364fs/p.Pro364fs	F	49	Italy/Belgium	Survived
<i>IRF7</i>	AR	Known	p.Met371Val/p.Asp117Asn	M	50	Turkey	Survived
<i>IRF7</i>	AD	New	p.Arg7fs/WT	M	60	Italy	Survived
<i>IRF7</i>	AD	New	p.Gln185*/WT	M	44	France	Survived
<i>IRF7</i>	AD	New	p.Pro246fs/WT	M	41	Spain	Survived
<i>IRF7</i>	AD	New	p.Arg369Gln/WT	M	69	Italy	Survived
<i>IRF7</i>	AD	New	p.Phe95Ser/WT	M	37	Turkey	Survived
<i>IFNAR1</i>	AR	Known	p.Trp73Cys/Trp73Cys	M	38	Turkey	Survived
<i>IFNAR1</i>	AR	Known	p.Ser422Arg/Ser422Arg	M	26	Pakistan/Saudi Arabia	Deceased
<i>IFNAR1</i>	AD	New	p.Pro335del/WT	F	23	China/Italy	Survived
<i>IFNAR2</i>	AD	New	p.Glu140fs/WT	F	54	Belgium	Survived



**Fig. 3. Impact of *TLR3*, *TICAM1*, *TBK1*, *IRF3*, *IRF7*, *IFNAR1*, and *IFNAR2* variants on type I IFN signaling.**

(A) *TLR3*-deficient P2.1 fibrosarcoma cells were stably transfected with plasmids expressing WT or mutant forms of *TLR3*, and *IFNL1* mRNA levels were determined by reverse transcription quantitative PCR. *IFNL1* mRNA levels were expressed relative to the housekeeping gene *GUS* and then normalized. *IFNL1* was undetectable in unstimulated cells. The differences between variants and WT were tested using one-way ANOVA ( $*P < 0.05$ ). (B) *TICAM1*-deficient SV40-Fib cells were transiently transfected with WT or mutant forms of *TICAM1*, together with an IFN- $\beta$  luciferase reporter and a constitutively expressed reporter. Normalized luciferase induction was measured 24 hours after transfection. The differences between variants and WT were tested using one-way ANOVA ( $*P < 0.05$ ). (C) HEK293T cells were transiently transfected with WT and mutant forms of *TBK1*, together with an IFN- $\beta$  luciferase reporter and a constitutively expressed reporter. Normalized luciferase activity was measured 24 hours after transfection. The differences between variants and WT were tested using one-way ANOVA ( $*P < 0.05$ ). (D) *IRF3*-deficient HEK293T cells were transiently transfected with WT and mutant forms of *IRF3*, together with an IFN- $\beta$

luciferase reporter and a constitutively expressed reporter. Cells were either left untreated or infected with Sendai virus for 24 hours before the normalized measurement of luciferase activity. The differences between variants and WT were evaluated using two-way ANOVA ( $*P < 0.05$ ). (E) HEK293T cells were transiently transfected with WT and mutant forms of *IRF7*, together with an IFN- $\beta$  luciferase reporter and a constitutively expressed reporter. Cells were either left untreated or infected with Sendai virus for 24 hours before the normalized measurement of luciferase activity. The differences between variants and WT were tested using two-way ANOVA ( $*P < 0.05$ ). (F and G) *IFNAR1*- or *IFNAR2*-deficient SV40-Fib cells were transiently transfected with WT or mutant forms of *IFNAR1* for 36 hours, and either left untreated or stimulated with IFN- $\alpha$ 2 or IFN- $\gamma$ . Fluorescence-activated cell sorting (FACS) staining with anti-p-STAT1 antibody and the z-score of the MFI were assessed. Asterisks indicate variants with MFI  $< 50\%$  of WT. Variants in red were identified in COVID-19 patients. Variants in blue are known deleterious variants and served as negative controls. EV, empty vector; LT, lipofectamine. Three technical repeats were performed for (A) to (E). Means and SD are shown in the columns and horizontal bars when appropriate.



**Fig. 4. Type I IFN responses in patient cells defective for IRF7.** (A) Levels of the IRF7 protein in PHA-T cells from two patients with AR IRF7 deficiency (P1 and P3), one patient with AD IRF7 deficiency (P2), and four healthy donors (C1 to C4). Cells were either left untreated or stimulated with IFN- $\alpha$ 2 for 24 hours, and protein levels were measured by Western blotting. MX1 was used as a positive control for IFN- $\alpha$ 2 treatment. (B) pDCs isolated from an AR IRF7-deficient patient (P1) and a healthy donor (C1) were either left untreated or


infected with influenza A virus (IAV) or SARS-CoV-2, and RNA-seq was performed. Genes with expression >2.5-fold higher or lower in C1 after infection are plotted as the fold change in expression. Red dots are type I IFN genes; blue dots are type III IFN genes. (C) pDCs isolated from healthy donor C and IRF7-deficient patient (P1) were either left untreated (Medium) or infected with IAV or SARS-CoV-2, and the production of IFN- $\alpha$ 2 and IFN- $\lambda$ 1 was measured by CBA and ELISA, respectively, on the supernatant. ND, not detected.

for *IRF7*; homozygosity for *IFNAR1*) and 19 AD deficiencies. These 23 patients did not carry candidate variants at the other 417 loci known to underlie inborn errors of immunity (table S2) (24–26). These findings suggest that at least 23 (3.5%) unrelated patients of the 659 patients tested suffered from a deficiency at one of eight loci among the 13 tested: four patients with a known AR disorder (*IRF7* or *IFNAR1*) (7, 15), 11 with a known AD disorder (*TLR3*, *TICAM1*, *TBKI*, or *IRF3*) (6, 9, 12, 13, 20), and eight with a previously unknown AD genetic disorder (*UNC93B1*, *IRF7*, *IFNAR1*, or *IFNAR2*).

#### Impaired TLR3- and IRF7-dependent type I immunity in patient cells in vitro

We tested cells from patients with selected genotypes and showed that PHA-driven T cell blasts (PHA-T cells) from patients with AR or AD IRF7 deficiency had low levels of IRF7 expression (Fig. 4A). We then isolated circulating plasmacytoid dendritic cells (pDCs) from a patient with AR IRF7 deficiency (fig. S9A) (7). These cells were present in normal proportions (fig. S9B), but they did not produce any detectable type I or III IFNs in response to SARS-CoV-2, as analyzed by cytometric bead

array (CBA), enzyme-linked immunosorbent assay (ELISA), and RNA sequencing (RNA-seq) (Fig. 4, B and C). We also showed that PHA-T cells from a patient with AR IFN- $\alpha$ / $\beta$  receptor 1 (*IFNAR1*) deficiency had impaired *IFNAR1* expression and responses to IFN- $\alpha$ 2 or IFN- $\beta$ , and that the patient's SV40-transformed fibroblast (SV40-Fib) cells did not respond to IFN- $\alpha$ 2 or IFN- $\beta$  (Fig. 5). We then infected *TLR3*<sup>-/-</sup>, *TLR3*<sup>+/-</sup>, *IRF7*<sup>-/-</sup> SV40-Fib cells, and *IRF7*<sup>-/-</sup> SV40-Fib cells rescued with wild-type (WT) *IRF7*; *IFNAR1*<sup>-/-</sup> SV40-Fib cells, and *IFNAR1*<sup>-/-</sup> SV40-Fib cells rescued with WT



**Fig. 5. Type I IFN responses in patient cells defective for IFNAR1.** (A) FACS staining of IFNAR1 on the surface of PHA-T cells from a patient with AR IFNAR1 deficiency (P5) and healthy donors (C1 and C2). (B) PHA-T cells and SV40-Fib from a patient with AR IFNAR1 deficiency (P5) and a healthy donor (C3) were stimulated with IFN- $\alpha$ 2 or IFN- $\beta$ , and p-STAT1 levels were determined by FACS. Interleukin-27 stimulation served as a positive control on PHA-T cells, whereas IFN- $\gamma$  stimulation served as a positive control on SV40-Fib cells.

IFNAR1, all of which were previously transduced with angiotensin-converting enzyme 2 (ACE2) and transmembrane protease, serine 2 (TMPRSS2). SARS-CoV-2 infection levels were higher in mutant cells than in cells from healthy donors, and transduction of WT *IRF7* or *IFNAR1* rescued their defects (Fig. 6). Collectively, these findings showed that AR *IRF7* deficiency impaired the production of type I IFN by pDCs stimulated with SARS-CoV-2, whereas AR and AD deficiencies of TLR3 or AR deficiency of IFNAR1 impaired fibroblast-intrinsic type I IFN immunity to SARS-CoV2. They also suggest that heterozygosity for LOF variations at the other five mutated loci also underlie life-threatening COVID-19.

#### Impaired production of type I IFNs in patients in vivo

We tested whether these genotypes impaired the production of type I IFN in vivo during the course of SARS-CoV-2 infection. We measured the levels of the 13 types of IFN- $\alpha$  in the blood of patients during the acute phase of COVID-19. We found that 10 of the 23 patients with mutations for whom samples were available (one with AR *IRF7* deficiency, four with AD *IRF7* deficiency, one with AD TLR3 deficiency, two with AD *TBK1* deficiency, one with AR *IFNAR1* deficiency, and one with AD *TICAM1* deficiency) had serum IFN- $\alpha$  levels <1 pg/ml

(Fig. 7). By contrast, previously published cohorts of patients hospitalized with unexplained, severe COVID-19 had various serum IFN- $\alpha$  levels, significantly higher than our 10 patients [one-way analysis of variance (ANOVA),  $P = 1.4 \times 10^{-7}$ ; Fig. 7] (27, 28). Another 29 patients from our cohort displaying auto-antibodies (auto-Abs) against type I IFNs, reported in an accompanying paper, had undetectable levels of serum IFN- $\alpha$  (29). Moreover, none of the 23 patients with LOF mutations of the eight genes had detectable auto-Abs against type I IFNs (29), strongly suggesting that the two mechanisms of disease are similar but independent. Excluding patients with auto-Abs against type I IFN from the burden test of pLOF variants at the 12 autosomal loci strengthened the association signal ( $P = 0.007$ ; OR = 8.97; 95% CI = 1.13 to 71.09).


#### Inborn errors of TLR3- and IRF7-dependent type I immunity underlie critical COVID-19

Collectively, our data suggest that at least 23 of the 659 patients with life-threatening COVID-19 pneumonia studied had known (six disorders) or new (four disorders) genetic defects at eight loci involved in the TLR3- and IRF7-dependent induction and amplification of type I IFNs. This discovery reveals the essential role of both the double-stranded RNA sensor TLR3 and type I IFN cell-intrinsic immunity in the

control of SARS-CoV-2 infection in the lungs, consistent with their previously documented roles in pulmonary immunity to influenza virus (5–8). These genotypes were silent until infection with SARS-CoV-2. The most thought-provoking examples are the AR deficiencies of *IRF7* and *IFNAR1*. AR *IRF7* deficiency was diagnosed in two individuals aged 49 and 50 years, and AR *IFNAR1* deficiency was diagnosed in two individuals aged 26 and 38 years, and none of the four patients had a prior history of life-threatening infections (Table 1). One patient with *IRF7* deficiency was tested and was seropositive for several common viruses, including various influenza A and B viruses (figs. S10 and S11). These genetic defects therefore display incomplete penetrance for influenza respiratory distress and only manifested clinically upon infection with the more virulent SARS-CoV-2.

#### Conclusion

The AR form of *IFNAR1* deficiency highlights the importance of type I IFN production relative to type III IFN production, which is also impaired by defects of TLR3, *IRF7*, and *IRF9* (5). This conclusion is also supported by our accompanying report of neutralizing auto-Abs against type I IFNs, but not type III IFNs, in other patients with life-threatening COVID-19 pneumonia (29). Inborn errors of TLR3- and



**Fig. 6. Cell-intrinsic type I IFN response to SARS-CoV-2.** SV40-Fib cells of TLR3<sup>-/-</sup>, TLR3<sup>+/-</sup>, IRF7<sup>-/-</sup>, and IRF7<sup>-/-</sup> SV40-Fib cells rescued with WT IRF7; IFNAR1<sup>-/-</sup> SV40-Fib cells, and IFNAR1<sup>-/-</sup> SV40-Fib cells rescued with WT IFNAR1 were transduced with ACE2 and TMPRSS2 and then either left untreated or treated with IFN- $\beta$  for 4 hours. Cells were then infected with SARS-CoV-2 (MOI = 0.5). After staining, ACE2 and viral S-protein levels were measured by high-content microscopy with gating on ACE2<sup>+</sup> cells. IRF7-deficient SV40-Fib cells were previously transduced with either WT IRF7 or negative control (Luc). IFNAR1-deficient cells were previously transduced with either WT IFNAR1 or empty vector (EV).

IRF7-dependent type I IFN immunity at eight loci were found in as many as 23 patients (3.5%) of various ages (17 to 77 years) and ancestries (various nationalities from Asia, Europe, Latin America, and the Middle East) and in patients of both sexes (Table 1). Our findings suggest that there may be mutations in other type I IFN-related genes in other patients with life-threatening COVID-19 pneumonia. They also suggest that the administration of type I IFN may be of therapeutic benefit in selected patients, at least early in the course of SARS-CoV-2 infection.

## Methods

### Patients

We included in this study 659 patients with life-threatening COVID-19 pneumonia, defined as patients with pneumonia who developed critical disease, whether pulmonary with mechanical ventilation (CPAP, BIPAP, intubation, hi-flow oxygen), septic shock, or with any other organ damage requiring admission to the intensive care unit. Patients who developed Kawasaki-like syndrome were excluded. The age of the patients ranged from 0.1 to 99 years, with a mean age of 51.8 years (SD 15.9 years), and 25.5% of the patients were female. As controls, we enrolled 534 individuals infected with SARS-CoV-2 based on a positive polymerase chain reaction (PCR) and/or serological test and/or the presence of typical symptoms such as anosmia or ageusia after exposure to a confirmed COVID-19 case, who remained asymptomatic or developed mild, self-healing, ambulatory disease.

### Next-generation sequencing

Genomic DNA was extracted from whole blood. For the 1193 patients and controls included, the whole exome ( $N = 687$ ) or whole genome ( $N = 506$ ) was sequenced. We used the Genome Analysis Software Kit (GATK) (version 3.4-46 or 4) best-practice pipeline to analyze our whole-exome-sequencing data (30). We aligned the reads obtained with the human reference genome (hg19) using the maximum exact matches algorithm in Burrows-Wheeler Aligner software (31). PCR duplicates were removed with Picard tools (<http://broadinstitute.github.io/picard/>). The GATK base quality score recalibrator was applied to correct sequencing artifacts.

All of the variants were manually curated using Integrative Genomics Viewer (IGV) and confirmed to affect the main functional protein isoform by checking the protein sequence before inclusion in further analyses. The main functional protein isoforms were TLR3 (NM\_003265), UNC93B1 (NM\_030930.4), TICAM1 (NM\_182919), TRAF3 (NM\_145725.2), TBK1 (NM\_013254.4), IRF3 (NM\_001571), IRF7 (NM\_001572.5), IFNAR1 (NM\_000629.3), IFNAR2 (NM\_001289125.3), STAT1 (NM\_007315.4), STAT2





the MFI of mock-infected cells plus 4 SDs. The median SARS-CoV-2 MFI and percentage SARS-CoV-2-positive cells were calculated for each well (independent infection).

### Single-molecule array (Simoa) IFN- $\alpha$ digital ELISA

Serum IFN- $\alpha$  concentrations were determined using Simoa technology, with reagents and procedures obtained from Quanterix Corporation (Quanterix Simoa<sup>TM</sup> IFN $\alpha$  Reagent Kit, Lexington, MA, USA). According to the manufacturer's instructions, the working dilutions were 1:2 for all sera in working volumes of 170  $\mu$ l.

### REFERENCES AND NOTES

- D. M. Morens, A. S. Fauci, Emerging pandemic diseases: How we got to COVID-19. *Cell* **182**, 1077–1092 (2020). doi: [10.1016/j.cell.2020.08.021](https://doi.org/10.1016/j.cell.2020.08.021); pmid: [32846157](https://pubmed.ncbi.nlm.nih.gov/32846157/)
- J. L. Casanova, L. Abel, Lethal Infectious Diseases as Inborn Errors of Immunity: Toward a Synthesis of the Germ and Genetic Theories. *Annu. Rev. Pathol.* (2020). pmid: [32289233](https://pubmed.ncbi.nlm.nih.gov/32289233/)
- J. L. Casanova, L. Abel, The human genetic determinism of life-threatening infectious diseases: Genetic heterogeneity and physiological homogeneity? *Hum. Genet.* **139**, 681–694 (2020). doi: [10.1007/s00439-020-02184-w](https://doi.org/10.1007/s00439-020-02184-w); pmid: [32462426](https://pubmed.ncbi.nlm.nih.gov/32462426/)
- J. L. Casanova, H. C. Su, COVID Human Genetic Effort. A global effort to define the human genetics of protective immunity to SARS-CoV-2 infection. *Cell* **181**, 1194–1199 (2020). doi: [10.1016/j.cell.2020.05.016](https://doi.org/10.1016/j.cell.2020.05.016); pmid: [32405102](https://pubmed.ncbi.nlm.nih.gov/32405102/)
- Q. Zhang, Human genetics of life-threatening influenza pneumonitis. *Hum. Genet.* **139**, 941–948 (2020). doi: [10.1007/s00439-019-02108-3](https://doi.org/10.1007/s00439-019-02108-3); pmid: [32025908](https://pubmed.ncbi.nlm.nih.gov/32025908/)
- H. K. Lim *et al.*, Severe influenza pneumonitis in children with inherited TLR3 deficiency. *J. Exp. Med.* **216**, 2038–2056 (2019). doi: [10.1084/jem.20181621](https://doi.org/10.1084/jem.20181621); pmid: [31217193](https://pubmed.ncbi.nlm.nih.gov/31217193/)
- M. J. Ciancanelli *et al.*, Life-threatening influenza and impaired interferon amplification in human IRF7 deficiency. *Science* **348**, 448–453 (2015). doi: [10.1126/science.1258157](https://doi.org/10.1126/science.1258157); pmid: [25814066](https://pubmed.ncbi.nlm.nih.gov/25814066/)
- N. Hernandez *et al.*, Life-threatening influenza pneumonitis in a child with inherited IRF9 deficiency. *J. Exp. Med.* **215**, 2567–2585 (2018). doi: [10.1084/jem.20180628](https://doi.org/10.1084/jem.20180628); pmid: [30143481](https://pubmed.ncbi.nlm.nih.gov/30143481/)
- V. Sancho-Shimizu *et al.*, Herpes simplex encephalitis in children with autosomal recessive and dominant TRIF deficiency. *J. Clin. Invest.* **121**, 4889–4902 (2011). doi: [10.1172/JCI59259](https://doi.org/10.1172/JCI59259); pmid: [22105173](https://pubmed.ncbi.nlm.nih.gov/22105173/)
- A. Casrouge *et al.*, Herpes simplex virus encephalitis in human UNC-93B deficiency. *Science* **314**, 308–312 (2006). doi: [10.1126/science.1128346](https://doi.org/10.1126/science.1128346); pmid: [16973841](https://pubmed.ncbi.nlm.nih.gov/16973841/)
- R. Pérez de Diego *et al.*, Human TRAF3 adaptor molecule deficiency leads to impaired Toll-like receptor 3 response and susceptibility to herpes simplex encephalitis. *Immunity* **33**, 400–411 (2010). doi: [10.1016/j.immuni.2010.08.014](https://doi.org/10.1016/j.immuni.2010.08.014); pmid: [20832341](https://pubmed.ncbi.nlm.nih.gov/20832341/)
- M. Herman *et al.*, Heterozygous TBK1 mutations impair TLR3 immunity and underlie herpes simplex encephalitis of childhood. *J. Exp. Med.* **209**, 1567–1582 (2012). doi: [10.1084/jem.20111316](https://doi.org/10.1084/jem.20111316); pmid: [22851595](https://pubmed.ncbi.nlm.nih.gov/22851595/)
- L. L. Andersen *et al.*, Functional IRF3 deficiency in a patient with herpes simplex encephalitis. *J. Exp. Med.* **212**, 1371–1379 (2015). doi: [10.1084/jem.20142274](https://doi.org/10.1084/jem.20142274); pmid: [26216125](https://pubmed.ncbi.nlm.nih.gov/26216125/)
- M. Audry *et al.*, NEMO is a key component of NF- $\kappa$ B- and IRF-3-dependent TLR3-mediated immunity to herpes simplex virus. *J. Allergy Clin. Immunol.* **128**, 610–617.e4 (2011). doi: [10.1016/j.jaci.2011.04.059](https://doi.org/10.1016/j.jaci.2011.04.059); pmid: [21729247](https://pubmed.ncbi.nlm.nih.gov/21729247/)
- N. Hernandez *et al.*, Inherited IFNAR1 deficiency in otherwise healthy patients with adverse reaction to measles and yellow fever live vaccines. *J. Exp. Med.* **216**, 2057–2070 (2019). doi: [10.1084/jem.20182295](https://doi.org/10.1084/jem.20182295); pmid: [31270247](https://pubmed.ncbi.nlm.nih.gov/31270247/)
- C. J. Duncan *et al.*, Human IFNAR2 deficiency: Lessons for antiviral immunity. *Sci. Transl. Med.* **7**, 307ra154 (2015). doi: [10.1126/scitranslmed.aac4227](https://doi.org/10.1126/scitranslmed.aac4227); pmid: [26424569](https://pubmed.ncbi.nlm.nih.gov/26424569/)
- S. Dupuis *et al.*, Impaired response to interferon- $\alpha$ /beta and lethal viral disease in human STAT1 deficiency. *Nat. Genet.* **33**, 388–391 (2003). doi: [10.1038/ng1097](https://doi.org/10.1038/ng1097); pmid: [12590259](https://pubmed.ncbi.nlm.nih.gov/12590259/)
- S. Hambleton *et al.*, STAT2 deficiency and susceptibility to viral illness in humans. *Proc. Natl. Acad. Sci. U.S.A.* **110**, 3053–3058 (2013). doi: [10.1073/pnas.1220098110](https://doi.org/10.1073/pnas.1220098110); pmid: [23391734](https://pubmed.ncbi.nlm.nih.gov/23391734/)
- R. Döflinger *et al.*, X-linked anhidrotic ectodermal dysplasia with immunodeficiency is caused by impaired NF- $\kappa$ B signaling. *Nat. Genet.* **27**, 277–285 (2001). doi: [10.1038/85837](https://doi.org/10.1038/85837); pmid: [11242109](https://pubmed.ncbi.nlm.nih.gov/11242109/)
- S. Y. Zhang *et al.*, TLR3 deficiency in patients with herpes simplex encephalitis. *Science* **317**, 1522–1527 (2007). doi: [10.1126/science.1139522](https://doi.org/10.1126/science.1139522); pmid: [17872438](https://pubmed.ncbi.nlm.nih.gov/17872438/)
- G. Zhang *et al.*, A proline deletion in IFNAR1 impairs IFN-signaling and underlies increased resistance to tuberculosis in humans. *Nat. Commun.* **9**, 85 (2018). doi: [10.1038/s41467-017-02611-z](https://doi.org/10.1038/s41467-017-02611-z); pmid: [30291663](https://pubmed.ncbi.nlm.nih.gov/30291663/)
- M. M. Thomsen *et al.*, Identification of an IRF3 variant and defective antiviral interferon responses in a patient with severe influenza. *Eur. J. Immunol.* **49**, 2111–2114 (2019). doi: [10.1002/eji.201848083](https://doi.org/10.1002/eji.201848083); pmid: [31250433](https://pubmed.ncbi.nlm.nih.gov/31250433/)
- M. M. Thomsen *et al.*, Defective interferon priming and impaired antiviral responses in a patient with an IRF7 variant and severe influenza. *Med. Microbiol. Immunol. (Berl.)* **208**, 869–876 (2019). doi: [10.1007/s00430-019-00623-8](https://doi.org/10.1007/s00430-019-00623-8); pmid: [31172279](https://pubmed.ncbi.nlm.nih.gov/31172279/)
- S. G. Tangye *et al.*, Human inborn errors of immunity: 2019 update on the classification from the International Union of Immunological Societies Expert Committee. *J. Clin. Immunol.* **40**, 24–64 (2020). doi: [10.1007/s10875-019-00737-x](https://doi.org/10.1007/s10875-019-00737-x); pmid: [31953710](https://pubmed.ncbi.nlm.nih.gov/31953710/)
- A. Bousifha *et al.*, Human Inborn Errors of Immunity: 2019 Update of the IUIS Phenotypical Classification. *J. Clin. Immunol.* **40**, 66–81 (2020). doi: [10.1007/s10875-020-00758-x](https://doi.org/10.1007/s10875-020-00758-x); pmid: [32048120](https://pubmed.ncbi.nlm.nih.gov/32048120/)
- L. D. Notarangelo, R. Bacchetta, J.-L. Casanova, H. C. Su, Human inborn errors of immunity: An expanding universe. *Sci. Immunol.* **5**, eabb1662 (2020). doi: [10.1126/sciimmunol.abb1662](https://doi.org/10.1126/sciimmunol.abb1662); pmid: [32651211](https://pubmed.ncbi.nlm.nih.gov/32651211/)
- J. Hadjadji *et al.*, Impaired type I interferon activity and inflammatory responses in severe COVID-19 patients. *Science* **369**, 718–724 (2020). doi: [10.1126/science.abc6027](https://doi.org/10.1126/science.abc6027); pmid: [32661059](https://pubmed.ncbi.nlm.nih.gov/32661059/)
- S. Trouillet-Assant *et al.*, Type I IFN immunoprofiling in COVID-19 patients. *J. Allergy Clin. Immunol.* **146**, 206–208.e2 (2020). doi: [10.1016/j.jaci.2020.04.029](https://doi.org/10.1016/j.jaci.2020.04.029); pmid: [32360285](https://pubmed.ncbi.nlm.nih.gov/32360285/)
- P. Bastard *et al.*, Auto-antibodies against type I IFNs in patients with life-threatening COVID-19. *Science* **10.1126/science.abd4585** (2020).
- M. A. DePristo *et al.*, A framework for variation discovery and genotyping using next-generation DNA sequencing data. *Nat. Genet.* **43**, 491–498 (2011). doi: [10.1038/ng.806](https://doi.org/10.1038/ng.806); pmid: [21478889](https://pubmed.ncbi.nlm.nih.gov/21478889/)
- H. Li, R. Durbin, Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics* **25**, 1754–1760 (2009). doi: [10.1093/bioinformatics/btp324](https://doi.org/10.1093/bioinformatics/btp324); pmid: [19451168](https://pubmed.ncbi.nlm.nih.gov/19451168/)
- B. Boisson *et al.*, Rescue of recurrent deep intronic mutation underlying cell type-dependent quantitative NEMO deficiency. *J. Clin. Invest.* **129**, 583–597 (2019). doi: [10.1172/JCI124011](https://doi.org/10.1172/JCI124011); pmid: [30422821](https://pubmed.ncbi.nlm.nih.gov/30422821/)
- T. Gambin *et al.*, Homozygous and hemizygous CNV detection from exome sequencing data in a Mendelian disease cohort. *Nucleic Acids Res.* **45**, 1633–1648 (2017). pmid: [27980096](https://pubmed.ncbi.nlm.nih.gov/27980096/)
- D. Backenroth *et al.*, CANOES: Detecting rare copy number variants from whole exome sequencing data. *Nucleic Acids Res.* **42**, e97 (2014). doi: [10.1093/nar/gku345](https://doi.org/10.1093/nar/gku345); pmid: [24771342](https://pubmed.ncbi.nlm.nih.gov/24771342/)
- M. Bouaziz, J. Mullaert, B. Bigio, Y. Seelthner, J.-L. Casanova, A. Alcais, L. Abel, A. Cobat, Controlling for human population stratification in rare variant association studies. *bioRxiv* 969477 [Preprint]. 28 February 2020. doi: [10.1101/2020.02.28.969477](https://doi.org/10.1101/2020.02.28.969477)
- E. Peryn, R. Redon, L. Bellanger, C. Dina, The impact of a fine-scale population stratification on rare variant association test results. *PLOS ONE* **13**, e0207677 (2018). doi: [10.1371/journal.pone.0207677](https://doi.org/10.1371/journal.pone.0207677); pmid: [30521541](https://pubmed.ncbi.nlm.nih.gov/30521541/)
- Y. Zhang, X. Shen, W. Pan, Adjusting for population stratification in a fine scale with principal components and sequencing data. *Genet. Epidemiol.* **37**, 787–801 (2013). doi: [10.1002/gepi.21764](https://doi.org/10.1002/gepi.21764); pmid: [24123217](https://pubmed.ncbi.nlm.nih.gov/24123217/)
- S. Boisson-Dupuis *et al.*, Tuberculosis and impaired IL-23-dependent IFN- $\gamma$  immunity in humans homozygous for a common TYK2 missense variant. *Sci. Immunol.* **3**, eaau8714 (2018). doi: [10.1126/sciimmunol.aau8714](https://doi.org/10.1126/sciimmunol.aau8714); pmid: [30578352](https://pubmed.ncbi.nlm.nih.gov/30578352/)
- S. Fochi *et al.*, TRAF3 Is Required for NF- $\kappa$ B Pathway Activation Mediated by HTLV Tax Proteins. *Front. Microbiol.* **10**, 1302 (2019). doi: [10.3389/fmicb.2019.01302](https://doi.org/10.3389/fmicb.2019.01302); pmid: [31244411](https://pubmed.ncbi.nlm.nih.gov/31244411/)
- D. F. Robbiani *et al.*, Convergent antibody responses to SARS-CoV-2 in convalescent individuals. *Nature* **584**, 437–442 (2020). doi: [10.1038/s41586-020-2456-9](https://doi.org/10.1038/s41586-020-2456-9); pmid: [32555388](https://pubmed.ncbi.nlm.nih.gov/32555388/)
- Q. Zhang, P. Bastard, Z. Liu, J. Le Pen, M. Moncada-Velez, J. Chen, M. Ogishi, I. K. D. Sabli, S. Hodeib, C. Korol, J. Rosain, K. Bilguvar, J. Ye, A. Bolze, B. Bigio, R. Yang, A. Augusto Arias Sierra, Q. Zhou, Y. Zhang, F. Onodi, S. Korniotis, L. Karpf, Q. Philippot, M. Chbibi, L. Bonnet-Madin, K. Dorgham, N. Smith, W. M. Schneider, B. S. Razooyk, H.-H. Hoffmann, E. Michailidis, L. Moens, J. E. Han, L. Lorenzo, L. Bizienz, P. Meade, A.-L. Neehus, A. C. Ugurbil, A. Corneau, G. Kerner, P. Zhang, F. Rapaport, Y. Seelthner, J. Many, C. Masson, Y. Schmitt, A. Schlüter, T. Le Voyer, T. Khan, J. Li, J. Fellay, L. Roussel, M. Shahrooei, M. F. Alosaimi, D. Mansouri, H. Al-Saud, F. Al-Mulla, F. Almourfi, S. Z. Al-Muhsen, F. Alshime, S. Al Turki, R. Hasanato, D. van de Beek, A. Biondi, L. R. Bettini, M. D'Angio, P. Bonfanti, L. Imberti, A. Sottini, S. Paghera, E. Quiros-Roldan, C. Rossi, A. J. Oler, M. F. Tompkins, C. Alba, I. Vandernoot, J.-C. Goffard, G. Smits, I. Migeotte, F. Haerynk, P. Soler-Palacin, A. Martin-Nalda, R. Colobran, P.-E. Morange, S. Keles, F. Çöklesen, A. Orzelik, K. K. Yasar, S. Senoglu, Ş. N. Karabela, C. Rodriguez-Gallego, G. Novelli, S. Hraiech, Y. Tandjaoui-Lambiotte, C. Duval, C. Laouenan, COVID-STORM Clinicians, COVID Clinicians, Imagine COVID Group, French COVID Cohort Study Group, CoV-Contact Cohort, Amsterdam UMC Covid-19 Biobank, COVID Human Genetic Effort, NIAID-USUHS/TAGC COVID Immunity Group, A. L. Snow, C. L. Dalgard, J. Milner, D. C. Vinh, T. H. Mogensen, M. Marr, A. N. Spaan, B. Boisson, S. Boisson-Dupuis, J. Bustamante, A. Puel, M. Ciancanelli, I. Meys, T. Maniatis, V. Soumelis, A. Amara, M. Nussenzweig, A. Garcia-Sastre, F. Krammer, A. Pujol, D. Duffy, R. Lifton, S.-Y. Zhang, G. Gorochov, V. Béziat, E. Jouanguy, V. Sancho-Shimizu, C. M. Rice, L. Abel, L. D. Notarangelo, A. Cobat, H. C. Su, J.-L. Casanova, Detailed genotype counts for all coding variants for: Inborn errors of type I IFN immunity in patients with life-threatening COVID-19. *Dryad* (2020). doi: [10.5061/dryad.8pk0p2nkk](https://doi.org/10.5061/dryad.8pk0p2nkk)

### ACKNOWLEDGMENTS

We thank the patients, their families, and healthy donors for placing their trust in us; Y. Nemirovskaya, D. Papandrea, M. Woollet, D. Liu, C. Rivailin, and C. Pattissier for administrative assistance; A. Adeleye, D. Bacikova, E. McGrath Martinez, A. R. Soltis, K. Dobbs, J. Danielson, H. Matthews, and S. Weber for technical and other assistance; M. M. A. Ata and F. Al Ali for their contribution to VirScan experiments; S. Elledge (Brigham and Women's Hospital and Harvard Medical School, Boston, MA) for kindly providing the VirScan phage library used in this study; A. W. Ashbrook, the BSL3 manager of the Rice laboratory assistance; M. Lazzaro, Director of Immigration and Academic Appointments, for assistance; W. Chung, K. Kiryluk, S. O'Byrne, D. Pendrick, J. Williamson, C. Andrews, and M. Disco in the J.M. lab for assistance; M. Andreoni (Tor Vergata, Italy) for his clinical contribution; and A. Novelli (Bambino Gesù Hospital, Italy) for his collaboration. We thank the GEN-COVID Multicenter study (<https://sites.google.com/dbm.unisi.it/gen-covid>). This study used the high-performance computational resources of the National Institutes of Health (NIH) HPC Biowulf cluster (<http://hpc.nih.gov>) and the Office of Cyber Infrastructure and Computational Biology (OCIB) High Performance Computing (HPC) cluster at the National Institute of Allergy and Infectious Diseases (NIAID), Bethesda, MD. The opinions and assertions expressed herein are those of the authors and are not to be construed as reflecting the views of the Uniformed Services University of the Health Sciences (USUHS) or the U.S. Department of Defense (DoD). **Funding:** This work was supported by a generous donation from the Fisher Center for Alzheimer's Research Foundation. The Laboratory of Human Genetics of Infectious Diseases is supported by the Howard Hughes Medical Institute, the Rockefeller University, the St. Giles Foundation, the NIH (R01AI088364), the National Center for Advancing Translational Sciences (NCATS), the NIH Clinical and Translational Science Award (CTSA) program (UL1 TR001866), a Fast Grant from Emergent Ventures, Mercurius Center at George Mason University, the Yale Center for Mendelian Genomics and the GSP Coordinating Center funded by the National Human Genome Research Institute (NHGRI) (UM1HG006504 and U24HG008956), the French National Research Agency (ANR) under the "Investments for the Future" program (ANR-10-IAHU-01), the Integrative Biology of Emerging Infectious Diseases Laboratory of Excellence (ANR-10-LABX-62-IBED), the French Foundation for

Medical Research (FRM) (EQU201903007798), the FRM and ANR GENCOV project, ANRS-COV05, the Square Foundation, Grandir-Fonds de Solidarité pour l'Enfance, the SCOR Corporate Foundation for Science, Institut National de la Santé et de la Recherche Médicale (INSERM), the University of Paris. The French COVID Cohort study group was sponsored by Inserm and supported by the REACTing consortium and by a grant from the French Ministry of Health (PHRC 20-0424). Regione Lombardia, Italy (project "Risposta immune in pazienti con COVID-19 e comorbidità"), and the Intramural Research Program of the NIAID, NIH. The laboratory of Genomes & Cell Biology of Disease is supported by "Integrative Biology of Emerging Infectious Diseases" (grant no. ANR-10-LABX-62-IBED), the "Fondation pour la Recherche Médicale" (grant FRM-EQU202003010193), the "Agence Nationale de la Recherche" (ANR FLASH COVID project IDISCOVER cofunded by the "Fondation pour la Recherche Médicale"), University of Paris ("Plan de Soutien Covid-19": RACP20FIR01-COVID-SOUL). I.M. is a senior clinical investigator with the FWO Vlaanderen; I.M. and L.M. are supported by FWO GOC8517N – G0B5120N. The VS team was supported by "Agence Nationale de la Recherche" (ANR-17-CE15-0003, ANR-17-CE15-0003-01) and by Université de Paris "PLAN D'URGENCE COVID19". L.K. was supported by a fellowship from the French Ministry of Research. V.S.-S. is supported by a UKRI Future Leaders Fellowship (MR/S032304/1). S.Z.A.-M. is supported by the Elite Journals Program at King Saud University through grant no. PEJP-16-107. The J.M. laboratory is supported by Columbia University COVID biobank and grant no. UL1TR001873. Work in the Laboratory of Virology and Infectious Disease was supported by NIH grants P01AI138398-S1, 2U19AI118125, and R01AI091707-10S1; a George Mason University Fast Grant; and the G. Harold and Leila Y. Mathers Charitable Foundation. J.L.P. is supported by a European Molecular Biology Organization Long-Term Fellowship (ALTF 380-2018). Work at the Neurometabolic Diseases Laboratory received funding from the European Union's Horizon 2020 research and innovation program under grant no. 824110 (EasiGenomics grant no. COVID-19/PID12342) to A.P., and Roche and Illumina Covid Match Funds to M.G.. C.R.G. and colleagues are supported by Instituto de Salud Carlos III (COV20\_01333 and COV20\_01334), Spanish Ministry of Science and Innovation, with the funding of European Regional Development Fund-European Social Fund -FEDER-FSE; (RTC-2017-6471-1); AEI/FEDER, UE), and Cabildo Insular de Tenerife (CGIEU0000219140 and "Apuestas científicas del ITER para colaborar en la lucha contra la COVID-19"). D.C.V. is supported by the Fonds de la recherche en santé du Québec clinician-scientist scholar program. H.S. is adjunct faculty at the University of Pennsylvania. A.-L.N. was supported by the Foundation Bettencourt Schueller. The Amsterdam UMC Covid-19 Biobank was funded by the Netherlands Organization for Health Research and Development (ZonMw, NWO-vici 91819627), The Corona Research Fund (Amsterdam UMC), Dr. J. C. Vaillantfonds, and Amsterdam UMC. Work on COVID-19 at the A.G.-S. laboratory is partly supported by NIH supplements to grants U19AI135972, U19AI142733, and R35 HL135834, and to contract HHSN272201800048C, by a DoD supplement to grant W81XWH-20-1-0270, by DARPA project HRO011-19-2-0020, by CRIP (Center for Research on Influenza Pathogenesis), a NIAID funded Center of Excellence for Influenza Research and Surveillance (CEIRS, contract HHSN272201400008C), by a NIAID funded Collaborative Influenza Vaccine Innovation Center (SEM-CIVIC, contract 75N93019C00051) and by the generous support of the JPB Foundation, the Open Philanthropy Project (research grant 2020-215611(5384)) and anonymous donors. The Virscan analysis presented in fig. S11 was performed with financial support from Sidra Medicine. J.R.H. is supported by Biomedical Advanced Research and Development Authority under Contract (HHS010201600031C).

**Author contributions:** A.G., A.A., A.A.A., A.L.S., A.-L.N., A.C., A.C., A.P., B.B., B.S.R., C.A., C.M., C.K., C.L., C.M.S., C.L.D., D.D., E.M., E.J., F.A., F.A.-M., F.O., F.A., F.K., G.N., G.S., G.G., H.-H.H., H.K.A.S., H.S., I.K.D.S., I.M., J.L.P., J.R., J.E.H., J.C., J.M., J.Y., K.D., K.B., L.A., L.L.-D., L.K., L.M., L.B.-M., L.B., L.D.N., M.M.-V., M.C., M.O., M.C., M.N., M.F.T., M.S., M.F.A., N.M., N.S., P.B., P.M., Q.Z., Q.Z., Q.P., R.L., R.Y., S.A.T., S.Z.A.-M., S.H., S.K., S.H., S.B.-D., T.K., T.M., T.H.M., V.S.-S., V.S., V.B., W.S., X.D., Y.S., and Z.D. either performed or supervised experiments, generated and analyzed data, and contributed to the manuscript. A.S., A.C.U., A.B., A.O., A.P., B.B., D.V. D.B., F.R., G.K., J.M., P.Z., S.-Y.Z., T.L.-V., Y.S., and Y.Z. performed computational analysis. A.S., A.N.S., A.M.-N., A.B., C.R., D.M., D.C.V., E.Q.-R., F.H., I.M., I.V., J.B., J.-C.G., L.R.B., L.R., L.I., M.D., P.B., P.S.-P., P.-E.M., R.H., R.C., S.K., S.P., T.O., Y.T.-L., K.K., S.S., J.F., and S.N.K. evaluated and recruited patients to COVID and/or control cohorts. Q.Z. and J.-L.C. wrote the manuscript. All authors edited the manuscript. J.-L.C. supervised the project. **Competing interests:**

The authors declare no competing financial interests. J.-L.C. is listed as an inventor on patent application US63/055,155 filed by The Rockefeller University that encompasses aspects of this publication. R.L. is a non-executive director of Roche and its subsidiary Genentech. **Data and materials availability:** Plasma, cells, and genomic DNA are available from J.-L.C. or D.V. under a material transfer agreement with Rockefeller University/Research Institute-McGill University Health Centre. pSCRPSY\_TMPRSS2-2A-Neor\_ACE2 and Huh-7.5 cells are available upon request from C.R. under a material transfer agreement with The Rockefeller University, or The Rockefeller University and Apath, LLC, respectively. Clinical data, DNA, and other patient samples are available from the Amsterdam UMC Covid-19 Biobank (D.v.d.B.) under a material transfer agreement with Amsterdam UMC. Material and reagents used are almost exclusively commercially available and nonproprietary. Requests for materials derived from human samples may be made available, subject to any underlying restrictions on such samples. J.-L.C. can make material transfer agreements available through The Rockefeller University. Detailed genotype counts for all coding variants in the genes investigated in this manuscript are available at Dryad (41). The whole-genome sequencing datasets used for the analyses, including critical patients and asymptomatic controls described in this manuscript, were deposited in dbGaP under accession number phs002245.v1.p1. All other data are available in the manuscript or the supplementary material. This work is licensed under a Creative Commons Attribution 4.0 International (CC BY 4.0) license, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. To view a copy of this license, visit <https://creativecommons.org/licenses/by/4.0/>. This license does not apply to figures/photos/artwork or other content included in the article that is credited to a third party; obtain authorization from the rights holder before using such material.

**COVID-STORM Clinicians** Giuseppe Foti<sup>1</sup>, Giacomo Bellani<sup>1</sup>, Giuseppe Citerio<sup>1</sup>, Ernesto Contro<sup>1</sup>, Alberto Pesci<sup>2</sup>, Maria Grazia Valsecchi<sup>3</sup>, Marina Cazzaniga<sup>4</sup>

<sup>1</sup>Department of Emergency, Anesthesia and Intensive Care, School of Medicine and Surgery, University of Milano-Bicocca, San Gerardo Hospital, Monza, Italy. <sup>2</sup>Department of Pneumology, School of Medicine and Surgery, University of Milano-Bicocca, San Gerardo Hospital, Monza, Italy. <sup>3</sup>Center of Bioinformatics and Biostatistics, School of Medicine and Surgery, University of Milano-Bicocca, San Gerardo Hospital, Monza, Italy. <sup>4</sup>Phase I Research Center, School of Medicine and Surgery, University of Milano-Bicocca, San Gerardo Hospital, Monza, Italy.

**COVID Clinicians** Jorge Abad<sup>1</sup>, Sergio Aguilera-Albesa<sup>2</sup>, Ozge Metin Akcan<sup>3</sup>, Ilad Alavi Darazam<sup>4</sup>, Juan C. Aldave<sup>5</sup>, Miquel Alfonso Ramos<sup>5</sup>, Seyed Alireza Nadjfi<sup>6</sup>, Gulsum Alkan<sup>6</sup>, Jerome Allardet-Servent<sup>7</sup>, Luis M. Allende<sup>10</sup>, Laia Aisina<sup>11</sup>, Marie-Alexandra Alyanakian<sup>12</sup>, Blanca Amador-Borrero<sup>13</sup>, Zahir Amoura<sup>14</sup>, Arnau Antolí<sup>15</sup>, Sevket Arslan<sup>16</sup>, Sophie Assant<sup>17</sup>, Terese August<sup>18</sup>, Axelle Azot<sup>19</sup>, Fanny Bajolle<sup>20</sup>, Aurélie Baldolli<sup>21</sup>, Maite Ballester<sup>22</sup>, Hagit Baris Feldman<sup>23</sup>, Benoit Barrou<sup>24</sup>, Alexandra Beurton<sup>25</sup>, Argurtzane Bilbao<sup>26</sup>, Geraldine Blanchard-Rohner<sup>27</sup>, Ignacio Blanco<sup>28</sup>, Adeline Blandinières<sup>28</sup>, Daniel Blazquez-Gamero<sup>29</sup>, Marketa Bloomfield<sup>30</sup>, Mireia Bolívar-Prados<sup>31</sup>, Raphael Borie<sup>32</sup>, Cédric Bosteels<sup>33</sup>, Ahmed A. Boufina<sup>34</sup>, Claire Bouvattier<sup>35</sup>, Oksana Boyarchuk<sup>36</sup>, Maria Rita P. Bueno<sup>37</sup>, Jacinta Bustamante<sup>38</sup>, Juan José Cáceres Agra<sup>38</sup>, Semra Calimli<sup>39</sup>, Ruggero Capra<sup>40</sup>, Maria Carrabba<sup>41</sup>, Carlos Casasnovas<sup>42</sup>, Marion Caseris<sup>43</sup>, Martin Castelle<sup>44</sup>, Francesco Castell<sup>45</sup>, Martín Castillo de Vera<sup>46</sup>, Mateus V. Castro<sup>37</sup>, Emilie Catherinot<sup>47</sup>, Martin Chalumeau<sup>48</sup>, Bruno Charbit<sup>49</sup>, Matthew P. Cheng<sup>50</sup>, Pèrre Clavé<sup>51</sup>, Bonaventura Clotet<sup>51</sup>, Anna Codina<sup>52</sup>, Fatih Colkesen<sup>53</sup>, Fatma Çöklesen<sup>54</sup>, Roger Colobran<sup>55</sup>, Cloé Comarmond<sup>56</sup>, David Dalmau<sup>57</sup>, David Ross Darby<sup>58</sup>, Nicolas Dauby<sup>59</sup>, Stéphane Dauge<sup>60</sup>, Loïc de Pontual<sup>61</sup>, Amin Dehban<sup>62</sup>, Geoffroy Delplançq<sup>63</sup>, Alexandre Demoule<sup>64</sup>, Jean-Luc Diehl<sup>65</sup>, Stephanie Dobbelaere<sup>66</sup>, Sophie Durand<sup>67</sup>, Waleed Eldars<sup>68</sup>, Mohamed Elgamal<sup>69</sup>, Marwa H. Elmagdy<sup>70</sup>, Melike Emiroglu<sup>71</sup>, Emine Hafize Erdeniz<sup>72</sup>, Selma Erol Aytekin<sup>73</sup>, Romain Evrard<sup>74</sup>, Recep Evcan<sup>75</sup>, Giovanna Fabio<sup>41</sup>, Laurence Faivre<sup>76</sup>, Antonin Falck<sup>43</sup>, Muriel Fartoukh<sup>77</sup>, Morgane Faure<sup>78</sup>, Miquel Fernandez Arquer<sup>79</sup>, Carlos Flores<sup>80</sup>, Bruno Francois<sup>81</sup>, Victoria Fumadó<sup>82</sup>, Francesca Fusco<sup>83</sup>, Blanca Garcia Solis<sup>84</sup>, Pascale Gaussem<sup>85</sup>, Juana Gil-Herrera<sup>86</sup>, Laurent Gilardin<sup>87</sup>, Monica Girona Alarcón<sup>88</sup>, Mónica Girona-Alarcón<sup>88</sup>, Jean-Christophe Goffard<sup>89</sup>, Funda Gök<sup>90</sup>, Rafaela González-Montelongo<sup>91</sup>, Antoine Guerdier<sup>92</sup>, Yahya Gul<sup>93</sup>, Sukru Nail Guner<sup>93</sup>, Marta Gut<sup>94</sup>, Jérôme Hadjadi<sup>95</sup>, Filomeen Haerynck<sup>96</sup>, Rabih Halwan<sup>97</sup>, Lennart Hammarström<sup>98</sup>, Nevin Hatipoglu<sup>99</sup>, Elisa Hernandez-Brito<sup>100</sup>,

Cathérine Heijmans<sup>101</sup>, María Soledad Holanda-Peña<sup>102</sup>, Juan Pablo Horcajada<sup>103</sup>, Levi Hoste<sup>104</sup>, Eric Hoste<sup>105</sup>, Sami Hraiech<sup>106</sup>, Linda Humbert<sup>107</sup>, Alejandro D. Iglesias<sup>108</sup>, Antonio Íñigo-Campos<sup>91</sup>, Matthieu Jammé<sup>109</sup>, María Jesús Arranz<sup>110</sup>, Iolanda Jordan<sup>111</sup>, Philippe Jorens<sup>112</sup>, Fikret Kanat<sup>113</sup>, Hasan Kapaklı<sup>114</sup>, Iskender Kara<sup>115</sup>, Adem Karbuuz<sup>116</sup>, Kadiyri Kart Yasa<sup>117</sup>, Sevgi Keles<sup>118</sup>, Yasemin Kendir Demirkol<sup>119</sup>, Adam Klopper<sup>120</sup>, Zbigniew J. Król<sup>121</sup>, Paul Kuentz<sup>122</sup>, Yat Wah M. Kwan<sup>123</sup>, Jean-Christophe Lagier<sup>124</sup>, Bart N. Lambrecht<sup>125</sup>, Yu-Lung Lau<sup>125</sup>, Fleur Le Bourgeois<sup>126</sup>, Yee-Sin Leo<sup>126</sup>, Rafael Leon Lopez<sup>127</sup>, Daniel Leung<sup>125</sup>, Michael Levin<sup>128</sup>, Michael Levy<sup>60</sup>, Romain Lévy<sup>20</sup>, Zhi Li<sup>49</sup>, Agnes Linglart<sup>29</sup>, Bart Loeys<sup>130</sup>, José M. Lorenzo-Salazar<sup>91</sup>, Céline Louapre<sup>131</sup>, Catherine Lubetzki<sup>131</sup>, Charles-Edouard Luyt<sup>132</sup>, David C. Lye<sup>133</sup>, Davoud Mansouri<sup>134</sup>, Majid Marjani<sup>135</sup>, Jesus Marquez Pereira<sup>136</sup>, Andrea Martin<sup>137</sup>, David Martínez Puyo<sup>138</sup>, Javier Martínez-Picado<sup>139</sup>, Iciar Marzana<sup>140</sup>, Alexis Mathian<sup>14</sup>, Larissa R. B. Matos<sup>37</sup>, Gail W. Matthews<sup>141</sup>, Julien Mayaux<sup>142</sup>, Jean-Louis Mège<sup>143</sup>, Isabelle Melki<sup>144</sup>, Jean-François Meritet<sup>145</sup>, Ozge Metin<sup>146</sup>, Isabelle Meyts<sup>147</sup>, Mehdi Mezidi<sup>148</sup>, Isabelle Migeotte<sup>149</sup>, Maude Millereux<sup>150</sup>, Tristan Mirault<sup>151</sup>, Clotilde Mircher<sup>67</sup>, Mehdi Mirsaïdi<sup>152</sup>, Abián Monteseoca Melián<sup>153</sup>, Antonio Morales Martínez<sup>154</sup>, Pierre Morange<sup>155</sup>, Clémence Mordacq<sup>107</sup>, Guillaume Morelle<sup>156</sup>, Stéphane Mouly<sup>13</sup>, Adrián Muñoz-Barrera<sup>91</sup>, Leslie Naesens<sup>157</sup>, Cyril Nafati<sup>158</sup>, João Farelá Neves<sup>159</sup>, Lisa F.P. Ng<sup>160</sup>, Yeray Novoa Medina<sup>161</sup>, Esmeralda Nuñez Cuadros<sup>162</sup>, J. Gonzalo Ocejo-Vinyals<sup>163</sup>, Zerrin Orbak<sup>164</sup>, Mehdi Oualha<sup>20</sup>, Tayfun Özçelik<sup>165</sup>, Qiang Pan-Hammarström<sup>166</sup>, Christophe Parizot<sup>142</sup>, Tiffany Pascreau<sup>167</sup>, Estela Paz-Artal<sup>168</sup>, Sandra Pellegrini<sup>169</sup>, Rebeca Pérez de Diego<sup>84</sup>, Aurélien Philippe<sup>169</sup>, Quentin Philippot<sup>77</sup>, Laura Planas-Serra<sup>170</sup>, Dominique Ploin<sup>171</sup>, Julien Pottin<sup>172</sup>, Géraldine Poncelet<sup>173</sup>, Marie Poulety<sup>173</sup>, Paul Quentric<sup>142</sup>, Didier Raoult<sup>143</sup>, Anne-Sophie Rebillat<sup>174</sup>, Ismail Reiss<sup>174</sup>, Pilar Ricart<sup>175</sup>, Jean-Christophe Richard<sup>176</sup>, Nadia Rivet<sup>29</sup>, Jacques G. Rivière<sup>177</sup>, Gemma Rocamora Blanch<sup>15</sup>, Carlos Rodrigo<sup>1</sup>, Carlos Rodríguez-Gallego<sup>178</sup>, Agustí Rodríguez-Palmero<sup>179</sup>, Carolina Soledad Romero<sup>180</sup>, Anya Rothenbühler<sup>181</sup>, Flore Rozenberg<sup>182</sup>, Maria Yolanda Ruiz del Prado<sup>183</sup>, Joan Sabater Riera<sup>185</sup>, Oliver Sanchez<sup>284</sup>, Silvia Sánchez-Ramón<sup>185</sup>, Agatha Schluter<sup>170</sup>, Matthieu Schmidt<sup>186</sup>, Cyril E. Schweitzer<sup>187</sup>, Francesco Scolari<sup>188</sup>, Anna Sediva<sup>189</sup>, Luis M. Seijo<sup>190</sup>, Damien Sene<sup>13</sup>, Sevtap Senoglu<sup>117</sup>, Mikko R. J. Seppänen<sup>191</sup>, Alex Serra Illovcik<sup>192</sup>, Mohammad Shahrone<sup>193</sup>, Hans Stabnyk<sup>193</sup>, David M. Smaida<sup>194</sup>, Ali Sobh<sup>195</sup>, Xavier Solanich Moreno<sup>195</sup>, Jordi Solé-Violán<sup>196</sup>, Catherine Soler<sup>197</sup>, Pere Soler-Palacin<sup>197</sup>, Yuri Stepanovskiy<sup>198</sup>, Annabelle Stoclin<sup>199</sup>, Fabio Taccone<sup>149</sup>, Yacine Tandjaoui-Lambiotte<sup>200</sup>, Jean-Luc Taupin<sup>201</sup>, Simon J. Tavernier<sup>202</sup>, Benjamin Terrier<sup>203</sup>, Caroline Thumerelle<sup>107</sup>, Gabriele Tomasoni<sup>204</sup>, Julie Toubiana<sup>48</sup>, Josep Trenado Alvarez<sup>205</sup>, Sophie Trouillet-Assant<sup>206</sup>, Jesús Troya<sup>207</sup>, Alessandra Tucci<sup>208</sup>, Matilde Valeria Ursini<sup>83</sup>, Yurdagul Uzunhan<sup>209</sup>, Pierre Vabres<sup>210</sup>, Juan Valencia-Ramos<sup>211</sup>, Eva Van Braeckel<sup>33</sup>, Stijn Van de Velde<sup>212</sup>, Ana Maria Van Den Rym<sup>84</sup>, Jens Van Praet<sup>213</sup>, Isabelle Vandernoot<sup>214</sup>, Hulya Vatansev<sup>215</sup>, Valentina Vélez-Santamaría<sup>196</sup>, Sébastien Viel<sup>171</sup>, Cédric Vilain<sup>216</sup>, Marie E. Vilaire<sup>57</sup>, Audrey Vincent<sup>35</sup>, Guillaume Voiriot<sup>217</sup>, Fanny Vuotto<sup>107</sup>, Alper Yousunkaya<sup>90</sup>, Barnaby E. Young<sup>126</sup>, Fatih Yuçel<sup>218</sup>, Faiez Zannad<sup>219</sup>, Mayana Zatz<sup>27</sup>, Alexandre Belot<sup>220\*</sup>,

<sup>1</sup>University Hospital and Research Institute "Germans Trias i Pujol", Badalona, Spain. <sup>2</sup>Navarra Health Service Hospital, Pamplona, Spain. <sup>3</sup>Division of Pediatric Infectious Diseases, Necmettin Erbakan University, Meram Medical Faculty, Konya, Turkey. <sup>4</sup>Department of Infectious Diseases, Lohman Hakim Hospital, Shahid Beheshti University of Medical Sciences, Tehran, Iran. <sup>5</sup>Hospital Nacional Edgardo Rebagliatti Martins, Lima, Peru. <sup>6</sup>Parc Sanitari Sant Joan de Déu, Sant Boi de Llobregat, Spain. <sup>7</sup>Virology Research Center, National Institutes of Tuberculosis and Lung Diseases, Shahid Beheshti University of Medical Sciences, Tehran, Iran. <sup>8</sup>Division of Pediatric Infectious Diseases, Faculty of Medicine, Selçuk University, Konya, Turkey. <sup>9</sup>Intensive Care Unit, Hôpital Européen, Marseille, France. <sup>10</sup>Immunology Department, University Hospital 12 de Octubre, Research Institute imas12, and Complutense University, Madrid, Spain. <sup>11</sup>Clinical Immunology and Primary Immunodeficiencies Unit, Hospital Sant Joan de Déu, Barcelona, Spain. <sup>12</sup>Department of Biological Immunology, Necker Hospital for Sick Children, APHP and INEM, Paris, France. <sup>13</sup>Internal Medicine Department, Hôpital Lariboisière, APHP; Université de Paris, Paris, France. <sup>14</sup>Internal Medicine Department, Pitié-Salpêtrière Hospital, Paris, France. <sup>15</sup>Hospital Universitari de Bellvitge, Barcelona, Spain. <sup>16</sup>Division of Clinical Immunology and Allergy, Necmettin Erbakan University, Meram Medical Faculty, Konya, Turkey. <sup>17</sup>Joint Research Unit, Hospices Civils de Lyon-bio Mérieux, Hospices Civils de Lyon, Lyon Sud Hospital, Lyon, France. <sup>18</sup>Hospital U. de Tarragona Joan XXIII, Universitat Rovira i Virgili (URV), IISPV, Tarragona, Spain. <sup>19</sup>Private practice, Paris, France. <sup>20</sup>Necker Hospital for Sick Children, AP-HP, Paris, France. <sup>21</sup>Department of Infectious

- Diseases, CHU de Caen, Caen, France. <sup>22</sup>Consorcio Hospital General Universitario, Valencia, Spain. <sup>23</sup>The Genetics Institute, Tel Aviv Sourasky Medical Center and Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel. <sup>24</sup>Department of Urology, Nephrology, and Transplantation, APHP-SU, Sorbonne Université, INSERM U 1082, Paris, France. <sup>25</sup>Service de Médecine Intensive-Réanimation et Pneumologie, APHP Hôpital Pitié-Salpêtrière, Paris, France. <sup>26</sup>Cruces University Hospital, Bizkaia, Spain. <sup>27</sup>Paediatric Immunology and Vaccinology Unit, Geneva University Hospitals and Faculty of Medicine, Geneva, Switzerland. <sup>28</sup>Hematology, Georges Pompidou Hospital, APHP, Paris, France. <sup>29</sup>Pediatric Infectious Diseases Unit, Instituto de Investigación 12 de Octubre imas12, and Hospital Universitario 12 de Octubre, Madrid, Spain. <sup>30</sup>Department of Immunology, Motol University Hospital, 2nd Faculty of Medicine, Charles University, Department of Pediatrics, Thomayer's Hospital, 1st Faculty of Medicine, Charles University, Prague, Czech Republic. <sup>31</sup>Centro de Investigación Biomédica en Red de Enfermedades Hepáticas y Digestivas (Ciberehd), Hospital de Mataró, Consorci Sanitari del Maresme, Mataró, Spain. <sup>32</sup>Service de Pneumologie, Hôpital Bichat, APHP, Paris, France. <sup>33</sup>Department of Pulmonology, Ghent University Hospital, Ghent, Belgium. <sup>34</sup>Clinical Immunology Unit, Pediatric Infectious Disease Department, Faculty of Medicine and Pharmacy, Averroes University Hospital, LICIA Laboratoire d'Immunologie Clinique, d'Inflammation et d'Allergie, Hassani li University, Casablanca, Morocco. <sup>35</sup>Endocrinology Unit, APHP Hôpitaux Universitaires Paris-Sud, Le Kremlin-Bicêtre, France. <sup>36</sup>Department of Children's Diseases and Pediatric Surgery, I. Horbachevsky Ternopil National Medical University, Ternopil, Ukraine. <sup>37</sup>Human Genome and Stem-Cell Research Center, University of São Paulo, São Paulo, Brazil. <sup>38</sup>Hospital Insular, Las Palmas de Gran Canaria, Spain. <sup>39</sup>Division of Critical Care Medicine, Department of Anesthesiology and Reanimation, Konya State Hospital, Konya, Turkey. <sup>40</sup>MS Center, Spedali Civili, Brescia, Italy. <sup>41</sup>Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Milan, Italy. <sup>42</sup>Bellvitge University Hospital, L'Hospitalet de Llobregat, Barcelona, Spain. <sup>43</sup>Hôpital Robert Debré, Paris, France. <sup>44</sup>Pediatric Immuno-hematology Unit, Necker Enfants Malades Hospital, AP-HP, Paris, France. <sup>45</sup>Department of Infectious and Tropical Diseases, University of Brescia, ASST Spedali Civili di Brescia, Brescia, Italy. <sup>46</sup>Doctoral Health Care Center, Canarian Health System, Las Palmas de Gran Canaria, Spain. <sup>47</sup>Hôpital Foch, Suresnes, France. <sup>48</sup>Necker Hospital for Sick Children, Paris University, AP-HP, Paris, France. <sup>49</sup>Pasteur Institute, Paris, France. <sup>50</sup>McGill University Health Centre, Montreal, Canada. <sup>51</sup>University Hospital and Research Institute "Germans Trias i Pujol," IrsiCaixa AIDS Research Institute, Uvic-UCC, Badalona, Spain. <sup>52</sup>Clinical Biochemistry, Pathology, Paediatric Neurology and Molecular Medicine Departments and Biobank, Institut de Recerca Sant Joan de Déu and CIBERER-ISCIII, Espulgues, Spain. <sup>53</sup>Division of Clinical Immunology and Allergy, Department of Internal Medicine, Necmettin Erbakan University, Meram Medical Faculty, Konya, Turkey. <sup>54</sup>Department of Infectious Diseases and Clinical Microbiology, Konya Training and Research Hospital, Konya, Turkey. <sup>55</sup>Hospital Universitari Vall d'Hebron, Barcelona, Spain. <sup>56</sup>Pitié-Salpêtrière Hospital, Paris, France. <sup>57</sup>Fundació Docència i Recerca Mútua Terrassa, Barcelona, Spain; Hospital Universitari Mutua Terrassa, Universitat de Barcelona, Terrassa, Catalonia, Spain. <sup>58</sup>UNSW Medicine, St. Vincent's Clinical School, and Department of Thoracic Medicine, St. Vincent's Hospital Darlinghurst, Sydney, Australia. <sup>59</sup>CHU Saint-Pierre, Université Libre de Bruxelles, Brussels, Belgium. <sup>60</sup>Pediatric Intensive Care Unit, Robert-Debré University Hospital, APHP, Paris, France. <sup>61</sup>Sorbonne Paris Nord, Hôpital Jean Verdier, APHP, Bondy, France. <sup>62</sup>Specialized Immunology Laboratory of Dr. Shahroei, Sina Medical Complex, Ahvaz, Iran. <sup>63</sup>Centre de Génétique Humaine, CHU Besançon, Besançon, France. <sup>64</sup>Sorbonne Université Médecine and APHP Sorbonne Université Site Pitié-Salpêtrière, Paris, France. <sup>65</sup>Intensive Care Unit, Georges Pompidou Hospital, APHP, Paris, France. <sup>66</sup>Department of Pneumology, AZ Delta, Roeselare, Belgium. <sup>67</sup>Institut Jérôme Lejeune, Paris, France. <sup>68</sup>Department of Microbiology and Immunology, Faculty of Medicine, Mansoura University, Mansoura, Egypt. <sup>69</sup>Department of Chest, Faculty of Medicine, Mansoura University, Mansoura, Egypt. <sup>70</sup>Department of Medical Biochemistry and Molecular Biology, Faculty of Medicine, Mansoura University, Mansoura, Egypt. <sup>71</sup>Faculty of Medicine, Division of Pediatric Infectious Diseases, Selcuk University, Konya, Turkey. <sup>72</sup>Division of Pediatric Infectious Diseases, Ondokuz Mayıs University, Samsun, Turkey. <sup>73</sup>Necmettin Erbakan University, Meram Medical Faculty, Division of Pediatric Allergy and Immunology, Konya, Turkey. <sup>74</sup>Centre Hospitalier Fleyriat, Bourg-en-Bresse, France. <sup>75</sup>Division of Clinical Immunology and Allergy, Department of Internal Medicine, Necmettin Erbakan University, Meram Medical Faculty, Konya, Turkey. <sup>76</sup>Centre de Génétique, CHU Dijon, Dijon, France. <sup>77</sup>APHF Tenon Hospital, Paris, France. <sup>78</sup>Sorbonne Universités, UPMC Hospital of Paris, Paris, France. <sup>79</sup>Department of Clinical Immunology, Hospital Clínico San Carlos, Madrid, Spain. <sup>80</sup>Genomics Division, Instituto Tecnológico y de Energías Renovables (ITER), Santa Cruz de Tenerife, Spain; CIBER de Enfermedades Respiratorias, Instituto de Salud Carlos III, Madrid, Spain; Research Unit, Hospital Universitario N.S. de Candelaria, Santa Cruz de Tenerife, Spain; Instituto de Tecnologías Biomédicas (ITB), Universidad de La Laguna, San Cristóbal de La Laguna, Spain. <sup>81</sup>CHU Limoges and Inserm CIC 1435 and UMR 1092, Limoges, France. <sup>82</sup>Infectious Diseases Unit, Department of Pediatrics, Hospital Sant Joan de Déu, Barcelona, Spain; Institut de Recerca Sant Joan de Déu, Spain; Universitat de Barcelona (UB), Barcelona, Spain. <sup>83</sup>Institute of Genetics and Biophysics "Adriano Buzzati-Traverso," IGB-CNR, Naples, Italy. <sup>84</sup>Laboratory of Immunogenetics of Human Diseases, IdiPAZ Institute for Health Research, La Paz Hospital, Madrid, Spain. <sup>85</sup>Hematology, APHP, Hôpital Européen Georges Pompidou and Inserm UMR-S1140, Paris, France. <sup>86</sup>Hospital General Universitario and Instituto de Investigación Sanitaria "Gregorio Marañón," Madrid, Spain. <sup>87</sup>Bégin military Hospital, Bégin, France. <sup>88</sup>Pediatric Intensive Care Unit, Hospital Sant Joan de Déu, Barcelona, Spain. <sup>89</sup>Department of Internal Medicine, Hôpital Erasme, Université Libre de Bruxelles, Brussels, Belgium. <sup>90</sup>Division of Critical Care Medicine, Department of Anesthesiology and Reanimation, Necmettin Erbakan University, Meram Medical Faculty, Konya, Turkey. <sup>91</sup>Genomics Division, Instituto Tecnológico y de Energías Renovables (ITER), Santa Cruz de Tenerife, Spain. <sup>92</sup>Assistance Publique Hôpitaux de Paris, Paris, France. <sup>93</sup>Division of Allergy and Immunology, Necmettin Erbakan University, Meram Medical Faculty, Konya, Turkey. <sup>94</sup>CNAG-CRG, Centre for Genomic Regulation (CRG), Barcelona Institute of Science and Technology (BIST); Universitat Pompeu Fabra (UPF), Barcelona, Spain. <sup>95</sup>Department of Internal Medicine, National Reference Center for Rare Systemic Autoimmune Diseases, AP-HP, APHP-CUP, Hôpital Cochin, Paris, France. <sup>96</sup>Ghent University Hospital, Ghent, Belgium. <sup>97</sup>Sharjah Institute of Medical Research, College of Medicine, University of Sharjah, Sharjah, UAE. <sup>98</sup>Department of Laboratory Medicine, SEI4186, Huddinge, Karolinska Institutet, Stockholm, Sweden. <sup>99</sup>Pediatric Infectious Diseases Unit, Bakirkoy Dr. Sadi Konuk Training and Research Hospital, University of Health Sciences, Istanbul, Turkey. <sup>100</sup>Department of Immunology, Hospital Universitario de Gran Canaria Dr. Negrín, Canarian Health System, Las Palmas de Gran Canaria, Spain. <sup>101</sup>Department of Pediatric Hemato-Oncology, Jolimont Hospital; Department of Pediatric Hemato-Oncology, HUIDEF, Brussels, Belgium. <sup>102</sup>Intensive Care Unit, Marqués de Valdecilla Hospital, Santander, Spain. <sup>103</sup>Hospital del Mar, Parc de Salut Mar, Barcelona, Spain. <sup>104</sup>Department of Pediatric Pulmonology and Immunology, Ghent University Hospital, Ghent, Belgium. <sup>105</sup>Department of Intensive Care Unit, Ghent University Hospital, Ghent, Belgium. <sup>106</sup>Intensive Care Unit, APHM, Marseille, France. <sup>107</sup>CHU Lille, Lille, France. <sup>108</sup>Department of Pediatrics, Columbia University, New York, NY, USA. <sup>109</sup>Centre Hospitalier Intercommunal Poissy Saint Germain en Laye, Poissy, France. <sup>110</sup>Fundació Docència i Recerca Mútua Terrassa, Terrassa, Spain. <sup>111</sup>Hospital Sant Joan de Déu, Kids Corona Platform, Barcelona, Spain. <sup>112</sup>Department of Intensive Care Unit, University Hospital Antwerp, Antwerp, Belgium. <sup>113</sup>Selcuk University, Faculty of Medicine, Chest Diseases Department, Konya, Turkey. <sup>114</sup>Division of Allergy and Immunology, Balikesir Ataturk City Hospital, Balikesir, Turkey. <sup>115</sup>Division of Critical Care Medicine, Selcuk University, Faculty of Medicine, Konya, Turkey. <sup>116</sup>Division of Pediatric Infectious Diseases, Prof. Dr. Cemil Tascioglu City Hospital, Istanbul, Turkey. <sup>117</sup>Departments of Infectious Diseases and Clinical Microbiology, Bakirkoy Dr. Sadi Konuk Training and Research Hospital, University of Health Sciences, Istanbul, Turkey. <sup>118</sup>Meram Medical Faculty, Necmettin Erbakan University, Meram Medical Faculty, Konya, Turkey. <sup>119</sup>Health Sciences University, Umraniye Education and Research Hospital, Istanbul, Turkey. <sup>120</sup>Department of Immunology, 2nd Faculty of Medicine, Charles University and University Hospital in Motol, Prague, Czech Republic. <sup>121</sup>Central Clinical Hospital of Ministry of the Interior and Administration in Warsaw, Warsaw, Poland. <sup>122</sup>Oncobiologie Génétique Bioinformatique, PC Bio, CHU Besançon, Besançon, France. <sup>123</sup>Paediatric Infectious Disease Unit, Hospital Authority Infectious Disease Center, Princess Margaret Hospital, Hong Kong (Special Administrative Region), China. <sup>124</sup>Aix Marseille University, IRD, MEPhi, IHU Méditerranée Infection, Marseille, France. <sup>125</sup>Department of Paediatrics and Adolescent Medicine, The University of Hong Kong, Hong Kong, China. <sup>126</sup>National Centre for Infectious Diseases, Singapore. <sup>127</sup>Hospital Universitario Reina Sofía, Córdoba, Spain. <sup>128</sup>Imperial College, London, UK. <sup>129</sup>Endocrinology and Diabetes for Children, AP-HP, Bicêtre Paris-Saclay Hospital, Le Kremlin-Bicêtre, France. <sup>130</sup>Department of Medical Genetics, University Hospital Antwerp, Antwerp, Belgium. <sup>131</sup>Neurology Unit, APHP Pitié-Salpêtrière Hospital, Paris University, Paris, France. <sup>132</sup>Intensive Care Unit, APHP Pitié-Salpêtrière Hospital, Paris University, Paris, France. <sup>133</sup>National Centre for Infectious Diseases; Tan Tock Seng Hospital; Yong Loo Lin School of Medicine; Lee Kong Chian School of Medicine, Singapore. <sup>134</sup>Department of Clinical Immunology and Infectious Diseases, National Research Institute of Tuberculosis and Lung Diseases, Shahid Beheshti University of Medical Sciences, Tehran, Iran. <sup>135</sup>Clinical Tuberculosis and Epidemiology Research Center, National Research Institute of Tuberculosis and Lung Diseases (NRIITD), Shahid Beheshti University of Medical Sciences, Tehran, Iran. <sup>136</sup>Hospital Sant Joan de Déu and University of Barcelona, Barcelona, Spain. <sup>137</sup>Pediatric Infectious Diseases and Immunodeficiencies Unit, Hospital Universitari Vall d'Hebron, Vall d'Hebron Research Institute, Vall d'Hebron Barcelona Hospital Campus, Universitat Autònoma de Barcelona (UAB), Barcelona, Spain. <sup>138</sup>Hospital Universitari Mutua de Terrassa, Universitat de Barcelona, Barcelona, Spain. <sup>139</sup>IrsiCaixa AIDS Research Institute, ICREA, Uvic-UCC, Research Institute "Germans Trias i Pujol," Badalona, Spain. <sup>140</sup>Department of Laboratory, Cruces University Hospital, Barakaldo, Bizkaia, Spain. <sup>141</sup>University of New South Wales, New South Wales, Australia. <sup>142</sup>APHF Pitié-Salpêtrière Hospital, Paris, France. <sup>143</sup>Aix-Marseille University, APHM, Marseille, France. <sup>144</sup>Robert Debré University Hospital, Paris, France. <sup>145</sup>APHF Cohin Hospital, Paris, France. <sup>146</sup>Necmettin Erbakan University Meram Faculty of Medicine Department of Pediatric Infectious Diseases, Konya, Turkey. <sup>147</sup>University Hospitals Leuven, Leuven, Belgium. <sup>148</sup>Hospices Civils de Lyon, Hôpital de la Croix-Rousses, Lyon, France. <sup>149</sup>Hôpital Erasme, Brussels, Belgium. <sup>150</sup>CH Gonesse, Gonesse, France. <sup>151</sup>Vascular Medicine, Georges Pompidou Hospital, APHP, Paris, France. <sup>152</sup>Division of Pulmonary and Critical Care, University of Miami, Miami, FL, USA. <sup>153</sup>Guanarterm Health Care Center, Canarian Health System, Las Palmas de Gran Canaria, Spain. <sup>154</sup>Regional University Hospital of Malaga, Malaga, Spain. <sup>155</sup>Aix-Marseille Université, Marseille, France. <sup>156</sup>Department of General Paediatrics, Hôpital Bicêtre, AP-HP, University of Paris Saclay, Le Kremlin-Bicêtre, France. <sup>157</sup>Department of Internal Medicine, Ghent University Hospital, Ghent, Belgium. <sup>158</sup>CHU de La Timone, Marseille, France. <sup>159</sup>Centro Hospitalar Universitário de Lisboa Central, Lisbon, Portugal. <sup>160</sup>Infectious Diseases Horizontal Technology Centre, A\*STAR, Singapore Immunology Network, A\*STAR, Singapore. <sup>161</sup>Department of Pediatrics, Complejo Hospitalario Universitario Insular-Materno Infantil, Canarian Health System, Las Palmas de Gran Canaria, Spain. <sup>162</sup>Regional University Hospital of Málaga, Málaga, Spain. <sup>163</sup>Hospital Universitario Marqués de Valdecilla, Santander, Spain. <sup>164</sup>Faculty of Medicine, Ataturk University, Erzurum, Turkey. <sup>165</sup>Department of Molecular Biology and Genetics, Bilkent University, Ankara, Turkey. <sup>166</sup>Department of Biosciences and Nutrition, Karolinska Institutet, SE14183, Stockholm, Sweden. <sup>167</sup>L'Hôpital Foch, Suresnes, France. <sup>168</sup>Department of Immunology, Hospital Universitario 12 de Octubre, Instituto de Investigación Sanitaria Hospital 12 de Octubre imas12, Madrid, Spain. <sup>169</sup>APHF Hôpitaux Universitaires Paris-Sud, Le Kremlin-Bicêtre, France. <sup>170</sup>Neurometabolic Diseases Laboratory, IDIBELL-Hospital Duran i Reynals, Barcelona; CIBERER U759, ISCIII, Madrid, Spain. <sup>171</sup>Hospices Civils de Lyon, Lyon, France. <sup>172</sup>Université de Lille, Inserm U1285, CHU Lille, Paris, France. <sup>173</sup>Department of General Pediatrics, University Hospital Robert Debré, APHP, Paris, France. <sup>174</sup>Necmettin Erbakan University, Konya, Turkey. <sup>175</sup>Germans Trias i Pujol Hospital, Badalona, Spain. <sup>176</sup>Medical Intensive Care Unit, Hôpital de la Croix-Rousses, Hospices Civils de Lyon, Lyon, France. <sup>177</sup>Pediatric Infectious Diseases and Immunodeficiencies Unit, Hospital Universitari Vall d'Hebron, Vall d'Hebron Research Institute, Vall d'Hebron Barcelona Hospital Campus, Barcelona, Spain. <sup>178</sup>Department of Immunology, Hospital Universitario de Gran Canaria Dr. Negrín, Canarian Health System, Las Palmas de Gran Canaria, Spain. <sup>179</sup>University Fernando Pessoa Canarias, Las Palmas de Gran Canaria, Spain. <sup>180</sup>Neurometabolic Diseases Laboratory, IDIBELL-Hospital Duran i Reynals, Barcelona, Spain. <sup>181</sup>APHF Hôpitaux Universitaires Paris-Sud, Paris, France. <sup>182</sup>Virology Unit, Université de Paris, Cohin Hospital, APHP, Paris, France. <sup>183</sup>Hospital San Pedro, Logroño, Spain. <sup>184</sup>Respiratory Medicine, Georges Pompidou Hospital, APHP, Paris, France. <sup>185</sup>Department of Immunology, Hospital Clínico San Carlos, Madrid, Spain. <sup>186</sup>Service de Médecine Intensive Réanimation, Institut de Cardiologie, Hôpital Pitié-Salpêtrière, Paris, France. <sup>187</sup>CHRU de Nancy, Hôpital d'Enfants, Vandoeuvre, France. <sup>188</sup>Chair of Nephrology, University of Brescia, Brescia, Italy. <sup>189</sup>Department of Immunology, 2nd Faculty of Medicine, Charles University and Motol University Hospital, Prague,

Czech Republic. <sup>190</sup>Clinica Universidad de Navarra, Madrid, Spain. <sup>191</sup>HUS Helsinki University Hospital, Children and Adolescents, Rare Disease Center, and Inflammation Center, Adult Immunodeficiency Unit, Majakka, Helsinki, Finland. <sup>192</sup>Fundació Docència i Recerca Mútua Terrassa, Terrassa, Spain. <sup>193</sup>Department of Pulmonology, ZNA Middelheim, Antwerp, Belgium. <sup>194</sup>INSERM UMR-S 1140, Biosurgical Research Lab (Carpentier Foundation), Paris University and Hopital Européen Georges Pompidou, Paris, France. <sup>195</sup>Department of Pediatrics, Faculty of Medicine, Mansoura University, Mansoura, Egypt. <sup>196</sup>Critical Care Unit, Hospital Universitario de Gran Canaria Dr. Negrín, Canarian Health System, Las Palmas de Gran Canaria, Spain. <sup>197</sup>CHU de Saint Etienne, Saint-Priest-en-Jarez, France. <sup>198</sup>Shupkyk National Medical Academy for Postgraduate Education, Kiev, Ukraine. <sup>199</sup>Gustave Roussy Cancer Campus, Villejuif, France. <sup>200</sup>Intensive Care Unit, Avicenne Hospital, APHP, Bobigny, France. <sup>201</sup>Laboratory of Immunology and Histocompatibility, Saint-Louis Hospital, Paris University, Paris, France. <sup>202</sup>Department of Internal Diseases and Pediatrics, Primary Immune Deficiency Research Lab, Centre for Primary Immunodeficiency Ghent, Jeffrey Modell Diagnosis and Research Centre, Ghent University Hospital, Ghent, Belgium. <sup>203</sup>Department of Internal Medicine, Université de Paris, INSERM, U970, PARCC, F-75015, Paris, France. <sup>204</sup>First Division of Anesthesiology and Critical Care Medicine, University of Brescia, ASST Spedali Civili di Brescia, Brescia, Italy. <sup>205</sup>Intensive Care Department, Hospital Universitari Mutua Terrassa, Universitat Barcelona, Terrassa, Spain. <sup>206</sup>Hospices Civils de Lyon, Lyon Sud Hospital, Lyon, France. <sup>207</sup>Infanta Leonor University Hospital, Madrid, Spain. <sup>208</sup>Hematology Department, ASST Spedali Civili di Brescia, Brescia, Italy. <sup>209</sup>Pneumologie, Hôpital Avicenne, APHP, INSERM U1272, Université Sorbonne Paris Nord, Bobigny, France. <sup>210</sup>Dermatology Unit, Laboratoire GAD, INSERM UMR1231 LNC, Université de Bourgogne, Dijon, France. <sup>211</sup>University Hospital of Burgos, Burgos, Spain. <sup>212</sup>Intensive Care Unit, M. Middelares Ghent, Ghent, Belgium. <sup>213</sup>Department of Nephrology and Infectology, AZ Sint-Jan Brugge-Oostende AV, Bruges, Belgium. <sup>214</sup>Center of Human Genetics, Hôpital Erasme, Université Libre de Bruxelles, Brussels, Belgium. <sup>215</sup>Department of Chest Diseases, Necmettin Erbakan University, Meram Medical Faculty, Konya, Turkey. <sup>216</sup>CHU de Caen, Caen, France. <sup>217</sup>Sorbonne Université, Service de Médecine Intensive Réanimation, Hôpital Tenon, Assistance Publique-Hôpitaux de Paris, Paris, France. <sup>218</sup>General Intensive Care Unit, Konya Training and Research Hospital, Konya, Turkey. <sup>219</sup>CHU de Nancy, Nancy, France. <sup>220</sup>University of Lyon, CIRI, INSERM U1111, National Reference Centre RAISE, Pediatric Rheumatology, HFME, Hospices Civils de Lyon, Lyon, France.   
\*Leader of COVID Clinicians.

**Imagine COVID Group** Christine Bole-Feyssot, Stanislas Lyonnet\*, Cécile Masson, Patrick Nitschke, Aureole Pouliet, Yoann Schmitt, Frederic Tores, Mohammed Zahrhate

Imagine Institute, Université de Paris, INSERM UMR 1163, Paris, France.

\*Leader of the Imagine COVID Group.

**French COVID Cohort Study Group** Laurent Abel<sup>1</sup>, Claire Andrejak<sup>2</sup>, François Angoulvant<sup>3</sup>, Delphine Bachelet<sup>4</sup>, Romain Basmaci<sup>5</sup>, Sylvie Behillil<sup>6</sup>, Marine Beluze<sup>7</sup>, Debha Benkerrou<sup>8</sup>, Krishna Bhavsar<sup>4</sup>, François Bompard<sup>9</sup>, Lila Bouadma<sup>4</sup>, Maude Bouscambert<sup>10</sup>, Mireille Caralp<sup>11</sup>, Minerva Cervantes-Gonzalez<sup>12</sup>, Anissa Chair<sup>4</sup>, Alexandra Coelho<sup>13</sup>, Camille Couffignal<sup>4</sup>, Sandrine Couffin-Cadiergues<sup>14</sup>, Eric D'Ortenzio<sup>12</sup>, Charlene Da Silveira<sup>4</sup>, Marie-Pierre Debray<sup>4</sup>, Dominique Deplanque<sup>15</sup>, Diane Descamps<sup>16</sup>, Mathilde Desvallées<sup>17</sup>, Alpha Diallo<sup>18</sup>, Alphonsine Diouf<sup>13</sup>, Céline Dorival<sup>18</sup>, François Dubos<sup>19</sup>, Xavier Duval<sup>4</sup>, Philippine Eloy<sup>4</sup>, Vincent VE Enouf<sup>20</sup>, Hélène Esperou<sup>21</sup>, Marina Esposito-Faresse<sup>4</sup>, Manuel Etienne<sup>22</sup>, Nadia Elthalhaoui<sup>4</sup>, Nathalie Gault<sup>4</sup>, Alexandre Gaymard<sup>4</sup>, Jade Ghosn<sup>4</sup>, Tristan Gigante<sup>23</sup>, Isabelle Gorenne<sup>4</sup>, Jérémie Guedj<sup>24</sup>, Alexandre Hochtin<sup>13</sup>, Isabelle Hoffmann<sup>4</sup>, Salma Jaafoura<sup>4</sup>, Ouifia Kaffi<sup>4</sup>, Florentia Kaguelidou<sup>25</sup>, Sabina Kali<sup>4</sup>, Antoine Khalil<sup>4</sup>, Coralie Khan<sup>17</sup>, Cédric Laouénan<sup>4</sup>, Samira Laribi<sup>4</sup>, Minh Le<sup>4</sup>, Quentin Le Hingrat<sup>4</sup>, Soizic Le Mestre<sup>19</sup>, Hervé Le Nagard<sup>4</sup>, François-Xavier Lescure<sup>4</sup>, Yves Lévy<sup>26</sup>, Claire Levy-Marchal<sup>27</sup>, Bruno Lina<sup>10</sup>, Guillaume Lingas<sup>24</sup>, Jean Christophe Lucet<sup>4</sup>, Denis Malvy<sup>28</sup>, Marina Mambert<sup>13</sup>, France Mentre<sup>4</sup>, Noémie Mercier<sup>18</sup>, Amira Meziane<sup>8</sup>, Hugo Mouquet<sup>20</sup>, Jimmy Mullera<sup>4</sup>, Nadège Neant<sup>24</sup>, Marion Noret<sup>29</sup>, Justine Pages<sup>30</sup>, Aurélie Papadopoulos<sup>21</sup>, Christelle Paul<sup>18</sup>, Nathan Peiffer-Smadja<sup>4</sup>, Ventsislava Petrov-Sanchez<sup>27</sup>, Gilles Peytavin<sup>4</sup>, Olivier Picone<sup>31</sup>, Oriane Puéchal<sup>12</sup>, Manuel Rosa-Calatrava<sup>10</sup>, Bénédicte Rossignol<sup>23</sup>, Patrick Rossignol<sup>32</sup>, Carine Roy<sup>4</sup>, Marion Schneider<sup>4</sup>, Caroline Semaille<sup>32</sup>, Nassima Si Mohammed<sup>4</sup>, Lysa Taghersat<sup>4</sup>, Coralie Tardion<sup>4</sup>, Marie-Capucine Tellier<sup>4</sup>,

François Téoulé<sup>8</sup>, Olivier Terrier<sup>10</sup>, Jean-François Timsit<sup>4</sup>, Théo Trioux<sup>4</sup>, Christelle Tuai<sup>33</sup>, Sarah Tubiana<sup>4</sup>, Sylvie van der Werf<sup>34</sup>, Noémie Vanel<sup>35</sup>, Aurélie Veislinger<sup>33</sup>, Benoît Visseaux<sup>16</sup>, Aurélie Wiedemann<sup>26</sup>, Yazdan Yazdanpanah<sup>36</sup>

<sup>1</sup>Inserm UMR 1163, Paris, France. <sup>2</sup>CHU Amiens, France. <sup>3</sup>Hôpital Necker, Paris, France. <sup>4</sup>Hôpital Bichat, Paris, France. <sup>5</sup>Hôpital Louis Mourier, Colombes, France. <sup>6</sup>Institut Pasteur, Paris, France. <sup>7</sup>CRIN Partners Platform, AP-HP, Université de Paris, Paris, France. <sup>8</sup>Inserm UMR 1136, Paris, France. <sup>9</sup>Drugs for Neglected Diseases Initiative, Geneva, Switzerland. <sup>10</sup>Inserm UMR 1111, Lyon, France. <sup>11</sup>Inserm Transfert, Paris, France. <sup>12</sup>REACTing, Paris, France. <sup>13</sup>Inserm UMR 1018, Paris, France. <sup>14</sup>Inserm, Pôle Recherche Clinique, Paris, France. <sup>15</sup>CIC 1403 Inserm-CHU Lille, Paris, France. <sup>16</sup>Université de Paris, IAME, INSERM UMR 1137, AP-HP, University Hospital Bichat Claude Bernard, Virology, Paris, France. <sup>17</sup>Inserm UMR 1219, Bordeaux, France. <sup>18</sup>ANRS, Paris, France. <sup>19</sup>CHU Lille, Lille, France. <sup>20</sup>Pasteur Institute, Paris, France. <sup>21</sup>Inserm sponsor, Paris, France. <sup>22</sup>CHU Rouen-SMIT, Rouen, France. <sup>23</sup>FCRIN INI-CRCT, Nancy, France. <sup>24</sup>Inserm UMR 1137, Paris, France. <sup>25</sup>Centre d'Investigation Clinique, Inserm CIC1426, Hôpital Robert Debré, Paris, France. <sup>26</sup>Inserm UMR 955, Créteil, France; Vaccine Research Institute (VRI), Paris, France. <sup>27</sup>CRIN INI-CRCT, Paris, France. <sup>28</sup>CHU de Bordeaux-SMIT, Bordeaux, France. <sup>29</sup>RENARCI, Annecy, France. <sup>30</sup>Hôpital Robert Debré, Paris, France. <sup>31</sup>Hôpital Louis Mourier-Gynécologie, Colombes, France. <sup>32</sup>University of Lorraine, Plurithematic Clinical Investigation Centre Inserm CIC-P; 1433, Inserm U1116, CHRU Nancy Hôpitaux de Brabois, F-CRIN INI-CRCT (Cardiovascular and Renal Clinical Trials), Nancy, France. <sup>33</sup>Inserm CIC-1414, Rennes, France. <sup>34</sup>Institut Pasteur, UMR 3569 CNRS, Université de Paris, Paris, France. <sup>35</sup>Hôpital la Timone, Marseille, France. <sup>36</sup>Bichat-SMIT, Paris, France.

**CoV-Contact Cohort** Loubna Alavoine<sup>1</sup>, Karine K. A. Amat<sup>2</sup>, Sylvie Behillil<sup>3</sup>, Julia Bielicki<sup>4</sup>, Patricia Bruijning<sup>5</sup>, Charles Burdet<sup>6</sup>, Eric Caumes<sup>7</sup>, Charlotte Charpentier<sup>8</sup>, Bruno Coignard<sup>9</sup>, Yolande Costa<sup>1</sup>, Sandrine Couffin-Cadiergues<sup>10</sup>, Florence Diamond<sup>8</sup>, Aline Dechanet<sup>11</sup>, Christelle Delmas<sup>10</sup>, Diane Descamps<sup>8</sup>, Xavier Duval<sup>1</sup>, Jean-Luc Ecobichon<sup>11</sup>, Vincent Enouf<sup>1</sup>, Hélène Esperou<sup>10</sup>, Wahiba Frezouls<sup>1</sup>, Nadhira Houhou<sup>11</sup>, Emila Ilic-Habensusch<sup>1</sup>, Ouifia Kaffi<sup>11</sup>, John Kikoine<sup>11</sup>, Quentin Le Hingrat<sup>8</sup>, David Lebeaux<sup>12</sup>, Anne Leclercq<sup>1</sup>, Jonathan Lehacut<sup>11</sup>, Sophie Letrou<sup>1</sup>, Bruno Lina<sup>3</sup>, Jean-Christophe Lucet<sup>14</sup>, Denis Malvy<sup>15</sup>, Pauline Manchon<sup>11</sup>, Milica Mandic<sup>1</sup>, Mohamed Meghadecha<sup>15</sup>, Justina Motiejunaite<sup>17</sup>, Mariama Nourouline<sup>1</sup>, Valentine Piquard<sup>11</sup>, Andreea Postolache<sup>11</sup>, Caroline Quintin<sup>1</sup>, Jade Rexach<sup>1</sup>, Layidé Roufal<sup>10</sup>, Zaven Terzian<sup>11</sup>, Michael Thy<sup>18</sup>, Sarah Tubiana<sup>1</sup>, Sylvie van der Werf<sup>3</sup>, Valérie Vignali<sup>1</sup>, Benoît Visseaux<sup>8</sup>, Yazdan Yazdanpanah<sup>14</sup>

<sup>1</sup>Centre d'Investigation Clinique, Inserm CIC 1425, Hôpital Bichat Claude Bernard, APHP, Paris, France. <sup>2</sup>IMEA Fondation Léon M<sup>3</sup>Ba, Paris, France. <sup>3</sup>Institut Pasteur, UMR 3569 CNRS, Université de Paris, Paris, France. <sup>4</sup>University of Basel Children's Hospital. <sup>5</sup>Julius Center for Health Sciences and Primary Care, Utrecht, Netherlands. <sup>6</sup>Université de Paris, IAME, Inserm UMR 1137, F-75018, Paris, France, Hôpital Bichat Claude Bernard, APHP, Paris, France. <sup>7</sup>Hôpital Pititè Salpêtrière, APHP, Paris. <sup>8</sup>Université de Paris, IAME, INSERM UMR 1137, AP-HP, University Hospital Bichat Claude Bernard, Virology, Paris, France. <sup>9</sup>Santé Publique France, Saint Maurice, France. <sup>10</sup>Pole Recherche Clinique, Inserm, Paris, France. <sup>11</sup>Hôpital Bichat Claude Bernard, APHP, Paris, France. <sup>12</sup>APHP, Paris, France. <sup>13</sup>Virpath Laboratory, International Center of Research in Infectology, Lyon University, INSERM U1111, CNRS UMR 5308, ENS, UCBL, Lyon, France. <sup>14</sup>IAME Inserm UMR 1138, Hôpital Bichat Claude Bernard, APHP, Paris, France. <sup>15</sup>Service des Maladies Infectieuses et Tropicales; Groupe Pellegrin-Place Amélie-Raba-Léon, Bordeaux, France. <sup>16</sup>Hôpital Hotel Dieu, APHP, Paris, France. <sup>17</sup>Service des Explorations Fonctionnelles, Hôpital Bichat-Claude Bernard, APHP, Paris, France. <sup>18</sup>Center for Clinical Investigation, Assistance Publique-Hôpitaux de Paris, Bichat-Claude Bernard University Hospital, Paris, France.

**Amsterdam UMC Covid-19 Biobank** Michiel van Agtmael<sup>1</sup>, Anna Geke Algera<sup>2</sup>, Frank van Baarle<sup>2</sup>, Diane Bax<sup>3</sup>, Martijn Beudel<sup>4</sup>, Harm Jan Bogaard<sup>5</sup>, Marije Bomers<sup>1</sup>, Lieuwke Bos<sup>2</sup>, Michela Botta<sup>2</sup>, Justin de Brabander<sup>6</sup>, Godelieve de Bree<sup>6</sup>, Matthijs C. Brouwer<sup>4</sup>, Sanne de Bruin<sup>7</sup>, Marianna Bugiani<sup>7</sup>, Esther Bulle<sup>2</sup>, Osoul Chouchane<sup>1</sup>, Alex Coherly<sup>7</sup>, Paul Elbers<sup>5</sup>, Lucas Fleuren<sup>2</sup>, Suzanne Geerlings<sup>1</sup>, Bart Geerts<sup>8</sup>, Theo Geijtenbeek<sup>9</sup>, Armand Girbes<sup>2</sup>, Bram Goorhuis<sup>1</sup>, Martin P. Grobusch<sup>1</sup>, Floriane Hafkamp<sup>9</sup>, Laura Hagens<sup>2</sup>, Jorg Hamann<sup>10</sup>, Vanessa Harris<sup>1</sup>, Robert Hemke<sup>1</sup>, Sabine M. Hermans<sup>1</sup>, Leo Heunks<sup>7</sup>, Markus W. Hollmann<sup>8</sup>, Janneke Horn<sup>2</sup>, Joppe W. Hovius<sup>1</sup>,

Menno D. de Jong<sup>12</sup>, Rutger Koning<sup>4</sup>, Niels van Mourik<sup>2</sup>, Jeanine Nellen<sup>1</sup>, Frederique Paulus<sup>2</sup>, Edgar Peters<sup>1</sup>, Tom van der Pol<sup>1</sup>, Benedikt Preckel<sup>1</sup>, Jan M. Prins<sup>1</sup>, Jorinde Raasveld<sup>2</sup>, Tom Reijnders<sup>1</sup>, Michiel Schinkel<sup>1</sup>, Marcus J. Schultz<sup>2</sup>, Alex Schuurman<sup>13</sup>, Kim Sigaloff<sup>1</sup>, Marry Smit<sup>2</sup>, Cornelis S. Stijns<sup>1</sup>, Willemke Stijlma<sup>2</sup>, Charlotte Teunissen<sup>14</sup>, Patrick Thoralf<sup>1</sup>, Anissa Tsonas<sup>2</sup>, Marc van der Valk<sup>1</sup>, Denise Veelo<sup>8</sup>, Alexander P.J. Vlaai<sup>15</sup>, Heder de Vries<sup>2</sup>, Michèle van Vugt<sup>1</sup>, W. Joost Wiersinga<sup>1</sup>, Dorien Wouters<sup>16</sup>, A. H. (Koo) Zwinderman<sup>17</sup>, Diederik van de Beek<sup>4\*</sup>

<sup>1</sup>Department of Infectious Diseases, Amsterdam UMC, Amsterdam, Netherlands. <sup>2</sup>Department of Intensive Care, Amsterdam UMC, Amsterdam, Netherlands. <sup>3</sup>Experimental Immunology, Amsterdam UMC, Amsterdam, Netherlands. <sup>4</sup>Department of Neurology, Amsterdam UMC, Amsterdam Neuroscience, Amsterdam, Netherlands. <sup>5</sup>Department of Pulmonology, Amsterdam UMC, Amsterdam, Netherlands. <sup>6</sup>Department of Infectious Diseases, Amsterdam UMC, Amsterdam, Netherlands. <sup>7</sup>Department of Pathology, Amsterdam UMC, Amsterdam, Netherlands. <sup>8</sup>Department of Anesthesiology, Amsterdam UMC, Amsterdam, Netherlands. <sup>9</sup>Department of Experimental Immunology, Amsterdam UMC, Amsterdam, Netherlands. <sup>10</sup>Amsterdam UMC Biobank Core Facility, Amsterdam UMC, Amsterdam, Netherlands. <sup>11</sup>Department of Radiology, Amsterdam UMC, Amsterdam, Netherlands. <sup>12</sup>Department of Medical Microbiology, Amsterdam UMC, Amsterdam, Netherlands. <sup>13</sup>Department of Internal Medicine, Amsterdam UMC, Amsterdam, Netherlands. <sup>14</sup>Neurochemical Laboratory, Amsterdam UMC, Amsterdam, Netherlands. <sup>15</sup>Department of Intensive Care, Amsterdam UMC, Amsterdam, Netherlands. <sup>16</sup>Department of Clinical Chemistry, Amsterdam UMC, Amsterdam, Netherlands. <sup>17</sup>Department of Clinical Epidemiology, Biostatistics and Bioinformatics, Amsterdam UMC, Amsterdam, Netherlands. <sup>18</sup>Department of Neurology, Amsterdam UMC, Amsterdam, Netherlands.   
\*Leader of the AMC Consortium.

**COVID Human Genetic Effort** Laurent Abel<sup>1</sup>, Alessandro Aiuti<sup>2</sup>, Saleh Al Muhsen<sup>3</sup>, Fahd Al-Mulla<sup>4</sup>, Mark S. Anderson<sup>5</sup>, Andrés Augusto Arias<sup>6</sup>, Hagit Baris Feldman<sup>7</sup>, Dusan Bogunovic<sup>8</sup>, Alexandre Bolze<sup>9</sup>, Anastasia Bondarenko<sup>10</sup>, Ahmed A. Bousfiha<sup>11</sup>, Petter Brodin<sup>12</sup>, Yenan Bryceon<sup>12</sup>, Carlos D. Bustamante<sup>13</sup>, Manish Butte<sup>14</sup>, Giorgio Casari<sup>15</sup>, Samya Chakravorty<sup>16</sup>, John Christodoulou<sup>17</sup>, Elizabeth Cirulli<sup>3</sup>, Antonio Condino-Neto<sup>18</sup>, Megan A. Cooper<sup>19</sup>, Clifton L. Dalgaard<sup>20</sup>, Alessia David<sup>21</sup>, Joseph L. DeRisi<sup>22</sup>, Murkesh Desai<sup>23</sup>, Beth A. Droleat<sup>24</sup>, Sara Espinosa<sup>25</sup>, Jacques Fellay<sup>26</sup>, Carlos Flores<sup>27</sup>, Jose Luis Franco<sup>28</sup>, Peter K. Gregersen<sup>29</sup>, Filomen Heerynck<sup>30</sup>, David Hagin<sup>31</sup>, Rabih Halwani<sup>32</sup>, Jim Heath<sup>33</sup>, Sarah E. Henrickson<sup>34</sup>, Elena Hsieh<sup>35</sup>, Kohsuke Imai<sup>36</sup>, Yuval Itan<sup>8</sup>, Timokratis Karamitros<sup>37</sup>, Kai Kisand<sup>38</sup>, Cheng-Lung Ku<sup>39</sup>, Yu-Lung Lau<sup>40</sup>, Yun Ling<sup>41</sup>, Carrie L. Lucas<sup>42</sup>, Tom Maniatis<sup>43</sup>, Davoud Mansouri<sup>44</sup>, Laszlo Marodi<sup>45</sup>, Isabelle Meys<sup>46</sup>, Joshua Milner<sup>47</sup>, Kristina Mironska<sup>48</sup>, Trine Mogensen<sup>49</sup>, Tomohiro Morio<sup>50</sup>, Lisa FP. Ng<sup>51</sup>, Luigi D. Notarangelo<sup>52</sup>, Antonio Novelli<sup>53</sup>, Giuseppe Novelli<sup>54</sup>, Cliona O'Farrelly<sup>55</sup>, Satoshi Okada<sup>56</sup>, Tayfun Ozcelik<sup>57</sup>, Rebeca Perez de Diego<sup>58</sup>, Anna M. Planas<sup>59</sup>, Carolina Prando<sup>60</sup>, Aurora Pujol<sup>61</sup>, Luis Quintana-Murci<sup>62</sup>, Laurent Renia<sup>63</sup>, Alessandra Renieri<sup>64</sup>, Carlos Rodríguez-Gallego<sup>65</sup>, Vanessa Sancho-Shimizu<sup>66</sup>, Vijay Sankaran<sup>67</sup>, Kelly Schiobar Barrett<sup>68</sup>, Mohammed Shahrooei<sup>68</sup>, Andrew Snow<sup>69</sup>, Pere Soler-Palacin<sup>70</sup>, Andrés N. Spaan<sup>71</sup>, Stuart Tangye<sup>72</sup>, Stuart Turvey<sup>73</sup>, Furkan Uddin<sup>74</sup>, Mohammed J. Uddin<sup>75</sup>, Diederik van de Beek<sup>76</sup>, Sara E. Vazquez<sup>77</sup>, Donald C. Vinh<sup>78</sup>, Horst von Bernuth<sup>79</sup>, Nicole Washington<sup>80</sup>, Pawel Zawadzki<sup>80</sup>, Helen C. Su<sup>52</sup>, Jean-Laurent Casanova<sup>81</sup>

<sup>1</sup>INSERM U1163, University of Paris, Imagine Institute, Paris, France. <sup>2</sup>San Raffaele Telethon Institute for Gene Therapy, IRCCS Ospedale San Raffaele, Milan, Italy. <sup>3</sup>King Saud University, Riyadh, Saudi Arabia. <sup>4</sup>Kuwait University, Kuwait City, Kuwait. <sup>5</sup>University of California, San Francisco, San Francisco, CA, USA. <sup>6</sup>Universidad de Antioquia, Group of Primary Immunodeficiencies, Antioquia, Colombia. <sup>7</sup>The Genetics Institute, Tel Aviv Sourasky Medical Center and Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel. <sup>8</sup>Cahn School of Medicine at Mount Sinai, New York, NY, USA. <sup>9</sup>Helix, San Mateo, CA, USA. <sup>10</sup>Shupkyk National Medical Academy for Postgraduate Education, Kiev, Ukraine. <sup>11</sup>Clinical Immunology Unit, Pediatric Infectious Disease Department, Faculty of Medicine and Pharmacy, Averroes University Hospital; LICIA Laboratoire d'Immunologie Clinique, d'Inflammation et d'Allergie, Hassani II University, Casablanca, Morocco. <sup>12</sup>Karolinska Institute, Stockholm, Sweden. <sup>13</sup>Stanford University, Stanford, CA, USA. <sup>14</sup>University of California, Los Angeles, CA, USA. <sup>15</sup>Medical Genetics, IRCCS Ospedale San Raffaele, Milan, Italy. <sup>16</sup>Emory University Department of Pediatrics and Children's Healthcare of Atlanta, Atlanta, GA, USA. <sup>17</sup>Murdoch

Children's Research Institute, Victoria, Australia. <sup>18</sup>University of São Paulo, São Paulo, Brazil. <sup>19</sup>Washington University School of Medicine, St. Louis, MO, USA. <sup>20</sup>The American Genome Center; Uniformed Services University of the Health Sciences, Bethesda, MD, USA. <sup>21</sup>Centre for Bioinformatics and System Biology, Department of Life Sciences, Imperial College London, South Kensington Campus, London, UK. <sup>22</sup>University of California, San Francisco, CA, USA; Chan Zuckerberg Biohub, San Francisco, CA, USA. <sup>23</sup>Bai Jerbai Wadia Hospital for Children, Mumbai, India. <sup>24</sup>School of Medicine and Public Health, University of Wisconsin, Madison, WI, USA. <sup>25</sup>Instituto Nacional de Pediatría (National Institute of Pediatrics), Mexico City, Mexico. <sup>26</sup>Swiss Federal Institute of Technology Lausanne, Lausanne, Switzerland. <sup>27</sup>Research Unit, Hospital Universitario Nuestra Señora de Candelaria, Canarian Health System, Santa Cruz de Tenerife, Spain. <sup>28</sup>University of Antioquia, Medellín, Colombia. <sup>29</sup>Feinstein Institute for Medical Research, Northwell Health USA, Manhasset, NY, USA. <sup>30</sup>Department of Paediatric Immunology and Pulmonology, Centre for Primary Immunodeficiency Ghent (CPiG), PID Research Lab, Jeffrey Modell Diagnosis and Research Centre, Ghent University Hospital, Edegem, Belgium. <sup>31</sup>The Genetics Institute, Tel Aviv Sourasky Medical Center, Tel Aviv, Israel. <sup>32</sup>Sharjah Institute of Medical Research, College of Medicine, University of Sharjah, Sharjah, UAE. <sup>33</sup>Institute for Systems Biology, Seattle, WA, USA. <sup>34</sup>Children's Hospital of Philadelphia, Philadelphia, PA, USA. <sup>35</sup>Anschutz Medical Campus, Aurora, CO, USA. <sup>36</sup>Riken, Tokyo, Japan. <sup>37</sup>Hellenic Pasteur Institute, Athens, Greece. <sup>38</sup>University of Tartu, Tartu, Estonia. <sup>39</sup>Chang Gung University, Taoyuan County, Taiwan. <sup>40</sup>The University of Hong Kong, Hong Kong, China. <sup>41</sup>Shanghai Public Health Clinical Center, Fudan University, Shanghai, China. <sup>42</sup>Yale School of Medicine, New Haven, CT, USA. <sup>43</sup>New York Genome Center, New York, NY, USA. <sup>44</sup>Shahid Beheshti University of Medical Sciences, Tehran, Iran. <sup>45</sup>Semmelweis University Budapest, Budapest, Hungary. <sup>46</sup>KU Leuven, Department of Immunology, Microbiology and Transplantation, Leuven, Belgium. <sup>47</sup>Columbia University Medical Center, New York, NY, USA. <sup>48</sup>University Clinic for Children's Diseases, Skopje, North Macedonia. <sup>49</sup>Aarhus University, Aarhus, Denmark. <sup>50</sup>Tokyo Medical & Dental University Hospital, Tokyo, Japan. <sup>51</sup>Singapore Immunology Network, Singapore. <sup>52</sup>National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, MD, USA. <sup>53</sup>Bambino Gesù Children's

Hospital, Rome, Italy. <sup>54</sup>Department of Biomedicine and Prevention, University of Rome "Tor Vergata", Rome, Italy. <sup>55</sup>Trinity College, Dublin, Ireland. <sup>56</sup>Hiroshima University, Hiroshima, Japan. <sup>57</sup>Bilkent University, Ankara, Turkey. <sup>58</sup>Laboratory of Immunogenetics of Human Diseases, Innate Immunity Group, IdiPAZ Institute for Health Research, La Paz Hospital, Madrid, Spain. <sup>59</sup>IBB-CSIC, IDIBAPS, Barcelona, Spain. <sup>60</sup>Faculdades Pequeno Príncipe e Instituto de Pesquisa Pelé Pequeno Príncipe, Curitiba, Brazil. <sup>61</sup>Neurometabolic Diseases Laboratory, IDIBELL-Hospital Duran I Reynals; Catalan Institution for Research and Advanced Studies (ICREA); CIBERER U759, ISCIII Madrid Spain, Barcelona, Spain. <sup>62</sup>Institut Pasteur (CNRS UMR2000) and Collège de France, Paris, France. <sup>63</sup>Infectious Diseases Horizontal Technology Center and Singapore Immunology Network, Agency for Science Technology (A\*STAR), Singapore. <sup>64</sup>Medical Genetics, University of Siena, Siena, Italy; Genetica Medica, Azienda Ospedaliero-Universitaria Senese, Italy; GEN-COVID Multicenter Study. <sup>65</sup>Hospital Universitario de Gran Canaria Dr. Negrín, Canarian Health System, Canary Islands, Spain. <sup>66</sup>Imperial College London, London, UK. <sup>67</sup>Boston Children's Hospital, Harvard Medical School, Boston, MA, USA. <sup>68</sup>Saeed Pathobiology and Genetic Lab, Tehran, Iran. <sup>69</sup>Uniformed Services University of the Health Sciences, Bethesda, MD, USA. <sup>70</sup>Hospital Universitari Vall d'Hebron, Barcelona, Spain. <sup>71</sup>University Medical Center Utrecht, Amsterdam, The Netherlands. <sup>72</sup>Garvan Institute of Medical Research, Sydney, Australia. <sup>73</sup>The University of British Columbia, Vancouver, Canada. <sup>74</sup>Holy Family Red Crescent Medical College; Centre for Precision Therapeutics, NeuroGen Children's Healthcare; Genetics and Genomic Medicine Centre, NeuroGen Children's Healthcare, Dhaka, Bangladesh. <sup>75</sup>Mohammed Bin Rashid University of Medicine and Health Sciences, College of Medicine, Dubai, UAE; The Centre for Applied Genomics, Department of Genetics and Genome Biology, The Hospital for Sick Children, Toronto, Ontario, Canada. <sup>76</sup>Amsterdam UMC, University of Amsterdam, Department of Neurology, Amsterdam Neuroscience, Amsterdam, The Netherlands. <sup>77</sup>University of California, San Francisco, CA, USA. <sup>78</sup>McGill University Health Centre, Montreal, Canada. <sup>79</sup>Charité-Berlin University Hospital Center, Berlin, Germany. <sup>80</sup>Molecular Biophysics Division, Faculty of Physics, A. Mickiewicz University, Uniwersytetu Poznańskiego 2, Poznań, Poland.

<sup>81</sup>Rockefeller University, Howard Hughes Medical Institute, Necker Hospital, New York, NY, USA.

\*Leaders of the COVID Human Genetic Effort.

**NIAID-USUHS/TAGC COVID Immunity Group** Huie Jing<sup>1,2</sup>, Wesley Tung<sup>1,2</sup>, Christopher R. Luthers<sup>3</sup>, Brady M. Bauman<sup>3</sup>, Samantha Shafer<sup>2,4</sup>, Lixin Zheng<sup>2,4</sup>, Zinan Zhang<sup>2,4</sup>, Satoshi Kubo<sup>2,4</sup>, Samuel D. Chauvin<sup>2,4</sup>, Kazuyuki Meguro<sup>1,2</sup>, Elana Shaw<sup>1,2</sup>, Michael Lenardo<sup>2,4</sup>, Justin Lack<sup>5</sup>, Eric Karlins<sup>6</sup>, Daniel M. Hupalow<sup>7</sup>, John Rosenberger<sup>7</sup>, Gauthaman Sukumar<sup>7</sup>, Matthew D. Wilkerson<sup>7</sup>, Xijun Zhang<sup>7</sup>

<sup>1</sup>Laboratory of Clinical Immunology and Microbiology, Division of Intramural Research, NIAID, NIH, Bethesda, MD, USA. <sup>2</sup>NIAID Clinical Genomics Program, National Institutes of Health, Bethesda, MD, USA. <sup>3</sup>Department of Pharmacology & Molecular Therapeutics, Uniformed Services University of the Health Sciences, Bethesda, MD, USA. <sup>4</sup>Laboratory of Immune System Biology, Division of Intramural Research, NIAID, NIH, Bethesda, MD, USA. <sup>5</sup>NIAID Collaborative Bioinformatics Resource, Frederick National Laboratory for Cancer Research, Leidos Biomedical Research, Inc., Frederick, MD, USA. <sup>6</sup>Bioinformatics and Computational Biosciences Branch, Office of Cyber Infrastructure and Computational Biology, NIAID, NIH, Bethesda, MD, USA. <sup>7</sup>The American Genome Center, Uniformed Services University of the Health Sciences, Bethesda, MD, USA.

#### SUPPLEMENTARY MATERIALS

[science.sciencemag.org/content/370/6515/eabd4570/suppl/DC1](https://science.sciencemag.org/content/370/6515/eabd4570/suppl/DC1)

Materials and Methods

Figs. S1 to S11

Tables S1 and S2

References (42 and 43)

MDAR Reproducibility Checklist

[View/request a protocol for this paper from Bio-protocol.](#)

22 June 2020; accepted 16 September 2020

Published online 24 September 2020

10.1126/science.abd4570

## Inborn errors of type I IFN immunity in patients with life-threatening COVID-19

Qian Zhang, Paul Bastard, Zhiyong Liu, Jérémie Le Pen, Marcela Moncada-Velez, Jie Chen, Masato Ogishi, Ira K. D. Sabli, Stephanie Hodeib, Cecilia Korol, Jérémie Rosain, Kaya Bilguvar, Junqiang Ye, Alexandre Bolze, Benedetta Bigio, Rui Yang, Andrés Augusto Arias, Qinhu Zhou, Yu Zhang, Fanny Onodi, Sarantis Korniotis, Léa Karpf, Quentin Philippot, Marwa Chbihi, Lucie Bonnet-Madin, Karim Dorgham, Nikaia Smith, William M. Schneider, Brandon S. Razooky, Hans-Heinrich Hoffmann, Eleftherios Michailidis, Leen Moens, Ji Eun Han, Lazaro Lorenzo, Lucy Bizien, Philip Meade, Anna-Lena Neehus, Aileen Camille Ugurbil, Aurélien Corneau, Gaspard Kerner, Peng Zhang, Franck Rapaport, Yoann Seeleuthner, Jeremy Manry, Cecile Masson, Yohann Schmitt, Agatha Schlüter, Tom Le Voyer, Taushif Khan, Juan Li, Jacques Fellay, Lucie Roussel, Mohammad Shahrooei, Mohammed F. Alosaimi, Davood Mansouri, Haya Al-Saud, Fahd Al-Mulla, Feras Almourfi, Saleh Zaid Al-Muhsen, Fahad Alsohime, Saeed Al Turki, Rana Hasanato, Diederik van de Beek, Andrea Biondi, Laura Rachele Bettini, Mariella D'Angio, Paolo Bonfanti, Luisa Imberti, Alessandra Sottini, Simone Paghera, Eugenia Quiros-Roldan, Camillo Rossi, Giuseppe Novelli, Sami Hraiech, Yacine Tandjaoui-Lambiotte, Xavier Duval, Cédric Laouénan, COVID-STORM Clinicians, COVID Clinicians, Imagine COVID Group, French COVID Cohort Study Group, CoV-Contact Cohort, Amsterdam UMC Covid-19 Biobank, COVID Human Genetic Effort, NIAID-USUHS/TAGC COVID Immunity Group, Andrew L. Snow, Clifton L. Dalgard, Joshua D. Milner, Donald C. Vinh, Trine H. Mogensen, Nico Marr, Andrés N. Spaan, Bertrand Boisson, Stéphanie Boisson-Dupuis, Jacinta Bustamante, Anne Puel, Michael J. Ciancanelli, Isabelle Meyts, Tom Maniatis, Vassili Soumelis, Ali Amara, Michel Nussenzweig, Adolfo García-Sastre, Florian Krammer, Aurora Pujol, Darragh Duffy, Richard P. Lifton, Shen-Ying Zhang, Guy Gorochoy, Vivien Béziat, Emmanuelle Jouanguy, Vanessa Sancho-Shimizu, Charles M. Rice, Laurent Abel, Luigi D. Notarangelo, Aurélie Cobat, Helen C. Su and Jean-Laurent Casanova

*Science* **370** (6515), eabd4570.

DOI: 10.1126/science.abd4570 originally published online September 24, 2020

### The genetics underlying severe COVID-19

The immune system is complex and involves many genes, including those that encode cytokines known as interferons (IFNs). Individuals that lack specific IFNs can be more susceptible to infectious diseases. Furthermore, the autoantibody system dampens IFN response to prevent damage from pathogen-induced inflammation. Two studies now examine the likelihood that genetics affects the risk of severe coronavirus disease 2019 (COVID-19) through components of this system (see the Perspective by Beck and Aksentijevich). Q. Zhang *et al.* used a candidate gene approach and identified patients with severe COVID-19 who have mutations in genes involved in the regulation of type I and III IFN immunity. They found enrichment of these genes in patients and conclude that genetics may determine the clinical course of the infection. Bastard *et al.* identified individuals with high titers of neutralizing autoantibodies against type I IFN- $\alpha$ 2 and IFN- $\omega$  in about 10% of patients with severe COVID-19 pneumonia. These autoantibodies were not found either in infected people who were asymptomatic or had milder phenotype or in healthy individuals. Together, these studies identify a means by which individuals at highest risk of life-threatening COVID-19 can be identified.

*Science*, this issue p. eabd4570, p. eabd4585; see also p. 404

#### ARTICLE TOOLS

<http://science.sciencemag.org/content/370/6515/eabd4570>

#### SUPPLEMENTARY MATERIALS

<http://science.sciencemag.org/content/suppl/2020/09/24/science.abd4570.DC1>

Use of this article is subject to the [Terms of Service](#)

*Science* (print ISSN 0036-8075; online ISSN 1095-9203) is published by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. The title *Science* is a registered trademark of AAAS.

Copyright © 2020 The Authors, some rights reserved; exclusive licensee American Association for the Advancement of Science. No claim to original U.S. Government Works

**RELATED  
CONTENT**

<http://stm.sciencemag.org/content/scitransmed/12/564/eabd5487.full>  
<http://stm.sciencemag.org/content/scitransmed/12/554/eabc1126.full>  
<http://stm.sciencemag.org/content/scitransmed/12/549/eabb9401.full>  
<http://stm.sciencemag.org/content/scitransmed/12/550/eabc3539.full>  
<http://science.sciencemag.org/content/sci/370/6515/404.full>  
<http://science.sciencemag.org/content/sci/370/6515/eabd4585.full>

**REFERENCES**

This article cites 41 articles, 16 of which you can access for free  
<http://science.sciencemag.org/content/370/6515/eabd4570#BIBL>

**PERMISSIONS**

<http://www.sciencemag.org/help/reprints-and-permissions>

Use of this article is subject to the [Terms of Service](#)

---

*Science* (print ISSN 0036-8075; online ISSN 1095-9203) is published by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. The title *Science* is a registered trademark of AAAS.

Copyright © 2020 The Authors, some rights reserved; exclusive licensee American Association for the Advancement of Science. No claim to original U.S. Government Works