



Sparshott-McDaid, Finola Siân (2020) The occupational wellbeing of nurses. D Clin Psy thesis.

<https://theses.gla.ac.uk/81692/>

Copyright and moral rights for this work are retained by the author

A copy can be downloaded for personal non-commercial research or study, without prior permission or charge

This work cannot be reproduced or quoted extensively from without first obtaining permission in writing from the author

The content must not be changed in any way or sold commercially in any format or medium without the formal permission of the author

When referring to this work, full bibliographic details including the author, title, awarding institution and date of the thesis must be given

Enlighten: Theses

<https://theses.gla.ac.uk/>  
[research-enlighten@glasgow.ac.uk](mailto:research-enlighten@glasgow.ac.uk)

# **The Occupational Wellbeing of Nurses**

Finola Siân Sparshott-McDaid, BMus (Hons), MSc

Submitted in partial fulfilment of the requirements for the degree of  
Doctorate in Clinical Psychology

Institute of Health and Wellbeing  
College of Medical, Veterinary and Life Sciences  
University of Glasgow

July 2020

## Contents

<b>List of tables</b> .....	<b>3</b>
<b>List of figures</b> .....	<b>3</b>
<b>Acknowledgements</b> .....	<b>4</b>
<b>Chapter one: Systematic Review</b> .....	<b>5</b>
<b>Abstract</b> .....	<b>6</b>
Rationale .....	8
Objectives .....	9
<b>Method</b> .....	<b>9</b>
Inclusion criteria .....	9
Search Strategy .....	9
<b>Results</b> .....	<b>12</b>
<b>Study Characteristics</b> .....	<b>12</b>
<b>Methodological review of studies</b> .....	<b>16</b>
<b>Summary</b> .....	<b>18</b>
<b>Discussion</b> .....	<b>19</b>
<b>Strengths and limitations</b> .....	<b>21</b>
<b>Implications for future research</b> .....	<b>22</b>
<b>Implications for healthcare services</b> .....	<b>23</b>
<b>Conclusions</b> .....	<b>23</b>
<b>References</b> .....	<b>24</b>
<b>Chapter two: Major Research Project</b> .....	<b>28</b>
<b>Plain English Summary</b> .....	<b>29</b>
<b>Abstract</b> .....	<b>31</b>
<b>Introduction</b> .....	<b>32</b>
Aims .....	34
<b>Method</b> .....	<b>35</b>
Ethics .....	35
Recruitment .....	35
Participant characteristics .....	36
Data collection .....	37
Analysis .....	37
Researcher Reflexivity .....	37
<b>Results</b> .....	<b>38</b>
<b>Discussion</b> .....	<b>47</b>
<b>Implications for Services</b> .....	<b>51</b>
<b>Strengths and Limitations</b> .....	<b>52</b>
<b>Future Research</b> .....	<b>52</b>
<b>Conclusion</b> .....	<b>52</b>

**References .....54**

**Appendix**

Appendix 1: Applied Nursing Research - Author Guidance .....57  
Appendix 2: Examples of search Strategy - Medline .....67  
Appendix 3: Crowe Critical Appraisal Tool (CCAT) Form .....68  
Appendix 4: Semi-Structured Interview Schedule .....70  
Appendix 5: Participant Information .....71  
Appendix 6: Participant Consent Form.....74  
Appendix 7: MVLS Ethics Approval .....74  
Appendix 8: Business Group Approval .....76  
Appendix 9: NHS R&D Management Approval .....77  
Appendix 10: Sample of Analysed Transcript.....80  
Appendix 11: Major Research Proposal .....81

**List of tables**

Table 1: Characteristics of included studies .....14  
Table 2: Crowe Critical Appraisal Tool (CCAT) Scoring.....16  
Table 3: Participant characteristics .....36

**List of figures**

Figure 1: PRISMA Flow Chart of selection process and results for inclusion within the systematic review. Adapted from Moher, Liberati, Tetzlaff, & Altman (2009).....11  
Figure 2: Diagram of identified themes.....39

## Acknowledgements

I would like to thank all of the participants who gave their time and energy to take part in this study. It was a privilege to hear your experiences and your enthusiasm, strength and love for the role.

Thank you to my Field Supervisor, Dr Marisa Forte, for being the stimulus for this project; as well as for your expertise and support for both this project and throughout my training.

Thank you to my Academic Supervisor, Dr Naomi White, for your guidance, expertise and encouragement throughout this journey. Your knowledge, enthusiasm and passion for your work is inspirational.

I would like to thank my clinical supervisors throughout training for their support and expertise. A special thanks to family, friends, colleagues and co-rater Dr Sarah Byrne.

Thank you to my Mum, Val, who has supported and encouraged my pursuit of learning, and has been an inspiration through her adventures helping others.

Finally, thank you to my husband Henry, who has made this possible through his continuing support; and to our wonderful daughter, whose enthusiastic singing and dancing never fails to improve my mood after a long, sleepless night.

Finola

## *Chapter one: Systematic Review*

### **A Systematic Review: Organisational Interventions to Mitigate Against the Effects of Burnout in Nurses**

**Finola Sparshott-McDaid<sup>1\*</sup>**

**<sup>1</sup> Mental Health and Wellbeing, Institute of Health and Wellbeing, University of Glasgow**

**\*Correspondence Address:**

Mental Health and Wellbeing Administration Building  
Gartnavel Royal Hospital  
1055 Great Western Road Glasgow Glasgow, G12 0XH

E-mail: [finola.mcdaid@aapct.scot.nhs.uk](mailto:finola.mcdaid@aapct.scot.nhs.uk)

**Declaration of Conflict of Interest:** None

Prepared in accordance with submission requirements for Applied Nursing Research (Appendix 1)

Word Count (including tables, figures & references): 5,867

## Abstract

**Introduction:** Organisational interventions are system level approaches that typically involve changes in work procedures or practices. There is a scarcity of reviews investigating organisational level interventions for burnout. This work systematically reviews the literature on organisational level approaches aimed at reducing and alleviating symptoms of burnout among nursing staff, highlighting methodological strengths and imitations.

**Methods:** A systematic search was conducted using Ovid Embase, Ovid MEDLINE(R), PsycINFO (EBSCO), CINAHL/EBSCO, and Cochrane Library. Search terms included: burnout, organisational, intervention, nurse and were adapted for the different databases. Methodological quality was assessed using the Crowe Critical Appraisal Tool (CCAT).

**Results:** Six studies were included in this review, none of which focused on prevention of burnout as their primary aim. Three of the six studies reported a statistically significant reduction in burnout scores following their intervention. Only one also reported enough data to calculate effect size and met criteria to be assigned a “high” quality rating following overall CCAT scores. The remaining studies were rated as low or moderate quality. Therefore, it was not possible to directly compare results across studies. There was some overlap in burnout measures utilised, with three of the six studies using the same measurement for burnout.

**Conclusions:** The effect of organisational change on the wellbeing of nurses is a complex, yet vital subject that deserves more rigorous research. Higher quality research, with clear agreed unanimity in terms of burnout measures, keywords and classifications is required to clarify the most successful primary interventions to prevent burnout among nursing staff.

**Key words:** Organizational, Burnout, Intervention, Nurse

## **Introduction**

Nurses are expected to provide consistently high standards of patient care with patience and empathy, whilst managing a highly stressful and demanding environment with few opportunities to have a break, or to prioritise self-care. Unsurprisingly, it is reported that 56.5% of nurses have worked despite not feeling well enough to perform their duties, and 39.8% reporting illness as a result of work related stress (Survey Coordination Centre NHS, 2019). Predictably the wellbeing of healthcare staff correlates with the quality of patient care and safe clinical practice (Clough, Ireland, & March, 2017; Hall, Johnson, Watt, Tsipa, & O'Connor, 2016). Therefore, it is of utmost importance to ensure the wellbeing of staff to maintain the highest standard of care.

Inadequate staffing, unmanageable patient workloads, insufficient time to perform tasks, inadequate wellbeing support and conflicts with colleagues (Schwartz Centre for Compassionate Care, 2015) as well as frustrations with institutional policies and clerical work (Shanafelt & Noseworthy, 2017) have all been associated with healthcare worker burnout. Burnout refers to the emotional exhaustion (EE), depersonalisation (DP) or detachment from the job role a person may feel, as well as a sense of ineffectiveness or lack of personal accomplishment (PA) (Kaschka, Korczak, & Broich, 2011; Maslach & Leiter, 2016). It is this definition that is utilised for the classification of burnout in the 2019 revisions to the ICD-11 (World Health Organisation, 2019; World Health Organization, 2018).

## **Interventions**

Interventions to alleviate and prevent burnout can be categorised as Primary, Secondary and Tertiary. Primary (organisational) interventions aim to reduce, modify or eliminate stressors (e.g. work design); Secondary prevention strategies target psychological or physical effects of stressors (e.g. relaxation strategies); and Tertiary strategies aim to promote rehabilitation from the negative consequences of stress, burnout or other mental health difficulties (e.g. counselling through occupational health).



For burnout prevention, a growing number of Secondary strategies have been explored, including Mindfulness (Duarte & Pinto-Gouveia, 2016; Gauthier, Meyer, Grefe Phd, & Gold Phd, 2015; Wang et al., 2017), yoga (Alexander, Rollins, Walker, Wong, & Pennings, 2015), exercise (Bretland & Thorsteinsson, 2015), Cognitive Behavioural Therapy and Emotional Regulation Training (Orly, Rivka, Rivka, & Dorit, 2012; Saedpanah, Salehi, & Moghaddam, 2016) and web-based approaches (Hersch et al., 2016). These individual-level interventions place the onus on the nurses to build new coping skills or mechanisms to better protect themselves from the contributory factors associated with burnout. There is a significant amount of literature on Secondary interventions which are arguably easier to implement for a trial study than Primary interventions. However, in routine clinical practice over the long-term, individual level interventions alone may be insufficient and uneconomical as they involve the continual training of new employees while not addressing key underlying factors contributing to burnout, such as those outlined above.

Primary organisational interventions are system level approaches that typically involve changes in work procedures or practices and are aimed at reducing job demands or risk factors within the work environment and increasing job control. While they may be more difficult to effectively implement and study, they could potentially have a widespread and enduring impact on the workforce and offer continuing value for money even in times of limited resources. However, there is a scarcity of reviews investigating organisational level interventions for burnout. Indeed, Public Health England commissioned a review of interventions to prevent burnout and recommended organisational level approaches, yet referenced only one study (Rickard et al., 2012) for this approach (Public Health England, 2016). An example of an organisational level intervention is that of Workload Intervention (Rickard et al., 2012), which over five years implemented changes addressing staffing shortages, training needs, provision of support and professional development for nurses across two hospitals.

### **Rationale**

This study systematically reviews organisational interventions aimed at preventing symptoms of burnout in nursing staff. Synthesising this information will serve to

better inform service managers of some of the evidence to improve and maintain staff wellbeing, and will supplement existing systematic reviews which focus on individual level interventions. It is intended to equip managers with the knowledge to better protect their nursing workforce, which will serve to preserve the quality of care while supporting staff attendance and retention.

### **Objectives**

1. To systematically review and appraise the literature on organisational level approaches aimed at reducing and alleviating symptoms of burnout among nursing staff, highlighting methodological strengths and limitations.
2. Identify the organisational interventions that have been studied in relation to burnout in nursing professionals and review the success of the interventions.

### **Method**

#### **Inclusion criteria**

1. Participants must be registered nurses or midwives
2. Studies reporting burnout where rates are measured using a validated tool
3. Peer reviewed and published
4. Published in the English language

#### **Exclusion criteria**

1. Studies which do not report results for registered nurses separately to student nurses and care assistants
2. Individual-level interventions
3. Qualitative studies

### **Search Strategy**

Initial scoping searches were conducted and search strategy and terms refined in consultation with a specialist librarian. The systematic searches were conducted in June 2019 through the following electronic databases: Ovid Embase, Ovid MEDLINE(R), PsycINFO (EBSCO), CINAHL/EBSCO, and Cochrane Library. The date of publication ranged from the commencement of the database until June 2019. The


following search terms were adapted for the different databases, making use of truncation, synonyms and Americanised or English spelling differences (Appendix 3):

1. Burnout OR stress or mental fatigue OR compassion fatigue
2. Nurse OR nursing
3. Organisational OR management
4. Intervention

### **Screening process**

Studies identified through the systematic search and the hand search were reviewed against the inclusion and exclusion criteria, as illustrated in the PRISMA diagram (Figure 1). Duplicates were removed, followed by a screening of study titles. The abstract of the papers that remained were reviewed and those that appeared relevant were included in a full review of the article. Only one of the three studies found through the hand search met criteria to be included.

Figure 1: PRISMA Flow Chart of selection process and results for inclusion within the systematic review. Adapted from Moher, Liberati, Tetzlaff, & Altman (2009)



### Data extraction

A data extraction table was compiled for the six included studies (see Table 1 in Results). This table standardised the extraction of information across studies and provided a concise description of each study in terms of citation; design; sample characteristics; burnout measure and results.

## **Quality Appraisal**

The Crowe Critical Appraisal Tool (CCAT) was utilised for all included studies (see Table 2). This tool can be used across research designs and provides a comprehensive user guide which can aid inter-rater reliability (Crowe, Sheppard, & Campbell, 2012). The CCAT is comprised of eight sub-categories and a total quality score. The author and a second rater, a qualified Clinical Psychologist, rated 50% of the papers to establish inter-rater reliability of the quality scores. There was 96% agreement across all of the CCAT items, indicating adequate reliability. Differences in opinion were resolved through discussion. Based upon the CCAT overall scores, quality rating descriptors were assigned to each reviewed article (Table 2).

## **Analysis approach**

A narrative synthesis approach, with use of both textual and tabular formats, was adopted due to the methodological heterogeneity of the included studies. This approach has been identified to effectively capture and demonstrate findings when systematically reviewing studies which prove too heterogenous for direct statistical comparisons to be drawn (Popay et al., 2006).

## **Results**

### **Study Characteristics**

The characteristics of the included studies are summarised in Table 1 and discussed below briefly. None of the six studies investigated reduction in burnout as their primary aim, all included this as a secondary or tertiary aim. Primary aims included: improving the practice environment and nurse turnover (Adams et al., 2019), improving nurse outcomes and quality of care (Aiken et al., 2008), improving nurse practice and wellbeing (Aiken & Poghosyan, 2009), exploring relationships between burnout, empathy and sense of coherence with personality traits (Pålsson et al., 1996), reducing occupational stress and turnover (Rickard et al., 2012) and investigating the impact on management of critical incidents (Teasdale, Brocklehurst & Thom, 2000).

Publication dates ranged from 1996-2019. Designs included cross-sectional survey and quasi-experimental, mostly using two time points. Five studies employed a pre-

test, post-test survey design. Teasdale, Brocklehurst & Thom (2001) collected data at one time point across 11 randomly selected hospitals and community NHS Trusts in one region of England.

Two studies were conducted in England (NHS), one study recruited from both Russia and Armenia, and the remaining three studies recruited from Australia, Sweden or the USA respectively. Participants across studies totalled  $n = 1,670$ , with mean or actual age ranges of between 20-49 years, of which between 70-100% were female. Mean or actual years nursing experience ranged between approximately five years to over 30 years.

Measures of burnout utilised included the full Maslach Burnout Inventory (MBI, Maslach & Jackson, 1981), three studies used the Emotional Exhaustion (EE) subscale of the MBI to assess burnout and the remaining two studies used the Burnout Measure (BM, Schaufeli & Enzmann, 1993) and the Oldenburg Burnout Inventory (OBI, Demerouti, Bakker, Vardakou & Kantas, 2003) respectively.

Two studies identified clinical supervision (Pålsson et al., 1996; Teasdale, Brocklehurst, & Thom, 2001) as their study intervention. Clinical Supervision, the exchange between practising professionals which enables them to develop their professional skills (Butterworth & Faugier, 1992), is considered to be an organisational level intervention for the purposes of this study. This is because it can be implemented at systems level rather than as a Secondary or Tertiary response to burnout and identified articles met the inclusion and exclusion criteria. Two studies measured the impact of implementing the Magnet Recognition Programme, or similar (Aiken, Buchan, Ball, & Rafferty, 2008; Aiken & Poghosyan, 2009). The Magnet Recognition programme accredits hospitals with Magnet Status if they adhere to their 14 Standards which include quality of patient care, nursing excellence and innovation in practice. Two developed novel interventions, one was coined the Cultural Change Toolkit (Adams et al., 2019) and the other was referred to as a Workload intervention (Rickard et al., 2012). The duration of the interventions ranged between two months and five years.

*Table 1: Characteristics of included studies*

Citation, Location & Design	Participants & setting	Intervention	Burnout measure	Key findings for burnout
Adams et al. (2019), USA Pre-test and post-test design for data collection	Nurses; Emergency N =30 F: 21 (70%), M: 9 (30%) Age: mean 45 years <sup>1</sup> Nursing experience: mean 20 years <sup>2</sup>	Cultural Change Toolkit Two month duration Intervention summary: department gratitude board, thank you card program, practices suggestion box, daily leadership rounding and daily staff feedback	OBI <sup>3</sup>	Significant reduction in burnout $p = 0.004$ Mean burnout score: Pre: 4.808, Post: 4.463 Standard deviations not given.
Aiken, Buchan, Ball & Rafferty (2008) England Cross-sectional surveys at three time points (1999, 2000, 2002), comparison was drawn to survey results of nurses across 30 NHS Trusts	Nurses; Hospital  <b>2000:</b> n = 128 F: 89%, M: 11% Mean age 39 years <b>2002:</b> n= 109 F: 95%, M: 5% Mean age 39 years <b>1999 (comparison group):</b> n= 3,984 F: 91%, M: 9%  Years of experience were not reported	Magnet Standards Two year implementation period  No specific details of the intervention given in text, other than stating implementation of the Magnet Standards which are: quality of nursing leadership, organisational structure, management style, personal policies and programs, professional models of care, quality of care, quality improvement, consultation and resources, autonomy, community and the hospital, nurses as teachers, image of nursing, collegial nurse-physician relationships and professional development.	EE <sup>4</sup>	Not significant  P-value= N.S. <sup>5</sup> <b>2000:</b> Mean 22.53, SD 11.83 <b>2002:</b> Mean 22.23, SD 13.46 <b>Comparison</b> Mean 22.88, SD 11.08
Aiken & Poghosyan (2009) Russia and Armenia Cross-sectional survey at two time points.	Nurses; Hospital N = 859 [n = 460 Russian, n = 399 Armenian) <b>Russia</b> F: 99.1%, M: 0.9% Mean age 36.3 years Mean experience 15.2 years <b>Armenia</b> F: 99%, M:1 % Mean age 34.0 years Mean experience 12.8 years	American International Health Alliance (AIHA) initiatives  Implementation over three years  AIHA initiatives are designed to replicate the program known as Magnet Recognition (as in above table). No further details reported in text.	EE <sup>4</sup>	Significant reduction in EE among Russian nurses. No significant change for Armenian nurses <b>Russia</b> P=.05, Pre: mean 17.6, Post: mean 14.7 <b>Armenia</b> P = N.S. <sup>5</sup> , Pre: mean 10.5, Post: 11.3  Standard deviations not given.
Pålsson et al. (1996) Sweden Quasi-experimental design, measured at two time points	Nurses; District N = 33 F: 100%  <b>Supervised group n=21</b>	Clinical supervision sessions ranged from 4-9 sessions(1.5-2 hour duration) at 2-4 week intervals	BM <sup>6</sup>	Not significant <b>Supervised</b> Pre: Mean 2.7 (SD 0.6), Post: mean 2.5 (SD 0.7) <b>Comparison</b>

	Mean age 49 years Mean experience 24 years <b>Comparison group n= 12</b> Mean age 46.3 years Mean experience 21.8 years	Supervision was conducted by first author (registered nurse) and research assistant (psychotherapist & registered nurse)		Pre: mean 2.3 (SD 0.7), Post: mean 2.3 (SD 0.8)
<b>Rickard et al. (2012)</b> Northern Territory Australia  Pre-and post-intervention questionnaire design, triangulating data from surveys and archival information	Nurses; Hospital N = 484  <b>H1<sup>7</sup> W1<sup>8</sup></b> n= 103, F:84%, Mean age 42 years <b>H1 W2<sup>9</sup></b> n= 173, F: 90%, Mean age 41 years  <b>H2<sup>10</sup> W1</b> n = 75, F: 92%, Mean age 41 years <b>H2 W2</b> n = 133, F 92%, mean age 41 years  Years of experience were not reported	Workload intervention Five year duration (2005-2010)  Involved: <ul style="list-style-type: none"> <li>• Training to assess compliance against rostering deployment principles</li> <li>• Assessment of nursing workload in all wards and units</li> <li>• Additional nursing positions and expansion of graduate programme to address job demand and shortfall</li> <li>• Supervision, support and professional development</li> </ul>	EE <sup>4</sup>	Significant reduction in burnout  <b>H1</b> Pre: mean 28.94, Post 20.77, $p < .01$ Cohen's $d = 0.64$  <b>H2</b> Pre: mean 28.24, Post 23.89, $p < .01$ Cohen's $d = 0.3$
<b>Teasdale, Brocklehurst &amp; Thom (2000)</b> England  Survey design at one time point	Nurses; Hospital/Community N = 211 F: 89%, M: 11% <b>Supervised</b> (n = 92) Mean experience 14.2 years <b>Unsupervised</b> mean experience 14.3 years  Age not reported	Clinical supervision  Provision of supervision: self-reported that they were receiving formal clinical supervision on a one-to-one or group basis	MBI <sup>11</sup>	Not significant  <b>Supervised</b> mean 20.3 <b>Unsupervised</b> mean 22

<sup>1</sup> Approximately: reported as "early 20s to late 60s" (p.454, Adams et al., 2019). <sup>2</sup> Approximately: reported as "less than 5 years to 30 years or more" (p. 454, Adams et al., 2019).

<sup>3</sup> Oldenburg Burnout Inventory <sup>4</sup> Emotional Exhaustion Subscale of the Maslach Burnout Inventory <sup>5</sup> Non-significant, reported as NS in article (p. 3334, Aiken, et al., 2008; p. 171, Aiken & Poghosyan, 2009) <sup>6</sup> The Burnout Measure <sup>7</sup> Hospital one <sup>8</sup> Wave one <sup>9</sup> Wave two <sup>10</sup> Hospital two <sup>11</sup> Maslach Burnout Inventory



## Methodological review of studies

*Table 2: Crowe Critical Appraisal Tool (CCAT) Scoring*

	CCAT Scoring					
	Adams, Hollingsworth & Osman (2019)	Aiken, Buchan, Ball & Rafferty (2008)	Aiken & Poghosyan (2009)	Pålsson et al. (1996)	Rickard et al. (2012)	Teasdale, Brocklehursts & Thom (2001)
1. Preliminaries	4	3	2	4	4	3
2. Introduction	4	3	3	3	4	3
3. Design	2	2	2	3	4	2
4. Sampling	3	2	3	3	3	4
5. Data Collection	2	2	1	3	3	3
6. Ethical Matters	1	2	1	3	3	1
7. Results	2	2	2	4	4	3
8. Discussion	2	2	4	4	4	3
9. TOTAL	20	18	18	27	29	22
(Full mark 40)						
Quality descriptor	low	low	low	moderate	high	moderate

CCAT quality rating descriptors were assigned for total scores as follows: total score 0-20 = low, 21-27 = moderate and 28-40 = high. Areas of weakness observed within the preliminaries category lay in lack of clarity of reported participant in numbers in the abstract in relation to the main body of the text (Aiken & Poghosyan, 2009) and lack of clarity and detail suitable for reproducibility (Aiken et al., 2008; Aiken & Poghosyan, 2009; Teasdale et al., 2001). Clear and concise writing was seen as a strength in some of the studies (Adams et al., 2019; Pålsson et al., 1996; Rickard et al., 2012) with aims and rationale broadly addressed well in all studies.

A limitation in two of the studies was their failure to adequately express the details of the intervention or how it was implemented (Aiken et al., 2008; Aiken &

Poghosyan, 2009) for example, reporting that Magnet standards were implemented with no indication in which order or how this was to be. Teasdale (et al., 2001) did not provide clarity of detail of their measured intervention due to not delivering it as part of their study, instead relying on the intervention of clinical supervision to be self-identified by the participants. In the main, choices of study design were justified and choices of measures, if not justified were consistent with the wider body of literature on burnout.

With regards to the interventions Teasdale, Brocklehurst & Thom (2001) was the only study not to provide the intervention as part of the study, and instead aimed to observe the impact of clinical supervision that was already in place for participating individuals.

Sampling was mostly by convenience, two samples were small (Adams et al., 2019; Pålsson et al., 1996), with others larger partly due to controls. Weaknesses arose in clarity of reporting participant numbers (Aiken et al., 2008), and lack of clarity or existence of control or comparison groups (Adams et al., 2019; Aiken & Poghosyan, 2009).

Methods and procedures of data collection were generally well justified across studies. Discrepancies in reporting arose in relation to missing data (Rickard et al., 2012) where respondents for burnout measures were inconsistent with total respondents, although this was clearer in tabular form; also lack of clarity around response rates for comparison groups (Aiken et al., 2008). Authors (Aiken & Poghosyan, 2009) noted their awareness of higher than expected response rates from Russia and Armenia at above 75%, with expected rates estimated to be around 56% for healthcare workers (Cook, Dickinson, & Eccles, 2009). Ethical awareness was also noted as a concern for the same authors, suggesting that particularly in Armenia, nurses may have been asked as a condition of employment to complete the surveys (Aiken & Poghosyan, 2009).

Results for burnout were relatively clearly tabulated or reported in most studies. Importantly, of the studies that reported significant results, effect sizes were either not given, or not enough information was given to calculate them (Adams et al.,

2019; Aiken & Poghosyan, 2009). One study that reported significant results evidenced these with adequate data (Rickard et al., 2012).

In two studies the discussion appeared too general and either lacked clearly described implications (Adams et al., 2019), or without specific conclusions or implications highlighted (Aiken et al., 2008). Others included good analytical discussion of results (Aiken & Poghosyan, 2009; Pålsson et al., 1996; Rickard et al., 2012; Teasdale et al., 2001).

### **Summary**

Although none of the six studies focused on prevention of burnout as their primary aim, three of the six studies reported a statistically significant reduction in burnout score following their intervention.

Adams (et al., 2019) reported OBI mean scores reduced from 4.808 to 4.463 as calculated using the Paired Student's *t*-test,  $p=0.004$ , following their intervention of the Cultural Change Toolkit. However, sufficient information was not provided to calculate effect size and the CCAT quality rating for the study was assigned as 'low'.

Aiken & Poghosyan (2009) reported mean levels of EE reduced for Russian participants from 17.6 to 14.7 using the chi-square test,  $p=0.05$ , following their intervention of AIHA initiatives. Inadequate data was given to calculate effect size. The authors also cautioned the reader in interpreting their findings due to ethical and authenticity of data concerns, highlighting that all burnout scores recorded through their research were lower than in any other hospital setting investigated. The CCAT quality rating was thus assigned as 'low'.

Rickard (et al., 2012) reported mean levels of EE reduced across both hospitals where the intervention was conducted from 28.94 to 20.77,  $p<.01$ , Cohen's  $d= 0.64$  (medium effect) in Hospital 1, and from 28.24 to 23.89 in Hospital 2,  $p<.01$ , Cohen's  $d = 0.3$  (small effect). This followed the conducting of the Workload intervention. The overall CCAT quality rating was classified as 'high'.

The remaining three studies (Aiken et al., 2008; Pålsson et al., 1996; Teasdale et al., 2019) did not report statistically significant findings in their measuring of burnout as per the EE, BM and MBI respectively.

## **Discussion**

This review provides a narrative synthesis and quality appraisal of the six included studies, in relation to their use of organisational interventions in mitigating burnout among nurses, taking into account the methodological quality of the evidence.

Three studies cited significant reductions in burnout levels, but only one of these also reported enough data to calculate effect size (Rickard et al., 2012) and was the only study assigned a 'high' quality rating based on the CCAT total scores, therefore it was not possible to directly compare results across these studies.

Cross-study comparison was also inhibited by the variability of the burnout outcome measures utilised, with only half of the studies using the same tool. A limitation is thus highlighted in the available literature.

Initial searches found a substantial number of studies focused on one-to-one secondary prevention; these included interventions such as: yoga, CBT, relaxation and Mindfulness (Braun, Kinser, Deeb, Carrico, & Dow, 2016; Romano, Trotta, & Rich, 2013; Steinberg, Klatt, & Duchemin, 2016; Williams, 2008). It is accepted that organisational interventions may be more difficult to study and implement given political constraints within public services, which is particularly relevant in times of financial austerity. However, it may be that the focus on nurses' own responsibility for psychological wellbeing through the emphasis of developing resilience overlooks instances of under-staffing and the intensity of the emotional work required for the role (Traynor, 2018).

Fundamentally, all of the six included studies measured interventions that aimed to support nurses' wellbeing in an organisational based approach. However, there was variability of implemented interventions in terms of duration, ranging two months (Adams et al., 2019) to five years (Rickard et al., 2012) and type: clinical supervision (Pålsson et al., 1996; Teasdale et al., 2001), implementation of Magnet Recognition

Programme, or similar (Aiken, Buchan, Ball, & Rafferty, 2008; Aiken & Poghosyan, 2009), Cultural Change Toolkit focusing on enhanced communication and feedback for nurses (Adams et al., 2019) and an intervention which assessed nurse workloads, increased the number of employed nurses, implemented supervision support and formal professional development opportunities (Rickard et al., 2012). These interventions are consistent with literature that purport interventions addressing education, support, staffing shortages and resource mitigate against the effects of burnout for nursing staff (Rees et al., 2019).

A limitation of the measured intervention of supervision for one study (Teasdale et al., 2001) was reliance on self-reported identification of receiving supervision rather than ensuring a set standard and protocol by qualified supervisors (Billings et al., 2020). Pålsson and colleagues (1996), who also measured supervision, ensured the protocol and training of their supervisors, but highlighted that there is known difficulty obtaining significant difference in results when there are low baseline scores.

The Cultural Change Toolkit (Adams et al., 2019) enhanced methods of communication and feedback for nurses. Similarities to this approach in literature suggest that leaders being highly visible, open to communication, providing feedback in a variety of forms as well as allowing anonymous feedback from staff may be beneficial in mitigating burnout (Maben & Bridges, 2020).

Without having details of the procedure of the intervention for two of the studies (Aiken et al., 2008; Aiken & Poghosyan, 2009), it appears that the Workload Intervention study (Rickard et al., 2012) addresses more factors associated through their intervention than the other included studies.

Generally, evaluation of the evidence from this literature is restricted by the variation in methodological quality, design, settings, methods, and outcome measures. Literature inquiring into the impact of organisational interventions to prevent burnout among nurses would be enhanced and strengthened by further studies investigating and replicating interventions that provide supervision or support, learning opportunities and also addressing resource and staffing issues, such

as the Workload Intervention. Additionally, the research may be further strengthened if consensus is reached on outcome measures.

### **Strengths and limitations**

This review has demonstrated that, despite the inherent difficulties in designing and evaluating organisational level interventions to reduce burnout among nursing professionals, there is a small but growing body of evidence with mixed findings but some tentative support for some approaches. To the author's knowledge, synthesis of findings of organisational interventions have not been published to date. Given the recognised risk of burnout in the wider healthcare workforce, the review holds potential implications that go beyond nursing.

While all studies met the review inclusion as Primary (organisational) intervention studies, there were notable variations in the specific types, extent and duration of included interventions, ranging from supervision to total organisational re-design and investment. However due to the increasing need to address and support the wellbeing of the nursing workforce it is important to bring together findings that go beyond placing the emphasis on occupation wellbeing on individual nurses, and instead consider the role of organisations in protecting their workforce.

The included studies recruited nurse participants from both community and hospital settings, drawing from a range of departments and job roles. Although more specific conclusions may have been possible to draw from studies that recruited nurses from a particular setting, such as solely oncology and emergency departments, which reportedly have the highest levels of burnout (Ortega-Campos et al., 2020), there are overarching similarities such as average shift length, night shifts and the role in caring for others that transcend specific settings for this population (Mcllory, 2019), and so conclusions may still be drawn despite the heterogeneity of the sample.

The findings from this search highlight discrepancies in how burnout as a construct is defined and measured, as well as how organisational interventions are conceptualised and indexed within research databases. It is acknowledged that the review findings are limited to a specific body of literature which sits within a wider

field of research addressing staff and nurse wellbeing at work generally, across different study and intervention types. For instance, research relating to staff supervision and other organisational approaches, such as the Magnet principles studied by Aiken et al. (2008) and Aiken and Poghosyan (2009), may not have been identified by the present review due to limitations of the sensitivity of the search strategy and specificity of the eligibility criteria. While efforts were made through scoping studies and consultation with a specialist librarian to enhance the sensitivity of the search strategy, and a hand search was conducted which identified an additional eligible paper, a future review in this area could broaden the scope through inclusion of additional search terms relating to different specific intervention types and keywords. The eligibility criteria could also be widened to include studies which look at other measures of staff wellbeing, besides validated burnout tools.

A further limitation of this review is that study selection and data extraction were completed by a single reviewer, which increased the possibility of bias and missed data. Measures were taken to minimise this which included discussion with a specialist librarian when developing search terms. Eligibility criteria also specified that papers must have been published in the English language which may have led to the omission of relevant studies.

### **Implications for future research**

Greater consistency is needed in future research, using specific and validated measures of burnout such as the full MBI, which may aid comparison and evaluation of interventions.

There has been a paucity of studies investigating organisational interventions in the prevention of burnout among nurses, particularly when compared to individual level approaches. The methodological quality of available evidence for this review revealed limited quality evidence in this field, with only one study assigned as 'high' quality. The increase in interest in this topic given the current global pandemic may lead to new evidence emerging as a result. Future methodologically robust studies replicating existing studies such as the Workload intervention (Rickard et al., 2012),

and a consensus in outcome measures may provide quality studies for future systematic reviews to assess.

### **Implications for healthcare services**

Interventions that aim to tackle the stressors of the roles such as being overworked, having career progression and having a sense of autonomy have shown some promise. It is important that employers take note of the strain that employees may be under, ensure adequate staffing and adapt work practices to protect the wellbeing of their staff, rather than relying solely on individual-directed approaches.

### **Conclusions**

The effect of organisational change on the wellbeing of nurses is a complex yet vital subject that deserves more rigorous research. Only one study indicated significant improvement of low to moderate effect size and was deemed of high methodological quality based on the overall CCAT scores; this workload intervention (Rickard et al., 2012) reviewed nurse workloads, recruited additional staff to meet the demands of the service and put great investment into championing the career pathway of nurses. However, generalisable conclusions may not be drawn from one study alone and a significant limitation of this review was the overall quality of studies and divergence of measures and key terms used. It is therefore important to be mindful of effect sizes reported and interpret the results of this review with caution in the context of the studies' methodological quality. Additional research of high quality, with clear agreed unanimity in terms of burnout measures and keywords and classifications, are required to clarify the most successful primary interventions to prevent burnout among nursing staff.



## References

- Aiken, L. H., Buchan, J., Ball, J., & Jane, R. (2008). Transformative impact of Magnet designation: England case study. *Journal of Clinical Nursing*, 17(24), 3330-3337. <https://doi.org/http://dx.doi.org/10.1111/j.1365-2702.2008.02640.x>
- Aiken, L. H., Poghosyan, L., & L.H., A. (2009). Evaluation of “magnet journey to nursing excellence program” in Russia and Armenia. *Journal of Nursing Scholarship: An Official Publication of Sigma Theta Tau International Honor Society of Nursing*, 41(2), 166-174. <https://doi.org/http://dx.doi.org/10.1111/j.1547-5069.2009.01268.x>
- Alexander, G. K., Rollins, K., Walker, D., Wong, L., & Pennings, J. (2015). Yoga for Self-Care and Burnout Prevention Among Nurses. *Workplace Health & Safety*, 63(10), 462-471. <https://doi.org/https://dx.doi.org/10.1177/2165079915596102>
- Billings, J., Kember, T., Greene, T., Grey, N., El-Leithy, S., Lee, D., ... Bloomfield, M. (2020). *Covid Trauma Response Working Group Rapid Guidance*. Retrieved from [www.traumagroup.org](http://www.traumagroup.org).
- Braun, S., Kinser, P., Deeb, G., Carrico, C., & Dow, A. (2016). An interprofessional course on mindfulness & mindful-movement for healthcare professionals and healthcare professionals in training. *Journal of Alternative and Complementary Medicine (New York, N.Y.)*, 22(6), A69-A70. <https://doi.org/10.1089/acm.2016.29003.abstracts>
- Bretland, R. J., & Thorsteinsson, E. B. (2015). Reducing workplace burnout: The relative benefits of cardiovascular and resistance exercise. *PeerJ*, 3(4), e891. <https://doi.org/10.7717/peerj.891>
- Clough, B. A., Ireland, M. J., & March, S. (2017). Development of the SOSS-D: a scale to measure stigma of occupational stress and burnout in medical doctors. *Journal of Mental Health*, 1-8. <https://doi.org/10.1080/09638237.2017.1370642>
- Cook, J. V, Dickinson, H. O., & Eccles, M. P. (2009). Response rates in postal surveys of healthcare professionals between 1996 and 2005: An observational study. *BMC Health Services Research*, 9(1), 160. <https://doi.org/10.1186/1472-6963-9-160>

- Demerouti, E., Bakker, A. B., Vardakou, I., & Kantas, A. (2003). The convergent validity of two burnout instruments: A multitrait-multimethod analysis. *European Journal of Psychological Assessment, 19*(1), 12-23. <https://doi.org/https://doi.org/10.1027//1015-5759.19.1.12>
- Duarte, J., & Pinto-Gouveia, J. (2016). Effectiveness of a mindfulness-based intervention on oncology nurses' burnout and compassion fatigue symptoms: A non-randomized study. *International Journal of Nursing Studies, 64*, 98-107. <https://doi.org/10.1016/J.IJNURSTU.2016.10.002>
- Gauthier, T., Meyer, R. M. L., Grefe Phd, D., & Gold Phd, J. I. (2015). An On-the-Job Mindfulness-based Intervention For Pediatric ICU Nurses: A Pilot. <https://doi.org/10.1016/j.pedn.2014.10.005>
- Hall, L. H., Johnson, J., Watt, I., Tsipa, A., & O'Connor, D. B. (2016). Healthcare Staff Wellbeing, Burnout, and Patient Safety: A Systematic Review. *PLOS ONE, 11*(7), e0159015. Retrieved from <https://doi.org/10.1371/journal.pone.0159015>
- Hersch, R. K., Cook, R. F., Deitz, D. K., Kaplan, S., Hughes, D., Friesen, M. A., & Vezina, M. (2016). Reducing nurses' stress: A randomized controlled trial of a web-based stress management program for nurses. *Applied Nursing Research, 32*, 18-25. <https://doi.org/10.1016/J.APNR.2016.04.003>
- Maben, J., & Bridges, J. (2020). Covid-19: Supporting nurses' psychological and mental health. *Journal of Clinical Nursing, 29*(15-16), 2742-2750. <https://doi.org/10.1111/jocn.15307>
- McIlroy, R. (2019). *RCN Employment Survey 2019. RCN Professional Development*. <https://doi.org/10.13140/RG.2.2.32223.00167>
- Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2009). Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *Journal of Clinical Epidemiology, 62*(10), 1006-1012.
- Orly, S., Rivka, B., Rivka, E., & Dorit, S.-E. (2012). Are cognitive-behavioral interventions effective in reducing occupational stress among nurses? *Applied Nursing Research, 25*(3), 152-157. <https://doi.org/10.1016/J.APNR.2011.01.004>
- Ortega-Campos, E., Vargas-Román, K., Velando-Soriano, A., Suleiman-Martos, N., Cañadas-de la Fuente, G. A., Albendín-García, L., & Gómez-Urquiza, J. L.

- (2020). Compassion fatigue, compassion satisfaction, and burnout in oncology nurses: A systematic review and meta-analysis. *Sustainability (Switzerland)*.  
<https://doi.org/10.3390/SU12010072>
- Pålsson, M. B., Hallberg, I. R., Norberg, A., Björvell, H., Pålsson, M. B., Hallberg, I. R., ... Björvell, H. (1996). Burnout, empathy and sense of coherence among Swedish district nurses before and after systematic clinical supervision. *Scandinavian Journal of Caring Sciences*, *10*(1), 19-26. Retrieved from: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=med4&NEWS=N&AN=8715782>
- Popay, J., Roberts, H., Sowden, A., Petticrew, M., Arai, L., Rodgers, M., ... Duffy, S. (2006). *Guidance on the conduct of narrative synthesis in systematic reviews: A product from the ESRC Methods Programme*.  
<https://doi.org/10.13140/2.1.1018.4643>
- Public Health England. (2016). *Interventions to prevent burnout in high risk individuals: evidence review*. Retrieved from <https://www.gov.uk/government/publications/interventions-to-prevent-burnout-in-high-risk-individuals-evidence-review>
- Rees, C. S., Eley, R., Osseiran-Moisson, R., Francis, K., Cusack, L., Heritage, B., & Hegney, D. (2019). Individual and environmental determinants of burnout among nurses. *Journal of Health Services Research & Policy*, *24*(3), 191-200.  
<https://doi.org/10.1177/1355819619840373>
- Rickard, G., Lenthall, S., Dollard, M., Opie, T., Knight, S., Dunn, S., ... Brewster-Webb, D. (2012). Organisational intervention to reduce occupational stress and turnover in hospital nurses in the Northern Territory, Australia. *Collegian*, *19*(4), 211-221. <https://doi.org/10.1016/J.COLEGN.2012.07.001>
- Romano, J., Trotta, R., & Rich, V. L. (2013). Combating Compassion Fatigue. *Nursing Administration Quarterly*, *37*(4), 333-336.  
<https://doi.org/10.1097/NAQ.0b013e3182a2f9ff>
- Saedpanah, D., Salehi, S., & Moghaddam, L. F. (2016). The Effect of Emotion Regulation Training on Occupational Stress of Critical Care Nurses. *Journal of Clinical and Diagnostic Research: JCDR*, *10*(12), VC01.  
<https://doi.org/10.7860/JCDR/2016/23693.9042>
- Schwartz Centre for Compassionate Care. (2015). *Building Compassion into the Bottom Line*. Retrieved from <https://www.theschwartzcenter.org/media/2019/06/Building-Compassion-into-the-Bottom-Line.pdf>

- Shanafelt, T. D., & Noseworthy, J. H. (2017). Executive Leadership and Physician Well-being. *Mayo Clinic Proceedings*, 92(1), 129-146. <https://doi.org/10.1016/j.mayocp.2016.10.004>
- Steinberg, B. A., Klatt, M., & Duchemin, A.-M. M. (2016). Feasibility of a Mindfulness-Based Intervention for Surgical Intensive Care Unit Personnel. *American Journal of Critical Care*, 26(1), 10-18. <https://doi.org/10.4037/ajcc2017444>
- Survey Coordination Centre NHS. (2019). *NHS Staff Survey 2018:National results briefing*. Retrieved from [https://www.nhsstaffsurveys.com/Caches/Files/ST18\\_National\\_briefing\\_FINAL\\_20190225.pdf](https://www.nhsstaffsurveys.com/Caches/Files/ST18_National_briefing_FINAL_20190225.pdf)
- Teasdale, K., Brocklehurst, N., & Thom, N. (2001). Clinical supervision and support for nurses: an evaluation study. *Journal of Advanced Nursing*, 33(2 CC-Common Mental Disorders), 216-224. Retrieved from <https://www.cochranelibrary.com/central/doi/10.1002/central/CN-00327665/full>
- Traynor, M. (2018). Guest editorial: What's wrong with resilience. <https://doi.org/10.1177/1744987117751458>
- Wang, S.-C., Wang, L.-Y., Shih, S.-M., Chang, S.-C., Fan, S.-Y., & Hu, W.-Y. (2017). The effects of mindfulness-based stress reduction on hospital nursing staff. *Applied Nursing Research*, 38, 124-128. <https://doi.org/10.1016/J.APNR.2017.09.014>
- Williams, C. H. J. (2008). Cognitive behaviour therapy within assertive outreach teams: Barriers to implementation: A qualitative peer audit. *Journal of Psychiatric and Mental Health Nursing*, 15(10), 850-856. <https://doi.org/https://dx.doi.org/10.1111/j.1365-2850.2008.01332.x>
- World Health Organisation. (2019). WHO | Burn-out an “occupational phenomenon”: International Classification of Diseases. WHO. Retrieved from [https://www.who.int/mental\\_health/evidence/burn-out/en/#.XQiw8t8wJU.mendeley](https://www.who.int/mental_health/evidence/burn-out/en/#.XQiw8t8wJU.mendeley)
- World Health Organization. (2018). International statistical classification of diseases and related health problems (11th Revision). In WHO. World Health Organization. Retrieved from <https://icd.who.int/browse11/l-m/en>

## **Chapter two: Major Research Project**

### **Major Research Project: The Experience of Occupational Wellbeing in Neonatal Nurses**

Finola Sparshott-McDaid<sup>1\*</sup>

<sup>1</sup> **Mental Health and Wellbeing, Institute of Health and Wellbeing, University of Glasgow**

**\*Correspondence Address:**

Mental Health and Wellbeing Administration Building  
Gartnavel Royal Hospital  
1055 Great Western Road Glasgow Glasgow, G12 0XH

E-mail: [finola.mcdaid@apct.scot.nhs.uk](mailto:finola.mcdaid@apct.scot.nhs.uk)

**Declaration of Conflict of Interest:** None

Prepared in accordance with submission requirements for Applied Nursing Research  
(Appendix 1)

**Word Count** (excluding plain English summary): 7,611 (6,238 without quotations)

## Plain English Summary

### **Title: The Experience of Occupational Wellbeing in Neonatal Nurses**

#### **Background**

Burnout can have a significant impact on staff working in highly physically and emotionally demanding roles, such as nurses working across Intensive, High Dependency and Special Care within neonatal services. Two concepts which aid the understanding of occupational wellbeing are psychological resilience and burnout. Resilience can be understood as the flexibility in response to changing situational demands, and the ability to recover from negative emotional experiences (Tugade, Fredrickson, & Barrett, 2004). Burnout, refers to emotional exhaustion (EE), depersonalisation (DP) or detachment from the job role, and a sense of ineffectiveness or lack of personal accomplishment (PA) (Maslach & Leiter, 2016).

Despite extensive research into the understanding and measuring of burnout, research exploring a shared process of resilience and burnout within the neonatal nursing context remains limited. There is a scarcity of qualitative studies exploring the lived experiences of neonatal nurses' occupational wellbeing. Exploring nurses' experiences and sense-making of occupational wellbeing may lead to a deeper understanding of the processes in managing adversity at work. It may also add to developing knowledge in enhancing organisational initiatives or policy to improve staff wellbeing in neonatal settings.

#### **Aims and Questions**

To provide an in-depth exploration of the lived experience of occupational wellbeing for neonatal nurses:

- How do participants identify their level of wellbeing at work?
- What do participants do to maintain their wellbeing at work?
- For participants, what contributes to poor wellbeing at work?
- What else can support the wellbeing of participants at work?

## **Methods**

Eight neonatal nurses were recruited from an NHS region in the West of Scotland. Each participant took part in a semi-structured interview exploring their experiences of occupational wellbeing. Interpretative phenomenological analysis allowed the detailed examination of these lived experiences

## **Results**

While attending to participants' unique perspectives, analysis explored commonalities and differences between transcripts, generating four interrelated themes within the superordinate themes of The Inherent Emotional Toll of the Nursing Role and The Interconnectedness of Resilience: competing demands, professional identity, feeling valued and meaningful connections.

## **Conclusion**

This research contributes to the understanding of burnout in this staff group. It highlights factors positively and negatively impacting on staff wellbeing. The findings underline the importance of staff feeling valued, having emotional connections and learning and development opportunities to strengthen professional identity, ensuring their skills and wellbeing are prioritised within the workplace culture.

## **References**

- Maslach, C., & Leiter, M. P. (2016). Understanding the burnout experience: recent research and its implications for psychiatry. *World Psychiatry : Official Journal of the World Psychiatric Association (WPA)*, *15*(2), 103–111. <https://doi.org/10.1002/wps.20311>
- Tugade, M. M., Fredrickson, B. L., & Barrett, L. F. (2004). Psychological resilience and positive emotional granularity: examining the benefits of positive emotions on coping and health. *Journal of Personality*, *72*(6), 1161–1190. <https://doi.org/10.1111/j.1467-6494.2004.00294.x>

## Abstract

**Background** Burnout can have a significant impact on staff working in highly physically and emotionally demanding roles, such as those working across Intensive, High Dependency and Special Care within neonatal services.

**Aims** To gain a deeper understanding of neonatal nurses' experiences of occupational wellbeing and factors that support or impair it.

**Methods** Eight neonatal nurses took part in a semi-structured interview exploring their experiences of occupational wellbeing, analysed through Interpretative phenomenological analysis (IPA).

**Results:** Analysis generated four interrelated themes within the superordinate themes of The Inherent Emotional Toll of the Nursing Role and The Interconnectedness of Resilience: competing demands, professional identity, feeling valued and meaningful connections.

**Conclusions:** This research highlights factors positively and negatively impacting wellbeing in this staff group. It underlines the importance of staff feeling valued, having emotional connections and learning and development opportunities to strengthen professional identity, ensuring their skills and wellbeing are prioritised within the workplace culture.

**Key words:** nurse, burnout, resilience, IPA, occupational-Wellbeing,



## Introduction

Occupational wellbeing is a concern in the NHS, one which impacts organisational functioning, staff retention and patient safety. The wellbeing of healthcare staff has been found to correlate with the quality of patient care and safe clinical practice (Clough, Ireland, & March, 2017; Hall, Johnson, Watt, Tsipa, & O'Connor, 2016). There are a number of factors which may influence nurse wellbeing. Two concepts which aid the understanding of staff wellbeing are psychological resilience (McCain, McKinley, Dempster, Campbell, & Kirk, 2018) and burnout (Maslach & Leiter, 2016).

Psychological resilience and burnout are associated concepts. Resilience can be understood as the flexibility in response to changing situational demands, and the ability to recover from negative emotional experiences (Tugade, Fredrickson, & Barrett, 2004). Conversely, burnout, as defined and researched by Maslach and colleagues, refers to emotional exhaustion (EE), depersonalisation (DP) or detachment from the job role, and a sense of ineffectiveness or lack of personal accomplishment (PA) (Kaschka, Korczak, & Broich, 2011; Maslach & Leiter, 2016). These domains form the most widely-used measure of burnout: the Maslach Burnout Inventory (MBI; Maslach & Jackson, 2019). It is this definition that is utilised for the classification of burnout in 2019 revisions to the ICD-11 (World Health Organisation, 2019; World Health Organization, 2018). It has also been associated with phenomena including compassion fatigue, vicarious trauma and depression (Guzzi, 2019).

Various models for explaining burnout and resilience have been put forward. Of particular relevance to the current study is the theoretical model of Managing Exposure which conceptualises resilience and burnout as aspects of an underlying process in response to challenges at work (Jackson, Vandall-Walker, Vanderspank-Wright, Wishart, & Moore, 2018).

The Managing Exposure model (Jackson et al., 2018) understands resilience and burnout as part of a single process for managing exposure to occupational adversity. The process is triggered by a perceived problem resulting from macro (systems including policy, job stability and health care), meso (unit culture, practical concerns and nature of critical care nursing) or micro level (interpersonal factors) adversity. It identifies awareness of the trigger as the driver for the resilience or

burnout process. This model defines four distinct categories which are important to consider: thriving, resilience, surviving and burnout. Additionally, techniques for managing exposure to adversity included behaviours categorised as protecting, processing, decontaminating and distancing.

Further, research has indicated females may be more susceptible to burnout or stress than males (Cañadas-De la Fuente et al., 2015; Jones, Hocine, Salomon, Dab, & Temime, 2015). There may be a number of reasons for this including burden of parental responsibilities and social attitudes. In a neonatal setting where staff are often females of child bearing age, their own birth stories or personal experience of miscarriage, for example, may impact their approach to end-of-life issues (Poncet et al., 2007), ethical decision making and observing suffering of patients and their families (Epp, 2012; Poncet et al., 2007), potentially increasing susceptibility to burnout.

Neonatal care is an emotionally, intellectually and physically demanding working environment in which staff are at risk of burnout (Prapanjaroensin, Patrician, & Vance, 2017). Studies of healthcare professionals in intensive care settings, including neonatal services, have reported a wide range of burnout prevalence ranging between 27-86% (Bellieni, Buonocore, Rosanna, Righetti, & Iacoponi, 2012; Poncet et al., 2007; Tawfik et al., 2017; Wilkinson, Whittington, Perry, & Eames, 2017). Such a large range of prevalence may be due to differing working environments of participants; additionally, differing measures have been used to assess prevalence of burnout. Indeed, the guidance for the MBI (Maslach & Jackson, n.d.) stipulates that the tool should not be used to categorise burnout per se but understood on a continuum to assess the levels of EE, DP and PA, with higher levels of EE and DP and lower levels of PA associated with higher levels of burnout.

There have been conflicting findings from research as to which conditions may mitigate burnout. For example, having children has been found in some studies to correlate with higher levels of burnout (Bellieni et al., 2012); it has been suggested that this may be due to the responsibility of having children and managing work and family life. Conversely, in other studies, nurses with children have reported higher levels of personal accomplishment (Ayala & Carnero, 2013), which is negatively

associated with burnout. It is suggested that this may be due to those individuals being older and more emotionally mature and stable which may have led to improved personal fulfilment (Cañadas-De la Fuente et al., 2015).

Studies relating to resilience and burnout specifically in neonatal nurses have examined coping strategies utilised by neonatal nurses. It has been found that Neonatal Intensive Care Unit (NICU) nurses manage their emotions at work through use of strategies including: social talk and humour with colleagues, taking breaks from work, withdrawing from the emotional pain of their patients, attending memorial services, reframing loss to find meaning in their work and even to transfer out of the NICU (Cricco-Lizza, 2014).

Studies have also highlighted the importance of the practice environment and perceived control over practice mitigating the impact of EE. For example, a descriptive correlational study of NICU nurses (n=75; Hawes, 2009) found that workload and problems with supervisors were the most significant nurse stressors. Other significant nurse stressors included: uncertainty towards treatment, conflict with physicians, problems with peer support, patients and families.

Despite extensive research into the understanding and measuring of burnout, research exploring a shared process of resilience and burnout within the neonatal nursing context remains limited. There is a dearth of qualitative studies exploring the lived experiences of neonatal nurses' occupational wellbeing conceptualised as a spectrum from thriving at work to burnout. Exploring nurses' experiences and sense-making of occupational wellbeing may lead to a deeper understanding of the processes in managing adversity at work. It may also add to developing knowledge in enhancing organisational initiatives or policy to improve staff wellbeing in neonatal settings.

### Aims

The project aimed to provide an in-depth exploration of the lived experience of occupational wellbeing for neonatal nurses. It sought to elaborate participants' understandings of barriers and facilitators to wellbeing at work and ways of managing these, to deepen understanding of the underlying processes influencing

how and why healthcare workers exhibit burnout and resilience in relation to their work.

## Method

### Ethics

Ethical approval was obtained from the University of Glasgow, college of Medical, Veterinary and Life Sciences (MVLS) ethics committee, with a region in the West of Scotland providing NHS Research & Development management approval. Data protection and confidentiality adhered to research ethics guidelines and the General Data Protection Regulation (GDPR, 2018). All participants were made aware that interviews were recorded in order to create verbatim anonymised transcripts. Informed consent was sought prior to interview both verbally and on participant consent forms, highlighting that withdrawal was possible up until the data had been anonymised. Confidentiality was explained to each participant, including the limits thereof regarding risk to self and others.

The semi-structured interview schedule was not considered highly sensitive and risk of undue distress among consenting participants was deemed low. However, as part of the informed consent process, participants were advised of how to access support should they have experienced distress following their participation.

The Clinical Midwife Manager of a West of Scotland Neonatal unit and other relevant managers were contacted prior to the study taking place. It was established when and where staff could participate in the interview and how it would be facilitated in order to protect both patient care and the wellbeing of the nursing staff.

## Recruitment

### *Participant Inclusion and Exclusion Criteria*

Participant inclusion criteria specified that participants were Neonatal Nurses, having worked and been primarily based within the Neonatal Unit at Crosshouse Hospital for a minimum of one year. This helped to ensure that all participants had

an understanding of the working expectations and demands of the unit. All neonatal nurses participating were above the age of 18 and fluent in English.

*Procedure*

Information sessions for Neonatal Unit staff provided an overview of the study and chance for potential participants to ask questions. Staff were provided with an information sheet, with an opt-in contact form that allowed the primary researcher to follow up potential participants individually. Interviews were arranged at participants’ convenience. Managerial support was secured to allow up to 90 minutes during working hours for participants to complete the interview, if they wished.

Participant characteristics

All participants were Neonatal Nurses, working across intensive care, high dependency and special care within a Maternity Unit in the West of Scotland. Participants salary pay grade ranged from Agenda for Change Band 5 to Band 8a. These have not been indicated in transcripts to protect participants’ anonymity. Participants have also been allocated pseudonyms (Table 3).

*Table 3: Participant characteristics*

Participant	Landy	Jenna	Ava	Margaret	Isla	Myriam	Sophia	Olivia
Years qualified	>15	>15	>20	>30	>10	>20	>5	>30
Children	1	3	0	2	2	3	1	2
In a long-term relationship	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes

*Justification of sample size*

IPA studies are generally conducted with small, homogenous samples, commonly between six to eight participants due to the depth of the detailed case-by-case analysis (Smith, Flowers, & Larkin, 2013; Turpin, Barley, & Scaife, 1997). Eight participants were recruited for this study, in line with guidance on doctoral level projects (Smith et al., 2013). Data collection ended once concurrent analyses

indicated sufficient data were collected to address the research aims (Guest, Bunce, & Johnson, 2006).

## Data collection

### *Semi-Structured Interview*

The interview schedule was developed in line with relevant research and through consultation with academic and field supervisors and a Clinical Midwife Manager. The interview schedule guided the interviews with the flexibility for participants to prioritise points that they deemed central to their experiences. Prompts were used when necessary to elicit further detail relevant to the topics of interest. Interviews lasted between 45 - 90 minutes.

## Analysis

Interpretative phenomenological analysis (IPA) allowed the detailed examination of participants' lived experience, giving opportunity for participants to elaborate freely and in depth, thus allowing the researcher to explore the participants' unique perspectives (Smith et al., 2013). This idiographic and phenomenological approach allowed the researcher to acknowledge their own perspective when endeavouring to make sense of the participant's views and sense-making, as captured by IPA's explicit attention to the double hermeneutic.

The IPA analysis followed six stages; beginning with verbatim transcription and immersion in the data. Initial notes of semantic content and the choice of language were made on the transcripts. Through these initial notes and codes, emergent themes developed, and interrelationships and connections were mapped. Charts of themes were developed first within and then between cases. This process was completed across all data collected to obtain a deeper and 'richer' interpretation (Smith et al., 2013).

## Researcher Reflexivity


IPA acknowledges the researcher's role in interpreting the data and developing themes. The researcher has prior experience working therapeutically with individuals who experienced difficulties contributed to by poor occupational wellbeing and had previous placement experience within a neonatal psychology

setting. No participants were known to the researcher outside of the research context. As a working parent and trainee clinical psychologist, the researcher was mindful of how their personal and professional experiences interacted with the process of conducting and interpreting the interviews. In addition, the researcher conducted a systematic review of research exploring organisational interventions for prevention of burnout in nurses concurrently with this study. To ensure that their reading of existing, related research did not prejudice the emergence of themes particular to the current study reflective notes were kept to recognise any subjective views and emotional reactions to the interview content. These were also discussed with the research supervisor. This assisted the process of acknowledging and 'bracketing off' beliefs and expectations while analysing the data and identifying themes, as is suggested by Smith et al. (2013). The research supervisor reviewed a sample of transcripts and both supervisors engaged in discussion of developing themes to enhance the credibility of the analysis.

## Results

The analysis resulted in the development of two superordinate themes (Figure 2): The Interconnectedness of Resilience and The Inherent Emotional Toll of the Nursing Role. This study interpreted that the participants' account of maintaining wellbeing at work entailed managing the inherent emotional toll of the nursing role: "*just the nature of the work that we do*" (Isla, line 351), by drawing upon the interconnectedness of resilience: "*if I feel well inside...I am more supportive to everybody else*" (Olivia, 83). This dynamic can be elaborated by four interrelated themes: competing demands, professional identity, feeling valued and meaningful connections. These themes are presented with substantiating excerpts from participant transcripts.

Figure 2: Diagram of identified themes



### *“In overload”*: Managing Competing Demands

All participants reported the struggle of managing competing demands, whilst striving for a satisfactory work-life balance. The ability to maintain this juggling act at work was described as being affected by the participants’ demands and roles in their personal lives and vice versa. It was described that both within and outwith work, their sense of role and responsibility caring for others has propensity to overshadow their own self-care.

For some, managing their lives outside of work was viewed as the main challenge: *“Getting me to work is the most stressful part”* (Myriam, 146). Myriam described caring for three young children, organising childcare around changing shift patterns as well as managing domestic chores whilst working, as a challenge to her emotional wellbeing.



Among the participants, mothering roles and childcare needs were cited as important aspects of their lives outside of work: *“I’m spending my days off trying to get into a day routine for the sake of my son”* (Sophia, 289). They related the additional caring roles and responsibilities they took on within their own families as significantly impacting their occupational and personal wellbeing:

*“It got so bad that I was kind of at the end of my rope, that I didn’t know what to do, I couldn’t function on a daily basis anymore...and it wasn’t work related, it was purely just all the stress of home life, and kids, and shifts, and childcare and everything that was going on at home...”* (Myriam, 324)

Myriam described how the mental load of domestic responsibilities around varying shift patterns added strain to her emotional wellbeing.

*“I am not very good at saying no, so I was in overload with jobs given to me at work and within my family at home I am the go-to and there were three members of my family very unwell. ...I knew I didn’t feel well, that I had lost the work-life balance, so even going away a weekend with friends was a tick, it was a job to me, I wasn’t enjoying it and all of a sudden one day in the middle of [supermarket] I just started crying”* (Margaret, 13)

Margaret described her propensity to accept and take up additional roles and responsibilities both in her personal life and at work to the detriment of her own self-care needs, and ultimately her emotional wellbeing.

Basic selfcare was illustrated as a challenge to participants who spoke of putting the needs of their colleagues, patients and additional work tasks above their own basic needs. This was especially prominent in Jenna’s interview:

*“There’s something else to do, something else to do; we’re not good at taking time for self-care or wellbeing. It’s just get onto the next thing and worry about that later.”* (Jenna, 220)

A notable challenge was the participants’ perceived difficulty of finding or allocating time to take their breaks. These breaks were an opportunity for participants to eat

their lunch, use the toilet or rehydrate, as well as having a mental break from the tasks of the day. Participants described taking breaks as a challenge for them, but also had an awareness that not taking breaks had negative consequences:

*“You can go a while without food and water.... pee stop... things like that you know, as well, and obviously when you are not feeding yourself, sometimes you start to drain your energy resources as well.”* (Ava, 71)

*“There is times when you just can’t go and leave, you’ve got drugs to do or whatever, and that does make people more ratty and stressed, if they’re not getting fed, but again that is just the nature of the work that we do.”* (Isla, 348)

*“Something that I’m not very good at is making sure I take some breaks. Erm and I know what I, you get caught up in the erm, the day runs away with you.”* (Olivia, 467)

It was expressed that it was a delicate balance between working shifts and getting enough sleep:

*“You’ve got the tiredness aspect, two night shifts in a row and having to get [children] up for school, so maybe not getting as much sleep sometimes that can impact on things, so kind of got to deal with it, get on with it and feel rubbish for a few days.”* (Isla, 424)

Managing the impact of colleagues’ emotional state was also perceived as an additional drain on wellbeing: *“You can’t always plan for other people’s moods”* (Isla, 582).

Managing these competing demands prompted some participants to focus on becoming organised and, for some, the need to have a sense of control over situations: *“We see ourselves as we’ve got to be in control, in control of everything”* (Jenna, 35); *“I feel I need to have something to give me a sense of control, something that I can tick and say I’ve done that, I’ve done that”* (Isla, 557). Participants highlighted how this need for control could result in taking on yet more

responsibilities and roles that were heightening demands of their time and impacting their wellbeing to an even greater extent.

### ***“Get myself back together”*: Professional Identity**

All participants gave examples of pressures and developments to their professional identity and the impact this had on their occupational wellbeing. It was described how the process of building or reconnecting with their sense of professional and caring selves helped them to connect more deeply with the families they support and their colleagues.

Participants reported the interaction between their professional behaviour and sense of professional identity on their occupational wellbeing. Participants described behaving in a manner that was in conflict to their perceived sense of professional identity when struggling with emotional toll: *“This is not me”* (Landy, 81), and a feeling of disconnect from their internal experiences: *“I didn’t know entirely what was wrong with me...I knew I wasn’t okay”* (Margaret, 21).

Also described was a finding or re-finding of their professional identity: *“Get myself back together”* (Jenna, 57), and a gaining in confidence of expressing their internal experiences: *“I wasn’t embarrassed to say, you know, I hit a wall”* (Margaret, 132); *“once I got more knowledge and [...] the confidence, I was gradually able to move on”* (Myriam, 279). This was described as a learning process: *“I feel quite happy with where I am now and what I’m learning, what I’ve learned. Erm, I feel like I can cope with things that come in now”* (Sophia, 321). Others identified key events in their personal lives building important skills for their working role:

*“I feel my experience of what happened to me, erm, has been very grounding for what I do now, because I think I’ve got more empathy and compassion for people who’ve maybe got horrible things going on.”* (Olivia, 844)

### ***“Just a number”*: The Importance of Feeling Valued**

The importance of feeling valued was highlighted in the accounts of all participants. It was described how the feeling of being undervalued compounded their emotional

toll, whereas feeling valued, if even just through a small gesture, was emphasised as boosting their resilience.

Participants described difficulties involving work situations, processes, interdepartmental or service communications and policies. These were perceived as negatively impacting their feeling of being valued and thus their emotional wellbeing. Participants' interpretations of triggers for feeling undervalued varied and at times were opposing. Some felt the sickness policy was beneficial: "I have very much an understanding of what the Sickness Absence Policy is all about, it's a support" (Margaret, 450). However, its implementation led others to feel insignificant:

*"I'm just a number, you're not a person, but their jobs are to have bums on seats, people in places, numbers ticked, not to think about the actual person and who's to be made to feel that way" (Landy, 601).*

Similarly, while Jenna described rarely needing sickness leave, on one occasion she called to inform the hospital co-ordinator, as per the procedure:

*"It's no disrespect to that woman but, she was just like, 'Right, you're off sick, when are you coming back?' Like I was just a number, so you know you feel terrible like, you feel like you've let everybody down and you're not cared for, you're a number, and she was just ticking off a name on a sheet." (Jenna, 501)*

Others identified communication with interdisciplinary colleagues - "*certain ones that won't associate themselves, that are too good to be associating themselves with other staff*" (Landy, 521) - as impacting their feelings of value and worth. This was viewed to impact their working lives by feeling they "*weren't listened to*" and "*not taken seriously*" (Isla, 171) by other disciplines when they had concerns for a baby's welfare: "*It's as if they were saying 'oh yeah, ok', pooh-pooing us that idea, but they weren't taking on our wealth of experience*" (Isla, 209). Others reported interactions with other disciplines led them to feel "challenged" by perceiving that members of other disciplines were negatively commenting on the work responsibilities of participants, culminating in the feeling of not being respected: "*I*

*was doing everything I could do about it to the point where she was exceptionally rude to me in front of erm the whole team... and it really challenged me”* (Olivia, 702).

Participants also identified feelings of not being valued or cared for through their interactions with nursing colleagues; *“they were treating me like a new start”* (Landy, 56). Others indicated feeling *“isolated”* and even *“betrayed”* (Olivia, 174 & 185) due to a perceived lack of support and interaction from their team, including at times when they felt their occupational wellbeing had noticeably deteriorated: *“people at work realised but nobody, nobody approached me”* (Margaret, 248).

Conversely, a number of participants highlighted the positive impact of feeling valued and cared for by simply being noticed and asked a question about their wellbeing. It was often reported that it was the Clinical Psychologist working within the unit that was asking these questions:

*“She asked me if I was alright and I said: ‘Well actually no.’ She said: ‘I thought that.’ ...And that really meant a lot to me that, erm, and it kind of reinforced, erm, yeah people care, people do care, erm, so that was nice.”*  
(Olivia, 338)

Additionally, a sense of value was experienced by participants in different situations and forums, such as support from colleagues through ‘WhatsApp’ groups for those in specific roles: *“we all support each other, because we know how difficult it can be and working together, and with the families at times”* (Jenna, 199). Receiving feedback was also noticeably appreciated and gave a sense of respect, value and positive regard for participants when received from the families they support, their team, supervisors and managers:

*“I got really nice feedback from one of the sisters... that was enough, to know that I’m still able, doing a good job, achieving good outcomes, and yeah I was happy, you’re still working, still making a difference, you know, you’re still doing what I should be doing, giving my all and it works, it’s working,”*  
(Jenna, 682)

### ***“My work family”*: Meaningful Connections**

Meaningful emotional connections were referred to within all participant transcripts. Connectedness, emotional support, understanding and care were identified as integral to the maintenance of participants’ emotional wellbeing. These meaningful connections from colleagues, family and loved ones were, at times, suggested to make the difference between the maintenance or deterioration of their emotional wellbeing. It was also identified that when participants felt they were coping well, they were more able to support colleagues, whereas when colleagues were perceived as not coping, this was viewed to have a damaging effect on everyone around them.

The modes and means of meaningful connections varied among participants. Some identified it as being through colleagues:

*“I call it my work family and they all laugh at me; we have all got mums and sisters [at work].” (Myriam, 699)*

*“I would talk to my colleagues more, and no disrespect to [partner], he just doesn’t understand... so I would talk to my colleagues more than him if it was about, you know, if I go home upset he is very supportive but he wouldn’t get it, wouldn’t get it.” (Jenna, 557)*

Jenna identifies the importance of feeling understood by someone who has professional experience and knowledge of their role as an important factor in the resilience boosting impact of the meaningful connection.

Others achieved connections through family and loved ones:

*“I cried on the way home from work, spoke to my husband, obviously not giving details or anything... I will say ‘rubbish day at work’ ...and then, you know, just let it all out and he gives me a big cuddle and that’s it, I am fine, have a cup of tea and you know....I have got it out my system and you know, I am usually fine after that...before I got married I always used to phone my dad. I used to phone home and say, ‘right Dad, I need to speak to you today.’”*

*And he would say 'have you had a bad day?' and I would say 'yes' So, I think having that obviously helps” (Ava, 864)*

*“When I go home I tend to just... my husband will know maybe if I have had a bad day so like I don't talk about it, I just say I have had a really bad day and I just need a hug and that's enough for me when I go home, and I am grateful that I've got my kids and I have the cuddles” (Myriam, 300)*

Olivia highlighted the overall importance of experiencing this emotional support to be able to provide support in her caring role effectively to others:

*“[I] talk to my husband and he hears all my chat and that's what nurtures my soul, erm, and helps me recover. So, I have to take myself away, heal myself and if I feel well inside and healed inside, I feel that I am more supportive to everybody else.” (Olivia, 81)*

Sophia expressed appreciation for her mother as an emotional connection and support, but also alluded to factors of shared experience and understanding that were missing in this connection for her to feel fully comforted and supported:

*“My mum's good, I can go and see her whenever I like, or if I've had a rubbish shift, but she still doesn't understand really, the extent of what I do and the things what we see and what can go wrong.” (Sophia, 362)*

Others sought support from the Clinical Psychologist within the unit and were at times signposted to, or independently sought, longer term support from other professionals. Landy sought emotional connection through a professional due to a described lack of other options: *“I ended up getting referred for some counselling and started on antidepressants; the counselling was great.” (Landy, 108)*

Additionally, the unavailability of meaningful emotional connections, missed or lack of opportunities to connect may represent a toll on participant's emotional wellbeing: *“[Family member] had left so I didn't have [them] to offload to and I think that was another thing, that I didn't have that” (Margaret, 227).*

## Discussion

Through IPA, this study sought to explore the occupational wellbeing among eight neonatal nurses. While attending to participants' unique perspectives, analysis explored commonalities and differences between transcripts, generating four interrelated themes within the superordinate themes of The Inherent Emotional Toll of the Nursing Role and The Interconnectedness of Resilience (Figure 2): competing demands, professional identity, feeling valued and meaningful connections.

### *Managing Competing Demands*

The struggle of managing competing demands was highlighted by all participants. Participants identified maintaining the balance and containing the impact of demands both at work and in their personal lives as integral to their occupational wellbeing. Consistent with prior research, among the sample, being mothers themselves was viewed as both a positive and negative contributor to occupational wellbeing (Belleini et al., 2012; Ayala & Carnero, 2013; Cañadas-De la Fuente et al., 2015). Within this sample, negative impacts occurred when there was a greater load of domestic responsibilities without adequate support. Participants described juggling parenting, childcare and domestic responsibilities alongside variable shift patterns with sometimes very limited external support and the negative impact this had on their wellbeing which affected their work. On the other hand, children also provided some with important meaningful emotional connections in terms of affection and even emotional support from adult children, thus serving to enhance their wellbeing. Workplace practices which recognise the dependents of neonatal staff and level of support they have outside of work, in addition to considering the provision of structured shift patterns that allow for the absence of childcare, within reason, may serve to mitigate the risks of burnout for those in this position.

Importantly, participants reported the susceptibility to meeting demands for others and work prior to meeting their own self-care needs. In the relatively short period of each shift, essential needs such as food and drink were sometimes unattainable to the participants. Indeed, a culture of not taking necessary breaks was present throughout interviews. This is not a new phenomenon, with the Royal College of Nursing (RCN) in 2018 launching an initiative encouraging nurses to rest, rehydrate



and refuel to promote safety of care which can be impacted by nurses becoming dehydrated, impacting their cognitive functioning and level of fatigue (Royal College of Nursing, 2018), which could become unsustainable or result in unintended consequences. The participants of this study described not taking breaks so as to not negatively impact their patients in terms of the quantity of tasks or continuous monitoring that needed to occur, or the unavailability of sufficient staffing to allow breaks. Others alluded to how they felt they would not want to burden a colleague to cover for them to have a break. It is possible that fostering a culture in which self-care is appropriately valued may encourage neonatal nurses to prioritise their own wellbeing as a necessary foundation for performing at their best to meet the demands of the role and in turn support colleagues. Juggling competing demands can be viewed as an instance of actual or perceived threat to the nurses' resources, as is explained through the Conservation of Resources (COR) theory (Prapanjaroensin et al., 2017). COR theory proposes how resource gain contributes to resilience and how burnout can occur if there is a loss or threat, perceived or actual, to resources that are categorised by the model into four domains: objects, conditions, personal characteristics or energy (Hobfoll, 2012). The participants of this study described how their resources were at threat, for example 'objects' such as food and hydration were at times unobtainable (Hobfoll, Freedy, Schaufeli, Maslach, & Marek, 1993).

### *Professional Identity*

All participants gave examples of how their professional identities were challenged as well as having opportunities for professional growth and the impact of this on their occupational wellbeing. Participants explained how both personal and occupational learning experiences contributed to increased confidence in their professional identity and positively influenced their resilience. Feeling supported with new learning and practices, such as working in a new area, having access to continued learning and development opportunities, contributed to increased confidence and cohesion with professional identity. This is consistent with literature among psychiatric nurses that purports a positive correlation between sense of professional identity and job satisfaction (Kabeel & Mosa Eisa, 2017). Conversely, inadequate or diminished support in new roles has been highlighted as a significant

predictor of burnout (Yu, Jiang & Shen, 2016). This was further reflected by the current study findings in which participants described how lack of support in unfamiliar areas of work led to self-doubt and a breakdown of their aspired sense of professional identity, negatively affecting their occupational wellbeing. Participants described how the process of building or reconnecting with their sense of professional caring selves helped them to connect more deeply with the families they support and their colleagues.

#### *The Importance of Feeling Valued*

All participants highlighted the importance of feeling valued for their occupational wellbeing. Simple gestures, such as being asked about their wellbeing and receiving appreciative feedback, were reported to make a positive difference to participants' wellbeing through the perception of being cared for and their contribution to the service being recognised and valued. A recent study of (n=351) student nurses in the UK (Kinman & Leggetter, 2016) concluded that nurses who reported higher levels of receiving or having the opportunity to receive emotional support had lower levels of emotional exhaustion compared to those who reported lower levels of actual, or opportunity, for emotional support. The present study therefore contributes to existing research in identifying that even small gestures by colleagues, that can be identified as emotional support or meaningful connections, may have a positive impact on feelings of self-value and resilience.

Conversely, the feeling of being undervalued compounded their emotional toll. Specific procedures and policies were identified as contributing to this. For example, the participants were divergent in whether they felt valued or undervalued by the application of the rota. Some participants valued the opportunity to have flexibility in varying shift patterns. This meant they were able to work around the naturally varying plans of their personal lives such as parental engagement with their children's school activities or other sporting events, or other plans with friends and family. Others who struggled more with childcare found varying shift patterns more demanding, which in turn led them to feel they were not as supported by work and felt less valued.

Perceived inadequate or diminished support in new roles or areas of work and interpersonal factors such as a perceived lack of respect or support from individuals of the same or other disciplines were also conveyed, the latter consistent with research of NICU nurses (Hawes, 2009). These instances were described as leading to self-doubt or a breaking down of their identity as effective nurses and valued colleagues.

### *Meaningful Connections*

Meaningful emotional connections were referred to as a moderating factor for occupational wellbeing by all participants. For some, a sense of shared experience and understanding were important. This was a notable factor within this group. Family and loved ones were described as providing support and a listening ear but were not perceived to truly understand the demands of the neonatal role. Participants reported friends and family lacked understanding of the emotive nature of their work, such as working with babies who may be going through substance withdrawal, serious illness, and even the small size and fragility of the babies, in addition to the added strain of being the babies' advocate.

Connections were not solely sought and provided through verbal interaction and written word, but important too was physical contact through embrace. These moments presented the participants with an environment they felt was safe to express their emotions, an important aspect of an emotionally demanding role. The benefit of this basic support has been observed through the COR theory recognising that access to psychological support and social opportunities (Aytakin, Yılmaz, & Kuşuoğlu, 2014), understood under the resource of 'Conditions', may serve to protect nurses' wellbeing.

All of the interviewees, irrespective of their level and years of experience, expressed the physical and emotional demands impacting their occupational wellbeing in the neonatal unit. Importantly, all participants also described psychological resilience in response to changing situational demands and successfully recovering from negative emotional experiences.

### Implications for Services

Neonatal nurses work with the most vulnerable babies, advocating for their needs and wellbeing, as well as utilising knowledge of attachment theory to engage the parents with the babies' care. Within this research, areas were highlighted that enhanced and maintained as well as negatively impacted participants' wellbeing.

The sickness absence policy, for instance, was viewed by some participants as a supportive system, whereas others viewed it as devaluing. Improved implementation and communication of such policies in an individualised manner could aid their supportive function and enhance staff sense of value within the organisation.

Noticing and asking about the wellbeing of participants had a positive impact on their level of resilience. For this group, a Clinical Psychologist worked alongside them and was able to observe and question notable shifts in wellbeing, which participants valued. Conversely, missed opportunities where participants felt their wellbeing had noticeably deteriorated without perceived recognition from their colleagues or supervisors compounded the emotional toll.

Having opportunities to offload and seek emotional support from individuals who have an understanding of the role was important to participants in validating their feelings and providing support. It may be beneficial for services to develop specific forums for this within working hours.

Participants reported how competing demands of family commitments impacted their occupational wellbeing. For some, certain shifts were always difficult to organise childcare for. Services and staff could be encouraged to consider temporary flexible working arrangements such as stipulated in Section 33 of the NHS Terms and conditions of Service Handbook (NHS Employers, 2019). This may also give employees a greater sense of being valued as an individual, supporting their capacity for resilience.

## Strengths and Limitations

Findings are based on the reflections of eight neonatal nurses who agreed to be interviewed. Detailed description of recruitment, data collection, analysis and context are given to aid interpretation of the transferability of findings. Efforts were made to recruit a relatively homogenous sample, yet participants differed in their life stage, personal circumstances, length of experience, pay grade and working responsibilities which are likely to have influenced their experiences.

This sample included only those employed in the unit who agreed to participate. It was not possible to undertake research with individuals who had left the post due to the experience of burnout, limiting the transferability of findings to those most seriously affected.

## Future Research

This study highlighted several areas that would be beneficial to research in more depth. As previously stated, the experience or views of neonatal nurses who have left their work as a result of burnout was not explored. A more in-depth understanding of this would be important to see if there are any specific aspects that may lead neonatal nurses to leave their work permanently, and how their experience may differ from those who experience difficulties with their occupational wellbeing but continue to work.

The importance that this group of neonatal nurses placed on feeling valued, and the difference this made in enhancing and maintaining their occupational wellbeing, was highlighted in this study. Further exploration into neonatal nurses' feelings of perceived value both inside and outside of work could lead to increased knowledge and potential improvements in their wellbeing.

## Conclusion

The findings illustrate the balancing act participants have in managing the inherent emotional toll of their many competing demands and roles, and developing and maintaining their resilience. Participants described a range of facilitators and

barriers to their occupational wellbeing. It also highlighted how some factors, such as sickness reporting policy, were perceived as positive by some and negatively by others, illustrating the complexity of effectively supporting staff and the role of individual circumstances and differences upon enhancing or maintaining staff wellbeing. This study found that key areas to enhance and maintain staff wellbeing among this sample included the importance of staff feeling valued, having the opportunity to have and make emotional connections, the availability of learning and development opportunities to enhance skills and strengthen professional identities and the need to prioritise staff wellbeing within the workplace culture.

## References

- Ayala, E., & Carnero, A. M. (2013). Determinants of Burnout in Acute and Critical Care Military Nursing Personnel: A Cross-Sectional Study from Peru. *PLoS ONE*, 8(1), e54408. <https://doi.org/10.1371/journal.pone.0054408>
- Bellieni, C., Buonocore, G., Rosanna, C., Righetti, P., & Iacoponi, F. (2012). Burnout and Risk Factors in a Cohort of Neonatologists. *Pediatric Research*, 70, 38. Retrieved from <http://dx.doi.org/10.1038/pr.2011.263>
- Cañadas-De la Fuente, G. A., Vargas, C., San Luis, C., García, I., Cañadas, G. R., & De la Fuente, E. I. (2015). Risk factors and prevalence of burnout syndrome in the nursing profession. *International Journal of Nursing Studies*, 52(1), 240-249. <https://doi.org/10.1016/j.ijnurstu.2014.07.001>
- Clough, B. A., Ireland, M. J., & March, S. (2017). Development of the SOSS-D: a scale to measure stigma of occupational stress and burnout in medical doctors. *Journal of Mental Health*, 1-8. <https://doi.org/10.1080/09638237.2017.1370642>
- Cricco-Lizza, R. (2014). The need to nurse the nurse: Emotional labor in neonatal intensive care. *Qualitative Health Research*, 24(5), 615-628. <https://doi.org/10.1177/1049732314528810>
- Epp, K. (2012). Newly qualified nurses experiences in the intensive care unit. *Nursing in Critical Care*, 17(1), 44-51. <https://doi.org/10.1111/j.1478-5153.2011.00473.x>
- Guest, G., Bunce, A., & Johnson, L. (2006). How Many Interviews Are Enough? *Field Methods*, 18(1), 59-82. <https://doi.org/10.1177/1525822X05279903>
- Guzzi, D. A. (2019). *Redefining Burnout: Exploring Common Conceptualizations and the Neurophysiology of Chronic Stress to Establish an Integrated Allostatic Model*. *Human Factors Psychology Commons, Industrial and Organizational Psychology Commons*. Retrieved from <https://digitalcommons.nl.edu/diss/374>
- Hall, L. H., Johnson, J., Watt, I., Tsipa, A., & O'Connor, D. B. (2016). Healthcare Staff Wellbeing, Burnout, and Patient Safety: A Systematic Review. *PLOS ONE*, 11(7), e0159015. Retrieved from <https://doi.org/10.1371/journal.pone.0159015>
- Hawes, K. (2009). *Nurse job stress, burnout, practice environment and maternal satisfaction in the neonatal intensive care unit*. University of Rhode Island. University of Rhode Island.
- Hobfoll, Stevan E. (2012). Conservation of Resources Theory: Its Implication for Stress, Health, and Resilience. *The Oxford Handbook of Stress, Health, and Coping*. Oxford University Press. <https://doi.org/10.1093/oxfordhb/9780195375343.013.0007>
- Jackson, J., Vandall-Walker, V., Vanderspank-Wright, B., Wishart, P., & Moore, S. L. (2018). Burnout and resilience in critical care nurses: A grounded theory of Managing Exposure. *Intensive and Critical Care Nursing*, 48, 28-35. <https://doi.org/10.1016/j.iccn.2018.07.002>
- Jones, G., Hocine, M., Salomon, J., Dab, W., & Temime, L. (2015). Demographic and occupational predictors of stress and fatigue in French intensive-care registered nurses and nurses' aides: A cross-sectional study. *International Journal of Nursing Studies*, 52(1), 250-259. <https://doi.org/10.1016/j.ijnurstu.2014.07.015>

- Kabeel, A. R., & Mosa Eisa, S. E.-M. (2017). Relationship between job satisfaction and professional identity among psychiatric nurses. *Egyptian Nursing Journal*, 14(1), 9. <https://doi.org/10.4103/2090-6021.206939>
- Kaschka, W. P., Korczak, D., & Broich, K. (2011). Burnout: a fashionable diagnosis. *Deutsches Arzteblatt International*, 108(46), 781-787. <https://doi.org/10.3238/arztebl.2011.0781>
- Kinman, G., & Leggetter, S. (2016). Emotional Labour and Wellbeing: What Protects Nurses? *Healthcare*, 4(4), 89. <https://doi.org/10.3390/healthcare4040089>
- Manzano-García G, Ayala JC (2017) Insufficiently studied factors related to burnout in nursing: Results from an e-Delphi study. PLOS ONE 12(4): e0175352. <https://doi.org/10.1371/journal.pone.0175352>
- Maslach, C., & Jackson, S. E. (2019). Maslach Burnout Inventory - Human Services Survey for Medical Personnel (MBI-HSS (MP) - Assessments, Tests | Mind Garden - Mind Garden. Retrieved January 5, 2019, from <https://www.mindgarden.com/315-mbi-human-services-survey-medical-personnel>
- Maslach, C., & Leiter, M. P. (2016). Understanding the burnout experience: recent research and its implications for psychiatry. *World Psychiatry : Official Journal of the World Psychiatric Association (WPA)*, 15(2), 103-111. <https://doi.org/10.1002/wps.20311>
- McCain, R. S., McKinley, N., Dempster, M., Campbell, W. J., & Kirk, S. J. (2018). A study of the relationship between resilience, burnout and coping strategies in doctors. *Postgraduate Medical Journal*, 94(1107), 43-47. <https://doi.org/10.1136/postgradmedj-2016-134683>
- NHS Employers. (2019). Section 33: Balancing work and personal life. Retrieved July 14, 2020, from <https://www.nhsemployers.org/tchandbook/part-5-equal-opportunities/section-33-balancing-work-and-personal-life>
- Poncet, M. C., Toullic, P., Papazian, L., Kentish-Barnes, N., Timsit, J. F., Pochard, F., ... Azoulay, É. (2007). Burnout syndrome in critical care nursing staff. *American Journal of Respiratory and Critical Care Medicine*, 175(7), 698-704. <https://doi.org/10.1164/rccm.200606-806OC>
- Prapanjaroensin, A., Patrician, P. A., & Vance, D. E. (2017). Conservation of resources theory in nurse burnout and patient safety. *Journal of Advanced Nursing*, 73(11), 2558-2565. <https://doi.org/10.1111/jan.13348>
- Royal College of Nursing. (2018). *Take your breaks*. *RCN Bulletin*. Retrieved from <https://www.rcn.org.uk/magazines/bulletin/2018/april/take-your-breaks>
- Smith, J. A., Flowers, P., & Larkin, M. (2013). *Interpretative Phenomenological Analysis*. London: Sage Publications.
- Tawfik, D. S., Sexton, J. B., Kan, P., Sharek, P. J., Nisbet, C. C., Rigdon, J., ... Profit, J. (2017). Burnout in the neonatal intensive care unit and its relation to healthcare-Associated infections. *Journal of Perinatology*, 37(3), 315-320. <https://doi.org/10.1038/jp.2016.211>
- Tugade, M. M., Fredrickson, B. L., & Barrett, L. F. (2004). Psychological resilience and positive emotional granularity: examining the benefits of positive emotions on coping and health. *Journal of Personality*, 72(6), 1161-1190. <https://doi.org/10.1111/j.1467-6494.2004.00294.x>
- Turpin, G., Barley, B., & Scaife, J. (1997). Standards for research projects and theses involving qualitative methods: suggested guidelines for trainees and courses. *Clinical Psychology Forum*, (No. 108), 3-7. Retrieved from



<https://contentstore.cla.co.uk/secure/link?id=596f3e68-2ee7-e811-80cd-005056af4099>

- Wilkinson, H., Whittington, R., Perry, L., & Eames, C. (2017). Examining the relationship between burnout and empathy in healthcare professionals: A systematic review. *Burnout Research*, 6, 18-29. <https://doi.org/10.1016/j.burn.2017.06.003>
- World Health Organisation. (2019). WHO | Burn-out an “occupational phenomenon”: International Classification of Diseases. *WHO*. Retrieved from [https://www.who.int/mental\\_health/evidence/burn-out/en/#.XQjw8t8wJU.mendeley](https://www.who.int/mental_health/evidence/burn-out/en/#.XQjw8t8wJU.mendeley)
- World Health Organization. (2018). International statistical classification of diseases and related health problems (11th Revision). In *WHO*. World Health Organization. Retrieved from <https://icd.who.int/browse11/l-m/en>
- Yu, H., Jiang, A., & Shen, J. (2016). Prevalence and predictors of compassion fatigue, burnout and compassion satisfaction among oncology nurses: A cross-sectional survey. *International Journal of Nursing Studies*, 57, 28-38. <https://doi.org/10.1016/j.ijnurstu.2016.01.012>

## Appendix

### Appendix 1: Applied Nursing Research - Author Guidance



## APPLIED NURSING RESEARCH

### AUTHOR INFORMATION PACK

#### TABLE OF CONTENTS

• Description	p.1
• Impact Factor	p.1
• Abstracting and Indexing	p.1
• Editorial Board	p.1
• Guide for Authors	p.3



ISSN: 0897-1897

#### DESCRIPTION

*Applied Nursing Research* presents original, peer-reviewed research findings clearly and directly for clinical applications in all nursing specialties. Regular features include "Ask the Experts," research briefs, clinical methods, book reviews, news and announcements, and an editorial section. *Applied Nursing Research* covers such areas as **pain management, patient education, discharge planning, nursing diagnosis**, job **stress in nursing**, nursing influence on length of hospital stay, and nurse/physician collaboration. The Journal is listed in PubMed/MEDLINE, CINAHL and the Journal Citation Reports published by Thomson Reuters.

#### Benefits to authors

We also provide many author benefits, such as free PDFs, a liberal copyright policy, special discounts on Elsevier publications and much more. Please click here for more information on our [author services](#).

Please see our [Guide for Authors](#) for information on article submission. If you require any further information or help, please visit our [Support Center](#)

#### IMPACT FACTOR

2019: 1.612 © Clarivate Analytics Journal Citation Reports 2020

#### ABSTRACTING AND INDEXING

Scopus  
PubMed/Medline  
CINAHL

#### EDITORIAL BOARD

##### Editor

**Joyce J. Fitzpatrick**, Case Western Reserve University Frances Payne Bolton School of Nursing, Cleveland, Ohio

##### Associate Editor

**Roger Carpenter**, West Virginia University School of Nursing, Morgantown, WV

**Ronald Hickman Jr.**, Case Western Reserve University, Cleveland, Ohio, United States

## GUIDE FOR AUTHORS

---

### *Your Paper Your Way*

We now differentiate between the requirements for new and revised submissions. You may choose to submit your manuscript as a single Word or PDF file to be used in the refereeing process. Only when your paper is at the revision stage, will you be requested to put your paper in to a 'correct format' for acceptance and provide the items required for the publication of your article.

**To find out more, please visit the Preparation section below.**

Applied Nursing Research is a refereed research journal devoted to advancing nursing as a research-based profession. Applied Nursing Research is focused on bridging the gap between research and practice. Manuscripts representing all clinical nursing specialties and nursing care delivery are invited.

**Original Articles** Authors should present original research findings and the applications to practice. In the manuscript clearly articulate the research purpose(s) and/or questions, background, research methods (design, sample, instrumentation, procedures, and analyses), results, and conclusions. Authors are expected to present material in a style that highlights applications for nursing practice. The manuscript should be limited to no more than 20 pages (including references and tables). A structured abstract of no more than 250 words should accompany the manuscript and include the following: aim, background, methods, results, conclusions. Key words (3-5) should be listed on the abstract page. Each table should be included on a separate page and submitted in a separate file. Key references should be limited to works published in the last 10 years (except for seminal work). Figures, photographs, and illustrations are welcome and each should be included in a separate file. Publication decisions are based on the peer-reviewers and editors evaluations.

**Clinical Methods** Papers submitted for consideration in the Clinical Methods section should address methodological issues or techniques that are of concern to nurses conducting clinical research. Papers submitted for publication in the Clinical Methods section should be 8 to 12 double-spaced, typewritten pages, including tables, illustrations/figures, and key references.

**Research Briefs** Abstracts of completed pilot research are invited. The emphasis should be on recommendations for future research. Research Briefs should be limited to no more than 6 pages (including references and tables). Theory: Applications to Research This new column features theory relevant to nursing research. Entries should be limited to no more than 6 pages (including references and tables).

**Special Features** Review papers or papers on timely issues or topics related to the "state of nursing research" are desired. International Column This feature is designed to serve as a forum for exchanging perspectives on nursing research and scholarship from around the world. Papers are reviewed and commented on by the author's international colleagues, and their comments are published along with the original paper. Papers should be focused on state of the art issues in nursing. Papers should be no longer than 5 pages.

### *Submission checklist*

You can use this list to carry out a final check of your submission before you send it to the journal for review. Please check the relevant section in this Guide for Authors for more details.

#### **Ensure that the following items are present:**

One author has been designated as the corresponding author with contact details:

- E-mail address
- Full postal address

All necessary files have been uploaded:

*Manuscript:*

- Include keywords
- All figures (include relevant captions)
- All tables (including titles, description, footnotes)
- Ensure all figure and table citations in the text match the files provided
- Indicate clearly if color should be used for any figures in print

*Graphical Abstracts / Highlights files* (where applicable)

*Supplemental files* (where applicable)

Further considerations

- Manuscript has been 'spell checked' and 'grammar checked'

- All references mentioned in the Reference List are cited in the text, and vice versa
- Permission has been obtained for use of copyrighted material from other sources (including the Internet)
- A competing interests statement is provided, even if the authors have no competing interests to declare
- Journal policies detailed in this guide have been reviewed
- Referee suggestions and contact details provided, based on journal requirements

For further information, visit our [Support Center](#).

## **BEFORE YOU BEGIN**

### ***Ethics in publishing***

Please see our information pages on [Ethics in publishing](#) and [Ethical guidelines for journal publication](#).

### ***Studies in humans and animals***

If the work involves the use of human subjects, the author should ensure that the work described has been carried out in accordance with [The Code of Ethics of the World Medical Association](#) (Declaration of Helsinki) for experiments involving humans. The manuscript should be in line with the [Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly Work in Medical Journals](#) and aim for the inclusion of representative human populations (sex, age and ethnicity) as per those recommendations. The terms [sex and gender](#) should be used correctly.

Authors should include a statement in the manuscript that informed consent was obtained for experimentation with human subjects. The privacy rights of human subjects must always be observed.

All animal experiments should comply with the [ARRIVE guidelines](#) and should be carried out in accordance with the U.K. Animals (Scientific Procedures) Act, 1986 and associated guidelines, [EU Directive 2010/63/EU for animal experiments](#), or the National Institutes of Health guide for the care and use of Laboratory animals (NIH Publications No. 8023, revised 1978) and the authors should clearly indicate in the manuscript that such guidelines have been followed. The sex of animals must be indicated, and where appropriate, the influence (or association) of sex on the results of the study.

### ***Declaration of interest***

All authors must disclose any financial and personal relationships with other people or organizations that could inappropriately influence (bias) their work. Examples of potential competing interests include employment, consultancies, stock ownership, honoraria, paid expert testimony, patent applications/registrations, and grants or other funding. Authors must disclose any interests in two places: 1. A summary declaration of interest statement in the title page file (if double-blind) or the manuscript file (if single-blind). If there are no interests to declare then please state this: 'Declarations of interest: none'. This summary statement will be ultimately published if the article is accepted. 2. Detailed disclosures as part of a separate Declaration of Interest form, which forms part of the journal's official records. It is important for potential interests to be declared in both places and that the information matches. [More information](#).

### ***Submission declaration and verification***

Submission of an article implies that the work described has not been published previously (except in the form of an abstract, a published lecture or academic thesis, see '[Multiple, redundant or concurrent publication](#)' for more information), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. To verify originality, your article may be checked by the originality detection service [Crossref Similarity Check](#).

### ***Use of inclusive language***

Inclusive language acknowledges diversity, conveys respect to all people, is sensitive to differences, and promotes equal opportunities. Content should make no assumptions about the beliefs or commitments of any reader; contain nothing which might imply that one individual is superior to another on the grounds of age, gender, race, ethnicity, culture, sexual orientation, disability or health condition; and use inclusive language throughout. Authors should ensure that writing is free from bias, stereotypes, slang, reference to dominant culture and/or cultural assumptions. We advise to seek gender neutrality by using plural nouns ("clinicians, patients/clients") as default/wherever possible

to avoid using "he, she," or "he/she." We recommend avoiding the use of descriptors that refer to personal attributes such as age, gender, race, ethnicity, culture, sexual orientation, disability or health condition unless they are relevant and valid. These guidelines are meant as a point of reference to help identify appropriate language but are by no means exhaustive or definitive.

### **Author contributions**

For transparency, we encourage authors to submit an author statement file outlining their individual contributions to the paper using the relevant CRediT roles: Conceptualization; Data curation; Formal analysis; Funding acquisition; Investigation; Methodology; Project administration; Resources; Software; Supervision; Validation; Visualization; Roles/Writing - original draft; Writing - review & editing. Authorship statements should be formatted with the names of authors first and CRediT role(s) following. [More details and an example](#)

### **Authorship**

All authors should have made substantial contributions to all of the following: (1) the conception and design of the study, or acquisition of data, or analysis and interpretation of data, (2) drafting the article or revising it critically for important intellectual content, (3) final approval of the version to be submitted.

### **Changes to authorship**

Authors are expected to consider carefully the list and order of authors **before** submitting their manuscript and provide the definitive list of authors at the time of the original submission. Any addition, deletion or rearrangement of author names in the authorship list should be made only **before** the manuscript has been accepted and only if approved by the journal Editor. To request such a change, the Editor must receive the following from the **corresponding author**: (a) the reason for the change in author list and (b) written confirmation (e-mail, letter) from all authors that they agree with the addition, removal or rearrangement. In the case of addition or removal of authors, this includes confirmation from the author being added or removed. Only in exceptional circumstances will the Editor consider the addition, deletion or rearrangement of authors **after** the manuscript has been accepted. While the Editor considers the request, publication of the manuscript will be suspended. If the manuscript has already been published in an online issue, any requests approved by the Editor will result in a corrigendum.

### *Article transfer service*

This journal is part of our Article Transfer Service. This means that if the Editor feels your article is more suitable in one of our other participating journals, then you may be asked to consider transferring the article to one of those. If you agree, your article will be transferred automatically on your behalf with no need to reformat. Please note that your article will be reviewed again by the new journal. [More information.](#)

### **Copyright**

Upon acceptance of an article, authors will be asked to complete a 'Journal Publishing Agreement' (see [more information](#) on this). An e-mail will be sent to the corresponding author confirming receipt of the manuscript together with a 'Journal Publishing Agreement' form or a link to the online version of this agreement.

Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. [Permission](#) of the Publisher is required for resale or distribution outside the institution and for all other derivative works, including compilations and translations. If excerpts from other copyrighted works are included, the author(s) must obtain written permission from the copyright owners and credit the source(s) in the article. Elsevier has [preprinted forms](#) for use by authors in these cases.

For gold open access articles: Upon acceptance of an article, authors will be asked to complete an 'Exclusive License Agreement' ([more information](#)). Permitted third party reuse of gold open access articles is determined by the author's choice of [user license](#).

### **Author rights**

As an author you (or your employer or institution) have certain rights to reuse your work. [More information.](#)

### *Elsevier supports responsible sharing*

Find out how you can [share your research](#) published in Elsevier journals.

### **Role of the funding source**

You are requested to identify who provided financial support for the conduct of the research and/or preparation of the article and to briefly describe the role of the sponsor(s), if any, in study design; in the collection, analysis and interpretation of data; in the writing of the report; and in the decision to submit the article for publication. If the funding source(s) had no such involvement then this should be stated.

### **Open access**

Please visit our [Open Access page](#) for more information.

#### *Elsevier Researcher Academy*

[Researcher Academy](#) is a free e-learning platform designed to support early and mid-career researchers throughout their research journey. The "Learn" environment at Researcher Academy offers several interactive modules, webinars, downloadable guides and resources to guide you through the process of writing for research and going through peer review. Feel free to use these free resources to improve your submission and navigate the publication process with ease.

#### *Language (usage and editing services)*

Please write your text in good English (American or British usage is accepted, but not a mixture of these). Authors who feel their English language manuscript may require editing to eliminate possible grammatical or spelling errors and to conform to correct scientific English may wish to use the [English Language Editing service](#) available from Elsevier's Author Services.

### **Informed consent and patient details**

Studies on patients or volunteers require ethics committee approval and informed consent, which should be documented in the paper. Appropriate consents, permissions and releases must be obtained where an author wishes to include case details or other personal information or images of patients and any other individuals in an Elsevier publication. Written consents must be retained by the author but copies should not be provided to the journal. Only if specifically requested by the journal in exceptional circumstances (for example if a legal issue arises) the author must provide copies of the consents or evidence that such consents have been obtained. For more information, please review the [Elsevier Policy on the Use of Images or Personal Information of Patients or other Individuals](#). Unless you have written permission from the patient (or, where applicable, the next of kin), the personal details of any patient included in any part of the article and in any supplementary materials (including all illustrations and videos) must be removed before submission.

### **Submission**

Our online submission system guides you stepwise through the process of entering your article details and uploading your files. The system converts your article files to a single PDF file used in the peer-review process. Editable files (e.g., Word, LaTeX) are required to typeset your article for final publication. All correspondence, including notification of the Editor's decision and requests for revision, is sent by e-mail.

#### *Submit your article*

Please submit your article via <https://www.evise.com/profile/api/navigate/ANR>.

### **Submission Process**

Authors should submit a cover letter explicitly stating the section of the journal for which the manuscript is being submitted. Also, please include, with the submitted manuscript, any publication where the same content or data set has been used, and summarize in your cover letter how this submitted manuscript is different. If there are no other publications, please state this in your letter. Direct editorial questions to: Joyce J. Fitzpatrick, PhD, RN, FAAN, at [anrjournal@hotmail.com](mailto:anrjournal@hotmail.com). The review decision is sent to the first author or the designated corresponding author. Edited manuscripts are submitted to the first author for approval. Manuscripts are accepted for publication on the conditions that they are submitted solely to this journal, that the material is original, and that it has not been previously published.

## **PREPARATION**

### **NEW SUBMISSIONS**

Submission to this journal proceeds totally online and you will be guided stepwise through the creation and uploading of your files. The system automatically converts your files to a single PDF file, which is used in the peer-review process.

As part of the Your Paper Your Way service, you may choose to submit your manuscript as a single file to be used in the refereeing process. This can be a PDF file or a Word document, in any format or layout that can be used by referees to evaluate your manuscript. It should contain high enough quality figures for refereeing. If you prefer to do so, you may still provide all or some of the source files at the initial submission. Please note that individual figure files larger than 10 MB must be uploaded separately.

#### *References*

There are no strict requirements on reference formatting at submission. References can be in any style or format as long as the style is consistent. Where applicable, author(s) name(s), journal title/book title, chapter title/article title, year of publication, volume number/book chapter and the article number or pagination must be present. Use of DOI is highly encouraged. The reference style used by the journal will be applied to the accepted article by Elsevier at the proof stage. Note that missing data will be highlighted at proof stage for the author to correct.

#### *Formatting requirements*

There are no strict formatting requirements but all manuscripts must contain the essential elements needed to convey your manuscript, for example Abstract, Keywords, Introduction, Materials and Methods, Results, Conclusions, Artwork and Tables with Captions.

If your article includes any Videos and/or other Supplementary material, this should be included in your initial submission for peer review purposes.

Divide the article into clearly defined sections.

#### *Figures and tables embedded in text*

Please ensure the figures and the tables included in the single file are placed next to the relevant text in the manuscript, rather than at the bottom or the top of the file. The corresponding caption should be placed directly below the figure or table.

#### *Permissions*

The author is responsible for obtaining written permission to use any copyrighted materials, including illustrations, photographs, tables, and any content taken from Web sites. Documentation of permission to reprint copyrighted materials should be submitted electronically when the article is submitted. Additional information on securing permissions can be found at <https://www.elsevier.com/journal-authors/author-rights-and-responsibilities>.

#### **Peer review**

This journal operates a double blind review process. All contributions will be initially assessed by the editor for suitability for the journal. Papers deemed suitable are then typically sent to a minimum of two independent expert reviewers to assess the scientific quality of the paper. The Editor is responsible for the final decision regarding acceptance or rejection of articles. The Editor's decision is final. [More information on types of peer review](#).

#### **Double-blind review**

This journal uses double-blind review, which means the identities of the authors are concealed from the reviewers, and vice versa. [More information](#) is available on our website. To facilitate this, please include the following separately:

*Title page (with author details)*: This should include the title, authors' names, affiliations, acknowledgements and any Declaration of Interest statement, and a complete address for the corresponding author including an e-mail address.

*Blinded manuscript (no author details)*: The main body of the paper (including the references, figures, tables and any acknowledgements) should not include any identifying information, such as the authors' names or affiliations.

#### **REVISED SUBMISSIONS**

##### *Use of word processing software*

Regardless of the file format of the original submission, at revision you must provide us with an editable file of the entire article. Keep the layout of the text as simple as possible. Most formatting codes will be removed and replaced on processing the article. The electronic text should be prepared in a way very similar to that of conventional manuscripts (see also the [Guide to Publishing with Elsevier](#)). See also the section on Electronic artwork.

To avoid unnecessary errors you are strongly advised to use the 'spell-check' and 'grammar-check' functions of your word processor.

#### **Article structure**

#### *Subdivision - unnumbered sections*

Divide your article into clearly defined sections. Each subsection is given a brief heading. Each heading should appear on its own separate line. Subsections should be used as much as possible when cross-referencing text: refer to the subsection by heading as opposed to simply 'the text'.

#### **Essential title page information**

- **Title.** Concise and informative. Titles are often used in information-retrieval systems. Avoid abbreviations and formulae where possible.
- **Author names and affiliations.** Please clearly indicate the given name(s) and family name(s) of each author and check that all names are accurately spelled. You can add your name between parentheses in your own script behind the English transliteration. Present the authors' affiliation addresses (where the actual work was done) below the names. Indicate all affiliations with a lower-case superscript letter immediately after the author's name and in front of the appropriate address. Provide the full postal address of each affiliation, including the country name and, if available, the e-mail address of each author.
- **Corresponding author.** Clearly indicate who will handle correspondence at all stages of refereeing and publication, also post-publication. This responsibility includes answering any future queries about Methodology and Materials. **Ensure that the e-mail address is given and that contact details are kept up to date by the corresponding author.**
- **Present/permanent address.** If an author has moved since the work described in the article was done, or was visiting at the time, a 'Present address' (or 'Permanent address') may be indicated as a footnote to that author's name. The address at which the author actually did the work must be retained as the main, affiliation address. Superscript Arabic numerals are used for such footnotes.

#### **Highlights**

Highlights are mandatory for this journal as they help increase the discoverability of your article via search engines. They consist of a short collection of bullet points that capture the novel results of your research as well as new methods that were used during the study (if any). Please have a look at the examples here: [example Highlights](#).

Highlights should be submitted in a separate editable file in the online submission system. Please use 'Highlights' in the file name and include 3 to 5 bullet points (maximum 85 characters, including spaces, per bullet point).

#### **Abstract**

A concise and factual abstract is required. The abstract should state briefly the purpose of the research, the principal results and major conclusions. An abstract is often presented separately from the article, so it must be able to stand alone. For this reason, References should be avoided, but if essential, then cite the author(s) and year(s). Also, non-standard or uncommon abbreviations should be avoided, but if essential they must be defined at their first mention in the abstract itself.

#### **Keywords**

Immediately after the abstract, provide a maximum of 6 keywords, using American spelling and avoiding general and plural terms and multiple concepts (avoid, for example, 'and', 'of'). Be sparing with abbreviations: only abbreviations firmly established in the field may be eligible. These keywords will be used for indexing purposes.

#### *Abbreviations*

Define abbreviations that are not standard in this field in a footnote to be placed on the first page of the article. Such abbreviations that are unavoidable in the abstract must be defined at their first mention there, as well as in the footnote. Ensure consistency of abbreviations throughout the article.

#### *Acknowledgements*

Collate acknowledgements in a separate section at the end of the article before the references and do not, therefore, include them on the title page, as a footnote to the title or otherwise. List here those individuals who provided help during the research (e.g., providing language help, writing assistance or proof reading the article, etc.).

#### *Formatting of funding sources*

List funding sources in this standard way to facilitate compliance to funder's requirements:

Funding: This work was supported by the National Institutes of Health [grant numbers xxxx, yyyy]; the Bill & Melinda Gates Foundation, Seattle, WA [grant number zzzz]; and the United States Institutes of Peace [grant number aaaa].



It is not necessary to include detailed descriptions on the program or type of grants and awards. When funding is from a block grant or other resources available to a university, college, or other research institution, submit the name of the institute or organization that provided the funding.

If no funding has been provided for the research, please include the following sentence:

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

#### *Footnotes*

Footnotes should be used sparingly. Number them consecutively throughout the article. Many word processors build footnotes into the text, and this feature may be used. Should this not be the case, indicate the position of footnotes in the text and present the footnotes themselves separately at the end of the article.

### **Artwork**

#### *Electronic artwork*

##### *General points*

- Make sure you use uniform lettering and sizing of your original artwork.
- Preferred fonts: Arial (or Helvetica), Times New Roman (or Times), Symbol, Courier.
- Number the illustrations according to their sequence in the text.
- Use a logical naming convention for your artwork files.
- Indicate per figure if it is a single, 1.5 or 2-column fitting image.
- For Word submissions only, you may still provide figures and their captions, and tables within a single file at the revision stage.
- Please note that individual figure files larger than 10 MB must be provided in separate source files.

A detailed [guide on electronic artwork](#) is available.

**You are urged to visit this site; some excerpts from the detailed information are given here.**

#### *Formats*

Regardless of the application used, when your electronic artwork is finalized, please 'save as' or convert the images to one of the following formats (note the resolution requirements for line drawings, halftones, and line/halftone combinations given below):

EPS (or PDF): Vector drawings. Embed the font or save the text as 'graphics'.

TIFF (or JPG): Color or grayscale photographs (halftones): always use a minimum of 300 dpi.

TIFF (or JPG): Bitmapped line drawings: use a minimum of 1000 dpi.

TIFF (or JPG): Combinations bitmapped line/half-tone (color or grayscale): a minimum of 500 dpi is required.

#### **Please do not:**

- Supply files that are optimized for screen use (e.g., GIF, BMP, PICT, WPG); the resolution is too low.
- Supply files that are too low in resolution.
- Submit graphics that are disproportionately large for the content.

#### *Color artwork*

Please make sure that artwork files are in an acceptable format (TIFF (or JPEG), EPS (or PDF), or MS Office files) and with the correct resolution. If, together with your accepted article, you submit usable color figures then Elsevier will ensure, at no additional charge, that these figures will appear in color online (e.g., ScienceDirect and other sites) regardless of whether or not these illustrations are reproduced in color in the printed version. **For color reproduction in print, you will receive information regarding the costs from Elsevier after receipt of your accepted article.** Please indicate your preference for color: in print or online only. [Further information on the preparation of electronic artwork.](#)

#### *Illustration services*

[Elsevier's Author Services](#) offers Illustration Services to authors preparing to submit a manuscript but concerned about the quality of the images accompanying their article. Elsevier's expert illustrators can produce scientific, technical and medical-style images, as well as a full range of charts, tables and graphs. Image 'polishing' is also available, where our illustrators take your image(s) and improve them to a professional standard. Please visit the website to find out more.

#### *Figure captions*

Ensure that each illustration has a caption. A caption should comprise a brief title (**not** on the figure itself) and a description of the illustration. Keep text in the illustrations themselves to a minimum but explain all symbols and abbreviations used.

#### **Tables**

Please submit tables as editable text and not as images. Tables can be placed either next to the relevant text in the article, or on separate page(s) at the end. Number tables consecutively in accordance with their appearance in the text and place any table notes below the table body. Be sparing in the use of tables and ensure that the data presented in them do not duplicate results described elsewhere in the article. Please avoid using vertical rules and shading in table cells.

#### **References**

##### *Citation in text*

Please ensure that every reference cited in the text is also present in the reference list (and vice versa). Any references cited in the abstract must be given in full. Unpublished results and personal communications are not recommended in the reference list, but may be mentioned in the text. If these references are included in the reference list they should follow the standard reference style of the journal and should include a substitution of the publication date with either 'Unpublished results' or 'Personal communication'. Citation of a reference as 'in press' implies that the item has been accepted for publication.

##### *Reference links*

Increased discoverability of research and high quality peer review are ensured by online links to the sources cited. In order to allow us to create links to abstracting and indexing services, such as Scopus, CrossRef and PubMed, please ensure that data provided in the references are correct. Please note that incorrect surnames, journal/book titles, publication year and pagination may prevent link creation. When copying references, please be careful as they may already contain errors. Use of the DOI is highly encouraged.

A DOI is guaranteed never to change, so you can use it as a permanent link to any electronic article. An example of a citation using DOI for an article not yet in an issue is: VanDecar J.C., Russo R.M., James D.E., Ambeh W.B., Franke M. (2003). Aseismic continuation of the Lesser Antilles slab beneath northeastern Venezuela. *Journal of Geophysical Research*, <https://doi.org/10.1029/2001JB000884>. Please note the format of such citations should be in the same style as all other references in the paper.

##### *Web references*

As a minimum, the full URL should be given and the date when the reference was last accessed. Any further information, if known (DOI, author names, dates, reference to a source publication, etc.), should also be given. Web references can be listed separately (e.g., after the reference list) under a different heading if desired, or can be included in the reference list.

##### *Data references*

This journal encourages you to cite underlying or relevant datasets in your manuscript by citing them in your text and including a data reference in your Reference List. Data references should include the following elements: author name(s), dataset title, data repository, version (where available), year, and global persistent identifier. Add [dataset] immediately before the reference so we can properly identify it as a data reference. The [dataset] identifier will not appear in your published article.

##### *References in a special issue*

Please ensure that the words 'this issue' are added to any references in the list (and any citations in the text) to other articles in the same Special Issue.

##### *Reference management software*

Most Elsevier journals have their reference template available in many of the most popular reference management software products. These include all products that support [Citation Style Language styles](#), such as [Mendeley](#). Using citation plug-ins from these products, authors only need to select the appropriate journal template when preparing their article, after which citations and bibliographies will be automatically formatted in the journal's style. If no template is yet available for this journal, please follow the format of the sample references and citations as shown in this Guide. If you use reference management software, please ensure that you remove all field codes before submitting the electronic manuscript. [More information on how to remove field codes from different reference management software](#).

Users of Mendeley Desktop can easily install the reference style for this journal by clicking the following link:

<http://open.mendeley.com/use-citation-style/applied-nursing-research>

When preparing your manuscript, you will then be able to select this style using the Mendeley plug-ins for Microsoft Word or LibreOffice.

#### Reference formatting

There are no strict requirements on reference formatting at submission. References can be in any style or format as long as the style is consistent. Where applicable, author(s) name(s), journal title/book title, chapter title/article title, year of publication, volume number/book chapter and the article number or pagination must be present. Use of DOI is highly encouraged. The reference style used by the journal will be applied to the accepted article by Elsevier at the proof stage. Note that missing data will be highlighted at proof stage for the author to correct. If you do wish to format the references yourself they should be arranged according to the following examples:

#### Reference style

**Text:** Citations in the text should follow the referencing style used by the American Psychological Association. You are referred to the Publication Manual of the American Psychological Association, Sixth Edition, ISBN 978-1-4338-0561-5, copies of which may be [ordered online](#) or APA Order Dept., P.O.B. 2710, Hyattsville, MD 20784, USA or APA, 3 Henrietta Street, London, WC3E 8LU, UK.

**List:** references should be arranged first alphabetically and then further sorted chronologically if necessary. More than one reference from the same author(s) in the same year must be identified by the letters 'a', 'b', 'c', etc., placed after the year of publication.

#### Examples:

Reference to a journal publication:

Van der Geer, J., Hanraads, J. A. J., & Lupton, R. A. (2010). The art of writing a scientific article. *Journal of Scientific Communications*, 163, 51–59. <https://doi.org/10.1016/j.Sc.2010.00372>.

Reference to a journal publication with an article number:

Van der Geer, J., Hanraads, J. A. J., & Lupton, R. A. (2018). The art of writing a scientific article. *Heliyon*, 19, e00205. <https://doi.org/10.1016/j.heliyon.2018.e00205>.

Reference to a book:

Strunk, W., Jr., & White, E. B. (2000). *The elements of style*. (4th ed.). New York: Longman, (Chapter 4).

Reference to a chapter in an edited book:

Mettam, G. R., & Adams, L. B. (2009). How to prepare an electronic version of your article. In B. S. Jones, & R. Z. Smith (Eds.), *Introduction to the electronic age* (pp. 281–304). New York: E-Publishing Inc.

Reference to a website:

Cancer Research UK. Cancer statistics reports for the UK. (2003). <http://www.cancerresearchuk.org/aboutcancer/statistics/cancerstatsreport/> Accessed 13 March 2003.

Reference to a dataset:

[dataset] Oguro, M., Imahiro, S., Saito, S., Nakashizuka, T. (2015). *Mortality data for Japanese oak wilt disease and surrounding forest compositions*. Mendeley Data, v1. <https://doi.org/10.17632/xwj98nb39r.1>.

Reference to a conference paper or poster presentation:

Engle, E.K., Cash, T.F., & Jarry, J.L. (2009, November). The Body Image Behaviours Inventory-3: Development and validation of the Body Image Compulsive Actions and Body Image Avoidance Scales. Poster session presentation at the meeting of the Association for Behavioural and Cognitive Therapies, New York, NY.

#### Journal abbreviations source

Journal names should be abbreviated according to the [List of Title Word Abbreviations](#).

#### Video

Elsevier accepts video material and animation sequences to support and enhance your scientific research. Authors who have video or animation files that they wish to submit with their article are strongly encouraged to include links to these within the body of the article. This can be done in the same way as a figure or table by referring to the video or animation content and noting in the body text where it should be placed. All submitted files should be properly labeled so that they directly relate to the video file's content. In order to ensure that your video or animation material is directly usable, please provide the file in one of our recommended file formats with a preferred maximum size of 150 MB per file, 1 GB in total. Video and animation files supplied will be published online in

*Appendix 2: Examples of search Strategy - Medline*

\*\*\*\*\*

Database: Ovid MEDLINE(R) ALL <1946 to June 26, 2019>

Search Strategy:

-----

- 1 burnout.mp. or Burnout, Psychological/ (14665)
- 2 compassion fatigue.mp. or Burnout, Professional/ or Compassion Fatigue/ or Occupational Diseases/ (92347)
- 3 Nurses/ or nurs\*.mp. or Nursing Staff, Hospital/ (707733)
- 4 Organizational Innovation/ or organi\*.mp. (1607340)
- 5 intervention.mp. (561389)
- 6 1 or 2 (96180)
- 7 3 and 4 and 5 and 6 (188)

\*\*\*\*\*

## Appendix 3: Crowe Critical Appraisal Tool (CCAT) Form

### Crowe Critical Appraisal Tool (CCAT) Form (v1.4)

Reference

Reviewer

This form must be used in conjunction with the CCAT User Guide (v1.4); otherwise validity and reliability may be severely compromised.

Citation	
	Year

Research design (add if not listed)	
<input type="checkbox"/> Not research	Article   Editorial   Report   Opinion   Guideline   Pamphlet   ...
<input type="checkbox"/> Historical	...
<input type="checkbox"/> Qualitative	Narrative   Phenomenology   Ethnography   Grounded theory   Narrative case study   ...
<input type="checkbox"/> Descriptive, Exploratory, Observational	A. Cross-sectional   Longitudinal   Retrospective   Prospective   Correlational   Predictive   ...
	B. Cohort   Case-control   Survey   Developmental   Normative   Case study   ...
Experimental	<input type="checkbox"/> True experiment Pre-test/post-test control group   Solomon four-group   Post-test only control group   Randomised two-factor   Placebo controlled trial   ...
	<input type="checkbox"/> Quasi-experiment Post-test only   Non-equivalent control group   Counter balanced ( <i>cross-over</i> )   Multiple time series   Separate sample pre-test post-test [no Control] [Control]   ...
	<input type="checkbox"/> Single system One-shot experimental ( <i>case study</i> )   Simple time series   One group pre-test/post-test   Interactive   Multiple baseline   Within subjects ( <i>Equivalent time, repeated measures, multiple treatment</i> )   ...
<input type="checkbox"/> Mixed Methods	Action research   Sequential   Concurrent   Transformative   ...
<input type="checkbox"/> Synthesis	Systematic review   Critical review   Thematic synthesis   Meta-ethnography   Narrative synthesis   ...
<input type="checkbox"/> Other	...

Variables and analysis		
Intervention(s), Treatment(s), Exposure(s)	Outcome(s), Output(s), Predictor(s), Measure(s)	Data analysis method(s)

Sampling					
Total size	Group 1	Group 2	Group 3	Group 4	Control
Population, sample, setting					

Data collection (add if not listed)	
Audit/Review a) Primary   Secondary   ... b) Authoritative   Partisan   Antagonist   ... c) Literature   Systematic   ...	Interview a) Formal   Informal   ... b) Structured   Semi-structured   Unstructured   ... c) One-on-one   Group   Multiple   Self-administered   ...
Observation a) Participant   Non-participant   ... b) Structured   Semi-structured   Unstructured   ... c) Covert   Candid   ...	Testing a) Standardised   Norm-ref   Criterion-ref   Ipsative   ... b) Objective   Subjective   ... c) One-on-one   Group   Self-administered   ...

Scores								
Preliminaries		Design		Data Collection		Results		Total [/40]
Introduction		Sampling		Ethical Matters		Discussion		Total [%]

General notes



Appraise research on the merits of the research design used, not against other research designs.

Category Item	Item descriptors [ <input type="checkbox"/> Present; <input type="checkbox"/> Absent; <input type="checkbox"/> Not applicable]	Description [Important information for each item]	Score [0–5]
<b>1. Preliminaries</b>			
Title	1. Includes study aims <input type="checkbox"/> and design <input type="checkbox"/>		
Abstract (assess last)	1. Key information <input type="checkbox"/> 2. Balanced <input type="checkbox"/> and informative <input type="checkbox"/>		
Text (assess last)	1. Sufficient detail others could reproduce <input type="checkbox"/> 2. Clear/concise writing <input type="checkbox"/> , table(s) <input type="checkbox"/> , diagram(s) <input type="checkbox"/> , figure(s) <input type="checkbox"/>		
<b>Preliminaries [ /5 ]</b>			
<b>2. Introduction</b>			
Background	1. Summary of current knowledge <input type="checkbox"/> 2. Specific problem(s) addressed <input type="checkbox"/> and reason(s) for addressing <input type="checkbox"/>		
Objective	1. Primary objective(s), hypothesis(es), or aim(s) <input type="checkbox"/> 2. Secondary question(s) <input type="checkbox"/>		
<b>Is it worth continuing?</b>			<b>Introduction [ /5 ]</b>
<b>3. Design</b>			
Research design	1. Research design(s) chosen <input type="checkbox"/> and why <input type="checkbox"/> 2. Suitability of research design(s) <input type="checkbox"/>		
Intervention, Treatment, Exposure	1. Intervention(s)/treatment(s)/exposure(s) chosen <input type="checkbox"/> and why <input type="checkbox"/> 2. Precise details of the intervention(s)/treatment(s)/exposure(s) <input type="checkbox"/> for each group <input type="checkbox"/> 3. Intervention(s)/treatment(s)/exposure(s) valid <input type="checkbox"/> and reliable <input type="checkbox"/>		
Outcome, Output, Predictor, Measure	1. Outcome(s)/output(s)/predictor(s)/measure(s) chosen <input type="checkbox"/> and why <input type="checkbox"/> 2. Clearly define outcome(s)/output(s)/predictor(s)/measure(s) <input type="checkbox"/> 3. Outcome(s)/output(s)/predictor(s)/measure(s) valid <input type="checkbox"/> and reliable <input type="checkbox"/>		
Bias, etc	1. Potential bias <input type="checkbox"/> , confounding variables <input type="checkbox"/> , effect modifiers <input type="checkbox"/> , interactions <input type="checkbox"/> 2. Sequence generation <input type="checkbox"/> , group allocation <input type="checkbox"/> , group balance <input type="checkbox"/> , and by whom <input type="checkbox"/> 3. Equivalent treatment of participants/cases/groups <input type="checkbox"/>		
<b>Is it worth continuing?</b>			<b>Design [ /5 ]</b>
<b>4. Sampling</b>			
Sampling method	1. Sampling method(s) chosen <input type="checkbox"/> and why <input type="checkbox"/> 2. Suitability of sampling method <input type="checkbox"/>		
Sample size	1. Sample size <input type="checkbox"/> , how chosen <input type="checkbox"/> , and why <input type="checkbox"/> 2. Suitability of sample size <input type="checkbox"/>		
Sampling protocol	1. Target/actual/sample population(s): description <input type="checkbox"/> and suitability <input type="checkbox"/> 2. Participants/cases/groups: inclusion <input type="checkbox"/> and exclusion <input type="checkbox"/> criteria 3. Recruitment of participants/cases/groups <input type="checkbox"/>		
<b>Is it worth continuing?</b>			<b>Sampling [ /5 ]</b>
<b>5. Data collection</b>			
Collection method	1. Collection method(s) chosen <input type="checkbox"/> and why <input type="checkbox"/> 2. Suitability of collection method(s) <input type="checkbox"/>		
Collection protocol	1. Include date(s) <input type="checkbox"/> , location(s) <input type="checkbox"/> , setting(s) <input type="checkbox"/> , personnel <input type="checkbox"/> , materials <input type="checkbox"/> , processes <input type="checkbox"/> 2. Method(s) to ensure/enhance quality of measurement/instrumentation <input type="checkbox"/> 3. Manage non-participation <input type="checkbox"/> , withdrawal <input type="checkbox"/> , incomplete/lost data <input type="checkbox"/>		
<b>Is it worth continuing?</b>			<b>Data collection [ /5 ]</b>
<b>6. Ethical matters</b>			
Participant ethics	1. Informed consent <input type="checkbox"/> , equity <input type="checkbox"/> 2. Privacy <input type="checkbox"/> , confidentiality/anonymity <input type="checkbox"/>		
Researcher ethics	1. Ethical approval <input type="checkbox"/> , funding <input type="checkbox"/> , conflict(s) of interest <input type="checkbox"/> 2. Subjectivities <input type="checkbox"/> , relationship(s) with participants/cases <input type="checkbox"/>		
<b>Is it worth continuing?</b>			<b>Ethical matters [ /5 ]</b>
<b>7. Results</b>			
Analysis, Integration, Interpretation method	1. A.I.I. method(s) for primary outcome(s)/output(s)/predictor(s) chosen <input type="checkbox"/> and why <input type="checkbox"/> 2. Additional A.I.I. methods (e.g. subgroup analysis) chosen <input type="checkbox"/> and why <input type="checkbox"/> 3. Suitability of analysis/integration/interpretation method(s) <input type="checkbox"/>		
Essential analysis	1. Flow of participants/cases/groups through each stage of research <input type="checkbox"/> 2. Demographic and other characteristics of participants/cases/groups <input type="checkbox"/> 3. Analyse raw data <input type="checkbox"/> , response rate <input type="checkbox"/> , non-participation/withdrawal/incomplete/lost data <input type="checkbox"/>		
Outcome, Output, Predictor analysis	1. Summary of results <input type="checkbox"/> and precision <input type="checkbox"/> for each outcome/output/predictor/measure 2. Consideration of benefits/harms <input type="checkbox"/> , unexpected results <input type="checkbox"/> , problems/failures <input type="checkbox"/> 3. Description of outlying data (e.g. diverse cases, adverse effects, minor themes) <input type="checkbox"/>		
<b>Results [ /5 ]</b>			
<b>8. Discussion</b>			
Interpretation	1. Interpretation of results in the context of current evidence <input type="checkbox"/> and objectives <input type="checkbox"/> 2. Draw inferences consistent with the strength of the data <input type="checkbox"/> 3. Consideration of alternative explanations for observed results <input type="checkbox"/> 4. Account for bias <input type="checkbox"/> , confounding/effect modifiers/interactions/imprecision <input type="checkbox"/>		
Generalisation	1. Consideration of overall practical usefulness of the study <input type="checkbox"/> 2. Description of generalisability (external validity) of the study <input type="checkbox"/>		
Concluding remarks	1. Highlight study's particular strengths <input type="checkbox"/> 2. Suggest steps that may improve future results (e.g. limitations) <input type="checkbox"/> 3. Suggest further studies <input type="checkbox"/>		
<b>Discussion [ /5 ]</b>			
<b>9. Total</b>			
Total score	1. Add all scores for categories 1–8		
<b>Total [ /40 ]</b>			

## *Appendix 4: Semi-Structured Interview Schedule*

V2: The experience and understanding of neonatal nurses' wellbeing at work  
03.10.2019

### **Topic Guide for Interview**

Topic guide

1. What does wellbeing at work mean to you?
2. From your experience, what challenges your wellbeing at work?  
Prompt: How do you manage this? What do you do?
3. What helps your wellbeing at work?  
Prompts: Are there things you do? your colleagues do? the neonatal service does...? What are other sources of support? /sources of stress?
4. What is your understanding of burnout?  
Prompt: Is it something you have identified with? Can you tell me any more about that?
5. What does resilience at work mean to you?  
Prompt: Are there things you do/don't do? Do you feel it's important?
6. Is there anything else that you think is important when it comes to wellbeing at work?

## Appendix 5: Participant Information

Version 2: 28.08.2019

### 4: Participant Information



#### Participant Information

**Research Title:** The experience and understanding of neonatal nurses' wellbeing at work

Researcher: Finola Sparshott-McDaid, [f.sparshott-mcdaid.1@research.gla.ac.uk](mailto:f.sparshott-mcdaid.1@research.gla.ac.uk)

Academic supervisor: Dr Naomi White, [naomi.white@glasgow.ac.uk](mailto:naomi.white@glasgow.ac.uk)

Field Supervisor: Dr Marisa Forte NHS Ayrshire & Arran, [marisa.forte@aapct.scot.nhs.uk](mailto:marisa.forte@aapct.scot.nhs.uk)

Research undertaken for a Doctorate in Clinical Psychology, Mental Health and Wellbeing, Institute of Health and Wellbeing, University of Glasgow.

You are being invited to take part in a research study. Please read through the following information before deciding whether you would like to take part. If you would like further information or questions answered please feel free to contact me. Thank you for your time.

#### 1. What is the purpose of the study?

The study will aim to understand and explain the experience of resilience, support and work stress among Neonatal Nurses. This will involve a one-to-one interview between the researcher and a Neonatal Nurse. An interview should last between 45-60 minutes and the data collection will aim to be complete within two months. The interviews will be analysed qualitatively using an interpretative phenomenological analysis which aims to understand the lived experiences of staff.

#### 2. Why have I been chosen?

You have been chosen because you are a Neonatal Nurse who has worked within the Neonatal Unit in Ayrshire & Arran for at least one year. The research will involve between six and 12 Neonatal Nurses.

#### 3. Do I have to take part?

No, it is up to you to decide whether or not to take part. If you do decide to take part, you will be asked to sign a consent form. If you decide to take part, you are still free to withdraw at any time prior to the data being anonymised, after which, it won't be possible to identify your



information. If you decide to withdraw, you do not have to give a reason and there will be no consequences.

#### **4. What will happen to me if I take part?**

If you choose to take part, the researcher will organise a time with you to conduct a 45-60 minute interview. You will be asked about your experiences of support, resilience and work stress within your role working within the Neonatal Unit. The interview will be recorded on a digital voice recorder and transcribed. Interview data will be backed up on a secure network. The researcher will travel to the participants' place of work, or offer telephone interviews and offer full flexibility in terms of available times for the interview.

#### **5. What are the possible disadvantages and risks of taking part?**

There may be an inconvenience to participation as interviews are expected to last up to 60 minutes.

Should you wish to make a complain about the study you may contact the main researchers supervisors Dr Marisa Forte or Dr Naomi White, contact details for whom are at the top of this information sheet.

Your signed consent form will be stored in a locked cabinet within a locked office within Crosshouse Hospital for the duration of the study (April 2020). All interview data will be anonymised however as interviews will only be conducted with staff from NHS Ayrshire and Arran Neonatal Unit there will still be a minimal risk that an individual's responses could be recognised.

There may be a risk that the content of the discussions is upsetting for you (e.g. recalling times when you may have felt stress at work). Clinical Psychologist Dr Marisa Forte will be available to offer support should you wish to take this up.

#### **6. What are the possible benefits of taking part?**

You will receive no direct benefit from taking part in this study. The information that is collected during this study aims to gain a deeper understanding of neonatal nurses' wellbeing at work. Exploring this may help you to recognise what challenges your wellbeing at work and to recognise factors which help your wellbeing. Disseminating the findings may help to develop good practice in this area.

#### **7. Will my taking part in this study be kept confidential?**

The University of Glasgow will keep your name, and contact details confidential and will not pass this information to NHS Ayrshire and Arran. The University of Glasgow will use this information as needed, to contact you about the research study, and make sure that relevant information about the study is recorded, and to oversee the quality of the study. Certain

Version 2: 28.08.2019

individuals from the University of Glasgow and regulatory organisations may look at your data to check the accuracy of the research study. University of Glasgow will only receive information without any identifying information. The people who analyse the information will not be able to identify you and will not be able to find out your name, or contact details.

University of Glasgow will keep data from this study for ten years after the study has finished.

All information, which is collected about you during the course of the research, will be kept strictly confidential. The interview data that is collected will be identified by a pseudonym and any information about you will have your name and location details removed so that you cannot be recognised from it. Additionally, because the sample size is small, transcripts of the interviews will be redacted for any location information which may identify participants.

Should you express that you, or another person is at any risk of harm during the course of the interview it may be necessary to seek advice, or alert other services in order to protect yours or someone else's wellbeing. If this is the case you would be made fully aware of any precautionary steps to protect yours or someone else's wellbeing at that time.

#### **8. What will happen to the results of the research study?**

The results of the study will be written up to form part of a completed Clinical Psychology Doctoral dissertation. Additionally, the research will be written up with the goal of being published in a journal. Participants will be notified of research findings through the Neonatal unit.

The final report or any following publications may contain direct anonymised quotes from interviews to illustrate the data.

#### **9. Who is organising and funding the research?**

The research forms part of the Doctoral award conferred by the University of Glasgow funded by NHS Education for Scotland.

#### **10. Who has reviewed the study?**

The research proposal for this study has been submitted to the University of Glasgow College of Medical, Veterinary and Life Sciences Ethics Committee for ethical approval and to NHS Ayrshire & Arran for R&D management approval.

If you are interested in taking part, you can collect and complete an opt-in contact form from the main reception within the Neonatal Unit posting it back in the study opt-in box. I will then contact you to offer you further information or arrange a suitable time to carry out the interview.

**Thank you for your interest in this research.**

*Appendix 6: Participant Consent Form*

V 3: 18.09.2019, Consent Form, The experience and understanding of neonatal nurses' wellbeing at work



**Participant Consent Form**

The experience and understanding of neonatal nurses' wellbeing at work

**Researcher:** Finola Sparshott-McDaid, [f.sparshott-mcdaid.1@research.gla.ac.uk](mailto:f.sparshott-mcdaid.1@research.gla.ac.uk)

Please initial:

I confirm that I have read and I understand the participant information sheet (Version 2: 28.08.2019) for this study and I have had the opportunity to ask questions and for those to be answered satisfactorily.	
I understand that my participation is voluntary and I have the right to withdraw without giving a reason.	
I understand that my interview will be recorded, transcribed and anonymised and that anonymised quotes from my interview may be used in the final report.	
I understand that the recorded interview will be transcribed word by word and the anonymised transcription will be retained for ten years after the completion of the study as per University of Glasgow procedure in accordance with Data Protection policies and regulations.	
I understand that taking part will involve a 45-90 minute interview which may take place during my working hours.	
I understand that if I withdraw from the study, my anonymised data that has already been collected will be used for the remainder of the study.	
I agree to participating in this study	

*Appendix 7: MVLS Ethics Approval*



Dear Dr Naomi White

**MVLS College Ethics Committee**

**Project Title:** *The experience and understanding of neonatal nurses' wellbeing at work*  
200190065

The College Ethics Committee has reviewed your application and has agreed that there is no objection on ethical grounds to the proposed study.

We are happy therefore to approve the project, subject to the following conditions.

- Project end date as stipulated in revised application.
- No patient identifiable data are stored.
- The data should be held securely for a period of ten years after the completion of the research project, or for longer if specified by the research funder or sponsor, in accordance with the University's Code of Good Practice in Research:  
[http://www.gla.ac.uk/media/media\\_227599\\_en.pdf](http://www.gla.ac.uk/media/media_227599_en.pdf)
- The research should be carried out only on the sites, and/or groups defined in the application.
- Any proposed changes in the protocol should be submitted for reassessment, except when it is necessary to change the protocol to eliminate hazard to the subjects or where the change involves only the administrative aspects of the project. The Ethics Committee should be informed of any such changes.
- For projects requiring the use of an online questionnaire, the University has an Online Surveys account for research. To request access, see the University's application procedure at <https://www.gla.ac.uk/research/strategy/ourpolicies/useofonlinesurveystoolforresearch/>.
- You should submit a short end of study report to the Ethics Committee within 3 months of completion.

Yours sincerely

A handwritten signature in black ink, appearing to read 'Terry Quinn'.

Dr Terry Quinn

**Terry Quinn**  
FESO, MD, FRCP, BSc (hons), MBChB (hons)  
Senior Lecturer / Honorary Consultant

College of Medicine, Veterinary & Life Sciences  
Institute of Cardiovascular and Medical Sciences  
New Lister Building, Glasgow Royal Infirmary  
Glasgow  
G31 2ER  
[terry.quinn@glasgow.gla.ac.uk](mailto:terry.quinn@glasgow.gla.ac.uk)  
Tel – 0141 201 8519

The University of Glasgow, charity number SC004401

Psychological Services Business Group



Trainee Clinical Psychologist Major Research Project

TRAINEE NAME:

Employed by NHS Ayrshire & Arran

Not employed but proposal involves work within NHS Ayrshire & Arran  
Employment Details

<i>If Trainee is conducting this piece of work whilst on placement with Psychological Services, please complete:</i>			
<b>Placement:</b>	Medical Paediatric and Forensic Psychology		
<b>Placement Date:</b>	From	May 2019	To: May 2020
<b>Clinical Supervisor:</b>	Dr Marisa Forte		
<b>Academic Supervisor:</b>	Dr Naomi White		
<i>All Trainees please complete:</i>			
<b>Comments:</b> <i>(note: must include reasons if Trainee does not consider that the project requires to be submitted for research ethical review)</i>	Proposal working title: The experience and understanding of neonatal nurses' wellbeing at work		
<i>To be completed by PSBG:</i>			
<b>Proposal Received by PSBG:</b>	17.04.19		
<b>Allocated for Service Review to:</b>	Dr Sharon Mulhern		
<b>Recommendation to PSBG:</b>	Well developed project – no concerns		
<b>Decision of PSBG:</b>	Approved	<input checked="" type="checkbox"/>	Rejected <input type="checkbox"/> To be revised & re-submitted <input type="checkbox"/>
<b>For Ethical Review &amp; Management Approval</b>	YES	<input checked="" type="checkbox"/>	NO <input type="checkbox"/>
<b>For Local Clinical Governance Approval</b>	YES	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Date</b>	07/05/2019		
<b>Date Ratified by PSBG</b>	08/05/2019		
<b>Summary Required by</b>	No		

Appendix 9: NHS R&D Management Approval



Research & Development  
56a Lister Street  
University Hospital Crosshouse  
Kilmarnock  
KA2 0BB

Ms Finola Sparshott-McDaid  
Mental Health and Wellbeing, U of G  
1st Floor, Administration Building  
Gartnavel Royal Hospital  
G12 0XH

Date 24 December 2019  
Your Ref  
Our Ref CM/KLB/CI 2019AA053  
Enquiries to Karen Bell  
Extension 25850  
Direct line 01563 825850  
Fax 01563 825806  
Email Karen.Bell2@aapct.scot.nhs.uk

Dear Finola

**The experience and understanding of neonatal nurses' wellbeing at work**

I confirm that NHS Ayrshire and Arran have reviewed the undernoted documents and grant R&D Management approval for the above study.

**Documents received:**

Document	Version	Date
Organisation Information Document	2.0	16/10/19
IRAS Form	5.13	07/10/19
Protocol	9.0	28/08/19
Semi-structured Interview Schedule	2.0	03/10/19
Opt in and support details	1.0	28/08/19
Participant Consent Form	3.0	18/09/19
Privacy Notice	2.0	-
IRAS schedule events excel template	1.0	-
Non-commercial - Local Information Appendix	2.0	13/10/19
University Ethics Approval	-	23/12/19

The terms of approval state that the investigator authorised to undertake this study within NHS Ayrshire & Arran is: -

- Ms Finola Sparshott-McDaid, University of Glasgow

The sponsors for this study are University of Glasgow.

This approval letter is valid until 24 August 2020.

**Regular reports of the study require to be submitted. Your first report should be submitted to Dr K Bell, Research & Development Manager in 12 months time and subsequently at yearly intervals until the work is completed.**

Please note that as a requirement of this type of study your name, designation, work address, work telephone number, work e-mail address, work related qualifications and whole time equivalent will be held on the Scottish National Research Database so that NHS R&D staff in Scotland can access this information for purposes related to project management and report monitoring.

In addition approval is granted subject to the following conditions: -

- All research activity must comply with the standards detailed in the UK Policy Framework for Health and Social Care Research <http://beta.hra.nhs.uk/planning-and-improving-research/policies-standards-legislation/uk-policy-framework-health-social-care-research> and appropriate statutory legislation. It is your responsibility to ensure that you are familiar with these, however please do not hesitate to seek further advice if you are unsure.
- Recruitment figures must be submitted to R&D on a monthly basis. If recruitment figures are not received timeously you will be contacted by a member of the R&D team to provide this data.
- You are required to comply with Good Clinical Practice (ICH-GCP guidelines may be found at [www.ich.org/LOB/media/MEDIA482.pdf](http://www.ich.org/LOB/media/MEDIA482.pdf)), Ethics Guidelines, Health & Safety Act 1999, General Data Protection Regulation (GDPR) and Data Protection Act 2018.
- If any amendments are to be made to the study protocol and or the Research Team the Researcher must seek Ethical and Management Approval for the changes before they can be implemented.
- The Researcher and NHS Ayrshire and Arran must permit and assist with any monitoring, auditing or inspection of the project by the relevant authorities.
- The NHS Ayrshire and Arran Complaints Department should be informed if any complaints arise regarding the project and the R&D Department must be copied into this correspondence.
- The outcome and lessons learnt from complaints must be communicated to funders, sponsors and other partners associated with the project.
- As custodian of the information collated during this research project you are responsible at all times for ensuring the security of all personal information collated in line with NHS Scotland policies on information assurance and security, until the secure destruction of these data. The retention time periods for such data should comply with the requirements of the Scottish Government Records Management: NHS Code Of Practice. Under no circumstances should personal data be stored on any unencrypted removable media e.g. laptop, USB or mobile device (for further information and

guidance please contact the Information Governance Team based at University Hospital Crosshouse 01563 825831 or 826813).

If I can be of any further assistance please do not hesitate to contact me. On behalf of the department, I wish you every success with the project.

Yours sincerely



**Dr Crawford McGuffie**  
**Joint Medical Director**

c.c. Emma-Jane Gault, University of Glasgow (sponsor contact)  
Lesley Douglas, Finance, Ailsa Hospital  
Information Governance, NHS Ayrshire & Arran  
Dr Naomi White, University of Glasgow

[www.nhsaaa.net](http://www.nhsaaa.net)





Appendix 10: Sample of Analysed Transcript

8 Ok, how do you know you are physically and mentally  
 9 well?  
 10 *irony of question?*  
 11 Well I didn't... (laughs) at one point two years ago and I hit  
 12 a wall... because I was taking on too much... you try.... and  
 13 I am not very good at saying no, so I was in overload with  
 14 jobs given to me at work and within my family at home I  
 15 am the go-to and there were three members of my family  
 16 very unwell and I didn't.... I knew I didn't feel well, that I  
 17 had lost the work life balance so even going away a  
 18 weekend with friends was a tick, it was a job to me, I wasn't  
 19 enjoying it and all of a sudden one day in the middle of  
 20 ~~morning~~ I just started crying so, I knew... well I didn't  
 21 know what entirely what was wrong with me but I went... I  
 22 knew I wasn't okay, I went.... I took time off, spoke to a  
 23 counsellor who helped me work through it and I realised  
 24 that if I don't start saying no then I am actually not helping  
 25 people because I am putting myself into this position  
 26 where I am not physically 100 percent and mentally 100  
 27 percent because in the end I wasn't focusing on any job, I  
 28 was given too many and in the end I couldn't do one, so...  
 29

*Recognition of heavy demands upon her time both within & outside of work.*

*Explanation of how she identified with being physically and mentally unwell.*

*Combination of work and family pressures everything to everyone more career role.*

*well known phrase describing harmony between work & personal life.*

*going through her motions, increased self-awareness!*

*recognition that she needs to be well to help others in work & family life*

*too divided to*

*Sense of responsibility coming before own self-care needs putting others first*



**DOCTORATE IN CLINICAL PSYCHOLOGY**

SUBMISSION FRONT PAGE

**Major Research Project Proposal**

Matriculation Number: 2292985S

Title: The experience and understanding of neonatal nurses' wellbeing at work

Academic Supervisor: Dr Naomi White

Field Supervisor: Dr Marisa Forte

Date: 28/08/2019

Version: 9

Word Count: 3,192

For office use only

**Abstract**

**Background** Burnout can have a significant impact on staff working in highly physically and emotionally demanding roles, such as those working across Intensive, High Dependency and Special Care within neonatal services. **Aims** To gain a deeper understanding of neonatal nurses' experiences of occupational wellbeing and factors that support or impair it. **Methods** Around six to

eight neonatal nurses will be recruited from a region in the West of Scotland. Each participant will take part in a semi-structured interview exploring their experiences of wellbeing at work. Interpretative phenomenological analysis (IPA) will allow the detailed examination of these lived experiences. **Applications** This research will contribute to the understanding of burnout in this staff group and explore factors impacting on staff wellbeing and management of occupational stressors. It will serve to inform systemic practice including possible work-based interventions to mitigate the impact of burnout.

## Introduction

Occupational wellbeing is a concern in the NHS, one which impacts patient safety, organisational functioning and staff retention. Nurse retention is essential for the NHS, with the number of registrations to the Nursing and Midwifery Register (Nursing & Midwifery Council, 2018) from the EU dropping for the second consecutive year. Additionally, the wellbeing of healthcare staff has been found to correlate with the quality of patient care and safe clinical practice (Clough et al., 2017; Hall et al., 2016). There are a number of factors which may influence an NHS worker's wellbeing. Two concepts which aid the understanding of staff wellbeing are psychological resilience (McCain et al., 2018) and burnout (Maslach & Leiter, 2016).

Psychological resilience and burnout are associated concepts. Resilience can be understood as the flexibility in response to changing situational demands, and the ability to recover from negative emotional experiences (Tugade et al., 2004). Conversely, burnout, as defined and researched by Maslach and colleagues, refers to emotional exhaustion (EE), depersonalisation (DP) or detachment from the job role, and a sense of ineffectiveness or lack of personal accomplishment (PA) (Kaschka et al., 2011; Maslach & Leiter, 2016). These domains form the most widely-used measure of burnout: the Maslach Burnout Inventory (MBI; Maslach & Jackson, n.d.). It is this definition that is utilised for the classification of burnout in 2019 revisions to the ICD-11 (World Health Organisation, 2019; World Health Organization, 2018). It has also been associated with phenomena including compassion fatigue, vicarious trauma and depression (Guzzi, 2019).

Various models for explaining burnout and resilience have been put forward. Two of particular relevance to the current study are the Conservation of Resources (COR) theory (Prapanjaroensin et al., 2017) and the theoretical model of Managing Exposure which conceptualises resilience and burnout as aspects of an underlying process in response to challenges at work (Jackson et al., 2018).

COR theory proposes how resource gain contributes to resilience and how burnout can occur if there is a loss or threat, perceived or actual, to resources. Resources are categorised by the model into four domains: objects, conditions, personal characteristics or energy (Hobfoll, 2012). For example, '**objects**' refer to basic necessities such as home, food and clothing

(Hobfoll, Freedy, Schaufeli, Maslach, & Marek, 1993); salary and disposable income may contribute to this. **‘Conditions’** include marital status, social relationships and good health. These condition resources may contribute to feelings of accomplishment at work (Hobfoll, 1989). Research indicates that recognition of work, access to psychological support and social opportunities (Aytekin, Yılmaz, & Kuğuoğlu, 2014) may also be understood under this resource. **‘Personal characteristics’** such as coping strategies and support seeking are important resources. Additionally, personality factors such as low extraversion (Ahola, Toppinen-Tanner, & Seppänen, 2017) may be associated with burnout. **‘Energy’** as a resource can be threatened by time pressure, this can decrease nurses’ ability to be uncompromised by changes in other resources (Hobfoll et al., 1993). This may include under-resourced or understaffed departments, with long hours and high workloads (Oates & Oates, 1996).

Whilst COR captures a number of factors found to contribute to burnout and resilience, there is significant overlap between the model’s conceptualisation of the four types of resources. For example, perceived control in the job role (Adriaenssens, De Gucht, & Maes, 2015) could be conceptualised as either Conditions or Personal Characteristics.

The Managing Exposure model (Jackson et al., 2018) understands resilience and burnout as part of a single process for managing exposure to occupational adversity. The process is triggered by a perceived problem resulting from macro (systems including: policy, job stability and health care), meso (unit culture, practical concerns and nature of critical care nursing) or micro level (interpersonal factors) adversity. It identifies awareness of the trigger as the driver for the resilience or burnout process. Mechanisms employed for protecting wellbeing in this model have been categorised as thriving, resilient, surviving or burnout. Additionally, techniques for managing exposure to adversity included behaviours categorised as protecting, processing, decontaminating, and distancing.

Further, research has indicated females may be more susceptible to burnout or stress than males (Cañadas-De la Fuente et al., 2015; Jones et al., 2015). There may be a number of reasons for this including burden of parental responsibilities and social attitudes. In a neonatal setting where staff are often females of child bearing age, their own birth stories or personal experience of miscarriage, for example, may impact their approach to end-of-life issues (Poncet et al., 2007), ethical decision making and observing suffering of patients and their families (Epp, 2012; Poncet et al., 2007), increasing susceptibility to burnout.

Neonatal nurses in the selected region work across Intensive, High Dependency and Special Care within the Neonatal Unit. It is an emotionally, intellectually and physically demanding working environment in which staff are at risk of burnout (Prapanjaroensin et al., 2017). Studies of healthcare professionals in intensive care settings, including neonatal services, have reported a wide range of burnout prevalence ranging between 27-86% (Bellieni et al., 2012; Poncet et al., 2007; Tawfik et al., 2017; Wilkinson et al., 2017). Such a large range of prevalence may be due to differing working environments of participants; additionally, differing measures have been used to assess prevalence of burnout. Indeed, the guidance for the MBI (Maslach & Jackson, n.d.) stipulates that the tool should not be used to categorise burnout per se but understood on a continuum to assess the levels of EE, DP and PA, with higher levels of EE and DP and lower levels of PA associated with higher levels of burnout.

There have been conflicting findings from research as to which conditions may mitigate burnout. For example, having children has been found in some studies to correlate with higher levels of burnout (Bellieni et al., 2012); it has been suggested that this may be due to the responsibility of having children and managing work and family life. Conversely, in other studies, nurses with children have reported higher levels of personal accomplishment (Ayala & Carnero, 2013), which is negatively associated with burnout. It is suggested that this may be due to those individuals being older and more emotionally mature and stable which may have led to improved personal fulfilment (Cañadas-De la Fuente et al., 2015).

Studies relating to resilience and burnout specifically in neonatal nurses have examined coping strategies utilised by neonatal nurses. It has been found that Neonatal Intensive Care Unit (NICU) nurses manage their emotions at work through use of strategies including: social talk and humour with colleagues, taking breaks from work, withdrawing from the emotional pain of their patients, attending memorial services, reframing loss to find meaning in their work and even to transfer out of the NICU (Cricco-Lizza, 2014).

Studies have also highlighted the importance of the practice environment and perceived control over practice mitigating the impact of EE. For example, a descriptive correlational study of NICU nurses (n=75; Hawes, 2009) found that workload and problems with supervisors were the most significant nurse stressors. Other significant nurse stressors included: uncertainty towards treatment, conflict with physicians, problems with peer support, and patients and families.

Despite extensive research into the understanding and measuring of burnout, research exploring a shared process of resilience and burnout remains limited. There is a dearth of qualitative studies exploring the lived experiences of neonatal nurses' occupational wellbeing conceptualised as a spectrum from thriving at work to burnout. Exploring nurses' experiences and sense-making of occupational wellbeing may lead to a deeper understanding of the processes in managing adversity at work. It may also add to developing knowledge in enhancing organisational initiatives or policy to improve staff wellbeing in neonatal settings.

### **Aims**

The project aims to provide an in-depth exploration of the lived experience of occupational wellbeing for neonatal nurses. It will elaborate participants' understandings of barriers and facilitators to wellbeing at work and ways of managing these. This is intended to develop a broader understanding of the underlying processes influencing how and why healthcare workers exhibit burnout and resilience in relation to their work.

### **Plan of Investigation**

#### *Participant Inclusion and Exclusion Criteria*

Participants will be recruited from a Neonatal unit in an NHS region in the West of Scotland. All participants will be NHS Neonatal Nurses, working across intensive care, high dependency and special care.

Participant inclusion criteria will mean that they must be Neonatal Nurses, having worked and been primarily based within the Neonatal Unit at Crosshouse Hospital for a minimum of one year. This would help to ensure that all participants would have an understanding of the working expectations and unit demands. Participants will be excluded if they are not fluent in spoken English or if the majority of their work takes place outwith the Neonatal unit. It is expected that all neonatal nurses participating will be aged 18 or above, any person under this age will be excluded from the study.

#### *Recruitment Procedures*

Information sessions will be provided at Crosshouse hospital for Neonatal Unit staff. This will include an overview of the study and a chance for potential participants to ask any questions

about the research. Staff will be provided with an information sheet, with an option to tick an opt-in contact form that will allow the primary researcher to follow up potential participants individually at a later date. The primary researcher will then contact interested parties to address any queries and arrange a suitable time for interview. Participants will have the opportunity to arrange an appointment at their convenience with the primary researcher, within the scope of the researcher's own working and study hours. Staff will be informed that interview data will be anonymised at point of transcription which will take place the following day to interview, and that they have the right to withdraw until this takes place. It will be set out and agreed with relevant managers that up to 90 minutes time will be granted during working hours for participants to complete the interview, should they wish to. This will be sought to be approved by the NHS region R&D. Alternatively, they can be interviewed by phone in their own time should the recording equipment and phone line be sufficient in capturing clarity of recording for verbatim transcription. Recruitment will continue until data saturation is reached, which is estimated to be between six to 12 interviews (Guest et al., 2006).

### *Research Procedures*

A study information session will be conducted at Crosshouse neonatal unit for potential participants. At this point, participant information sheets will be distributed. Those who express interest will be able to arrange a time and date for interview. At the time of interview participants will be provided with consent forms for their perusal which will be discussed and collected prior to the start of the interview. A semi-structured interview schedule will be utilised as a guide for participant interviews.

Written consent will be obtained and participants will be reminded that their participation is voluntary and confidential and that they are free to withdraw prior to the interview taking place. Participants will be informed that once the data has been anonymised, it will no longer be identifiable for them to withdraw their participation.

Confidentiality will be explained to each participant, including limits regarding risk to self and others ensuring staff know any information they bring which is of concern would be taken to the relevant people. The study will also be reiterated that it is focused on coping with emotionally demanding work and not an opportunity for disclosure of unprofessional or illegal



actions and if they do have any concerns regarding that they should can consult the relevant manager. Participants will also be invited to ask any further questions.

### *Semi-Structured Interview*

The initial interview schedule will be taken for consultation with nursing staff and the Clinical Midwife Manager. Through this consultation an initial schedule will be developed. The first interview will act as a pilot with the data from which still to be included in analysis. Following the pilot interview the schedule will be further refined if necessary, with any significant changes submitted as an amendment. This will serve to review the questions being asked to ensure they elicit the data which is relevant to the research question and topics as intended. The schedule will then be finalised with project supervisors. The interview schedule will guide the interview with the flexibility for participants to prioritise points that they deem to be central to their experiences. Prompts may also be used if necessary to elicit further detail relevant to the topics of interest. Semi-structured interviews lasting approximately 45 - 90 minutes will be conducted. Breaks will be offered during the interview, if required.

### *Data Management*

Transcribed anonymised data will be stored on a secure network accessible to the primary researcher and academic and field supervisors, and retained for ten years as per University of Glasgow procedures. Participant consent forms will be stored in a locked filing cabinet in a locked office of the field supervisor at Crosshouse hospital and will not be linked to anonymised interviews. These will be retained for ten years after completion of study as per University of Glasgow procedure.

### *Data Analysis*

Interpretative phenomenological analysis (IPA) is well suited to this research as it allows the detailed examination of a person's lived experience in a way which allows participants to step outside predefined categories set by a researcher, thus allowing the researcher to explore the participants' unique perspectives (Smith et al., 2013).

Analysis in IPA follows six stages beginning with verbatim transcription and immersion in the data. Initial notes of semantic content and the choice of language can be made on the transcripts.

Through these initial notes, emergent themes can be developed and interrelationships and connections are mapped. Charts of themes can then be developed within and between cases. This process is completed across all data collected to obtain a deeper or 'richer' interpretation (Smith et al., 2013; p82-107).

#### *Justification of sample size*

IPA studies are conducted with small, homogenous samples, commonly between six to eight participants due to the depth of the detailed case-by-case analysis (Smith et al., 2013; Turpin et al., 1997). The proposed study will seek to recruit approximately six to eight participants in line with guidance on doctoral level projects (Smith, Flowers & Larkin, 2009). Data collection will end once data saturation has occurred which is expected to be between six to 12 interviews (Guest et al., 2006) for qualitative studies.

#### *Settings and Equipment*

Interviews will be conducted either by telephone when the participant is not on site or in private clinic rooms at Crosshouse Hospital. Each interview will be audio recorded using a digital recorder. Recordings will be transcribed verbatim and anonymised, stored on a secure network. All identifiable information will be removed from transcripts to preserve the anonymity of participants. Recordings and transcripts will be treated in accordance with the General Data Protection Regulation (GDPR, 2018).

### **Health and Safety Issues**

#### *Researcher safety issues*

The information giving sessions will be conducted in a hospital environment in daytime working hours and in accordance with relevant health and safety procedures. No lone-working will be required for this study.

#### *Participant Safety Issues*

As part of the informed consent process, participants will be advised of how to access support should they experience distress following their participation in the study and will be provided with a range of support numbers they may utilise. They will also have access to the Neonatal Clinical Psychologist for support should they wish.

## **Ethical Issues**

Favourable ethical approval will be sought from the University of Glasgow MVLS ethics committee with the NHS region providing NHS R&D management approval. Data protection and confidentiality will adhere to research ethics guidelines and the General Data Protection Regulation (GDPR, 2018). All participants will be made aware that interviews will be recorded in order to create a verbatim transcript that will be anonymised. Informed consent will be sought prior to interview both verbally and on a participant consent form. Participants will be made aware that withdrawal will no longer be possible once data has been anonymised following the interview. As part of the informed consent process, participants will be advised of how to access support should they experience distress following their participation. The subject area is not highly sensitive in nature and distress is unlikely among consenting participants. However a range of support numbers will be provided and staff will have access to a Neonatal Clinical Psychologist for psychological support should they wish. The study will also be reiterated that it is focused on coping with emotionally demanding work and not an opportunity for disclosure of unprofessional or illegal actions and if they do have any concerns regarding that they should can consult the relevant manager. At the start of the interview the participant will again have the opportunity to decline to participate and will be reminded that all transcripts will be anonymised for analysis following the interview.

The Clinical Midwife Manager of the Neonatal unit and other relevant managers will be contacted prior to the study taking place. It will be established when and where staff may participate in the interview and how this will be facilitated in order to protect both patient care and the wellbeing of the nursing staff should the interviews take place within or outside of working hours.

## **Financial Issues**

Recording and transcription equipment will be borrowed from the University Department. Photocopying costs and refreshments to be provided at the information session will amount to no more than £40.

## Proposed Timetable

Time Scale	Research Component
February-March 2019	Submit proposal for formative feedback <b>22<sup>nd</sup> March</b> Including participant information, and consent forms and topics for schedule
March -May 2019	Draft Proposal Submission Supervisors to review Clinical & Research Governance submission
May-July 2019	Commence Systematic Review R&D Committees Ethics
June - October 2019	Briefing and information session, recruitment, interviews and transcription
July 2019	Analysis and write up
-November 2019	Draft thesis submission Systematic review analysis draft
December 2019	Systematic review draft
January 2020	Draft thesis submission
February 2020	Final thesis submission
April 2020	Viva

## Dissemination

The final report will include anonymised quotes from interviews. Participants will be notified of results through dissemination of thesis through the Neonatal Uni at Crosshouse hospital, the thesis will also be disseminated through Enlighten. It is possible that further dissemination of findings may take place through scientific publications.

## Practical Applications

The research will seek to understand neonatal nurses' understanding and maintenance of wellbeing at work. This research is important as it will not only shed light on what may contribute to the risk of burnout, but will also identify mechanisms for managing personal wellbeing when faced with occupational stressors. It will serve to inform organisation and systemic changes to develop or improve work-based interventions to mitigate the impact of the

contributory factors to burnout. It may also add to the understanding of resilience in literature and further supplement the research on burnout. Furthermore, an IPA approach will move beyond the quantitative research on overall burnout prevalence levels and associated factors and build on the findings of Jackson et al.'s (2018) theoretical model of managing adversity, thus exploring in detail the underlying processes influencing how and why NHS workers exhibit burnout and resilience in relation to their work.

## References

- Adriaenssens, J., De Gucht, V., & Maes, S. (2015). Determinants and prevalence of burnout in emergency nurses: A systematic review of 25 years of research. *International Journal of Nursing Studies*, *52*(2), 649–661. <https://doi.org/10.1016/j.ijnurstu.2014.11.004>
- Ahola, K., Toppinen-Tanner, S., & Seppänen, J. (2017). Interventions to alleviate burnout symptoms and to support return to work among employees with burnout: Systematic review and meta-analysis. *Burnout Research*, *4*, 1–11. <https://doi.org/10.1016/j.burn.2017.02.001>
- Ayala, E., & Carnero, A. M. (2013). Determinants of Burnout in Acute and Critical Care Military Nursing Personnel: A Cross-Sectional Study from Peru. *PLoS ONE*, *8*(1), e54408. <https://doi.org/10.1371/journal.pone.0054408>
- Aytekin, A., Yilmaz, F., & Kuşuoğlu, S. (2014). *Burnout levels in neonatal intensive care nurses and its effects on their quality of life. Australian Journal of Advanced Nursing* (Vol. 31). Retrieved from <http://www.ajan.com.au/Vol31/Issue2/5Aytekin.pdf>
- Bellieni, C., Buonocore, G., Rosanna, C., Righetti, P., & Iacoponi, F. (2012). Burnout and Risk Factors in a Cohort of Neonatologists. *Pediatric Research*, *70*, 38. Retrieved from <http://dx.doi.org/10.1038/pr.2011.263> <http://10.0.4.14/pr.2011.263>
- Cañadas-De la Fuente, G. A., Vargas, C., San Luis, C., García, I., Cañadas, G. R., & De la Fuente, E. I. (2015). Risk factors and prevalence of burnout syndrome in the nursing profession. *International Journal of Nursing Studies*, *52*(1), 240–249. <https://doi.org/10.1016/j.ijnurstu.2014.07.001>
- Clough, B. A., Ireland, M. J., & March, S. (2017). Development of the SOSS-D: a scale to measure stigma of occupational stress and burnout in medical doctors. *Journal of Mental Health*, 1–8. <https://doi.org/10.1080/09638237.2017.1370642>
- Cricco-Lizza, R. (2014). The need to nurse the nurse: Emotional labor in neonatal intensive care. *Qualitative Health Research*, *24*(5), 615–628. <https://doi.org/10.1177/1049732314528810>
- Epp, K. (2012). Newly qualified nurses experiences in the intensive care unit. *Nursing in Critical Care*, *17*(1), 44–51. <https://doi.org/10.1111/j.1478-5153.2011.00473.x>
- Guest, G., Bunce, A., & Johnson, L. (2006). How Many Interviews Are Enough? *Field Methods*, *18*(1), 59–82. <https://doi.org/10.1177/1525822X05279903>
- Guzzi, D. A. (2019). *Redefining Burnout: Exploring Common Conceptualizations and the Neurophysiology of Chronic Stress to Establish an Integrated Allostatic Model. Human Factors Psychology Commons, Industrial and Organizational Psychology Commons*. Retrieved from <https://digitalcommons.nl.edu/diss/374>
- Hall, L. H., Johnson, J., Watt, I., Tsipa, A., & O'Connor, D. B. (2016). Healthcare Staff Wellbeing, Burnout, and Patient Safety: A Systematic Review. *PLOS ONE*, *11*(7),

- e0159015. Retrieved from <https://doi.org/10.1371/journal.pone.0159015>
- Hobfoll, S E, Freedy, J., Schaufeli, W. B., Maslach, C., & Marek, T. (1993). Professional burnout: Recent developments in theory and research. Taylor & Francis Washington, DC.
- Hobfoll, Stevan E. (1989). Conservation of Resources: A New Attempt at Conceptualizing Stress. *American Psychologist*, 44(3), 513–524. <https://doi.org/10.1037/0003-066X.44.3.513>
- Hobfoll, Stevan E. (2012). Conservation of Resources Theory: Its Implication for Stress, Health, and Resilience. *The Oxford Handbook of Stress, Health, and Coping*. Oxford University Press. <https://doi.org/10.1093/oxfordhb/9780195375343.013.0007>
- Jackson, J., Vandall-Walker, V., Vanderspank-Wright, B., Wishart, P., & Moore, S. L. (2018). Burnout and resilience in critical care nurses: A grounded theory of Managing Exposure. *Intensive and Critical Care Nursing*, 48, 28–35. <https://doi.org/10.1016/j.iccn.2018.07.002>
- Jones, G., Hocine, M., Salomon, J., Dab, W., & Temime, L. (2015). Demographic and occupational predictors of stress and fatigue in French intensive-care registered nurses and nurses' aides: A cross-sectional study. *International Journal of Nursing Studies*, 52(1), 250–259. <https://doi.org/10.1016/j.ijnurstu.2014.07.015>
- Kaschka, W. P., Korczak, D., & Broich, K. (2011). Burnout: a fashionable diagnosis. *Deutsches Arzteblatt International*, 108(46), 781–787. <https://doi.org/10.3238/arztebl.2011.0781>
- Loesch, S. (2018). General Data Protection Regulation. <https://doi.org/10.1002/9781119436775.ch18>
- Maslach, C., & Jackson, S. E. (n.d.). Maslach Burnout Inventory - Human Services Survey for Medical Personnel (MBI-HSS (MP)) - Assessments, Tests | Mind Garden - Mind Garden. Retrieved January 5, 2019, from <https://www.mindgarden.com/315-mbi-human-services-survey-medical-personnel>
- Maslach, C., & Leiter, M. P. (2016). Understanding the burnout experience: recent research and its implications for psychiatry. *World Psychiatry : Official Journal of the World Psychiatric Association (WPA)*, 15(2), 103–111. <https://doi.org/10.1002/wps.20311>
- McCain, R. S., McKinley, N., Dempster, M., Campbell, W. J., & Kirk, S. J. (2018). A study of the relationship between resilience, burnout and coping strategies in doctors. *Postgraduate Medical Journal*, 94(1107), 43–47. <https://doi.org/10.1136/postgradmedj-2016-134683>
- Nursing & Midwifery Council. (2018). The Big Picture. <https://doi.org/10.1037/002720>
- Oates, P., & Oates, R. (1996). Stress and work relationships in the neonatal intensive care unit: Are they worse than in the wards? *Journal of Paediatrics and Child Health*, 32(1), 57–59. <https://doi.org/10.1111/j.1440-1754.1996.tb01543.x>
- Poncet, M. C., Toullic, P., Papazian, L., Kentish-Barnes, N., Timsit, J. F., Pochard, F., ... Azoulay, É. (2007). Burnout syndrome in critical care nursing staff. *American Journal of Respiratory and Critical Care Medicine*, 175(7), 698–704. <https://doi.org/10.1164/rccm.200606-806OC>
- Prapanjaroensin, A., Patrician, P. A., & Vance, D. E. (2017). Conservation of resources theory in nurse burnout and patient safety. *Journal of Advanced Nursing*, 73(11), 2558–2565. <https://doi.org/10.1111/jan.13348>
- Smith, J. A., Flowers, P., & Larkin, M. (2013). *Interpretative Phenomenological Analysis*. London: Sage Publications.
- Tawfik, D. S., Sexton, J. B., Kan, P., Sharek, P. J., Nisbet, C. C., Rigdon, J., ... Profit, J. (2017).

Burnout in the neonatal intensive care unit and its relation to healthcare-Associated infections. *Journal of Perinatology*, 37(3), 315–320.

<https://doi.org/10.1038/jp.2016.211>

Tugade, M. M., Fredrickson, B. L., & Barrett, L. F. (2004). Psychological resilience and positive emotional granularity: examining the benefits of positive emotions on coping and health. *Journal of Personality*, 72(6), 1161–1190. <https://doi.org/10.1111/j.1467-6494.2004.00294.x>

Turpin, G., Barley, B., & Scaife, J. (1997). Standards for research projects and theses involving qualitative methods: suggested guidelines for trainees and courses. *Clinical Psychology Forum*, (No. 108), 3–7. Retrieved from <https://contentstore.cla.co.uk/secure/link?id=596f3e68-2ee7-e811-80cd-005056af4099>

Wilkinson, H., Whittington, R., Perry, L., & Eames, C. (2017). Examining the relationship between burnout and empathy in healthcare professionals: A systematic review. *Burnout Research*, 6, 18–29. <https://doi.org/10.1016/j.burn.2017.06.003>

World Health Organisation. (2019). WHO | Burn-out an “occupational phenomenon”: International Classification of Diseases. *WHO*. Retrieved from [https://www.who.int/mental\\_health/evidence/burn-out/en/#.XQiw8t8wJU.mendeley](https://www.who.int/mental_health/evidence/burn-out/en/#.XQiw8t8wJU.mendeley)

World Health Organization. (2018). International statistical classification of diseases and related health problems (11th Revision). In *WHO*. World Health Organization. Retrieved from <https://icd.who.int/browse11/l-m/en>

## Appendix

### 1: Health and Safety for Researchers Form

#### HEALTH AND SAFETY FOR RESEARCHERS

1. Title of Project	The experience and understanding of neonatal nurses’ wellbeing at work
2. Trainee	
3. University Supervisor	Dr Naomi White
4. Other Supervisor(s)	Dr Marisa Forte
5. Local Lead Clinician	Dr Marisa Forte
6. Participants: (age, group or sub-group, pre- or post-treatment, etc)	Participants will be recruited from a Neonatal Unit within an NHS region in the West of Scotland. All participants will be NHS Neonatal Nurses working in the Neonatal unit which includes: intensive care, high dependency and special care.
7. Procedures to be applied (eg, questionnaire, interview, etc)	An Information session will be provided at Crosshouse hospital for Neonatal Unit staff. This will include an overview of the study and a chance for potential participants to ask any questions about

	<p>the research. Staff will be provided with an information sheet. Potential participants will be advised to contact either the primary researcher or field supervisor, Dr Marisa Forte, to express an interest in participating. The primary researcher will then contact interested parties to arrange a suitable time for interview. Participants will have the opportunity to arrange an appointment at their convenience with the primary researcher, within the scope of the researcher's own working and study hours. Staff will be informed that interview data will be anonymised and that they have the right to withdraw. It will be set out and agreed with relevant managers that time will be granted during working hours for participants to complete the interview, should they wish to. Alternatively they can be interviewed by phone in their own time. All participants will be made aware that interviews will be recorded in order to create a verbatim transcript that will be anonymised. Recruitment will continue until the required number of participants has been met or the research team agrees that a saturation of themes has been achieved.</p>
<p>8. Setting (where will procedures be carried out?) i) Details of all settings</p>	<p>Information sessions and interviews will be conducted in a hospital environment within the Neonatal Unit, in normal working hours. They will be conducted in accordance with relevant health and safety procedures. No out of hours or lone-working will be required for this study.</p>
<p>ii) Are home visits involved</p>	<p>No</p>
<p>9. Potential Risk Factors Considered (for researcher and participant safety):</p>	<p>As above, information sessions will take place for staff participating in the questionnaire study. As</p>



<ul style="list-style-type: none"> <li>i) Participants</li> <li>ii) Procedures</li> <li>iii) Settings</li> </ul>	<p>part of the informed consent process, participants will be advised of how to access support should they experience distress following their participation however it is of note that the subject area is not highly sensitive in nature and distress is unlikely among consenting participants. However a range of support numbers will be provided and staff will have access to a Neonatal Clinical Psychologist for support should they wish.</p>
<p>10. . 10. Actions to minimise risk (refer to 9)</p> <ul style="list-style-type: none"> <li>i) Participants</li> <li>ii) Procedures</li> <li>iii) Settings</li> </ul>	<p>Participants will have access to the Neonatal Clinical Psychologist for support. Support numbers and services will be distributed on information forms should participants find the interview evokes any emotions they feel they need support for.</p>

Trainee signature: .....Date:

University supervisor signature: ..... Date: .....

2: Research Equipment, Consumables and Expenses form

**RESEARCH EQUIPMENT, CONSUMABLES AND EXPENSES**

**Trainee:**

**Year of Course:      Intake Year:**

Please refer to latest stationary costs list (available from student support team)

<b>Item</b>	<b>Details and Amount Required</b>	<b>Cost or Specify if to Request to Borrow from Department</b>
Stationary	One ream (500 sheets) white paper = £2.18  320 x B&W Print = £16	Subtotal: £18.18
Postage		Subtotal: £0
Photocopying and Laser Printing		Subtotal: £0
Equipment and Software		Subtotal: £0
Measures		
Miscellaneous	Refreshments for Information session (tea, coffee, water, juice, biscuits)	Subtotal: £20
<b>Total</b>		<b>£38.18</b>

**For any request over £200 please provide further justification for all items that contribute to a high total cost estimate. Please also provide justification if costing for an honorarium:**

Trainee Signature..... Date...

Supervisor's Signature ..... Date .....