

Jordana, Anna and Turner, Martin and Ramis, Yago and Torregrossa, Miquel (2020) A systematic mapping review on the use of Rational Emotive Behavior Therapy (REBT) with athletes. International Review of Sport and Exercise Psychology. ISSN 1750-984X (In Press)

Downloaded from: https://e-space.mmu.ac.uk/626596/

Version: Accepted Version

Publisher: Taylor & Francis (Routledge)

DOI: https://doi.org/10.1080/1750984X.2020.1836673

Usage rights: Creative Commons: Attribution-Noncommercial 4.0

Please cite the published version

1	A systematic mapping review on the use of Rational Emotive Behavior
2	Therapy (REBT) with athletes
3	Anna Jordana ^{1,2*} , Martin J. Turner ³ , Yago Ramis ^{1,2} , & Miquel
4	Torregrossa ^{1,2}
5	Accepted 4th October 2020 in International Review of Sport and Exercise Psychology
6	
7	¹ Departament de Psicologia Bàsica, Evolutiva i de l'Educació. Universitat Autònoma
8	de Barcelona, 08193 Bellaterra (Cerdanyola del Vallès), Spain
9	² Sport Research Institute UAB, Universitat Autònoma de Barcelona, 08193 Bellaterra
10	(Cerdanyola del Vallès), Spain
11	³ Department of Psychology. Manchester Metropolitan University, United Kingdom
12	
13	Anna.Jordana.Casas@uab.cat *Corresponding author
14	ORCID Anna Jordana: https://orcid.org/0000-0002-9446-2622
15	Twitter Anna Jordana: @annajordanaa
16	This work was supported by the Generalitat de Catalunya under the grant FI-DGR 2018
17	(2018FI_B_00485).
18	
19	
20	
21	
22	
23	
24	

1 A systematic mapping review on the use of Rational Emotive Behavior

2 Therapy (REBT) with athletes

The expansion of evidence-based practices in the sports context, shows a promising growth in the use of REBT interventions with athletes. This evolution places us at the moment of gathering the research to identify where evidence is rich or wanting. We carried out a systematic mapping review to (a) classify the type of literature, (b) categorize current evidence, (c) identify trends and knowledge gaps in research, and (d) develop a critical appraisal of existing literature. Using the PICO tool, a search strategy was undertaken on the following databases: PsycINFO, Pubmed, Scopus, SPORTDiscus, Web of Science, and The Cochrane Library. As a result, 39 studies up to July 2020 were included for an in-depth analysis. The results indicated that the main corpus of evidence is found within journal articles and book chapters from European researchers, with adult male elite football (soccer) players as the target sample. We discuss the level of confidence readers can have in the research by offering a critical evaluation, and conclude by encouraging professionals to critically reflect on existing advances and knowledge gaps, so that they consider the evidence for their future work, as well as still unexplored populations, sport contexts and methods.

Keywords: beliefs; rational; REBT intervention; mental health

21

20

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

22

Rational Emotive Behavior Therapy (REBT), developed by Albert Ellis in the 1950s 1 2 (Ellis, 1957), is widely regarded as the first of the cognitive behavioral therapies (CBTs; 3 David et al., 2005). Despite being developed in a clinical context, in recent years the reported application of REBT in sport settings has grown (e.g., Mesagno et al., 2020; 4 5 Wood et al., 2019), in part because of its benefits in promoting, restoring, and 6 maintaining athlete mental health, wellbeing, and performance (Turner, 2016a). This 7 burgeoning corpus of research includes different types of work, such as interventions 8 (e.g., Davis & Turner, 2019; Turner, Kirkham et al., 2018), psychometric validations 9 (e.g., Turner & Allen, 2018) or applied tools (Turner, 2016b). The effects of REBT 10 have been studied widely in clinical and non-clinical populations (e.g., Eseadi et al., 11 2017; Kim et al., 2018), in youths and adults (e.g., Matin et al., 2012; Saelid et al., 12 2017), in educational (e.g., Igbokwe et al., 2019), military (e.g., Hyland et al., 2014) and business contexts (e.g., Turner & Barker, 2015), but currently sport reflects an exciting 13 14 new path for the future of research in REBT (Turner, 2019). Many years after the first 15 studies showed that REBT could enhance the practice of sport (Bernard, 1985) and 16 exercise (Ellis, 1994). The use of REBT with athletes is supported across a variety of 17 sports at various levels for increasing performance and wellbeing (e.g., Wood et al., 18 2019), but no study to date has compiled and reviewed the existing publications 19 reporting these interventions. Literature has yet to outline the trends emerging from 20 extant works, and identify areas that have not been explored, which is an important task 21 in order to accurately inform and set the agenda for future research concerning the application of REBT with athletes. 22 23 Ellis' pioneering work and Beck's subsequent empirical research are considered 24 foundation to Cognitive Behavioral Therapies (CBTs; Matweychuk et al., 2019). CBTs 25 attribute varying levels of importance to different levels of cognition. For example, in

1	REBT the main focus is on irrational and rational beliefs, in contrast to methods such as
2	cognitive therapy (CT; Beck, 1964), in which the main focus is on the role of automatic
3	thinking and schema (Beck, 1995), but both therapies are centered on the notion of
4	cognitive restructuring (Matweychuk et al., 2019). Comparing REBT with more recent
5	therapies such as Hayes' Acceptance and Commitment Therapy (ACT: Flaxman et al.,
6	2011; Hayes et al., 1999) it has been noted that, while REBT is based on a theoretical
7	cognitive model (CBT), ACT advocates emphasizing learning models without
8	depending on cognitive restructuring and any rational process. In this case, reactions to
9	thoughts, emotions and images are the primary mechanism of change (Matweychuk et
10	al., 2019). Furthermore, a particularity of REBT is its subscription to a Binary Theory
11	of Emotional Distress (BTED; Turner, Jones et al., 2018). In REBT, there are two
12	separate continuums of beliefs, emotions, and behaviors; one continuum is self-helping,
13	and one continuum is self-defeating (Matweychuk et al., 2019). In brief, irrational
14	beliefs co-occur with dysfunctional and maladaptive emotional and behavioural
15	consequences (unhealthy negative emotions; UNEs), while rational beliefs co-occur
16	with functional and adaptative emotional and behavioural consequences (healthy
17	negative emotions; HNEs).
18	In the present study, we adopt the definition that irrational and rational beliefs
19	are ways of evaluating particular representations of reality in terms of each individual's
20	personal meanings (David et al., 2010), that can be about oneself, others, or the world in
21	general (Froggatt, 2005). Ellis (1957) defined irrational beliefs as rigid, extreme,
22	inefficient and inconsistent with reality, and he classified them into one primary belief
23	(demandingness) and three secondary beliefs (awfulizing, self/other depreciation,
24	and frustration intolerance). In contrast, rational beliefs are flexible, non-extreme,
25	efficient, and consistent with reality, and are classified into one primary belief (i.e.,

preferences) and three secondary beliefs (i.e., anti-awfulizing, self/other acceptance,
 and frustration tolerance).

At its core, REBT proposes a GABCDE framework (David et al., 2010) in which irrational and rational beliefs (B) manifest in response to situations or events (A) that block or impede personal goals (G), and trigger emotions and behaviors (C). Since irrational beliefs beget UNEs, and rational beliefs beget HNEs, the focal point of an REBT intervention is to help people challenge (or dispute; D) their irrational beliefs, and to adopt new effective rational beliefs (E), with the goal of reducing UNEs (e.g., anxiety, depression) and associated maladaptive behaviours (e.g., avoidance, flight), and increasing HNEs (e.g., worry, sadness) and associated adaptive behaviours (e.g., approximation, assertiveness). REBT takes a humanistic perspective, which offers possibilities of coping with

the demands of the performance environment through changing irrational beliefs to rational beliefs. Furthermore, REBT offers a preventative approach to dysfunctional emotions and behaviours in which athletes are encouraged to take reasonability for their mental health, thus helping athletes to achieve wellbeing and performance objectives in the longer term (Turner, 2014a; Wood, Barker, Turner & Sheffield, 2018). Therefore, REBT goes beyond simply providing a solution to irrational beliefs and poor mental health; these interventions also pave the way for the development of rational beliefs in the early stages of the athletic career, which help prevent mental health problems stemming from irrational beliefs as the athlete progresses in their athletic career (Turner, 2016a). Similarly, REBT may be a useful tool for those athletes who make a dysfunctional evaluation of their sporting career, denying for instance its eventual termination, and helping them changing their beliefs for more rational and healthy ones that will lead them plan their sports retirement in advance (Lavallee et al., 2010).

According to Torregrossa et al. (2015), athletes should share their opinions and 1 2 experiences before and after the retirement from sport in order to be able to provide 3 more meaningful and valuable stories from this process, and not only taking a snapshot of a past situation and reporting it retrospectively. 4 5 In sports contexts, the development and strengthening of psychological aspects generally focuses on cognitive-behavioral approaches, a prominent example of which is 6 7 the canon of psychological skills (Andersen, 2009). The techniques that comprise the 8 canon (e.g., imagery, relaxation, concentration, goal setting, self-talk, pre-performance 9 routines) are considered to be effective in improving and maintaining sports performance (Andersen, 2009). Within the context of the REBT framework, the canon 10 11 provides techniques that chiefly impact upon the perceived adversity (A) faced by the 12 athletes, or the emotional, behavioral, and cognitive consequences (C), of the adversity, 13 rather than attempting to address core beliefs and schema (B) at the route of emotional 14 reactivity, which is the main focus of REBT. In REBT, the main thrust of the work is to 15 help the athlete to alter their deeply held beliefs (B) about adversity, facilitating 16 adaptive consequences by encouraging cognitive change (Dryden & Neenan, 2015). 17 Consequently, although the canon of psychological skills offers effective and 18 indispensable techniques, some athletes require REBT-based work to achieve deeper 19 philosophic change especially in relation to ingrained and entrenched beliefs that are 20 rigid, extreme, and illogical. This deeper work provides a route to helping athletes 21 experience healthy emotions and behaviours that can aid performance and mental health 22 (Turner, 2016a). For this reason, compared to some cognitive behavioral techniques 23 (e.g., canon; Anderson, 2009), the focus on deeply held beliefs provides an "elegant

solution" that helps clients to reduce their proclivity to disturb themselves in the face of

5

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

aversity (Ellis, 1997, p. 334), helping them to approach and react to adversity with
 functional and adaptive emotions and behaviours (Dryden & Neenan, 2015).
 A recent meta-analysis (David et al., 2018), which included 82 empirical studies

across a variety of contexts (e.g., psychotherapy, education) and populations (e.g.,

dating back to the inception of REBT, supported the effectiveness and efficacy of REBT

6 clinical and non-clinical populations, youths and adults). According to David et al.

(2018) irrational beliefs are unfavourable due to their emotional, cognitive and

behavioural consequences, which impoverish mental health. However, David et al.'s

(2018) results did not include any data from studies undertaken in sport settings.

Because of the growing empirical research evidencing the effects of REBT in athletic settings, there is a need to synthesize and examine this literature (a) to identify patterns in research findings (Booth et al., 2016), (b) to generate an understanding of current knowledge, and (c) to assess the quality of the underpinning evidence (Tod, 2019). Furthermore, a possible risk of the expansion of an unrevised state of evidence is that future practitioners use an unsound base of knowledge to guide practice. Therefore, it is important to analyze the quality and rigor of the existing literature to facilitate a reliable transmission of scientific knowledge, and to guide research and practice towards possible future improvements. For all this, it is worth offering a visual overview that details what evidence is available, its nature and distribution, and the research designs used to develop it. To this end, the consideration of how research is being conducted can be beneficial to identify ways to improve this effort, and to inform future researchers by helping them to make evidence-based decisions that can improve the empirical examination of REBT in sport. Precisely, the concept of evidence-based practice in psychology, refers to the integration of the best available research to practical experience of the professionals adapted to the context, characteristics, culture

- and preferences of the user (APA Presidential Task Force on Evidence-Based Practice,
- 2 2006). In short, the objective of this study was to carry out a systematic mapping review
- 3 in order to offer a new way of viewing the body of the existing literature on REBT
- 4 intervention with athletes, through (a) classifying the type of literature, (b) categorizing
- 5 the current evidence, (c) identifying trends in its use and knowledge gaps in research
- 6 literature, and (d) developing a critical appraisal of the methodological rigor, suitability,
- 7 and relevance, of existing literature.

Methods

8

- 9 This systematic mapping review is informed by the Preferred Reporting Items for
- 10 Systematic Reviews and Meta-Analysis (PRISMA; Moher et al., 2010), and the
- 11 Cochrane Handbook for Systematic Reviews of Interventions (Higgins & Green, 2011)
- to ensure the systematic process of the mapping. Moreover, we followed the
- recommendations of Booth et al. (2016), Gough et al. (2017), and Gough and
- 14 Richardson (2018) to conduct this type of review.

15 Search strategy

- 16 The search strategy followed the four steps suggested by Moher et al. (2010):
- identification, screening, eligibility, and inclusion (Figure 1). Two inclusion criteria
- were borne in mind for studies: (a) they entailed a REBT intervention, and (b) the
- 19 participants were athletes. As a critical evaluation, publications that did not clearly
- 20 indicate their purpose were excluded. To organize the keywords, the PICO tool (i.e.,
- 21 Participants, Interventions, Comparisons, Outcomes) recommended by Higgins and
- Green (2011) was used in English to identify the abstracts of studies carried out in any
- 23 language (see Supplementary File). The databases consulted were PsycINFO, Pubmed,
- Scopus, SPORTDiscus, Web of Science, and The Cochrane Library. In order to capture

- all relevant previous research, no limitations were specified for the starting date in the
- 2 search. In this way, we intended to reduce selection and language biases (Booth et al.,
- 3 2016). The search extended until 26th July 2020.

4 Identifying relevant studies

5 The search round identified 108 articles (see Figure 1). Following the recommendations

of Booth et al. (2016) for conducting a systematic mapping review, we carried out an

7 exhaustive manual search on reference lists, bibliographies, citation searches, and we

also contacted experts to decrease publication bias, for (a) making up for the potential

insufficient indexing of these databases, and (b) identifying book chapters and grey

literature (e.g., conference abstracts, doctoral dissertations, information from key

websites in the field of interest). This second search yielded 25 relevant documents that

were included in the review.

Once duplicates were excluded, 87 studies were evaluated in two stages. First, titles and abstracts were examined, and 41 studies that did not meet the inclusion criteria were excluded. In the second stage, the full texts of the remaining studies were analysed and evaluated for their eligibility. As a result, 46 studies remained in the database. In order not to duplicate the information from the same study when it was published at different stages and in different formats (i.e., book chapter or grey literature already published as journal articles), the authors made the decision to prioritize the inclusion in this systematic mapping review of peer-reviewed journal articles over other types of publication formats. For this reason, seven studies were excluded (e.g., Si & Zhang, 2017; Turner, 2014b). In total, 39 studies passed the critical evaluation and were finally considered for this systematic mapping review.

[Figure 1 near here]

8

9

10

11

13

14

15

16

17

18

19

20

21

22

Coding and appraisal of the included studies

1

2 The complete American Psychological Association reference was specified for each 3 included study (American Psychological Association, 2020), and it was given a bibliographic code in order to facilitate identification (see Table 2 in the Supplementary 4 5 File). In addition, the location where the study was carried out and the type of document (e.g., journal article, congress material) were detailed. The included studies were 6 7 organized chronologically and, within each year, in alphabetical order. For content 8 analysis, a spreadsheet was developed (see Figure A in the Supplementary File) with 9 categories and subcategories predefined by the authors (Saldaña, 2015). A training 10 session was held with two post-doctoral researchers and three PhD students, on the key 11 concepts of the systematic mapping review (e.g., REBT, beliefs, wellbeing, athletes) 12 and on the explicit instructions to fill in the spreadsheet throughout the coding process. 13 The first coding stage was carried out by the first author with the help of said post-14 doctoral researchers and three PhD students, who acted as critical friends, in order to 15 provide quality and rigor by offering a dialogue and reflective recognition of multiple 16 truths, perspectives and results in this process of research (Smith & McGannon, 2018). 17 The second coding was conducted by the first, third and fourth authors. The 39 studies 18 were analysed in depth in both codifications to identify the following information: (a) 19 target variables, (b) the method used (i.e., design, characteristics of participants, 20 characteristics of interventions), and (c) the main conclusions about REBT 21 interventions. If the coders could not identify the information in the cells, they checked 22 the option "Information not available". If the information was different from the pre-23 established subcategories, they marked the option "Other(s)". If they were unsure 24 whether the subcategory correctly reflected the study information, they marked it in red. 25 In addition, each coder could add comments in the "Remarks about coding" cell. At the

- 1 end of the coding, the coders met to compare and discuss the discrepancies using the
- 2 spreadsheets for each critical friend. Finally, the first author conducted a final review of
- 3 the entire coding process using the subcategories resulting from the evolution of the
- 4 process that best reflected the information from each study included in the systematic
- 5 mapping review (see Table 3, Table 4 and Table 5 in the Supplementary File).

6 Critical appraisal of existing literature

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

7 Once the nature of the existing evidence was revealed, the authors developed a critical

appraisal to assess its quality and pertinency. Critical appraisal is "the process of

carefully and systematically examining research to judge its trustworthiness, and its

value and relevance in a particular context" (Burls, 2009, p. 1). The development of a

critical appraisal allows the determination of the solidity of the evidence-based practice

(Amonette et al., 2016) and the level of trust that practitioners can have in a body of

work to guide decision-making (Tod, 2019). Following the guide of Liabo et al. (2017),

we have based the critical appraisal on: (a) the methodological rigor, (b) the suitability,

and (c) the relevance of the studies included in this systematic mapping review (see

Figure B in the Supplementary File).

Firstly, to analyze methodological rigor we focused on the robustness of the method and internal validity. We evaluated each study according to the description of the participants and whether they were recruited in an acceptable way. In addition, we focused on precision in exposure to minimize bias, on the precision of the procedure description, on whether the data was collected in a way that addressed the research problem, and on whether the data analysis was sufficiently rigorous. Second, to determine suitability we evaluated the match between the study method and the research question. Finally, we considered the relevance of each included study. We analyzed the declaration of findings, the intervention effects, the generalization of the results to the

- 1 population and the context to determine relevance, in addition to verifying that the
- 2 results of the study were discussed with the consideration of other available evidence.

Results

3

8

23

- 4 The main findings are presented on Figures 2, 3, and 4. To complement this
- 5 information, the reader can refer to the Supplementary File for a detailed analysis on
- 6 each study. Below we provide a synthesis of the publication trend, the location of the
- 7 evidence, and the integrated analysis of the studies' characteristics.

Publication trend

9 Figure 2 shows the trend of publication format per 5-year periods. The figure illustrates 10 a gradual increase in the number of publications that implement REBT in the context of 11 sports. Since 1985, the year in which the first publication is found (i.e., Bernard, 1985), 12 until April 2020, only the 1996-2000 period does not show any publication of REBT 13 interventions with athletes. In the 1985-1990, 1991-1995, 2001-2005, and 2006-2010 14 periods, only one publication is reported per period. However, in 2011-2015 an increase 15 in the number of publications can be seen, reaching four. The most recent period, from 16 2016 to 2020, has the most studies with a total of 29. As outlined in Figure 2, book 17 chapters and journal articles are the most common publication formats for REBT 18 interventions. It should be noted that doctoral theses focused on REBT interventions 19 with athletes do not appear until the 2006-2010 period. However, we must assume that 20 different phases of the same study can be published in different formats at different 21 times during the study process. That is why we cannot affirm that there are few 22 congress materials, since the different journal articles or book chapters added in this

mapping review, may have been presented previously in the form of congress materials.

- 1 In order to not duplicate information from the same study, this review prioritized the
- 2 inclusion of peer-reviewed journal articles, before any other type of publication format.
- 3 [Figure 2 near here]

4 Location of evidence

- 5 Figure 3 shows an overview of where the evidence on REBT interventions with athletes
- 6 is located. The 39 included studies have developed in 13 countries across four different
- 7 continents. Although REBT interventions with athletes are beginning to be carried out
- 8 worldwide, the figure illustrates the centralization of studies in the United Kingdom
- 9 (61.55% of the studies; 14 journal articles, 9 book chapters, 1 doctoral dissertation).
- 10 [Figure 3 near here]
- In terms of language, of the 39 studies, 37 were written in English, one study was in
- 12 Japanese (Yamauchi & Murakoshi, 2001) and one in Korean (Ha & Chang, 2017). The
- 13 22 research articles are spread across 13 journals, all with an impact factor index in the
- 14 Journal Citation Reports, with the exception of the Japanese Journal of Sport
- 15 Psychology and the Journal of Digital Convergence. The journals with the most
- publications concerning REBT interventions with athletes are *The Sport Psychologist* (n
- = 6) and Journal of Applied Sport Psychology (n = 4). The 13 studies published as book
- chapters can be found in 5 different books, with *Rational Emotive Behavior Therapy in*
- 19 Sport and Exercise (Turner & Bennett, 2017) presenting the majority of the chapters (n
- = 8). The three doctoral theses were defended at the National College of Ireland
- 21 (Ireland), the Victoria University of Technology (Australia), and the Staffordshire
- 22 University (United Kingdom), and the symposium contribution was developed at the
- 23 European Federation of Sport Psychology congress (see Table 2 in Supplementary File).

24 Integrated synthesis of the study characteristics

1	The content analysis carried out in this systematic mapping review has made possible
2	the identification of relevant information from the main categories that should be
3	considered while developing a REBT intervention with athletes: (a) target variables, (b)
4	design, (c) measures, (d) participants, and (e) interventions. Figure 4 shows an
5	integrative synthesis of these five dominant categories with the intention of offering an
6	overview of the variations used in this type of intervention, helping researchers and
7	practitioners to acknowledge the trends through this systematic mapping review and use
8	the information in order to combine different techniques or orientations. Since different
9	phases of the same study can be published in different formats, in order not to duplicate
10	information from the same study (e.g., target variable, number of participants, sport
11	practiced, number of sessions), from this moment on the Wood's doctoral dissertation
12	(2017) is analyzed through the journal articles and book chapters resulting from it
13	(Wood et al., 2017a; Wood et al., 2017b; Wood, Barker, Turner, & Sheffield, 2018;
14	Wood, Barker, Turner, & Thomson, 2018; Wood et al., 2019).
15	Focusing on the target variables, Figure 4 shows that 22 of the included studies
16	had the purpose of studying the effect on irrational beliefs, as was expected given these
17	are the core components of REBT. The next most common objectives were to study the
18	effects of the intervention on performance, anxiety, rational beliefs and self-determined
19	motivation.
20	The methodological contributions of these studies are one of the most analyzed
21	parts in this systematic mapping review, since it can inform new resources and a
22	systematic way to carry out this type of research. The most common design was the
23	single-case design. Figure 4 reveals that with a total of 21 studies, a clear preference for
24	this type of design is shown when implementing REBT interventions with athletes.
25	Complementary to the single-case designs, three of these studies establish a multiple

1	baseline for participant design, and when the number of participants was higher than
2	one, four studies set a multiple baseline staggered between the different participants in
3	the study. However, only three studies compared the results obtained in an experimental
4	(REBT) group with those found in a control group. Another factor to consider is the
5	instruments used in each intervention to measure the variables being studied. We note
6	that to measure beliefs, the Shortened General Attitudes and Belief Scale (SGABS;
7	Lindner et al., 1999) was the most widely used, which is not a sport-specific measure of
8	irrational beliefs. However, the Irrational Performance Beliefs Inventory (iPBI; Turner,
9	Slater et al., 2018), which is sport-specific measure of irrational beliefs, has already
10	been used in seven studies, a remarkable number considering its first appearance was in
11	2018. Furthermore, regardless of the variables being studied, 21 of the studies
12	conducted a social validation interview/questionnaire.
13	With regard to participants, Figure 4 shows five subcategories to consider: (a)
14	the number of participants, (b) the age of the participants, (c) their sex, (d) the sport
15	practiced, and (e) the level of competition. Despite observing a trend in developing this
16	kind of study with a single participant, it should be noted that, of the 15 studies with a
17	single participant, 10 are published in books. In contrast, in terms of the ages of the
18	participants, the clear trend is to develop interventions with adults. Of the included
19	studies, 16 developed the interventions with males, eight with men and females, and
20	only five were developed with a sample exclusively composed of females. The
21	integrated synthesis reveals that REBT has been implemented in a wide variety of
22	sports, both individual (e.g., triathlon, fencing, mixed martial arts, archery) and team
23	sports (e.g., American football, basketball, cricket, rugby), with football (soccer)
24	receiving the most attention. Only four studies showed the application of REBT with
25	athletes with functional diversity, although all have been developed from 2017 onwards

In terms of athletic level, studies have included a variety of competitive categories, with
amateur and elite being the most represented levels, and former elite athletes the least
studied population.

Focusing on the development of the interventions, Figure 4 shows how the researchers developed REBT interventions with differing numbers and type of sessions, using different procedures. Overall, we found that these sessions tended to focus on teaching the ABC model (i.e., event, belief, consequence) and on helping athletes to cognitively restructure primary and secondary irrational beliefs by recognizing and disputing them (i.e., on logical, pragmatic, and empirical grounds). We found 30 studies in which the REBT interventions comprised between two and 11 sessions, and two studies with 12 or more sessions. Only two studies carried out a single REBT workshop. Of these interventions, 26 were developed one-to-one (i.e., individual sessions), and 13 through group sessions. A clear trend in this type of intervention is to provide homework between sessions, as well as to carry out follow-up data collection once the intervention sessions have ended. Regardless of the specific content of the session, the tendency is to use a session duration of more than 30 minutes in length.

Figure 4 distinguishes between the 10 studies that, regardless the intervention sessions period, develop a short period for data collection (i.e., 12 weeks or less). In contrast, 14 studies have a data collection period of more than 12 weeks. However, although there is no clear trend for how many weeks the intervention should last, the vast majority of studies develop face-to-face interventions with online and/or audio/phone support. Only the study by Cunningham and Turner (2016) shows a completely online intervention using Skype (video-calling) sessions.

In relation to the measures used to determine the effectiveness of the interventions, Figure 4 shows that there is a variety in how to analyze effectiveness

(e.g., ANOVA, critical friend, observation, performance results). However, the most widely used measure is visual analysis and Cohen's *d* (Cohen, 1988). Social validation is frequently used to complement the data and to understand the effectiveness of the intervention in a deeper way (i.e., with a total of 21 studies). Therefore, as a result of this systematic mapping review, we can observe that there is a clear tendency in REBT interventions to use questionnaires and social validation interviews during and/or after

about the effects of the intervention.

[Figure 4 near here]

the intervention, in order to determine the perceptions and feelings of the participants

Methodological rigor, suitability and relevance of existing research

Once the nature of the existing evidence was revealed, the authors developed a critical appraisal to assess its quality and pertinency, based on: (a) the methodological rigor, (b) the suitability, and (c) the relevance, of the studies.

The critical appraisal demonstrates the difference between peer-reviewed journal articles, with other types of publication format (i.e., book chapters, grey literature). In general, journal articles usually meet the previously established criteria, showing validity of evidence. The peer-reviewed studies show a less robust methodological rigor than the other format publications, which focus on the description of participants, the procedure, and the description of how data was collected and analyzed, but not on the explanation of minimization of possible biases. A more detailed description of the analysis process often appears in journal articles to support study findings. Regarding suitability, the evidence comes mainly from single-case designs, with 58.33% published in peer-reviewed journals and 41.66% in book chapters. The journal articles included in the review, tend to be more consistent in describing a specific research question, and in explicitly justifying its relationship with the developed design. The other publication

- 1 formats, especially book chapters, tend to focus more than journal articles on
- 2 contextualizing the case and the background of each participant, in order to show the
- 3 rationale and importance of the REBT intervention. Although the book chapters are
- 4 explicit regarding design and procedures, the peer-reviewed articles present a level of
- 5 demand that ends up being a screening point for quality in this type of publication
- 6 format. Regarding relevance, the findings are explicit in any type of publication format
- 7 and are discussed in relation to the original objective. However, in the journal articles
- 8 the discussion of the credibility of the findings and the adequate comparison with
- 9 existing evidence predominates, in addition to the proposal of future research with
- 10 similar participants.

Discussion

- 12 The purpose of this study was to conduct a systematic mapping review to provide an
- overview of current evidence concerning the application of REBT with athletes, by
- categorizing the existing literature and identifying trends and gaps in the knowledge in
- this field. In this way, we provide practical considerations to reflect upon and aid the
- design of future REBT applications in sport. In total, 39 studies fulfilled the inclusion
- 17 criteria. The analysis of the evidence shows an increase in the development of this type
- of study. Until 2005, only three studies are reported, published as a book chapter (n = 1)
- and journal articles (n = 2). It is not until the 2006-2010 period that the first doctoral
- thesis appears in this field of research. In the 2011-2015 period, only journal articles are
- 21 reported. It is only in the period from 2016 to the present, that we observe an increase in
- the report application of REBT with athletes, with 15 journal articles, 11 book chapters,
- 23 two doctoral theses, and a congress symposium. Demonstrably, this topic of study is
- 24 gaining interest. Although the studies have been carried out in different continents, the

United Kingdom is the country that has reported the most REBT interventions with
 athletes.

This systematic mapping review examines the development trends of REBT interventions with athletes, providing information on the five key categories that have been considered for the development of the interventions throughout the different periods of time: (a) target variables, (b) design, (c) measures, (d) participants, and (e) interventions. Overall, the aim of reporting these detailed categories is to improve the clarity, completeness, and transparency of research reports. Based on the integrative analysis performed in this systematic mapping review, we extract various trends to help researchers and practitioners guide future interventions. Furthermore, the same trends allow us to point out gaps in this type of studies in order to conduct valuable further research.

Target variables

3

4

5

6

7

8

9

10

11

12

13

14 In recent years the different types of target variables studied has increased. Up to 2016, 15 only interventions with the goal of determining their effects on beliefs, anxiety and 16 sport performance were reported. After 2017, even though the tendency is to maintain 17 the focus on irrational beliefs, a higher variety in the target variables studied is reported 18 (e.g., emotional wellbeing, physiological variables, self-determined motivation). 19 Although the number of studies that adopt a humanistic approach, to restore, promote, 20 and maintain athletes' mental health beyond other variables (e.g., performance, 21 resilience) is increasing, it is important to continue considering risk and protective 22 factors for the athlete's mental health. As recent research on REBT interventions in the 23 sports context indicates, REBT is presented as a potentially effective approach to promoting athlete psychological wellbeing (e.g., David & Turner, 2019; Vîslă et al., 24 25 2016; Wood et al., 2019). The demanding environment that characterizes competitive

1 sport (Reardon & Factor, 2010), and the growing concern for the psychological 2 wellbeing of athletes (e.g., MacIntyre et al., 2016; Turner, Carrington, et al., 2018), 3 means that effective interventions that can promote athlete psychological wellbeing is a major concern in the applied research literature (Turner, 2019). As argued by 4 5 Stambulova et al. (2020) in their study, the concept of sports career excellence is 6 defined by the athlete's ability to maintain a healthy, successful and long-lasting career. 7 Because athletes lead intense lives and experience overlapping transitions between 8 different contexts for several months or years (e.g., sports, academics, work, family), 9 the demands, resources and coping strategies must be distributed accordingly. Indeed, 10 research has indicated that irrational beliefs are related to increased burnout (Turner & 11 Moore, 2016), choking under pressure (Mesagno et al., 2020), psychological distress 12 (Turner, Aspin et al., 2019; Vîslă, et al., 2016), and anger (Turner, Carrington et al., 13 2019). But to date, studies have focused on studying the effects of REBT interventions 14 with athletes in situations on-the-field (e.g., anger, performance, resilience), and less 15 focus has been towards mental health effects (see Davis & Turner, 2019, for an 16 exception). In order to promote the holistic development and mental health of athletes, it 17 would be interesting to explore situations beyond on-the-field, and select off-the-field 18 target variables (e.g., sports career decision-making, prevention in light of future 19 transitions). We encourage researchers and practitioners to organize their future work to 20 include mental health markers of intervention effectiveness, and to specifically study 21 more holistic markers that more completely reflect the athlete experience.

Design and measures

22

In the present review, study design represents the most variability between studies, although the tendency is to use both quantitative and qualitative data. The results of this systematic mapping review allow us to observe the great variety of quantitative

1 measures that are being used when assessing the effects of REBT, unlike the few 2 qualitative data collection resources used (e.g., observation, interviews, specific sport 3 exercises). There are different design characteristics that tend to predominate in this type of intervention. This is the case of the single-case designs, the multiple baseline 4 5 (staggered when the number of participants allows), and the measurement of the target 6 variable before and after the intervention, regardless of the design used (i.e., pretest-7 posttest). In line with Normand (2016), single-case designs allow studying fewer 8 participants, taking repeated measures, and generalizing effects inductively and 9 systematically among the participants of different studies. By emphasizing this type of 10 design, psychology produces more efficient results, learning more by studying fewer 11 participants. Furthermore, the multiple baseline design among participants reflects good practice within single-case research (Kazdin, 2011). Three recent studies included in 12 13 this systematic mapping review (i.e., Chrysidis et al., 2020; David & Turner, 2019; 14 Turner, Ewen et al., 2018) adopt an idiographic single-case design to facilitate a deep 15 and multimodal form of data collection. In line with Normand (2016), this type of 16 design helps to understand the result of the intervention for each participant in a 17 personalized way, and learn more by studying fewer participants. 18 In addition to the single-case design, social validation is one of the most 19 prominent assessment tools in REBT interventions with athletes. These findings are 20 consistent with Page and Thelwell's (2013) recommendation that single-case designs 21 should include a social validation at the end of the procedure to complement the 22 statistical data that determines the efficacy of the interventions. As argued by Deen et al. 23 (2017), in an effort to avoid bias, the practitioner who develops the intervention should 24 not perform the social validation, as it could have a biasing effect on the responses of 25 the participants. Athletes might be more honest if they offer their opinion to a third

- 1 party. This instrument can be used to collect information during and/or after the
- 2 intervention by different agents related to athletes, such as parents (see Sille et al.,
- 3 2020), and coaches (see Si & Lee, 2008), in order to complement and enrich the
- 4 information, and to help practitioners understand the results. For example, this type of
- 5 tool would provide information beyond the objective variables studied, as in the case of
- 6 Deen et al. (2017) and Turner, Ewen et al. (2018). In these cases, interventions are
- 7 favorably rated given that, in addition to leading to positive results in the target
- 8 variables, they also tend to highlight positive effects in variables that are not part of the
- 9 main objectives of the study (e.g., rational language resulting from the REBT
- intervention fostered interpersonal relations within the team).

Given that the research on the use of REBT with athletes is a growing field, future studies should promote the use of rigorous and innovative qualitative research methods to overcome this lack of evidence, in order to expand the qualitative research within this field (Normand, 2016; Smith & McGannon, 2018). However, in line with what was declared by Barker et al. (2013), the authors do not propose that single-case designs or qualitative measures should replace controlled group designs. These types of design and measurement are valuable when embarking on new research areas, or when the intervention has a unique population. Single-case research in sport psychology could detect positive effects for individuals who would otherwise have their success masked in a non-significant group design. Nevertheless, there are many questions that are best answered using group designs with stringent controls in place such as a comparison group, or an attention placebo control group.

Participants

11

12

13

14

15

16

17

18

19

20

21

22

- 24 The results of this review highlight that REBT interventions have been applied in a
- 25 wide variety of sports, and competitive levels, although some of them are

1 underrepresented (e.g., artistic swimming, basketball, former elite athletes). However, 2 the results of this systematic mapping review show that there is a trend in conducting 3 REBT interventions with adult male elite football (soccer) players. In relation to age, the younger the athletes are (i.e., 13 years or younger), the more sessions should be held 4 5 and the longer each one should last in order to ensure that the athlete fully understands 6 the GABCDE framework. The younger athletes are, the education phase tends to 7 lengthen, requiring more than three 45-minute sessions, as opposed to the three 20-8 minute sessions necessary from the age of 14 onward (Turner & Barker, 2014). For this 9 reason, according to Turner and Barker (2014), REBT interventions may not be the 10 most effective approach for younger athletes (i.e., 13 years or younger) in relation to 11 time-effectiveness, since a prolonged education phase attenuates the general 12 effectiveness of sports psychology practitioners, especially when they have been hired to work for a limited period of time (e.g., 10 weeks). Furthermore, in line with the 13 14 results found by Wood et al. (2017b), and Turner, Ewen et al. (2018), it is important to 15 take into consideration the progress of each participant and to conduct the intervention 16 in ecologically valid environments. In relation to gender, there are only five studies with 17 a totally female sample, while 16 have a fully male sample, and eight with samples of 18 both genders. Therefore, we observe a trend in conducting studies with male athletes. In 19 the future, there may be more attention devoted to populations that are underrepresented 20 in the literature, such as female athletes, former elite athletes, LGTBI population, 21 migrants during the process of a cultural transition, refugee athletes, or at-risk youth, 22 among others. From this review, we encourage future researchers and practitioners to 23 critically reflect on unexplored populations and sport contexts, and to adopt these 24 innovations in their work.

Interventions

- 1 In relation to the organization of the REBT intervention, there are different aspects that 2 should be contemplated: (a) content of the sessions, (b) session length, (c) data 3 collection length, (d) participants organization, (e) procedures, and (f) effectiveness 4 measures. 5 REBT interventions should be focused on promoting a long-term change in beliefs (i.e., by identifying and disputing irrational beliefs, and replacing them with 6 7 rational beliefs), regardless of the target variable chosen (e.g., anxiety, performance, 8 self-determined motivation). It is important to foster a profound shift in athletes' beliefs 9 with the purpose of promoting adaptive and constructive consequences when dealing 10 with situations in their daily lives (Wood et al., 2017a). These sessions should be 11 divided into five phases: (a) the educational phase ABCDE framework, (b) the 12 recognition and disputation phase (i.e., logic, pragmatic, evidence-based) of primary 13 and secondary irrational beliefs, (c) the phase of developing effective rational beliefs, 14 (d) the phase of disputing rational belief to make sure they are rational, and (e) the 15 reinforcing and using REBT independently phase (see Turner, Aspin et al., 2020). The 16 studies included in this review do not always explicitly refer to the G of the GABCDE 17 framework. We must consider that goals play an important role in the sport context, 18 creating different types of A's, B's, and C's. Then, understanding the athletes' goals 19 when investigating irrational beliefs is important (Turner & Davis, 2018). Therefore, 20 practitioners should consider these goals throughout the ABCDE process, as Ellis 21 (1994) specified with the GABCDE framework, and argued by Chadha et al. (2019) and 22 Turner et al. (2020) in their works. 23 Seven studies complemented REBT interventions with additional techniques.
- These particular cases merit closer examination. In the studies by Sille et al. (2020), and Woodcock's (2017), the effects of the REBT intervention cannot be separated

1	from the effects of the other strategies implemented (e.g., distraction control plan
2	intervention). However, the study developed by Wood and Woodcock's (2017) specify
3	in more detail the technique of work used to modify beliefs, a fact that allows us to
4	consider that only REBT could have reduced irrational beliefs in the way it is reported.
5	In the remaining studies (i.e., Chrysidis et al., 2020; Deen et al., 2017; Turner & Davis,
6	2018; Vertopoulos & Turner, 2017; Wood et al., 2019), in addition to the REBT
7	intervention, Self-Talk, Personal Disclosure Mutual-Sharing (PDMS), Rational Emotive
8	Personal Disclosure Mutual-Sharing (REPDMS), or Athlete Rational Resilience Credo
9	(ARRC) were added, following REBT principles, as forms of rational reinforcement.
10	Indeed, little is written about specific tools used by practitioners to support REBT with
11	athletes, however Turner (2016b) developed an athlete-specific applied tool, the ARRC
12	that was tested for the first time by Deen et al. (2017). A Credo can be defined as 'a set
13	of beliefs, which expresses a particular opinion and influences the way you live'
14	(Dryden, 2007, p. 219). The ARRC promotes rational beliefs in athletes, which are
15	important for resiliently responding to adverse events (Turner, 2016b). Another possible
16	tool is holding PDMS sessions, which increases the likelihood that group interventions
17	are effective by fostering an understanding of the values and needs of the different team
18	members, beyond understanding oneself (Dunn & Holt, 2004). The REPDMS version
19	includes the application of the REBT framework principles (i.e., ABCDE) within
20	PDMS by having athletes share their experiences in using the ABCDE framework
21	within a group setting, using a real issue, including precisely what their irrational and
22	rational beliefs were, and how the disputation phase was operationalized.
23	Furthermore, the setting and subsequent reviewing of homework tasks between
24	sessions is important to reinforce the understanding of the GABCDE framework and the
25	athletes' ability to use REBT autonomously (Turner, 2016a). These homework tasks

- 1 should be specific for the sport and the participants' level, and they should be geared 2 towards working on comprehension of the ABC model; reflecting on thoughts, 3 emotions and behaviors throughout the entire intervention; and fostering disputation on 4 irrational beliefs in favor of other more rational ones. For example, the Smarter 5 Thinking App 2 (Turner & Wood, 2018) has been developed to help athletes practice 6 the REBT framework digitally in their own time and keep a record of their progress. To 7 finish the intervention, it is important to conduct at least one follow-up session to track 8 the progress of the participants and to ensure the athlete can apply REBT independently 9 (Turner, Aspin et al., 2020). 10 In order to ensure the sustainability of intervention effects, the tendency is to 11 carry out more than one REBT session (e.g., between 3 and 11) with a duration of 12 between 30 and 45 minutes per session. Regardless of the moment of the data collection 13 beyond the REBT sessions, the overall duration of the intervention will depend on the 14 number of sessions that will be carried out and on whether there will be a combination 15 of one-to-one and group sessions. In general, brief interventions refers to 11 sessions or 16 less, and the use of REBT has been shown to be an example of a good work philosophy 17 for short interventions (Dryden, 2019). However, as discussed in the study by Turner 18 and Barker (2014), the use of REBT in group contexts with a single educational 19 objective (i.e., without stressing the phases of recognition and dispute of irrational 20 beliefs, and the replacement for more effective rational beliefs) has a short-term effect on irrational beliefs, and shortly after the intervention phase ends, data returns to pre-21 22 REBT levels. Researchers can choose to hold educational workshops with groups, but 23 REBT tends to be more effective using one-to-one modes of working (Turner & Barker,
 - The interventions effectiveness

25

2014).

1 In relation to the effectiveness of the interventions, research uses irrational belief 2 measures (e.g., iPBI, SGABS), which help to ensure that REBT can modify the central 3 mechanism at the heart of REBT; irrational beliefs. The evidence included shows that procedural reliability, multiple baseline across participants (staggered), and pretest and 4 5 posttest intervention data collection are often used. Focusing on the design of the intervention, the most used in the existing evidence in REBT interventions is the single-6 7 case design. In line with Barker et al. (2013), in sport psychology researchers are 8 encouraged to develop single-case studies to expand knowledge about the effectiveness 9 of interventions and evidence-based practice. Single-case designs have the strength of 10 being able to carry out experimental investigations with one or a few cases and the 11 ability to rigorously assess individual nuances and the effects of interventions between 12 the reference and post-intervention phases (Kazdin, 2011). Furthermore, according to 13 Normand (2016) although between-subjects experiments certainly have their place, the 14 field of psychology would benefit if more researchers study fewer participants, took 15 repeated measures of the subjects of their study, and established generality inductively 16 and systematically through individual subjects. According to Kazdin, these designs 17 should not be considered a replacement for more traditional controlled group designs (e.g., randomized controlled trials), but are a complementary or alternative approach 18 19 when developing new intervention protocols or working with small or unique 20 populations (Kazdin, 2011). In these types of designs, what determines the quality of 21 the study in is that the intervention is applied as planned and consistently among the 22 participants, therefore, the quality is governed by the reliability of the procedure (Barker 23 et al., 2013. Nevertheless, despite the advantages of this type of design in relation to internal validity, the results of single-case designs are limited in terms of external 24

validity, since it is difficult to determine confidence in the generalization of the results (Normand, 2016).

In addition, qualitative data is generally included to complement information on the effectiveness of the intervention. For example, in the social validation data reported by Wood, Barker, Turner, and Thomson (2018), the participants had to consider three key areas: (a) the social significance of the results, (b) the social appropriateness of the procedures, and (c) the social importance of the effects. The other most widely used measure, visual analysis of the data, included four steps to determine the effectiveness of the intervention; (a) immediacy of the effect, (b) replicated effects among participants, (c) overlapping data points between baseline and follow-up, (d) magnitude of percentage change from baseline to follow-up phases (Hrycaiko & Martin, 1996). In line with the discussion in Davis and Turner (2019), future research should more meaningfully assess participants' opinions when receiving REBT to form valuable information on the effect, efficacy, and veracity of the intervention. Therefore, we consider social validation an important supplement of effectiveness data about the target variables, as it helps to explore a broader level of emotional and behavioural changes, and to probe and understand why these changes happened or did not happen.

The critical appraisal shows that the contributions of the existing literature are qualitatively different depending on the format in which they are published. This fact that could condition practitioners when making decisions about which literature to draw upon to inform their practice. However, we observe that although peer review is a screening point to mark the quality of the studies, what bestows quality is the study design and the procedure reliability, rather than the publication format. In consequence and considering the amount of REBT interventions published as book chapters, it would

be beneficial for the quality of the evidence to be ensured via peer-review before publication.

Therefore, we encourage researchers to follow the steps of the existing evidence, taking care in the study design and ensuring the use of robust and stringent resources to provide confidence in the use of REBT, such as irrational beliefs questionnaires, procedure reliability, and multiple baselines. Furthermore, we encourage the use of social validation to complement the data on the REBT intervention beyond the target variable. Having this type of information collected, opens the ways to a deeper analysis (e.g., meta-synthesis) to examine whether the trends observed in the results of this systematic mapping review are, in fact, the most effective strategies for the application of REBT with athletes. Furthermore, future studies may be aimed at finding ways to develop more traditional experiments in the sport context, such as randomized controlled trials, to provide stronger generalizable evidence.

The development of REBT interventions in the sport field

The studies included in this systematic mapping review capture the realistic, pragmatic and non-dogmatic philosophy of REBT, attempt to make the GABCDE framework understandable for participating athletes, and endorse the notion that negative emotions can be functional. Indeed, REBT is primarily concerned with encouraging adaptive negative emotional consequences (HNEs), rather than solely fostering positive emotional consequences (Turner, 2016a). As discussed in the study by Turner and Davis (2018), REBT interventions can improve athletes' autonomy regarding the control of their emotions and behaviors by facilitating emotional responsibility through the management of their beliefs. Furthermore, in relation to the results found by Ramis et al. (2017), we suggest that REBT may be beneficial for training coaches with the purpose of encouraging them to promote an autonomy-supportive climate, which can

1 foster the athlete mental health, acting as a protective factor against competitive anxiety. 2 Indeed, within the REBT literature there are examples of coaches applying the language 3 of irrational beliefs to foster adaptive approaches to performance (Evans et al., 2018), and some research has reported a positive relationship between irrational beliefs and 4 5 maladaptive cognitive appraisal of stress (threat) in coaches (Dixon et al., 2016). In short, future research and applied work should focus on working with and through 6 7 coaches. 8 It is important for practitioners who carry out REBT interventions to convey to 9 the athletes and coaches that REBT is not exclusively used in clinical populations 10 (Turner & Barker, 2014), although it is essential for them to understand that irrational 11 beliefs are a risk factor for mental health (e.g., Turner, Carrington et al., 2019; Vîslă et 12 al., 2016) whilst rational beliefs act as a protective factor (Turner, 2016a). However, the 13 use of the word 'irrational' can lead to negative connotations in the context of sports, 14 since irrationality in common lexicon can be considered to be a sign of low intelligence 15 or a lack of maturity. Importantly, the irrationality presented within REBT is not a 16 proxy for intellect, rather, irrationality is defined specifically as rigid, extreme, 17 inefficient and inconsistent with reality. Due to negative connotations associated with 18 the term 'irrational', and the clinical connotations associated with the term 'therapy', 19 Turner (2014a) suggested that in the context of sport, the term Smarter Thinking can be 20 used instead of REBT. Furthermore, since REBT in the context of sport is not 21 considered to be 'therapy', a more accurate term might be Rational Emotive 22 Behavioural Coaching (REBC; Turner, 2019). Similarly, the study by Jordana et al. 23 (2019) refers to irrational beliefs as 'dysfunctional' and to rational beliefs as 24 'functional', in an attempt to support the fact that beliefs can help or hinder attainment

of a given goal. Within the specific context of sports, the consequences stemming from

1 irrational beliefs can hinder athletes from achieving their objectives and attaining sound 2 sports performance in both the short and long term, and they can affect athletes' 3 psychological wellbeing (Turner, 2016a). For example, the research developed by Mesagno et al. (2020) showed a strong negative correlation between irrational beliefs 4 5 and the performance for Australian football players who 'choked' under pressure; 6 performance tended to increase with increasing irrational beliefs under low pressure and 7 decrease with increasing irrational beliefs under high pressure. 8 To ensure procedural reliability, practitioners who carry out REBT interventions 9 must have a theoretical and practical understanding of REBT, and ideally be trained in 10 REBT, or at least be under supervision of trained and experienced REBT practitioners. 11 Furthermore, the practitioners should adopt an educational approach initially, and then 12 gradually transition to a more collaborative approach (Dryden, 2019; Wood et al., 13 2017a), since the communication style and the working-alliance of the practitioner with 14 the athlete are a key to the effectiveness of this type of intervention (Bernard & Dryden, 15 2019; Wood et al., 2020). If the athlete possesses indicators that imply that a brief 16 intervention is suitable (i.e., comprehension of the ABC model, willingness to perform 17 the homework tasks between sessions), benefits will come in both the short- and long-18 term, and the experience will be efficient and effective for both the athletes and 19 practitioners (e.g., Dryden, 2016). 20 In addition to disputing irrational beliefs, it is important for practitioners to take 21 a preventive approach in order to strengthen the rational beliefs and mental health of 22 athletes, with the goal of fostering protective factors in the development of their athletic 23 careers. As discussed in the study by Torregrossa et al. (2004), reflecting on the 24 transition to retirement from sports with a prospective approach (i.e., when the athlete is

still active) helps them to understand better how they should deal with this transition,

1 promoting a decrease in uncertainty surrounding the future and preventing possible 2 negative consequences. In contrast, if this reflection takes place during or after 3 retirement, the majority of athletes may have already developed irrational beliefs about the transition process, as observed in the study conducted by Jordana et al. (2019), 4 5 included in this systematic mapping review. Therefore, rather than REBT being seen as 6 a remedial approach to irrationality and human misery, it can be more accurately 7 considered to be a positive approach to helping people to apply rationality to life. 8 Indeed, it is recognised that REBT and the rationality it presents can help people live 9 pleasurable and fulfilled lives, and can be aligned with positive psychology (Bernard et 10 al., 2010; Oltean et al., 2019). 11 Even though the application of REBT in sport is a growing field, as an emerging 12 approach, much research is still to be done. Given that the purpose of the current 13 systematic mapping review was to identify trends with the application of REBT with 14 athletes in order to classify where is evidence plentiful and where is evidence lacking, 15 future researchers may seek to develop a meta-analysis, based on the knowledge 16 generated in this systematic mapping review, to explore the effectiveness of these 17 REBT interventions. This new study could combine the results from the individual 18 studies and analyze whether there are different results for different variables (e.g., types 19 of sport, level of competition, gender). This is important since, added to the results of 20 this research, identifying the effects of the interventions depending on the type of 21 variable target, design and measures, population or intervention strategy, could 22 contribute to more individualized interventions for each case, and help to maximize the 23 efforts of the researchers and practitioners.

Limitations

One limitation of the current study is related to the codification process of the included studies. Although the present work has followed a systematic process, the generation of categories and subcategories could have been developed in a different way in another research group. Another limitation is related to traceability, since the fact that different phases of the same study can be published in different formats has meant that, in order not to duplicate information from the same study, when a study has been published as a journal article, in addition to another format, we have prioritized the inclusion of peer-reviewed journal article, to any other type of publication format (e.g., book chapters, grey literature). This may have resulted in losing of relevant information from some phases of some studies. Finally, an additional limitation was that the descriptive characterization and interpretation of the synthesis offered by the systematic mapping review could be hindered by information not provided in the included studies.

Conclusions

This systematic mapping review aimed to shed light on the application of REBT with athletes, critically synthesizing this growing research area for the first time. The study contributes to the burgeoning research in this field by offering a new way of viewing the work by the classification and the categorization of existing evidence to show the study trends to date, as well as highlighting gaps in evidence that remain to be explored. We discuss the level of confidence readers can have in the research by offering a critical evaluation of the studies that develop REBT interventions with athletes (i.e., rigor, suitability, relevance), as well as those that still remain to be explored. The evidence tends to be found in Europe and with an increase in peer-reviewed journal articles in the last 10 years. The most typical intervention studies usually adopt single-case designs, where quantitative resources abound, and where social validation is often a data complement to help examine the effectiveness of the intervention. These studies have

1	often been aimed at adult male elite football (soccer) players with the purpose of
2	improving their anxiety management or performance, and functionalizing their irrational
3	beliefs. Future research may seek to diversify the population, design and/or measures
4	(e.g., randomized controlled trials), to add the most innovative advances in this field to
5	its interventions, or even to analyze the studies already included in this review from
6	another approach to test the claims made in this review (e.g., meta-analysis). Finally,
7	from this systematic mapping review we urge readers to focus their work on promoting
8	athletes' overall mental health and helping them maintain a healthy, successful and
9	long-lasting career, besides promoting the rational beliefs. We hope this review
10	document inspire readers to reflect on the areas that remain yet to be explored and
11	guides the design and procedures of future REBT interventions with athletes. In this
12	way, we encourage researchers and practitioners to include the contributions of this
13	review to their work and, together, we can enhance the quality of evidence within the
14	REBT field at large.
15	Acknowledgements
16	Thank you to Joan Pons, Saül Alcaraz, Marta Borrueco, José Mejías, and Luana Prato of
17	the Grup d'Estudis en Psicologia de l'Esport (Universitat Autònoma de Barcelona) for
18	their help with this project.
19	Disclosure statement
20	No potential conflict of interest was reported by the authors.
21	
22	
23	
24	

References

2	American Psychological Association. (2020). Publication manual of the American
3	psychological association (7th ed.). https://doi.org/10.1037/0000165-000
4	Amonette, W. E., English, K. L., & Kraemer, W. J. (2016). Evidence-based practice in
5	exercise science: The six-step approach. Champaign, IL: Human Kinetics.
6	Andersen, M. B. (2009). The "canon" of psychological skills training for enhancing
7	performance. In K. F. Hays (Eds.), Performance psychology in action: A
8	casebook for working with athletes, performing artists, business leaders, and
9	professionals in high-risk occupations (pp. 11-34). American Psychological
10	Association.
11	APA Presidential Task Force on Evidence-Based Practice. (2006). Evidence-Based
12	Practice in Psychology. American Psychologist, 61, 271–285.
13	https://doi.org/10.1037/0735-7028.39.6.658
14	Barker, J. B., Mellalieu, S. D., McCarthy, P. J., Jones, M. V., & Moran, A. (2013). A
15	review of single case research in sport psychology 1997-2012: Research trends
16	and future directions. Journal of Applied Sport Psychology, 25 (1), 4-32.
17	http://doi.org/10.1080/10413200.2012.709579
18	Beck, A. T. (1964). Thinking and depression: II. Theory and therapy. Archives of
19	General Psychiatry, 10, 561–571.
20	https://doi.org/10.1001/archpsyc.1964.01720240015003
21	Beck, J. (1995). Cognitive therapy: basics and beyond. Guilford Press.
22	Bernard, M. E. (1985). A rational-emotive mental training program for professional
23	athletes. In A. Ellis & M. E. Bernard (Eds.), Clinical applications of rational-
24	emotive therapy (pp. 277-309). Springer.

1	Bernard, M.E., & Dryden, W. (2019). Advances in REBT: Theory, practice, research,		
2	measurement, prevention and promotion. Springer International Publishing.		
3	Bernard, M. E., Froh, J. J., DiGiuseppe, R., Joyce, M. R., & Dryden, W. (2010). Albert		
4	Ellis: Unsung hero of positive psychology. The Journal of Positive		
5	Psychology, 5(4), 302-310. https://doi.org/10.1080/17439760.2010.498622		
6	Booth, A., Sutton, A., & Papaioannou, D. (2016). Systematic approaches to a successful		
7	literature review. Sage.		
8	Breitmeyer, A. M., & Turner, M. J. (2018) Sport Coaching. In M. Bernard & O. David		
9	(Eds.) Coaching for Rational Living. Springer.		
10	Burls, A. (2009). What is critical appraisal? (2nd ed.). Haywood Medical		
11	Communications.		
12	Chadha, N. J., Turner, M. J., & Slater, M. J. (2019). Investigating irrational beliefs,		
13	cognitive appraisals, challenge and threat, and affective states in golfers		
14	approaching competitive situations. Frontiers in psychology, 10, 2295.		
15	https://doi.org/10.3389/fpsyg.2019.02295		
16	Cohen, J. (1988). Statistical power analysis for the behavioural sciences (2nd ed.).		
17	Lawrence Earlbaum Associates.		
18	Chrysidis, S., Turner, M. J., & Wood, A. G. (2020). The effects of REBT on irrational		
19	beliefs, self-determined motivation, and self-efficacy in American		
20	Football. Journal of Sports Sciences, 1-10		
21	Cunningham, R., & Turner, M. J. (2016). Using Rational Emotive Behavior Therapy		
22	(REBT) with Mixed Martial Arts (MMA) Athletes to Reduce Irrational Beliefs		
23	and Increase Unconditional Self-Acceptance. Journal of Rational-Emotive &		
24	Cognitive-Behavior Therapy, 34(4), 289-309. https://doi.org/10.1007/s10942-		
25	016-0240-4		

David, D., Cotet, C., Matu, S., Mogoase, C., & Stefan, S. (2018). 50 years of rational-1 2 emotive and cognitive-behavioral therapy: A systematic review and meta-3 analysis. Journal of Clinical Psychology, 74(3), 304–318. 4 https://doi.org/10.1002/jclp.22514 5 David, D., Lynn, S. J., & Ellis, A. (2010). Rational and irrational beliefs research, 6 theory, and clinical practice. Oxford University Press. 7 David, D., Szentagotai, A., Eva, K., & Macavei, B. (2005). A synopsis of Rational 8 Emotive Behavior Therapy (REBT); Fundamental and applied research. Journal 9 of Rational-Emotive & Cognitive-Behavior Therapy, 23(3), 175–221. https://doi.org/10.1007/s10942-005-0011-0 10 11 Davis, H., & Turner, M. J. (2019). The use of rational emotive behavior therapy 12 (REBT) to increase the self-determined motivation and psychological well-being 13 of triathletes. Sport, Exercise, and Performance Psychology. 14 https://doi.org/10.1037/spy0000191 15 Deen, S., Turner, M. J., & Wong, R. S. K. (2017). The Effects of REBT, and the Use of 16 Credos, on Irrational Beliefs and Resilience Qualities in Athletes. The Sport 17 Psychologist, 31(3), 249–263. https://doi.org/10.1123/tsp.2016-0057 18 Dixon, M., Turner, M. J., & Gillman, J. (2017). Examining the relationships between 19 challenge and threat cognitive appraisals and coaching behaviours in football 20 coaches. Journal of sports sciences, 35(24), 2446-2452. 21 https://doi.org/10.1080/02640414.2016.1273538 22 Dryden, W. (2019). Brief interventions in rational emotive behavior therapy. In M. E. 23 Bernard & W. Dryden (Eds.), Advances in REBT: Theory, practice, research, 24 measurement prevention and promotion (pp. 211-230). Springer. 25 Dryden, W. (2007). Resilience and rationality. Journal of Rational-Emotive &

1	Cognitive-Behavior Therapy, 25(3), 213–226. https://doi.org/10.1007/s10942-		
2	006-0050-1		
3	Dryden, W. (2016). When Time Is at a Premium: Cognitive-Behavioural Approaches to		
4	Single-Session Therapy and Very Brief Coaching. AESOP Publications.		
5	Dryden, W., & Neenan, M. (2015). Rational emotive behaviour therapy: 100 key points		
6	and techniques. Routledge.		
7	Dunn, J. G. H., & Holt, N. L. (2004). A Qualitative Investigation of a Personal-		
8	Disclosure Mutual- Sharing Team Building Activity. The Sport Psychologyst,		
9	18(4), 363–380. https://doi.org/10.1123/tsp.18.4.363		
10	Eseadi, C., Onwuka, G. T., Otu, M. S., Umoke, P. C., Onyechi, K. C., Okere, A. U., &		
11	Edeh, N. C. (2017). Effects of rational emotive cognitive behavioral coaching or		
12	depression among type 2 diabetic inpatients. Journal of Rational-Emotive &		
13	Cognitive-Behavior Therapy, 35(4), 363-382. https://doi.org/10.1007/s10942-		
14	017-0266-2		
15	Ellis, A. (1997). Extending the goals of behavior therapy and of cognitive behavior		
16	therapy. Behavior Therapy, 28(3), 333-339		
17	Ellis, A. (1957). Rational psychotherapy and individual psychology. <i>Journal of</i>		
18	Individual Psychology, 13(1), 38-44. https://doi.org/10.1097/00007611-		
19	191406000-00006		
20	Ellis, A. (1994). Reason and emotion in psychotherapy: Revised and updated. Secaucus		
21	Evans, A. L., Turner, M. J., Pickerin, R., & Powditch, R. (2018). The effects of rational		
22	and irrational coach team talks on the cognitive appraisal and achievement goal		
23	orientation of varsity football athletes. International Journal of Sports Science &		
24	Coaching, 13(3). https://doi.org/10.1177/1747954118771183.		

- 1 Flaxman, P. E., Blackledge, J. T., & Bond, F. W. (2011). Acceptance and commitment 2 therapy: The CBT distinctive features series. Routledge. 3 Froggatt, W. (Eds.) (2005). A brief introduction to rational emotive behaviour therapy. 4 Lodge. 5 Gough, D., Oliver, S., & Thomas, J. (Eds.). (2017). An introduction to systematic 6 reviews. Sage. 7 Gough, D., & Richardson, M. (2018). Systematic reviews. In P. Brough (Eds.) 8 Advanced Research Methods for Applied Psychology (pp. 75-87). Routledge. 9 Ha, J., & Chang, D. (2017). Effects of REBT Program Application for the Changes in 10 Maladaptive Thoughts among Female Junior Tennis Players. Journal of Digital 11 Convergence, 15(12), 591-604. https://doi.org/10.14400/JDC.2017.15.12.591 12 Hayes, S.C., Strosahl, K. D., Wilson, K. G. (1999). Acceptance and commitment 13 therapy: An experiential approach to behavior change. Guilford Press. 14 Higgins, J. P., & Green, S. (Eds.) (2011). Cochrane handbook for systematic reviews of 15 interventions (Vol. 4). John Wiley & Sons. 16 Hrycaiko, D., & Martin, G. L. (1996). Applied research studies with single-subject designs: Why so few? Journal of Applied Sport Psychology, 8, 183-199. 17 https://doi.org/10.1080/10413209608406476 18 19 Hyland, P., Shevlin, M., Adamson, G., & Boduszek, D. (2014). The moderating role of 20 rational beliefs in the relationship between irrational beliefs and posttraumatic 21 stress symptomology. Behavioural and Cognitive Psychotherapy, 42(3), 312-22 326. https://doi.org/10.1017/S1352465813000064 23 Igbokwe, U. L., Onyechi, K. C., Ogbonna, C. S., Eseadi, C., Onwuegbuchulam, A. C.,
- Ekechukwu, L. E., Egbe, C. I., Nnachi, R., A., & Anyaegbunam, E. N. (2019).

24

Nwajiuba, C. A., Ugodulunwa, C. C., Eze, A., Omaeze, K., Patrick, C., P.,

1	Rational emotive intervention for stress management among English education			
2	undergraduates: Implications for school curriculum innovation. Medicine,			
3	98(40). https://doi.org/10.1097/MD.00000000017452			
4	Jordana, A., Ramis, Y., Vega, J., Regüela, S., & Torregrossa, M. (2019, July). Helping			
5	former elite athlete changing irrational beliefs about healthy physical activity. In			
6	K. De Brandt (Chair), A holistic perspective on coaching athletes through			
7	transitional challenges [Symposium]. European Federation of Sport Psychology,			
8	Münster, Germany.			
9	Kazdin, A. E. (2011). Single-case research designs: Methods for clinical and applied			
10	settings (2nd ed.). Oxford University Press.			
11	Kim, H. L., & Yoon, S. H. (2018). Effects of group rational emotive behavior therapy			
12	on the nurses' job stress, burnout, job satisfaction, organizational commitment			
13	and turnover intention. Journal of Korean Academy of Nursing, 48(4), 432-442.			
14	https://doi.org/10.4040/jkan.2018.48.4.432			
15	Lavallee, D., Park, S., & Tod, D. (2010). Career termination. In S. Hanrahan & M. B.			
16	Andersen (Eds.), Handbook of applied sport psychology (pp. 242-249). Oxford:			
17	Routledge.			
18	Liabo, K., Gough, D., & Harden, A. (2017). Developing justifiable evidence claims. In			
19	D. Gough, S. Oliver, & J. Thomas (Eds.), An introduction to systematic reviews			
20	(2nd ed., pp. 251–277). Sage.			
21	Lindner, H., Kirkby, R., Wertheim, E., & Birch, P. (1999). A Brief A ssessment of			
22	Irrational Thinking: The Shortened General Attitude and Belief Scale. Cognitive			
23	Therapy and Research, 23(6), 651–663.			
24	https://doi.org/https://doi.org/10.1023/A:1018741009293			

- 1 MacIntyre, T. E., Van Raalte, J., Brewer, B. W., Jones, M., O'Shea, D., & McCarthy, P.
- J. (2016). Mental health challenges in elite sport: balancing risk with reward.
- 3 Frontiers in Psychology, 8, 1892. https://doi.org/10.3389/fpsyg.2017.01892
- 4 Matin, A., Looyeh, M. Y., Afrooz, G. A., & Dezhkam, M. (2012). The effect of group
- 5 rational emotive behavior restructuring on mental health of parents of
- 6 exceptional children. *Procedia-Social and Behavioral Sciences*, 46, 1872-1875.
- 7 https://doi:10.1016/j.sbspro.2012.05.394
- 8 Matweychuk, W., DiGiuseppe, R., & Gulyayeva, O. (2019). A Comparison of REBT
- 9 with Other Cognitive Behavior Therapies. In E. Bernard & W. Dryden (Eds.),
- 10 Advances in REBT (pp. 47-77). Springer.
- 11 Mesagno, C., Tibbert, S. J., Buchanan, E., Harvey, J. T., & Turner, M. J. (2020).
- 12 Irrational Beliefs and Choking under Pressure: A Preliminary
- 13 Investigation. *Journal of Applied Sport Psychology*, 1-38.
- 14 https://doi.org/10.1080/10413200.2020.1737273
- 15 Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2010). Preferred reporting items
- for systematic reviews and meta-analyses: the PRISMA statement. *International*
- 17 *Journal of Surgery*, 8(5), 336-341.
- Normand, M. P. (2016). Less is more: Psychologists can learn more by studying fewer
- 19 people. Frontiers in psychology, 7, 934.
- 20 https://doi.org/10.3389/fpsyg.2016.00934
- Oltean, H.-R., Hyland, P., Vallières, F., & David, D.O. (2019), Rational beliefs,
- happiness and optimism: An empirical assessment of REBT's model of
- psychological health. *International Journal of Psychology*, 54. 495-500.
- 24 doi:10.1002/ijop.12492
- 25 Page, J., & Thelwell, R. (2013). The value of social validation in single-case methods in

1	sport and exercise psychology. Journal of Applied Sport Psychology, 25(1), 61-		
2	71. doi:10.1080/10413200.2012.663859		
3	Ramis, Y., Torregrossa, M., Viladrich, C., & Cruz, J. (2017). The effect of coaches'		
4	controlling style on the competitive anxiety of young athletes. Frontiers in		
5	Psychology, 8, 1–8. https://doi.org/10.3389/fpsyg.2017.00572		
6	Reardon, C. L., & Factor, R. M. (2010). Sport psychiatry: A systematic review of		
7	diagnosis and medical treatment of mental illness in athletes. Sports Medicine,		
8	40, 961–980.		
9	Sælid, G. A., & Nordahl, H. M. (2017). Rational emotive behaviour therapy in high		
10	schools to educate in mental health and empower youth health. A randomized		
11	controlled study of a brief intervention. Cognitive behaviour therapy, 46(3), 196-		
12	210. https://doi.org/10.1080/16506073.2016.1233453		
13	Saldaña, J. (2015). The coding manual for qualitative researchers. Sage.		
14	Si, G., & Lee, H. C. (2008). Is it so hard to change? The case of a Hong Kong Olympic		
15	silver medallist. International Journal of Sport and Exercise Psychology, 6(3),		
16	319-330. https://doi.org/10.1080/1612197X.2008.9671876		
17	Si, G., & Zhang, C. Q. (2017). A Rational Emotive Behavior Therapy (REBT)		
18	intervention to improve low frustration tolerance in an elite table tennis player.		
19	In M. J. Turner & R. Bennet (Eds.), Rational emotive behavior therapy in sport		
20	and exercise (pp. 153-170). Routledge.		
21	Sille, R. A., Turner, M. J., & Eubank, M. R. (2020). "Don't be stupid, Stupid!":		
22	Cognitive-behavioral techniques to reduce irrational beliefs and enhance focus ir		
23	a youth tennis player. Case Studies in Sport and Exercise Psychology.		
24	Smith, B., & McGannon, K. R. (2018). Developing rigor in qualitative research:		
25	Problems and opportunities within sport and exercise psychology. <i>International</i>		

1	review of sport and exercise psychology, 11(1), 101-121.		
2	https://doi.org/10.1080/1750984X.2017.1317357		
3	Stambulova, N. B., Ryba, T. V., & Henriksen, K. (2020). Career development and		
4	transitions of athletes: The international society of sport psychology position		
5	stand revisited. International Journal of Sport and Exercise Psychology, 1-27.		
6	https://doi.org/10.1080/1612197X.2020.1737836		
7	Tod, D. (2019). Conducting Systematic Reviews in Sport, Exercise, and Physical		
8	Activity. Springer Nature		
9	Torregrossa, M., Boixadós, M., Valiente, L., & Cruz, J. (2004). Elite athletes' image of		
10	retirement: The way to relocation in sport. Psychology of Sport and Exercise,		
11	5(1), 35–43. https://doi.org/10.1016/S1469-0292(02)00052-3		
12	Torregrosa, M., Ramis, Y., Pallarés, S., Azócar, F., & Selva, C. (2015). Olympic		
13	athletes back to retirement: A qualitative longitudinal study. Psychology of sport		
14	and exercise, 21, 50-56. https://doi.org/10.1016/j.psychsport.2015.03.003		
15	Turner, M. J. (2016a). Rational emotive behavior therapy (REBT), irrational and		
16	rational beliefs, and the mental health of athletes. Frontiers in Psychology, 7(9),		
17	1–16. https://doi.org/10.3389/fpsyg.2016.01423		
18	Turner, M. J. (2016b). Proposing a rational resilience credo for use with athletes.		
19	Journal of Sport Psychology in Action, 7(3), 170-181.		
20	https://doi.org/10.1080/21520704.2016.1236051		
21	Turner, M. J. (2014a, August). Smarter thinking in sport. The Psychologist, 27(8), 596-		
22	599.		
23	Turner, M. J. (2014b, September 16). The Smarter Thinking Project Welcome! Sci-		
24	Ed. https://thesmarterthinkingproject.com/welcome-to-the-smarter-thinking-		
25	project/		

1	Turner, M. J. (2019). REBT in Sport. In E. Bernard & W. Dryden (Eds.), Advancing
2	REBT Theory, Research and Practice. Springer.
3	Turner, M. J., & Allen, M. S. (2018). Confirmatory factor analysis of the irrational
4	Performance Beliefs Inventory (iPBI) in a sample of amateur and semi-
5	professional athletes. Psychology of Sport and Exercise, 35, 126–130.
6	https://doi.org/10.1016/j.psychsport.2017.11.017
7	Turner, M. J., Aspin, G., & Gillman, J. (2019). Maladaptive schemas as a potential
8	mechanism through which irrational beliefs relate to psychological distress in
9	athletes. Psychology of Sport and Exercise, 44, 9-16.
10	https://doi.org/10.1016/j.psychsport.2019.04.015
11	Turner, M. J., Aspin, G., Didymus, F. F., Mack, R., Olusoga, P., Wood, A. G., &
12	Bennett, R. (2020). One Case, Four Approaches: The Application of
13	Psychotherapeutic Approaches in Sport Psychology. The sport
14	psychologist, 34(1), 71-83. https://doi.org/10.1123/tsp.2019-0079
15	Turner, M. J., & Barker, J. B. (2013). Examining the efficacy of Rational Emotive
16	Behavior Therapy (REBT) on irrational beliefs and anxiety in elite youth
17	cricketers. Journal of Applied Sport Psychology, 25(1), 131-147.
18	https://doi.org/10.1080/10413200.2011.574311
19	Turner, M. J., & Barker, J. B. (2014). Using Rational Emotive Behavior Therapy with
20	athletes. The Sport Psychologist, 28(1), 75–90. https://doi.org/10.1123/tsp.2013
21	0012
22	Turner, M. J., & Barker, J. B. (2015). Examining the effects of rational emotive
23	behavior therapy (REBT) on the irrational beliefs of blue-chip
24	professionals. Journal of Rational-Emotive & Cognitive-Behavior
25	Therapy, 33(1), 17-36. https://doi.org/10.1007/s10942-014-0200-9

1	Turner, M., & Bennett, R. (Eds.). (2017). Rational Emotive Behavior Therapy in Sport			
2	and Exercise. Routledge.			
3	Turner, M. J., Carrington, S., & Miller, A. (2019). Psychological distress across sport			
4	participation groups: The mediating effects of secondary irrational beliefs on the			
5	relationship between primary irrational beliefs and symptoms of anxiety, anger,			
6	and depression. Journal of Clinical Sport Psychology, 1-38.			
7	https://doi.org/10.1123/jcsp.2017-0014			
8	Turner, M. J., & Davis, H. S. (2018). Exploring the Effects of Rational Emotive			
9	Behavior Therapy on the irrational beliefs and self-determined motivation of			
10	triathletes. Journal of Applied Sport Psychology, 0, 1–20.			
11	https://doi.org/10.1080/10413200.2018.1446472			
12	Turner, M. J., Ewen, D., & Barker, J. B. (2018). An Idiographic Single-Case Study			
13	Examining the Use of Rational Emotive Behavior Therapy (REBT) with Three			
14	Amateur Golfers to Alleviate Social Anxiety. Journal of Applied Sport			
15	Psychology, 1–19. https://doi.org/10.1080/10413200.2018.1496186			
16	Turner, M. J., Jones, J., & Wood, A. G. (2018). Applying the REBT cognitive			
17	disputation technique to the binary theory of emotional distress. Effective			
18	Scientist-Practitioner, $I(1)$, 46-64.			
19	Turner, M. J., Kirkham, L., & Wood, A. G. (2018). Teeing up for success: The effects			
20	of rational and irrational self-talk on the putting performance of amateur golfers.			
21	Psychology of Sport and Exercise, 38(3), 148–153.			
22	https://doi.org/10.1016/j.psychsport.2018.06.012			
23	Turner, M. J., & Moore, M. (2016). Irrational beliefs predict increased emotional and			
24	physical exhaustion in Gaelic football athletes. International Journal of Sport			
25	Psychology, 47(2), 187–201. https://doi.org/10.7352/IJSP2016.47.187			

1	Turner, M. J., Slater, M. J., Dixon, J., & Miller, A. (2018). Test–retest reliability of the		
2	irrational performance beliefs inventory. European Journal of Sport Science,		
3	(18), 123–129. https://doi.org/https://doi.org/10.1080/17461391.2017.1411527		
4	Turner, M. J., & Wood, A. G. (2018). Smarter Thinking 2 (Version 1.0) [Mobile app].		
5	App Store. https://itunes.apple.com/gb/store		
6	Vertopoulos, E., & Turner, M. J. (2017). Examining the effectiveness of a rational		
7	emotive personal-disclosure mutual-sharing (REPDMS) intervention on the		
8	irrational beliefs and rational beliefs of Greek adolescent athletes. The Sport		
9	Psychologist, 31(3), 264-274. https://doi.org/10.1123/tsp.2016-0071		
10	Vîslă, A., Flückiger, C., Holtforth, M.G., & David, D. (2016). Irrational beliefs and 17		
11	psychological distress: A meta-analysis. Psychotherapy and Psychosomatics, 85,		
12	8-15. https://doi.org/10.1159/000441231		
13	Wood, A. G. (2017). Demanding Success: Examining the Effects of Rational Emotive		
14	Behaviour Therapy on Performance-Related Outcomes [Doctoral dissertation,		
15	Staffordshire University]. Staffordshire Online Repository.		
16	http://eprints.staffs.ac.uk/id/eprint/4267		
17	Wood, A. G., Barker, J. B., & Turner, M. J. (2017a). Developing performance using		
18	Rational Emotive Behavior Therapy (REBT): A case study with an elite archer.		
19	The Sport Psychologist, 31(1), 78–87. https://doi.org/10.1123/tsp.2015-0083		
20	Wood, A. G., Barker, J. B., & Turner, M. J. (2017b). Rational emotive behaviour		
21	therapy to help young athletes build resilience and deal with adversity. In C. J.,		
22	Knight, C. Harwood & D. Gould (Eds.). Sport Psychology for Young Athletes,		
23	(pp. 265-276). Routledge.		
24	Wood, A. G., Barker, J. B., Turner, M. J., & Sheffield, D. (2018). Examining the effects		
25	of Rational Emotive Behavior Therapy on performance outcomes in elite		

1	paralympic athletes. Scandinavian Journal of Medicine and Science in Sports,
2	28(1), 329–339. https://doi.org/10.1111/sms.12926
3	Wood, A. G., Barker, J. B., Turner, M. J., & Thomson, P. (2018). Exploring the Effects
4	of a Single Rational Emotive Behavior Therapy Workshop in Elite Blind Soccer
5	Players. The Sport Psychologist, (00), 1–12. https://doi.org/10.1123/tsp.2017-
6	0122
7	Wood, A., Mack, R., & Turner, M. (2020). Developing Self-Determined Motivation and
8	Performance with an Elite Athlete: Integrating Motivational Interviewing with
9	Rational Emotive Behavior Therapy Introduction. Journal of Rational-Emotive
10	and Cognitive-Behavior Therapy.
11	Wood, A. G., Turner, M. J., & Barker, J. B. (2019). Bolstering psychological health
12	using rational emotive behaviour therapy. In G. Breslin & G. Leavey (Eds.),
13	Mental health and well-being interventions in sport: Research, theory and
14	practice, (pp. 45-62). https://doi.org/10.4324/9781315147703
15	Wood, A. G., & Woodcock, C. (2017). "Is it really that bad?": A case study applying
16	Rational Emotive Behavior Therapy (REBT) with an elite youth tennis player. In
17	M. J. Turner & R. Bennet (Eds.), Rational Emotive Behavior Therapy in Sport
18	and Exercise (pp. 206-219). Routledge
19	Yamauchi, R., & Murakoshi, S. (2001). The effect of rational emotive behavior therapy
20	on female soft-tennis players experiencing cognitive anxiety. Japanese Journal
21	of Sport Psychology, 28, 67–75.




Figure 1. Stages and results of the search strategy using the PRISMA flowchart




Figure 2. Number of publications organized by format, per 5-year period




Figure 3. Geographic location of studies included




Figure 4. Integrative synthesis of the studies characteristics

Note: See the complete titles of the measures in Supplementary File (Table 3, Table 4 and Table 5 notes)

Index Supplementary File

. 2
. 2
.9
10
20
25
28

Table 1. Keywords organized using the PICO tool

Population Athletes: 'sport*' OR 'athlete*' OR 'competition*' OR 'performance' OR 'sport psycholog*' AND				
Intervention	Rational Emotive Behavior Therapy: 'Rational Emotive Behavior Therapy' OR 'REBT' AND			
	Method: 'qualitative' OR 'quantitative' OR 'mixed' OR 'case*' OR 'intervention*' OR			
Comparison	Others: 'RET' OR 'ARRC' OR 'PDMS' OR 'REPDMS' OR 'Smart Think*' AND			
Outcome	Beliefs and emotions: 'belief*' OR 'rational' OR 'irrational' OR 'emotion*' OR 'demand*' OR 'awful*' OR 'frustration' OR 'depreciation' OR			
	'anxiety' OR 'wellbeing' OR 'sadness' OR 'happiness' OR 'anger' OR 'contempt' OR 'surprise' OR 'disgust' OR 'fear'			

Table 2. Descriptive information about included studies in the mapping review

	Reference	Bibliographical code	Туре	Country
1.	Chrysidis, S., Turner, M. J., & Wood, A. G. (2020). The effects of REBT on irrational beliefs, self-determined motivation, and self-efficacy in American Football. <i>Journal of Sports Sciences</i> , 1-10	Chrysidis et al. (2020)	Journal article	Germany
2.	Sille, R. A., Turner, M. J., & Eubank, M. R. (2020). "Don't be stupid, Stupid!": Cognitive-behavioral techniques to reduce irrational beliefs and enhance focus in a youth tennis player. <i>Case Studies in Sport and Exercise Psychology</i> , 4(1), 40-51	Sille et al. (2020)	Journal article	United Kingdom

Ecosystems and Ecology Science (IJEES), 8(2), 309-318.

3.	Wood, A., Mack, R., & Turner, M. (2020). Developing Self-Determined Motivation and Performance with an Elite Athlete: Integrating Motivational Interviewing with Rational Emotive Behavior Therapy Introduction. <i>Journal of Rational-Emotive & Cognitive-Behavior Therapy</i>	Wood et al. (2020)	Journal article	United Kingdom
4.	Davis, H., & Turner, M. J. (2019). The use of rational emotive behavior therapy (REBT) to increase the self-determined motivation and psychological well-being of triathletes. <i>Sport, Exercise, and Performance Psychology</i> .	Davis and Turner (2019)	Journal article	United Kingdom
5.	Jordana, A., Ramis, Y., Vega, J., Regüela, S., & Torregrossa, M. (2019, July). Helping former elite athlete changing irrational beliefs about healthy physical activity. In K. De Brandt (Chair), <i>A holistic perspective on coaching athletes through transitional challenges</i> [Symposium]. European Federation of Sport Psychology, Münster, Germany.	Jordana et al. (2019)	Symposium contribution	Spain
6.	Turner, M. J., & Davis, H. S. (2019). Exploring the effects of rational emotive behavior therapy on the irrational beliefs and self-determined motivation of triathletes. <i>Journal of Applied Sport Psychology</i> , 31(3), 253-272.	Turner and Davis (2019)	Journal article	United Kingdom
7.	Wood, A. G., Turner, M. J., & Barker, J. B. (2019). Bolstering psychological health using rational emotive behaviour therapy. In G. Breslin & G. Leavey (Eds.), <i>Mental health and well-being interventions in sport: Research, theory and practice</i> , (pp. 45-62).	Wood et al. (2019)	Book chapter	United Kingdom
8.	Rafat, M. S., Sanatkaran, A., & Mohammadkhani, S. (2018). The effect of Rational Emotive Behavior Therapy (REBT) on negative perfectionism and burnout in athletes. <i>International Journal of</i>	Rafat et al. (2018)	Journal article	Iran

9.	Turner, M. J., Ewen, D., & Barker, J. B. (2018). An idiographic single-case study examining the use of rational emotive behavior therapy (REBT) with three amateur golfers to alleviate social anxiety. <i>Journal of Applied Sport Psychology</i> , 1-19.	Turner, Ewen et al. (2018)	Journal article	United Kingdom
10.	Turner, M. J., Kirkham, L., & Wood, A. G. (2018). Teeing up for success: The effects of rational and irrational self-talk on the putting performance of amateur golfers. <i>Psychology of Sport and Exercise</i> , <i>38</i> , 148-153.	Turner, Kirkham et al. (2018)	Journal article	United Kingdom
11.	Wood, A. G., Barker, J. B., Turner, M. J., & Sheffield, D. (2018). Examining the effects of rational emotive behavior therapy on performance outcomes in elite Paralympic athletes. <i>Scandinavian journal of medicine & science in sports</i> , 28(1), 329-339.	Wood, Barker, Turner, and Sheffield (2018)	Journal article	United Kingdom
12.	Wood, A. G., Barker, J. B., Turner, M., & Thomson, P. (2018). Exploring the effects of a single rational emotive behavior therapy workshop in elite blind soccer players. <i>The Sport Psychologist</i> , <i>32</i> (4), 321-332.	Wood, Barker, Turner, and Thomson (2018)	Journal article	United Kingdom
13.	Artiran, M. (2017). Rebounding from injury and increasing performance using rational emotive behavior therapy (REBT). In M. J. Turner & R. Bennet (Eds.), <i>Rational emotive behavior therapy in sport and exercise</i> (pp. 150-168). Routledge.	Artiran (2017)	Book chapter	Turkey
14.	Barker, J. (2017). "It will be the end of the world if we don't win this game": Exploring the use of Rational Emotive Behavior Therapy (REBT) interventions in Paralympic soccer. In M. J. Turner & R. Bennet (Eds.), <i>Rational emotive behavior therapy in sport and exercise</i> (pp. 53-67). Routledge.	Barker (2017)	Book chapter	United Kingdom
15.	Breitmeyer, A., & David, O. (2017). Managing injury and loss: The use of rational emotive behavior therapy (REBT) with a collegiate football player. In M. J. Turner & R. Bennet (Eds.), <i>Rational Emotive Behavior Therapy in Sport and Exercise</i> (pp. 68-82). Routledge.	Breitmeyer and David (2017)	Book chapter	United States of America

16.	Churchman, C. (2017). Using Rational Emotive Behavior Therapy (REBT) to combat performance-debilitating unhealthy anxiety in an international level karateka. In M. J. Turner & R. Bennet (Eds.), <i>Rational Emotive Behavior Therapy in Sport and Exercise</i> (pp. 231-248). Routledge.	Churchman (2017)	Book chapter	United Kingdom
17.	Deen, S., Turner, M. J., & Wong, R. S. (2017). The effects of REBT, and the use of credos, on irrational beliefs and resilience qualities in athletes. <i>The Sport Psychologist</i> , 31(3), 249-263.	Deen et al. (2017)	Journal article	Malaysia
18.	Ha, J., & Chang, D. (2017). Effects of REBT Program Application for the Changes in Maladaptive Thoughts among Female Junior Tennis Players. <i>Journal of Digital Convergence</i> , 15(12), 591-604	Ha and Chang (2017)	Journal article	South Korea
19.	Huggins, M. (2017). A short-term rational emotive behavior therapy (REBT) intervention for competition anxiety with a trampoline gymnast. In M. J. Turner & R. Bennet (Eds.), <i>Rational Emotive Behavior Therapy in Sport and Exercise</i> (pp. 20-37). Routledge.	Huggins (2017)	Book chapter	United Kingdom
20.	Murphy, D. (2017). A quasi-experimental investigation into the efficacy of rational emotive behaviour therapy (REBT) in the enhancement of soccer performance [Doctoral dissertation, National College of Ireland]. National College of Ireland Archive. http://trap.ncirl.ie/2771/1/davidmurphy.pdf	Murphy (2017)	Doctoral dissertation	Ireland
21.	Morris, R., Tod, D., & Eubank, M. (2017). "It's the end of the world as we know it (and I feel fine)": The use of Rational Emotive Behavior Therapy (REBT) to increase function and reduce irrational beliefs of an injured athlete. In M. J. Turner & R. Bennet (Eds.), <i>Rational emotive behavior therapy in sport and exercise</i> (pp. 220-230). Routledge.	Morris et al. (2017)	Book chapter	United Kingdom
22.	Phelps-Naqvi, A., & Katz, J. (2017). Delivering Rational Emotive Behavior Therapy (REBT) education in youth rugby union. In M. J. Turner & R. Bennet (Eds.), <i>Rational Emotive Behavior Therapy in Sport and Exercise</i> (pp. 187-205). Routledge.	Phelps-Naqvi and Katz (2017)	Book chapter	United Kingdom

6

A MAPPING REVIEW: THE USE OF REBT WITH ATHLETES

23.	Vertopoulos, E. (2017). The use of Rational Emotive Behavior Therapy (REBT) with an anxious subelite fencer. In M. J. Turner & R. Bennet (Eds.), <i>Rational Emotive Behavior Therapy in Sport and Exercise</i> (pp. 121-133). Routledge.	Vertopoulos (2017)	Book chapter	Greece
24.	Vertopoulos, E., & Turner, M. J. (2017). Examining the effectiveness of a rational emotive personal-disclosure mutual-sharing (REPDMS) intervention on the irrational beliefs and rational beliefs of Greek adolescent athletes. <i>The Sport Psychologist</i> , <i>31</i> (3), 264-274.	Vertopoulos and Turner (2017)	Journal article	Greece
25.	Wood, A. G. (2017). Demanding Success: Examining the Effects of Rational Emotive Behaviour Therapy on Performance-Related Outcomes [Doctoral dissertation, Staffordshire University]. Staffordshire Online Repository. http://eprints.staffs.ac.uk/id/eprint/4267	Wood (2017)	Doctoral dissertation	United Kingdom
26.	Wood, A. G., Barker, J. B., & Turner, M. J. (2017). Developing performance using rational emotive behavior therapy (REBT): A case study with an elite archer. <i>The Sport Psychologist</i> , 31(1), 78-87.	Wood et al. (2017a)	Journal article	United Kingdom
27.	Wood, A. G., Barker, J. B., & Turner, M. J. (2017). Rational emotive behaviour therapy to help young athletes build resilience and deal with adversity. In C. J., Knight, C. Harwood & D. Gould (Eds.). <i>Sport Psychology for Young Athletes</i> , (pp. 265-276). Routledge.	Wood et al. (2017b)	Book chapter	United Kingdom
28.	Wood, A., & Woodcock, C. (2017). "Is it really that bad?": A case study applying Rational Emotive Behavior Therapy (REBT) with an elite youth tennis player. In M. J. Turner & R. Bennet (Eds.), <i>Rational Emotive Behavior Therapy in Sport and Exercise</i> (pp. 206-219). Routledge.	Wood and Woodcock (2017)	Book chapter	United Kingdom
29.	Cunningham, R., & Turner, M. J. (2016). Using Rational Emotive Behavior Therapy (REBT) with Mixed Martial Arts (MMA) athletes to reduce irrational beliefs and increase unconditional self-acceptance. <i>Journal of Rational-Emotive & Cognitive-Behavior Therapy</i> , 34(4), 289-309.	Cunningham and Turner (2016)	Journal article	United Kingdom

30.	Turner, M. J., & Barker, J. B. (2014). Using rational emotive behavior therapy with athletes. <i>The Sport Psychologist</i> , 28(1), 75-90.	Turner and Barker (2014)	Journal article	United Kingdom
31.	Turner, M. J., Slater, M. J., & Barker, J. B. (2014). The season-long effects of Rational Emotive Behavior Therapy on the irrational beliefs of professional academy soccer athletes. <i>International Journal of Sport Psychology</i> , 45(5), 429–451. https://doi.org/10.7352/IJSP.2014.45.429	Turner et al. (2014a)	Journal article	United Kingdom
32.	Turner, M. J., Slater, M. J., & Barker, J. B. (2014). Not the end of the world: The effects of rational-emotive behavior therapy (REBT) on irrational beliefs in elite soccer academy athletes. <i>Journal of Applied Sport Psychology</i> , 26(2), 144–156. https://doi.org/10.1080/10413200.2013.812159	Turner et al. (2014b)	Journal article	United Kingdom
33.	Turner, M. J., & Barker, J. B. (2013). Examining the efficacy of Rational Emotive Behavior Therapy (REBT) on irrational beliefs and anxiety in elite youth cricketers. <i>Journal of Applied Sport Psychology</i> , 25(1), 131–147. https://doi.org/10.1080/10413200.2011.574311	Turner and Barker (2013)	Journal article	United Kingdom
34.	Marlow, C. (2009). Creating positive performance beliefs: The case of a tenpin bowler. In B. Hemmings & T. Holder (Eds.). <i>Applied sport psychology: A case based approach</i> (pp. 65-87). John Wiley & Sons Ltd.	Marlow (2009)	Book chapter	United Kingdom
35.	Larner, C. (2008). On making warriors out of worriers: The management of trait anxiety in competitive sports [Doctoral dissertation, Victoria University of Technology]. Victoria University of Technology Archive. http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.666.6536&rep=rep1&type=pdf	Larner (2008)	Doctoral dissertation	Australia
36.	Si, G., & Lee, H. C. (2008). Is it so hard to change? The case of a Hong Kong Olympic silver medallist. <i>International Journal of Sport and Exercise Psychology</i> , <i>6</i> (3), 319–330.	Si and Lee (2008)	Journal article	China

37.	Yamauchi, R., & Murakoshi, S. (2001). The effect of rational emotive behavior therapy on female soft-tennis players experiencing cognitive anxiety. <i>Japanese Journal of Sport Psychology</i> , 28, 67–75.	Yamauchi and Murakoshi (2001)	Journal article	Japan
38.	Elko, P. K., & Ostrow, A. C. (1991). Effects of a rational-emotive education program on heightened anxiety levels of female collegiate gymnasts. <i>The Sport Psychologist</i> , <i>5</i> (3), 235–255. https://doi.org/http://dx.doi.org/10.1123/tsp.5.3.235	Elko and Ostrow (1991)	Journal article	United States of America
39.	Bernard, M. E. (1985). A rational-emotive mental training program for professional athletes. In A. Ellis & M. E. Bernard (Eds.), <i>Clinical applications of rational-emotive therapy</i> (pp. 277-309). Springer.	Bernard (1985)	Book chapter	Australia

Figure A. Spreadsheet used to code and evaluate included studies

				Parti	icipants					Intervention	1			
Bibliographical code	Target variables	Design	Size	Age & Sex	Sport	Level	Measures	Sessions	Session length	Intervention length	Participants organization	Proceadures	Effectiveness measures	Remarks about codin
	Irrational beliefs	Explanatory idiographic case-study	Small group $2 \le n < 10$	Adults M ≥ 18	Triathlon	Amateur	iPBI	2 ≤ REBT < 6	Long SL > 30 minutes	Long IL > 12 weeks	Individual session	Face-to-face	Social validation	Check wellbeing,
3. Davis and Turner (2019)	Self-determined motivation	Single-case		Both			Social validation interview/qu estionnaire	Homework				Audio/online/ telephone	Visual analysis	include measures (e.g SMS-II, SVS)
	Wellbeing	Baseline					Other(s)	Follow-up						
4. Rafat et al.	Other(s)	Control group	Large group n ≥ 10	Information not available	Other(s)	Information not available	Other(s)	Information not available	Information not	Much information no				
4. Rafat et al. (2018)		Pretest-posttest		Information not available									available	available
	Anxiety Irrational beli Performance	efs	ge group 1≥10	Adults M ≥ 18	Triathlon	Amateur	iPBI	2 ≤ REBT < 6	Long SL > 30 minutes	Long IL > 12 weeks	Group session	Face-to-face	comparison of mean	
5. Turner and Davis (2018)	Physiological Rational belie Resilience			Both		Professional	Social validation interview/qu estionnaire	Follow-up				Audio/online/ telephone	values, (b) immediacy of effect, and (c) magnitude of change	Measures: SMS
24,15 (2010)	Self-determin	ned motivatio	n				Other(s)	PDMS					Cohen's d	
	Wellbeing	ied motivatio						REPDMS						
	Information n Other(s)	ot available						Homework						
	Anxiety	Explanatory idiographic case-study	Small group $2 \le n < 10$	Adults M ≥ 18	Golf	Amateur	iPBI	REBT ≥ 6	Long SL > 30 minutes	Long IL > 12 weeks	Individual session	Face-to-face	Visual analysis	

Table 3. Relevant information from journal articles resulting from the coding process

Reference	Target					Method				Effectiveness
	variables									measures
		Design	-	Participants	5	Measures	-	Intervention		_
			Sample	Age	Sex &		Sessions &	Approximat	Procedures	
					Sport &		content	e length		
					level					
1. Chrysidis et	Irrational	Idiographic	n = 3	21, 22 and	Male	- SMS-28	- 5 REBT	- 30 min/	- Face-to-face	- Social validation
al. (2020)	beliefs, self-	single-case,		23	American	- iPBI-2	- Self-talk	session	- Individual	- Visual analysis
	determined	staggered			football	- Ad-hoc self-	- Homework	- 22-weeks	sessions	
	motivation, self-	multiple-				efficacy scale	tasks			
	efficacy	baseline				- Social validation	- 2-weeks			
		across				semi-structured	Follow-up			
		participants				interview				
2. Sille et al.	Performance	Single-case	n = 1	12	Male	- Semi-structured	- 4 REBT	- 20 min/	- Face-to-face	- Social validation
(2020)					tennis	interviews	- 1 ARRC	session	- Individual	
					player	- Specific sport	- Control plan	- 7-weeks	sessions	
						exercise	- Homework		- Sessions	
							tasks		with father	
							- 4-weeks			
							follow-up			

Table 3. Relevant information from journal articles resulting from the coding process

3. Wood et al.	Irrational	Single-case	n = 1	22	Male elite	- Interview	- 8 REBT	- 50-75 min	- Face-to-face	- Critical friend
(2020)	beliefs, self-				archer	- iPBI	- Homework	->24-	- Individual	
	determined					- SIMS	tasks	weeks	sessions	
	motivation,						- 24-weeks			
	performance						follow-up			
4. Davis and	Irrational	Explanatory	n = 4	M = 41,75	Male and	- iPBI	- 5 REBT	-M = 43,07	- Face-to-face	- Social validation
Turner (2019)	beliefs, self-	idiographic		(SD =	female	- SMS-II	- Homework	min (SD =	- Individual	- Visual analysis
	determined	single-case		8,77)	amateur	- SVS	tasks	5,30 min)	sessions	
	motivation, and	design with			triathletes	- PSQI	- 4-weeks	/session	- Voice	
	psychological	baseline data				- Social validation	follow-up	- 20 weeks	recording App	
	wellbeing (i.e.,					semi-structured				
	vitality, sleep					online interview				
	quality)									
5. Rafat et al.	Negative	Experimental	n = 30	Informa-	Youth	- Burnout and	Information not	Information	Information	Information not
(2018)	perfectionism	and control		tion not	wrestlers	negative	available	not	not available	available
	and burnout	group with		available		perfectionism		available		
		pretest-				Questionnaires				
		posttest								

Table 3. Relevant information from journal articles resulting from the coding process

6. Turner and	Self-determined	ABC single-	n = 24	M = 40,83	Male and	- iPBI	- 5 REBT	- 45 min	- Face-to-face	- Visual analysis
Davis (2018)	motivation	case between-		(SD =	female	- SMS	- 4-weeks	/session	- Group	of (1) comparison
		groups (group		11,13)	triathletes	- Social validation	follow-up	- 22 weeks	session	of mean values,
		REBT+			(e.g.,	questionnaire	PDMS/		- Video and	(b) immediacy of
		PDMS and			amateurs,		REPDMS		PowerPoint	effect, and (c)
		group			professio-		sessions			magnitude of
		REBT+REPD			nals)		- 4-week			change
		MS)					follow-up			- Cohen's d
							- Homework			
							tasks			
							tasks			
7. Turner,	Social anxiety	Explanatory	<i>n</i> = 3	M = 57,66	Male	- iPBI	tasks - 6 REBT	- 60 min	- Face-to-face	- Visual analysis
7. Turner, Ewen et al.	Social anxiety	Explanatory idiographic	<i>n</i> = 3	M = 57,66 (SD =	Male amateur	- iPBI - GSAQ		- 60 min /session	- Face-to-face and telephone	Visual analysisSocial validation
	Social anxiety		<i>n</i> = 3				- 6 REBT			•
Ewen et al.	Social anxiety	idiographic	n = 3	(SD =	amateur	- GSAQ	- 6 REBT - Homework	/session	and telephone	·
Ewen et al.	Social anxiety	idiographic	n = 3	(SD =	amateur	- GSAQ - LSAS-SR	- 6 REBT - Homework tasks	/session	and telephone	·
Ewen et al.	Social anxiety	idiographic	n = 3	(SD =	amateur	- GSAQ - LSAS-SR - SPA	- 6 REBT - Homework tasks - 4-weeks	/session	and telephone call - Individual	•

Table 3. Relevant information from journal articles resulting from the coding process

8	. Turner,	Performance	Within-	n = 57	M = 30,63	Male and	- Demographic	- 1 golf exercise	- 10 minutes	- Face-to-face	- Cohen's d
K	Kirkham et al.		subjects cross-		(SD =	female	questionnaire	- 2 exercise +	of rational/	- Individual	- ANCOVA
(2	2018)		over		11,85)	amateur	- Pressured golf-	rational/irration	irrational	sessions	- t-tests (one-
						golfers	putting task	al self-talk +	self-talk		samples, paired-
							- Likert-scale of	exercise	between		samples)
							self-talk		golf		
							performance		exercises		
							facilitation		- 3 weeks		
9	. Wood,	Irrational	Single-case,	<i>n</i> = 8	M = 40,12	Male and	- SGABS	- 5 REBT	- 30 min	- Face-to-face	- Visual analysis
В	Barker,	beliefs, anxiety,	staggered		(SD =	female	- STPI	- Homework	/session	- Individual	- Cohen's d
Т	urner, and	performance	multiple-		12,99)	Paralym-	- AGQ	tasks	- 13 weeks	sessions	- Homework tasks
S	heffield	and	baseline			pic	- Social validation	- 36-weeks			
(2	2018)	physiological	across-			athletes	semi-structured	follow-up			
		variables	participants				interview				
		(i.e., heart rate,									
		systolic and									
		diastolic blood									
		pressure)									

Table 3. Relevant information from journal articles resulting from the coding process

10. Wood,	Psychological	Pretest-	n = 10	M = 28,36	Male elite	- SGABS	- Experimental	- 60 min	- Face-to-face	- Social validation
Barker,	variables (e.g.,	posttest cross-		(SD =	blind	- STAI Form Y	group (n = 5): 1	/session	- Audio file	- Cohen's d
Turner, and	irrational	over		5,54)	soccer	- Penalty kick	REBT + 1	- 16 weeks	- Individual	
Thomson	beliefs, pre-				players	- Finometer PRO	psychoeduca-		sessions	
(2018)	competitive					- Social validation	tional workshop			
	anxiety),					semi-structured	- Placebo group			
	physiological					interview	(n = 5): 1			
	variables (i.e.,						psychoeduca-			
	systolic and						tional workshop			
	diastolic blood						+ 1 REBT			
	pressure) and									
	performance									
11. Deen et al.	Irrational beliefs	Single-case,	<i>n</i> = 5	M = 19,7	Male and	- iPBI	- 5 REBT	- 60 min	- Face-to-face	- Visual analysis
(2017)	and resilience	staggered		(SD =	female lite	- CD-RISC 10	- ARRC	/session	- Individual	- Social validation
		multiple-		3,14)	squash	- Social validation	- Homework	- 9 weeks	session	- Cohen's d
		baseline			athletes	semi-structured	tasks			-Auto-
		across-				interview	- 4-weeks			correlational
		participants					follow-up			analysis
										- ANOVA
										- t-test

Table 3. Relevant information from journal articles resulting from the coding process

12. Ha and	Maladaptive	Experimental	n = 8	M = 15,65	Female	- Interview	- 12 REBT	Information	- Face-to-face	t-test
Chang (2017)	thinking,	pre- and post-		(SD =	tennis	- MTSY	- Homework	not	- Group	
	performance,			0,37)	players	- SPKQ	tasks	available	session	
	holistic					- Korean version	- Follow-up			
	development					performance				
						strategy test sheet				
12	D-4:11	C:1	– 20	M = 16.25	M-1-	CCADC	4 DEDT	40	E 4- f	C-1
13.	Rational and	Single-case	n = 20	M = 16,35	Male	SGABS	- 4 REBT	- 40 min	- Face-to-face	- Cohen's d
Vertopoulos	irrational beliefs	AB and ABC		(SD =	athletes of		- 1 REPDMS	/session	- Group	- Friedman test
and Turner		between-		1,00)	football,		- Homework	- 12 weeks	session	- Mann-Whitney
(2017)		groups			tennis		tasks			U test
					players		- 3-weeks			
					sailor and		follow-up			
					fencing					
14. Wood et	Competitive	Single-case	n = 1	44	Elite	- SGABS	- 7 REBT	- 60 min	- Face-to-face	- Visual analysis
al. (2017a)	anxiety,				archer	- Social validation	- 12 and 24-	/session	- Individual	- Social validation
	emotional well-					semi-structured	weeks follow-	- 12 weeks	sessions	
	being and					interview	up			
	performance									

Table 3. Relevant information from journal articles resulting from the coding process

15.	Self-	Single-case,	n = 3	M = 23,67	Male	- USAQ	- 4 REBT	Information	- Skype	- Social validation
Cunningham	depreciation	multiple-		(SD =	semi-	- SGABS	- Homework	not	- Individual	- Cohen's d
and Turner	(irrational	baseline		2,52)	profession	- Social validation	tasks	available	sessions	- Reliable Change
(2016)	belief) and	across			al mixed	semi-structured	- 2 and 24-			Index
	unconditional	participants			martial	interview	weeks follow-			
	self-acceptance				arts		up			
	(rational belief)				athletes					
16. Turner	Irrational beliefs	Single-case,	n = 3	Informa-	Football	- SGABS	- Option 1: 11	- Opción 1:	- Face-to-face	- Social validation
and Barker		multiple-		tion not	and	- Social validation	REBT	20-30 min	- Individual	
(2014)		baseline		available	cricket	questionnaire	- Option 2: 7	/session	session	
		across			athletes		REBT	- Opción 2:		
		participants					- Both groups:	45		
							homework tasks	min/session		
							and 4 or 8-			
							weeks follow-			
							up			
17. Turner et	Irrational beliefs	Quasi-	n = 17	M = 16,71	Male elite	- SGABS	-Experimental	- Experi-	- Face-to-face	- Social validation
al. (2014a)		experimental		(SD =	football	- Social validation	group (n = 9): 3	mental	- Group	- Visual analysis
		single-case A-		0,61)	athletes	semi-structured	REBT	group: 40	sessions	
						interview		min /session		

Table 3. Relevant information from journal articles resulting from the coding process

		B design, and					- Control group	- Control		
		control group					(n = 8):	group: 40		
							3 emotion	min/session		
							control program	- 10 weeks		
							- 4 and 8-weeks			
							follow-up			
18. Turner et	Irrational beliefs	Pretest and	<i>n</i> = 15	M = 15,13	Male elite	- SGABS	- 1 REBT	60 min	- Face-to-face	- MANOVA
al. (2014b)		posttest		(SD =	football	- Social validation	- 6-weeks		- Group	- Social validation
				0,74)	athletes	semi-structured	follow-up		session	
						interview				
19. Turner	Irrational beliefs	Single-case	n = 4	M = 15,5	Male elite	- SGABS	- 3 REBT	- 20 min	- Face-to-face	- Visual analysis
and Barker	and cognitive	staggered		(SD =	cricketers	- SAS-2	- Homework	/session	- Group	- Cohen's d
(2013)	anxiety	multiple-		1,00)		- Social validation	tasks	- 3 weeks	sessions	- t-test
		baseline				semi-structured				
		across-				interview				
		participants								

Table 3. Relevant information from journal articles resulting from the coding process

20. Si and Lee	Low frustration	Triangulation	n = 1	Informatio	Table	- GAS	Average of 1,5	- 60 min	- Face-to-face	- Visual analysis
(2008)	tolerance	method		n not	tennis	- Observation	sessions per	/session	- 75%	
	(irrational			available	Olympic	- Verbal review of	week	- 44 weeks	individual	
	belief) during				athlete	progress			sessions, 25%	
	competitions					- Videotape			group sessions	
	and					interview				
	performance									
21. Yamauchi	Cognitive	Information	n = 11	Informa-	Tennis	- SCAT	5 REBT	Information	- Conferen-	Information not
and	anxiety	not available		tion not				not	ces	available
Murakoshi				available				available	- Group	
(2001)									sessions	
22. Elko and	Anxiety in a	Single-subject	<i>n</i> = 6	M = 19,25	Female	- CSAI-2	- 6 RET	- 60 min	- Face-to-face	- Split-middle
Ostrow (1991)	competitive	(ABA)			gymnasts	- SCAT	- Homework	/session	- Individual	technique
	environment	multiple-			from a	- Interview	tasks	- 3 weeks	sessions	- Binomial test
		treatment			division I					
					team					

Note: Table 3 abbreviations

General: ARRC = Athlete Rational Resilience Credos; SD = Standard deviation; M = Mean; PDMS = Personal Disclosure Mutual-Sharing;

REBT = Rational Emotive Behavior Therapy; REPDMS = Rational Emotive Personal Disclosure Mutual-Sharing

Measures: AGQ = The Achievement Goal Questionnaire; CD-RISC 10 = Connor-Davidson Resilience Scale; CSAI-2 = Competitive State

Anxiety Inventory 2; GAS = Goal Attainment Scale; GSAQ = Golf-specific anxiety questionnaire; iPBI = irrational Performance Beliefs

Inventory; LSAS-SR = Liebowitz social anxiety scale; MRF-3 = Mental Readiness Form Version 3; MTSY = Misadaptative Thinking Scale for

Youth; SIMS = The Situational Motivational Scale; SAS-2 = Sport Anxiety Scale-2; SCAT = Sport Competition Anxiety Test; SGABS =

Shortened General Attitudes and Beliefs Scale; SMS = The Sport Motivation Scale; SPA = Subjective performance anxiety; SPKQ = Sports

Psychological Skills Questionnaire; STAI (Form Y) = State-Trait Anxiety Inventory Form Y; STPI = State Trait Personality Inventory; USAQ =

Unconditional Self-Acceptance Questionnaire.

Table 4. Relevant information from book chapters resulting from the coding process

Reference	Target					Method				Effectiveness
	variables									measures
		Design		Participa	nts	Measures		Intervention		_
			Size	Age	Sex & Sport		Sessions &	Approximate	Procedures	
					& level		content	length		
1. Wood et al.	Performance	Single-case	n = 1	42	Female	- SGABS	- 5 REBT	- 45 min/	- Face-to-face	- Social
(2019b)	and irrational				Paralympic	- Social	- Homework	session	- Individual	validation
	beliefs				athlete	validation semi-	tasks	- 18 weeks	sessions	
						structured	- ARRC			
						interview				
2. Artiran	Anxiety,	Single-case	<i>n</i> = 1	19	Female	- ABS-II	- 10 REBT	- 16 weeks	- Face-to-face	- Visual analysis
(2017)	confidence,				professional	- CSAI-2	- Homework		- Individual	
	irrational				basketball	- State Sport-	tasks		sessions	
	beliefs				athlete	Confidence				
						Inventory				

Table 4. Relevant information from book chapters resulting from the coding process

3. Barker	Rational and	Triangula-	<i>n</i> = 16	From 18	Male	- SGABS	- 6 REBT	- 45-60 min	- Face-to-face	- Visual analysis
(2017)	irrational	tion with		to 29	amateur	- Social	- Homework	/session	- Individual	- Social
	beliefs	pretest and			Paralympic	validation	tasks	- 90 min	and group	validation
		posttest data			football		- 1 Workshop	/workshop	sessions	
		collection							- Skype	
4. Breitmeyer	Anger,	Single-case	n = 1	18	Male	Behavioral	- 10 REBT	- 10 weeks	Face-to-face	- Social
and Davis	unconditional				football	observation	- Homework		and telephone	validation
(2017)	self-				athlete		tasks		call	- Behavioral
	acceptance								- Individual	observations
	(i.e., rational								sessions	
	belief)									
5 Chumchanan	Amriato	Single-case	n = 1	Informa-	Elite	- REBT	- 10 REBT	- 45 min	- Face-to-face	- Social
5. Churchman	Anxiety,	Single-case	n = 1	Illiorina-	Ente	- KEDI	- 10 KED1	- 43 mm	- Face-to-face	- Social
(2017)	irrational			tion not	karateka	competency		/session	- Individual	validation
	beliefs,			available		scale			sessions	- Performance
	performance									results

Table 4. Relevant information from book chapters resulting from the coding process

6. Huggins	Performance	Single-case	n = 1	26	Female elite	- SAS-2	- 1 assessment	- 90 min	- Face-to-face	- Performance
(2017)					trampoline	- Semi structed	session	assessment	- Individual	results
					gymnast	interview	- 6 REBT	session	sessions	- Visual analysis
						- MCS-SP	- 8-weeks	- 50 min	- E-mail	
						- Three	follow-up	/REBT		
						competition		session		
						routines		8 weeks		
7. Morris et	Rational	Single-case	n = 1	Early 20s	Male	Information not	Information not	Information	- Face-to-face	Social
al. (2017)	beliefs				professional	available	available	not available	- Individual	validation
					rugby player				sessions	
9 Dhalas	Irrational	Trionoulo	Infor	Vouth alo	Duchy	Intomiorra	- 7 REBT	- 45 min	- Face-to-face	- Social
8. Phelps-	птанопаі	Triangula-	Infor-	Youth pla-	Rugby	- Interviews	- / KEDI	- 43 mm	- Face-to-face	- Social
Naqvi and	beliefs	tion with	mation	yers	players	- Observation	- Homework	/session	- Group	validation
Katz (2017)		pretest and	not			- SGABS	tasks		sessions	- Behavioral
		posttest data	availa-			- Social	- Role-playing			observation
		collection	ble			validation				- Visual analysis
						questionnaire				

Table 4. Relevant information from book chapters resulting from the coding process

9.	Performance	Single-case	n = 1	Informa-	Male	- Semi-	- 1 > REBT	- 32 weeks	- Face-to-face	- Social
Vertopoulos				tion not	fencing	structured	sessions		- Individual	validation
(2017)				available	athlete	interview	- Homework		sessions	- Performance
						- SGABS	tasks			results
										- Visual analysis
10. Wood et	Performance,	Single-case	n = 1	15	Cricketer	- SGABS	- 6 REBT	- 45 min	- Face-to-face	- Social
al. (2017b)	irrational						- Homework	/session	- Individual	validation
	beliefs						task		sessions	
							- Role-playing			
							- Follow-up			
							session			
11. Wood and	Irrational	Single-case	n = 1	17	Nationally	iPBI	- 9 REBT	- 60 min	- Face-to-face	- Social
Woodcock	beliefs,				ranked		- Credo	/session	- Individual	validation
(2017)	performance				tennis		- Homework	- 24 weeks	sessions	
					athlete		tasks			

Table 4. Relevant information from book chapters resulting from the coding process

12. Marlow	Performance	Single-case	n = 1	Junior	Elite tenpin	- Semi-	- 6 REBT	Information	- Face-to-face	- Social
(2009)					bowler	structured	- Feedback	not available	- Individual	validation
						interview	between	- 90 min /	sessions	
						- Performance	sessions	Semi-	- Group	
						profile process	- Follow-up	structured	sessions	
						- Social		interview	- Email	
						validation			contact	
13. Bernard	Performance	Informa-	Infor-	Informa-	Professio-	Information not	-1>	Information	- Group	Information not
(1985)		tion not	mation	tion not	nal football	available	educational	not available	sessions	available
		available	not	avai-lable	players		REBT			
			availa-				workshops			
			ble				- Concentration			
							training			
							- goal setting			

Note: Table 4 abbreviations

Measures: ABS-II = Attitudes and Beliefs Scale-II; ED-Q = Exercise dependence questionnaire; MCS-SP = Multilevel Classification System for Sport Psychology; see the complete titles of the measures in Table 3 notes.

Table 5. Relevant information about studies of different origin resulting from the coding process

Reference	Type	Target					Method				Effectiveness
		variables									measures
			Design		Partic	ipants	Measur s		Intervention		_
				Size	Age	Sex & Sport		Sessions &	Approximate	Procedures	
						& level		content	length		
1. Jordana et	Sympo-	Exercise,	Multiple	n = 8	M = 41	Male and	- Semi-	- 3 REBT	- 45 min	- Face-to-face	- Social
al. (2019)	sium	motivation,	baseline		(SD =	female former	structured	- Homework	/session	- Skype	validation
		irrational	single-case		4.66)	elite athletes	interview	tasks	- 14 weeks	- Individual	- Visual analysis
		beliefs				(i.e., athletics,	- SGABS	- 5-weeks		sessions	
						artistic	- BREQ-3	Follow-up			
						swimming,	- Satisfaction				
						gymnastics,	questionnaire				
						judo)					

Table 5. Relevant information about studies of different origin resulting from the coding process

2. Murphy (2017)	Doctoral disserta- tion	Anxiety, irrational beliefs, performance	Quantitative quasi- experimenta I design	n = 16	M = 20.94 (SD = 3.09)	Male and female amateur football players	- SRBS - VAS-A - Penalty kick	- 1 REBT - 1 motor imagery	- 8 min /REBT session - 8 min/motor imagery	- Face-to-face - Group sessions	- t-test
									session		
3. Larner	Doctoral	Anxiety	Experiment	n = 60	M = 18	Male and	- CTAI-2	- Experi-	- 90 min	Face-to-face	- Cronbach's α
(2008)	disserta-		al design		(SD =	female freestyle	- Demogra-	mental group	/session	- Group	- Cohen's d
	tion		with control		1.59)	skiing, athletics,	phical	1: 6 REBT	- 10 weeks	sessions	- t-test
			group			and ten-pin	questionnaire	- Experi-			
						bowling	- Game scores	mental group			
							- MC SDS	2: 6 relaxation			
							- MRF-3	and mental			
							- SGABS	imagery			
								- Control			
								group: 6			
								befriending			
								therapy			

Note: Table 5 abbreviations

BREQ-3 = Cuestionario de Regulación de la Conducta en el Ejercicio; CTAI-2-D = Competitive Trait Anxiety Inventory - Mark 2; MC SDS = Marlowe-Crowne Social Desirability Scale; SRBS = Sports related beliefs scale; VAS-A = Analoge Scale-Anxiety; see the complete titles of the measures in Table 3 and Table 4 notes.

Figure B. Tool used for critical appraisal of included studies

								ANSWER OPTIONS
			STEP 1 CRITICAL	L APPRAISAL: METHODO	LOGICAL RIGOR			Yes
bliographical cod	e xxxx							No
	Were the cases recruited i	n an acceptable way?						Can't Tel
	Are the cases defined precisely?	Were the cases representative of a defined population (geographically and/or temporally)?	Was there an established reliable system for selecting the cases?	Is the time frame of the study relevant to intervention?	Was there a sufficient number of cases selected?	Could other factors affect the results (e.g., sex, age, social class)?	There are any discussions around recruitment (e.g. why some people choose not to take part)?	
							▼	
	Was the exposure accurat	tely measured to minimise	bias?			Voc		
	Was the intervention clearly defined and accurately measured?	Did the authors use measurements correctly?	Do the measures truly reflect what they are supposed to measure (have they been validated)?	Were the measurement methods similar in the cases and/or controls?	There are control measures depending on the design (e.g., multiple base-line, control group)?	No Can't tell		
Methodological rigor	Procedure reliability Detailed population?	Detailed intervention?	Detailed procedure development?	The given comparator?	The outcomes considered	Transparent and replicable?		
lolo			·					
pod	Was the data collected in	a way that addressed the re	esearch issue?					
Met	The setting for the data collection was justified?	Is it clear how data were collected (e.g. questionnaires, focus group, semi-structured interview)?	The researchers have justified the methods chosen?	The form of data is clear (e.g. tape recordings, video material, notes etc.)?	The researchers have discussed saturation of data?	Informed consent obtained?		
	Was the data analysis sut	fficiently rigorous?						
	Is there a detailed description of the analysis process?	The researchers explains how the data presented were selected from the original sample to demonstrate the analysis process?	Is sufficient data presented to support the findings?	The researchers critically examined their own role, potential bias and influence during analysis and selection of data for presentation?				

Figure B. Tool used for critical appraisal of included studies

						ANSWER OPTIONS
		STEP 2 CR	ITICAL APPRAISAL: SUI	TABILITY		Yes
Bibliographical code	xxxx	No				
Suitability	Was there a clear statement	Can't Tell				
	Did the study address a clearly focused issue?	Are the considered results exposed?	Is the importance of the topic justified?	Is the target population specific?	Is the intervention detailed?	
						▼
	Was the research design ap					
	Did the authors use an appropriate method to answer their question?	Have the researchers justified the research design (e.g., have they discussed how they decided which method to use?)?	Was the recruitment strategy appropriate to the aims of the research?		Yes No Can't tell	
Rigor Su	itability Relevance	Data +				

Figure B. Tool used for critical appraisal of included studies

					ANSWER OPTIONS
	Yes				
bliographical code				No	
	Is there a clear statement	Can't Tel			
	Are findings explicit?	Is there adequate discussion of the evidence both for and against the researcher's arguments?	The researchers have discussed the credibility of their findings (e.g. triangulation, respondent validation, more than one analyst)?	Are the findings discussed in relation to the original research question?	
	How large was the interve				
	Are the measured outcomes detailed?	Is the primary outcome clearly specified?	It describes what results were found for each outcome?	Are confidence limits presented?	
	Con the second to be secolded.	4.4.1			▼
9	Can the results be applied				
Relevance	Could the participants covered in the study be different enough from their population to cause concern?	Can the results be generalized?		Yes No Can't tell	
	Do the results of this study				
	Are results discussed with previous scientific literature?	Is the available evidence from the Systematic Reviews, Cohort Studies and RCT Control Case Studies presented to give consistency?			
	How valuable is the resea				
	Is the topic relevant?	Are there ethical problems?			
Rigor	Suitability Re	elevance Da	ata +		