

THE UNIVERSITY of EDINBURGH

Edinburgh Research Explorer

Tunable thermal expansion in framework materials through redox intercalation

Citation for published version:

Chen, J, Gao, Q, Sanson, A, Jiang, X, Huang, Q, Carnera, A, Rodriguez, CG, Olivi, L, Wang, L, Hu, L, Lin, K, Ren, Y, Lin, Z, Wang, C, Gu, L, Deng, J, Attfield, JP & Xing, X 2017, 'Tunable thermal expansion in framework materials through redox intercalation', *Nature Communications*, vol. 8, 14441. https://doi.org/10.1038/ncomms14441

Digital Object Identifier (DOI):

10.1038/ncomms14441

Link:

Link to publication record in Edinburgh Research Explorer

Document Version: Publisher's PDF, also known as Version of record

Published In: Nature Communications

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.





ARTICLE

Received 8 Aug 2016 | Accepted 29 Dec 2016 | Published 9 Feb 2017

DOI: 10.1038/ncomms14441

OPEN

Tunable thermal expansion in framework materials through redox intercalation

Jun Chen¹, Qilong Gao¹, Andrea Sanson², Xingxing Jiang³, Qingzhen Huang⁴, Alberto Carnera², Clara Guglieri Rodriguez⁵, Luca Olivi⁵, Lei Wang⁶, Lei Hu¹, Kun Lin¹, Yang Ren⁷, Zheshuai Lin³, Cong Wang⁶, Lin Gu⁸, Jinxia Deng¹, J. Paul Attfield⁹ & Xianran Xing¹

Thermal expansion properties of solids are of fundamental interest and control of thermal expansion is important for practical applications but can be difficult to achieve. Many framework-type materials show negative thermal expansion when internal cages are empty but positive thermal expansion when additional atoms or molecules fill internal voids present. Here we show that redox intercalation offers an effective method to control thermal expansion from positive to zero to negative by insertion of Li ions into the simple negative thermal expansion framework material ScF₃, doped with 10% Fe to enable reduction. The small concentration of intercalated Li ions has a strong influence through steric hindrance of transverse fluoride ion vibrations, which directly controls the thermal expansion. Redox intercalation of guest ions is thus likely to be a general and effective method for controlling thermal expansion in the many known framework materials with phonon-driven negative thermal expansion.

¹ Department of Physical Chemistry, University of Science and Technology Beijing, Beijing 100083, China. ² Department of Physics and Astronomy, University of Padova, I-35131 Padova, Italy. ³ Center for Crystal R&D, Key Lab of Functional Crystals and Laser Technology of Chinese Academy of Sciences, Technical Institute of Physics and Chemistry, Chinese Academy of Sciences, Beijing 100190, China. ⁴ NIST Center for Neutron Research, National Institute of Standards and Technology, Gaithersburg, Maryland 20899-6102, USA. ⁵ Elettra Sicrotrone Trieste, Strada Statale 14 - km, in AREA Science Park, 34149 Basovizza, Italy. ⁶ Center for Condensed Matter and Materials Physics, Department of Physics, Beihang University, Beijing 100191, China. ⁷ Argonne National Laboratory, X-Ray Science Division, Argonne, Illinois 60439, USA. ⁸ Beijing National Laboratory for Condensed Matter Physics, Institute of Physics, Chinese Academy of Sciences, Beijing 100190, China. ⁹ Centre for Science at Extreme Conditions and School of Chemistry, University of Edinburgh, Peter Guthrie Tait Road, King's Buildings, Edinburgh EH9 3FD, UK. Correspondence and requests for materials should be addressed to J.P.A. (email: j.p.attfield@ed.ac.uk) or to X.X. (email: xing@ustb.edu.cn).

ost materials exhibit positive thermal expansion (PTE) due to the inherent anharmonicity of bond vibrations¹⁻⁴ that leads to expansion of average bond distances with increasing temperature. This is a critical issue in many high precision applications subject to large temperature fluctuations such as optical instruments, electronic devices, and spaceflight engineering²⁻⁴. Thermal expansion control engineering typically makes use of the unconventional property of negative thermal expansion (NTE) which is found in a variety of materials such as oxides¹⁻⁷, alloys^{8,9}, nitrides^{3,10}, organic compounds^{11,12}, ReO₃-based compounds¹³⁻¹⁷, metal organic frameworks (MOFs)^{18,19} and cyanides²⁰. Composites of NTE and PTE materials are often used but may fail after repeated cycling, so direct control of thermal expansion within a single homogenous phase is desirable.

NTE can arise from electronic or magnetic mechanisms, and by a transverse phonon mechanism in insulating framework solids⁴. These usually have an open structure of corner-sharing metal-anion tetrahedra or octahedra², for example, the archetype material ZrW2O8 where large NTE was discovered in 1996 (refs 1,2). NTE has subsequently been reported in many open framework materials such as ReO_3 -type fluorides^{21–25}, $\text{MOFs}^{26,27}$, cyanides^{28–30}, zeolites and AlPO_4 frameworks^{31,32}. Although the basic mechanism of NTE in open framework materials through the presence of low energy transverse vibrations is widely accepted, this does not lead to straightforward control of thermal expansion. Chemical substitutions of the framework often have small effects on the lattice dynamics related to expansion, for example, the linear coefficient of thermal expansion (CTE, α_l) for $Zr_{1-x}M_xW_2O_{8-y}$ (M = Sc, In, Y) materials varies only over a short range $(-7.3 \text{ to } -8.7 \times 10^{-6} \text{ K}^{-1})^{33}$. However, introduction of small molecules such as water into large pore materials is known to have dramatic effects, for example, water adsorption in $ZnPt(CN)_6 \cdot xH_2O$ cyanide³⁴ and ZrW_2O_8 (ref. 35) switches NTE to PTE behaviour, and thermal expansion is very different between dehydrated^{36,37} and hydrated forms of cationexchanged zeolite LTA³⁸.

Hence, a potentially general method for varying thermal expansion is to use intercalation chemistry where small cations such as Li^+ can be inserted or removed even from relatively dense frameworks, as much applied in Li-battery chemistry. The intercalated cations are expected to sterically hinder or reduce the transverse vibrations responsible for NTE. We have tested this approach using ScF₃ which has a very simple cubic ReO₃-type structure, and the results shown here demonstrate that thermal expansion is very effectively tuned from negative to zero or positive values through small changes to the degree of Li ion intercalation.

Results

Composition design for control of thermal expansion in ScF₃. ScF₃ has a simple cubic ReO₃ crystal structure consisting of a corner-shared ScF₆ octahedra (Fig. 1a), equivalent to ABX₃ perovskite where the A-site is vacant. ScF₃ shows isotropic NTE over a wide range of temperature $(10-1,100 \text{ K})^{22,25}$, and lattice dynamics studies have explored in detail how enhanced transverse thermal vibrations of fluoride ions with increasing temperature lead to shrinkage of Sc-F-Sc linkages and hence NTE^{25,39} (Fig. 1b). We propose that if those vibrations of fluorine ions can be reduced or hindered by the intercalation of Li ions into the cages of ScF₃ (Fig. 1a,c), then control of thermal expansion can be realized.

Insertion of Li ions into ScF_3 can be achieved by reductive lithiation, which is commonly used for Li-ion battery materials. Sc^{3+} is not easily reducible, and direct reactions using

n-butyllithium failed to form $\text{Li}_x \text{ScF}_3$ products, so partial substitution of Sc by a reducible metal is needed. The solid solution $(\text{Sc}_{0.9}\text{Fe}_{0.1})\text{F}_3$ (SFF) was thus synthesized and then lithiated, as described in Methods. The ionic radii of Sc^{3+} , Fe^{3+} and Fe^{2+} are, respectively, 0.745, 0.645 and 0.780 Å, so reduction of Fe^{3+} to Fe^{2+} in this framework is favoured by lowering of lattice microstrain. Characterization results for SFF and the lithiated product $\text{Li}_x(\text{Sc}_{0.9}\text{Fe}_{0.1})\text{F}_3$ are shown in Fig. 2a.

Composition determination. The lattice constant increases slightly on Li intercalation, from 3.99368(5) to 3.99927(4) Å for SFF and Li_x(Sc_{0.9}Fe_{0.1})F₃, respectively (Fig. 2a), in keeping with lattice expansion due to reduction of Fe^{3+} to Fe^{2+} . The structure and composition of the lithiated $Li_x(Sc_{0.9}Fe_{0.1})F_3$ product have been determined by joint studies of structure refinement based on neutron powder diffraction (NPD) data, spherical aberration-corrected scanning transmission electron microscopy (STEM) and X-ray absorption near-edge structure (XANES). A neutron scattering Fourier difference map clearly demonstrates that the negative peak at the (0,0,0) is the position of Li ions (Fig. 2b; Supplementary Fig. 1), since Li has a negative neutron scattering length⁴⁰. Indeed, the refinement is greatly improved by assuming that Li ions are located at the (0,0,0) position in the centre of the perovskite cage (Supplementary Table 1). The chemical composition determined by NPD refinement of the Li occupancy is Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃ (sample LSFF-1; Supplementary Fig. 2), which was further supported by ICP analysis (Supplementary Note 1), so the Li content is below the theoretical maximum of x = 0.1. The annular-bright-field (ABF) electron micrographs of LSFF-1 and SFF directly reveal the Li sites within the structural model (Fig. 2c-e), and hence also provide direct evidence for the A-site occupancy of Li ions.

XĀNEŠ spectra were collected from samples SFF and LSFF-1. There is no change in the Sc K-edge XANES (Supplementary Fig. 3a), which shows that the chemical valence of Sc remains constant during the lithiation. On the other hand, the Fe K-edge is clearly shifted to lower energies, which indicates a partial reduction from Fe³⁺ to Fe²⁺ after the lithiation reaction (Supplementary Fig. 3b). The pre-edge peak (Fig. 2f-h), corresponding to the $1s \rightarrow 3d$ transition, can be used to estimate the Fe³⁺/ Σ Fe ratio (Supplementary Note 2). For SFF, the Fe³⁺/ Σ Fe ratio is near to unity showing that Fe ions are in the +3 state. However, for LSFF-1, the Fe³⁺/ Σ Fe ratio is 0.36, consistent with the 40% residual proportion of Fe³⁺ ions predicted for the composition Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃ found by NPD refinement.

Tunable thermal expansion via Li intercation. The Lattice parameter measurements demonstrate that Li intercalation has a strong influence on thermal expansion (Fig. 3a). ScF₃ and SFF have NTE behaviour with average linear thermal expansions (in the range 150–425 K) of $\alpha_l = -7.47$ and $-5.01 \times 10^{-6} \text{ K}^{-1}$, respectively. However, introduction of a small amount of Li at the A-sites results in a change to PTE with $\alpha_l = 1.03 \times 10^{-6} \text{ K}^{-1}$ for LSFF-1 as shown in Fig. 3a. Samples with lower lithium contents were generated by heating LSFF-1 at temperatures above 425 K in inert an N2 atmosphere resulting in loss of Li as LiF and Fe as Fe₃O₄, and α -Fe₂O₃ (Supplementary Figs 4–7 and Table 2), and three further $Li_x(Sc_{1-y}Fe_y)F_3$ products (samples LSFF-2 to 4) were generated by this route (Fig. 3b). This was used as a convenient way to deintercalate lithium and demonstrate resulting changes in thermal expansion, although it is not a practical method for applications.




Figure 1 | The effect of Li ion interaction on the tunable thermal expansion of ScF₃. (a) The cubic structure of ScF₃ with open framework (space group: $Pm\bar{3}m$). The cage consisting of corner-shared ScF₃ regular octahedra is marked with the dash line circle (A-site). The guest ions or molecules can be inserted at the A-site cage. (b) The negative thermal expansion of ScF₃ induced by the transverse vibration of fluorine normal to the linkage of Sc-F-Sc. (c) The steric hindrance role of inserted ions, eg, Li⁺, in the vibration of fluorine. The longitudinal vibration of fluorine results in the positive thermal expansion.

Phase contents were determined by structure refinement based on the NPD data, and the results are tabulated in Supplementary Table 3. Their thermal expansion curves in Fig. 3a demonstrate that α_l changes smoothly with Li content. Near zero thermal expansion (ZTE) with $\alpha_l = -0.75 \times 10^{-6}$ K⁻¹ is achieved in Li_{0.04}(Sc_{0.94}Fe_{0.06})F₃ (LSFF-2) annealed at 475 K, while Li_{0.02}(Sc_{0.97}Fe_{0.03})F₃ (LSFF-3) has moderate NTE of $\alpha_l = -2.59 \times 10^{-6}$ K⁻¹. Annealing at 575 K gives sample LSFF-4 with $\alpha_l = -7.40 \times 10^{-6}$ K⁻¹ the same as for ScF₃ (Supplementary Fig. 8), showing that all Li and Fe have been driven from the framework (Supplementary Note 3). Hence, chemical control of thermal expansion is achieved by adjusting the intercalated Li content. Maximum NTE is obtained for the composition with zero Li content, while weaker NTE, ZTE or PTE can be achieved as Li content increases.

The mechanism of controllable thermal expansion. A previous inelastic neutron scattering study revealed that the NTE behaviour of ScF₃ mainly originates from the transverse vibration of fluoride ions at low frequencies (0-30 meV)³⁹. To investigate how Li ion intercalation tunes the thermal expansion of ScF₃, we have performed vibrational analysis of the fluorine atoms using first-principles calculations. The results reveal that the vibrations of fluorine ions are strongly perturbed by the inserted Li ions, and the directions of all transverse modes are inclined as shown for the representative mode with the lowest frequency in Fig. 4a,b. Figure 4a shows the lowest frequency (37 cm^{-1}) vibrational mode for undoped ScF3 where the vibrational motion of fluorine ions is perpendicular to the Sc-F-Sc linkages leading to NTE in ScF₃. Interestingly, intercalation of Li ions into the ScF₃ cages strongly perturbs this vibrational mode (Fig. 4b). The vectors of thermal vibration for the closest fluorine ions change from being perpendicular to the Sc-F-Sc linkage to an angle of $\sim 50^{\circ}$ and hence have significant transverse and longitudinal components. This demonstrates that intercalation of Li ions redistributes the fluorine vibrational motion locally, contributing to bond stretching thermal expansion and PTE. Hence even a small concentration of Li $(x \sim 0.04)$ is sufficient to suppress the overall NTE behaviour, owing to the dual effects on the amplitude and direction of transverse vibrations of fluorine ions.

The effects of Li intercalation on thermal expansion are further supported by the anisotropic atomic amplitude of fluorine ions calculated in the structure refinements from NPD data. Supplementary Table 4 and Fig. 4c show the values of anisotropic atomic displacement parameters of fluorine ions and CTEs of the LSFF compositions. With increasing content of Li the transverse thermal vibration amplitude (U_{33}) of F ions is weakened, while the longitudinal one (U_{11}) is enhanced. As shown in Fig. 4c, there is a good correlation between CTE and the ratio U_{33}/U_{11} . Larger U_{33}/U_{11} corresponds to stronger transverse thermal vibration of fluorine ions, and a more negative expansion coefficient. The change of thermal expansion from PTE to NTE is accompanied by an increase in the ratio of U_{33}/U_{11} .

Discussion

The above results demonstrate that introducing a small concentration of Li ions into $(Sc_{0.9}Fe_{0.1})F_3$ switches the thermal expansion behaviour from NTE to PTE, consistent with the Li guest ions in $Li_{0.06}(Sc_{0.9}Fe_{0.1})F_3$ providing steric hindrance to the transverse vibrations of fluorine ions. Thus, it is likely that NTE can be controlled in many frameworks by adjusting the concentration of guest ions, as previously found for several frameworks by varying the concentration of guest water molecules^{34–38}. This method should be applicable to NTE frameworks containing reducible cations, otherwise substitution can be used to introduce such species such as the small amount of iron replacing scandium in the present example.

The present study may provide an effective method to achieve thermal expansion control engineering by means of the redox intercalation of guest ions or molecules into the pores of a NTE framework. Although we have used chemical intercalation to introduce lithium into (Sc_{0.9}Fe_{0.1})F₃ and thermal decomposition to delithiate leading to impurity formation, standard electrochemical methods used in batteries or sensors could be used to introduce or remove cations reversibly. A similar Li insertion and extraction has been reported to occur reversibly and rapidly at room temperature for ReO3-type FeF3 via an electrochemical method⁴¹, validating the feasibility of this approach. Electrochemical methods could lead to smart devices that respond to external stimuli by varying their coefficient of thermal expansion to control complex devices such as precise multicomponent optics. Redox intercalation thus offers a general method for thermal expansion control engineering at the materials and device levels.

In summary, the present study demonstrates that redox intercalation of guest cations into the empty pores of a framework




Figure 2 | The structure and chemical valence of ScF₃-based solid solutions. (a) High-energy synchrotron X-ray diffraction patterns of ScF₃, (Sc_{0.9}Fe_{0.1})F₃ and Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃ samples at room temperature. (b) Difference Fourier map of Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃ at room temperature which was obtained by neutron powder diffraction. The negative intensity indicates that lithium ions are at the A-site. (c) ABF image of lithiated region in the Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃. The inset shows the arrangements of atoms. (d) The corresponding ABF in line profile acquired along the line in c. The black arrows mark the fluorine and lithium atomic sites. (e) The corresponding ABF in line profile in (Sc_{0.9}Fe_{0.1})F₃ and Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃ and Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃. (h) The comparison of Fe K pre-edge peak for both (Sc_{0.9}Fe_{0.1})F₃ and Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃ after the background subtraction. The ratio Fe³⁺/ \sum Fe can be estimated according to the pre-edge centroid and is reduced in Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃ by lithium intercalation.

material provides an effective method for tuning thermal expansion properties, in particular in transforming a NTE precursor to a ZTE or PTE product. Intercalated ions play a critical role by sterically hindering the transverse vibrations of corner-shared ScF_6 framework polyhedra, and thus changes overall thermal expansion from negative to positive. This method should be applicable to NTE frameworks containing reducible cations or chemical substitution can be used to introduce such species.

Methods

Sample preparation. The $(Sc_{0.9}Fe_{0.1})F_3$ (SFF) and ScF₃ samples were prepared via the solid-state reaction with the precursors of high purity (99.99%) Sc₂O₃, Fe₂O₃ and NH₄F. These precursors in stoichiometric proportions were pressed into a small pellet (radius and height 5×5 mm) and covered with NH₄F powder and pressed into a larger pellet (10×10 mm). The pellet was loaded into Pt crucible and transferred to a furnace with heating at 600 °C for 5 h, and slow cooling to room temperature. The SFF sample was found to be phase pure by X-ray diffraction.

The Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃ sample was obtained by the chemical intercalation of the SFF powder with *n*-butyllithium (1.6 M in hexane Aldrich, approximately 10 times the stoichiometric mole ratio) at room temperature for 24 h in a glove box with high purity argon atmosphere. The as-prepared sample powder was washed with hexane several times, and then dried under N₂ flow at 80 °C for 10 h. The product did not decompose on heating up to 425 K giving composition Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃ (sample LSFF-1). Samples Li_{0.04}(Sc_{0.94}Fe_{0.06})F₃ (LSFF-2), Li_{0.02}(Sc_{0.97}Fe_{0.03})F₃ (LSFF-3) and ScF₃ (LSFF-4) were obtained by partial thermal decomposition in an inert N₂ atmosphere, respectively, at 475, 525 and 575 K.

A small amount (0.8 wt%) of impurity phase LiF was observed in LSFF-1. Further impurity phases of iron oxides in LSFF-2 to 4 were generated by hightemperature decomposition as shown in Supplementary Table 3. It needs to note that the presence of impurity phases does not affect the intrinsic thermal expansion properties of the ReO_3 -type phases.

X-ray and neutron powder diffraction. Temperature dependent X-ray diffraction data were collected from 150 to 650 K by using a PANalytical, PW 3040-X-PertPro X-ray diffractometer. The lattice constant was refined using a cubic structural model (space group: $Pm\bar{3}m$). Room temperature




Figure 3 | The effective control of thermal expansion of ScF₃-based compounds. (a) Temperature evolution of relative change in the lattice constant for the PTE LSFF-1 ($Li_{0.06}(Sc_{0.9}Fe_{0.1})F_3$ after annealing 425 K), near ZTE LSFF-2 ($Li_{0.04}(Sc_{0.94}Fe_{0.06})F_3$ after annealing 475 K), moderate NTE LSFF-3 ($Li_{0.02}(Sc_{0.97}Fe_{0.03})F_3$ after annealing 525 K), moderate NTE ($Sc_{0.9}Fe_{0.1}$) F_3 and strong NTE ScF₃. Errors are smaller than the size of data symbols. **(b)** The stoichiometry of Li and Fe in the main ReO₃-type phase, $Li_x(Sc_{1-y}Fe_y)F_3$, for the $Li_{0.06}(Sc_{0.97}Fe_{0.1})F_3$ sample as function of temperature. The stoichiometric values of Li and Fe were estimated according to the content of all phases by means of full-profile Rietveld refinements of neutron powder diffraction (LSFF-1: $Li_{0.06}(Sc_{0.9}Fe_{0.1})F_3$, LSFF-2: $Li_{0.04}(Sc_{0.94}Fe_{0.06})F_3$, LSFF-3: $Li_{0.02}(Sc_{0.97}Fe_{0.03})F_3$, and LSFF-4: ScF₃).




Figure 4 | The role of Li intercalation in control of thermal expansion of ScF₃-based solid solutions. (a) Transverse vibration of fluorine perpendicular to the Sc-F-Sc linkage in the NTE ScF₃ super cell. (b) Vibration of fluorine deviating from the perpendicular direction to the Sc-F-Sc linkage in the PTE Li(Sc₂₆Fe)F₈₁ super cell, corresponding to the composition of Li_{0.037}(Sc_{0.963}Fe_{0.037})F₃. Purple arrows indicate the vibration direction of fluorine ions. (c) The correlation between CTE and U_{33}/U_{11} . U_{33} and U_{11} are atomic displacement parameters of fluorine ions for the transverse and longitudinal directions, respectively. Larger values of U_{33}/U_{11} correspond to greater transverse thermal vibration amplitudes of fluorine ions. The inset shows a schematic thermal ellipsoid of fluorine in the Sc-F-Sc linkage.

synchrotron X-ray diffraction data were collected at the instrument 11-ID-C at the Advanced Photon Source with a wavelength of 0.111650 Å. NPD data of the $Li_{0.06}(Sc_{0.9}Fe_{0.1})F_3$ sample was collected from 298 to 573 K at the NIST Center for Neutron Research on the BT-1 high-resolution neutron powder diffractometer. The wavelength of the neutron beam was 1.5398 Å. The chemical compositions and anisotropic atomic displacement parameters of fluorine ions of the LSFF samples were determined by structure refinement using NPD data. All structure calculations were performed using FULLPROF software⁴². The details of refinements can be found in Supplementary Note 1.

X-ray absorption fine structure spectroscopy. Sc and Fe K-edge XANES and extended X-ray absorption fine structure (EXAFS) spectroscopy measurements were performed from room temperature to about 700 K at the XAFS beamline of ELETTRA synchrotron radiation facility in Trieste (Italy). The samples for EXAFS were prepared by mixing and pelletizing the SFF and Li_{0.06}(Sc_{0.9}Fe_{0.1})F₃ powder with boron nitride powder. The EXAFS spectra were collected in transmission mode in the energy range 4.3–5.7 keV for Sc K-edge EXAFS, 6.9–8.3 keV for Fe K-edge EXAFS, with an energy step varying from 0.1 eV in the near-edge region to about 4 eV at the highest energies, to obtain a uniform wave vector step $\Delta k \cong 0.03 \text{ Å}^{-1}$. The X-ray beam was monochromatized by a Si(111) double-crystal monochromator. The sample was monited in a high-temperature furnace and the temperature was stabilized and monitored through an electric heater controlled by a feedback loop, ensuring a thermal stability within $\pm 1 \text{ K}$.

Scanning transmission electron microscopy. STEM was performed using a JEM-ARM 200F (JEOL, Tokyo, Japan) that operated at 200 kV and was equipped with double aberration-correctors for probe-forming. Imaging lenses were used to perform high-angle annular-dark field (HAADF) and ABF imaging. The attainable spatial resolution of the microscope is 78 pm at the incident semi-angle of 25 mrad. To observe Li ions directly using ABF collection geometry, the acceptance semi-angle in this study was fixed between 12 and 25 mrad.

First-principles calculation. The first-principles vibrational analysis was performed by CASTEP⁴³, a total energy package based on the plane-wave pseudopotential density functional theory method^{44,45}. The exchange-correlation functional developed by Perdew, Burke and Ernzerhof⁴⁶ in general gradient approximation form ref. 47 was adopted to describe the exchange-correlation energy. The effective interaction between the valence electrons (Li $2s^1$, Sc $3d^14s^2$, Fe $3d^{6}4s^{2}$ and F $2s^{2}2p^{5}$) and atom cores were modelled by optimized norm-conversing pseudopotentials⁴⁸, which allow us to choose a relatively small plane wave basis set without compromising the computational accuracy. The kinetic energy cutoff 900 eV and dense Monkhorst-Pack49 k-point mesh spanning less than 0.04 Å $^{-1}$ in the Brillouin zone were chosen. To consider the effect of the intercalation of Li ions on the vibrational property, a $3 \times 3 \times 3$ super cell was built in which one Sc atom was replaced by Fe atom and one Li atom was inserted in the neighbouring A-site. Before vibrational property calculation, the crystal structure was geometrically optimized to find the energy minimum. The Broyden-Fletcher-Goldfarb-Shanno (BFGS) minimization scheme⁵⁰ was employed in the geometry optimization, in which the convergence criteria for the structure optimization were set to 5.0×10^{-5} eV per atom, 0.1 eV Å⁻¹, 0.2 GPa and $5.0 \times 10^{-3}\,\text{GPa}$ for energy, maximum force, maximum stress and maximum displacement, respectively. On the basis of crystal configuration in the minimal energy, the frequencies of the phonon modes were calculated by linear response formalism⁵¹, and the phonon modes were obtained by the second derivative of the total energy with respect to a given perturbation.

Data availability. The data relevant to the findings of this study are available from the corresponding authors on reasonable request.

ARTICLE

References

- Mary, T. A., Evans, J. S. O., Vogt, T. & Sleight, A. W. Negative thermal expansion from 0.3 to 1,050 Kelvin in ZrW₂O₈. Science 272, 90–92 (1996).
- Evans, J. S. O. Negative thermal expansion materials. J. Chem. Soc. Dalton. Trans. 19, 3317–3326 (1999).
- Takenaka, K. Negative thermal expansion materials: technological key for control of thermal expansion. Sci. Technol. Adv. Mater. 13, 013001 (2012).
- Chen, J., Hu, L., Deng, J. X. & Xing, X. R. Negative thermal expansion in functional materials: controllable thermal expansion by chemical modifications. *Chem. Soc. Rev.* 44, 3522–3567 (2015).
- Chen, J. et al. Zero thermal expansion in PbTiO₃-based perovskites. J. Am. Chem. Soc. 130, 1144–1145 (2008).
- Azuma, M. *et al.* Colossal negative thermal expansion in BiNiO₃ induced by intermetallic charge transfer. *Nat. Commun.* 2, 347 (2011).
- Senn, M. S. et al. Symmetry switching of negative thermal expansion by chemical control. J. Am. Chem. Soc. 138, 5479–5482 (2016).
- Mohn, P. Materials science: a century of zero expansion. Nature 400, 18–19 (1999).
- Huang, R. J. et al. Giant negative thermal expansion in NaZn₁₃-type La(Fe,Si,Co)₁₃ compounds. J. Am. Chem. Soc. 135, 11469–11472 (2013).
- Takenaka, K. & Takagi, H. Giant negative thermal expansion in Ge-doped anti-perovskite manganese nitrides. *Appl. Phys. Lett.* 87, 1902 (2005).
- Das, D., Jacobs, T. & Barbour, L. J. Exceptionally large positive and negative anisotropic thermal expansion of an organic crystalline material. *Nat. Mater.* 9, 36–39 (2010).
- Birkedal, H., Schwarzenbach, D. & Pattison, P. Observation of uniaxial negative thermal expansion in an organic crystal. *Angew. Chem. Int. Ed.* 114, 780–782 (2002).
- Morelock, C. R., Greve, B. K., Gallington, L. C., Chapman, K. W. & Wilkinson, A. P. Negative thermal expansion and compressibility of Sc_{1-x}Y_xF₃ (x≤0.25). *J. Appl. Phys.* 114, 213501 (2013).
- Wilkinson, A. P., Josefsberg, R. E., Gallington, L. C., Morelock, C. R. & Monaco, C. M. History-dependent thermal expansion in NbO₂F. J. Solid State Chem. 213, 38–42 (2014).
- 15. Han, F. *et al.* The distortion-adjusted change of thermal expansion behavior of cubic magnetic semiconductor $(Sc_{1-x}M_x)F_3$ (M = Al, Fe). J. Am. Ceram. Soc. **99**, 2886–2888 (2016).
- 16. Hu, L. *et al.* Zero thermal expansion and ferromagnetism in cubic $Sc_{1-x}M_xF_3$ (M = Ga, Fe) over a wide temperature range. *J. Am. Chem. Soc.* **136**, 13566–13569 (2014).
- Morelock, C. R., Gallington, L. C. & Wilkinson, A. P. Solid solubility, phase transitions, thermal expansion, and compressibility in Sc_{1-x}Al_xF₃. *J. Solid State Chem.* 222, 96–102 (2015).
- Lama, P., Das, R. K., Smith, V. J. & Barbour, L. J. A combined stretching-tilting mechanism produces negative, zero and positive linear thermal expansion in a semi-flexible Cd (ii)-MOF. *Chem. Commun.* 50, 6464–6467 (2014).
- Grobler, I., Smith, V. J., Bhatt, P. M., Herbert, S. A. & Barbour, L. J. Tunable anisotropic thermal expansion of a porous zinc (II) metal-organic framework. *J. Am. Chem. Soc.* 135, 6411–6414 (2013).
- 20. Duyker, S. G., Peterson, V. K., Kearley, G. J., Ramirez-Cuesta, A. J. & Kepert, C. J. Negative thermal expansion in LnCo(CN)₆ (Ln = La, Pr, Sm, Ho, Lu, Y): mechanisms and compositional trends. *Angew. Chem. Int. Ed.* **52**, 5266–5270 (2013).
- Attfield, J. P. Condensed-matter physics: a fresh twist on shrinking materials. Nature 480, 465-466 (2011).
- Greve, B. K. et al. Pronounced negative thermal expansion from a simple structure: Cubic ScF₃. J. Am. Chem. Soc. 132, 15496–15498 (2010).
- Hancock, J. C. *et al.* Large negative thermal expansion and anomalous behavior on compression in cubic ReO₃-type A^{II}B^{IV}F₆: CaZrF₆ and CaHfF₆. *Chem. Mater.* 27, 3912–3918 (2015).
- 24. Romao, C. P. et al. The heat capacities of thermomiotic ScF₃ and ScF₃-YF₃ solid solutions. J. Mater. Sci. 50, 3409–3415 (2015).
- Hu, L. *et al.* New insights into the negative thermal expansion: direct experimental evidence for the 'guitar-string' effect in cubic ScF₃. *J. Am. Chem. Soc.* 138, 8320–8323 (2016).
- Dubbeldam, D. et al. Exceptional negative thermal expansion in isoreticular metal-organic frameworks. Angew. Chem. Int. Ed. 119, 4580-4583 (2007).
- Zhou, H.-L. et al. Direct visualization of a guest-triggered crystal deformation based on a flexible ultramicroporous framework. Nat. Commun. 4, 2534 (2013).
- Margadonna, S., Prassides, K. & Fitch, A. N. Zero thermal expansion in a Prussian blue analogue. J. Am. Chem. Soc. 126, 15390–15391 (2004).
- Chapman, K. W., Chupas, P. J. & Kepert, C. J. Compositional dependence of negative thermal expansion in the Prussian blue analogues M^{II}Pt^{IV} (CN)₆ (M = Mn, Fe, Co, Ni, Cu, Zn, Cd). J. Am. Chem. Soc. **128**, 7009–7014 (2006).
- Goodwin, A. L. *et al.* Colossal positive and negative thermal expansion in the framework material Ag₃[Co(CN)₆]. *Science* **319**, 794–797 (2008).
- Cha, W. *et al.* Core-shell strain structure of zeolite microcrystals. *Nat. Mater.* 12, 729–734 (2013).

- 32. Lightfoot, P., Woodcock, D. A., Maple, M. J., Villaescusa, L. A. & Wright, P. A. The widespread occurrence of negative thermal expansion in zeolites. *J. Mater. Chem.* 11, 212–216 (2001).
- 33. Nakajima, N., Yamamura, Y. & Tsuji, T. Synthesis and physical properties of negative thermal expansion materials Zr_{1-x}M_xW₂O_{8-y} (M=Sc, In, Y) substituted for Zr (IV) sites by M (III) ions. *Solid State Commun.* **128**, 193–196 (2003).
- 34. Goodwin, A. L., Chapman, K. W. & Kepert, C. J. Guest-dependent negative thermal expansion in nanoporous prussian blue analogues M^{II}Pt^{IV}(CN)₆ x{H₂O}(0≤x≤2; M=Zn, Cd). J. Am. Chem. Soc. **127**, 17980–17981 (2015).
- Duan, N., Kameswari, U. & Sleight, A. W. Further contraction of ZrW₂O₈. J. Am. Chem. Soc. 121, 10432–10433 (1999).
- Phillips, A. E., Goodwin, A. L., Halder, G. J., Southon, P. D. & Kepert, C. J. Nanoporosity and exceptional negative thermal expansion in single-network cadmium cyanide. *Angew. Chem. Int. Ed.* 120, 1418–1421 (2008).
- Phillips, A. E., Halder, G. J., Chapman, K. W., Goodwin, A. L. & Kepert, C. J. Zero thermal expansion in a flexible, stable framework: tetramethylammonium copper (I) zinc (II) cyanide. J. Am. Chem. Soc. 132, 10–11 (2009).
- Carey, T., Tang, C. C., Hriljac, J. A. & Anderson, P. A. Chemical control of thermal expansion in cation-exchanged zeolite A. *Chem. Mater.* 26, 1561–1566 (2014).
- Li, C. W. et al. Structural relationship between negative thermal expansion and quartic anharmonicity of cubic ScF₃. Phys. Rev. Lett. 107, 195504 (2011).
- Pérez-Estébanez, M., Isasi-Marín, J., Többens, D. M., Rivera-Calzada, A. & León, C. A systematic study of Nasicon-type Li_{1+x}M_xTi_{2-x}(PO₄)₃ (*M*: Cr, Al, Fe) by neutron diffraction and impedance spectroscopy. *Solid State Ionics* 266, 1–8 (2014).
- 41. Liu, P. et al. Thermodynamics and kinetics of the Li/FeF₃ reaction by electrochemical analysis. J. Phys. Chem. C. **116**, 6467–6473 (2012).
- Rodríguez-Carvajal, J. Recent advances in magnetic structure determination by neutron powder diffraction. *Phys. B* 192, 55–69 (1993).
- Clark, S. J. et al. First principles methods using CASTEP. Z. Kristallogr. 220, 567–570 (2005).
- 44. Kohn, W. & Sham, L. J. Self-consistent equations including exchange and correlation effects. *Phys. Rev.* 140, A1133–A1138 (1965).
- Payne, M. C., Teter, M. P., Allan, D. C., Arias, T. A. & Joannopoulos, J. D. Iterative minimization techniques for *ab initio* total-energy calculations: Molecular dynamics and conjugate gradients. *Rev. Mod. Phys.* 64, 1045–1097 (1992).
- Perdew, J. P., Burke, K. & Ernzerhof, M. Generalized gradient approximation made simple. *Phys. Rev. Lett.* 77, 3865–3868 (1996).
- Perdew, J. P. et al. Atoms, molecules, solids, and surfaces: applications of the generalized gradient approximation for exchange and correlation. *Phys. Rev.* B. 46, 6671–6687 (1992).
- Rappe, A. M., Rabe, K. M., Kaxiras, E. & Joannopoulos, J. D. Optimized pseudopotentials. *Phys. Rev. B.* 41, 1227–1230 (1990).
- Monkhorst, H. J. & Pack, J. P. Special points for brillouin-zone integrations. Phys. Rev. B. 13, 5188–5192 (1976).
- Pfrommer, B. G., Côté, M., Louie, S. G. & Cohen, M. L. Relaxation of crystals with the quasi-newton method. J. Comput. Phys. 131, 233-240 (1997).
- Baroni, S., De Gironcoli, S., Dal Corso, A. & Giannozzi, P. Phonons and related crystal properties from density-functional perturbation theory. *Rev. Mod. Phys.* 73, 515–562 (2001).

Acknowledgements

This work was supported by the National Natural Science Foundation of China (grant nos. 21322102, 91422301, 21231001, 21590793 and 11474292), the Program for Changjiang Scholars and the Innovative Research Team in University (IRT1207), the Changjiang Young Scholars Award, National Program for Support of Top-notch Young Professionals, and the Fundamental Research Funds for the Central Universities, China (FRF-TP-14-012C1), the Special Foundation of the Director of Technical Institute of Physics and Chemistry (TIPC). The use of the Advanced Photon Source at Argonne National Laboratory was supported by the U.S. Department of Energy, Office of Science, Office of Basic Energy Sciences (DE-AC02-06CH11357). We acknowledge the ELETTRA Synchrotron Radiation Facility for provision of synchrotron radiation as well as all the staff of the XAFS beamline.

Author contributions

J.C., J.P.A. and X.X. initiated and designed the research. J.C., J.P.A. and X.X. discussed and wrote the manuscript, and all authors revised and commented on it. J.C., Q.G., K.L. and Q.H. measured and analysed the neutron diffraction data. Q.G. synthesized the samples. Q.G. and J.D. measured and analysed the thermal expansion data. A.S., A.C., C.G.R. and L.O. collected the data of EXAFS and A.S. analysed the data of EXAFS. L.G. measured and helped to analyse the STEM data. X.J., Z.L., L.W. and C.W. performed the first-principle calculations, and X.J. wrote the content of theoretical calculations. Y.R. and L.H. measured and helped to analyse the data of synchrotron X-ray diffraction. J.C. and X.X. guided the projects.

Additional information

Supplementary Information accompanies this paper at http://www.nature.com/naturecommunications

Competing financial interests: The authors declare no competing financial interests.

Reprints and permission information is available online at http://npg.nature.com/ reprintsandpermissions/

How to cite this article: Chen, J. *et al.* Tunable thermal expansion in framework materials through redox intercalation. *Nat. Commun.* **8**, 14441 doi: 10.1038/ncomms14441 (2017).

Publisher's note: Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/

© The Author(s) 2017