



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Letter to the Editor

Citation for published version:

Chang, EM, Bretherick, A, Drummond, GB & Baillie, JK 2020, 'Letter to the Editor: Response to Luke Fletcher and Philip Peyton regarding "Predictive validity of a novel non-invasive estimation of effective shunt fraction in critically ill patients"', *Intensive care medicine experimental*, vol. 8, no. 1, pp. 57.
<https://doi.org/10.1186/s40635-020-00342-y>

Digital Object Identifier (DOI):

[10.1186/s40635-020-00342-y](https://doi.org/10.1186/s40635-020-00342-y)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Publisher's PDF, also known as Version of record

Published In:

Intensive care medicine experimental

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



LETTER TO THE EDITOR

Open Access



Letter to the Editor: Response to Luke Fletcher and Philip Peyton regarding “Predictive validity of a novel non-invasive estimation of effective shunt fraction in critically ill patients”

Emma M. Chang¹, Andrew Bretherick^{1,2}, Gordon B. Drummond¹ and J. Kenneth Baillie^{1,3*} 

This reply refers to the comment available at <https://doi.org/10.1186/s40635-020-00318-y>.

* Correspondence: j.k.baillie@ed.ac.uk

¹Anaesthesia, Critical Care and Pain Medicine, Royal Infirmary of Edinburgh, Edinburgh EH16 4SA, UK

³The Roslin Institute and Royal (Dick) School of Veterinary Studies, University of Edinburgh, Easter Bush, Edinburgh EH25 9RG, UK
Full list of author information is available at the end of the article

To the Editor,

We thank Peyton and Fletcher for their interest in our paper, where we devised a method to infer shunt fraction from a single arterial blood gas sample, with the intention to allow clinical research and prediction without the need for additional invasive measurements, as stated both in the abstract and the main text of our report. Peyton and Fletcher have usefully emphasised this point by citing their own work, in which more invasive samples could be taken. However, it is very likely that the correct derivation of the relationship between the relevant components of the equation has been known and used well before this work: see, for example, the diagrammatic explanation shown in our citation 2 [1]. We do not claim that this simple algebraic rearrangement is original.

As we stated in our paper, our conclusion is that the estimated shunt fraction, although imperfect, is an improvement upon P/F. We recommend its use instead of other measures in situations where FIO₂ is changing.

We thank the authors for spotting the typo in one of the equations in our paper on Effective Shunt (ES). A set of parentheses were dropped in the published version. We have now corrected this.

Best wishes,

Emma Chang, Andrew Bretherick, Gordon Drummond and Kenneth Baillie

Acknowledgements

Not applicable

Authors' contributions

All authors commented and contributed to the final response. The author(s) read and approved the final manuscript.

Funding

Not applicable

Availability of data and materials

Not applicable



© The Author(s). 2020 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

Ethics approval and consent to participate

As this is a response to a letter on our previous work, ethical approval and consent were not required.

Consent for publication

Not applicable

Competing interests

All authors state that they have no potential conflicts of interest to declare relating to this work.

Author details

¹Anaesthesia, Critical Care and Pain Medicine, Royal Infirmary of Edinburgh, Edinburgh EH16 4SA, UK. ²MRC Institute of Genetics and Molecular Medicine, The University of Edinburgh, Edinburgh EH4 2XU, UK. ³The Roslin Institute and Royal (Dick) School of Veterinary Studies, University of Edinburgh, Easter Bush, Edinburgh EH25 9RG, UK.

Received: 12 August 2020 Accepted: 2 September 2020

Published online: 01 October 2020

Reference

1. Drummond GB, Zhong NS (1983) Inspired oxygen and oxygen transfer during artificial ventilation for respiratory failure. *British journal of anaesthesia*. 55:3–13

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Submit your manuscript to a SpringerOpen[®] journal and benefit from:

- ▶ Convenient online submission
- ▶ Rigorous peer review
- ▶ Open access: articles freely available online
- ▶ High visibility within the field
- ▶ Retaining the copyright to your article

Submit your next manuscript at ▶ [springeropen.com](https://www.springeropen.com)
