



Photo Credit: City of Reno Fire Department

First Responder Mental Health

Kira Swensen, B.S., Timothy Keady, M.S., Maren Wright Voss, Sc.D.

Communities spend thousands of dollars on first responders to protect them physically: body armor for law enforcement officers, heat resistant gear for firefighters, gloves and reflective clothing for Emergency Medical Services (EMS) personnel. Supporting and investing in programs related to first responders' mental health is equally important in keeping their minds safe. First responders train long hours each year to stay prepared for almost any situation. In the past, training has centered around physical safety and job efficiency. In recent years, efforts have been made to include mental health training and reduce the stigma associated with mental health for first responders (Rose, et al., 2015).

It's easy to realize that first responders endure hazardous conditions, traumatic events, and long hours on the job, but much of the stress comes from the everyday job requirements. Burnout and compassion fatigue can be the most difficult aspects for first responders to manage.

Burnout was recognized by the World Health Organization (WHO) in 2019 as a health concern and has been described as "physical and mental exhaustion caused by a depleted ability to cope with one's everyday environment" (Cocker & Joss, 2016).

Effects of Burnout

Almost 70% of first responders report not having enough time to recover in between the traumatic events they experience, and 7% develop clinical depression (Bentley, et al., 2013). As many as 37% of fire and EMS first responders have considered suicide, a rate 10 times higher than the national average (Abbot, et al., 2015). Other consequences for individuals experiencing burnout may include increased risk for alcohol and substance misuse (Grayson, 2010).

Compassion fatigue can also manifest in first responders. Compassion fatigue is another symptom of the stress resulting from exposure to a traumatized individual (Cocker & Joss, 2016). Compassion fatigue can be particularly challenging, as the job stress begins to impact relationships at home (Grayson, 2019). Signs of compassion fatigue include sadness and grief, avoidance, reduced empathy towards others, negativity towards others, and detachment.

The cost of four shirts, a badge and accessories like a name tag and patch cost about - \$400.

Ballistic vest - \$700

Radio - \$700

.40 caliber Glock 22 - \$600

Taser - \$850

Body camera and video storage - \$740

Duty gear (the belt, pouches and other tools) - \$700

Two pairs of new pants for an officer cost about - \$240.

Boots - \$200

TOTAL - \$5,130



The Cost to Outfit a Police Officer

First Responder Exposure to Stressors

Death	Grief	Injury
Loss	Threats to Personal Safety	Long Hours
Poor Sleep	Physical Hardship	Trauma

Signs and Symptoms of Stress and Burnout

Fatigue	Anger/ Frustration	Poor Concentration
Withdrawal	Easily Frustrated	Irritability
Poor self-care	Addiction	Nightmares
Headaches	Digestive Problems	Muscle Tension

(SAMHSA, 2018)

Protective Factors

The Substance Abuse and Mental Health Services Administration (SAMHSA) created a guide listing potential protective factors. These include job satisfaction, social support, camaraderie among coworkers, and receiving specialized training. The SAMHSA report also denoted risk factors which included longer hours on the site of the disaster, dealing with serious injuries or bodies of the dead, identifying with the victims, and experiencing recent personal stressors.

Resilience is “the ability to successfully adapt to stressors, maintaining psychological well-being in the face of adversity” (Haglund et al., 2007). Resilience provides a protective factor against the stressors first responders face that result in burnout, compassion fatigue, and other mental or behavioral health effects. While some individuals have higher resilience and respond better to the stressful demands of the job, resilience is a skill that can be learned. Resilience training and peer support programs have shown a positive impact in 80% of studies, though the training must be refreshed to maintain the benefits. (Awa, et al., 2010).

Possible incentives for departments and organizations in supporting mental health include increased productivity, fewer sick days,

Self-care Strategies

- ✓ Maintain **core components**: adequate sleep, good nutrition, regular physical activity, and active relaxation
- ✓ Stay hydrated
- ✓ Practice basic hygiene
- ✓ Find things to look forward to
- ✓ Communicate with family and friends

Resources for First Responders

- ✓ Employee Assistance Programs (EAPs)
- ✓ Substance Abuse and Mental Health Services Administration (SAMHSA)
- ✓ PTSD Foundation of America
- ✓ Alcoholics Anonymous (AA)
- ✓ National Suicide Prevention Lifeline
- ✓ Safe Call Now
- ✓ Code Green Campaign
- ✓ MindShield for First Responders
- ✓ BCfirstrespondersmentalhealth.com

improved engagement at work, improved recruiting and retention rates, fewer disability claims, less conflict, and higher morale (BC FirstResponderMentalHealth, n.d).

Reducing Stigma

One of the most important barriers to address in providing mental health supports is reducing stigma among first responders themselves. Ensuring senior leaders are onboard and clearly support mental health efforts in the workplace is critical (BC FirstResponderMentalHealth, n.d). Without support from leaders, mental health within the department or organization will suffer (Carpenter, et al., 2015). First responders must feel safe in their work environment, whether that means job security or someone to talk to about concerns (Backberg, 2019).

Peer support provides a great way to promote mental health efforts and reduce stigma; also offer these services to family members and retired first responders (JEMS Staff, 2018). Great benefit comes from including families of first responders in mental health efforts. When spouses, parents, and siblings, etc., understand the importance of keeping their loved ones safe mentally as well as physically, the support system grows (Lamplugh, 2017).



Resources

- Abbot, C., Barber, E., Burke, B., Harvey, J., Newland, C.,... & Young, A. (2015). *What's killing our medics?* Ambulance Service Manager Program. Conifer, CO: Reviving Responders. <http://www.revivingresponders.com/originalpaper>
- Awa, W. L., Plaumann, L., & Walter, U. (2010). Burnout prevention: A review of intervention programs. *Patient Education and Counseling*, 78(2), 184–190.
- Backberg, H. (2019, March 4). Stress: The silent killer of the EMS career. *EMS World*. Retrieved June 13, 2020 from <https://www.emsworld.com/article/1222339/stress-silent-killer-ems-career>
- Bentley, M. A., Crawford, J. M., Wilkins, J. R., Fernandez, A. R., & Studnek, J. R. (2013). An assessment of depression, anxiety, and stress among nationally certified EMS professionals. *Prehospital Emergency Care*, 17(3), 330–338.
- BC First Responder Mental Health. (n.d.). Supporting Mental Health in First Responders. <https://bcfirstrespondersmentalhealth.com/wp-content/uploads/2017/05/Recommended-Practices-for-Supporting-Mental-Health-in-First-Responders-170615.pdf>
- Carpenter, G. S., Carpenter, T. P., Kimbrel, N. A., Flynn, E. J., Pennington, M. L.,... & Gulliver, S. B. (2015). Social support, stress, and suicidal ideation in professional firefighters. *American Journal of Health Behavior*, 39(2), 191–196. doi:10.5993/ajhb.39.2.5
- Cocker, F., & Joss, N. (2016, June 22). Compassion fatigue among healthcare, emergency and community service workers: A systematic review. *International Journal of Environmental Research and Public Health*, 13(6), 618. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC492407>
- Grayson, K. (2010, October 13). Joining EMS? Here's what you're really getting into.... EMS1. Retrieved June 13, 2020 from <https://www.ems1.com/ems-education/articles/joining-ems-heres-what-youre-really-getting-into-KK702ab1ALB196Rv/>
- Haglund, M.E.M., Nestadt, P.S., Cooper, N.S., Southwick, S. M., & Charney, D. S. (2007). Psychobiological mechanisms of resilience: Relevance to prevention and treatment of stress-related psychopathology. *Developmental Psychopathology*, 19(3), 889–920.
- JEMS Staff. (2018). An update from the EMS alliance on resiliency. *Journal of Emergency Medical Services*, 6(43). Retrieved June 13, 2020 from <https://www.jems.com/2018/06/01/an-update-from-the-ems-alliance-on-resiliency/>
- Lamplugh, M. W., Jr. (2017, May 8). The stress in EMS: Effects of stress on the unsung heroes of the EMS profession. *Journal of Emergency Medical Services*. Retrieved June 13, 2020 from <https://www.jems.com/2017/05/08/the-stress-in-ems-effects-of-stress-on-the-unsung-heroes-of-the-ems-profession/>
- Rose, M., Newland, C., Young, A., & Barber, E. (2015, September 28). Survey reveals alarming rates of EMS provider stress and thoughts of suicide. *Journal of Emergency Medical Services*, 10(40). Retrieved June 13, 2020 from <https://www.jems.com/2015/09/28/survey-reveals-alarming-rates-of-ems-provider-stress-and-thoughts-of-suicide/>
- Substance Abuse and Mental Health Services Administration. (2018). *First responders: Behavioral health concerns, emergency response, and trauma*. Center for Behavioral Health Statistics and Quality. <https://www.samhsa.gov/sites/default/files/dtac/supplementalresearchbulletin-firstresponders-may2018.pdf>