

ISSN: 2393-9583 (P)/2393-9591 (O)

An International Journal of Research in AYUSH and Allied Systems

Review Article

MEDA- AN IMPORTANT MEMBER OF ASTAVARGA IS SUFFERING FROM IDENTIFICATION AND **STANDARDIZATION**

Vij Divya¹, Mishra Rajesh Kumar²

*1PG Scholar, ²Assistant Professor, PG Department of Dravyaguna Vigyan, Patanjali Bhartiya Ayurvigyan Evum Anusandhan Sansthan, Haridwar, India.

KEYWORDS: Meda. Astavarga, Polygonatum verticillatum (L.) All.. Ayurveda.

*Address for correspondence Dr. Divya Vij

P.G. Scholar Department of Dravyaguna Patanjali Bhartiya Ayurvigyan Avum Anusandhan Sansthan Haridwar, India. Contact no. 7018586262 Email: divvavij158@gmail.com

Meda is one of the most important plants included in Astavarga. This plant is used in variety of Avurvedic formulations such as Cvavanprasa. Dried underground parts (rhizomes) of this plant are used for medicinal purpose. This plant is claimed to possess rejuvenating, health promoting, immune system strengthening, anti-oxidant and cell regenerating properties. Also claimed to promote body fat, healing fractures, control fever, abdominal thirst, diabetic condition, seminal weakness, and as a cure for Vata, Pitta and Rakta dosa. The demand of this herb is increasing day by day but due to scarcity of this plant in wild, unaware about authentic botanical source, non-existing cultivation practices there is widespread problem of adulteration or substitution with other plants. The poor quality of raw material affect the quality of end product formed. So by taking into account the above situation this systematic review/ metadata analysis has conducted to find out adulteration in *Meda*.

INTRODUCTION

whorled Meda commonly known as solomon's seal is a perennial rhizomatus herb[1]. According to Miller (1754) the generic name of Polygonatum is derived from its characteristic feature of rhizome which resembles to a great extent as Yovi, a knee, because it has many little knees^[2]. It is a highly valuable medicinal plant specially rhizome which in the form of syrup is used for the treatment of pain, pyrexia, burning sensation and for phthisis and in combination with other herbs as it promotes urine discharge^[2]. The plant is also used as emollient, aphrodisiac, appetizer, galactagogue and tonic for weakness[3]. Rhizome of this plant is an important ingredient of Astavarga, a drug used in as a tonic and for aphrodisiac^[4,5]. The plant also exhibits antifungal activities and used in the preparation of cosmetics as a skin tonic. Its rhizome is collected from wild and traded for medicinal purposes. This is one of the reasons that *Meda* is rapidly disappearing. So there is an urgent need for conservation of this plant^[6].

Now a days, Ayurvedic products are suffering from a serious problem of adulteration with addition of low grade, spoiled, inferior, spurious drugs, and useless parts of same or different plant, harmful substances or totally different drug either free from or inferior in therapeutic and chemical properties from original drug which do not confirm with the authenticated official standards and used to enhance profits. Owing to this, devotion in herbal drugs has turned down^[7,8,9].

Adulteration is a practice of substituting the original crude drug partially or fully with other substances which is either free from or inferior in therapeutic and chemical properties or addition of low grade or spoiled drugs or entirely different drug similar to that of original drug substituted with an intention of enhancement of profits[10,11]. Due to which the faith has declined[12]. Adverse event reports are not due to the intended herb, but rather due to the presence of an unintended herb.

Unlike in the olden days, when physicians themselves used to collect the herbs, prepare and administer the medicine, but now a days the newer generation of Ayurvedic physicians are using prepared drugs available in the market^[13]. As a result, professional plant collectors have taken over the floor and the industry is forced to accept the herbs they bring on their terms without questioning. Herb collectors, who are unable to meet increasing demand on their part, adulterate the drugs with other plants and spurious substances.

Botanical source of Meda

The Ayurveda and Sanskrit literature has described an herb with many synonyms, which do not exactly indicate the botanical source but many a times attribute to therapeutic utility of the plant. For a single herb various synonyms are mentioned in Ayurvedic lexicons on the basis of morphology, habitat, origin, medicinal property etc.

Many scholars made an effort to survey and carry research on medicinal plants but they were confused in many instances. The first and foremost modern description of *Astavarga* plants were found in the book named '*Dravyaguṇa-Vijnana*' authored by Acharya Priyavrat Sharma^[14], however, the detailed description of *Meda* was missing.

During this review it has been found that many scholars have different viewpoints about the botanical source of *Meda*^[15-45]. However, on the basis of this meticulous review, majority of acceptance by various authors, on the basis of API & AFI, the botanical source of *Meda* is considered as *Polygonatum verticillatum* (L.) All. The view point of all the scholars about the identity is presented in (Table 1).

Taxonomical classification [46]

Kingdom: Plantae; **Phyllum:** Tracheophyta;

Class: Liliopsida; Order: Asparagales; Family; Asparagaceae; Genus: Polygonatum; Species: Verticillatum;

Synonyms^[47]: *Troxilanthes angustifolia* Raf.;

Sigillum verticillatum (L.) Montandon; Polygonatum verticillatum subsp. stellifolium (Pete

rm.) K.Richt.; *Polygonatum roseum Hook.*;

Polygonatum minutiflorum H.Lev.; Polygonatum macrophyllum Sweet;

Polygonatum leptophyllum (D.Don) Royle;

Polygonatum kansuense Maxim. ex Batalin;

Polygonatum jacquemontianum Kunth;

Polygonatum erythrocarpum Hua;

Polygonatum angustifolium Bubani;

Evallaria verticillata (L.) Neck.;

Convallaria verticillata L.;

Convallaria stellifolia Peterm.; Convallaria leptophylla D.Don; Campydorum verticillatum (L.) Salisb, Polygonatum verticillatum var. gracile Baker ex Aitch.;

Specific habitat of *Meda* **as per Ayurveda:** According to *Bhawaprakasa*^[48] and *Saligrama Nighaṇtu*^[49], *Meda* is grown in south east part of Himalaya.

Morphological characters of *Meda* as per Ayurveda: According to *Bhawaprakasa Nighaṇtu* [48] *Meda* is a rhizomatous plant. Its rhizomes are whitish in colour.

Morphological description of *Meda* (family, genus, species):

Description of plant family: Asparagaceae^[50]

It is a small family consisting of genus of perennials with thick underground organs, reduced leaves and small, star-like, fragrant flowers. Asparagaceae is a family of flowering plants, placed in the order Asparagales of the monocots.

In earlier classification systems, the species involved were often treated as belonging to the family Liliaceae. Erect or scandent, mostly glabrous herbaceous or sub shrubby with persistent, evergreen or annually withering branches growing from a compact or creeping, sympodial rhizome or rarely a tuber. Stems erect, their branches often patent; leaves on long shoots and short shoots (if the latter present) scale like, scariose, spurred at the base and subtending solitary or clustered phylloclades, the latter leaf like to angled or terete, rarely (A. densiflorus) bearing minute, reduced scale leaves; spines present or absent, formed from modified leaf spurs. Flowers in fascicles or borne singly, bisexual, or unisexual and monoecious or dioecious, pendulous or erect, on articulated pedicels, the pericladium separated from pedicel by a swelling; tepals 6, free and spreading or basally fused and then forming a cup or tube; stamens 6.

Description of Genus^[51,52,53]: Polygonatum also known as King Solomon's-seal or Solomon's seal, is a genus of flowering plants. It is a herbaceous perennial plant. Stem leafy above. There is a sympodial fleshy rhizomes, upon which the annual shoots leave curious seal-like marks when they die away. Leaves alternate opposite or whorled and are upto 10cm long and hairy below. Flowers in auxillary 1 or more flowered curved peduncles drooping or hang from the axils of the leaves, green or white in colour. Fruits are globular. Propagation is by division of roots.

The genus Polygonatum (*Asparagaceae* sensu APG III) contains a total of about 57 plant

species (commonly called Solomon's-seal) of which many European and Asian species have been used for centuries to treat a host of ailments including indigestion, coughs, arthritis, high blood pressure, skin conditions, inflammation of the intestines, and also damaged tendons, cartilage, ligaments, muscles, and bones.

Etymology of Polygonatum^[54]: Gr polys, many and gonia, knee-joint; referring to the many joints in the rhizome.

Botanical description of *Polygonatum* **verticillatum (L.) All**^[55-58,76]

Annual or perennial, tall and an erect glabrous herb up to 120cm in height with grooved and angled stem, root fibers are thick and fleshy. Leaves are sessile, in whorls of 4-8 and are linear or narrow lanceolate, 8-15 and 0.5-3cm and acute or acuminate. Upper part of stem leaves, zigzag and grooved. Flower are white, pinkish white of pale green in whorled racemes, in terminal whorls of leafy-racemes. Perianth is oblong, 0.4-0.6 cm long 6-parted with spreading segments. The berries are globose and red when ripe. Rhizome usually shortly branched, usually tuberous terete, very rarely moniliform, 0.7--1.5 cm thick. (Figure 1, 2 &3)

Distribution^[55]: It is occasionally found in moist shaded places, oak forest and along the way sides between 1500-3000m.

Flowering and Fruiting^[55]: June- September Parts used: [55] Rhizomatous roots are used medicinally.

Vernacular Names:

Name in Indian Languages[31]: Hindi- Meda; Gujarati- Meda; Malayalam- Meda; Punjabi-Shakakul; Tamil- Meda; Telugu- Meda; Nepali-Khirangalo, Khirlong, Setak chini, Khinraula.

Sanskrit- Meda; Medodbhava; Madhura; Iīvna; Syamameda; Surmeda; Samudbhava; Salyaparnī; Manicchidra: Medkodabhava; Medasamudbhava; Salva: Pranadhara; Manicchidra; Devamani: Surmeda; Medasamudabhava; Dhara; Salaparnī; Mahameda; Vasucchidra; Vrsva; Tridanta; Vasa; Jīvanī; Salyaparnika; Nakhchedhya; Hima; Rañga; Medasara: Snehavatī: Medina: Sniadha: Medodrava; Sadhavī; Purusadantika; Sresta; Syama; Mahapurusadantika: Adhvara: Dhīra: Rasa (Table1)[59][62-75]

Name in Foreign Languages[31]:

English- Whorled leaf Solomon Seal

China- Lun ye huang jing, yang jiao shen; **Dutch**-Quirlblattriges Salomonossiegel, Krans salomons siegel

French- Sceau de salomon verticille; German-Quirlblattrige weibwurz

Swedish- Krans rams.

Ayurvedic Properties

It has Madhura Rasa; Madhura Vipaka; Guru Guṇa; Vatapittasamaka, Stanyakaraka, Sukrakaraka, Kaphavardhaka, Snigdha, Medavardhaka, Jīvanīya, Sukrajanana, Snehopaga. Rajayaksma, Jvara, Ksaya, Raktapitta, Daha and Kasasamaka. [31,59].

Substitutes of Meda

Timely non availability of *Meda*, the local herbalists and Ayurvedic industry have experimented with substituting other medicinal plants like *Satavarī* (*Asparagus racemosus* Willd.), *Salama-misrī* (*Eulophia campestris* Wall.) *Polygonatum verticillatum* (L.) *Asparagus racemosus* Willd., *Eulophia campestris* Wall.^[60,61]

Table 1: Botanical Source of Meda - According to Modern Scholars [15-45]

S.No	Author's name	Book name	Year	Botanical name
1.	Priya vrat Sharma	Dhanwantri nighaṇtu ^[15]	1982	Polygonatum verticillatum (L.)
				All.
2.	Thakur Balwant Singh	Glossary of Vegetable Drugs in	1999	Polygonatum verticillatum (L.)
	and K. C. Chunekar	Bṛhattrayī ^[16]		All.
3.	Quattrocchi Umberto,	CRC World Dictionary of Plant	2000	Polygonatum verticillatum (L.)
	F.L.S.	Names ^[17]		All.
4.	P.K. Warrier, V.P.K.	Indian Medicinal Plants, Vol-	2002	Polygonatum verticillatum
	Nambiar, C. Ramankutty	4[18]		L.)All.
5.	Dr. Anil k. Dhiman	Medicinal Plants of Uttranchal	2004	Polygonatum verticillatum (L.)
		State ^[19]		Allioni
6.	P.C.Pande, Lalit tiwari,	Folk- Medicine and Aromatic	2006	Polygonatum verticillatum (L.)
	H.C. Pande	plants of Uttranchal [20]		All.
7.	Singh, A.P.	Ashtavarga- rare medicinal	2006	Polygonatum verticillatum
		plants ^[21]		(L.) All.; Convallaria

Vij Divya, Mishra Rajesh Kumar. Meda- Member of Astavarga is Suffering From Identification and Standardization

				verticillata; Evallaria verticillata
8.	Mehrotra et al., 2006	Ayurvedic <i>rasayana</i> therapy	2006	Litsea glutinosa
		and rejuvenation (<i>Kaya kalpa</i>) ^[22]		
9.	Department of Ayush	API Part II, Volume I [23]	2007	Polygonatum cirrhifolium (Wall.) Royle; Asparagus racemosus (Official Substitute)
10.	Dr. M.K. Adhikari, Mr. D.M. Shakya, Mrs. M. Kayastha, Dr. S.R. Baral	Medicinal Plants of Nepal ^[24]	2007	Polygonatum cirrhifolium (Wall.) Royle
11.	Department of Ayush	API Part II, Volume III ^[25]	2008	Polygonatum verticillatum (L.) All.
12.	Department of Ayush	API Part I Volume VI ^[26]	2008	Polygonatum cirrhifolium (Wall.) Royle
13.	Singh et al., 2009	Medicinal orchids: an overview [27]	2009	Polygonum verticilliatum (L.) All.
14.	Dhyani et al.,	Importance of <i>Astavarga</i> plants in traditional systems of medicine in Garhwal, Indian Himalaya ^[28]	2010	Polygonatum cirrhifolium (Wall.) Royle
15.	G. Vijaya Raghavan	Comprehensive Medicinal plants vol-5	2011	Polygonatum verticillatum (L.)All.
16.	-	Ashtavarga- Rare Medicinal plants [29]	2011	Polygonatum verticillatum (L.) All.
17.	Bisht et al., 20118	Polygonatum verticillatum (L.) All. and Polygonatum cirrhifolium (Wall.) Royle: two threatened vital healers from Asthaverga nurtured by Garhwal Himalaya [30]	2011	Polygonatum cirrhifolium (Wall.) Royle; Convallaria cirrhifolium (Wall.) Royle
18.	Acharya Balkrishan	Secrets of Astavarga Plants[31]	2012	Polygonatum verticillatum (L.) Allioni
19.	Kazmi et al., 201244	Aphrodisiac properties of Polygonatum verticillatum leaf extract. [32]	2012	Polygonatum verticillatum (L.) All.
20.	Balkrishna et al.,	Astavarga plants-threatened medicinal herbs of the North West Himalaya [33]	2012	Polygonatum verticillatum (L.) All.; Convallaria verticillata
21.	Wagh et al.,	Medicinal plants used in preparation of polyherbal Ayurvedic formulation Chyawanprash [34]	2013	Polygonatum cirrhifolium (Wall.) Royle
22.	Ghosh et al., 201354	Comparative estimation and chemical standardization of new and old sample of	2013	Polygonatum cirrhifolium (Wall.) Royle

AYUSHDHARA, 2020;7(4):2838-2846

		Chyawanprash. [35]		
23.	Bhatt et al., 2013	Polygonatum cirrhifolium royle and Polygonatum verticillatum (L.) Allioni: status assessment and medicinal uses in Uttarakhand [36]	2013	Polygonatum cirrhifolium (Wall.) Royle
24.	Sharma et al., 2013	Quality of life changes in knee osteoarthritis (Janusandhigata vata) with Matrabasti [37]	2013	Polygonatum cirrhifolium (Wall.) Royle
25.	Dr. Mukesh Kumar Dr. Anjali Khare, Dr. C.P. Shukla	Medicinal Plants [38]	2014	Polygonatum verticillatum (L.) All.
26.	Sagar et al., 2014	Adulteration and substitution in endangered, ASU herbal medicinal plants in India, their legal status, scientific screening of phytochemical constituents ^[39]	2014	Polygonatum verticillatum (L.) All.
27.	Raj et al., 2014	Assessment of nutritional and antioxidant potential of selected vitality strengthening Himalayan medicinal plants [40]	2014	Polygonatum verticillatum (L.) All.
28.	Rawat et al., 2014	Assessment of nutritional and antioxidant potential of selected vitality strengthening Himalayan medicinal plants [41]	2014	Polygonatum verticillatum (L.) All.
29.	Rakesh Shah, 2015	Edible Plants of North West Himalayas [42]	2015	Polygonatum cirrhifolium (Wall.) Royle
30.	Saboon et. All,2016	Pharmacology and biochemistry of <i>Polygonatum verticillatum</i> : A review ^[43]	2016	Polygonatum verticillatum (L.) All.
31.	Khan et. All, 2016	Phytochemical analysis, antibacterial, and antifungal assessment of aerial parts of Polygonatum verticillatum. [44]	2016	Polygonatum verticillatum (L.) All.
31.	Pankaj Kumar et al.,2018	Morpho-anatomical standardization of six important RET medicinal plants of <i>Astavarga</i> group from Western Himalaya, India [45]	2018	Polygonatum verticillatum (L.) All.






Figure 1 Herbarium

Figure 2 Rhizome



Figure 3: Whole plant

CONCLUSION

From the above mentioned information we have concluded that various controversies were existing regarding the botanical source of *Meda* since past. Unfortunately due to the lack of plant identification knowledge many species are now named and used as *Meda* in various parts of our country but among them *Polygonatum verticillatum* (L.) All. is widely accepted as *Meda*.

REFERENCES

- Healing herbs of Himalaya- a pictorial & herbaria guide. New Delhi: Department of AYUSH, Ministry of Health and Family Welfare, Govt. of India; 2008, p. 110058.
- 2. Miller P. The abridgement of the gardeners dictionary. London: Botanical Society and Exchange Club of the British Isles; 1754, p. 426-36.

- 3. Ballabh B, Chaurasia OP, Ahmed Z, Singh SB. Traditional medicinal plants of cold desert Ladakh used against kidney and urinary disorders, Ethnopharmacol 2008; 118-9.
- 4. Alam G, editor. Database on medicinal plants. Calcutta: Centre for International Trade, Economics and Environment; 2004, p. 33.
- 5. Chaumont JP. Fungistatic activity of eight phanerogams against phytopathogenic fungi. Acta Bot Gallica 1979; 126: 537-42.
- 6. Varier PS. Indian medicinal plants: a compendium of 500 species. New Delhi: Orie Longman; 1994, p.336-8.
- 7. Bisht S, Bisht NS, Bhandari S. In vitro micropropagation in Polygonatum verticillatum (L.) All. An important threatened medicinal herb

- of Northern India Physiol Mol Biol Plants 2012; 18:89-93.
- 8. Nair KV, Yoganarasimhan SN, Murthy KKR, Shantha TR. Studies on some south Indian market samples of Ayurvedic drugs II. Anc Sci Life. 1983; 3(2):60-66.
- Bisht P, Prasad P, Nautiyal B. Polygonatum verticillatum (Linn.) All. and Polygonatum cirrhifolium (Wall.)Royle: two threatened vital healers from asthaverga nurtured by Garhwal Himalaya, India. J Plant Dev. 2011; 18:159-167.
- 10. Kokate CK, Purohit AP, Gokhele SB. Pharmacognosy. Chapter 6, Edition 39, Nirali Prakashan, Pune, 2007, 97-98.
- 11. Mukherjee PK. Quality Control of Herbal Drugs. Edition 1, Business Horizons, New Delhi, 2002, 113-117.
- 12. Dubey NK, Kumar R, Tripathi P. Global promotion of herbal medicine: India's opportunity. Current science, 2004;86(1):37-41.
- 13. Iqbal et al, Modern Phytomedicine Turning Medicinal Plants into Drugs, Herbal Medicines: Prospects and Constraints; 66.
- 14. Sharma, P.V. (1955). Dravyaguna Vijyana. Varanasi (India). Chaukhamba Vidya Bhawan. Part-I, Pg. No.115.
- 15. Sharma priya vrat (1982). Dhanwantri nighantu. First edition. Varanasi (India). Chaukhambha orientalia. Page no. 38
- 16. Singh, Thakur Balwant (1999). Glossary of Vegetable Drugs in Bṛhattrayī. Varanasi (India): Chaukhambha Amarabharati Prakashan. Page no. 319
- 17. Quattrocchi Umberto (2000). CRC World Dictionary of Plant Names. (New YORK) Washington D.C.: CRC Press. Page no. 2139.
- 18. Warrier P.K., Nambiar V.P.K., Ramankutty (2002). Indian Medicinal Plants. India: Orient Logman Private Limited. Page no. 336-338.
- 19. Dhiman, Anil K (2004). Medicinal Plants of Uttranchal State. (Varanasi)India. Page no. 459
- 20. Pandey, P.C., Tiwari, Lalit Mohan (2006). Folk Medicine and Aromatic Plants of Uttranchal. Bishen Singh Mahendra Pal Singh. Page no. 368.
- 21. Singh, A.P. (2006). Ashtavarga: Rare Medicinal Plants. Ethnobotanical Leaflets, 2006, 11.
- 22. Mehrotra NN, Ojha SK. Ayurvedic rasayana therapy and rejuvenation (Kaya kalp). Ind Crops Prod. 2006; 19: 133-136.
- 23. The Ayurvedic Pharmacopoeia of India. Part-II (Formulations), Volume-I, First Edition. New Delhi: Government of India, Ministry of Health and Family Welfare, Department of AYUSH.

- Available at www.ccras.nic.in/pharmacopoeial work/links/compfom/ayurvedicfarmocopia.pdf 2007.
- 24. Adhikari, M.K., et.al (2007). Medicinal Plants of Nepal. Kathamandu (Nepal). Rashmi offset Press: Page no. 80.
- 25. The Ayurvedic Pharmacopoeia of India. Part -II, Volume-III. New Delhi: Government of India, Ministry of Health and Family Welfare, Department of AYUSH; 2008.
- 26. The Ayurvedic Pharmacopoeia of India Part- I, Volume e VI. New Delhi: Government of India, Ministry of Health and Family Welfare, Department of AYUSH; 2008. Available at: http://naturalingredient.org/wp/wp-content/uploads/API-Vol-6.pdf
- 27. Singh AP, Duggal S. Medicinal orchids: an overview. Ethnobot Leafl. 2009; 13: 351-363.
- 28. Dhyani et al. Importance of Astavarga plants in traditional systems of medicine in Garhwal, Indian Himalaya. International Journal of Biodiversity Science, Ecosystem Services & Management Vol. 6, Nos. 1–2, March–June 2010, 13-19.
- 29. Internet blog. Ashtavarga- Rare Medicinal Plants. Available at: http://rareayurvedicplants.blogspot.in/2011/08/ashtavarga-rare-medicinal-plants.html; Aug 17, 2011.
- 30. Bisht P, Prasad P, Nautiyal B. Polygonatum verticillatum (L.) All. and Polygonatum cirrhifolium (Wall.) Royle: two threatened vital healers from asthaverga nurtured by Garhwal Himalaya, India. J Plant Dev. 2011; 18:159-167.
- 31. Acharya, Balkrishna. Secrets of Astavarga Plants. Sixth Edition. Haridwar (India); Divya Prakashan; 2012. Page no.51.
- 32. Kazmi I, Afzal M, Rahman M, Gupta G, Anwar F. Aphrodisiac properties of Polygonatum verticillatum leaf extract. Asian Pac J Trop Dis. 2012; 2(2): S841-S845.
- 33. Balkrishna A, Vashistha RK, Srivastva A, et al. Astavarga plants-threatened medicinal herbs of the North West Himalaya. I 2012; 2: 661-676.
- 34. Wagh VD, Patil SV, Surana SJ, Wagh KV. Medicinal plants used in preparation of polyherbal Ayurvedic formulation Chyawanprash. J Med Plants Res. 2013; 7: 2801-2814.
- 35. Ghosh A, Damiki L, Singh NK. Comparative estimation and chemical standardization of new and old sample of chyawanprash. Int J Pharm Pharm Sci. 2013; 5:80-804.

- 36. Bhatt D, Kumar R, Tiwari LM, Joshi GC. Polygonatum cirrhifolium royle and Polygonatum verticillatum (L.) Allioni: status assessment and medicinal uses in Uttarakhand, India. J Med Plants Res. 2014; 8:253-259.
- 37. Sharma A, Bhattacharyya D. Quality of life changes in knee osteoarthritis (janusandhigata vata) with matra basti. IAMJ. 2013; 1(4). 1-5.z
- 38. Kumar Mukesh, Khare Anjali, Shukla C.P.(2014). Medicinal Plants. India. Chawla Offset Printers. Page no. 55, 88, 91.
- 39. Sagar PK. Adulteration and substitution in endangered, ASU herbal medicinal plants in India, their legal status, scientific screening of phytochemical constituents. Int J Pharm Sci Res. 2014; 5:4023-4039.
- 40. Raj Agr, Shailaja U, Rao PN. Review on the concept of immuno-modulation in Ayurveda with special emphasis on prakarayoga. Int J Pharm Sci Res. 2014; 5(4): 1116-1123.
- 41. Sandeep Rawat, Harish Andola, Lalit Giri, Praveen Dhyani, Arun Jugran, Indra D. Bhatt & Ranbeer S. Rawal (2014) Assessment of Nutritional and Antioxidant Potential of Selected Vitality Strengthening Himalayan Medicinal Plants, International Journal of Food Properties, 17:3
- 42. Shah, Rakesh (2015). Edible plants of North West Himalayas. Dehradun (Uttrakhand). Bishen Singh Mahendra Pal Singh: Page no. 195.
- 43. Saboon, Bibi, Yamin, Arshad, Muhammad, Sabir, Sidra, Amjad, Muhammad Shoaib, Ahmad, Ejaz, Khalil, Sunbal (2016). Pharmacology and biochemistry of Polygonatum verticillatum: A review. Journal of Coastal Life Medicine. 10.12980/jclm.4.2016J5-228; vol. 4, page 406-415.
- 44. Khan, H. et. al (2016). Phytochemical analysis, antibacterial, and antifungal assessment of aerial parts of Polygonatum verticillatum. NCBI. May; 32 (5):841-7.
- 45. Kumar, Pankaj et al. (2018). Morpho-anatomical standardization of six important RET medicinal plants of Astavarga group from Western Himalaya, India. Research & Reviews in Biotechnology & Biosciences. 2018; Vol. 5, I-1.Page 1-14.
- 46. India Biodiversity Portal. Available at http://theworldwidevegetables.weebly.com/family-asparagaceae.html; 25 February, 2020
- 47. The Plant List (2010). Version 1. Published on the Internet; http://www.theplantlist.org/(accessed 1st January).

- 48. Chunekar, K.C. (2013). Bhavprakasha- Nighaṇtu. Reprint Edition. Varanasi (India): Chaukhambha Bharati Academy. Pg. 59
- 49. Vaisya, Saligram (2011). Shaligram-Nighaṇtu. Vols. 7-8. Mumbai (India): Khemraj Shrikrishnadass Prakashan. Pg. 126
- 50. Available at https://keys.lucidcentral.org/keys/v3/South_African_Plant_Families/key/South%2 0African%20Plant%20Families/Media/Html/A sparagaceae.htm; March 1, 2020.
- 51. Chase, M. W.; Reveal, J. L. & Fay, M. F. (2009), A subfamilial classification for the expanded asparagalean families Amaryllidaceae, Asparagaceae and Xanthorrhoeaceae, Botanical Journal of the Linnean Society, 161 (2): 132–136, doi:10.1111/j.1095-8339.2009.00999.x
- 52. Wujisguleng, W., et al. (2012). Ethnobotanical review of food uses of Polygonatum (Convallariaceae) in China. Acta Societatis Botanicorum Poloniae 81(4) 239-44
- 53. Kirtikar, K.R. Basu, B.D. (1975).Indian Medicinal Plants. Reprint Edition. Bishen Singh Mahendra Pal Singh. Dehradun. Page no.183.
- 54. Nayar, M.P.(1985). Meaning of Indian Flowering Plant Names. Bishen Singh Mahendra Pal Singh (Dehradun). Page no. 280
- 55. Sharma, Prajapati Purohit. (2007). A Handbook of Medicinal Plants. Reprint Edition. Agrobios (India). Page no.414.
- 56. Dhiman, Anil K. (2004). Medicinal Plants of Uttranchal State. First Edition. Chowkhambha Sanskrit Series Office. Varanasi (Delhi). Page no. 459
- 57. Sancheti, I.C. (2009). Encyclopedia of Himalayan Medicinal Flora. First edition. Horticulture Development Foundation. Page 292.
- 58. Uniyal, M.R. (2010). Medicinal Flora of Garhwal Himalayas. Chaukhambha Orientalia. Varanasi (India).
- 59. Divya Vij, Rajesh Kumar Mishra, Shalini. Relevance of Meda (One among Astavarga) in Various Ayurvedic Nighantu and Kosh Grantha. World Journal of Pharmaceutical Research, 2020; Volume 9, Issue 7, 851-865
- 60. Javed Naquvi, Kamran Ansari, Shahid Husain, Mohammad Ali, Iram Nazish. Phytoconstituents from the bulb of Lilium polyphyllum D.Don. International research Journal of Pharmacy. 2012; 3(2): 146-148.
- 61. Naquvi J., Ansari K., Husain M.A., Nazish I. 2012. Phytoconstituents from the bulb of Lilium polyphyllum D. Don. International Research of Pharmacy, 3(2): 146-148. 15.

- 62. Acarya, Balkrishna (2019). Sausruta-Nighantu. First Edition. Haridwar (India): Divya Prakashan. Page no.64.
- 63. Acarya Balkrishna (2019). Astanga Nighantu. Haridwar (India): Divya Prakashan. Page no.21.
- 64. Acarya Balkrishna (2019). Paryayaratnamala of Madhavkar. Haridwar (India): Divya Prakshan. Page no.98.
- 65. Acharya, Balkrishna (2015). Candra Nighantu. Haridwar (India): Divya Prakashan. Joshi, V.N. & Manohar, P. Ram (1999). Page no.83.
- 66. Sharma P.V., Sharma GP. (2016). Dhanwantari-Nighaṇtu (India): Chaukhambha Orientalia Varanasi. Page no.38.
- 67. Muniraja, Punyavijya. (1968). Nighaṇtusesa. Ah Medabad (India): Lalbhai Dalpatbhai Bharatiya Sanskriti Vidyamandira. Page no.88.
- 68. Acarya Baalkrishna (2019). Abhidhanratnamala or Shadrasa Nighantu. Haridwar (India): Divya Prakshan. Page no.06.
- 69. Acarya, Balkrishna (2016). Madanapala-Nighaṇtu. First Edition. Haridwar (India): Divya Prakashan. Page no.20

- 70. Tripathi Indradeva (2010). Raja Nighaṇtu of Pandit Narhari. Varanasi (India) Chowkhambha Sanskrit Series Office. Page no.33.
- 71. Sharma, Priya Vrat & Sharma, Guru Prasad (2013). Kaiyadeva- Nighaṇtu. Reprint Edition. Varanasi (India): Chaukhambha Orientalia. Page no.20.
- 72. Chunekar, K.C. (2013). Bhavaprakasa- Nighaṇtu. Reprint Edition. Varanasi (India): Chaukhambha Bharati Academy. Page no.59.
- 73. Singh Anugrah Narain (2006). Gunaratnamala of Bhavmisra. First edition. Varanasi (India) Chaukhambha Sanskrit Bhawan. Page no.55.
- 74. Acarya Balkrishna (2019). Paryayamuktavali of Haricaranasena. Haridwar (India): Divya Prakshan. Page no.25.
- 75. Vaisya, Saligram (2011). Saligrama-Nighaṇtu. Vols. 7-8. Mumbai (India): Khemraj Shrikrishnadass Prakashan. Page no.126
- 76. http://www.efloras.org/florataxon.aspx?flora_i d=2&taxon_id=200027870

Cite this article as:

Vij Divya, Mishra Rajesh Kumar. Meda- An Important Member of Astavarga is Suffering From Identification and Standardization. AYUSHDHARA, 2020;7(4):2838-2846.

Source of support: Nil, Conflict of interest: None Declared

Disclaimer: AYUSHDHARA is solely owned by Mahadev Publications - A non-profit publications, dedicated to publish quality research, while every effort has been taken to verify the accuracy of the content published in our Journal. AYUSHDHARA cannot accept any responsibility or liability for the articles content which are published. The views expressed in articles by our contributing authors are not necessarily those of AYUSHDHARA editor or editorial board members.