

# We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

**5,000**

Open access books available

**125,000**

International authors and editors

**140M**

Downloads

Our authors are among the

**154**

Countries delivered to

**TOP 1%**

most cited scientists

**12.2%**

Contributors from top 500 universities



**WEB OF SCIENCE™**

Selection of our books indexed in the Book Citation Index  
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?  
Contact [book.department@intechopen.com](mailto:book.department@intechopen.com)

Numbers displayed above are based on latest data collected.

For more information visit [www.intechopen.com](http://www.intechopen.com)



# Effect of Climate Change on Aquatic Ecosystem and Production of Fisheries

*Satarupa Ghosh, Snigdha Chatterjee, Ghora Shiva Prasad and Prasanna Pal*

## Abstract

The exploitation of nature for decades due to several anthropogenic activities has changed the climatic conditions worldwide. The environment has been polluted with an increase of greenhouse gases. The major consequences are global warming, cyclone, an increase in sea level, etc. It has a clear negative impact on the natural environment including aquatic ones. As a result, production of fish in the aquaculture system and marine system is greatly affected. Marine ecosystems like coral reefs are also destroyed. Decreased fish production has also affected the livelihood and economic condition of the fish farmers. So, corrective measures should be taken to reduce the climate changes for minimizing its effects on fish production. Using more eco-friendly substances, planting more trees, and preserving our nature are some steps to be taken. Awareness should also be generated among the common people.

**Keywords:** aquatic environment, economy, climate change, fish production, global warming

## 1. Introduction

For the last few decades, climate change, food security and their complex interaction have become a global issue [1]. With the rapid increase in human population, we have destroyed our nature and polluted the environment. The level of greenhouse gases in the atmosphere is increasing day by day. Consequently, we are facing the threats of global warming and other climatic changes like cyclone, drought, flood, etc. Change in the climatic conditions may be limited to a specific region or may occur across the whole earth. But, it is affecting all the ecosystems including the aquatic ones. Aquatic organisms are very vulnerable to climate change because the average temperature of both air and water are changing simultaneously. Climate change in the aquatic system mainly occurs through sea level and temperature rise, change in monsoon patterns, extreme weather events and water stress having both direct and indirect impacts on aquatic animals including fish stocks. It directly acts upon the physiological behavior and growth pattern of organisms, subsequently decrease reproductive capacity and finally cause mortality. Indirectly it may alter the productivity, structure, function and composition of aquatic ecosystems. All these effects finally result in decreased fish production. It disturbs the economic

condition of fish farmers and hamper their normal livelihood by huge economic losses. In this chapter, we will discuss how climate change affects the production of fish and the lives of fish farmers and how it could be mitigated through proper actions.

## **2. Causes of climate change**

The factors that can cause a change in the atmospheric system or climatic regime are called “climate forcing” or “forcing mechanisms.” So, forcing mechanisms can be of two types, i.e., internal forcing mechanism and external forcing mechanisms. Internal forcing mechanisms are natural processes in the climatic system like thermohaline circulation, etc. External forcing mechanisms can also be of two types- anthropogenic mechanisms including greenhouse gas emission and the emission of several other pollutants and natural mechanisms like changes in solar output, volcanic eruptions, etc. All these mechanisms are responsible for the change of climate. But overwhelming evidence exists that anthropogenic activities are the major reason behind this dreadful condition. These are described below.

- **Fossil fuel burning:** Fossil fuel burning is one of the most important sources of climate change. As fossil fuels contain carbon for many years, they can release back CO<sub>2</sub> into the air. This is one of the direct causes of carbon emission in the air, which can cause all sorts of environmental problems including global warming.
- **Livestock farming:** Through livestock farming, methane (CH<sub>4</sub>) gas is emitted into the atmosphere. As we know, CH<sub>4</sub> is a greenhouse gas, so capable of trapping a huge amount of heat from the sun. In that way, they can contribute to global warming in broad sense.
- **Aerosols:** Aerosols also represent a big problem for the climate today. Aerosols are a very small naturally occurring particle in the atmosphere. Previously the number of aerosols in the atmosphere was very less, but now the level is increasing.
- **Use of fertilizers:** Use of fertilizers in both agricultural and aquacultural farmland can increase the availability of food source greatly to us. To meet up the growing demand for food, the use of fertilizers have increased rapidly. Fertilizer contains a huge amount of nitrous oxide, which is responsible for a steady increase in the earth's surface temperature.

## **3. Changes on aquatic ecosystem due to climate change**

### **3.1 Temperature**

All the aquatic organisms including fish and aquatic invertebrates are poikilothermic in nature and the body temperature of those organisms changes with environmental temperature. So, they are very much sensitive to the change in the temperature in their external environment where they live. When the external environmental temperature goes beyond the tolerance limit of these organisms, they will go for migration to the place where their internal system allows them to regain their internal homeostasis. This procedure is termed as behavioral

thermoregulation [2]. This will result in rapid migration to the cooler zones of the water body [3]. This migration allows the shifting of the aquatic animals from shallow coastal waters and semi-enclosed areas into deeper cooler waters [4]. In spite of the negative impacts of these phenomena like coral reef destruction and increased ocean acidification, it would have some conservative approach. This phenomenon of migration can alone reduce the maximum catch potential of the tropics by 40% [4].

As the major consequences of climate change, especially increased temperature strongly affects the recruitment process [5]. Some stocks may become intolerant to the sustainable fishing effort because they experience them as overfishing due to the side effects of temperature enhancement [6]. Temperature enhancement of water, where fish live, will slow down their growth and maximum size as the temperature would increase their metabolic rate [2].

Local extinction of fish species would be noticed, among freshwater and diadromous species especially [7]. Because of the higher potential for migration, terrestrial species show a higher rate (15–37%) of overall migration than marine species [8].

The increased temperature would bring a deadly impact on reef fisheries by inducing bleaching of the coral reef [7].

### **3.2 Primary productivity**

The levels of light and temperature determine the availability of nutrients in the water body, which in turn affects the primary productivity. Due to climate variability, reduced precipitation would lead to reduced run-off from land, which caused the starvation of wetland and mangrove and damage local fisheries. In some other places, due to increased precipitation from extreme weather events like flooding, nutrient level in the water body tremendously increased causing eutrophication and washout fertilizer causing harmful algal blooms into the water bodies, known as red tides [2, 9]. Most of the small scale fisheries locate at the lower latitude, where climate change hit the most and decline the primary productivity [10] of the fisheries sector.

## **4. Impact of climate change on fish production and ecosystem**

### **4.1 Aquaculture system**

Fisheries and aquaculture are largely dependent on the interactions among the various factors like the earth's climate and ocean environment. So, changing the pattern of air and sea-surface temperatures, rainfall, sea level, ocean acidity and wind-pattern will adversely affect the fisheries and aquaculture [3].

#### *4.1.1 Marine system*

Marine fish production is largely disrupted by climate change. With the change in the climatic conditions, several changes are observed in the ocean including a rise in temperature, melting of polar ice, rising sea level, change in ocean current system and acidification of seawater. Over the coming decades, the temperature of the Indian seas is going to increase by 1–3°C [11]. The species that is going to be affected first due to these conditions is plankton. It forms the basis of the food chain in the marine ecosystem. Other species including corals, fishes, sea birds will be affected simultaneously. Due to increased ocean acidification, marine organisms like oysters,

shrimps and corals would be unable to form their outer covering or shell through the process of calcification. Thus, the entire marine food web gets affected because of the formation of cracks in the marine food chain.

#### *4.1.2 Freshwater systems*

The vulnerability of the freshwater ecosystems against climate change is very high. The size, depth and trophic status of the lake determine the vulnerability of this system against climate change. According to Field and coworkers [12], the negative impact was observed on the cold-water species and positive impact on the warm-water species. Due to acute effects of climate change, alteration of shapes and distribution is seen in the freshwater lake system and in some cases, they might be disappeared. These are the attributes of the dynamics change in precipitation, evaporation and run-off [13]. Climate change promotes long-term increases in fish-production by inducing the enhancement of the production rate of invertebrate prey logarithmically with increasing temperature. The increasing rates are 2–4 times for each 10°C increase in temperature [14]. But on the other hand, climate change will result in a change in prey-species composition. This change may cause antagonistic effects on the long-term enhancement of fish production [14]. In short-time, climate change will cause a decrease in fish-production because of timing mismatch [14]. The ability of the movement of the freshwater species is vital in determining the resistance of those species to withstand climate change [13].

## **4.2 Coral reef**

The coral reef is an important source of income for many developing countries [15]. Coral provides habitat for more than half of all marine species. But now coral reefs of the ecosystem are in great danger. The main reasons are increasing temperature, acidity, etc.

Climate change-related impact on the coral reef can be based on three different time-scales.

- **Years:** Coral bleaching which increased in recent years and results in degradation of reefs.
- **A few decades:** Acidification increased and carbonate structures degenerate.
- **Multi-decades:** Weakened the structural integrity of the reefs which causes large scale composition shifts.

The coral reef is one of the most resistant ecosystems and too resilient to recover from weak chronic as well as acute stresses [16]. But according to Hughes and coworkers [17], the reef ecosystem is not able to sustain against chronic plus acute stress.

Increasing acidity causes decreasing the pH of the ocean, which results in decreased aragonite saturation that can disrupt the calcification of coral [18]. Enhanced acidity of the world's ocean is very much important and represents a long-term threat to coral reefs but the impact growth of the corals on the increasing acidity is unknown [15]. The saturation level of aragonite in deep cold water corals are 90–150 m [19]. The impact of the acidification is badly seen in these deep- cold-water corals.

If corals are decreased due to adverse impacts from climatic change, it causes a negative impact on the reef fish- biodiversity [20]. According to Grandcourt and

Cesar [21], coastal fisheries are badly affected by the warming of the climate and bleaching events. It can be concluded that coral reef destruction causes a long-term impact on the animals which depends on these reefs for their food and habitat.

### **4.3 Global marine biodiversity**

Climate change acts as an important determinant of the distribution of biodiversity in past and future aspect [22–26]. Environmental factors reflect strong influences upon species richness of aquatic organisms [27]. Ocean warming can cause change to the marine species especially in their latitudinal range [28–30] and depth range [31]. At a larger scale, such changes can lead to local extinction and invasions and shifting to their bio-geographic pattern [28]. As a result, a huge shift in species richness can occur which is regarded as the main cause of disruption of marine biodiversity and ecosystem [2, 32, 33]. The climate in the aquatic environment can affect biodiversity, community structure and ecosystem function [34–37].

## **5. Economical crisis of the fish farmers due to climate change**

Change in the aquatic environment has a direct impact on the lives of the fish farmers. Due to disturbed fish production, farmers face economic losses. Besides global warming, cyclone is another problem that affects the lives of the farmers. Cyclone combined with a flood and heavy rainfall creates a major problem every year for the farmers especially in the coastal states of India. It is a matter of great concern that the frequency of intense tropical cyclones has increased in the Indian ocean [38]. The factors such as warm sea temperature, high humidity and instability of atmosphere are responsible for intensifying the cyclone [39]. As a consequence of global warming, the temperature of the Indian Ocean has also increased promoting devastating cyclones. In May 2019, a cyclone named Fani hit Andhra Pradesh, Odisha and West Bengal. It caused damage to the coastal land, boats, jetties and the shelters of the fishermen and five lakh houses were destroyed in 14 districts [40]. In Odisha only, the losses were estimated to be 12,000 crores. Regarding the seafood sector, the production of shrimp was declined by 60–70% [41]. Most recently, in May 2020, cyclone Amphan hit eastern India specifically West Bengal and also Bangladesh. This was the first super cyclone in Bay of Bengal since 1999 super cyclone that hit Odisha took the life of more than 9000 people [42]. Amphan affected the coastal areas of West Bengal including East Midnapur, North 24 Parganas, South 24 Parganas, Kolkata, Hoogly and Howrah. According to Chief Minister of West Bengal, the death toll was more than 86 and the state suffered a damage of 1 lakh crore rupees (15.38 Billion USD) [43]. Specially, the Sundarban areas were highly devastated, millions of homes were damaged breached embankments led to flood in villages. It takes years for the local residents as well as fishermen to recover from these situations. They do not have shelter to stay, do not have a boat for fishing and no money to pay back the loans that ultimately affects their psychological health sometimes leading to suicidal tendencies.

## **6. Adaptation and mitigation measures to reduce the effects of climate change**

Consideration of future climate changes in advance and making them a part of short-term decision making is known as adaptation. This includes using more eco-friendly substances, planting more trees and preserving our nature as much as

possible. On another hand, preventing the chances of climate change, before it has occurred, reducing the effects of climate change in case of occurrence is known as mitigation. Reducing the carbon footprint and related activities should be a major step. The level of environmental pollution should be decreased as soon as possible before it becomes too late to act. Some strategies that we should follow immediately are discussed below.

**Adaptation of forest conservation measures:** Forest plays an important role in maintaining equilibrium in our ecosystem. We should conserve and prevent the destruction of forest land through afforestation as well as reforestation and prohibit the use of forestland for nonforest purposes to meet the livelihood of local people.

**Inclusion of climate-study in the school-level educational system:** If we want to generate awareness in the young generation by the introduction of climate-related study along with traditional educational system with the help of governmental initiatives. This will help to grow the consciousness among the young generation from very beginning which will significantly broaden this culture at the local, state and national levels.

**Slowing down of population growth:** Population growth is becoming a burden especially in the case of a developing country like India. It has become a major obstruction in achieving social and economic development. So, in order to fight against climate change, population pressure over the area need to be reduced by reversing down the population growth curve in developing countries.

**Integration of climate issue with economic planning:** Climate protection-related policies and programs should be incorporated into the local, state and national levels in order to encourage the integration of climate issues with economic planning and management.

## **7. Recommendation for better management of fisheries against climate changes**

- The ecosystem approach should be comprehensive, sound, integrated, compact and revised to make complete management of sand oceans of coasts, fisheries and aquaculture.
- Environmental friendly aquaculture and fishing practices to be undertaken.
- Fuel-efficient aquaculture and fishing practices to be undertaken.
- Integration of climate-proof aquaculture with other sectors.
- Over-fishing and excess fishing capacity should be eliminated through the implementation of reduced subsidy systems.
- Risk assessments should be proper and accurate at the local level.
- Exploration of the carbon sequestration process by aquatic ecosystems.

## **8. Steps for sustaining the fish production and economy against climate change**

There is a crucial knowledge gap between fisheries, aquaculture management and climate change that need to be filled practically. In order to assess the risk of

climate change to coastal communities, human and institutional capacity building should be strengthened and proper adaptation and mitigation measures should be implemented. Therefore, well managed fisheries and aquaculture could give birth to a healthy and productive ecosystem. Careful use of coastal areas and catchment areas should be cross-sectoral responsibility to encourage the building process of a healthy and productive ecosystem. Moreover, youth engagement in each and every policy and decision-making process related to aquaculture and fisheries both at continental and national levels should be institutionalized efficiently as youth are the backbone of our society.

## 9. Positive effects of climate change on the aquatic environment

- **Slowed down the winter death rate of aquatic organisms:** Water temperature is one of the most crucial factors in determining the survival of aquatic animals. Many years ago, especially before the drastic climate change, winters were too cold to maintain the minimum metabolic rate of the aquatic organisms and the consequent death rate has increased rapidly. As a result of climate change, the average temperature of the water body increased so rapidly that winter has now become bearable considerably. So, the number of death due to winter temperature –falling has decreased.
- **Reduction of the fuel cost of the aquatic environment:** As a result of climate change, heat energy becomes available and affordable at a cheaper rate. So, the demand for fuel in the aquatic environment has decreased and the consequent cost of fuel has also become cut down.
- **Growth in aquaculture production:** Some thermophilic organisms living in the aquatic environment demand high temperature for maintaining their metabolic rate at an optimum level. The excess heat which is introduced as a result of climate change meets the demand of those aquatic organisms. So, in that way, climate change benefited the overall aquacultural yield.

## 10. Conclusion

Climate change is a major threat to both aquatic and terrestrial ecosystems. In present days, a random population explosion increases fossil fuel burning, industrialization, deforestation, and profit-oriented capitalism, which can, in turn, create synergistic effects on climate change. Aquaculture sector is much impacted by temperature increase in water and air, sea level rise, and associated water intrusion as affected by global warming and climate change. This change in the aquatic environment or a decrease in fish production is directly affecting the economic sustainability of fish farmers. Thus, this situation can be corrected if necessary actions will be taken in reducing environmental pollution as soon as possible. Researchers, economists, policymakers, and farmers should act together to fight economic instability and maintain harmony with nature. One thing we should remember that we should protect nature if we want to protect ourselves from the coming threats.



IntechOpen

## **Author details**

Satarupa Ghosh<sup>1\*</sup>, Snigdha Chatterjee<sup>2</sup>, Ghora Shiva Prasad<sup>1</sup> and Prasanna Pal<sup>3</sup>

1 Department of Aquatic Environment Management, West Bengal University of Animal and Fishery Sciences, Kolkata, West Bengal, India

2 Department of Agricultural Chemistry and Soil Science, Bidhan Chandra Krishi Viswavidyalaya, Mohanpur, Nadia, West Bengal, India

3 Animal Physiology Division, ICAR-National Dairy Research Institute, Karnal, Haryana, India

\*Address all correspondence to: satarupasonaibfsc07@gmail.com

## **IntechOpen**

© 2020 The Author(s). Licensee IntechOpen. This chapter is distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/3.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. 

## References

- [1] Plagányi É. Climate change impacts on fisheries. *Science*. 2019;**363**(6430):930-931. DOI: 10.1126/science.aaw5824
- [2] Roessig JM, Woodley CM, Cech JJ, Hansen LJ. Effects of global climate change on marine and estuarine fishes and fisheries. *Reviews in Fish Biology and Fisheries*. 2004;**14**(2):251-275
- [3] Cochrane K, Young C. De, Bahri, T. Climate change implications for fisheries and aquaculture. *FAO Fisheries and Aquaculture Technical Paper*. 2009;**530**:212
- [4] Cheung WW, Lam VW, Sarmiento JL, Kearney K, Watson REG, Zeller D, et al. Large-scale redistribution of maximum fisheries catch potential in the global ocean under climate change. *Global Change Biology*. 2010;**16**(1):24-35
- [5] Walther GR, Post E, Convey P, Menzel A, Parmesan C, Beebee TJ, et al. Ecological responses to recent climate change. *Nature*. 2002;**416**(6879):389
- [6] Easterling WE, Aggarwal PK, Batima P, Brander KM, Erda L, Howden SM, et al. Food, fibre and forest products. *Climate Change*. 2007:273-313
- [7] IPCC. Climate change 2007: Synthesis report. In: Pauchauri RK, Reisinger A, editors. Contribution of Working Groups I, II, and III to the Fourth Intergovernmental Panel on Climate Change. Core Writing Team. Geneva, Switzerland: IPCC; 2007. p. 8
- [8] Cheung WW, Lam VW, Sarmiento JL, Kearney K, Watson R, Pauly D. Projecting global marine biodiversity impacts under climate change scenarios. *Fish and Fisheries*. 2009;**10**(3):235-251
- [9] Epstein PR. Is global warming harmful to health? *Scientific American*. 2000;**283**(2):50-57
- [10] FAO. Climate change implications for fisheries and aquaculture. In: *The State of Fisheries and Aquaculture 2008*. Rome, Italy: FAO; 2008. pp. 87-91
- [11] Ralbam V. Impact of climate change on Indian marine fisheries and option for adaptation. In: *Lobster Research in India*. Kochi, India: CMFRI; 2010. pp. 65-71. DOI: 10.1097/NRL.0000000000000102
- [12] Field CB, Mortsch LD, Brklasich M, Forbes DL, Kovacs P, Patz JA, et al. North America. In: Parry ML, Canziani OF, Palutikof JP, Hanson PJ, Linden v d CE, editors. *Climate Change 2007: Impacts, Adaptation and Vulnerability*. Cambridge: Cambridge University Press; 2007. pp. 617-652
- [13] Poff NL, Brinson MM, Day JWJ. Aquatic ecosystems and Global climate change: Potential Impacts on Inland Freshwater and Coastal Wetland Ecosystems in the United States. 2002. Available from: [www.pewclimate.org](http://www.pewclimate.org) [Retrieved: 26 June 2019]
- [14] Watson RT, Zinyowera MC, Moss RH, Dokken DJ. IPCC Special Report: The Regional Impacts of Climate Change: An Assessment of Vulnerability. United Nations: IPCC; 2001
- [15] Parry M, Parry ML, Canziani O, Palutikof J, Van der Linden P, Hanson C. *Climate Change 2007—Impacts, Adaptation and Vulnerability: Working Group II Contribution to the Fourth Assessment Report of the IPCC*. Cambridge: Cambridge University Press; 2007
- [16] Buddemeier RW, Kleypas JA, Aronson RB. Potential Contributions of Climate Change to Stresses on Coral Reef Ecosystems. *Coral Reefs and Global Climate Change*. Virginia, USA:

Pew Center on Global Climate Change; 2004

[17] Hughes TP, Baird AH, Bellwood DR, Card M, Connolly SR, Folke C, et al. Climate change, human impacts, and the resilience of coral reefs. *Science*. 2003;**301**(5635):929-933. DOI: 10.1126/science.1085046

[18] Orr JC, Fabry VJ, Aumont O, Bopp L, Doney SC, Feely RA, et al. Anthropogenic Ocean acidification over the twenty-first century and its impact on calcifying organisms. *Nature*. 2005;**437**(7059):681-686. DOI: 10.1038/nature04095

[19] Feely RA, Fabry VJ, Guinotte JM. Ocean Acidification of the North Pacific Ocean. Vol. 2. PICES press; 2007. Retrieved from: [http://www.pices.int/publications/pices\\_press/volume16/v16\\_n1/pp\\_22-26\\_Acidification\\_f.pdf](http://www.pices.int/publications/pices_press/volume16/v16_n1/pp_22-26_Acidification_f.pdf)

[20] Jones GP, McCormick MI, Srinivasan M, Eagle JV. Coral decline threatens fish biodiversity in marine reserves. *Proceedings of the National Academy of Sciences*. 2004;**101**:8251-8253

[21] Grandcourt EM, Cesar HS. The bio-economic impact of mass coral mortality on the coastal reef fisheries of the Seychelles. *Fisheries Research*. 2003;**60**(2):539-550

[22] Parmesan C, Yohe G. A globally coherent fingerprint of climate change impacts across natural systems. *Nature*. 2003;**421**:37-42. Crossref | CAS | PubMed |

[23] Peterson AT, Ortega-Huerta MA, Bartley J, Sánchez-Cordero V, Soberón J, Buddemeier RH, et al. Future projections for Mexican faunas under global climate change scenarios. *Nature*. 2002;**416**:626-629

[24] Root TL, Price JT, Hall KR, Schneider SH, Rosenzweig C,

Pounds JA. Fingerprints of global warming on wild animals and plants. *Nature*. 2003;**421**:57-60

[25] Rosenzweig C, Karoly D, Vicarelli M, et al. Attributing physical and biological impacts to anthropogenic climate change. *Nature*. 2008;**453**:353-357

[26] Thomas CD, Williams SE, Cameron A, et al. Biodiversity conservation: Uncertainty in predictions of extinction risk/effects of changes in climate and land use/climate change and extinction risk. *Nature*. 2004;**430**:1-2

[27] Macpherson E. Large-scale species-richness gradients in the Atlantic Ocean. *Proceedings of the Royal Society of London Series B*. 2002;**269**:1715-1720

[28] Hiddink JG, Hofstede RT. Climate induced increases in species richness of marine fishes. *Global Change Biology*. 2008;**14**:453-460

[29] Mueter FJ, Litzow MA. Sea ice retreat alters the biogeography of the Bering Sea continental shelf. *Ecological Applications*. 2008;**18**(2):309-320

[30] Perry AL, Low PJ, Ellis JR, Reynolds JD. Climate change and distribution shifts in marine fishes. *Science*. 2005;**308**:1912-1915

[31] Dulvy NK, Rogers SI, Jennings S, Vanessa S, Dye SR, Skjoldal HR. Climate change and deepening of the North Sea fish assemblage: A biotic indicator of warming seas. *Journal of Applied Ecology*. 2008;**45**:1029-1039

[32] Cheung WWL, Lam VVY, Pauly D. Modelling Present and Climate-Shifted Distribution of Marine Fishes and Invertebrates. Fisheries Centre Research Report 16(3). Vancouver: University of British Columbia; 2008

[33] Worm B, Barbier EB, Beaumont N, et al. Impacts of biodiversity loss on ocean ecosystem services. *Science*. 2006;**314**:787-790

- [34] Genner MJ, Sims DW, Wearmouth VJ, Southall EJ, Southward AJ, Henderson PA, et al. Regional climatic warming drives long-term community changes of British marine sh. *Proceedings of the Royal Society of London, Series B: Biological Sciences*. 2004;**271**:655-661
- [35] Hooper DU, Chapin FS III, Ewel JJ, et al. Effects of biodiversity on ecosystem functioning: A consensus of current knowledge. *Ecological Monographs*. 2005;**75**:3-35
- [36] Sala OE, Chapin FS III, Armesto JJ, et al. Global biodiversity scenarios for the year 2100. *Science*. 2000;**287**:1779-1774
- [37] Stachowicz JJ, Fried H, Osman RW, Whitlatch RB. Biodiversity, invasion resistance, and marine ecosystem function: Reconciling pattern and process. *Ecology*. 2002;**83**:2575-2590
- [38] Bhatia KT, Vecchi GA, Knutson TR, Murakami H, Kossin J, Dixon KW, et al. Recent increases in tropical cyclone intensification rates. *Nature Communications*. 2019;**10**(1):635
- [39] Fitchett J. Why the Indian Ocean is Spawning Strong and Deadly Tropical Cyclones. India: Down To Earth. 2019. Retrieved from: <https://www.downtoearth.org.in/news/climate-change/why-the-indian-ocean-is-spawning-strong-and-deadly-tropical-cyclones-64489>
- [40] Chhotaray S. Cyclone Fani Took Us 20 Yrs behind, Snatched Our Livelihood': Distressed Chilika Fishermen Await Aid. India: News 18. 2019. Retrieved from: <https://www.news18.com/news/india/cyclone-fani-has-snatched-our-livelihood-taken-us-20-years-behind-say-chilika-fishermen-2150891.html>
- [41] Krishnakumar PK. Shrimp Production in Odisha Hit by Cyclone Fani. *The Economic Times*. 2019. Retrieved from: <https://economictimes.indiatimes.com/news/economy/agriculture/shrimp-production-in-odisha-hit-by-cyclone-fani/articleshow/69370625.cms?from=mdr>
- [42] Nandi J, Thakur J. Amphan Transforming into Super Cyclone, first after Deadly 1999 Super Cyclone in Bay of Bengal. *Hindustantimes*. 2020. Retrieved from <https://www.hindustantimes.com/india-news/amphan-transforming-into-super-cyclone-first-after-deadly-1999-super-cyclone-in-bay-of-bengal/story-12vMmByNipIQwibsJwHJIO.html>
- [43] Annonymus. Mamata Pegs Cyclone Amphan Damage at Rs. 1 Lakh Crore, Toll Rises to 86. India: The Hindu. 2020. Retrieved from <https://www.thehindu.com/news/national/other-states/mamata-pegs-cyclone-amphan-damage-at-1-lakh-crore-toll-rises-to-86/article31660847.ece>