

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Insecta Mundi

Center for Systematic Entomology, Gainesville,
Florida

10-30-2020

Checklist of the caddisfly family Rhyacophilidae (Insecta: Trichoptera) in India

Tabaraq Ali

BGSB University, Rajouri (J&K), India, tabarakali89@gmail.com

Sajad H. Parey

BGSB University, Rajouri (J&K), India, sajadzoo@gmail.com

Manpreet S. Pandher

Zoological Survey of India-Kolkata, mpandheriari@gmail.com

Malkiat S. Saini

Punjabi University Patiala, saini20@hotmail.com

Follow this and additional works at: <https://digitalcommons.unl.edu/insectamundi>



Part of the [Ecology and Evolutionary Biology Commons](#), and the [Entomology Commons](#)

Ali, Tabaraq; Parey, Sajad H.; Pandher, Manpreet S.; and Saini, Malkiat S., "Checklist of the caddisfly family Rhyacophilidae (Insecta: Trichoptera) in India" (2020). *Insecta Mundi*. 1302.

<https://digitalcommons.unl.edu/insectamundi/1302>

This Article is brought to you for free and open access by the Center for Systematic Entomology, Gainesville, Florida at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Insecta Mundi by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

A journal of world insect systematics

INSECTA MUNDI

0809

Checklist of the caddisfly family Rhyacophilidae
(Insecta: Trichoptera) in India

Tabaraq Ali

Department of Zoology, School of Biosciences & Biotechnology, BGSB University, Rajouri (J&K), India-185234

Sajad H. Parey

Department of Zoology, School of Biosciences & Biotechnology, BGSB University, Rajouri (J&K), India-185234

Manpreet S. Pandher

Zoological Survey of India-Kolkata (West Bengal)-700053

Malkiat S. Saini

Department of Zoology, Punjabi University Patiala, Punjab-147002

Date of issue: October 30, 2020

Center for Systematic Entomology, Inc., Gainesville, FL

Ali T, Parey SH, Pandher MS, Saini MS. 2020. Checklist of the caddisfly family Rhyacophilidae (Insecta: Trichoptera) in India. *Insecta Mundi* 0809: 1–17.

Published on October 30, 2020 by
Center for Systematic Entomology, Inc.
P.O. Box 141874
Gainesville, FL 32614-1874 USA
<http://centerforsystematicentomology.org/>

INSECTA MUNDI is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. *Insecta Mundi* will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. *Insecta Mundi* publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

Insecta Mundi is referenced or abstracted by several sources, including the Zoological Record and CAB Abstracts. *Insecta Mundi* is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology.

Guidelines and requirements for the preparation of manuscripts are available on the *Insecta Mundi* website at <http://centerforsystematicentomology.org/insectamundi/>

Chief Editor: David Plotkin, insectamundi@gmail.com

Assistant Editor: Paul E. Skelley, insectamundi@gmail.com

Layout Editor: Robert G. Forsyth

Editorial Board: Davide Dal Pos, Oliver Keller, M. J. Paulsen

Founding Editors: Ross H. Arnett, Jr., J. H. Frank, Virendra Gupta, John B. Heppner, Lionel A. Stange, Michael C. Thomas, Robert E. Woodruff

Review Editors: Listed on the *Insecta Mundi* webpage

Printed copies (ISSN 0749-6737) annually deposited in libraries:

CSIRO, Canberra, ACT, Australia

Museu de Zoologia, São Paulo, Brazil

Agriculture and Agrifood Canada, Ottawa, ON, Canada

The Natural History Museum, London, UK

Muzeum i Instytut Zoologii PAN, Warsaw, Poland

National Taiwan University, Taipei, Taiwan

California Academy of Sciences, San Francisco, CA, USA

Florida Department of Agriculture and Consumer Services,
Gainesville, FL, USA

Field Museum of Natural History, Chicago, IL, USA

National Museum of Natural History, Smithsonian Institution,
Washington, DC, USA

Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

Electronic copies (online ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format.

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.

Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>

University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>

Goethe-Universität, Frankfurt am Main: <http://nbn-resolving.de/urn/resolver.pl?urn:nbn:de:hebis:30:3-135240>

Copyright held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

Checklist of the caddisfly family Rhyacophilidae (Insecta: Trichoptera) in India

Tabaraq Ali

Department of Zoology, School of Biosciences & Biotechnology, BGSB University, Rajouri (J&K), India-185234
tabarakali89@gmail.com

Sajad H. Parey

Department of Zoology, School of Biosciences & Biotechnology, BGSB University, Rajouri (J&K), India-185234.
sajadzoo@gmail.com

Manpreet S. Pandher

Zoological Survey of India–Kolkata (West Bengal)-700053
mpandheriari@gmail.com

Malkiat S. Saini

Department of Zoology, Punjabi University Patiala, Punjab-147002
saini20@hotmail.com

Abstract. The present checklist covers the fauna of the Trichopteran family Rhyacophilidae Stephens, 1836. Based on extensive surveys done during 2003–2019 and previous species records, we find that the family Rhyacophilidae is represented by two genera and 184 species in India. The genus *Rhyacophila* Pictet contains 165 species in India while the genus *Himalopsyche* Banks contains 19 described species. The Indian Himalayan region is inhabited by more species than the rest of India.

Key words. Himalayan, species diversity, *Rhyacophila*, *Himalopsyche*, distribution.

ZooBank registration. urn:lsid:zoobank.org:pub:61B26BAC-7E89-4056-9CC7-05C747D03BF6

Introduction

Rhyacophilidae Stephens, 1836, comprise a relatively large family of suborder Integripalpia, with *Rhyacophila* Pictet, 1834, as its type genus. This family was taxonomically revised by Ross (1956) and Schmid (1970) in India. The caddisflies of this family predominantly inhabit north temperate regions and are mainly found in North America, Europe, and Asia, but their range also extends southward into India and the tropical areas of southeastern Asia.

The larvae are free-living, predacious, and usually inhabiting cool fast-flowing rivers and streams. The larvae often possess abdominal and thoracic gills. They have a sclerite on abdominal tergum IX, which distinguishes them from larvae of suborder Annulipalpia. They lack mesonotal sclerites and a prosternal horn, differentiating them from larvae of other families of suborder Integripalpia (Holzenthal et al. 2007).

Like those of other basal lineages of Integripalpia, pupae of Rhyacophilidae are enclosed in a semipermeable cocoon under their domed pupal shelter that is constructed of small rocks. The pupae lack a pair of terminal lobes or slender sclerotized processes apically; abdominal terga III, IV, and V each have two pairs of sclerotized hook plates; and the mandibles have preapical teeth.

The heads of adult Rhyacophilidae have three dorsal ocelli. The second segment of each 5-segmented maxillary palp is short and globular and the sclerotization of its apical segment is not fragmented or annulate. Each foretibia has a preapical spur in addition to the apical pair of spurs.

In India the family Rhyacophilidae is represented by two genera: *Rhyacophila* and *Himalopsyche* Banks, 1940. The type species of the genus *Rhyacophila* is *R. vulgaris* Pictet, 1834 (selected by Ross 1944). It is mostly Holarctic and Oriental in distribution, consisting of 793 species globally (Morse 2020; personal communication). Among these, 432 species have been recorded from the Oriental Region, whereas India and its immediately surrounding

areas are inhabited by 164 species (Morse 2020). The genus *Himalopsyche* is thought to have originated in the Oriental Region (Schmid 1989). Worldwide, this genus is represented by 50 species, with one species reported from the Nearctic, nine species from the East Palearctic, and 43 species from the Oriental Region (Morse 2020). The type species for *Himalopsyche* is *Himalopsyche tibetana* (Martynov, 1930) (originally *Rhyacophila tibetana*). Among the 43 *Himalopsyche* species of the Oriental Region, around 19 species are from India and its adjoining areas (Kaur and Saini 2015). Based upon detailed studies of available literature, collection surveys, and identification of previously collected specimens, we present an updated checklist of Rhyacophilidae in India including the distribution and geographical status of each species.

Materials and Methods

The specimens were collected from diverse sites across India in the months of April to October during 2003–2019. The collections were made near rivers, tributaries, ponds, freshwater streams, and lakes having varying water qualities, temperatures, and altitudes during 1–4 hours from dusk using fluorescent blue light and Mercury bulb placed beside a white sheet; the lights were powered with 12-volt rechargeable batteries. The collected specimens were preserved in 70% ethyl alcohol with a drop of glycerin. The morphological identification of specimens was performed under stereozoom binocular and stereozoom trinocular microscopes. For the examination of genitalia, the abdominal tips were removed with the help of fine-tipped entomological forceps and unsclerotized tissues were cleared in KOH (10–12 %) overnight. The lactic acid procedure proposed by Blahnik et al. (2007) was followed for clearing the genitalia of some specimens. The specimens are vouchered in the museums of the Department of Zoology, Baba Ghulam Shah Badshah University, Rajouri, Jammu & Kashmir (J&K), Zoological Survey of India, Kolkata (ZSI-Kolkata); Department of Zoology and Environmental Sciences, Punjabi University Patiala, Punjab (PUP) and Division of Entomology, Indian Agricultural Research Institute, New Delhi (IARI).

Results

I. *Himalopsyche* Banks, 1940

1. *H. amitabha* Schmid, 1966
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
2. *H. angnorbui angnorbui* Schmid, 1963
Distribution: Nepal, India (Uttarakhand, Sikkim, Himachal Pradesh).
Geographic status: A widely distributed Himalayan species.
Subspecies: *H. angnorbui sherpa* Schmid, 1963
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
3. *H. bhagirathi* Schmid, 1963
Distribution: Nepal, India (Uttarakhand).
Geographic status: A widely distributed Himalayan species.
4. *H. biansata* Kimmins, 1952
Distribution: Tibet, Bhutan, India (Sikkim).
Geographic status: A widely distributed Himalayan species.
5. *H. digitata* (Martynov, 1935), *Rhyacophila*
Distribution: Bhutan, Nepal, India (Arunachal Pradesh, Sikkim, West Bengal, Uttarakhand, Sikkim).
Geographic status: A widely distributed Himalayan species.
6. *H. dolmasampa* Schmid, 1963
Distribution: Nepal, India (Sikkim, Uttarakhand).
Geographic status: A widely distributed Himalayan species.

7. *H. gyamo* Schmid, 1963
Distribution: Nepal, India (Sikkim).
Geographic status: A widely distributed Himalayan species.
8. *H. hierophylax* Schmid, 1966
Distribution: India (Uttarakhand).
Geographic status: A Himalayan species endemic to India.
9. *H. horai* (Martynov, 1936), *Rhyacophila*
(syn. *R. pallida* Martynov, 1935)
(syn. *H. phedongensis* Kimmins, 1952)
Distribution: Bhutan, Nepal, India (Arunachal Pradesh, Himachal Pradesh, Sikkim, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
10. *H. lanceolata* (Morton, 1900), *Rhyacophila*
Distribution: Myanmar, India (Meghalaya, Manipur).
Geographic status: A widely distributed Himalayan species.
11. *H. lepcha* Schmid, 1963
Distribution: Bhutan, India (Sikkim, West Bengal).
Geographic status: A widely distributed Himalayan species.
12. *H. lungma* Schmid, 1963
Distribution: India (Uttarakhand).
Geographic status: A Himalayan species endemic to India.
13. *H. maitreya* Schmid, 1963
Distribution: Nepal, India (Uttarakhand, Arunachal Pradesh).
Geographic status: A widely distributed Himalayan species.
14. *H. malenanda* Schmid, 1963
Distribution: Bhutan, Nepal, India (Arunachal Pradesh, Sikkim, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
15. *H. schmidi* Kaur and Saini, 2015
Distribution: India (Himachal Pradesh).
Geographic status: A Himalayan species endemic to India.
16. *H. tibetana* (Martynov, 1930), *Rhyacophila*
Distribution: Bhutan, Nepal, Tibet, India (Sikkim, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
17. *H. todma* Schmid, 1963
Distribution: Nepal, India/Pakistan (Uttarakhand, Jammu and Kashmir, Himachal Pradesh).
Geographic status: A widely distributed Himalayan species.
18. *H. yatrwalla* Schmid, 1966
Distribution: India (Uttarakhand).
Geographic status: A Himalayan species endemic to India.
19. *H. yongma* Schmid, 1963
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.

II. *Rhyacophila* Pictet, 1834

1. *R. acutis* Kaur and Saini, 2012
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.

2. *R. alticola* Kimmins, 1953
Distribution: Nepal, Tibet, India (Sikkim).
Geographic status: A widely distributed Himalayan species.
3. *R. anatina* Morton, 1900
Distribution: China, India (Meghalaya, Sikkim).
Geographic status: A widely distributed Himalayan species.
4. *R. ancestralis* Martynov, 1935
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
5. *R. angden* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
6. *R. antiope* Malicky, 1997
Distribution: India (North Andaman Island).
Geographic status: An island species endemic to India.
7. *R. armitageorum* Saini and Kaur, 2012
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
8. *R. assimilis* Kimmins, 1953
Distribution: Myanmar, India (Manipur).
Geographic status: A widely distributed Himalayan species.
9. *R. aureomaculata* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
10. *R. aureostigma* Schmid, 1970
Distribution: Bhutan, Nepal, India (West Bengal).
Geographic status: A widely distributed Himalayan species.
11. *R. bhotia* Schmid, 1970
Distribution: India (Uttarakhand).
Geographic status: A Himalayan species endemic to India.
12. *R. bhuchanadhara* Schmid, 1970
Distribution: Bhutan, India (Arunachal Pradesh).
Geographic status: A widely distributed Himalayan species.
13. *R. bicolor* Kimmins, 1953
Distribution: Myanmar, Vietnam, India (Manipur).
Geographic status: A widely distributed Himalayan species.
14. *R. bidens* Kimmins, 1953
(syn. *R. szabo*i Kiss, 2013)
Distribution: Myanmar, Bhutan, Nepal, Vietnam, Pakistan/India (Arunachal Pradesh, Manipur, Sikkim, Uttarakhand, Jammu and Kashmir).
Geographic status: A widely distributed Himalayan species.
15. *R. chakungpa* Schmid, 1970
Distribution: Nepal, India (Sikkim).
Geographic status: A widely distributed Himalayan species.
16. *R. chamolungpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.

17. *R. chandzo* Schmid, 1970
Distribution: Nepal, India (Arunachal Pradesh).
Geographic status: A widely distributed Himalayan species.
18. *R. changpa* Schmid, 1970
Distribution: Nepal, India (Sikkim).
Geographic status: A widely distributed Himalayan species.
19. *R. chayulpa chayulpa* Schmid, 1970
Distribution: Bhutan, Nepal, India (Sikkim, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
Subspecies: *R. chayulpa ringmo* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
Subspecies: *R. chayulpa tsetangpa* Schmid, 1970
Distribution: India (Uttarakhand).
Geographic status: A Himalayan species endemic to India.
20. *R. chematangpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
21. *R. chembo chembo* Schmid, 1970
Distribution: Nepal, Bhutan, India (Arunachal Pradesh).
Geographic status: A widely distributed Himalayan species.
Subspecies: *R. chembo lartsepa* Schmid, 1970
Distribution: India (Uttarakhand).
Geographic status: A Himalayan species endemic to India.
22. *R. chenmo* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
23. *R. chimdro* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
24. *R. chomoyuma* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
25. *R. choprai* Martynov, 1935
Distribution: India (Uttarakhand).
Geographic status: A Himalayan species endemic to India.
26. *R. chugalungpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
27. *R. chulukpa* Schmid, 1970
Distribution: India (West Bengal).
Geographic status: A Himalayan species endemic to India.
28. *R. chumikpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
29. *R. chungse* Schmid, 1970
Distribution: India (Arunachal Pradesh, Manipur, Nagaland).
Geographic status: A Himalayan species endemic to India.

30. *R. churongpa* Schmid, 1970
Distribution: India (Uttarakhand).
Geographic status: A Himalayan species endemic to India.
31. *R. curvata* (Morton, 1900)
(syn. *R. mortoni* Kimmins, 1953)
(syn. *R. sumatrana* Ulmer, 1930)
(syn. *R. suthepensis* Malicky, 1987)
Distribution: Thailand, China, Indonesia, Malaysia, Myanmar, India (Meghalaya, Manipur, Sikkim).
Geographic status: A widely distributed Himalayan species.
32. *R. dafla* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
33. *R. dakshi* Schmid, 1970
Distribution: Nepal, India (West Bengal).
Geographic status: A widely distributed Himalayan species.
34. *R. dgaldanpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
35. *R. dikkaravasini* Schmid, 1970
Distribution: India (Chennai).
Geographic status: A south Indian species endemic to India.
36. *R. dilata* Martynov, 1935
Distribution: Nepal, India (Himachal Pradesh, Uttarakhand, Sikkim).
Geographic status: A widely distributed Himalayan species.
37. *R. dirangpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
38. *R. dolingpa* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
39. *R. dongkyapa* Schmid, 1970
Distribution: Bhutan, Nepal, India (Arunachal Pradesh).
Geographic status: A widely distributed Himalayan species.
40. *R. dongre* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
41. *R. dorje* Schmid, 1970
Distribution: India (Chennai).
Geographic status: A south Indian species endemic to India.
42. *R. drokpa drokpa* Schmid, 1970
Distribution: Bhutan, Thailand, India (Arunachal Pradesh, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
Subspecies: *R. drokpa nyenpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
43. *R. drosampa* Schmid, 1970
Distribution: Thailand, India (Meghalaya).
Geographic status: A widely distributed Himalayan species.

44. *R. drotangpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
45. *R. extensa* Martynov, 1927
(syn. *R. carletoni* Banks, 1931)
Distribution: Turkestan (Kirghizstan), India (Himachal Pradesh).
Geographic status: A widely distributed Himalayan species.
46. *R. fletcheri* (Kimmins, 1952)
(syn. *Trichophila fletcheri* Kimmins, 1952)
Distribution: India (Sikkim, Arunachal Pradesh, Uttarakhand).
Geographic status: A Himalayan species endemic to India.
47. *R. gelukpa* Schmid, 1970
Distribution: Vietnam, India (Sikkim, Arunachal Pradesh).
Geographic status: A widely distributed Himalayan species.
48. *R. gyaldzen* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
49. *R. gyamo* Schmid, 1970
Distribution: Thailand, India (Manipur).
Geographic status: A widely distributed Himalayan species.
50. *R. gyaspa* Schmid, 1970
Distribution: India (West Bengal).
Geographic status: A Himalayan species endemic to India.
51. *R. gyelbu* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
52. *R. himachalensis* Kaur and Saini, 2012
Distribution: India (Himachal Pradesh).
Geographic status: A Himalayan species endemic to India.
53. *R. himalayensis* Saini, Kaur and Bajwa, 2013
Distribution: India (Uttarakhand).
Geographic status: A Himalayan species endemic to India.
54. *R. hingstoni* Martynov, 1930
Distribution: Tibet, Nepal, India (Sikkim).
Geographic status: A widely distributed Himalayan species.
55. *R. hobsoni* Martynov, 1930
Distribution: Tibet, Nepal, India (Sikkim, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
56. *R. inconspicua* Morton, 1900
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
57. *R. indica* Saini, Kaur and Bajwa, 2012
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
58. *R. jayadurga* Schmid, 1970
Distribution: India (Chennai).
Geographic status: A Himalayan species endemic to India.

59. *R. kadampa* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
60. *R. kadaphes* Schmid, 1959
Distribution: Pakistan/India (Uttarakhand, Jammu and Kashmir, Himachal Pradesh).
Geographic status: A Himalayan species endemic to India/Pakistan.
61. *R. kagyupa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
62. *R. kando kando* Schmid, 1970
Distribution: Bhutan, Nepal, India (Arunachal Pradesh, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
Subspecies: *R. kando rengma* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
63. *R. kangjongpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
64. *R. kanichka* Schmid, 1959
Distribution: Pakistan/India (Jammu and Kashmir, Uttarakhand).
Geographic status: A Himalayan species endemic to India/Pakistan.
65. *R. karpa* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
66. *R. kashmirensis* Kaur and Saini, 2013
Distribution: Pakistan/India (Jammu and Kashmir).
Geographic status: A Himalayan species endemic to India/Pakistan.
67. *R. kashongpa* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
68. *R. kawachenpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
69. *R. kedara* Schmid, 1970
Distribution: Pakistan/India (Uttarakhand, Jammu and Kashmir).
Geographic status: A Himalayan species endemic to India/Pakistan.
70. *R. khamakhya* Schmid, 1970
Distribution: India (Chennai).
Geographic status: A south Indian species endemic to India.
71. *R. khasiorum* Schmid, 1970
Distribution: Nepal, India (Meghalaya, Himachal Pradesh, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
72. *R. khimbarpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.

73. *R. khiympa* Schmid, 1970
Distribution: China, Bhutan, India (Sikkim).
Geographic status: A widely distributed Himalayan species.
74. *R. kubra* Schmid, 1970
Distribution: Nepal, Bhutan: India (Sikkim).
Geographic status: A widely distributed Himalayan species.
75. *R. kunma* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
76. *R. kusang* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
77. *R. kyadongpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
78. *R. kyimdongpa* Schmid, 1970
Distribution: Thailand, Vietnam, India (Meghalaya).
Geographic status: A widely distributed Himalayan species.
79. *R. kyungpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
80. *R. langdarma* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
81. *R. laptsap*a Schmid, 1970
Distribution: Nepal, India (Sikkim).
Geographic status: A Himalayan species endemic to India.
82. *R. lepcha* Schmid, 1970
Distribution: Bhutan, India (Sikkim, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
83. *R. lhabu* Schmid, 1970
Distribution: Vietnam, India (Manipur).
Geographic status: A widely distributed Himalayan species.
84. *R. lhadzongpa* Schmid, 1970
Distribution: Pakistan/India (Arunachal Pradesh, Jammu and Kashmir, Himachal Pradesh).
Geographic status: A Himalayan species endemic to India/Pakistan.
85. *R. lhakpa* Schmid, 1970
Distribution: India (Uttarakhand, Himachal Pradesh).
Geographic status: A Himalayan species endemic to India.
86. *R. lhopa* Schmid, 1970
Distribution: India (Chennai).
Geographic status: A south Indian species endemic to India.
87. *R. lobsang* Schmid, 1970
Distribution: India (Chennai).
Geographic status: A south Indian species endemic to India.

88. *R. lonpo* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
89. *R. maitripa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
90. *R. manipuri* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
91. *R. manlungpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
92. *R. marpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
93. *R. milarepa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
94. *R. mishmica* Kimmins, 1953
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
95. *R. monyulpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
96. *R. muktepa* Schmid, 1970
Distribution: Thailand, India (Meghalaya).
Geographic status: A widely distributed Himalayan species.
97. *R. nabocheпа* Schmid, 1970
Distribution: India (West Bengal).
Geographic status: A Himalayan species endemic to India.
98. *R. naga* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
99. *R. nagongpa* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
100. *R. nakpo* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
101. *R. namgyal* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
102. *R. narayani* Schmid, 1970
Distribution: India (Kerala).
Geographic status: A south Indian species endemic to India.

103. *R. naviculata* Morton, 1900
Distribution: India (Meghalaya, Tamil Nadu).
Geographic status: A widely distributed species endemic to India.
104. *R. netongpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
105. *R. ngawang* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
106. *R. ngorpa* Schmid, 1970
Distribution: Bhutan, Nepal, Tibet, India (Sikkim).
Geographic status: A widely distributed Himalayan species.
107. *R. ngulpa* Schmid, 1970
Distribution: Nepal, India (Uttarakhand, Himachal Pradesh).
Geographic status: A widely distributed Himalayan species.
108. *R. nigrorosea* Schmid, 1959
Distribution: Pakistan, India (Himachal Pradesh, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
109. *R. norbu* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
110. *R. nyamangpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
111. *R. nyelungpa* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
112. *R. nyerongpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
113. *R. nyerpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
114. *R. nyukmadongpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
115. *R. obscura* Martynov, 1927
Distribution: Turkestan (Uzbekistan), Bhutan, Nepal, Afghanistan, Pakistan/India (Himachal Pradesh, Sikkim, Jammu and Kashmir, Arunachal Pradesh, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
116. *R. parva parva* Kimmins, 1953
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
Subspecies: *R. parva mukpo* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.

117. *R. paurava* Schmid, 1959
Distribution: Pakistan, India (Meghalaya, Uttarakhand).
Geographic status: A Himalayan species endemic to India/Pakistan.
118. *R. pemba* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
119. *R. poba* Schmid, 1970
Distribution: Tibet, India (Sikkim).
Geographic status: A widely distributed Himalayan species.
120. *R. polha* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
121. *R. procliva* Kimmins, 1953
Distribution: Myanmar, India (Manipur, Arunachal Pradesh).
Geographic status: A widely distributed Himalayan species.
122. *R. putata putata* Kimmins, 1953
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
Subspecies: *R. putata temba* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
123. *R. rhombica* Martynov, 1935
Distribution: Bhutan, Vietnam, Nepal, India (Himachal Pradesh, West Bengal).
Geographic status: A widely distributed Himalayan species.
124. *R. rongpa* Schmid, 1970
Distribution: Bhutan, Nepal, India (Manipur, Arunachal Pradesh, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
125. *R. sajadi* Saini and Kaur, 2012
Distribution: India (Uttarakhand, Arunachal Pradesh, Sikkim, Assam, Himachal Pradesh).
Geographic status: A Himalayan species endemic to India.
126. *R. sakyapa* Schmid, 1970
Distribution: Nepal, India (Uttarakhand).
Geographic status: A widely distributed Himalayan species.
127. *R. sanglungpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
128. *R. scissa* Morton, 1900
Distribution: Bhutan, Myanmar, Vietnam, China, Pakistan/India (Meghalaya, Arunachal Pradesh, Sikkim, Uttarakhand, Jammu and Kashmir, Nagaland, Himachal Pradesh).
Geographic status: A widely distributed Himalayan species.
129. *R. scissoides* Kimmins, 1953
Distribution: Nepal, Vietnam, Thailand, China, India (Arunachal Pradesh, Meghalaya, Sikkim, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
130. *R. scotina* Kimmins, 1953
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.

131. *R. senggepa* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
132. *R. shakangpa* Schmid, 1970
Distribution: Nepal, India (Uttarakhand).
Geographic status: A widely distributed Himalayan species.
133. *R. sherchokpa* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
134. *R. sherpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
135. *R. shingripa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
136. *R. sikungpa* Schmid, 1970
Distribution: India (Uttarakhand).
Geographic status: A Himalayan species endemic to India.
137. *R. similis* Martynov, 1935
Distribution: Taiwan, India (Uttarakhand).
Geographic status: A widely distributed Himalayan species.
138. *R. spinalis* Martynov, 1930
Distribution: Bhutan, Nepal, Tibet, India (Arunachal Pradesh, Sikkim, Uttarakhand, Meghalaya).
Geographic status: A widely distributed Himalayan species.
139. *R. stenostyla* Martynov, 1930
Distribution: Nepal, Tibet, India (Sikkim, Uttarakhand).
Geographic status: A widely distributed Himalayan species.
140. *R. sumdopa* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
141. *R. tarkiya* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
142. *R. tashepa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
143. *R. tashidingpa* Schmid, 1970
Distribution: Nepal, India (Arunachal Pradesh).
Geographic status: A widely distributed Himalayan species.
144. *R. tecta* Morton, 1900
Distribution: Bhutan, Taiwan, Myanmar, India (Arunachal Pradesh, Meghalaya).
Geographic status: A widely distributed Himalayan species.
145. *R. tengyelingpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.

146. *R. tolungpa* Schmid, 1970
Distribution: Bhutan, India (Arunachal Pradesh).
Geographic status: A widely distributed Himalayan species.
147. *R. trashipa* Schmid, 1970
Distribution: Bhutan, India (Manipur).
Geographic status: A widely distributed Himalayan species.
148. *R. trulungpa* Schmid, 1970
Distribution: Pakistan, India (Uttarakhand).
Geographic status: A widely distributed Himalayan species.
149. *R. tsering* Schmid, 1970
Distribution: India (Kerala, Meghalaya).
Geographic status: A widely distributed species endemic to India.
150. *R. tshiringpa* Schmid, 1970
Distribution: Nepal, India (Sikkim).
Geographic status: A widely distributed Himalayan species.
151. *R. tshogpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
152. *R. tsiudmarpo* Schmid, 1970
Distribution: India (Arunachal Pradesh).
Geographic status: A Himalayan species endemic to India.
153. *R. tsona* Schmid, 1970
Distribution: Bhutan, India (Manipur).
Geographic status: A widely distributed Himalayan species.
154. *R. tsongkhapa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
155. *R. tungkorpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
156. *R. tungpa* Schmid, 1970
Distribution: India (Uttarakhand).
Geographic status: A Himalayan species endemic to India.
157. *R. ugyenpa* Schmid, 1970
Distribution: India (Meghalaya).
Geographic status: A Himalayan species endemic to India.
158. *R. wangpo* Schmid, 1970
Distribution: India (West Bengal).
Geographic status: A Himalayan species endemic to India.
159. *R. yarlungpa* Schmid, 1970
Distribution: Nepal, India (Arunachal Pradesh).
Geographic status: A widely distributed Himalayan species.
160. *R. yigrongpa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.

161. *R. yipung* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
162. *R. yishepa* Schmid, 1970
Distribution: India (Sikkim).
Geographic status: A Himalayan species endemic to India.
163. *R. yonggyapa* Schmid, 1970
Distribution: India (Manipur).
Geographic status: A Himalayan species endemic to India.
164. *R. yullha* Schmid, 1970
Distribution: Bhutan, India (Sikkim).
Geographic status: A widely distributed Himalayan species.
165. *R. chungpa* Schmid, 1970
Distribution: Bhutan, Nepal, India (Himachal Pradesh, Arunachal Pradesh, Sikkim).
Geographic status: A widely distributed Himalayan species.

Discussion

The extensive surveys and collections of caddisflies across India during 2003–2019 revealed that the family Rhyacophilidae is represented by 184 species and eight subspecies in two genera in India. The Genus *Himalopsyche* is represented by 19 species and one subspecies. Among these species six are endemic, 13 are widely distributed, and all the species are restricted to the Himalayan belt (Fig. 1). Similarly, the genus *Rhyacophila* is represented by 165 species and seven subspecies. Among them 109 species are endemic and 56 species are widely distributed. A review of the geographic status for each taxon revealed 155 Himalayan species, seven South Indian species and only one island species.




Figure 1. Geographic distribution of the family Rhyacophilidae in India.

Acknowledgments

The authors are highly indebted to Dr. J. C. Morse (Department of Plant & Environmental Sciences, Clemson University, Clemson, South Carolina, USA) for providing research papers, Mr. Aquib Majeed, Mr. Zahid Hussain Shah and Ms. Taslima Sheikh for creating a positive and cordial environment in the laboratory during our work. We appreciate the reviewers Dr. J. C. Morse (Department of Plant & Environmental Sciences, Clemson University, South Carolina, USA) and Dr. Halil Ibrahim, Faculty of Mathematics and Natural Sciences, Department of Biology, Pristina, Kosovo, for critical review of the manuscript.

We are thankful to the University Grants Commission (UGC), New Delhi, for providing the start-up research grant No. F.30-441/2018/BSR dated August 2018.

Literature Cited

- Banks N. 1931.** Some oriental neuropteroid insects. *Psyche* 38: 56–70.
- Banks N. 1940.** Report on certain groups of neuropteroid insects from Szechwan, China. *Proceedings of the United States National Museum* 88: 173–220.
- Blahnik RJ, Holzenthal RW, Prather A. 2007.** The lactic acid method for clearing Trichoptera genitalia. p. 9–14. *In*: Bueno-Soria J, Barba-Alvarez R, Armitage B. (eds.). *Proceedings of the XIIth International Symposium on Trichoptera*. The Caddis Press; Columbus, OH. xii + 378 p.
- Holzenthal RW, Blahnik RJ, Prather A, Kjer KM. 2007.** Order Trichoptera Kirby 1813 (Insecta), caddisflies. *Zootaxa* 1668: 639–698.
- Kaur L, Saini MS. 2012.** Two new species of *Rhyacophila* Pictet (Trichoptera, Rhyacophilidae) from India. *Acta Zoologica Academiae Scientiarum Hungaricae* 58: 211–215.
- Kaur L, Saini MS. 2013.** *Rhyacophila kashmirensis* sp. n. (Trichoptera: Rhyacophilidae) from India. *Polish Journal of Entomology* 82: 109–112.
- Kaur L, Saini MS. 2015.** A new species of the genus *Himalopsyche* (Trichoptera, Rhyacophilidae) with Keys to and Catalogue of Indian Species. *Vestnikzoologii* 49: 3–12.
- Kimmings DE. 1952.** New species and a new genus of the subfamily Rhyacophilinae. Indian caddis flies VI. *Annals and Magazine of Natural History (Series 12)* 5: 347–361.
- Kimmings DE. 1953.** Entomological results from the Swedish Expedition 1934 to Burma and British India V. Trichoptera. The genus *Rhyacophila* Pictet (Fam. Rhyacophilidae). *Arkiv för Zoologi* 2: 505–555.
- Kiss O. 2013.** Three new species of *Rhyacophila* (Trichoptera, Rhyacophilidae) from Asia. *Acta Zoologica Academiae Scientiarum Hungaricae* 59: 13–29
- Malicky H. 1987.** The first European *Apataniana* (Trichoptera, Limnephilidae): *Apatanianahellenica* sp. n. from Greece. *Aquatic Insects* 9: 210.
- Malicky H. 1997.** Weitere neue Köcherfliegen-Arten (Trichoptera) aus Asien. *Linzer Biologische Beiträge* 29: 217–238.
- Martynov AV. 1927.** Contributions to the aquatic entomofauna of Turkestan I. Trichoptera, Annulipalpia. *Annuaire du Musée Zoologique de l'Académie Impériale des Sciences de Saint Pétersbourg* 28: 162–193.
- Martynov AV. 1930.** On the Trichopterous fauna of China and Eastern Tibet. *Proceedings of the Zoological Society of London* 5: 65–112.
- Martynov AV. 1935.** On a collection of Trichoptera from the Indian Museum, Part I, Annulipalpia. *Records of the Indian Museum* 37: 93–209.
- Martynov AV. 1936.** On a collection of Trichoptera from the Indian Museum, Part II, Integripalpia. *Records of the Indian Museum, Calcutta* 38: 239–306.
- Morse JC. (ed.). 2020.** Trichoptera World Checklist. Available at <http://entweb.clemson.edu/database/trichopt/index.htm> (Last accessed 21 April 2020.)
- Morton KJ. 1900.** Descriptions of new species of Oriental Rhyacophilidae. *Transactions of the Royal Entomological Society of London* 1900: 1–7.
- Pictet FJ. 1834.** Recherches pour servir à l'histoire et l'anatomie des Phryganides. A. Cherbuliez; Geneva, Switzerland. 240 p.
- Ross HH. 1956.** Evolution of the mountain caddisflies. University of Illinois Press; Urbana, Illinois. 213 p.
- Saini MS, Cheema LK, Bajwa PK. 2012.** Two new species of the genus *Rhyacophila* Pictet (Trichoptera: Rhyacophilidae) from India. *Aquatic Insects* 34: 223–227.
- Saini MS, Lakhwinder K. 2011.** Revised phylogenetic analysis of Indian species of genus *Himalopsyche* Banks (Trichoptera: Spicipalpia: Rhyacophilidae). *Halteres* 3: 26–29.

- Saini MS, Lakhwinder K. 2012.** Two new species of the genus *Rhyacophila* Pictet (Trichoptera: Rhyacophilidae) from the Indian Himalayas. *Zootaxa* 3478: 309–312.
- Saini MS, Mandeep K, Bajwa PK. 2001.** An updated check-list of the Indian Trichoptera along with an illustrated key to its families. *Records of the Zoological Survey of India* 99: 201–256.
- Schmid F. 1959.** Trichoptères du Pakistan, II. *Tijdschrift voor Entomologie* 102: 231–253.
- Schmid F. 1963.** Quelques *Himalopsyche* indiennes (Trichoptères, Rhyacophilidae). *Bonner Zoologische Beiträge* 14: 206–223.
- Schmid F. 1970.** Le genre *Rhyacophila* et la famille des Rhyacophilidae (Trichoptera). *Memoires de la Société Entomologique du Canada* 66: 1–230.
- Schmid F. 1989.** Les hydrobiosides (Trichoptera, Annulipalpia). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Entomologie* 59: 1–154.
- Schmid F, Botosaneanu L. 1966.** Le genre *Himalopsyche* Banks (Trichoptera, Rhyacophilidae). *Extrait des Annales de la Société entomologique du Québec* 11: 123–176.
- Stephens JF. 1836.** Illustrations of British entomology, or a synopsis of indigenous insects containing their generic and specific distinctions with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable, Mandibulata Vol. 6. Baldwin and Cradock; London. 238 p.
- Ulmer G. 1930.** XLIX Entomological expedition to Abyssinia, 1926–27, Trichoptera and Ephemeroptera. *Annals and Magazine of Natural History (Series 10)* 6: 479–511.

Received August 10, 2020; accepted August 28, 2020.

Review editor David E. Bowles.

