



# **A Review of Energy Models No.4 - July 1978**

**Beaujean, J.-M. and Charpentier, J.-P.**

**IIASA Research Report  
July 1978**



Beaujean, J.-M. and Charpentier, J.-P. (1978) A Review of Energy Models No.4 - July 1978. IIASA Research Report. Copyright © July 1978 by the author(s). <http://pure.iiasa.ac.at/831/> All rights reserved. Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage. All copies must bear this notice and the full citation on the first page. For other purposes, to republish, to post on servers or to redistribute to lists, permission must be sought by contacting [repository@iiasa.ac.at](mailto:repository@iiasa.ac.at)

**A REVIEW OF ENERGY MODELS**

**No. 4 – JULY 1978**

**J.-M. Beaujean and J.-P. Charpentier, Editors**

**RR-78-12**

**July 1978**

Research Reports provide the formal record of research conducted by the International Institute for Applied Systems Analysis. They are carefully reviewed before publication and represent, in the Institute's best judgment, competent scientific work. Views or opinions expressed therein, however, do not necessarily reflect those of the National Member Organizations supporting the Institute or of the Institute itself.

**International Institute for Applied Systems Analysis  
A-2361 Laxenburg, Austria**

Jeanne Anderer, editor  
Linda Samide, composition  
Martin Schobel, graphics

Printed by NOVOGRAPHIC  
Maurer-Lange-Gasse 64  
1238 Vienna

Copyright © 1978 IIASA

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage or retrieval system, without permission in writing from the publisher.

## PREFACE

This review is the fourth in the IIASA series of publications reviewing energy models. This work is related to the project, Comparison of Energy Options: A Methodological Study, carried out jointly by the United Nations Environment Programme and IIASA. The series has been set up to aid the student of the energy problem in his literature search for a tool applicable to his set of problems and to avoid duplication of efforts.

The present review contains only 14 models. There is a tendency toward modification and actualization of existing models, and research institutions are, understandably, reluctant to provide them in incomplete form. A list of the institutions and individuals contacted is appended to this report.

We hope that this review will stimulate contacts and collaboration between specialists. For a continuation of this series readers are invited to provide the editors with abstracts of their energy models.

Jean-Pierre Charpentier, *A Review of Energy Models: No. 1—May 1974*, Revised September 1976, RR-74-10, International Institute for Applied Systems Analysis, Laxenburg, Austria, 1976.

Jean-Pierre Charpentier, *A Review of Energy Models: No. 2—July 1975*, RR-75-35, International Institute for Applied Systems Analysis, Laxenburg, Austria, 1975.

Jean-Michel Beaujean and Jean-Pierre Charpentier, eds., *A Review of Energy Models: No. 3—December 1976*, Special Issue on Soviet Models, RR-76-18, International Institute for Applied Systems Analysis, Laxenburg, Austria, 1976.



## SUMMARY

Fourteen new models are presented in this review; their classification is shown in the table below. Of type A there are four models; of types C, E, and F, three each; of type B, one model and none of class D.

The preceding three reviews of energy models have clearly shown that there are few energy models linking energy systems to the overall economy and even fewer models combining demand and supply consistently. In the present review there are three models of these types: the Swedish model developed by Carl Bergström et al.; Coal 1 by R. Naill; and the model of the refining industry in Belgium by Franz Jomaux.

### Models' Classification

Areas of Application		National	International
Energy System (energy is the main problem)	One kind of fuel	A 4	B 1
	Several kinds of fuel	C 3	D 0
Linkage between energy and general economy		E 3	F 3





List of Models

Country	No.*	Title and Author	Class
Belgium	B401	Study of the Optimal Structure of the Belgium refining industry Franz Jomaux, Faculté Universitaire Catholique de Mons	A
Canada	CDN401	Optimal Sales Policy for Canadian Natural Gas Ross C. Richards, Energy Models Div., National Energy Board	B
Japan	J401	A Simulation Model for Study of the Dynamic Behavior of Crude Oil Production in Middle East Oil Exporting Countries Teruyasu Murakami, Nomura Research Institute	F
Mexico	M401	"Mexico"--National Energy Model J. Lartigue G., University of Mexico	E
Netherlands	N401	Mining Industry Model IRC-004 J.W. Brinck, IRC-Brinck International Resources Consultants B.V.	A
New Zealand	NZ401	A Planning Model of New Zealand's Energy Industry B.R. Smith, P.D. Lucas and B.A. Murtagh, Victoria University and Ministry of Energy Resources	C
Sweden	S401	An Energy Forecasting Model for Sweden Lars Bergman, Clas Bergström, and Anders Björklund, Economic Research Institute, Stockholm School of Economics	E
Turkey	T401	Energy System Planning Mini-Model I. Kavrak, Boğazici University	C
UK	GB401	Demand for Energy Forecasting Model G. Kouris, University of Surrey	F
UK	GB402	Model for Estimating Price Increases Due to Higher Costs of Petroleum and Other Imports E.W. Henry and S. Scott, Quarterly Economic Commentary	E

\*Numbers refer to abstracts of the models stored on the IIASA computer.

Country	No.	Title and Author	Class
USA	USA401	A Regional Linear Programming Approach to the United States Energy System P.J. Nagarvala, G.C. Ferrell and L.A. Olver, Bechtel Corp.	A
USA	USA402	COAL 1: A Model of the United States Energy System Roger Naill, Thayer School of Engineering, Dartmouth College	A
USA	USA403	The Energy Supply Planning Model M. Carasso and J.M. Gallagher, et al., Bechtel Corp.	C
EC	XX401	Evaluation of Power Station Installation Policies F. Conti, G. Graziani and C. Zanantoni, Commission of the European Communities	F

**MODELS CLASS A**



## USA

The Model	A regional linear programming approach to the United States energy system. (USA401) P.J. Nagarvala, G.C. Ferrell*, and L.A. Olver, Bechtel Corporation, San Francisco, California, 1974.
Subject and Goal	The model is concerned with optimal regional flows and the utilization of different energy forms, with an emphasis on coal and clean coal energy. The model permits interfuel substitutability, and includes a wide range of existing and developing technologies. It develops a methodology for the planning and analysis of complete energy systems from mining and extraction through energy conversion and transportation, environmental considerations, and energy demand.
System Description	The model deals with a regional US energy system that currently emphasizes the coal and coal-based energy sectors. The model constructs and analyzes optimal systems of energy utilization based on regional descriptions, energy supplies, transportation networks, regional characteristics and availabilities of energy conversion facilities, environmental control techniques, and energy demands. The model is data driven and capable of creating and analyzing a wide variety of energy system descriptions.
Area	Time Single time period. Model runs may be made for each time period of interest. The model has been applied for the years 1980 and 1985.
	Space Flexible. The US, or any chosen subregion included in the model boundary, may be disaggregated as desired. The model has been applied to the US for a five- and a sixteen-region breakdown.
Modeling Techniques	This is an optimization model that uses linear programming and extensions. The model creates and/or manages the LP matrices and submatrices, using input data and logical information tables. It calculates feasible and optimal primal/dual solutions, and generates a hierarchy of output reports. The technique has user interactive capability and flexible interface capacity.
Input Data	Operational The user specifies regions, year, supply and demand categories, transportation options, energy conversion technologies, maximum interfuel substitution levels, technical and economic logical structures, and the optimization objective.
	Physical The following are required by region: coal reserves; mining capacity by coal price and coal category; availability and price of domestic and imported natural gas and crude; import and export of coal and electric power; demand by energy form--electric, raw coal, gas, crude, and refined products. When regional data are unavailable, algorithms are developed to disaggregate US level information as necessary.
	Technical The required data are the economics, physical capacities, and efficiencies of energy technologies, including coal transportation (rail, unit train, waterborne carrier, and slurry pipeline); oil and gas pipelines; electric transmission; fossil-fuel steam-electric power plants (coal, oil, and gas); hydroelectric, nuclear, and other electric power generating facilities; coal synthetic facilities (gasification, liquefaction, solid); fluidized bed combustion; advanced fossil fuel systems.
	Resources and Environment Energy resources including manpower, materials, and capital are not now, but may be, incorporated as accounting or constraining rows in the model structure. Water and capital resources have been investigated. Environmental residual emissions may be accounted for or constrained. SO <sub>x</sub> emissions have been investigated and constrained.
	Economic The objective function, which may be other than economic, includes the average single-time period cost of fuel supplies, and the cost of maintaining or constructing energy conversion facilities. Facilities scheduled to be in existence and additional facilities required by the model are differentiated.
Output Data	Operational A hierarchy of output reports showing input and output data for the optimal energy system for each year, region, and energy/economic sector.
	Physical The optimal configuration of energy technologies to meet demands from available supplies subject to resource and environmental criteria.
	Resources and Environment Energy-related resources (e.g., water, capital, etc.). Environmental emissions (e.g., SO <sub>x</sub> ).
	Economic Economic input data and marginal costs for all constrained activities (e.g., coal mining capacity, SO <sub>x</sub> emissions, regulations).
Observations	The model may be used to determine regional implications of national energy scenarios. It contains a detailed coal resource and coal-energy technology data base. Energy supply and demand is disaggregated by region. Non-coal systems are managed exogenously at present. Interfuel substitutability is included, but no direct provisions are made for price/demand elasticities. (These may be analyzed iteratively.) Work is proceeding to expand the model to include endogenously all energy sectors, incorporating their resource and environmental implications. The model provides a methodology that may be used to assess the regional impact of various national energy scenarios and, by highlighting bottlenecks, may serve as a guide to R&D policymakers.

\*Initial project leader; now associated with the University of California, Berkeley.

NETHERLANDS

---

The Model	Mining industry model IRC-004. (N401) J.W. Brinck, IRC-Brinck International Resources Consultants B.V., P.O. Box 471, Alkmaar 1700, Netherlands, 1975/1976.
Subject and Goal	Valuation of mineral prospects, deposits, districts, and provinces in particular; and estimation and comparison of the mineral potential (inferred resources) of countries, continents, and the world, in general.
System Description	The estimation of mineral resources is based on the assumption of a log-binomial frequency distribution of element concentrations in the geologic environment. This distribution creates a probability field for mineral deposits of different size-grade specifications, which determines the rarity of such deposits and thus their average exploration costs. Their size and grade determine the average required capital investment and exploitation costs as well as the optimum production capacity to be installed for a given minimum rate of return on invested capital. The assumption that the frequency distribution of the concentrations will logistically approach a theoretical or practical concentration barrier, as proposed by DE WIJS (1975), can be tested and evaluated.
Time	All economic estimates are made on the basis of current technology and historical cost-price relations for the moment that a fully equipped deposit should enter into production.
Area	Space Unspecified. Local and regional conditions are compared with global conditions (individual deposits and global resources).
Modeling Techniques	The probability field of global resources of a mineral commodity is calculated from mineral deposits in different price categories (reserves, marginal and submarginal resources). Individual prospects, the results of geochemical surveys or estimates of a national potential, are compared with their global equivalents.
Input Data	The data requirements are empirical estimates or measurements of demonstrated reserve and other mineral concentration parameters, and cost of exploration and production as a function of size-grade specifications for mineral deposits. The standard economic parameters have been checked against production statistics of over 500 major and minor mines in the Western world, producing a wide variety of mineral commodities. Optionally, these parameters can be varied to comply with special conditions for individual deposits or prospects.
Output Data	The data requirements are as follows: global or local probabilistic distribution of mineral concentrations of different size-grade specifications and related production costs with respect to a statistically determined target price; estimates of inferred reserves and resources for a given geological environment; favorability index for deposits, exploration targets, or territories as compared with their global equivalents.
Observations	The model is the basic unit of a software package, being developed by IRC, that will be used for the direction and interpretation of mineral exploration activities. The computer programs and descriptions can be made available on a lease basis in the Honeywell-Bull Time Sharing System; on special request, they can be adapted to other computer systems.

---

USA

---

The Model	COAL 1: A model of the United States energy system. (USA402) Roger Naill, Thayer School of Engineering, Dartmouth College, Hanover, New Hampshire.
Subject and Goal	COAL 1 is a dynamic model of the US energy supply and demand system. COAL 1 is a policy model designed to help reveal the soundest policy combinations for insuring smooth transition, with minimum dependence on foreign oil and gas, from finite domestic fuel sources (coal, nuclear, oil, and gas) to ultimate sources (fusion, and solar).
System Description	<p>The model reproduces the structure and behavior of the US energy system, conceptualized as four gross interacting sectors: oil and gas, electricity, coal, and demand. The model contains an appropriate structure to represent domestic fuel resource depletion, interfuel competition and substitutability, environmental effects of nuclear and coal development, competition for available energy capital, changes in coal industry labor supply, government regulation of alternative development options, and the role of energy imports.</p> <p>The following strategies for energy self-sufficiency are examined: business as usual; accelerated nuclear development; expansion of the coal industry; more rapid technological advances such as the implementation of retrofitted stock scrubbers, and synthetics development; changes in environmental and worker-safety standards; capital-stimulation and capital-allocation biases; and reduced growth in energy demand.</p>
Area	Time 1970-2010.
	Space USA as a whole.
Modeling Techniques	<p>COAL 1 is an integration feedback model of the system dynamics variety developed by Jay W. Forrester at the Massachusetts Institute of Technology (see <i>Industrial Dynamics</i>, M.I.T. Press, 1961). The model consists of a set of equations expressed in the level-rate format of the DYNAMO simulation language. Nearly all input variables are endogenous to the overall model boundary, with the exception of foreign energy prices and domestic energy demand.</p> <p>Sensitivity analyses and policy evaluations are normally undertaken through simple changes in parameter values or in the tabularly expressed values of many model relationships.</p> <p>Several reference runs replicating the historical behavior of the whole US energy system, as well as individual sectors, have been completed. A variety of sensitivity and policy runs have also been conducted.</p>
Input Data	Where available, COAL 1 employs cross-section, time-series, and other statistical evidence to formulate parameters, tabular relationships, and structural assumptions. Known relationships for which hard data are unavailable have been formulated by representation of "best-guess" estimates in tabular form. "Best-guess" estimates have been based on descriptive information obtained from expert opinion and from published sources.
Output Data	The model prints both tabular and graphic output in response to a run command. The two forms of output, available for both physical and financial variables, are recorded at previously designated intervals of time throughout a given run.
Observations	The model behavior to date suggests that no supply strategy can prevent either massive dependence on foreign imports or serious supply shortfalls before the year 2000, unless the growth rate of domestic energy demand drops significantly. Moreover, coal is preferable to nuclear power as an interim transitional fuel through the year 2010.

---

BELGIUM

---

The Model	Study of the optimal structure of the Belgium refining industry. (B401) Franz Jomaux, Faculté Universitaire Catholique de Mons, 151, chaussée de Binche, 7000 Mons.
Subject and Goal	The model studies the optimal structure of the refining industry in Belgium with a view to determining an optimum long-term investment program, including the spatial repartition of equipment.
Modeling Techniques	Linear programming. The objective function is to minimize the total cost of transporting principal refined products to the place of consumption; total cost includes purchasing cost of crude, transport cost of crude by pipeline, refining cost, and transport cost of finished products.  The constraints are: regional demands, technical refining constraints, the crude supplying structure, and quality standards for refined products.  The variables are divided into primal: capacities of units to be set up in the various refining centers (strategical variables), and working rules of the various refining centers and distribution plan of refined products (tactical variables); and dual: marginal costs of finished products in the refining centers and in the consumption areas, and marginal costs connected with other constraints of the model.
Objectives	The study is the subject of a thesis outlined as follows: introduction and problem definition; description of the refining industry in Belgium; model of the refining industry (the model is of a single refinery with a spatial submodel including several refineries and their junctions with consumption points of a given area and a multiperiod submodel to tackle the seasonal demand variations); solution of the models on computer (matrix generation and LP code utilization); application of the spatial and multiperiod models to the Belgian situation of 1971; forecast of the optimal structure of the refining industry in Belgium for 1980 and 1985; and conclusions.

---



**MODELS CLASS B**



CANADA

---

The Model	Optimal sales policy for Canadian natural gas. (CDN401) Ross C. Richards, Energy Models Division, National Energy Board, Ottawa
Subject and Goal	To maximize discounted profit subject to Canadian requirements, US contract demands, export surplus calculation requirements, and pipeline capacity and/or deliverability constraints.
System Description	The model describes a linear programming allocation scheme from six supply areas to three markets maximizing discounted profit.
Area	Time For each year, 1972-2000. Space For Canada and the USA.
Modeling Techniques	Linear programming. The model is set up to handle multiple time periods, using either yearly or multiyearly data. Variations in the surplus calculation are handled easily through the matrix generator.
Input Data	-Cost of natural gas from each of the supply regions; -Selling price of natural gas in each of the demand regions; -Discount factor to be used in each period; -Canadian demand that must be satisfied; -US demand that must be satisfied; -Capacity and/or pipeline constraints from each of the supply areas; -Natural gas reserves in each of the supply areas; -Form of protection formula that will be used to calculate an exportable surplus.
Output Data	-Run number, data source, protection formula used, date of run; -Sales in each period; -Pipeline potential and capacity throughputs; -Reserves available, protection needed, and surplus available for each period; -Cost, price, profit and discounted profit for each period in each demand region; -Both total profits and unit profits for each source for each demand region, both discounted and undiscounted; -Total optimum profit.
Observations	A similar model also exists for crude oil. The main feature of the model is the handling of the surplus calculation using various formulae. The model includes a matrix generator, an out of core solution technique and a report generator which produces readable results easily.

---



**MODELS CLASS C**



TURKEY

---

The Model	Energy system planning mini-model. (T401) I. Kavrak, The Energy Group, Boğaziçi University, Istanbul, Turkey.
Subject and Goal	The goal of the model is the planning of the energy sector. The optimal investment policy is determined, with the objective of maximizing overall energy utilization efficiency, or minimizing cost.
System Description	The system describes a network of energy converters grouped into three classes: primary, intermediate, and final conversions. Energy flows from sources, through converters, to the demand nodes. The variables (~140) are the energy flows in the network, and the aggregated capacities of all production and distribution plants at each time period.
Area	Time A time horizon of 15 years, with intervals of three years.
	Space The energy economy of Turkey.
Modeling Techniques	Linear programming model. The model's dynamic character is incorporated by linking each time interval to preceeding ones through decision variables. The rows (~200) are: energy flow balances; and demand, capacity, capacity consistency, reserve, budget, and foreign funds constraints. The objective function(s) can be any one or a combination of the following: minimum cost, minimum primary energy, and/or maximum utilized energy.
Input Data	The model parameters are as follows: -Coefficients of energy conversion for all transformations of energy from one form into another, as well as those for transport and distribution; -Local and foreign components of the unit investment costs of all energy converters; -Prices of all fuels; -Reserves of indigenous energy sources; -Capacities of existing plants.  Constraint coefficients for demand, budget, and technology are also supplied to the model.
Output Data	The output data corresponding to the variables defined above are as follows: -Amount and type of primary energy supplied to all plants and sectors at each time interval; -Amount and type of secondary energy generated at each plant at each time interval; -Amount of energy utilized by each demand sector at each time interval; -Amount of local and foreign funds spent at each time interval; -New capacity added at each time interval.
Observations	The model has been applied to Turkey for the period 1960-1975 in order to check the model's validity, and good results have been obtained. Results for the period 1976-1991 have also been secured. A much larger model of about ten times the size, and a modified mathematical structure are being developed.

---

USA

The Model	The energy supply planning model. (USA403) M. Carasso and J.M. Gallagher, et al., Bechtel Corporation, San Francisco, California, 1975.
Subject and Goal	The model determines the time series requirements for specific physical and societal resources (capital, manpower, materials, and equipment) associated with the construction and operation of energy-related facilities needed to implement exogenously specified US national or regional energy programs in the 1976-1995 time frame.
System Description	A national energy model of the USA, with a highly disaggregated description of the energy supply system composed of 66 energy supply facilities and 25 energy transportation facilities required to recover, convert, process, transport and distribute fuels (10) for direct utilization by consumers. Each facility type is a building block or "nominal facility", with an associated extensive data base on physical and societal resources required to construct and operate. The model focuses on the impact on these physical and societal resources data, both at the national and regional levels, of the various combinations of technologies required to implement future candidate energy programs.
Area	Time From 1973 to 1995 for fuels and facilities; from 1974 to 1985 for capital, manpower, materials, and equipment resources; annual time periods.
	Space National (USA) with fourteen regions, three of which are offshore supply regions. Eleven inland regions map directly into a nine-region U.S. Census Bureau breakdown. Expansion into global scope possible.
Modeling Techniques	A simulation model based on engineering estimates of physical relationships. Special emphasis was placed on developing a rather transparent planning model that proceeds from user-specified assumptions for major variables through a series of easily understood submodels to produce capital, manpower, materials, and equipment resource requirement results. User access to major decision points within each submodel is deliberately emphasized so that the model results represent information derived from simulation of policy decisions rather than a decisionmaking capability provided by the model. The model proceeds from an exogenous time-phased energy mix to calculated annual schedules of energy supply facilities required to come on-line. Based on user specifications, it locates the facilities in one of fourteen supply regions, allocates fuel derived from the facilities to the demand of the eleven land regions, and calculates transportation facilities required to accomplish this distribution. Finally, it calculates the annual requirements of capital, manpower, material, and equipment for each supply and transportation facility from initial commitment to plant startup and for operation throughout its economic life, for each fourteen regions and the country as a whole.
Input Data User Specified Data	User inputs control the major decision variables of the model; default values exist to supplement user inputs. These inputs are as follows: future energy mix, typically for the years 1977, 1980, 1985, and 1990; retirement rates for existing facilities; energy facility location coefficients; regional fuel demand coefficients; regional fuel balancing rules; and interregional transportation facility modal split coefficients.
Physical Model Data	An extensive construction and operation data base has been developed by Bechtel Corporation on capital, manpower, materials, and equipment requirements for 91 energy-related facilities. For capital, there are 23 categories of data (two digit Bureau of Economic Analysis accounts); for



---

Input Data Physical Model Data (continued)	manpower, 27 categories of engineers, craftsmen, and others; and for materials and equipment, 27 categories of major items that may significantly inhibit energy construction programs. In addition, similar but less detailed categories of operations data are included. However, the operations data are neither designed to be nor are they sufficient to establish full operating costs. Another category of data included in the model is energy system data, e.g., facility definitions (capacity, heat rates, thermal efficiencies, etc.); transportation system data (haul lengths, number of trips/year); and interregional distance.
Ecological Model Data	Provision has been made for including annual requirements for land, water, air, and water pollutants for the 91 energy-related facilities. However, the ecological data have not yet been incorporated into the model.
Output Data Physical	The data requirements are as follows: -Annual schedules of required startup schedules for 91 energy-related facilities, nationally and in 14 regions, for the period 1976-1995 (also commitment schedules nationally); -Flows over time that balance regional supplies and demands of fuels; -Schedules of capital, manpower, materials, and equipment: annually for 1976-1985, for construction and operation, for each of the 91 facilities (and for whole system), and for each of 14 regions (and for whole country) for 1976-1985.
Ecological	When the data are incorporated, they can provide the annual volumes of land and water requirements and effluent emissions.
Observations	The model couples development and organization of an extensive current industrial data base into a framework that gives the policymaker flexibility to test the sensitivity of national or regional total resource requirements to broad changes in energy policy variables. The model will help to study the feasibility of various energy policies, their implications, and their desirability. The model is being used in policy applications, and it is under continuing modification and development. Additional areas being considered are extension to a longer-range time horizon, disaggregation of the regional planning capability to the state level, and extension of the spatial boundaries to a global model.

---



**MODELS CLASS E**



UK

---

The Model	Model for estimating price increases due to higher costs of petroleum and other imports.* (GB402) E.W. Henry and S. Scott
Subject and Goal	The model calculates the effect on sectoral prices of a rise in the price of imported fuels, especially oil, given certain assumptions.
System Description	The model covers 33 sectors of the economy in an input-output framework.
Area	Time A static model that calculates the effects of fuel price rises in 1973/74. Space Ireland.
Modeling Techniques	Input-output price model.
Input Data	The 33 sector 1968 input-output table for Ireland was disaggregated to give more detail, namely an "oil refining" sector was constructed, transport was disaggregated into five types of transport, and imports were broken down to give details of different fuel imports.
Output Data	For any level of price rise of imported fuel, sectoral prices and the new costs of final demands (e.g., the new cost of living) are given.
Observation	The model can only account for rises in price resulting from rises in costs, and cannot take into consideration demand-pull type price rises.

---

---

\*A description of the model appeared in the *Quarterly Economic Commentary* (March 1974), published by the Economic and Social Research Institute, Dublin, Ireland.

NEW ZEALAND

---

The Model	A planning model of New Zealand's energy industry. (NZ401) B.R. Smith, P.D. Lucas, B.A. Murtagh, Victoria University and Ministry of Energy Resources, Wellington.
Subject and Goal	The modeling objective is to formulate proposals for satisfying the country's forecast energy demands, subject to various technical and environmental constraints. These proposals specify the optimal fuel mix, capacities of the process plants and generating stations in the system as well as the energy resources required. The optimality criterion is usually that of least cost, but this can be altered. The model is to be used by the government energy planning agency (the Ministry of Energy Resources).
System Description	The model describes the annual operation of the country's energy system for various target years. It considers a wide range of energy sources, energy conversion processes, and utilizing devices. Energy demand is disaggregated into eleven consumer categories for each of two demand regions. The infrastructure of the energy system is taken into account as are the various distribution networks available to the energy industry.
Area	Time      Static model for a particular target year. (To date the model has been applied to 1985, 1990, and 2000.)
	Space     New Zealand as a whole.
Modeling Techniques	Optimization model using linear programming and, less frequently, non-linear programming. The energy system is represented by sectoral submodels, some of which can be implemented separately. The following submodels are specified: electricity conversion; oil refinery; natural gas refinery; coal submodel; and distribution. These submodels, integrated with a demand structure, make up the LP model of the energy system. The LP formulation consists of 380 rows and 885 variables. Use is made of a matrix generator/report writer language to facilitate model construction and the presentation of results.
Input Data	For any given target year the input consists of approximately 3000 data elements; many of these are fixed for each year. The major parameters are: -bounds on energy resource availabilities; -bounds on capacities of units in the conversion processes; -levels of end-use consumer demand for each of the categories considered; -the infrastructure of the energy system; -coefficients of conversion and distribution losses; -costs of energy resources; -amortized capital costs and maintenance costs of both processing units and utilizing devices.  Generally it is only for the first four classes of parameters that data values change from year to year.
Output Data	-Levels of each energy resource used; -The operation of the conversion and distribution processes in the energy system; -Optimal capacities of the process units and utilizing devices; -The quantity of each type of fuel supplied to both end-use and intermediate demands.
Observations	Reactions to the model suggest that it embodies sufficient detail, and still retains enough conceptual simplicity for the energy planners to be confident of using its results.

---

MEXICO

---

The Model	"Mexico"--national energy model. (M401) J. Lartigue G., University of Mexico, Cd. Universitaria, Mexico, D.F., 1976.
Subject and Goal	The model forecasts both the energy supply and demand up to the year 2000, and the probable structure of a hydrogen-economy-based generation.
System Description	The model is concerned with the following: -The energy sector of Mexico, including national reserves; -The most probable development of the energy demand and its influence on the fertilizer industry; -The probable structure of the energy production, based on a hydrogen-economy, including nuclear and other new sources.
Area	Time 1974-2000. Space Mexico.
Modeling Techniques	-Analysis of the energy sector in 1974; -Statistical analysis of the development of population, gross national product, and energy consumption in order to forecast future energy demand; -Calculation of the energy content of national reserves; -Future model divided into natural resources, processes, products, and end uses illustrating qualitatively the relationship between them.
Observations	Since the model is not quantitative, costs of energy are not explicitly considered.

---

SWEDEN


The Model	An energy forecasting model for Sweden. (S401)  Lars Bergman, Clas Bergström, Anders Björklund, Economic Research Institute at the Stockholm School of Economics. The National Swedish Industrial Board uses the model in connection with the long-term energy projections and analysis. Clas Bergström, Mats Håjeberg, and Georg Saros at the Energy Division are responsible for the implementation and development of the model.
Subject and Goal	The model investigates how the allocation of energy resources in the Swedish economy is likely to develop under various assumptions about primary energy prices, technological change, and overall economic and energy policy.
System Description	The model has the following properties: -The model solution is based on explicit assumptions about prices of different kinds of primary energy, the availability of technology, and the choice of strategy for implementing long-term policy goals. -The time horizon of the predictions is semi long term, that is, a time period long enough for various substitution processes to take place, but short enough that no fundamental change in the energy transformation technology could occur. -A consistent treatment of current production, that is, in every model solution there should be a balance between the supply and the demand for each commodity group. -A consistent treatment of investment, that is, in every model solution there should be a balance between gross savings and gross investments, with consideration given to both the demand and the capacity creating aspects of investment. -A proper treatment of prices, that is, the role of prices in the choice of technology and in the composition of final demand should be recognized.  Thus, the model allows for ample substitution of different kinds of primary energy in the production of secondary energy; between energy and other input factors in house heating; and between more or less energy consuming final commodities. In addition, the model estimates the amount of several pollutants produced by the energy sector.
Time	A static model solved for a number of years, with a five-year interval between each year, up to the year 2000.
Area	Sweden as a whole.

**Modeling Techniques**

Within a general equilibrium framework a number of submodels have been linked to a linear activity model based upon input-output data. These submodels are either econometric or programming models and utilize both observed and engineering data. These submodels are as follows:

- The supply model for electricity and hot water is a linear programming model in which the present value of the total costs of meeting exogenously determined demands are minimized. The model utilizes engineering data.
- The supply model for refined oil products is also a linear programming model utilizing engineering data. The criterion to be minimized is the same as in the electricity and hot water supply model.
- The nonenergy commodity supply model is a multiperiod linear activity model based upon input-output statistics.
- The residential heating model is similar to models a) and b).
- The household consumption demand model is a so-called complete system of simultaneous demand equations, based upon observed data and estimated by means of econometric methods.

The figure below shows the general structure of the model.





MEXICO


---

The Model	"Mexico"--national energy model. (M401) J. Lartigue G., University of Mexico, Cd. Universitaria, Mexico, D.F., 1976.
Subject and Goal	The model forecasts both the energy supply and demand up to the year 2000, and the probable structure of a hydrogen-economy-based generation.
System Description	The model is concerned with the following: -The energy sector of Mexico, including national reserves; -The most probable development of the energy demand and its influence on the fertilizer industry; -The probable structure of the energy production, based on a hydrogen-economy, including nuclear and other new sources.
Area	Time 1974-2000.
	Space Mexico.
Modeling Techniques	-Analysis of the energy sector in 1974; -Statistical analysis of the development of population, gross national product, and energy consumption in order to forecast future energy demand; -Calculation of the energy content of national reserves; -Future model divided into natural resources, processes, products, and end uses illustrating qualitatively the relationship between them.
Observations	Since the model is not quantitative, costs of energy are not explicitly considered.

---

SWEDEN

The Model	<p>An energy forecasting model for Sweden. (S401)</p> <p>Lars Bergman, Clas Bergström, Anders Björklund, Economic Research Institute at the Stockholm School of Economics. The National Swedish Industrial Board uses the model in connection with the long-term energy projections and analysis. Clas Bergström, Mats Håjeberg, and Georg Saros at the Energy Division are responsible for the implementation and development of the model.</p>
Subject and Goal	<p>The model investigates how the allocation of energy resources in the Swedish economy is likely to develop under various assumptions about primary energy prices, technological change, and overall economic and energy policy.</p>
System Description	<p>The model has the following properties:</p> <ul style="list-style-type: none"> <li>-The model solution is based on explicit assumptions about prices of different kinds of primary energy, the availability of technology, and the choice of strategy for implementing long-term policy goals.</li> <li>-The time horizon of the predictions is semi long term, that is, a time period long enough for various substitution processes to take place, but short enough that no fundamental change in the energy transformation technology could occur.</li> <li>-A consistent treatment of current production, that is, in every model solution there should be a balance between the supply and the demand for each commodity group.</li> <li>-A consistent treatment of investment, that is, in every model solution there should be a balance between gross savings and gross investments, with consideration given to both the demand and the capacity creating aspects of investment.</li> <li>-A proper treatment of prices, that is, the role of prices in the choice of technology and in the composition of final demand should be recognized.</li> </ul> <p>Thus, the model allows for ample substitution of different kinds of primary energy in the production of secondary energy; between energy and other input factors in house heating; and between more or less energy consuming final commodities. In addition, the model estimates the amount of several pollutants produced by the energy sector.</p>
Time	<p>A static model solved for a number of years, with a five-year interval between each year, up to the year 2000.</p>
Area	<p>Sweden as a whole.</p>
Modeling Techniques	<p>Within a general equilibrium framework a number of submodels have been linked to a linear activity model based upon input-output data. These submodels are either econometric or programming models and utilize both observed and engineering data. These submodels are as follows:</p> <ol style="list-style-type: none"> <li>a) The supply model for electricity and hot water is a linear programming model in which the present value of the total costs of meeting exogenously determined demands are minimized. The model utilizes engineering data.</li> <li>b) The supply model for refined oil products is also a linear programming model utilizing engineering data. The criterion to be minimized is the same as in the electricity and hot water supply model.</li> <li>c) The nonenergy commodity supply model is a multiperiod linear activity model based upon input-output statistics.</li> <li>d) The residential heating model is similar to models a) and b).</li> <li>e) The household consumption demand model is a so-called complete system of simultaneous demand equations, based upon observed data and estimated by means of econometric methods.</li> </ol> <p>The figure below shows the general structure of the model.</p>



---

Input Data	
Physical	The description of power stations, refineries, and house-heating systems is based upon engineering data; revised official input-output data are utilized for the rest of the model.
Ecological	Emissions of different kinds of pollutants from power stations and refineries are specified as linear functions of the activity level in the processes in question.
Economic	In the general solution all prices (except those of energy resources) are endogenous. To close the system, different assumed price paths for primary energy, capital, and labor are used.
Output Data	
Physical	The model forecasts Sweden's future use of energy resources subject to prices of energy resources, the energy policy, and technological change in the energy supply sector.
Economic	The model forecasts a path of energy prices in a state of equilibrium.
Observations	The household consumption model has been estimated with ten commodities. Within the limited framework of this submodel we have studied the sensitivity of allocation of private expenditure to changing energy prices. The linear programming submodels a, b, c, and d have been used to analyze resource allocation problems within each of these sectors.

---



**MODELS CLASS F**



JAPAN

The Model	A simulation model for a study of the dynamic behavior of crude oil production in Middle East oil exporting countries. (J401) Teruyasu Murakami, Nomura Research Institute, Japan, 1973.
Subject and Goal	The modeling objective is to study the behavior of crude oil production of Middle East oil exporting countries and to identify the effects of the alternative long-term economic and energy policies of consuming countries.
System Description	The model covers the international flow of oil and money between oil exporting countries and oil consuming countries. For the oil exporting countries, the following factors are considered: crude oil production, energy prices, government oil revenues, government budget, economic and social development investments, industrial development, infrastructure development, economic growth, population, petrodollars. For the oil consuming countries, the following factors are considered: economic growth, energy demand, conventional sources of energy, new sources of energy development, crude oil demand and supply gap, and oil balance of payment. The level of crude oil production influences the economic and energy policymaking in oil producing countries.
Area	Time 1965-1985.
	Space Iran, Saudi Arabia, Kuwait and other Middle East oil producing countries, and Japan, the USA, and the European countries of the Organisation of Economic Cooperation and Development (OECD).
Modeling Techniques	A dynamic system simulation model using DYNAMO II. For the "hard" part of the system, regression equations based on relatively reliable statistical data are used. The "soft" part includes information compiled from reports of economists, engineers, government officials based on research and interviews in some OPEC countries and in Japan.
Input Data	Input data include annual growth rate of GDP in each consuming countries; growth rate of the export price index of industrial commodities in OECD countries; energy supply from tar sand, shale oil, gasificated coal, liquid natural gas, methanol, nuclear energy; average capital output ratio; government participation ratio to oil industries of oil exporting countries.
Output Data	Output data include crude oil production; government oil revenue; government expenditure by recurrent, development and military budget; oil exports; non-oil exports; producers' goods imports; consumers' goods imports; GDP of Iran, Saudi Arabia and Kuwait; energy supply by various energy sources; oil imports; accumulation of deficit of current and basic account with oil exporting countries; crude oil demand supply gap of consuming countries.
Observations	Since the model has only three country submodels of Middle East oil exporting countries, there is a need to increase the number of country submodels. Reliable statistics of oil exporting countries have not been utilized in the development of the models. More disaggregation of each country submodel is expected.

EUROPEAN COMMUNITY

The Model	Evaluation of power station installation policies. (XX401) F. Conti, G. Graziani, C. Zanantoni, Commission of the European Communities-JRC-Ispira (Varese), Italy.
Subject and Goal	The model describes the consequences of alternative power station installation policies which satisfy a given electrical energy demand and load duration curve. The installed power of the various power plant types is obtained as a function of time. Fuel consumption and services are calculated as are investment and running costs.
System Description	The model deals with the evolution in time of the electrical power system. In particular attention is focused on the mix of power plants that satisfies the given electrical energy and load demand. The yearly electric energy demand over the period considered is given as input. The load diagram of the demand is also given; its shape can change during the period under investigation, both because of a change in the consumption spectrum and because of the development of some types of energy storage: a maximum of five load diagrams are foreseen corresponding to five time intervals. The plants are subdivided according to a number of age groups (a maximum of ten) affected by different maximum utilization. Age groups are grouped in sets on which the allocation procedure of the stations in the load diagram is based. The first group sets refer to the running-in period, when the stations are not able to work at their maximum numerical utilization. The intermediate group sets refer to the equilibrium period and usually cover the largest fraction of the plant life. The last group-sets are relative to the running-out period of the plant life, when the station's availability decreases. The energy produced by each plant type is given as an input explicitly or calculated on the basis of the constraints imposed to the system. The two main constraints are the generating capacity doubling time, accounting for the difficulties of the industry in coping with a rapid increase of production; and the availability of artificial fissile material such as Plutonium or Uranium-233 produced by other nuclear stations.
Area	Time 30 to 55 years Space The European Community as a whole.
Modeling Techniques	This is a simulation model programmed for the IBM 370/165 computer in Fortran language (TOTEM computer program). In a certain year N the program, using the input data and the results of calculation of the previous year, proceeds as follows: -It allocates "unavoidable" plants in the load diagram. The area corresponding to these plants is subtracted from the load diagram. As a result, the load diagram shape for the competitive plants is modified. -It allocates the existing competitive plants into the modified load diagram. Due to the age-factor history, the maximum energy produced by the existing plants changes every time-step. The allocation procedure has to be repeated each year. The allocation procedure is carried out starting from the peak toward the diagram base. This is possible by assuming that any new plant works at base-load during the first year of its life. Once this step is completed, a check on the fuel requirements is performed. -Determination of new plant installation needs. If necessary, new plants are installed according to the energy needs. At the end of plant installation, the following steps are performed: calculation of the value of the reserve, and calculation of the energy required by the pumping stations. Once the calculation of the whole period under investigation has been completed, the energies and power capacities of all plant types are known for every year. Fuel demands and productions, relative to inventories and energy production, and the costs can thus be determined.
Input Data	For each type of power station the physical and economical characteristics are given, e.g., fuel consumption, fuel inventory, plant cost, fuel fabrication and reprocessing costs, and such delays as mine enrichment, plant fabrication, plant storage, core residence, cooling, reprocessing. The cost of fuel can be constant or can vary with time.
Output Data	The code can perform many calculations, based on the basic evaluation concerning the number of power stations existing per year, type and age-group and their utilization hours it calculates. For each year can calculate the consumption of various types of fuel, the fuel inventory due to new installations, and running costs, and capital investments. The expenditures can be actualized, the discount rate being one of the input data. Taking into account the various delays, the code evaluates the ore requirements, the separative work and consequently the enrichment plant capacity required, the capital investments as a function of time, etc.
Observations	The model takes no account of location problems of plants and consumption centers and of related transmission and distribution problems. A separate model has been developed for this purpose which can be used in parallel with TOTEM (SITUS computer program).



UK

---

The Model	Demand for energy forecasting model. (GB401) G. Kouris, University of Surrey, Guildford, Surrey, England, 1975.
Subject and Goal	The aim of the study is to build an aggregate energy demand model on economic a priori criteria. The inadequacies of small samples and time series data are overcome by considering the EC as one country with a number of geographically different provinces (member countries). This assumption yields more realistic estimates of the major determinants of energy demand. These, in turn, are used for forecasting the energy requirements of the entire EC area in the year 1980.
System Description	The consumption of primary fuels in eight Common Market countries is pooled in order to obtain one set of homogeneous demand elasticities. The main short run determinants of energy demand are: income, price, and temperature. Since the model is applied on a pooled sample its time specification applies to the intermediate run. A detailed subdivision of this sample reveals a number of structural problems which make the stability of the model over time a function of these problems.
Area	Time Econometric estimates for the period 1955-1970. Test of the predictive power of the model up to 1974 and forecasts up to 1980. Space Italy, Netherlands, Denmark, France, FRG, Belgium/Luxembourg, UK.
Modeling Techniques	Econometric techniques. The main equation of the model is firstly tested on time series data for each EC country and secondly, a covariance transformation of it is applied on a pooled time series--cross sections sample. The possible feedbacks from energy to GDP are investigated through a two equation model where the energy function is supplemented by a production function of the Cobb-Douglas type. This formulation is estimated via a two stage least squares technique. All equations are linearized by a double logarithmic transformation.
Input Data	Time series of quantities (in metric tons of coal equivalents), incomes (GDP), relative fuel prices, average yearly temperatures, and number of employees in employment, for each EC country over the period 1955-1974.
Output Data	Income, price, and temperature elasticities for each country and for EC in total. Test of the stability of the energy function for the "crisis period" 1971-1974 and forecast of the 1980 EC energy requirements.

---



Appendix

Institutions and Individuals Contacted

AUSTRIA

Bundeskammer der gewerblichen  
Wirtschaft  
Biberstrasse 10  
1010 Vienna  
Dr. Josef Richter  
Dr. Werner Teufelsbauer

Österreichisches Institut für  
Wirtschaftsforschung  
Arsenal  
Postfach 91  
1103 Vienna  
Dr. H. Kramer  
Dr. Karl Musil

Technische Hochschule Wien  
Karlsplatz 13  
1030 Vienna  
Prof. L. Bauer  
Dr. Tintner, Institut für  
Ökonometrie

Rechts- und staatswissenschaftliche  
Fakultät der Universität Wien  
Universitätsstrasse 7  
1010 Vienna  
Prof. Dr. G. Bruckmann

Österreichische Elektrizitätswirt-  
schaft-AG  
Am Hof 6A  
1010 Vienna  
Mr. K. Fessler

Österreichische Studiengesellschaft  
für Atomenergie Ges.m.b.H.  
Lenaugasse 10  
1082 Vienna  
Prof. Hans Grumm

Steweag  
Leonhardgürtel 10  
8010 Graz  
Mr. R. Lehner

ÖEWAG-Verbundgesellschaft  
Am Hof 6A  
1010 Vienna  
Dipl. Ing. Pober

Schweizer Botschaft  
Prinz-Eugenstr. 7  
1030 Vienna  
Dr. V. Sohenk

Bundesministerium für Wissenschaft  
und Forschung  
Währingerstr. 28  
1090 Vienna  
Ministerialrat Dr. W. Franck

M. l'attaché Scientifique près  
l'Ambassade de France  
Palais Lobkowitz  
Lobkowitz Platz  
1010 Vienna

ARGENTINA

CPC Latin America  
Cerrito 866  
Buenos Aires  
Dr. Andre van Dam, Director of  
Planning

Fundacion Bariloche  
Casilla de Correo 138  
San Carlos de Bariloche  
Prov. de Rio Negro  
Dr. Amilcar Herrera

BELGIUM

European Institute for Advanced Studies  
in Management  
20, Place Stephanie  
1050 Brussels  
Mr. Göram Edsbäcker

Bureau de Plan  
47-49, Av. des Arts  
1040 Brussels  
Mr. M. de Falleur

Université Libre de Bruxelles  
Terhuspsesteenweg 166  
1170 Brussels  
Prof. H. Glesjer

Union des Exploitations Electriques  
en Belgique  
4, Galérie Ravenstain  
1000 Brussels  
Mr. R. Groszmann, Director

Cabinet du Ministre des Affaires  
Economiques  
23, Square de Meêus  
1040 Brussels  
Dr. J.P. Hansen

Faculté des Sciences Economiques  
et Sociales  
8, Rampart de la Viêrge  
5000 Namur  
Mr. M. Jaumotte

Administration de l'Energie  
Ministère des Affaires Economiques  
49-51, Avenue de Trêves  
1040 Brussels  
Mr. P. Markey

S.C.I.E.N.C.E.  
177, Avenue Louise  
1050 Brussels  
Mr. Manfred Siebker, Managing  
Director

Département d'Economie Appliquée  
(DULBEA)  
Université Libre de Bruxelles  
50, Av. F.D. Roosevelt  
1050 Brussels  
Prof. J. Waelbroeck

#### BULGARIA

Energoproekt  
bul. Anton Ivanov N. 56  
Sofia  
Mr. Kamenov  
Mr. Luben Petkov

The National Center for Cybernetics  
and Computer Techniques  
8, Slavjanska Street  
Sofia  
Eng. Vanio Mitov

Centre Scientifique de Planification  
des Modèles Mathématiques et des  
Prévisions du Développement Social  
et Economique  
58, rue Alabine  
Sofia  
Mr. I.V. Peitchev

Comité d'Etat de Planification  
Institut Scientifique de Planifica-  
tion Economique et de Recherche  
7 Noemvri I  
Sofia

Institut Economique  
Académie des Sciences de Bulgarie  
ul. Axakov N. 3  
Sofia

Institut Scientifique  
Institut du Commerce Extérieur  
Sofia

#### CANADA

Department of Energy, Mines and  
Resources  
299 Carling Ave.  
Ottawa, Ontario K1A OE4  
Dr. R.P. Charbonnier, Chief  
Energy Research and Development  
Dr. F.W. Gorbet  
Dr. I.A. Stewart  
Mr. C.E. Zwicker, Economic  
Studies Division

Economic Council of Canada  
P.O. Box 527  
Ottawa, Ontario K1P 5V6  
Mr. John Dawson, Director  
Mr. M.C. McCracken

Ministry of State for Science and  
Technology  
Ottawa, Ontario  
Mr. J.T. Bradley  
Mr. H. Flynn, Policy Advisor

Ministry of State for Science  
and Technology  
Technological Forecasting and  
Technology Assessment Division  
Ottawa, Ontario

Dr. J.R. Whitehead, Special  
Advisor, Office of the  
Secretary  
Dr. A.R. Demirdache, Director

National Energy Board  
473 Albert Street  
Ottawa, Ontario K1A 0G1  
Mr. M.A. Crowe, Chairman  
Mr. G.T. McLoughlin  
Mr. R.C. Richards, Industrial  
Models Division  
Mr. E.R. Stoian, Operations  
Research Branch  
Mr. J.M. Treddenick, Chief  
Econometrics Division

Department of Economics  
University of British Columbia  
2075 Westbrook Place  
Vancouver, B.C.  
Dr. Paul G. Bradley  
Prof. John Helliwell

Office de Planification et de  
Développement du Québec  
Université de Sherbrooke  
Sherbrooke J1K 2R1  
Mr. Paul L.H. Camirand

Faculté des Sciences de la Gestion  
Université d'Ottawa  
Ottawa, Ontario K1N 6N5  
Prof. J.G. Debanne

Planning Branch  
Treasury Board Secretariat  
160 Elgin Street  
Ottawa, Ontario K15 0R5  
Dr. A.R. Dobell

University of Calgary  
Calgary, Alberta  
Mr. R. Hamilton

Atomic Energy Control Board  
107 Sparks Street  
Ottawa, Ontario K1P 5S9  
Mr. D.G. Hurst

Dean of Engineering Science  
University of Western Ontario  
Richmond Street North  
London 72, Ontario  
Prof. A.I. Johnson

McGill University  
Montreal, Quebec  
Mr. J.D. Khazzoom

Policy Planning and Evaluation  
Directorate  
Environment Canada  
Ottawa, Ontario K1A 0H3  
Mr. McCauley

Science Procurement  
Department of Supply and Service  
Ottawa, K1A 0S5  
Dr. Peter Meyboom, Director  
General

Fuels Research Centre  
c/o 555 Booth Street  
Ottawa, Ontario K1A 0G1  
Mr. D.S. Montgomery

Intergovernmental Committee on Urban  
and Regional Research  
36 Wellesley Street West  
Toronto, Ontario M4Y 1G1  
Mr. Marc Morin, Executive Director

Science Council of Canada  
Ottawa, Ontario  
Mr. J. Mullin, Deputy Executive  
Director

Economic Council of Canada  
P.O. Box 527  
Ottawa, K1P 5V6  
Mr. André Raynauld

Geological Survey of Canada  
Edmonton, Alberta  
Dr. K.J. Roy

University of Alberta  
Edmonton, Alberta  
Dr. J.T. Ryan

Dept. of Political Economy  
University of Toronto  
Toronto, Ontario  
Prof. Leonard Waverman

Air Pollution Control Directorate  
Environment Canada  
Ottawa, Ontario K1A 0H3  
Mr. S.O. Winthrop, Director  
General

Legislative Library  
Legislative Bldg.  
P.O. Box 6000  
Fredericton N.B. E3B 5H1

#### CYPRUS

The Planning Bureau  
Nicosia  
Mr. I. Aristidou

#### CZECHOSLOVAKIA

Institute of Fuel and Power  
Federal Ministry for Technical  
Development  
Slezska 9  
Prague 2  
Mr. V. Bruha  
Mr. D. Vaverka, Vice Director

Power Research Institute  
Partyzanska 7a  
Prague 7  
Mr. Milos Drahny, Csc.  
Mr. Imrich Lencz, Csc.

Econometric Laboratory  
Czechoslovak Academy of Sciences  
Politických veznu 7  
Prague 1  
Mr. Jiri Bouska

Energy Economy Section  
Energy Research Institute  
Nahrou de 19  
Prague 10  
Mr. Bohuslav Cabicar

Most Branch  
Research Institute for Fuel and  
Energy Economics  
Most  
Mr. E. Goldberger

Research Institute of Mining,  
Economics and Energy  
Vladislavova 4  
Prague 1  
Mr. V. Kraus

Energy Development Department  
Federal Ministry of Fuel and Energy  
Stepanska 28  
Prague 1  
Mr. M. Marval, Head

Research Institute of Statistics  
and Accounting  
Sokolovska  
Prague  
Mr. Jaroslav Podzimek

Computing Research Center  
Dubravska cesta  
Bratislava  
Mr. D. Stratil

Committee for IIASA of the Czechoslovak  
Socialist Republic  
Slezska 9, Vinohrady  
Prague 2  
Dr. Tibor Vaško

#### DENMARK

The Niels Bohr Institute  
Blegdamsvej 17  
2800 Copenhagen  
Mr. Sven Bjørnholm

Det Økonomiske Råd  
Nørre Voldgade 68  
1358 Copenhagen  
Mr. Peter Erling Nielsen

Danmarks Statistik  
Input-Output Dept.  
Sejrosgade 11  
2100 Copenhagen  
Mr. Bent Thage

Institute of Economics  
University of Århus  
NDR Ringgade  
Universitetsparken  
8000 Århus  
Mr. J.E. Yndgaard

EGYPT

Dept. of Natural Resources  
African Institute  
Cairo University  
Cairo  
Dr. Samir I. Ghabbour

FEDERAL REPUBLIC OF GERMANY

Institut für Elektrische Anlagen  
und Energiewirtschaft  
Technische Hochschule Aachen  
51 Aachen  
Mr. R. Bieselt  
Prof. Mandel  
Mr. Gerd Modemann  
Mr. Paul Winzke

Kernforschungsanlage Jülich  
517 Jülich 1  
Mr. D. Elsinghorst  
Mr. W. Meier  
Mr. S. Rath-Nagel  
Mr. A. Voss

Kernforschungszentrum Karlsruhe  
Postfach 3645  
75 Karlsruhe 1  
Mr. G. Friede  
Mr. Dieter Sellinschegg

Institut für angewandte System-  
forschung und Prognose  
Hochschule Hannover  
Haus #39  
5000 Hannover  
Dr. Hartmut Bossel

Zentrum Berlin für Zukunfts-  
forschung e.V.  
Giesebrechtstrasse 15  
1 Berlin 12  
Prof. W. Dreger

Max-Planck-Gesellschaft zur  
Erforschung der Lebensbedingungen  
der Wissenschaftlich-technischen  
Welt  
Riemerschmidstrasse 7  
813 Starnberg  
Prof. Carl Friedrich  
Frhr. von Weizsaecker

Deutsches Institut für Wirtschafts-  
forschung  
Königin-Luisestrasse 5  
1 Berlin 33  
Mr. M. Liebrucks

Institut für Stadt- und Regional-  
planung  
Technische Universität Berlin  
Strasse des 17. June 135  
1 Berlin 12  
Dr. Helmut Maier

Lehrstuhl A für Mechanik  
Technische Hochschule  
Rodabruhrstr.  
Hannover 3  
Prof. E. Pestel

British Petroleum  
Postfach 1030  
2 Hamburg  
Dr. K. Repenning

Forschungsstelle für Energiewirtschaft  
Am Blütenanger 71  
8 München 50  
Prof. H. Schäfer

Energiewirtschaftliches Institut  
Universität Köln  
Albert-Magnus-Platz  
5 Köln 41  
Prof. H.K. Schneider

Institut für Siedlungs- und Wohnung-  
wesen der Universität Münster  
Am Stadtgraben 9  
44 Münster  
Prof. R. Thoss

R.W.E.  
Kruppstrasse 5  
43 Essen  
Dipl. Ing. H. Tröscher

Energy Analysis and Projections  
Bundesministerium für Wirtschaft  
Villemomblerstr. 76  
53 Bonn  
Ministerialrat Heinrich Quante

FINLAND

Statistical Office  
Neste Oy, Kaivokatu 10A  
Helsinki 10  
Mr. K.O. Huuskonen, Head

Imatran Voima Osakeyhtiö  
B.P. 138  
Helsinki 10  
Prof. Antero Jahkola

Study Group for Economic Research  
on Energy  
Bank of Finland  
Hämeenkatu 2 A2  
Turku 50  
Mr. M.A. Jaakonaho

Economic Planning Centre  
Erottaja 15 A  
Helsinki 13  
Mr. Erkki Laate

Research Institute of the Finnish  
Economy  
Kalevankatu 3B  
Helsinki 10  
Mr. Kaarlo Larno, Managing  
Director

Industrial Department  
Energy Policy Branch  
Ministry of Trade and Industry  
Aleksanterinkatu 10  
Helsinki 17  
Mr. I.H. Lavanius, Chief Inspector

IBM Finland  
Helsinki  
Mr. Tor Nyman

Economic Department  
Ministry of Finance  
Fabianinkatu 8  
Helsinki 13  
Mr. Lars-Erik Öller

Technical University  
Helsinki  
Mr. Seppo Salo

FRANCE

Délégation Générale à l'Energie  
35, rue Saint-Dominique  
75007 Paris  
M. Y. Girard, Chargé de Mission  
M. Renon

Institut Economique et Juridique de  
l'Energie  
Université de Grenoble - I.R.E.P.  
Domaine Universitaire de St. Martin  
d'Hères  
B.P. 47 - Centre de tri  
38040 Grenoble Cedex  
M. J. Girod  
M. J.M. Martin  
M. Ramain

Institut National des Sciences et  
Techniques Nucléaires  
91 Gif-sur-Yvette  
M. E. Bauer  
Prof. Fourgeaud  
Prof. Ville

Electricité de France  
2, rue Louis Murat  
75008 Paris  
M. Marcel Boiteux  
M. Bernard, Service des Etudes  
Economiques Générales  
M. Breton, Service des Etudes  
Economiques Générales  
M. Gouni, Chef Service des Etudes  
Economiques Générales  
M. Robert Janin, Chef Adjoint  
Service de la Production Thermique  
M. Lacoste, Cabinet du Président  
Directeur Général  
M. Louis Puiseux, Service des  
Etudes d'Economiques Générales

Ecole Nationale Supérieure des Mines  
Paris  
M. M. Allais



Ecole Polytechnique  
7, Bd. Flandrin  
75016 Paris  
M. Jacques Attali

B.I.P.E.  
122, av. Charles de Gaulle  
92 Neuilly  
Mr. Aujac

CEPREMAP  
140, rue du Chevaleret  
75013 Paris  
M. Bessière

Direction de la Prévision  
Ministère des Economies et des  
Finances  
9, rue Croix des Petits Champs  
75001 Paris  
Mr. D. Blain, Chargé de Mission

C.F.P.  
5, rue Michel Ange  
75016 Paris  
M. Chevet

I.F.P., Dept. Economie  
1, av. de Bois Préau  
92502 Rueil Malmaison  
M. C. Debackere

Directeur des Etudes Economiques  
et Financières  
Banque de Paris et des Pays-Bas  
3, rue d'Antin  
75002 Paris  
M. Jean Denizet

Rapporteur Général de la Commission  
de l'Energie  
18, rue de Martignac  
75007 Paris  
M. Destival

C.E.R.E.N.  
1, rue Caumartin  
75009 Paris  
M. Dourille

Université de Grenoble  
38040 Grenoble Cedex  
M. F. Finon

SEMA  
Marketing et Modèles de Décision  
16 rue Barbés  
92128 Montrouge  
M. Godet

I.N.S.A.  
20, av. Albert Einstein  
69621 Villerbanne  
M. Hamelin, Directeur Général

Service de la Statistique  
83, Bd. de Montparnasse  
75006 Paris  
M. Hebert

Institut Géodynamique  
Université de Bordeaux III  
Avenue des Facultes  
33405 Talence  
M. Humbert

Charbonnages de France  
B.P. 396 08  
9, av. Percier  
75360 Paris Cedex  
M. Ippolito

CNES  
129, rue de l'Université  
75007 Paris  
Prof. Levi, Président

Direction de la Prévision  
6, avenue de l'Opéra  
75001 Paris  
Prof. Edmond Malinvaud

Centre d'Etudes Supérieures d'Economie  
Pétrolière  
I.F.P.  
B.P. 18  
92502 Rueil Malmaison  
M. J. Masseron, Directeur

Institut Polytechnique  
B.P. 15 - Centre de Tri  
38040 Grenoble Cedex  
Prof. Nguyen Khac Nhan

Departement des Programmes  
Commissariat à l'Energie Atomique  
29-33, rue de la Fédération  
75015 Paris  
M. Pierre, Chef

E.L.F.-E.R.A.P.  
rue Nelaton  
75015 Paris  
M. Ploton

Centre Universitaire Dauphine  
Place de Lattre de Tassigny  
75016 Paris  
Prof. Roy

Agence pour l'Economie de l'Energie  
30, rue de Cambronne  
75015 Paris  
M. Syrota

Departement des Programmes  
Commissariat à l'Energie Atomique  
29-33, rue de la Fédération  
75015 Paris  
M. L. Thiriet, Chargé des Etudes  
Economiques Générales

GERMAN DEMOCRATIC REPUBLIC

Institut für Energetik  
Torgauerstr. 114  
7024 Leipzig  
Mr. P. Hedrich  
Dr. Kahn  
Mr. K. Lindner  
Mrs. U. Reymann

Academy of Sciences of the GDR  
Leipziger Strasse  
108 Berlin  
Prof. Hans Mottek

Hochschule für Ökonomie Berlin  
Dunckerstrasse 8  
1157 Berlin-Karlshorst  
Prof. J. Rudolph

Braunkohleindustrie  
Grossräschen

Brennstoffinstitut  
Freiberg/Saxon

Energieversorgungsbetriebe  
Leipzig

Erdölarbeitungsindustrie  
Schwedt

Ogreb-Institut für Kraftwerke  
Cottbus

Ogreb-Institut für Kraftwerke  
Vetschau

Staatliches Unternehmen der  
Elektroenergieversorgung  
Berlin

GREECE

Centre of Planning and Economic  
Research  
Hippokratous 22  
Athens 144  
Mr. C. Aronis

Institute of Economic Research  
Hippokratous 22  
Athens 144  
The Director

Entreprise Publique d'Electricité  
de Grèce  
4, rue Aloupekis  
Athens  
Mr. C. Delis, Chef du Service  
de Planification Economique

Entreprise Publique d'Electricité  
de Grèce  
4, rue Aloupekis  
Athens  
Mr. A. Samaras

Director of Planning Services  
Ministry of Coordination  
3 Amerikis Street  
Athens

HUNGARY

Econometric Laboratory  
Central Statistical Office  
Keleti Karoly u. 5-7  
Budapest II  
Mr. M.L. Halabuk  
Ms. Katalin Hulyak

National Board for Power and  
Fuel Economy

Marko utca 16  
1955 Budapest

Mr. P. Erdosi  
Mr. G. Goldvary  
Mr. Patyi Karoly

Computer Centre of National  
Planning Office

Amgol u. 27  
1149 Budapest

Mr. G. Gekecs, Department Chief

Systems Engineering Institute  
INFILOR

Budapest

Mr. K. Kelemen

Institute of Economics  
Hungarian Academy of Sciences  
Nado utca 7  
Budapest V

Prof. Janos Kornai

Dr. F. Rabár  
Laboratory for Information Processing  
Budapest; currently at IIASA

Hungarian Electricity Board  
Iskola 13  
1011 Budapest

Mr. T. Zettner, Managing Director

#### ICELAND

National Energy Authority  
Laugavegur 116  
Reykjavik

Mr. Jakob Björnsson, Director  
General

#### INDIA

Indian Statistics Institute  
502 Yojana Bhavan  
Parliament Street  
New Delhi

Prof. T.N. Srinivasan

#### IRELAND

Economic and Social Research  
Institute

4, Burlington Road  
Dublin

Mr. E.W. Henry  
Mr. S. Scott

Department of Finance  
Economic Development Branch  
72-76 St. Stephen's Green  
Dublin 2

#### ISRAEL

Ministry of Development  
Tel Aviv

Mr. J. Vardi

#### ITALY

ENEL, Ufficio Studi e Ricerche  
via G.B. Martini 7  
00100 Rome

Mr. F. Boselli  
Prof. Learnini  
Prof. Valtorta

ENEL  
via Valvossori Peroni, 77  
20133 Milan

Mr. P.L. Noferi  
Mr. L. Paris  
Mr. Giorgio Quazza

Mr. Omero Comellini  
c/o CNEN-PRV  
via Arcoveggia 56  
Bologna

Facolta di Scienze Politiche  
via Zamboni 1  
40135 Bologna

Mr. Francesco Del Monte

FIAT  
Corso Marconi  
10100 Torino

Mr. Dario Monti

Ente Nazionale Idrocarbone  
00100 Rome  
Mr. V. Paretti

Istituto di Fisica Tecnica  
Milano  
Prof. Mario Silvestri

Istituto Studi Programmazione  
Economica  
00100 Rome  
Dott. Sillitti

Biblioteca  
ENEL  
Compartimento di Milano  
via Carducci 1  
Milan

#### JAPAN

The Institute of Energy Economics  
28 Mishikubo Sakuragawa-Cho  
Minato-Ku  
Tokyo  
Mr. Yukio Sekiya  
Dr. Mitsuo Takei, Manager  
Research Division

College of Engineering  
Seikei University  
Kichijoji-Kita  
Musashino-Ski  
Tokyo - 180  
Prof. Takao Hoshi

The Japan Atomic Power Co.  
Otemachi Bldg. No. 6 1-Chome  
Otemachi, Chiyoda-Ku  
Tokyo  
Dr. Ruykichi Imai

Prof. H. Katsunuma  
27 Shinanomachi  
Shinjuku-Ku  
Tokyo

Central Research Laboratory  
Mitsubishi Electro Corp.  
2-3 Morunouchi  
2-Chome Chiyoda-Ku  
Tokyo  
Dr. Fusao Mori, Chief Engineer

Faculty of Economics  
University of Tokyo  
Bunkyo-Ku  
Tokyo  
Prof. Hirofumi Uzawa

#### MALTA

Department of Applied Economics  
The Royal University of Malta  
Msida  
Mr. S. Busuttil

#### MEXICO

Planificacion y Desarrollo  
de Sistemas  
Florescia No. 39-102  
Mexico 6, D.F.  
Dr. M.A. Cardenas

Cia de Luz y Fuerza del Centro  
Melchor Ocampo 171-407  
Mexico 17, D.F.  
H. Jorge G. Duran, Subjefe de  
Planeacion

#### NETHERLANDS

Erasmus University  
Rotterdam  
Mr. J.A. Hartag  
Mr. P.R. Odell

Mr. K. Bez  
Cornelis Danckerlsstr. 35  
Rotterdam 14

Mr. J. Boon  
Lange Kleiweg 5  
Rijswijk

International Resources Consultants  
B.V.  
Alkmaar  
Mr. J.B. Brinck

Analytisch Chemisch Lab.  
Croesestraat 77A  
Utrecht  
Dr. W. van Gool

Centraal Bureau voor de Statistiek  
428 Prinses Beatrixlaan  
Voorburg  
Mr. G. Goudswaard

Econometrisch Instituut  
Centre for Development Planning  
Burg. Oudlaan 50  
Rotterdam 3016  
Prof. T. Kloek

Technical University  
Insulindelaan 2  
Eindhoven  
Prof. O. Rademaker

Economisch en Sociaal Instituut  
Vrije Universiteit Amsterdam  
de Boelelaan 1105  
Amsterdam  
Dr. R. Rote

Centraal Planbureau  
van Stolweg 14  
's-Gravenhage  
Mr. Marcus J. Stoffes

Technische Hogeschool  
Julianalaan 134  
Delft  
Prof. Timman

Prof. Jan Tinbergen  
31 Haviklaan  
The Hague

Nijverheids Organisatie T.N.O.  
Juliana van Stolberglaan 148  
Postbus 297  
The Hague  
Prof. J.J. Went

Dept. of Economics  
Municipal University of Amsterdam  
Amsterdam  
Prof. P. de Wolff

Instituut voor Actuarieel en  
Econometrie der Universiteit  
Nieuwe Achtergracht 170  
Amsterdam

NORWAY

Planning Division  
Ministry of Finance  
Akersgt 42  
Oslo  
Mr. Per Schreiner  
Mr. Odd Solbraa, Deputy Director

Central Bureau of Statistics of  
Norway  
Dronningens gate 16  
P.B. 8131  
Oslo 1  
Mr. Odd Aukrust

University of Oslo  
Institute of Economics  
Boc 1071  
Blindern, Oslo 3  
Prof. L. Johansen

POLAND

Planning Commission  
Pl. 3 Krzyzy  
Warsaw  
Mr. D. Deja, Chief of Section  
Department of Fuel and Energy  
Mr. S. Hatt, Division for Economic  
Analysis

Scientific Centre for Energy Problems  
Central Mining Institute (OEK)  
Pl. Gwarkow 1  
Katowice  
Mr. Z. Falecki, Director

Dept. of Nuclear Power  
Institute of Nuclear Research  
Swierk k. Otwocka  
Warsaw  
Mr. W. Frankowski, Head

Institute for Projecting and Building  
of Mines  
Academy of Mining and Metallurgy  
Mickiewicza 30  
Krakow  
Mr. M. Hajdasinski

Institute of Applied Cybernetics  
Polish Academy of Sciences  
Warsaw KRN 55  
Mr. J. Holubiec, Head of  
Department

The Polish Academy of Sciences  
c/o Academia Palazza delle Scienze  
2 Vicolo Doria  
00187 Rome  
Prof. Jerzy Kolubiec

Polish Academy of Sciences  
Palace of Culture and Science  
Warsaw OO 901  
Prof. Roman Kulikowski

Instytut Energetyki  
Mysia 2  
Warsaw OO 496  
Mr. R. Nowakowski, Head of  
Laboratory

Instytut Planowania  
Plac Trzech Krzyzy 5  
Warsaw 15  
Prof. Dr. Krzysztof Porwit

PORTUGAL

Companhia Portuguesa de Electricidade  
Av. Infante Santo 15  
Lisbon I  
Mr. R.J. Minotti da Cruz Filipe  
Mr. A. Leite Garcia

Presidencia do Conselho  
Junta Nacional de Investigacao  
Cientifica e Tecnologica  
Lisbon  
Mr. J.M. Santos Mota

RUMANIA

International Center for Methodology  
for Future and Development Studies  
University of Bucharest  
Bucharest 8  
Dr. M.H. Botez, Director

Le Comité d'Etat du Plan  
Calea Victoriei 152  
Bucharest  
Mr. Jankovitch

Institut de Recherches d'Energétique  
Industrielles et de Projets  
d'Outillages Energétiques  
Bucharest  
Mr. M. Petcu

Centre de Statistique Mathématique  
de l'Académie des Sciences  
Calea Grivitei 21  
Bucharest 12  
Mr. M.I. Sacuiu, Secrétaire  
Scientifique

SOUTH AFRICA

Paulhof  
Minnaarstraat  
Privaate bag X213  
Pretoria 0001  
Mr. P.W. Stark, Secretary for  
Planning

SPAIN

Institut du Développement Economique  
Antigua Universidad de Alcala de  
Henares  
Madrid  
Mr. R. Vazquez Candame, Secrétaire

Comisaria del Plan del Desarrollo  
Economico y Social  
Castellana 3  
Madrid  
Mr. Espi

SWEDEN

Government Committee for Energy  
Forecasting  
Munkbron 11, 1tr, EPU  
11128 Stockholm  
Mr. Mats Höjeberg, The National  
Swedish Industrial Board  
Mr. E.S. Ben Salem, Chief

The National Institute of Economic  
Research  
Nybrokaien 13  
Stockholm  
Mr. K.H. Aberg

University of Gothenburg  
Vasaparken  
41125 Gothenburg  
Mr. Göran Bergendahl

Secretariat for Economic Planning  
The Swedish Ministry of Finance  
Riddarhustorget 7-9, Fack  
10310 Stockholm 2  
Mr. B.O. Karlsson

Cabinet Office  
Delegation on Energy Policy Fack  
10310 Stockholm  
M. Hans Lönnroth

SWITZERLAND

Battelle Research Institute  
7, route de Drize  
1227 Geneva  
Prof. E. Fontela  
Mr. Claude Masseti

Université de Fribourg  
1, route du Jura  
1700 Fribourg  
Prof. Billeter, Institut pour  
l'Automation et la Recherche  
Operationnelle  
Institut des Sciences Economiques  
et Sociales

Institut de Mathématiques Appliquées  
de l'Ecole Polytechnique Fédérale  
33, avenue de Cours  
1000 Lausanne  
Prof. Blanc

Institut für angewandte Wirtschafts-  
forschung  
4000 Bale  
Prof. R. Bombach

Institut für Wirtschaftsforschung an  
der ETH  
Universitätsstr. 14  
8006 Zürich  
Prof. B. Fritsch

University of Zürich  
Rämistr. 71  
8000 Zürich  
Prof. Schelbert

Centre d'Econometrie  
Faculté des Sciences Economiques  
et Sociales  
6, rue de Saussure  
Geneva  
Prof. L. Solari

TURKEY

Turkish Electricity Authority  
TEK, Planlama ve Koordinasyon D.  
Necatibey Cad. 36  
Ankara  
Mr. M.O. Tarkan

UNITED KINGDOM

Department of Energy  
Thames House, Millbank  
London SW1P 4QJ  
Mr. A.D. Johnson  
Mr. P.J. Jonas

Department of Trade and Industry  
Thames House, Millbank  
London SW1P 4QJ  
Mr. F.W. Huther

University of Cambridge  
Cambridge CB2 3RQ  
Dr. R. Eden, Cavendish Laboratory  
Department of Applied Economics

University of Sussex  
Falmer  
Brighton, Sussex BN1 9RF  
Prof. Freeman, Science Policy  
Research Unit  
Dr. Geoffrey Heal

U.K. Atomic Energy Authority  
11 Charles II Street  
London SW1 4PQ  
Mr. L.G. Brookes

Northern Ireland Joint Electricity  
Authority  
12, Manse Road  
Castlereagh, Belfast BT6 9RT  
Mr. D. Burnet

British Petroleum  
Britannic House  
Moor Lane  
London EC2Y 9BU  
Mr. M.W. Clegg

Energy Group  
Queen Mary College  
Mile End Road  
London E1 4NS  
Prof. R.J. Deam

Reactor Group  
U.K. Atomic Energy Authority  
Risley, Warrington, Lancs.  
Mr. C.E. Iliffe

Central Electricity Generating  
Board  
Sudbury House  
15 Newgate Street  
London EC1  
Mr. F.P. Jenkin

Programmes Analysis Unit  
Chilton, Didcot, Berks. OX11 0RF  
Dr. Jones

Department of Economics  
University of Surrey  
Guildford, Surrey GU2 5XH  
Prof. G. Kouris

Department of Systems Science  
City University  
St. Johns Road  
London  
Prof. P.D. McPherson

System Analysis Research Unit  
Department of the Environment  
2 Marsham Street  
London SW1P 3EB  
Mr. Peter Roberts

Energy Analysis Unit  
C.I.I. Building  
100 Montrose Street  
Glasgow G4 0LZ  
Dr. M. Slesser

Operation Research Society  
Nevill House  
Waterloo Street  
Birmingham B2 5TX; currently at IIASA  
Mr. R.C. Tomlinson

UNITED STATES OF AMERICA

Electric Power Research Institute  
3412 Hillview Avenue  
Palo Alto, California 94304  
Mr. Frank Alessio  
Dr. R.T. Crow  
Dr. Sam H. Schurr  
Dr. Chauncey Starr

Harvard University  
Cambridge, Massachusetts 02138  
Prof. Robert Dorfman, Dept. of  
Economics  
Prof. Hendrik Houthakker, Dept. of  
Economics  
Prof. Dale Jorgenson, Dept. of  
Economics  
Prof. Wassily Leontief, Littauer  
Center  
Prof. A.S. Manne, Littauer Center

Institute for Energy Analysis  
P.O. Box 117  
Oak Ridge, Tennessee 37830  
Mr. McPherson  
Mr. David Reister  
Dr. Ernest G. Silver  
Mr. Charles E. Whittle

Massachusetts Institute of Technology  
Cambridge, Massachusetts 02139  
Prof. Morris Adelman, Dept. of  
Economics  
Dr. M.L. Baughman, Energy Analysis  
and Planning Group  
Mr. Robert E. Brooks  
Prof. Franklin Fisher, Dept. of  
Economics  
Dr. J.H. Hollomon  
Prof. Gordon Kaufman, Sloan School  
of Management



Prof. P.W. MacAvoy, Sloan School  
of Management  
Prof. Robert Solow, Dept. of  
Economics  
M. R. Treitel, Center for Policy  
Alternatives  
Prof. David White, Energy  
Laboratory

Rand Corporation  
1700 Main Street  
Santa Monica, California 90406  
Mr. Kent P. Anderson  
Mr. William E. Mooz

Stanford University  
Stanford, California 94305  
Prof. Thomas J. Connolly,  
Dept. of Mechanical  
Engineering  
Prof. George B. Dantzig, Dept.  
of Operations Research  
Prof. Dr. Bert G. Hickman, Dept.  
of Economics

Thayer School of Engineering  
Dartmouth College  
Hanover, New Hampshire 03755  
Prof. D. Meadows  
Dr. R.J. Rahn

University of Pennsylvania  
3718 Locust Street  
Philadelphia, Pennsylvania 19104  
Mr. F.G. Adams, Dept. of  
Economics  
Prof. Lawrence R. Klein, Dept.  
of Economics

Yale University  
New Haven, Connecticut 06520  
Dr. W.D. Nordhaus, Dept. of  
Economics  
Dr. Martin Shubik, Cowels Founda-  
tion for Research in Economics

International Research and Technology  
Corp.  
1225 Connecticut Ave. W  
Washington, D.C. 20036  
Mr. Robert Ayres

Drexel University  
Philadelphia, Pennsylvania 19104  
Mr. H.L. Brown

Stanford Research Institute  
Menlo Park, California 94025  
Mr. E.S. Cazalet

Cornell University  
Ithaca, New York  
Dr. L.D. Chapman

Texas A & M University  
College Station, Texas 77843  
Dr. Earl Cook

American Petroleum Institute  
1801 K Street N.W.  
Washington, D.C. 20550  
Mr. E.A. Copp

Office of Energy Policy  
National Science Foundation  
1800 G Street N.W.  
Washington, D.C. 20550  
Mr. P.P. Craig

Resources for the Future, Inc.  
1755 Massachusetts Ave. N.W.  
Washington, D.C. 20036  
Dr. J. Darmstadter

Rensselaer Polytechnic Institute  
Troy, New York 12181  
Dr. J.G. Ecker

Dept. of Economics  
North Carolina State University  
Raleigh, North Carolina 27607  
Mr. E. Erickson

University of Wisconsin-Madison  
Madison, Wisconsin  
Dr. W. Foell

Charles River Associates, Inc.  
16 Garden Street  
Cambridge, Massachusetts 02138  
Mr. Laurel Friedman

IBM - Thomas J. Watson Research Center  
P.O. Box 218  
Yorktown Heights, New York  
Dr. Ralph Gomory

Pennsylvania State University  
University Park, Pennsylvania  
Mr. DeVerle P. Harris

Dept. of Applied Science Engineering  
and Systems Division  
Brookhaven National Laboratory  
Upton, Long Island, New York 11973  
Dr. K. Hoffman

Department of Economics  
University of Colorado  
Boulder, Colorado 80302  
Dr. Charles W. Howe

Oak Ridge National Laboratory  
Oak Ridge, Tennessee 37830  
Dr. Robert A. Herendeen

United States Senate  
Washington, D.C.  
Mr. M. King Hubbert

Data Resources  
Lexington, Massachusetts 02173  
Mr. E.A. Hudson

System and Energy Group  
TWR Inc.  
1 Space Park  
Redondo Beach, California 90278  
Mr. Gerald W. Johnson

Dept. of Chemistry  
Kent Laboratory  
University of Chicago  
5727 S. Ellis Ave.  
Chicago, Illinois 60637  
Dr. Thomas Long

Case Western Reserve University  
Cleveland, Ohio  
Prof. M. Mesarovic

Office of Engineering  
U.S. Agency for Int. Dev.  
Dept. of State  
Washington, D.C.  
Mr. John H. Rixse

University of California  
Berkeley, California  
Mr. Stephen Rosenthal

Westinghouse Electric Co.  
Pittsburgh, Pennsylvania  
Mr. P.F. Schweizer

National Bureau of Economics  
575 Teech Square  
Cambridge, Massachusetts 02139  
Mr. Jeremy Shapiro

Dept. of Psychology  
Carnegie-Mellon University  
Pittsburgh, Pennsylvania 15213  
Prof. Herbert A. Simon

California Institute of Technology  
Pasadena, California 91109  
Prof. Vernon L. Smith

Dept. of Economics  
Virginia Polytechnic Institute  
Blacksburg, Virginia  
Mr. R.M. Spann

Data Resources Inc.  
29 Hartwell Ave.  
Lexington, Massachusetts 02173  
Mr. P.K. Verleger, Jr., Senior  
Economist

Executive Office of the President  
New Executive Office Bldg.  
Washington, D.C. 20503  
Mr. James A. Walker

Cowles Foundation Library  
30 Hillhouse Avenue  
New Haven, Connecticut 06520

Decision Sciences Corp.  
Jenkintown, Pennsylvania

UNION OF SOVIET SOCIALIST REPUBLICS

Academy of Sciences  
State Committee for USSR  
Council of Ministers for Science  
and Technology  
11 Gorky Street  
Moscow

Dr. Ivanov  
Dr. Kichatov  
Dr. Nikolai Kourochkin  
Dr. Kuzovkin  
Dr. Minaev  
Acad. M. Styrikovich

The Computing Centre  
State Planning Commission of the  
Ukrainian SSR  
Kiev, Ukrainian SSR  
Mr. S.A. Avramenko

G.M. Krzhizhanovsky State Research  
Institute of Energetics  
Academy of Sciences of the USSR  
Leniuskij pr. 14  
Moscow  
Mrs. I.N. Bessonova

Institute for Cybernetics  
Academy of Sciences of the Ukrainian  
SSR  
Kiev, Ukrainian SSR  
Prof. V. Gluskov

Institute of Control Problems  
Profsojuznayo 81  
Moscow V 485  
Dr. Yuri F. Kichatov

Scientific Research Institute of  
Economic and Economic-Mathematical  
Planning Methods  
Gosplan, BSSR  
1 Slavinskogo  
Minsk 23  
Dr. V. Medvedev

Central Economic Mathematical Institute  
Dept. of Economics  
2nd Yaroslavskaya ul 3  
Moscow  
Dr. A.I. Mekibel

Academy of Sciences  
40 Vavilov Street  
Moscow B-333  
Prof. N. Moiseev

Institute Energosetiproject  
Moscow  
Dr. A.S. Nekrasov

State Planning Committee of the  
Latvian SSR  
11 Gorky Street  
Moscow  
Dr. Raman, Chairman

Institute of Economics  
Academy of Sciences of the  
Ukrainian SSR  
Kiev, Ukrainian SSR  
Prof. S. Yampolsky

YUGOSLAVIA

Economic Institute  
Kennedyer trg 7  
Zagreb  
Dr. R. Lang  
Dr. Drago Vojnic, Director

Prof. S. Obradovic  
Svetog Nanma 14  
Belgrade

Elektrotehnicki Fakultat Zagreb  
Trg Marsala Tita 14  
Zagreb  
Prof. Hrvoje Pozar

Research Centre of the Faculty  
of Economics of the University  
Trg Revducije 11  
Ljubljana  
Prof. V. Rupnik

Director in Zeps  
Internacionale brigade No. 1  
Belgrade  
Mr. Simonovic

Institute for Industrial Economics  
Trg Marsala Tita 16/11  
Belgrade  
Mr. Todorovic

Institut de l'Electricité  
Zagreb  
Mr. B. Udovicic

INTERNATIONAL AND REGIONAL ORGANIZATIONS

Commission of the European  
Communities  
Direction of Energy  
200, rue de la Loi  
1040 Brussels  
Mr. L. Corradini  
Mr. R. De Bauw  
Mr. Van Scheepen

International Atomic Energy Agency  
Division of Nuclear Power  
Kärntner Ring 11  
1010 Vienna  
Mr. Rurik Krymm  
Mr. Polliart  
Mr. T.J. Roberts

Organisation for Economic Cooperation  
and Development (OECD)  
2, rue André Pascal  
75775 Paris Cedex 16  
Monsieur Laading, Chef, Division  
de l'Energie Direction de  
l'Industrie et de l'Energie  
Prof. K. Oshima, Director for  
Science, Technology and  
Industry  
M. Potier, Central Analysis and  
Evaluation Unit Environment  
Division

Organization of the Petroleum Export-  
ing Countries (OPEC)  
Dr. Karl Lueger-Ring 10  
1010 Vienna  
Mr. Cherif Faïdi  
Mr. Mahjoob A. Hassanain  
Mr. Dicky Darsono Soemiatno

Research and Planning Division  
United Nations Economic and Social  
Commission for Asia and the Pacific  
(ESCAP)  
Sala Santitham  
Bangkok 2  
Mr. Ryokichi Hirono  
Dr. Marzouk, Deputy Director

International Bank for Reconstruc-  
tion and Development (IBRD)  
1818 H Street N.W.  
Washington, D.C. 20433  
Prof. Hollis Chenery

International Federation of Institutes  
for Advanced Study (IFIAS)  
The Nobel House  
P.O. Box 5344  
10246 Stockholm  
Mr. Per Lindblom

United Nations Economic Commission  
for Europe  
Palais des Nations  
1211 Geneva 10  
Mr. Brendow  
M. F.R. Brusick  
Mr. H.G. Dirickx  
Mr. C. Lopez-Polo  
Dr. R. Rubin, Direction Générale  
de la Recherche de la Science  
et de l'Education

United Nations Industrial Development  
Organization (UNIDO)  
P.O. Box 837  
1011 Vienna  
Dr. Y Cho  
Mr. Becker-Boost

Mr. Helmut Neu, Head  
Direct Conversion Division  
EURATOM-CCR  
Ispra, Varese

RELATED IIASA PUBLICATIONS

Energy Systems. W. Häfele. (RR-73-001) \$3.00 AS45. (MICROFICHE ONLY).

A Review of Energy Models: No. 1 - May 1974. J.-P. Charpentier. (RR-74-010) \$4.60 AS80.

An Incentive-Tax Model for Optimization of an Inspection Plan for Nuclear Materials Safeguards. A. Suzuki. (RR-74-019) \$3.00 AS45. (MICROFICHE ONLY).

A Review of Energy Models: No. 2 - July 1975. J.-P. Charpentier. (RR-75-035) \$5.60 AS100.

Transport and Storage of Energy. C. Marchetti. (RR-75-038) \$2.50 AS45.

The Carbon Cycle of the Earth--A Material Balance Approach. R. Avenhaus, G. Hartmann. (RR-75-045) \$1.50 AS30.

An Extension of the Häfele-Manne Model for Assessing Strategies for a Transition from Fossil Fuel to Nuclear and Solar Alternatives. A. Suzuki. (RR-75-047) \$3.00 AS45. (MICROFICHE ONLY).

Modeling of the Influence of Energy Development on Different Branches of the National Economy. Yu.D. Kononov. (RR-76-011) \$3.00 AS45. MICROFICHE ONLY.

A Review of Energy Models. No. 3 (Special Issue on Soviet Models). J.-M. Beaujean, J.-P. Charpentier, editors. (RR-76-018) \$3.00 AS45. (MICROFICHE ONLY).

Software Package for Economic Modelling. M. Norman. (RR-77-021) \$5.40 AS95.

Food and Energy Choices for India: A Model for Energy Planning with Endogenous Demand. K.S. Parikh, T.N. Srinivasan. (RR-77-024) \$2.50 AS45.

The Bratsk-Ilimsk Territorial Production Complex:  
A Field Study Report. H. Knop, A. Straszak, edi-  
tors. (RR-78-002) \$14.00 AS195.

A New Approach in Energy Demand. Part I: Metho-  
dology and Illustrative Examples. J.-M. Beaujean,  
B. Chaix, J.-P. Charpentier, J. Ledolter.  
(PP-77-004) \$3.00 AS45. MICROFICHE ONLY.

Please cite publication number when making an ord-  
er. See inside back cover for order information.