



Cost Allocation in Water Resources Development - A Case Study of Sweden

Young, H.P., Okada, N. and Hashimoto, T.

IIASA Research Report
September 1980



Young, H.P., Okada, N. and Hashimoto, T. (1980) Cost Allocation in Water Resources Development - A Case Study of Sweden. IIASA Research Report. RR-80-032 Copyright © September 1980 by the author(s).
<http://pure.iiasa.ac.at/1238/> All rights reserved. Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage. All copies must bear this notice and the full citation on the first page. For other purposes, to republish, to post on servers or to redistribute to lists, permission must be sought by contacting repository@iiasa.ac.at

**COST ALLOCATION IN WATER RESOURCES DEVELOPMENT –
A CASE STUDY OF SWEDEN**

H.P. Young
N. Okada
T. Hashimoto

RR-80-32
September 1980

Research Reports, which record research conducted at ILASA, are independently reviewed before publication. However, the views and opinions they express are not necessarily those of the Institute or the National Member Organizations that support it.

Copyright © 1980
International Institute for Applied Systems Analysis

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage or retrieval system, without permission in writing from the publisher.

PREFACE

The investigation of water resource systems has been an important part of resources- and environment-related research at IIASA since its inception. As demand for water increases relative to supply, the intensity and efficiency of water resources management must be improved. This in turn requires an increase in the degree of detail and sophistication of the analysis. The economic, social, and environmental impacts of various water resource development options are evaluated with the aid of mathematical modeling techniques, to generate inputs for planning, design, and operational decisions.

During 1978 it was decided to attempt an integration of the results of our studies on water demand with water supply considerations. This new task was named "Regional Water Management" (Task 1, Resources and Environment Area).

This paper considers the application of systems analysis to water management problems in Western Skåne, Sweden. These problems concern the allocation of limited supplies of water and related land resources for several mutually conflicting purposes, e.g., municipal, industrial, agricultural, and recreational water use.

This paper is part of a collaborative study on water resources in Western Skåne, Sweden, between the Swedish Environmental Protection Board, the University of Lund, and IIASA, and concerns a joint municipal water supply project. The viability of the project depends on the number of municipalities taking part. This paper is concerned with the methodological problems involved in allocating the costs of the joint project to provide incentives for the municipalities to participate.

ACKNOWLEDGMENTS

We wish to thank Lennart de Maré, on leave at IIASA from the University of Lund, who provided us with much useful data and background information on the situation in Sweden, and commented extensively on the manuscript. We are also grateful to O. Menshikova and I. Menshikov, of the Computing Center of the Academy of Sciences of the USSR, who pointed out several errors in an earlier version of the manuscript. Finally, we wish to express our special thanks to Janusz Kindler, who, as leader of the Regional Water Management Task at IIASA, provided the inspiration for undertaking this study, and contributed many helpful comments on the organization and presentation of the results.



CONTENTS

1	INTRODUCTION	1
2	JOINT COST FUNCTIONS	3
3	PRINCIPLES OF EQUITY: THE CORE	6
4	METHODS EXTENDING THE CORE	11
4.1	The Least Core and Nucleolus	11
4.2	The Weak Least Core and Weak Nucleolus	12
4.3	The Proportional Least Core and Proportional Nucleolus	13
5	THE SHAPLEY VALUE	14
6	THE SEPARABLE COSTS—REMAINING BENEFITS (SCRB) METHOD	15
7	A CASE STUDY OF SWEDEN	16
7.1	Identifying Independent Actors	18
7.2	Ambiguities in Defining the Cost Function: Direct Costs	18
7.3	Calculating the Cost Function	20
8	COMPARISON OF METHODS	22
9	SUMMARY	26
	APPENDIXES	
	A Cost of Water Supply Network	27
	B Monotonicity	31
	REFERENCES	32

1 INTRODUCTION

A central problem in planning the provision of goods or services by a public enterprise is how to determine a "fair" or "just" allocation of joint costs. This problem is particularly acute in the development of a common water resource like a multipurpose reservoir, where the greater cost-effectiveness of larger facilities means that the sum of the marginal costs* of each participant may be much less than the total cost of the project. The literature on water resources contains a variety of proposals for dealing with this kind of problem, some of which anticipate ideas (like the core) later developed in game theory (Ransmeier 1942; see also Loughlin 1977, Heaney 1979, and Straffin and Heaney 1980).

The methods most commonly used in current water resource planning practice are (i) to allocate costs in proportion to some single numerical criterion like use, population, or level of benefit; or (ii) to allocate certain costs (e.g., marginal costs) directly, and divide the remainder on the basis of some scheme similar to (i). Chief among the methods of the second type is the so-called *separable costs-remaining benefits* (SCRB) method, which is used for multipurpose reservoir projects in the United States (Inter-Agency Committee on Water Resources 1958, Eckstein 1958) and in other countries. This method will be treated in more detail in Section 6.

The same type of problem has also been extensively treated in the economics literature on public utility pricing. An approach commonly advocated here is *Ramsey pricing* (Ramsey 1927), which is based on the idea of setting prices to maximize some criterion of economic efficiency, like consumer surplus, subject to a breakeven constraint (Baumol and Bradford 1970). This approach relies on having extensive information about the demand for the goods and services over a range of consumption levels – information that is often not available in

*The marginal cost of including a participant is defined as the difference between the estimated cost of the joint project *excluding* him and the estimated cost of the joint project *including* him.

practice, especially for a resource, like water, in which established markets may not even exist. Ramsey pricing is also less suitable for planning long-term investments, where future demand can only be estimated.

A third strand in the literature comes from the theory of cooperative games, which provides various normative approaches to the problem of allocating joint costs (and benefits) among users by taking the strategic possibilities into account. Among the most commonly used of these game theory concepts are the *Shapley value* and the *nucleolus*. The application of these ideas to water resource projects is increasing: for a sample of the recent literature see Loehman and Whinston (1974), Suzuki and Nakayama (1976), Bogardi and Szidarovsky (1976), Okada (1977), and Loehman *et al.* (1979). Methods from the theory of cooperative games are particularly well-suited to contexts like water resources development in which the basic decision is often whether or not to supply a potential class of users at some targeted level, the implicit assumption being that this level is close to the optimal scale of development. The advantage is that the analysis is not made to depend on precise estimations of future demand curves, but only on "point" estimates of benefits. The disadvantage is that even such point estimates are often unreliable; moreover, it is implicitly assumed in the analysis that the optimal scale of development is known – which ultimately presumes that demands as well as costs are known. It has recently been shown that these shortcomings may be overcome by designing an appropriate noncooperative game, which reveals both consumer demands and the optimal scale of development, and at the same time allocates costs in a manner consistent with principles of cooperative equity (Young 1980).

The complexity of the cost allocation problem has led some authors to conclude that there is no economically justifiable way to allocate joint costs (see Ransmeier 1942, Thomas 1974). Nevertheless, in practice, the costs of a project must usually be allocated in some way among the beneficiaries. The purpose of this paper is to compare the merits of traditional methods of allocating costs with several well-known, and other lesser-known, methods from cooperative game theory. The analysis consists of two parts. First, we discuss certain established principles of "fairness" by which the different methods can be judged. Second, we compare the solutions given by each method for an actual example: a cost sharing problem among a group of municipalities in Sweden who wish to develop a joint municipal water supply. The object of this analysis is not to provide a strict axiomatic characterization of methods, but rather to explore their behavior in practice. Our conclusion is that, of the traditional approaches, proportional allocation according to a single numerical criterion may be preferable to the more complicated SCR method, provided that the proportionality criterion seems fair and the accuracy of the values is not open to dispute. The SCR method is shown to be seriously flawed in that it is not monotonic in total costs – that is, an *increase* in total costs may result in some participants having to pay less than before; this is due to the *ad hoc* way in which marginal costs are introduced. The game theory methods require more information and are more complicated; moreover, one of the best-known of these methods, the nucleolus, is also

not monotonic in total costs. By contrast, a lesser-known variation of the nucleolus, the *proportional nucleolus*, passes most of the tests of fairness considered here and would appear to merit serious consideration for cost allocation in water resources development.

2 JOINT COST FUNCTIONS

Consider three neighboring municipalities A, B, and C, who can supply themselves with municipal water either by building separate facilities or by building a joint water supply facility. We suppose that the joint facility is cheaper to construct than the separate projects due to economies of scale. The quantity of water to be supplied to each municipality is assumed given. The problem is then how to divide the costs among them.

Figure 1 shows the population of each municipality, the amounts of water to be supplied, and the cost of building separate facilities. Table 1 gives water use per capita and the unit cost of supplying water in each municipality.




FIGURE 1 Three hypothetical municipalities A, B, and C, their populations, water demands, and the cost of building separate facilities.

Table 2 shows the costs of supplying the target amounts for different combinations. All possibilities are considered: A and B build a joint facility and C goes alone; B and C cooperate and A goes alone, and so on.

TABLE 1 Annual rates of water use and unit costs of supplying water in three hypothetical municipalities.

Municipality	Use per capita (m ³)	Unit cost (\$/m ³)
A	140	0.46
B	120	0.88
C	120	1.25

TABLE 2 Annual costs of water supply under various combinations.

Combination	Cost breakdown (\$ × 10 ⁶)	Total cost (\$ × 10 ⁶)
A + B + C	6.5 + 4.2 + 1.5	12.2
A + {B,C}	6.5 + 5.3	11.8
{A,B} + C	10.3 + 1.5	11.8
{A,C} ^a + B	8.0 + 4.2	12.2
{A,B,C}	10.6	10.6

$$^a \{A,C\} = A + C = 8.0.$$

The cost figures show that building a facility to serve all three communities will be 1.6 million dollars cheaper than if three separate facilities were built. However, A and B together can also realize savings of \$400,000 without including C; similarly, B and C can save \$400,000 without including A. A and C, being geographically separated by B, cannot do any better by building a joint facility than they could by building separate facilities. The most cost-effective way of supplying water would be to build a joint facility serving all three communities.

More generally, let $\{1, 2, \dots, n\} = N$ represent a group of prospective participants in a cooperative venture to provide a product or service to members of the group. The cost of serving a subgroup S , denoted by $c(S)$, is found by considering the *least-cost alternative* of providing the same service, either jointly or singly, to the members of S independently of how the others are served. The *joint cost function* $c(S)$ so defined must be *subadditive*, i.e., must satisfy $c(S) + c(T) \geq c(S \cup T)$ for any two nonoverlapping groups S and T , because the ways of serving S together with T include the possibility of serving S alone and T alone. Thus, in the above example, municipalities A and C would find it quite costly to build a single joint facility because of their geographical separation; hence the least-cost alternative would be to build one facility for A and another for C.

If the cost of serving any group of users is simply the sum of the costs of serving them singly, then the cost allocation problem is trivial. The more interesting, and more typical, case arises when the cost of serving several users by some joint facility is *less* than the sum of serving them singly, that is $c(N) < \sum_N c(i)$. The *cost savings* that would result from cooperating in a coalition S instead of going alone are

$$v(S) = \sum_S c(i) - c(S) \geq 0$$

The function v is called the *cost savings game*. To illustrate the different situations that can arise, suppose that the cost of serving a group S depends only on the number of members of S , and that the cost savings are greatest for larger groups due to economies of scale. One possibility is that the cost savings increase at a greater rate with each additional participant, as shown in Figure 2. Another, and




FIGURE 2 The cost savings of a joint project as a function of the size of the coalition: the rate of increase rises with each additional participant.

perhaps more typical, situation is that the rate of increase first rises, then falls, as shown in Figure 3.




FIGURE 3 The cost savings of a joint project as a function of the size of the coalition: the rate of increase first rises, then falls.

It is found that justifying a "fair" allocation of costs is considerably more difficult in the latter case than in the former.

3 PRINCIPLES OF EQUITY: THE CORE

"Equity" can have a wide range of meanings. When considering what it means for a cost allocation to be equitable, it is first helpful to ask ourselves *why* it should be equitable. The answer: to encourage the agreement or cooperation of

those who pay the costs. Thus a reasonable test of the equity of a method is to see whether the participants agree in principle to the proposed allocation of costs.

In practice, one of the most common ways of achieving agreement on the distribution of costs is simply to allocate the costs in proportion to a criterion which stands for benefits received, such as use of facilities, number of users, or indeed, the benefits themselves – if they can be reliably estimated. *Ersatz* measures of benefits may actually be the more persuasive simply because their magnitudes are less open to dispute. This is the case in the municipal cost sharing problem discussed in Section 7. Here the costs to be shared relate to long-term investments, and future demand is conjectural at best, so the populations of the municipalities have been used as the basis for allocation.

One difficulty with allocating costs in this way is that it may conflict with some participants' perceptions of self-interest, and hence may not provide sufficient incentive for cooperation. In the municipality example above, an allocation of costs according to populations would result in the shares (in millions of dollars):

$$A \quad \frac{100}{150} (10.6) = 7.067$$

$$B \quad \frac{40}{150} (10.6) = 2.827$$

$$C \quad \frac{10}{150} (10.6) = 0.707$$

However, municipality A would find it hard to accept such an allocation, since it could provide the same amount of water on its own for only \$6.5 million.

An allocation made on the basis of use gives even worse results for A (in millions of dollars):

$$A \quad \frac{14}{20} (10.6) = 7.420$$

$$B \quad \frac{4.8}{20} (10.6) = 2.544$$

$$C \quad \frac{1.2}{20} (10.6) = 0.636$$

The difficulty with "proportional" allocation methods is that they ignore one of the fundamentals of the problem – the *alternative costs* embodied in the joint cost function $c(S)$. It is a minimum requirement of a fair allocation that it be *individually rational*: no user should pay more in the joint venture than he would have to pay on his own. This principle was stated by Ransmeier (1942) for the Tennessee Valley Authority projects, and is well established in the literature (von Neumann and Morgenstern 1944). It is a fundamental concept of

fairness since it constitutes the minimum incentive for an individual to join. To be individually rational, the costs y allocated to A, B, and C in the above example must satisfy $y_A \leq 6.5$, $y_B \leq 4.2$, $y_C \leq 1.5$, where $y_A + y_B + y_C = \$10.6$ million.

The same argument can be applied to groups of participants as well as to individuals and indeed was so stated by Ransmeier (1942). Consider, for example, neighboring municipalities A and B: they can build a joint facility for \$10.3 million, so it would certainly be unfair to allocate them more than \$10.3 million in total costs. Not only would it be unfair, but also, if cooperation is voluntary, there is a risk of A and B backing out if they have an allocation $y_A + y_B > 10.3$, since they can do better as a pair. The condition that no group pay more than its alternative cost is the principle of *group rationality*. Since a group may consist of a single participant, group rationality implies individual rationality. Figure 4 shows the set of all (nonnegative) allocations of \$10.6 million among A, B, and C, the shaded area being the subset of allocations satisfying group rationality.

In the general case, where there are n independent users $\{1, 2, \dots, n\} = N$ and alternative costs are given by the function $c(S)$, the condition for group rationality for a cost allocation $y = (y_1, y_2, \dots, y_n)$, $\sum_N y_i = c(N)$, is that

$$\sum_S y_i \leq c(S) \quad \text{for all } S \subset N \quad (1)$$


A second principle with firm roots in the economics and project evaluation literature is that no participant should be charged less than the *marginal cost* (sometimes called the separable cost) of including him in the project (Federal Inter-Agency River Basin Committee 1950, Inter-Agency Committee on Water Resources 1958, Water Resources Council 1962). For example, it costs \$10.6 million to serve A, B, and C but only \$8.0 million to serve A and C. Therefore the marginal (or separable) cost of serving B is $\$10.6 - \$8.0 = \$2.6$ million, so it seems only fair that B should pay at least this amount. This concept is called *individual marginal cost coverage*. The marginal costs for A, B, and C are \$5.3, 2.6, and 0.3 million, respectively.

There is an obvious extension of this idea to groups. For example, the marginal cost of including the group {A,B} is $\$10.6 - \$1.5 = \$9.1$ million. The principle of *marginal cost coverage* states that every group of users should be charged at least the additional cost of serving them. This is only fair, since if $y_A + y_B < 9.1$, then C would be subsidizing A and B.

The idea of finding prices in which users do not subsidize each other in the use of a given public service or facility is also well-known in the theory of regulated public utilities (Faulhaber 1975, Zajac 1978).

Stated in general terms, the *marginality principle* is that a cost allocation y should satisfy

$$\sum_S y_i \geq c(N) - c(N - S) \quad \text{for all } S \subset N \quad (2)$$



Constraints

- ① $y_A \leq 6.5$
- ② $y_B \leq 4.2$
- ③ $y_C \leq 1.5$
- ④ $y_A + y_B \leq 10.3$ ($\Rightarrow y_C \geq 0.3$ from ⑦)
- ⑤ $y_A + y_C \leq 8.0$ ($\Rightarrow y_B \geq 2.6$ from ⑦)
- ⑥ $y_B + y_C \leq 5.3$ ($\Rightarrow y_A \geq 5.3$ from ⑦)
- ⑦ $y_A + y_B + y_C = 10.6$

Vertices

- P (6.5, 3.8, 0.3)
- Q (6.1, 4.2, 0.3)
- R (5.3, 4.2, 1.1)
- S (5.3, 3.8, 1.5)
- T (6.5, 2.6, 1.5)

FIGURE 4 Allocations of \$10.6 million among A, B, and C. The shaded area is the subset satisfying group rationality.

The argument for group rationality is based on strategic considerations, i.e., providing sufficient incentive for potential users to cooperate, whereas marginality can be viewed as a general concept of fairness that can be applied even if cooperation is mandated. However, an inspection of these two ideas reveals that they are in fact equivalent, given that all costs must be allocated, i.e., that $\sum_N y_i = c(N)$.

In game theory it is customary to interpret the two equivalent conditions (1) and (2) in terms of the cost savings game v .

Any allocation y of costs implies a corresponding imputation x of savings: if y_i is the cost assessed for i then the amount i saves by cooperating rather than going alone, x_i , is given by $y_i = c(i) - x_i$. In terms of v , the condition of individual rationality says that $x_i \geq 0$ for every participant i ; group rationality says that

$$\begin{aligned} \sum_S x_i &\geq v(S) && \text{for all } S \subset N \\ \sum_N x_i &= v(N) \end{aligned} \quad (3)$$

The set of all vectors x satisfying (3) is called the *core* of the game v .

In our example the core is the set of solutions to the following inequalities:

$$\begin{aligned} x &\geq 0 \\ x_A + x_B &\geq v(A,B) = (6.5 + 4.2) - 10.3 = 0.4 \\ x_A + x_C &\geq v(A,C) = (6.5 + 1.5) - 8.0 = 0.0 \\ x_B + x_C &\geq v(B,C) = (4.2 + 1.5) - 5.3 = 0.4 \\ x_A + x_B + x_C &= v(A,B,C) = (6.5 + 4.2 + 1.5) - 10.3 = 1.6 \end{aligned} \quad (4)$$

The shape of the core can be seen from the corresponding cost allocations in Figure 4.

The core provides a guideline for cost allocation by narrowing down the class of acceptable imputations, but it does not usually identify a unique answer. However, there is always the unfortunate possibility that there may be *no* core imputations; that is, no cost allocations that are either group rational or satisfy marginality. That this can happen in perfectly reasonable situations may be seen from the example of Figure 3. Here there are increasing returns to scale, but the rate of increase first rises, then falls. The minimum savings that can be realized by all seven users together is 63, but no matter how these savings are distributed, some group of five will receive at most 45, even though they could save more (48) as a subcoalition.

In such an example, a quick test to see whether the core is empty is to draw a line from the origin to the point corresponding to the total number of users: this line segment must lie above the savings curve for the core to be nonempty

(Shapley and Shubik 1973). In more complicated examples the feasibility of condition (3) can be checked using linear programming. In the three-municipality example, the core is small; if the total cost $c(A,B,C)$ had happened to be \$12.0 million instead of \$10.6 million the core would have been empty.

Thus, core imputations are not bound to exist; however, the greater the economies of scale, the more likely a core is to be present. Moreover, when core imputations exist, they are typically not unique.

4 METHODS EXTENDING THE CORE

One approach to resolving the twin difficulties of nonexistence and nonuniqueness has been to look for some natural way of strengthening (or relaxing) the inequalities defining the core. This is one of the most common approaches in game theory literature. Three such methods will be discussed here: the least core and its specialization, the nucleolus; and two variations, the weak least core and weak nucleolus, and the proportional least core and proportional nucleolus.

4.1 The Least Core and Nucleolus

If the core of the cost savings game v is empty, the best alternatives of some subgroups are very good – in a certain sense “too” good – relative to the best alternative of the whole group. Hence we might consider imposing a tax on all proper subgroups as a way of encouraging the whole group to stick together. The least core is found by imposing the smallest uniform tax ϵ such that if all coalitions other than the whole group pay this tax, then a core imputation exists. Thus we require the least ϵ for which there exists an imputation x satisfying:

$$\begin{aligned} \sum_S x_i &\geq v(S) - \epsilon && \text{for all } S \subset N \\ \sum_N x_i &= v(N) \end{aligned} \tag{5}$$

The *least core* is the set of all imputations x satisfying (5) for this least ϵ (Shapley and Shubik 1973). The corresponding allocations of costs are found by letting $y_i = c(i) - x_i$ for all i . Because of our assumptions about v , it can be shown that the result is always individually rational, i.e., that $x \geq 0$.

Suppose, on the other hand, that the cost savings game v already has a core, and it is necessary to find a unique solution. One way of narrowing down the choice is to imagine subsidizing all coalitions other than the whole group by a uniform amount ϵ . This amounts to solving (5) for smallest ϵ and allowing ϵ to go negative.

Computing the least core involves solving a linear program. For the three-municipality example, this program (in millions of dollars) is:

$$\min \epsilon$$

subject to

$$\begin{aligned} x_A &\geq -\epsilon, x_B \geq -\epsilon, x_C \geq -\epsilon \\ x_A + x_B &\geq 0.4 - \epsilon \\ x_A + x_C &\geq -\epsilon \\ x_B + x_C &\geq 0.4 - \epsilon \\ x_A + x_B + x_C &= 1.6 \end{aligned} \tag{6}$$

The solution is $\epsilon = -0.533$, $x_A = x_B = x_C = 0.533$, and the corresponding unique cost allocation is $y_A = 5.967$, $y_B = 3.667$, and $y_C = 0.967$.

In some cases the linear program (5) may have several solutions. If so, the following "tie-breaking" device may be used:

For any imputation $x = (x_1, x_2, \dots, x_n)$ and coalition S , define the *excess* of S to be $v(S) - \sum_S x_i$. Let $e_1(x)$ be the largest excess of any coalition relative to x , $e_2(x)$ the second largest excess, $e_3(x)$ the next, and so on. The least core is the set X_1 of all x that minimize $e_1(x)$. Let X_2 be the set of all x in X_1 that minimize $e_2(x)$, X_3 the set of all x in X_2 that minimize $e_3(x)$, and so on. This process eventually leads to an X_k consisting of a single computation \bar{x} , called the *nucleolus* (Maschler *et al.* 1979, Schmeidler 1969).

4.2 The Weak Least Core and Weak Nucleolus

Suppose that a minimum uniform tax is imposed on any *individual user* who takes some course of action other than joining the whole group. Thus we find the least ϵ for which there is a solution x to the system:

$$\begin{aligned} \sum_S x_i &\geq v(S) - \epsilon|S| && \text{for all } S \subset N \\ \sum_N x_i &= v(N) \end{aligned} \tag{7}$$

The set of all corresponding imputations x is the *weak least core*.* For the above example, the weak least core is calculated by solving the linear program (in millions of dollars):

$$\min \epsilon$$

*For arbitrary ϵ the set of all solutions to (7) has been called the "weak ϵ -core" (Shapley and Shubik 1973); hence the designation "weak least core" in this case.

subject to

$$\begin{aligned}
 x_A &\geq -\epsilon, x_B \geq -\epsilon, x_C \geq -\epsilon \\
 x_A + x_B &\geq 0.4 - 2\epsilon \\
 x_A + x_C &\geq -2\epsilon \\
 x_B + x_C &\geq 0.4 - 2\epsilon \\
 x_A + x_B + x_C &= 1.6
 \end{aligned} \tag{8}$$

The unique solution is $\epsilon = -0.4$, $x_A = 0.4$, $x_B = 0.8$, $x_C = 0.4$, and the corresponding allocation of costs is $y_A = 6.1$, $y_B = 3.4$, and $y_C = 1.1$.

A choice between multiple solutions can be made as in the computation of the nucleolus by defining the excess of S to be $[\nu(S) - \sum_S x_i]/|S|$. We call the result the *weak nucleolus*. This method, while superficially similar to the least core, turns out to have an important property not shared by the least core; however, it also suffers from additional drawbacks (see Section 8).*

4.3 The Proportional Least Core and Proportional Nucleolus

Another variation on this theme is to modify the core by imposing a minimum tax (or subsidy) on all coalitions in proportion to their cost. Thus we postulate a tax rate t and solve the system

$$\min t$$

subject to

$$\begin{aligned}
 \sum_S x_i &\geq (1-t)\nu(S) && \text{for all } S \subset N \\
 \sum_N x_i &= \nu(N)
 \end{aligned} \tag{9}$$

A minimum t exists provided $\nu(S) > 0$ for some $S \neq N$. A choice between multiple solutions can be made as in the computation of the nucleolus by defining the excess of a coalition S to be $[\nu(S) - \sum_S x_i]/\nu(S)$. [If $\nu(S) = 0$ we adopt the convention that $a/0 > b/0$ if $a > b$.]

For the above example the linear program (9) becomes

*One of these is that it may not be individually rational when the core is empty. This difficulty may be overcome by requiring that $x \geq 0$, a concept studied by Grotte under the name "normalized nucleolus" (Grotte 1970, 1976). We prefer not to use this designation because there are other natural ways of normalizing (see Section 4.3).

$$\min t$$

subject to

$$x \geq 0$$

$$x_A + x_B \geq 0.4(1 - t)$$

$$x_A + x_C \geq 0$$

$$x_B + x_C \geq 0.4(1 - t)$$

$$x_A + x_B + x_C = 1.6$$

The unique solution is $t = -3$, $x_A = 0$, $x_B = 1.6$, $x_C = 0$, and the corresponding cost allocation is $y_A = 6.5$, $y_B = 2.6$, and $y_C = 1.5$.

In other words, all of the savings in costs are allocated to B. The explanation for this is that B has effective veto power: neither A nor C can do any better than going alone without forming a coalition that includes B. For other solution concepts related to the core see Charnes *et al.* (1978), Maschler *et al.* (1979), and Heaney (1979).

5 THE SHAPLEY VALUE

The Shapley value for n players is given by the formula

$$y_i = \sum_{s=1}^n \frac{(s-1)!(n-s)!}{n!} \sum_{\substack{S: i \in S \\ |S|=s}} [c(S) - c(S-i)] \quad (10)$$

This is one of the earliest methods of allocation to be based on a consistent set of postulates about how an allocation should be made (Shapley 1953). All players are assumed to "sign up" in some particular order. If a group S has already signed up and i was the last member of the group to arrive, his *marginal cost contribution* to S is $c(S) - c(S-i)$. The Shapley value is i 's average marginal contribution if all orders for signing up are assumed to be equally likely.

The Shapley values for municipalities A, B, and C are calculated in Table 3. The first column shows the six possible orders for signing up; the next three columns show the marginal contribution of each municipality.

TABLE 3 The Shapley values for municipalities A, B, and C.

Order of signing	Marginal contribution (\$ \times 10^6\$)		
	A	B	C
ABC	6.5	3.8	0.3
ACB	6.5	2.6	1.5
BAC	6.1	4.2	0.3
BCA	5.3	4.2	1.1
CAB	6.5	2.6	1.5
CBA	5.3	3.8	1.5
Total	36.2	21.2	6.2
Shapley value ^a	6.033	3.533	1.033

^aThe Shapley value is calculated by dividing the sum of the possible marginal contributions for each municipality (Total) by the number of possible orders of signing (6).

6 THE SEPARABLE COSTS-REMAINING BENEFITS (SCRB) METHOD

The last method to be considered here is one commonly used in practice for allocating the costs of multipurpose water development projects. The SCRb method is based on the simple and appealing idea that joint costs should be allocated, more or less, in proportion to the willingness of the user to pay. The "more or less" element is introduced because the proportional allocation is only performed after first assigning to each user his marginal (or separable) cost, and then taking as the criterion of proportionality each user's willingness to pay *minus* the marginal cost already allocated.

Specifically, let $b(i)$ be the benefit to user i and $c(i)$ his alternative cost. Evidently i would not be willing to pay more than $\min\{b(i), c(i)\}$ (sometimes called his justifiable expenditure) to participate in the joint project. The marginal cost of including i is $c'(i) = c(N) - c(N - i)$, which is less than or equal to $c(i)$ because the cost function is subadditive. In the SCRb nomenclature, i 's "remaining benefit" $r(i)$ is his willingness to pay minus his marginal cost: $r(i) = \min\{b(i), c(i)\} - c'(i)$. Note that if $r(i) < 0$, then $c'(i) > b(i)$ and user i should not be included in the project. Therefore we can assume that all remaining benefits $r(i)$ are nonnegative. The remaining costs are $c(N) - \sum_N c'(j)$ and are allocated in proportion to the remaining benefits:

$$y_i = c'(i) + [r(i)/\sum_N r_j][c(N) - \sum_N c'(j)] \quad (11)$$

Using the marginal costs given in Section 3, the remaining benefits (in millions of dollars) for A, B, and C are calculated to be:

$$r(A) = 6.5 - 5.3 = 1.2$$

$$r(B) = 4.2 - 2.6 = 1.6$$

$$r(C) = 1.5 - 0.3 = 1.2$$

$$\text{Total} = 4.0$$

The nonseparable costs are $10.6 - (5.3 + 2.6 + 0.3) = 2.4$, so the SCRB allocation (in millions of dollars) is:

$$y_A = 5.3 + \frac{1.2}{4.0}(2.4) = 6.02$$

$$y_B = 2.6 + \frac{1.6}{4.0}(2.4) = 3.56$$

$$y_C = 0.3 + \frac{1.2}{4.0}(2.4) = 1.02$$

Variations of the SCRB method include proposals for allocating the nonseparable costs in proportion to some criterion such as use, priority of use, or population (James and Lee 1971). The difficulty with the SCRB method is that the simple underlying idea of allocating costs in proportion to benefits is lost by the *ad hoc* introduction of marginal costs; this leads to some strange results, as will be shown in Section 8.

7 A CASE STUDY OF SWEDEN

The area studied consists of 18 municipalities in the Skåne region of southern Sweden (Figure 5). At present, most of the municipal water supply is drawn from three sources: local groundwater, and two separate pipeline systems which distribute water from two lakes, Vombsjön and Ringsjön.

As early as the 1940s, certain municipalities in the area realized that local water sources might not be sufficient to meet future demand, and turned their attention to off-site sources. An association called the Sydsvatten Company* was formed by several of them to plan the long-term water supply for the region. In the late 1960s, this group started to design a major project for obtaining water from a lake outside the region (Lake Bolmen) via an 80-km tunnel.

*South Water Company.




FIGURE 5 The region studied in Skåne, Sweden, and its division into municipalities.

The viability of the project depends on the number of additional municipalities that can be induced to participate in the project. This, in turn, depends on how much these municipalities will be obliged to pay for participation, bearing in mind the availability and costs of developing their own on-site resources. Moreover, there have been several unforeseen developments since the initiation of the project (e.g., greatly escalated costs, more optimistic estimates of local resources, and lower rates of demand growth), and these have brought the present population-based cost allocation procedure into question.

The basic concepts and methods developed in the preceding sections can be illustrated by applying them to the Swedish case over the decade 1970–1980, since data and forecasts for this period are readily available. The Sydsvatten tunnel project mentioned earlier is not expected to have any impact on water

supply until the late 1980s, and so only conventional alternatives can be considered for meeting incremental demands over the period studied (e.g., extending the capacity of the pipeline system and increasing the use of local groundwater sources where feasible). The base year was taken to be 1970, and a water supply system was designed to satisfy the municipal "requirements" for 1980 as they were forecast in 1970. The different cost allocation methods described above were then applied to the system to examine the relative positions of the different municipalities. The results help clarify the way in which the different methods work, and why some of them may be preferable to others in practice.


7.1 Identifying Independent Actors

The first problem in defining the cost function is to identify the independent actors in the system. To develop the costs for each of the $2^{18} - 1 = 262,143$ possible groupings of the 18 municipalities would be impractical and unrealistic. In practice, the municipalities fall into natural groups based on past associations, geographical location, existing water transmission systems, and hydrological and geographical features determining the natural routes for water transmission networks.

A careful study of these conditions led to the grouping of the 18 municipalities into six independent units as shown in Figure 6. Group H, for example, consists of those municipalities which were already connected by the Ringsjön water supply system in 1970, together with the municipality of Svalöv, which would be located in the middle of the main transmission route. These groups are treated as single actors in the following analysis of alternative costs. Once a cost allocation for the groups has been determined, a further allocation of costs among the municipalities within each group could be made using a similar approach; however, this may not give the same result as if all municipalities were treated separately. The 1970 populations and forecast incremental water demands of each group are shown in Table 4.

7.2 Ambiguities in Defining the Cost Function: Direct Costs

In practice, ambiguities in defining the cost function arise due to the problem of *direct costs*, that is, costs that would be incurred by a given municipality no matter what course of action is pursued. For example, local water distribution systems are required within municipalities whether the water is supplied jointly or separately. The cost associated with municipal distribution systems may therefore be regarded as a direct cost. In principle, these costs could be excluded from the cost function on the grounds that they can be allocated independently. However, in practice, the borderline between direct and indirect costs is not always clear. In some municipalities, for instance, the water delivered by the regional



<i>Group</i>	<i>Municipalities in the group</i>	
A	Ängelholm, Höganäs, Klippan, Åstorp, Biuv	
H	Helsingborg, Landskrona, Svalöv, Estöv	
K	Kävlinge, Lomma	
L	Lund	
M	Malmö, Burlöv, Staffanstorps	
T	Trelleborg, Vellinge, Svedala	

FIGURE 6 The grouping of the 18 municipalities into six units, and the existing and projected water transmission networks.

TABLE 4 Populations and incremental water demands of the six municipal groups.

Group	Population ($\times 10^3$)	Incremental water demand ($\times 10^6$ m ³ /yr)
A	85.0	6.72
H	176.3	8.23
K	26.8	3.75
L	69.0	3.53
M	287.3	14.64
T	59.5	6.21
Total	703.9	43.08

supply network must first be pumped up to a reservoir before distribution within the municipality; the facilities required for pumping depend on the pressure at the end of the transmission network. Thus the costs of these distribution facilities may *not* be independent of the method by which the water is supplied. The definition of the cost function naturally depends on the fraction of these costs treated as direct costs.

Since the definition of the cost function is always somewhat arbitrary in practice, it is desirable to choose a cost allocation method that is insensitive to the inclusion of direct costs. One of the difficulties with the SCRB method is that in some cases it is sensitive to the inclusion of direct costs. None of the game theory methods considered here suffers from this drawback.

7.3 Calculating the Cost Function

The water supply system includes two lakes (Vombsjön and Ringsjön), one major groundwater aquifer (Alnarp), and other minor on-site sources. The possible routes of a water transmission network (based on a preliminary analysis) are also shown in Figure 6.

To avoid inconsistencies in defining the cost function, it was assumed for the purpose of this study that the pressure at each demand point does not depend on the method by which the water is transmitted to that point. Thus the cost of distributing the water within each municipality does not depend on the arrangement by which the water is supplied, so this element can be treated as a direct cost and excluded from the cost function. The water delivered to each municipality was assumed to be of the same quality. The water was treated to bring it up to this level at the source, and the cost of treatment was included in the cost function.

Cost functions for transmitting and treating water were based on the formulas given in Appendix A. Using these functions, the total costs $c(S)$ associated with the least-cost combination of alternative supply sources were estimated for each coalition S . The results are shown in Table 5; commas signify that the least-cost option of that coalition is to break up into the subcoalitions indicated. The unit costs (per million cubic meters per year) are: A, 3.27; H, 2.08; K, 2.91; L, 4.50; M, 1.42; T, 3.51.

TABLE 5 Total costs (Skr $\times 10^6$) for various joint supply systems.

Group	Total cost	Group	Total cost	Group	Total cost
A	21.95	AHK	40.74	AHKL	48.95
H	17.08	AHL	43.22	AHKM	60.25
K	10.91	AH,M	55.50	AHK,T	62.72
L	15.88	AH,T	56.67	AHL,M	64.03
M	20.81	A,K,L	48.74	AHL,T	65.20
T	21.98	A,KM	53.40	AH,MT	74.10
		A,K,T	54.84	A,K,LM	63.96
AH	34.69	A,LM	53.05	A,K,L,T	70.72
A,K	32.86	A,L,T	59.81	A,K,MT	72.27
A,L	37.83	A,MT	61.36	A,LMT	73.41
A,M	42.76	HKL	27.26	HKL,M	48.07
A,T	43.93	HKM	42.55	HKL,T	49.24
HK	22.96	HK,T	44.94	HKMT	59.35
HL	25.00	HL,M	45.81	HLMT	64.41
H,M	37.89	HL,T	46.98	KLMT	56.61
H,T	39.06	H,MT	56.49	AHKL,T	70.93
K,L	26.79	K,LM	42.01	AHKLM	69.76
KM	31.45	K,L,T	48.77	AHKMT	77.42
K,T	32.89	K,MT	50.32	AHLMT	83.00
LM	31.10	LMT	51.46	AKLMT	73.97
L,T	37.86			HKLMT	66.46
MT	39.41			AHKLMT	83.82

The cost function reveals the relative strength of the different actors, which depends on factors such as the cost and availability of local resources, and access to the resources of others. For example, L finds that the unit cost of going alone is high; though it is located close to the major regional sources (Ringsjön and Vombsjön), it owns neither. Hence it has a strong incentive to participate in a joint scheme with the owners of the two sources, H and M. H and M have the lowest unit costs because they own the two systems, but they can reduce their

unit costs even further by including other municipalities in a joint scheme, due to economies of scale. However, the system owned by H (Ringsjön) has a greater excess capacity than that owned by M (Vombsjön). Hence the incremental cost of other municipalities joining in a coalition with M is higher than the incremental cost of joining with H. The effect is that H has more to offer its partners in a coalition than does M, and this will be reflected in the final cost allocation.

8 COMPARISON OF METHODS

Using the cost function developed above, we now compare the cost allocations of the different methods described in the preceding sections. We assume that all groups participate in a joint scheme at a total cost of Skr 83.82 million. The results obtained from the two proportional allocation schemes based on demand and population and from the SCRB method are shown in Table 6, as are the Shapley value, the nucleolus, the weak nucleolus, and the proportional nucleolus. The cost shares allocated to each group by the seven methods are illustrated in Figure 7 for ease of comparison.

TABLE 6 Cost allocations of Skr 83.82 million by seven methods.

Allocation method	Cost allocations (Skr $\times 10^6$)						Total
	A	H	K	L	M	T	
Proportional to population	10.13	21.00	3.19	8.22	34.22	7.07	83.82
Proportional to demand	13.07	16.01	7.30	6.87	28.48	12.08	83.82
SCRB	19.54	13.28	5.62	10.90	16.66	17.82	83.82
Shapley value	20.01	10.71	6.61	10.37	16.94	19.18	83.82
Nucleolus	20.35	12.06	5.00	8.61	18.32	19.49	83.82
Weak nucleolus	20.03	12.52	3.94	9.07	18.54	19.71	83.82
Proportional nucleolus	20.36	12.46	3.52	8.67	18.82	19.99	83.82

Note that the "proportional" allocations differ markedly from the others. A comparison of the proportional allocations with the costs of going alone (Table 7) reveals that these methods would charge some participants in the joint project more than they would have had to pay on their own. Allocation by demand penalizes M for participating, while allocation by population penalizes both H and M.

This failure to satisfy the requirement of individual rationality is based on the fact that proportional methods do not take into account crucial differences among the participants in their access to sources of supply. The proportional procedures work against H and M, which have large populations, and favor the




FIGURE 7 The shares of the total cost allocated to each group by the seven methods studied.

TABLE 7 Individual and marginal costs (Skr $\times 10^6$) for each group in the Swedish case study.

	A	H	K	L	M	T
Individual alternative costs	21.95	17.08	10.91	15.88	20.81	21.98
Marginal costs	17.36	9.85	0.82	6.40	12.89	14.06

outlying regions A and T. The inclusion of A and T is relatively costly, despite their smaller populations, because they are both remote from the major sources of supply. This fact is reflected in their high marginal costs (Table 7). Though A and T should be charged at least the marginal cost of including them, both proportional methods fail to do so. This is one serious disadvantage of the proportional allocation methods.

More seemingly reasonable than the proportional schemes, but actually almost as ill-behaved, is the SCRB method. This method is individually rational only if the alternative costs are less than the corresponding benefits (as assumed in the present case); otherwise this may not be so. It also may not satisfy group

rationality. For example, the three adjacent municipal groups H, K, and L can provide municipal water for themselves at a cost of Skr 27.26 million, but the SCRB method would assess them a total of Skr 29.80 million if they all shared in a regional facility. It would not be in the interest of H, K, and L to participate on the basis of such an assessment, because they are then, in effect, being forced to subsidize the other participants. Since there exist assessments in which no coalition subsidizes any other, such an allocation could be considered inequitable.

That the SCRB method suffers from this defect is not surprising, since it considers only the marginal costs of including individual participants, not the marginal costs of coalitions. In this case, the marginal cost of including both M and T is much higher than the sum of their individual marginal costs, since if one is already being served the *additional* expense of serving the other (or individual marginal cost) is low. Thus, while it is not necessary to estimate all cost elements in order to calculate the SCRB allocation, this short-cut has a price: it may result in a less equitable final distribution.

By contrast, a calculation of the Shapley value requires the alternative costs for all possible subsets. Unfortunately, however, this allocation also fails the group rationality and marginality tests. In particular, the Shapley value assesses the coalition HKL at Skr 430,000 more than its alternative cost.

Since group rationality and marginal cost coverage seem to be essential from the standpoint of equity, as well as to provide sufficient incentives for co-operation, the remaining three methods – the nucleolus, weak nucleolus, and proportional nucleolus – are potentially more desirable than those discussed above, as they always produce a core imputation if one exists. Is there any basis for preferring one method to another?

A general point raised in the early study by Ransmeier (1942) is that a method should be able to *adapt* to changing conditions. The need for adaptability is evident in the fact that, typically, total project costs are not known precisely until after the project has been completed. Since the cost allocation method is usually agreed upon before the project has been started, it must specify how different levels of total costs should be allocated. Such an agreement will initially be based on some best estimate of the costs of alternatives, but once an agreement has been reached the alternatives must be abandoned. It is therefore sufficient that a method specify how different levels of total costs should be allocated for fixed levels of alternative costs.

An elementary requirement of any such method is that if total costs increase then no participant will be charged less; conversely, if total costs decrease, no participant will be required to pay more. This property is called *monotonicity* (Megiddo 1974), and is fundamental in problems of fair division (see, for example, Huntington 1928, Balinski and Young 1974, 1975, 1977, 1979a, 1979b). Several of the methods considered so far do not possess this fundamental property. As an example, suppose that the total cost of the Swedish project involved an overrun of Skr 4 million, bringing the total to Skr 87.82 million (see Table 8).

TABLE 8 Comparison of the allocations under increased cost with the initial allocations (Skr $\times 10^6$).

Allocation method	Cost allocation (Skr $\times 10^6$)						Total
	A	H	K	L	M	T	
Proportional to population	10.61	22.00	3.35	8.62	35.86	7.40	87.82
	10.13	21.00	3.19	8.22	34.22	7.07	83.82
Proportional to demand	13.70	16.78	7.64	7.20	29.84	12.66	87.82
	13.07	16.01	7.30	6.87	28.48	12.08	83.82
SCRB	21.42	14.19	5.46	10.97	17.31	18.47	87.82
	19.54	13.28	5.62	10.90	16.66	17.82	83.82
Shapley value	20.67	11.38	7.29	11.03	17.60	19.84	87.82
	20.01	10.71	6.61	10.37	16.94	19.18	83.82
Nucleolus	20.76	13.25	4.51	9.80	19.16	20.33	87.82
	20.35	12.06	5.00	8.61	18.32	19.49	83.82
Weak nucleolus	20.70	13.19	4.61	9.74	19.21	20.38	87.82
	20.03	12.52	3.94	9.07	18.54	19.71	83.82
Proportional nucleolus	20.61	13.20	4.72	9.84	19.14	20.31	87.82
	20.36	12.46	3.52	8.67	18.82	19.99	83.82

This situation could arise if the method used for supplying the whole coalition involved components that would not be cost-effective in any smaller coalition, for example, the large fixed costs required for an interbasin transfer project. In fact a project of this nature is currently under construction in Sweden, and the costs are already substantially more than predicted.

Comparing the new allocations with the old (Table 8), we notice that the nucleolus requires K to pay *less* even though the total cost of the project has increased. Similarly, the SCRB method allocates K Skr 160,000 less when costs increase. This nonmonotonic behavior suggests that the nucleolus and SCRB methods may not be reasonable cost allocation procedures.

On the other hand, it is clear that methods which allocate costs in proportion to some single criterion, like population or use, must be monotonic. This is also the case for the Shapley value, the weak nucleolus, and the proportional nucleolus. For the Shapley value and weak nucleolus, any change in total costs is distributed equally among the actors (see Appendix B).^{*} However, this particular way of dividing changes in costs is questionable. Why should all participants

^{*}The nonmonotonicity of the nucleolus was first pointed out by Megiddo (1974).

have to share unforeseen joint expenses equally, when their shares in the enterprise are very different? Using the weak nucleolus, for example, it is quite possible that a tiny participant, who contributes essentially no costs (or savings) to any coalition would still have to contribute as much to defray a cost overrun as would his giant neighbors. This kind of behavior seems unacceptable.*

Perhaps the fairest way of measuring the participants' shares in the enterprise is not by their costs (most of which they might well have incurred acting alone), but rather by the amounts that they save by virtue of taking part in the enterprise as opposed to going alone. A reasonable scheme would be to divide any unforeseen costs in proportion to the benefits enjoyed. This is precisely the way in which the proportional nucleolus works (see Appendix B).

9 SUMMARY

Given the practical need to allocate the costs of a joint water resource facility among the different users, it is necessary to choose rationally among the many different methods of allocation available. Using a definite computational procedure itself provides some semblance of rationality. However, the justification of a method does not lie in the computational procedure employed, but in its behavior in practice. Thus it is necessary to compare the different methods on the basis of principle. The literature on cost allocation suggests a number of such principles, including: simplicity, reasonable information requirements, adaptability (which includes monotonicity in costs), insensitivity to direct costs, individual and group rationality, and marginal cost coverage.

Seven different approaches have been selected for comparison from among the various methods discussed in the project evaluation and game theory literature, and their performance evaluated by application to an actual municipal cost allocation problem in Sweden. One of the methods used most widely for multi-purpose projects, the SCRB method, suffers from a number of disadvantages, including nonmonotonicity in costs, failure to satisfy group rationality (and individual rationality in some cases), as well as failure to cover marginal costs for groups. The underlying SCRB idea of allocating costs in proportion to benefits is attractive; the difficulties seem to arise from the *ad hoc* introduction of marginal costs. A more sophisticated game theory method, the Shapley value, is monotonic and satisfies individual rationality, but, as shown by the Swedish example, may not satisfy group rationality when it is possible to do so.

Three of the remaining methods – the nucleolus, weak nucleolus, and proportional nucleolus – always satisfy group rationality and marginal cost coverage when it is possible to do so. However, the nucleolus seems unsatisfactory because it is not monotonic in costs. The weak nucleolus and proportional

*The fact that a "dummy player" (i.e., one who contributes zero additional costs to any coalition) can be assessed positive costs by the weak nucleolus was first pointed out by Reinhard Seiden.

nucleolus are both monotonic, but the latter allocates changes in costs in a manner more consistent with the benefits that the participants reap from the enterprise. Hence, of all game theory methods considered here, the proportional nucleolus appears to be the most attractive.

The game theory methods all suffer from the disadvantages that they are fairly complicated and require detailed information on costs. All of the methods except for the simplest proportional allocation schemes rely on information about demands and the optimal scale of development – information which in practice may be unreliable or nonexistent. This is particularly true for long-term investment projects such as the Swedish case discussed above. It is therefore not surprising to find that a simple scheme based on allocating costs in proportion to the population was eventually chosen, since insufficient information was available to adopt a more equitable approach.

APPENDIX A: COST OF WATER SUPPLY NETWORK

This section describes the procedure used to determine the capital costs of pipes and pumps necessary to supply the required amounts of water to the demand points shown in Table A1. The distances between points (in parentheses) and

TABLE A1 Incremental water demand for all municipalities in the study area for the period 1970–1980.^a

Municipality	Incremental water demand ($\times 10^6 \text{ m}^3/\text{yr}$)	Municipality	Incremental water demand ($\times 10^6 \text{ m}^3/\text{yr}$)
Ängelholm	2.65	Lund	3.53
Höganäs	1.48	Malmö	10.66
Klippan	0.60	Burlöv	1.67
Åstorp	0.63	Staffanstorps	2.30
Bjuv	1.36	Trelleborg	1.26
Helsingborg	4.60	Vellinge ^b	2.30
Landskrona	1.80	Räng ^b	0.57
Svalöv	0.50	Skanör ^b	0.25
Eslöv	1.32	Svedala ^b	1.10
Kävlinge	2.74	Bara ^b	0.73
Lomma	1.01		

^aTaken from Sydsvatten, Prognos 73.

^bBara is included in the municipality of Svedala; Vellinge, Räng, and Skanör constitute a single municipality.

their elevations are shown in Figure A1. It is assumed that the pressure at each demand point does not depend on the arrangement by which the water is




FIGURE A1 The water transmission network. The number at each node represents the elevation in m; the number in parentheses on each arc represents the distance in km.

supplied, as described in the text (p. 20), and this allows us to treat each arc of the transmission network independently. The cost analysis of the network is therefore carried out arc by arc.

The cost of water transmission includes the following components:

Cost of pipelines	$C_1 = c_1 L = (\gamma + \alpha D^\beta)L$	(Skr)
Cost of pumps	$C_2 = c_2 fP$	(Skr)
Cost of electricity	$C_3 = c_3 P$	(Skr/yr)

where

c_1	= Unit cost of piping (Skr/m)
L	= Length of pipe (m)
c_2	= Unit cost of pump (Skr/kW)
f	= Safety factor
c_3	= Unit cost of electricity (Skr/kW-yr)
$P = (9.81/E)QH$	= Effective capacity of pump (kW)
Q	= Flow of water in pipe (m ³ /sec)
$H = H_0 + IL$	= Required pumping head (m)
H_0	= Difference in altitude between origin and destination of pipe (m)
I	= Hydraulic gradient
E	= Pumping efficiency
D	= Pipe diameter (m)
α, β, γ	= Coefficients

The total annual cost of transmission is given by

$$C = (C_1 + C_2)CRF + C_3$$

where

$$CRF = \frac{(1+i)^n i}{(1+i)^n - 1} = \text{Capital recovery factor}$$

i = Interest rate
 n = Amortization period (years)

The total cost C is a function of the pipe diameter D , the flow Q , the pumping head H , and the length of pipe L . These factors are related by the Hazen-Williams formula:

$$H = 10.7(Cw)^{-1.85} D^{-4.87} Q^{1.85} L$$

where C_w is the Hazen–Williams coefficient.

The economical pipe diameter D^* is obtained as a function of the flow Q by letting $\partial C/\partial D = 0$:

$$D^* = \left(\frac{4.87 ab}{\alpha\beta \text{CRF}} \right)^{1/(\beta+4.87)} Q^{2.85/(\beta+4.87)}$$

where

$$a = (c_2 f \text{CRF} + c_3)(9.81/E)$$

$$b = 10.7(C_w)^{-1.85}$$

Similarly, the economical hydraulic gradient I^* is obtained as

$$I^* = \left(\frac{\alpha\beta \text{CRF}}{4.87 a} \right)^{\beta/4.87} Q^{(1.85\beta-4.87)/(\beta+4.87)}$$

The parameters are determined from Swedish data as follows: $\alpha = 477$ Skr; $\beta = 1.60$; $\gamma = 150$ Skr; $E = 0.63$; $C_w = 100$; $f = 1.33$; $\text{CRF} = 0.0871$ based on $i = 0.06$, $n = 20$ years; $c_2 = 1893$ Skr/kW; $c_3 = 613$ Skr/kW-yr.

The results are:

$$D^* = 0.928 Q^{0.43} \quad (\text{m})$$

$$I^* = 2.99 Q^{-0.28} \times 10^3$$

$$C_1 = (150 + 477 D^{1.60})L \quad (\text{Skr})$$

$$C_2 = 39.2 QH \times 10^3 \quad (\text{Skr})$$

$$C_3 = 9.54 QH \times 10^3 \quad (\text{Skr/yr})$$

The cost of treating water at Vombsjön includes the costs of filtration, pumping, and chlorination. The treatment at Ringsjön consists of screening, sedimentation, coagulation, and filtration. Unfortunately the particular cost data on these unit processes were not available, so capital costs and the costs of operation and maintenance (O/M) were estimated using available data. The cost of treating on-site groundwater includes the costs of pumping, filtration, and chlorination, and these were also estimated. The results of the cost analysis are given in Table A2, where \tilde{Q} is the flow of water through the treatment plant in Mm^3/yr .

TABLE A2 The cost of providing water from the three sources.

Water source	Cost	Value	Unit ($\times 10^6$)
Vombsjön	Capital	$C_K^V = 2.31 \tilde{Q}^{0.74}$	Skr
	O/M	$C_M^V = 0.162 \tilde{Q}^{0.91}$	Skr/yr
Ringsjön	Capital	$C_K^R = 3.68 \tilde{Q}^{0.64}$	Skr
	O/M	$C_M^R = 0.410 \tilde{Q}^{0.64}$	Skr/yr
Groundwater	Capital	$C_K^G = 2.38 \tilde{Q}^{0.58}$	Skr
	O/M	$C_M^G = 0.263 \tilde{Q}^{0.82}$	Skr/yr

APPENDIX B: MONOTONICITY

The weak least core is the set of optimal solutions to the linear program

$$\min \epsilon$$

subject to

$$\sum_N x_i = \nu(N)$$

$$\sum_S x_i \geq \nu(S) - \epsilon|S| \quad \text{for all } S \subset N$$

which is equivalent to

$$\min \sum_N (x_i + \epsilon)$$

subject to

$$\sum_N x_i = \nu(N)$$

$$\sum_S (x_i + \epsilon) \geq \nu(S) \quad \text{for all } S \subset N$$

This is equivalent to solving

$$\min \sum x_i' \tag{B1}$$

subject to

$$\sum_S x_i' \geq \nu(S) \quad \text{for all } S \subset N$$

and letting $x_i = x_i' - \epsilon$, where $\epsilon = [\sum_N x_i' - v(N)]/n$. Since the x' program is independent of $v(N)$, an increase in $v(N)$ simply has the effect of increasing ϵ – and hence every component x_i – by the same amount. The same holds for the weak nucleolus, hence the weak nucleolus is monotonic. The proof of monotonicity of the Shapley value is left to the reader.

The proportional least core is the set of optimal solutions to the linear program

$$\min t$$

subject to

$$\sum_N x_i = v(N)$$

$$\sum_S x_i \geq (1 - t)v(S) \quad \text{for all } S \subset N$$

where we assume that $v(S) > 0$ for some $S \neq N$ to ensure existence.

This is equivalent to solving (B1) and letting $x_i = x_i' v(N) / \sum_N x_i'$. An increase in $v(N)$ by a common proportion simply has the effect of increasing every component of x_i by the same proportion. The same holds for the proportional nucleolus, hence it is monotonic.

REFERENCES

- Balinski, M.L., and H.P. Young (1974) A new method for Congressional apportionment. *Proceedings of the National Academy of Sciences of the USA* 71:4602–4606.
- Balinski, M.L., and H.P. Young (1975) The quota method of apportionment. *American Mathematical Monthly* 82:701–730.
- Balinski, M.L., and H.P. Young (1977) On Huntington methods of apportionment. *SIAM Journal of Applied Mathematics* C 33:607–618.
- Balinski, M.L., and H.P. Young (1979a) Quota apportionment methods. *Mathematics of Operations Research* 4:31–38.
- Balinski, M.L., and H.P. Young (1979b) The Webster method of apportionment. *Proceedings of the National Academy of Sciences of the USA* 77:1–4.
- Baumol, W., and D. Bradford (1970) Optimal departures from marginal cost pricing. *American Economic Review* 60:265–283.
- Bogardi, I., and F. Szidarovsky (1976) Application of game theory in water management. *Applied Mathematical Modelling* 1:16–20.
- Charnes, A., J. Rousseau, and L. Seiford (1978) Complements, mollifiers, and the propensity to disrupt. *International Journal of Game Theory* 7:37–50.
- Eckstein, O. (1958) *Water Resource Development*. Cambridge, Mass.: Harvard University Press.
- Faulhaber, G. (1975) Cross-subsidization: pricing in public enterprises. *American Economic Review* 65:966–977.
- Federal Inter-Agency River Basin Committee (1950) *Proposed Practices for Economic Analysis of River Basin Projects*. Washington, D.C.: U.S. Government Printing Office.

- Grotte, J.H. (1970) Computation of and Observations on the Nucleolus, and the Central Games. M.Sc. Thesis, Cornell University.
- Grotte, J.H. (1976) Dynamics of cooperative games. *International Journal of Game Theory* 5:27–64.
- Heaney, J.P. (1979) Efficiency/equity analysis of environmental problems – a game theoretic perspective. In S.J. Brams, A. Schotter, and G. Schwödianer (Eds.), *Applied Game Theory*, pp. 352–369. Vienna: Physica-Verlag.
- Huntington, E.V. (1928) The apportionment of representatives in Congress. *American Mathematical Society Transactions* 30:85–110.
- Inter-Agency Committee on Water Resources (1958) *Proposed Practices for Economic Analysis of River Basin Projects*. Washington, D.C.: U.S. Government Printing Office.
- James, L.D., and R.R. Lee (1971) *Economics of Water Resources Planning*. New York: McGraw-Hill.
- Loehman, E., and A. Whinston (1974) An axiomatic approach to cost allocation for public investment. *Public Finance Quarterly* 1:236–251.
- Loehman, E., J. Orlando, J. Tschirhart, and A. Whinston (1979). Cost allocation for a regional coastwater treatment system. *Water Resources Research* 15:193–202.
- Loughlin, J.C. (1977) The efficiency and equity of cost allocation methods for multipurpose water projects. *Water Resources Research* 13:8–14.
- Maschler, M., B. Peleg, and L.S. Shapley (1979). Geometric properties of the kernel, nucleolus, and related solution concepts. *Mathematics of Operations Research* 4:303–338.
- Megiddo, N. (1974) On the nonmonotonicity of the bargaining set, the kernel, and the nucleolus of a game. *SIAM Journal of Applied Mathematics* 27:355–358.
- Neumann, J. von, and O. Morgenstern (1944) *Theory of Games and Economic Behavior*. Princeton, N.J.: Princeton University Press.
- Okada, N. (1977) A Game-Theoretic Approach to the Analysis of Area-Wide, Multi-Modal Water Utilization System. Report of the Faculty of Engineering, Tottori University 8, September 1977.
- Ramsey, F. (1927) A contribution to the theory of taxation. *Economic Journal* 37:47–61.
- Ransmeier, J.S. (1942) *The Tennessee Valley Authority. A Case Study in the Economics of Multiple Purpose Stream Planning*. Nashville, Tenn.: Vanderbilt University Press.
- Schmeidler, D. (1969) The nucleolus of a characteristic function game. *SIAM Journal of Applied Mathematics* 17:1163–1170.
- Shapley, L.S. (1953) A value for n -person games. In H.W. Kuhn and A.W. Tucker (Eds.), *Contributions to the Theory of Games, II (Annals of Mathematics Studies 28)*, pp. 303–306. Princeton, N.J.: Princeton University Press.
- Shapley, L.S., and M. Shubik (1973) *Game Theory in Economics – Characteristic Function, Core and Stable Set*, Chapter 6, RAND Report R-904-NSF/6, Santa Monica.
- Straffin, P., and J.P. Heaney (1980) *Game Theory and the Tennessee Valley Authority*. *International Journal of Game Theory* (in press).
- Suzuki, M., and M. Nakayama (1976) The cost assignment of the cooperative water resource development: a game theoretical approach. *Management Science* 22:1081–1086.
- Thomas, A.L. (1974) The allocation problem: Part two. In *Studies in Accounting Research*, No. 9. Sarasota, Fl.: American Accounting Association.
- Water Resources Council (1962) *Policies, Standards, and Procedures in the Formulation, Evaluation, and Review of Plans for Use and Development of Water and Related Land Resources*. 87th Congress, 2nd Session, Senate Doc. 97.

- Young, H.P. (1980) Cost Allocation and Demand Revelation in Public Enterprises. WP-80-130. Laxenburg, Austria: International Institute for Applied Systems Analysis.
- Zajac, E. (1978) Fairness of Efficiency: An Introduction to Public Utility Pricing. Cambridge, Mass.: Ballinger.

THE AUTHORS

H. Peyton Young is Deputy Chairman of the System and Decision Sciences Area at IIASA. He received his B.A. in Mathematics in 1966 from Harvard University and his Ph.D. in Mathematics in 1970 from the University of Michigan. From 1971 to 1973 he was Assistant Professor and from 1973 to 1978 Associate Professor of Mathematics at the Graduate School of the City University of New York. He has been an economic consultant with the United States National Water Commission, the Northeastern Illinois Planning Commission, and a Research Associate at the School of Organization and Management at Yale University. His research interests are in public economics, game theory, and methods of fair division.

Norio Okada is Associate Professor of Civil Engineering at Tottori University. He graduated from Kyoto University in 1970, receiving his Master's degree in 1973 and his Ph.D. in Engineering in 1977. He was a research assistant in the Civil Engineering Department of Kyoto University before assuming his present position at Tottori University. In 1974 and 1975 he participated in surveys of the transportation infrastructure in South and Central America. Professor Okada's scientific interests include water management, regional planning, and multiple-objective planning.

Tsuyoshi Hashimoto studied architectural engineering at the University of Tokyo, and environmental engineering at the University of Southern California and Cornell University. He received his Master's degree from the University of Southern California in 1974, and his Ph.D. in Environmental Systems Engineering from Cornell University in 1980. Dr. Hashimoto is interested in quantitative and qualitative aspects of general water resources management problems, particularly stochastic modeling, decision making under uncertainty, and coordinating water supply and demand.

RELATED IIASA PUBLICATIONS

RR-76-15	The IIASA Water Resources Project: A Status Report.	\$8.50,	AS100
RR-76-20	Criteria for Proportional Representation, by M.L. Balinski and H.P. Young.	\$4.00,	AS45
RR-77-2	On Huntington Methods of Apportionment, by M.L. Balinski and H.P. Young.	\$4.00,	AS45
RR-77-7	Optimal Allocation of Artificial In-Stream Aeration, by S. Rinaldi and R. Soncini-Sessa.	\$4.00,	AS45
RR-77-11	Quotatone Apportionment Methods, by M.L. Balinski and H.P. Young.	\$4.00,	AS45
RR-77-19	On Measures of Natural Resource Scarcity, by A.C. Fisher.	\$4.00,	AS45
RR-78-1	On the Monetary Value of an Ecological River Quality Model, by H. Stehfest.	\$4.00,	AS45
RR-78-11	Supply—Demand Price Coordination in Water Resources Management, by G. Guariso, D.R. Maidment, S. Rinaldi, and R. Soncini-Sessa.	\$4.00,	AS45
CP-78-6	Proceedings of a Workshop on Modelling of Water Demands, edited by J. Kindler.	\$11.00,	AS135