



TITLE:

List of Plant and Animal Species Living in Lake Biwa (Revised)

AUTHOR(S):

Mori, Syuiti; Miura, Taizo

CITATION:

Mori, Syuiti ...[et al]. List of Plant and Animal Species Living in Lake Biwa (Revised).
Memoirs of the Faculty of Science, Kyoto University. Series of biology. New series 1980,
8(1): 1-33

ISSUE DATE:

1980-03-25

URL:

<http://hdl.handle.net/2433/258843>

RIGHT:

MEMOIRS OF THE FACULTY OF SCIENCE, KYOTO UNIVERSITY, SERIES OF BIOLOGY
Vol. VIII, pp. 1-33, March 1980

List of Plant and Animal Species Living in Lake Biwa¹⁾

(Revised)

By

Syuiti MORI²⁾ and Taizo MIURA

(Otsu Hydrobiological Station, Kyoto University, Otsu)

(Received February 2, 1979)

This is a revised edition of the list which was first published in 1970. The revision was made by correcting a fair number of specific names together with adding many new species covering whole phyla with a cooperation of 18 specialists. The classification system was also modified on some groups.

As is well known Lake Biwa has rich flora and fauna including many kinds of endemic species. The first list was compiled referring mainly on the results of intensive study of this lake performed from 1962 through 1965 with a financial aid of the Ministry of Construction. Up to that time no all-inclusive list of plants and animals of Lake Biwa had ever been presented.

Following to the said survey, the research by the International Biological Programme (IBP) started for the purpose of clarifying a productivity of communities in Lake Biwa in 1964 and it continued to 1972. Although the main theme was on productivity, the knowledge on the flora and fauna had naturally been very much improved. Furthermore, the Director Council of the National Marine and Inland Water Biological Stations of Japan planned to execute a continuous survey of the flora and fauna near respective Station with an object of conservation of natural area adjacent to each Station and the Ministry of Education supported this survey by offering the research fund from 1974 through 1977.

In the course of these studies the authors had consulted with many specialists on a correct classification system and scientific names of the species, and fortunately many of them had kindly assisted this plan by giving valuable advice and criticisms.

The present revised list has been compiled through these processes. Fifty four

1) Contribution from the Otsu Hydrobiological Station, Kyoto University, NO. 265

2) Present Address: Shizuoka Women's University, Yada 409, Shizuoka

species of plants and fifty two species of animals (total 106 species) were newly added, several classification systems were changed to modern ones and a number of scientific names were corrected.

The symbol ● ahead of the specific names indicates those species are endemic to Lake Biwa and its connected water areas.

The authors would like to acknowledge the financial aid for the revision given by the Ministry of Education as said above and by the Toray Science Foundation for the arrangement of the manuscript, and also to express their sincere thanks to those who had given valuable advice and criticisms responding to the author's reference, especially to: Drs. Yukinari Ban, Kyûemon Gose (for Insecta), Tadashige Habe (Mollusca), Yoshine Hada (Sarcodina), Eiji Harada (Arthropoda), Minoru Hirano (Algae), Isao Ikusima (Macrophytes), Taiji Imamura (Acerata), Takeo Ito (Hydrozoa), Tomiko Ito (Oligochaeta), Norizumi Kitagawa (Insecta), Nobuhiko Mizuno (Teleostomi), Kazunosuke Okugawa (Turbellaria), Kôzô Tani (Insecta), Masuzo Uéno (Crustacea), Toshiharu Watanabe (Algae), Ryozo Yagi (Ciliata) and Kokichi Yamamoto (Rotifera).

PLANT

PHYLUM CHRYSORHYTA

Class Xanthophyceae

Ord. Heterococcales

Fam. Botryococcaceae

Botryococcus Braunii Kütz.

Class Chrysophyceae

Ord. Chrysomonadales

Fam. Mallomonadaceae

Mallomonas fastigata Zacharias

Mal. sp.

Fam. Syncryptaceae

Syncrypta sp.

Fam. Synuraceae

Synura uvella Ehrenberg

Fam. Ochromonadaceae

Dinobryon bavaricum Imhof

Din. *cylindricum* Imhof

Din. *divergens* Imhof

Din. *stipitatum* Stein
Din. *sertularia* Ehr.
Din. sp.

Ord. Cryptomonadales

Fam. Cryptomonadaceae
Cryptomonas sp.

Class Bacillariophyceae

Ord. Centrales

Fam. Coscinodiscaceae
Melosira varians C. A. Agardh
Mel. *granulata* (Ehr.) Ralfs
Mel. *granulata* (Ehr.) Ralfs var. *angustissima* Müller
Mel. *italica* (Ehr.) Kütz.
Mel. *italica* (Ehr.) Kütz. var. *varida* Grunow
Mel. *solida* Eulensteini
Mel. *undulata* (Ehr.) Kütz. var. *Normanni* Arnott
Mel. sp.
Cyclotella sp.
Stephanodiscus carconensis Grun.
Ste. *carconensis* Grun. var. *pussila* Grun.

Fam. Rhizosoleniaceae

Rhizosolenia longisera Zacharias

Fam. Chaetoceraceae

Attheya Zachariasi J. Brun

Ord. Pennales

Fam. Tabellariaceae
Tabellaria fenestrata (Lyngb.) Kütz.
Fam. Meridionaceae
Meridion sp.
Fam. Diatomaceae
Diatoma vulgare Bory
Fam. Fragilariaeae
Asterionella formosa Hassal
Fragilaria capucina Desmaziers
Fra. sp.
Synedra ulna (Nitzsch) Ehr.
Syn. *rumpens* Kütz.
Syn. *berlinensis* Lemmermann

- Syn. familiaris* Kütz.
- Fam. Achnanthaceae
Rhoicosphenia curvata (Kütz.) Grun.
Achnanthes Biasolottiana Grun.
Ach. affinis Grun.
Cocconeis placentula Ehr.
Coc. placentula Ehr. var. *euglypta* (Ehr.) Cleve
Coc. sp.
- Fam. Naviculaceae
Diploneis sp.
Gyrosigma acuminatum (Kütz.) Rabenhorst
Stauroneis sp.
Pinnularia gentilis Donkin
Pin. sp.
Navicula minima Grunow
Nav. cryptocephala Kütz. var. *veneta* Kütz.
Nav. radiosa Kütz. f. *nipponica* Skvortzow
Nav. exigua Greg.
Nav. rhyncocephala Kütz.
Nav. placentula Ehr.
Nav. hasta Pantocsek
Nav. spp.
- Fam. Gomphonemataceae
Gomphonema parvulum Kütz.
Gom. abbreviatum Kütz.
Gom. acuminatum Ehr. var. *Brevissonii* Kütz.
Gom. constrictum Ehr.
Gom. constrictum Ehr. var. *capitatum* Grun.
Gom. angur Ehr.
Gom. sphaerophorum Ehr.
Gom. gracile Ehr.
Gom. spp.
- Fam. Cymbellaceae
Cymbella ventricosa Kütz.
Cym. turgidula Gurn. var. *nipponika* Skv.
Cym. cuspidata Kütz.
Cym. tumida Brébisson
Cym. spp.
Amphora sp.

- Epithemia zebra* (Ehr.) Kütz.
Epi. sp.
Rhopalodia sp.
 Fam. Nitzschiaeae
Nitzschia palea Kütz.
Nit. *communis* Rab. var. *abbreviata* Grun.
Nit. *paradoxa* (Gmel.) Grun.
 Fam. Surirellaceae
Cymatopleura solea (Bréb.) W. Smith
Cym. *elliptica* (Bréb.) W. Smith var. *constricta* Grun.
Cym. sp.
Surirella biseriata Bréb.
Sur. *robusta* Ehr. var. *splendida* (Ehr.) van Heurck
Sur. *Capronii* Bréb.
Sur. *linearis* W. Sm.

PHYLUM CHLOROPHYTA

Class Chlorophyceae

- Ord. Volvocales
 Fam. Chlamydomonadaceae
Chlamydomonas sp
 Fam. Volvocaceae
Volvox aureus Ehr.
Vol. sp.
Pleodorina sp.
Pandorina sp.
Eudorina elegans Ehr.
Eud. sp.
 Ord. Tetrasporales
 Fam. Palmellaceae
Gloeocystis gigas (Kütz.) Lageth.
Glo. sp.
Sphaerocystis Schroeteri Chodat
 Ord. Ulotrichales
 Fam. Ulotrichaceae
Ulothrix tenuissima Kütz.
Hormidium sp.

- Fam. Chaetophoraceae
Stigeoclonium lubricum Kütz.
Sti. *stagnatile* (Hazen) Collins
Sti. *pachydermum* Prescott
Sti. sp.
- Ord. Oedogoniales
 Fam. Oedogoniaceae
Oedogonium spp.
Bulbochaete sp.
- Ord. Chlorococcales
 Fam. Micractiniaceae
Micractinium pusillum Fres.
 Fam. Dictyosphaeriaceae
Dictyosphaerium pulchellum Wood
 Fam. Hydrodictyaceae
 ● *Pediastrum Biwae* Negoro
 ● *Ped.* *Biwae* Negoro var. *triangulatum* Negoro
 ● *Ped.* *Biwae* Negoro var. *ovatum* Negoro
Ped. *duplex* Meyen var. *cohaerens* Bohlin
Ped. *tetras* (Ehr.) Ralfs
- Fam. Coelastraceae
Coelastrum microporum Nägeli
Coe. *cambricum* Ascher
- Fam. Oöcystaceae
Oöcystis sp.
Chodatella sp.
Kirchneriella contorta (Schmidle) Bohl
Kir. *obesa* (W. West) Schmidle
Ankistrodesmus falcatus (Corda) Ralfs
Ank. sp.
Quadrigula Chodatii (Tanner-Fullman) G. M. Smith
Westella sp.
Selenastrum gracile Reinsch.
- Fam. Scenedesmaceae
Crucigenia sp.
Scenedesmus dimorphus (Turp.) Kütz.
Sce. *falcatus* Chod.
Sce. *quadricauda* (Turp.) Bréb.
Sce. sp.

Actinastrum Hantzschii Lagerh.

Tetrastrum sp.

Ord. Zygnematales

Fam. Zygnemataceae

Mougeotia viridis (Kütz.) Wittrock

Mou. spp.

Spirogyra spp.

Fam. Desmidiaceae

Closterium aciculare Tuffen West

Clo. *acerosum* (Schrank) Ehr.

Clo. *longissima* Lemmerm.

Clo. *gracile* Bréb.

Clo. *praelongum* Bréb.

Clo. *parvulum* Näg.

Clo. *dianae* Ehr.

Clo. *leibleinii* Kütz.

Clo. *moniliferum* (Bory) Ehr. var. *elgans* Hirano

Clo. *ehrenbergii* Menegh.

Pleurotaenium trabecula (Ehr.) Näg. var. *rectum* (Delp.) W. et G. S. West

Ple. *ehrenbergii* (Bréb.) DeBary

Ple. *trabecula* (Ehr.) Näg.

Oxychonema laeve Nordst.

Staurastrum dorsidentiforum W. et G. S. West var. *ornatum* Grönbl.

Sta. *arctiscon* (Ehr.)

Sta. *Biwaensis* Hirano

Sta. *gracile* Ralfs

Sta. *pingue* Teiling

Sta. *subborgesenii* Grönbl.

Sta. *limneticum* Schmidle var. *Burmense* W. et G. S. West

Sta. *paradoxum* Meyen

Sta. *tohopekaligense* Wolle

Sta. *leptocladum* Nordst.

Sta. *iotanum* Wolle var. *divergens* Hirano

Sta. *asterias* Nygaard var. *divergens* Hirano

Sta. *Sebaldi* Reinsch var. *produtum* W. et G. S. West

Sta. *Sebaldi* Reinsch var. *ornatum* Nordst.

Sta. *sonthalianum* Turner

Sta. *leptodernum* Lund. var. *capitatum* Hirano

Sta. *longiradiatum* W. et G. S. West

- Sta.* *hantzii* Reinsch var. *japonicum* Roy et Biss.
Sta. *muticum* Bréb.
Cosmarium undulatum Corda
Cos. *depressum* (Näg.) Lund.
Cos. *circulare* Reinsch
Cos. *globosum* Bulnh.
Cos. *angulosum* Bréb.
Cos. *contractum* Kirchn. var. *ellipsoideum* (Elfv.) W. et G. S. West
Cos. *margaritatum* (Lund) Roy et Bissett
Cos. *quadrum* Lund.
Cos. *reniforme* (Ralfs) Arch.
Cos. *punctulatum* Bréb. var. *subpunctulatum* (Nordst.) Börges.
Cos. *obtusatum* Schmidle
Cos. *galeritum* Nordst. var. *minus* Wille
Cos. *pachydermum* Lund. var. *aethiopicum* W. et G. S. West
Cos. *lundellii* Delp. var. *ellipticum* West
Cos. *hammeri* Reinsch var. *protuberans* W. et G. S. West
Cos. *malivernianum* (Racib.) Schmidle
Cos. *pseudoprotuberans* Kirchn.
Sphaerozoma vertebratum (Bréb.) Ralfs
Xanthidium hastiferum Tuner var. *Javanicum* (Nordst.) Turner
Xan. *hastiferum* Tuner var. *curvispinosum* Okada
Xan. *antilopaeum* (Bréb.) Kütz.
Arthrodesmus convergens Ehr.
Art. *convergens* Ehr. var. *curtus* Turner
Art. *curvatus* Turner
Art. *phinus* Turner
Spondylosium Lurkemulleri Grönbl.
Spo. *ellipticum* W. et G. S. West
Spo. *moniliforme* Lund.
Hyalotheca dissiliens (Sm.) Beéb.
Hya. *mucosa* (Mert.) Ehr.
Cosmocladium constrictum Arch.
Cos. *saxonicum* De Bary
Micrasterias crux-melitensis (Ehr.) Hass
Mic. *crux-melitensis* (Ehr.) Hass var. *superflua* Turner
Mic. *mahabuleshwarensis* Hobson
Mic. *mahabuleshwarensis* Hobson var. *wallichii* (Grun.) W. et G. S. West

Sphaerozosma granulatus Roy et Biss.

Gonatozygon monotaenium DeBary

PHYLUM CYANOPHYTA

Class Cyanophyceae

Ord. Chroococcales

Fam. Chroococcaceae

Microcystis aeruginosa Kütz.

Merismopedia elegans A. Br.

Mer. *punctata* Meyen

Mer. sp.

Chroococcus minutus (Kütz.) Nág.

Chr. *disporsus* (v. Keissler) Lemmerm

Gloeocapsa compact Kütz.

Aphanocapsa elachista W. et G. S. West var. *conferta* W. et G. S. West

Aph. *muscicola* (Menegh.) Wille

Gloeothece rupestris (Lyngbye) Bornet

Aphanothece nidulans P. Richt

Xenococcus kerneri Hansq.

Ord. Oscillatoriales

Fam. Oscillatoriaceae

Oscillatoria tenuis Ag.

Osc. *amoena* Gom. var. *non-granulata* Ghose

Osc. *formosa* Bory

Osc. sp.

Phormidium tenue (Menegh.) Gom.

Pho. *purpurascens* (Kütz.) Gom.

Pho. *pachydormaticum* Fremy

Pho. *autumnale* (Ag.) Gom.

Pho. sp.

Lyngbya mesotricha Skuja

Lyn. *contorta* Lemmerm.

Lyn. *aerugineo-coerulea* (Kütz.) Gom.

Schizothrix calcicola (Ag.) Gom.

Symploca cartilaginea (Mont.) Gom.

Microcoleus delicatulus West et West

Fam. Nostocaceae

Nostoc sp.

Anabaena macrospora Klebahn var. *crassa* Klebahn

Ana. *spiroides* Klebahn

Ana. *spiroides* Klebahn var. *crassa* Klebahn

Fam. Scytonemataceae

Plectonema sp.

Fam. Rivulariaceae

Homoeothrix janthina (Born. et Flah.) K. Starmach

Amphithrix sp.

Calothrix sp.

PHYLUM EUGLENOPHYTA

Class Euglenophyceae

Ord. Euglenales

Fam. Euglenaceae

Euglena spp.

Trachelomonas spp.

Phacus triqueter (Ehr.) Duj.

Pha. *pleuronectus* (O. F. Müller) Duj.

Fam. Peranemaceae

Anisonema acinus Duj.

PHYLUM PYRROPHYTA

Class Dinophyceae

Ord. Gymnodiniales

Fam. Gymnodiniaceae

Gymnodinium sp.

Ord. Peridiniales

Fam. Glenodiniaceae

Glenodinium spp.

Fam. Ceratiaceae

Ceratium hirundinella (O. F. Müller) Schrank

PHYLUM CHAROPHYTA

Class Charophyceae

Ord. Charales

Fam. Characeae

Chara corallina Wild.

オオシャジクモ

Nitella hyalina (D. C.) Agar.

オトメフラスモ

PHYLUM PTERIDOPHYTA

Class Leptosporangiatae

Ord. Parkeriales

Fam. Parkeriaceae

Ceratopterus thalictroides Brong.

ミズワムシ

Ord. Marsileales

Fam. Marsileaceae

Marsilea quadrifolia Lin.

デンジソウ

Class Hydropterididae

Ord. Salvinales

Fam. Salviniaceae

Azolla imbricata Nakai

アカウキクサ

Azo. japonica Franch. et Sav.

オオアカウキクサ

Salvinia natans All.

サンショウモ

PHYLUM ANGIOSPERMAE

Class Monocotyledoneae

Ord. Typhales

Fam. Typhaceae

Typha angustata Bory et Chaub.

ヒメガマ

Fam. Sparganiaceae

Sparganium stoloniferum (Hamitt.) Graben.

ミクリ

Spa. yamatense Makino

ヤマトミクリ

Ord. Potamogetonales

Fam. Potamogetonaceae

<i>Potamogeton fryeri</i> A. Benn.	フトヒルムシロ
<i>Pot.</i> <i>distinctus</i> A. Benn.	ヒルムシロ
<i>Pot.</i> <i>malainoides</i> Miki	アイノコヒルムシロ
<i>Pot.</i> <i>octandrus</i> Poir	ホソバミズヒキモ
<i>Pot.</i> <i>octandrus</i> Poir var. <i>miduhikimo</i> (Makino) Hara	ミズヒキモ
<i>Pot.</i> <i>dentatus</i> Hagstr.	ガシャモク
<i>Pot.</i> <i>nipponicus</i> Makino	ササエビモ
<i>Pot.</i> <i>malaianus</i> Miq.	ササバモ
<i>Pot.</i> <i>crispus</i> Lin.	エビモ
<i>Pot.</i> <i>perfoliatus</i> Lin.	ヒロハノエビモ
<i>Pot.</i> <i>oxyphyllus</i> Miq.	ヤナギモ
<i>Pot.</i> <i>maackianus</i> A. Benn.	センニンモ
<i>Pot.</i> <i>pectinatus</i> Lin.	リュウノヒゲモ
<i>Pot.</i> <i>anguillanus</i> Koidz.	オオササエビモ
● <i>Pot.</i> <i>biwaensis</i> Miki	サンネンモ

Ord. Najadales

Fam. Najadaceae

<i>Najas marina</i> Lin.	イバラモ
<i>Naj.</i> <i>oguraensis</i> Miki	オオトリゲモ
<i>Naj.</i> <i>minor</i> All.	トリゲモ
<i>Naj.</i> <i>foveolata</i> A. Br.	ヒロハトリゲモ
<i>Naj.</i> <i>graminea</i> Del.	ホッスモ

Ord. Alismatales

Fam. Alismataceae

<i>Alisma plantago-aquatica</i> Linn. var. <i>orientale</i> Samuels	
	サジオモダカ
<i>Ali.</i> <i>canaliculatum</i> A. Br. et Bouche	ヘラオモダカ
<i>Sagittaria pygmaea</i> Miq.	ウリカワ
<i>Sag.</i> <i>trifolia</i> Lin.	オモダカ

Ord. Hydrocharitales

Fam. Hydrocharitaceae

<i>Vallisneria denseserrulata</i> (Makino) Makino	コウガイモ
<i>Val.</i> <i>asiatica</i> Miki	セキショウモ
● <i>Val.</i> <i>biwaensis</i> (Miki) Ohwi	ネジレモ
<i>Hydrilla verticillata</i> (Lin. fil.) Casp.	クロモ
<i>Otellia japonica</i> Miq.	ミズオオバコ

<i>Ote. alisnoides</i> (Lin.) Pers.	オオミズオオバコ
<i>Hydrocharis asiatica</i> Miq.	トチカガミ
<i>Elodea nuttallii</i> (Planch.) St. John.	コカナダモ
<i>E. densa</i> (Planch.) St. John.	オオカナダモ
Ord. Arales	
Fam. Lemnaceae	
<i>Spirodela polyrrhiza</i> (Lin.) Schleid	ウキクサ
<i>Lemna paucicostata</i> Hegelm	アオウキクサ
Ord. Commeliniales	
Fam. Pontederiaceae	
<i>Eichhornia crassipes</i> Sol. et Lauf.	ホテイアオイ
<i>Monochoria korsakowii</i> Regel et Maack	ミズアオイ
<i>Mon. vaginalis</i> (Burm. fil.) Presl var. <i>plantaginea</i> (Roxb) Solm. et Laub.	コナギ
Ord. Graminales	
Fam. Gramineae	
<i>Zizania latifolia</i> Turcz.	マコモ
<i>Phragmites communis</i> Trin.	ヨシ
<i>Phr. japonica</i> Steud.	ツルヨシ
<i>Phr. Karka</i> (Retz.) Trin.	セイコノヨシ
Fam. Cyperaceae	
<i>Eleocharis kuroguwai</i> Ohwi	クログワイ
<i>Scirpus lacustris</i> var. <i>tabernaemontani</i> (Gmel.) Doell	フトイ
Class Dicotyledoneae	
Ord. Ranales	
Fam. Nymphaeaceae	
<i>Nuphar japonicum</i> Dc.	コウホネ
<i>Nup. subintegerrimum</i> (Casp.) Makino	ヒメコウホネ
<i>Nelumbo nucifera</i> Gaertn.	ハス
<i>Nymphaea tetragona</i> Georgi.	ヒツジグサ
Fam. Ceratophyllaceae	
<i>Ceratophyllum demersum</i> Lin.	マツモ
<i>Cer. demersum</i> Lin. var. <i>quadrispinum</i> Makino	ゴハリマツモ
Fam. Ranunculaceae	
<i>Ranunculus nipponicus</i> (Makino) Nakai var. <i>major</i> Hara	バイカモ

Ord.	Geraniales	
Fam.	Callitrichaceae	
	<i>Callitricha verna</i> Lin.	ミズハコベ
Ord.	Parieteles	
Fam.	Elatinaceae	
	<i>Elatine triandra</i> Schk.	ミヅハコベ
Ord.	Myrtiflorae	
Fam.	Lythraceae	
	<i>Rotala mexicana</i> Cham. et Schltdl.	ミズマツバ
Fam.	Hydrocariaceae	
	<i>Trapa natans</i> Lin. var. <i>bispinosa</i> Makino	ヒシ
	<i>Tra. incisa</i> Sieb. et Zucc.	ヒメビシ
Fam.	Haloragaceae	
	<i>Myriophyllum spicatum</i> Lin.	ホザキノフサモ
Ord.	Contortae	
Fam.	Gentianaceae	
	<i>Nymphoides indica</i> O. Kuntze	ガガブタ
	<i>Nym. peltata</i> O. Kuntze	アザザ

ANIMAL

PHYLUM PROTOZOA

Class Sarcodina

Ord.	Amoebina	
Fam.	Amoebidae	
	<i>Amoeba</i> sp.	
	<i>Vexillifera ambulacrallis</i> Penard	
Ord.	Testacea	
Fam.	Arcellidae	
	<i>Arcella vulgaris</i> Ehr.	
	<i>Arc. discooides</i> Ehr.	
Fam.	Diffugiidae	
	<i>Centropyxis aculeata</i> (Ehr.) Stein	
	<i>Cen. constricta</i> (Ehr.)	
	<i>Cen.</i> sp.	
	<i>Diffugia acuminata</i> Ehr.	
●	<i>Dif. biwae</i> Kawamura	
	<i>Dif. brevicolla</i> Cash et Hopkinson	

- Dif.* *globulus* (Ehr.)
Dif. *lanceolata* Penard
Dif. *lobostoma* Laidy
Dif. *oblonga* Ehr.
Dif. *pyriformis* Perty
Dif. *tuberculata* Wallich
Dif. *gramen* Penard
Dif. *manicata* Penard
Pyxidicula operculara Ehr.
Pseudochlamys patella Cl. et L.
 Fam. Euglyphidae
Pseudodiffulgia horrida Penard
Cyphoderia ampulla Ehr.
Lacquereusia spiralis Ehr.
Euglypha alveolata Dujardin
Paulinella sp.
 Ord. Heliozoa
 Fam. Actinophryidae
Actinophrys sol O. F. Müller
 Fam. Clathrulinidae
Clathrulina sp.
 Fam. Acanthocystidae
Acanthocystis chaetophora Leidy
Raphidiophrys sp.

Class Ciliata

- Ord. Spirotricha
 Fam. Tintinnidae
Tintinnidium fluviatile (Stein) S. Kent
Tintinnopsis cratera (Leidy) Hada
Tin. sp.
 Fam. Halteriidae
Strombidium gyrans Stokes
Str. sp.
 Ord. Peritricha
 Fam. Vorticellidae
Vorticella campanula Ehr.
Vor. sp.
 Ord. Hypotricha

- Fam. Pleurotrichidae
Styloynchia sp.
Fam. Psilotrichidae
Balladyna parvula Kowalewski
Ord. Holotricha
Fam. Paramecidae
Paramecium sp.
Fam. Chlamydodontidae
Nassula sp.

PHYLUM PORIFERA

Class Cornacuspiongida

Ord. Haplosclerina		
Fam. Spongillidae		
<i>Spongilla lacustris</i> (Lin.)	スマカイメン	
<i>Spo. clementis</i> Annandale	ヤワカイメン	
<i>Spo. semispongilla</i> (Annandale)	アンデルカイメン	
<i>Heteromeyenia baileyi</i> var. <i>petri</i> (lauterborn)	カワムラカイメン	
<i>Ephidatia mülleri</i> (Lieberkuhn)	ミュラーカイメン	
<i>Eph. mülleri</i> var. <i>japonica</i> (Hilgendorf)	ミュラーカイメンモドキ	

PHYLUM CNIDARIA

Class Hydrozoa

- Ord. Hydroida
Fam. Hydridae
Hydra japonica Ito

PHYLUM PLATYHELMINTHES

Class Turbellaria Archoophora

- Ord. Catenulida (Notandropora)
Fam. Catenulidae
Catenula lemnae Ant. Dugés

Stenostomum leucops (Ant. Dugés)

Ste. *unicolor* O. Schmidt

Ste. *ignavum* Vejdovsky

Rhunchoscolex simplex Leidy

Ord. Macrostomida (Opisthacropora)

Fam. Microstomidae

Microstomum lineare (O. F. Müller)

Fam. Macrostomidae

Macrostomum hystricum Beklemischev

Mac. *tuba* (Graff)

Mac. *tuba* var. *gigas* K. Okugawa

Neoophora

Ord. Prolecithophora (Holocoela)

Fam. Plagiostomidae

Plagiostomum lemnae (du Plessis)

Seriata

Ord. Tricladida

Fam. Planariidae

Dugesia gonocephala Dugés

Fam. Dendrocoelidae

● *Bdellocephala annandalei* Ijima et Kaburaki ピワコオオウズムシ

Ord. Neorhabdocoela (Lecithora)

Fam. Dalyelliidae

Microdalyellia armigera (O. Schmied)

● *Mic.* *biwae* (K. Okugawa)

Fam. Typhloplanidae

Typhloplana viridata (Abildgaard)

Castrada hofmanni M. Braun

Strongylostoma radiatum (O. F. Müller)

Rhynchomesostoma rostratum (O. F. Müller)

Mesostoma productum (O. Schmied)

Ord. Kalyptorhynchia

Fam. Gyratricidae

Gyrtrix hermaphroditus Ehr.

PHYLUM ASCHELMINTHES

Class Rotifera

Ord. Bdelliodea

Fam. Philodinidae

- Rotaria rotatoria* (Pallas)
- Rot. neptunia* (Ehr.)
- Dissotrocha aculeata* (Ehr.)
- Philodina roseola* Ehr.

Ord. Flosculariacea

Fam. Flosculariidae

- Lacinularia floscularia* (O. F. Müller)
- Conochilus unicornis* Rousselet
- Conochiloides natans* (Seligo)

Fam. Filiniidae

- Filinia longiseta* (Ehr.)
- Tetramastrix opeliensis* Zacharias var. *brevispina* Ahlstrom
- Hexarthra mira* (Hadson)
- Testudinella patina* (Hermann)
- Pompholyx complanata* Gosse
- Pom. sulcata* Hudson

Ord. Collothecacea

Fam. Collothecidae

- Collotheca cornuta* (Dobie)
- Col. campanulata* Dobie
- Col. mutabilis* (Bolt.)

Ord. Ploima

Fam. Notommatidae

- Cephalodella* sp.

Fam. Synchaetidae

- Synchaeta oblonga* Ehr.
- Syn. stylata* Wierzejski
- Syn. tremula* (O. F. Müller)
- Syn.* sp.
- Polyarthra vulgaris* (Ehr.)
- Pol. euryotera* Wierzejiski

Fam. Ploesomatidae

- Ploesoma hudsoni* (Imhof)
Plo. *truncatum* (Levander)
- Fam. Gastropodidae
Chromogaster testudo Lauterborn
Chr. *ovalis* (Bergendal)
- Fam. Trichoceridae
Trichocerca iernis (Gosse)
Tri. *cylindrica* (Imhof)
Tri. *capucina* (Wierzejski et Zacharias)
Tri. *longiseta* (Schrank)
Tri. *cristata* Harring
Tri. *bicristata* (Gosse)
Tri. *elongata* (Gosse)
Tri. *chattoni* (de Beauchamp)
Tri. (*Diurella*) *tigris* (O. F. Müller)
Tri. (*Diurella*) *stylata* (Eyeforth)
Tri. (*Diurella*) *porcellus* (Gosse)
Tri. (*Diurella*) *brachyura* (Gosse)
Tri. (*Diurella*) *tenuior* (Gosse)
Tri. spp.
- Fam. Asplanchnidae
Asplanchna priodonta Gosse
Asp. sp.
- Fam. Brachionidae
Brachionus falcatus Zacharias
Bra. *quadridentatus* Hermann
Bra. *budapestinensis* Daday
Bra. *forficula* Wierzejski
Bra. *urceolaris* O. F. Müller
Bra. *angularis* Gosse
Bra. *angularis* Gosse var. *bidens* Plate
Bra. *calyciflorus* Pallas
Bra. *calyciflorus* Pallas var. *dorcas* (Gosse)
Bra. *dimidiatus* (Bryce)
Bra. *diversicornis* Daday
Bra. *rubens* Ehr.
Bra. sp.
Platyias patulus (O. F. Müller)
Pla. *quadricornis* (Ehr.)

- Keratella cochlearis* (Gosse)
Ker. *cochlearis macracantha* Lauterborn
Ker. *cochlearis micracantha* Lauterborn
Ker. *cochlearis* (Gosse) var. *tecta* (Gosse)
Ker. *quadrata* (O. F. Müller)
Ker. *quadrata* (O. F. Müller) f. *testudo* (Ehr.)
Ker. *valga* (Ehr.) f. *monstrosa* Barrois et Dady
Ker. *valga* (Ehr.) f. *tropica* Apstein
Kelicottia longispina (kelicott)
Notholca striata (O. F. Müller)
Not. *foliacea* Ehr.
Not. *labis* Gosse
Not. sp.
Anuraeopsis fissa (Gosse)
Epiphanes senta (O. F. Müller)
Euchlanis dilatata Ehr.
Dipleuchlanis propatula (Gosse)
Lepadella ovalis (O. F. Müller)
Lep. *acuminata* (Ehr.)
Lep. *oblonga* (Ehr.)
Lophochalis salpina (Ehr.)
Mytilina ventralis (Ehr.)
Trichotria pocillum (O. F. Müller)
Tri. *tetractis* (Ehr.)
Tri. sp.
Scaridium longicaudum (O. F. Müller)
Colurella adriatica Ehr.
Col. *obtusa* Gosse
Col. *bicuspidata* (Ehr.)
Col. *colorus* (Ehr.)
Lecane luna (O. F. Müller)
Lec. *flexilis* (Gosse)
Lec. *ludwigii* (Eckstein)
Lec. *hamata* (Stokes)
Lec. *hastata* (Murray)
Lec. *lunaris* (Ehr.)
Lec. *bulla* (Gosse)
Lec. *quadridentata* (Ehr.)
Lec. *stenroosi* (Meissner)

- Lec.* *arcuata* (Bryce)
Lec. *closterocerca* (Schmarda)
Lec. *galeata* (Bryce)
Lec. sp.

PHYLUM TENTACLATA

Class Ectoprocta

- Ord. Phylactolaemata
 Fam. Plumatellidae
Plumatella emarginata Allman ヤハズハネコケムシ
 Fam. Lophopodellidae
Pectinatella gelatinosa Oka カンテンコケムシ
Lophopodella carteri (Hyatt) ヒメテンコケムシ
 Fam. Fredericellidae
Eredericella sultana (Blumenbach)

PHYLUM ANNELIDA

Class Oligochaeta

- Ord. Archioliogochaeta
 Fam. Naididae
Chaetogaster limnaei K. V. Baer
Nais bretschieri Michaelsen
Stylaria lacustris (Linnaeus)
 Fam. Tubificidae
Branchiura sowerbyi Beddard
Limnodrilus grandisetosus Nomura
Lim. sp.
Tubifex sp.
 ● *Kawamuria japonica* Stephenson
 Tubificidae sp.
 Fam. Criodrilidae
Criodrilus bathybatus Stephenson

Class Hirudinea

- Ord. Rhynchobdellae

- Fam. Glossiphonidae
 ● *Ancyrobella biwae* Oka
Helobdella sp.
Glossiphonia sp.
- Fam. Hirudidae
Whitmania pigra (Whitman)
- Ord. Pharyngobdellae
 Fam. Erpobdellidae
Mimobdella japonica Blanchard
Erpobdella sp.

PHYLUM MOLLUSCA

Class Gastropoda

- Ord. Mesogastropoda
 Fam. Viviparidae
Cipangopaludina japonica (v. Martens) オオタニシ
Cip. chinensis malleata (Reeve) マルタニシ
 ● *Heterogen longispira* (Smith) ナガタニシ
Sinotaia quadrata histrica (Gould) ヒメタニシ
- Fam. Valvatidae
Valvata (Cincinnna) japonica biwaensis Preston ビワコミズシタダミ
- Fam. Bithyniidae
Parafossarulus manchouricus japonicus (Pilsbry) マメタニシ
- Fam. Thiaridae
Semisulcospira libertina (Gould) カワニナ
 ● *Sem. decipiens decipiens* (Westerlund) タテヒダカワニナ
 ● *Sem. decipiens multigranosa* Boettger イボカワニナ
 ● *Sem. decipiens reticulata* Kajiyama et Habe カゴメカワニナ
Sem. kurodai Kajiyama et Habe クロダカワニナ
 ● *Sem. nakasekoae* Kuroda ナカセコカワニナ
 ● *Sem. niponica* (Smith) ヤマトカワニナ
Sem. reiniana (Brot) チリメンカワニナ
- Ord. Basommatophora
 Fam. Lymnaeidae
Austropeplea ollula (Gould) ヒメモノアラガイ
Fossaria truncatula (Müller) コシタカモノアラガイ

	<i>Radix auricularia japonica</i> (Jay)	モノアラガイ
●	<i>Rad. (Biwakoia) onychia</i> (Westerlund)	オウミガカイ
Fam.	Palanorbidae	
	<i>Campnoceras hirasei</i> Walker	カワネジガイ
	<i>Culmenella prashadi</i> (Clench)	ヒダリマキモノアラガイ
	<i>Polypulis nitidella</i> v. Martens	ヒラマキモドキ
	<i>Gyraulus chinensis hiemantium</i> (Westerlund)	ヒラマキガイ
●	<i>Gyr. biwaensis</i> (Preston)	カドヒラマキガイ
●	<i>Gyr. amplificatus</i> (Mori)	ヒロクチヒラマキガイ
Fam.	Ancylidae	
	<i>Pettancylus nipponica</i> (Kuroda)	カワコザラ
	<i>Pet. japonica</i> Habe et Burch	スジイリカワコザラ
Ord.	Stylomatophora	
Fam.	Succinidae	
	<i>Oxyloma hirasei</i> (Pilsbry)	ナガオカモノアラガイ

Class Bivalvia

Ord.	Palaeoheterodonta	
Fam.	Unionidae	
●	<i>Lanceolaria oxyrhyncha</i> (v. Martens)	ササノハガイ
	<i>Unio (Nodularia) douglasiae nipponensis</i> v. Martens	イシガイ
●	<i>Uni. (Nod.) biwae</i> Kobelt	タテボシ
	<i>Inversidens brandti</i> (Kobelt)	オバエボシ
●	<i>Inv. reiniana</i> (Kobelt)	オトコタテボシ
	<i>Inv. japanensis</i> (Lea)	マツカサガイ
	<i>Pseudodon (Obovalis) omiensis</i> (Heimburg)	カタハガイ
●	<i>Hyriopsis (Nipponohyria) schlegeli</i> (v. Martens)	イケチョウガイ
●	<i>Cristaria plicata clessini</i> (Kobelt)	カラスガイ
	<i>Anodonta lauta</i> v. Martens	ヌマガイ
●	<i>Ano. calipygos</i> Kobelt	マルドブガイ
Fam.	Corbiculidae	
●	<i>Corbicula sandai</i> Reinhardt	セタシジミ
	<i>Cor. (Corbiculina) leana</i> Prime	マシジミ
Fam.	Sphaeridae	
●	<i>Pisidium kawamurai</i> Mori	カワムラマメシジミ
	<i>Pis. cinereum lacustre</i> Woodward	ミズウミマメシジミ
●	<i>Sphaerium japonicum biwaense</i> Mori	ビワコドブシジミ

PHYLUM ARTHROPODA

Class Crustacea

Ord. Copepoda

Fam. Diaptomidae

Eodiaptomus japonicus (Burckhardt)*Sinodiaptomus valkanovi* Kiefer

Fam. Cyclopidae

Eucyclops serrulatus (Fischer)*Tropocyclops prasinus* (Fischer)*Paracyclops fimbriatus* (Fischer)*Cyclops strenuus* Fischer*Cyc. vicinus* Uljanin*Mesocyclops leuckartii* (Claus)*Thermocyclops taihokuensis* (Harada)*Limnoncaea* sp.

Fam. Harpacticidae

Parastenocaris biwae Miura

Ord. Branchiopoda

Fam. Sididae

Sida crystallina (O. F. Müller)*Diaphanosoma brachyurum* (Lievin)

Fam. Holopedidae

Holopedium gibberum Zaddach

Fam. Daphniidae

● *Daphnia biwaensis* Uéno*Dap. hyalina* Leydig*Dap. galeata* G. O. Sars*Moina macrocopa* Straus

Fam. Bosminidae

Bosmina longirostris (O. F. Müller)*Bos. fatalis* Burckhardt*Bosminopsis deitersi* Richard

Fam. Chydoridae

Camptocercus rectirostris (Schoedler)*Alona guttata* G. O. Sars*Alo. rectangula* G. O. Sars

	<i>Chydorus sphaericus</i> (O. F. Müller)	
Fam.	Leptodoridæ	
	<i>Leptodora kindtii</i> (Focke)	
Ord.	Ostracoda	
	<i>Ostracoda</i> spp.	
Ord.	Amphipoda	
Fam.	Gammaridae	
	<i>Anisogammarus (Eogammarus) annandalei</i> (Tattersall)	
Fam.	Corophiidae	
●	<i>Kamaka biwae</i> Uéno	
Fam.	Talitridæ	
	<i>Orchestia japonica</i> (Tattersal)	
Ord.	Isopoda	
Fam.	Corallanidae	
	<i>Tachea chinensis</i> Thielemann	
Fam.	Asellidae	
	<i>Asellus</i> sp.	
Ord.	Decapoda	
Fam.	Palaemonidae	
	<i>Palaemon paucidens</i> De Haan	スジエビ
	<i>Macrobrachium nipponensis</i> (De Haan)	テナガエビ
Fam.	Atyidae	
	<i>Paratya compressa</i> (De Haan)	ヌマエビ
Fam.	Astacidae	
	<i>Procambarus clarkii</i> (Girard)	アメリカザリガニ

Class Acerata

Ord.	Acarina	
Fam.	Eylaidæ	
	<i>Eylais</i> sp.	メガネダニ
Fam.	Unionicolidae	
	<i>Unionicola (Pentatax) imamurai</i> Hevers	
	<i>Uni. (Parasitatax) ypsiloniphora</i> Bonz	カイダニ
Fam.	Axonopsidae	
	<i>Albaxona japonica</i> Imamura	
	<i>Lethaxona</i> sp.	
	<i>Axonopsis (Hexaxonopsis) subterranea</i> Uchida et Imamura	コバンダニ
Fam.	Arrenuridae	

Arrenurus agrionicolus Uchida

ヨロイミズダニ

Class Insecta

Ord. Trichoptera

Fam. Economidae

Economus omiensis Tsuda

オオムネカクトビケラ

Fam. Dipseudopsidae

● *Dipseudopsis stellata* MacLachlan

シンテイトビケラ

Fam. Limnephilidae

Nemotaulus (Macrotaulus) admorsus (MacLachlan)

エグリトビケラ

Limnephilus fusovittatus Matsumura

セグロトビケラ

Fam. Goeridae

Goera japonica Banks

ニンギョウトビケラ

Fam. Sericostomatidae

Gumaga okinawaensis Tsuda

グマガトビケラ

Fam. Molannidae

Molanna moesta Banks

カスリホソバトビケラ

Fam. Calamoceratidae

Georigium japonicum (Ulmer)

ビワアシエダトビケラ

Fam. Leptoceridae

Triplectides magnus (Walker)

オオヒゲナガトビケラ

Triaenodes yamamotoi Tsuda

ヤマモトセンカイトビケラ

● *Athripsodes biwaensis* (Tsuda et Kawayama)

トビモチヒゲナガトビケラ

● *Setodes biwae* Tsuda

ビワセトトビケラ

Mystacides azurea (L.)

アオヒゲナガトビケラ

Mys. longicornis L.

ビワアオヒゲナガトビケラ

● *Oecetis morii* Tsuda

モリクサツミトビケラ

● *Oec. yukii* Tsuda

ユウキクサツミトビケラ

Ord. Ephemeroptera

Fam. Ecdyonuridae

Ecdyonurus kibunensis Imanishi

キブネタニガワカゲロウ

Ecd. yoshidae Takahashi

シロタニガワカゲロウ

Cinygma hirasana Imanishi

ミヤマタニガワカゲロウ

Fam. Siphlonuridae

Siphlonurus sanukensis Takahashi

ナミフタオカゲロウ

Fam. Polymitarcidae

Polymitarcis shigae Takahashi

アミメカゲロウ

Fam. Potamanthidae

	<i>Potamanthus kamonis</i> Imanishi	キイロカワカゲロウ
Fam.	<i>Caenidae</i>	
	<i>Caenis</i> sp. CH	CH ヒメカゲロウ
Fam.	<i>Leptophlebiidae</i>	
	<i>Choroterpes trifurcata</i> Uéno	ヒメトビイロカゲロウ
Fam.	<i>Ephemeridae</i>	
	<i>Ephemera lineata</i> Eaton	ムスジモンカゲロウ
Ord.	<i>Plecoptera</i>	
Fam.	<i>Perlidae</i>	
	<i>Neoperla nipponensis</i> (MacLachlan)	ヤマトフタツメカワゲラ
Fam.	<i>Leuctridae</i>	
	<i>Leuctridae</i> sp.	ハラジロオナシカワゲラ
Ord.	<i>Coleoptera</i>	
Fam.	<i>Psephenidae</i>	
	<i>Eubrianax granicollis</i> Lewis	クシヒゲナガハナノミ
	<i>Helichus</i> sp. HC	HC ナガドロムシ
	<i>Metanopsephenus japonicus</i> Matsumura	ヒラタドロムシ
Fam.	<i>Hydrichidae</i>	
	<i>Hydrochus japonicus</i> Sharp	ヤマトホソガムシ
Fam.	<i>Hydrophilidae</i>	
	<i>Coelostoma (Holocoestoma) stultum</i> (Walker)	セマルガムシ
	<i>Enochrus (Hocophilydrys) simulans</i> (Sharp)	
		キイロヒラタガムシ
	<i>Eno. (Lumetus) vilis</i> (sharp)	コヒラタガムシ
	<i>Eno. (Lum.) haroldi</i> (sharp)	オオヒラタガムシ
	<i>Berosus (s. str.) signaticollis punctipennis</i> Harold	ゴマフガムシ
	<i>Regimbartia profunda</i> (Sharp)	マメガムシ
Fam.	<i>Noteridae</i>	
	<i>Noterus japonicus</i> Sharp	コツブゲンゴロウ
Fam.	<i>Dytiscidae</i>	
	<i>Laccophilus difficilis</i> Sharp	ツブゲンゴロウ
	<i>Ilybius apicalis</i> Sharp	キベリクロヒメゲンゴロウ
	<i>Cybister tripunctatus orientalis</i> Gschwendtner	コガタノゲンゴロウ
Fam.	<i>Gyrinidae</i>	
	<i>Gyrinus (s. str.) curtus</i> Sharp	コミズスマシ
	<i>Dineutus (Spinosodineutes) orientalis</i> (Modeer)	オオミズスマシ
Fam.	<i>Heteroceridae</i>	
	<i>Heterocurus (s. str.) asiaticus</i> Nomura	ナガドロムシ
Ord.	<i>Megaloptera</i>	

Fam.	Corydalidae	
	<i>Parachauliodes japonicus</i> MacLachlan	クロスジヘビトンボ
Ord.	Odonata	
Fam.	Agrionidae	
	<i>Cercion calamorum</i> Ris	クロイトンボ
	<i>Cer. hieroglyphicum</i> Brauer	セスジイトンボ
Fam.	Calopterygidae	
	<i>Calopteryx atrata</i> Selys	ハグロトンボ
Fam.	Gomphidae	
●	<i>Stylurus oculatus</i> (Asahina)	メガネサナエ
●	<i>Sty. annulatus</i> (Djakonov)	オオサカサナエ
	<i>Gomphus melaenops</i> Selys	ヤマサナエ
	<i>Gom. posticularis</i> Selys	ホシサナエ
	<i>Trigomphus interruptus</i> Selys	フタスジサナエ
	<i>Tri. ogumai</i> Asahina	オグマサナエ
	<i>Nihonogomphus viridis</i> Oguma	アオサナエ
	<i>Onychogomphus viridicostus</i> Oguma	オナガサナエ
	<i>Ictinogomphus clavatus</i> Fabricius	ウチワヤンマ
	<i>Sieboldius albardae</i> Selys	コオニヤンマ
Fam.	Aeschnidae	
	<i>Aeschnophlebia longistigma</i> Selys	アオヤンマ
	<i>Anax parthenope julius</i> Brauer	ギンヤンマ
Fam.	Corduliidae	
	<i>Macromia amphigona</i> Selys	コヤマトンボ
	<i>Epophthalmia elegans</i> Brauer	オオヤマトンボ
Fam.	Libellulidae	
	<i>Orthetrum albistylum speciosum</i> Uhler	シオカラトンボ
	<i>Ort. triangulare melania</i> Selys	オオシオカラトンボ
	<i>Crocothemis servilia</i> Drury	ショウジョウトンボ
	<i>Deielia phaon</i> Selys	コフキトンボ
	<i>Sympetrum frequens</i> Selys	アキアカネ
	<i>Sym. darwinianum</i> Selys	ナツアカネ
	<i>Sym. risi risi</i> Bartenev	リスアカネ
	<i>Sym. infuscatum</i> Selys	ノシメトンボ
	<i>Sym. eroticum eroticum</i> Selys	マユタテアカネ
	<i>Pseudothemis zonata</i> Burmeister	コシアキトンボ
	<i>Calopteryx atrata</i> Selys	ハグロトンボ
Ord.	Neuroptera	
Fam.	Sisyridae	

<i>Sisyra nikkoana</i> Navas	ミズカゲロウ
Ord. Diptera	
Fam. Chironomidae	
<i>Clinotanypus</i> sp.	
<i>Procladius</i> sp.	
<i>Spaniotoma</i> sp. A	
<i>Cricotopus</i> sp.	
<i>Corynoneura</i> sp. A	
<i>Calopsectra</i> sp. F	
<i>Cal.</i> sp. J	
<i>Chironomus salinarius</i> Kieffer	
<i>Chi.</i> <i>plumosus</i> L.	オオユスリカ
<i>Eifeldia</i> sp.	
<i>Pseudochironomus</i> sp.	
<i>Segmentia</i> sp.	
<i>Stictochironomus</i> sp.	
<i>Cryptochironomus</i> sp. A	
<i>Pentaneura</i> sp. A	
<i>Paratendipes</i> sp.	
Ord. Lepidoptera	
Fam. Pylalidae	
<i>Nymphula vittalis</i> Bremer	イネコミズメイガ
<i>Nym.</i> <i>turpata</i> Butler	ヒメマダラミズメイガ
Ord. Hemiptera	
Fam. Neucoridae	
<i>Ilyocoris exclamationis</i>	コバンムシ
Fam. Nepidae	
<i>Ranatra chinensis</i>	ミズカマキリ
<i>Ran.</i> <i>unicolor</i>	ヒメミズカマキリ
Fam. Gerridae	
<i>Gerris (Aquarius) paludum</i>	アメンボ

PHYLUM VERTEBRATA

Class Petromizones

Ord. Petromizonida	
Fam. Petromizonidae	
<i>Entosphenus reissneri</i> (Dibowski)	スナヤツメ

Class Teleostomi

Ord. Clupeida

Fam. Salmonidae

- *Oncorhynchus rhodurus* f. *rhodurus* Jordan et McGregor

ビワマス

Onc. *rhodurus* f. *macrostomus* (Günther) アマゴ
Salmo gairdnerii irideus Gibbons ニジマス

Fam. Plecoglossidae

Plecoglossus altivelis Temminck et Schlegel アユ

Fam. Osmeridae

Hypomesus olidus (Pallas) ワカサギ

Ord. Cyprinida

Fam. Cyprinidae

<i>Acheilognathus lanceolata</i> (Tem. et Schl.)	ヤリタナゴ
<i>Ach. limbata</i> (Tem. et Schl.)	アブラボテ
<i>Paracheilognathus rhombea</i> (Tem. et Schl.)	カネヒラ
<i>Par. tabira</i> (Jordan et Thompson)	タビラ
<i>Par. cyanostigma</i> (Jordan et Fowler)	イチモンジタナゴ
<i>Rhodeus ocellatus ocellatus</i> (Kner)	タイリクバラタナゴ
<i>Rho. ocellatus smithi</i> (Regan)	バラタナゴ
<i>Pungtungia herzi</i> Herzenstein	ムギツク
<i>Sarcocheilichthys variegatus</i> (Tem. et Schl.)	ヒガイ
<i>Abbottina rivularis</i> (Basilewsky)	ツチフキ
<i>Gnathopogon elongatus elongatus</i> (Tem. et Schl.)	タモロコ
● <i>Gna. caerulescens</i> (Sauvage)	ホンモロコ
<i>Gna. japonicus</i> (Sauvage)	デメモロコ
<i>Gna. biwae</i> Jordan et Snyder	スゴモロコ
<i>Pseudogobio esocinus</i> (Tem. et Schl.)	カマツカ
<i>Hemibarbus barbus</i> (Tem. et Schl.)	ニゴイ
<i>Biwae zezera</i> (Ishikawa)	ゼゼラ
<i>Pseudorasvora parva</i> (Tem. et Schl.)	モツゴ
<i>Ctenopharyngodon idellus</i> (Guvier et Valenciennes)	ソウギョ
<i>Tribolodon hakonensis hakonensis</i> (Günther)	ウグイ
<i>Moroco steindachneri steindachneri</i> (Sauvage)	アブラハヤ
<i>Mor. Steindachneri jouyi</i> (Jordan et Snyder)	タカハヤ
<i>Zacco platypus</i> (Tem. et Schl.)	オイカワ
<i>Zac. temminckii</i> (Tem. et Schl.)	カワムツ

●	<i>Opsariichthys uncirostris</i> (Tem. et Schl.)	ハス
	<i>Hemigrammocypris rasborella</i> Fowler	カワバタモロコ
●	<i>Ischikauia steenackeri</i> (Sauvage)	ワタカ
	<i>Cyprinus carpio</i> Lin.	コイ
●	<i>Carassius auratus</i> <i>cuvieri</i> Tem. et Schl.	ゲンゴロウブナ
	<i>Car.</i> <i>auratus</i> <i>grandoculis</i> (Tem. et Schl.)	ニゴロブナ
	<i>Car.</i> <i>auratus</i> <i>langsfordi</i> (Cuvier et Valenciennes)	ヒワラ
Fam.	Cobitidae	
	<i>Misgurnus anguillicaudatus</i> (Cantor)	ドジョウ
	<i>Cobitis biwae</i> (Jordan et Schl.)	シマドジョウ
	<i>Cob.</i> <i>taenia striata</i> Ikeda	スジシマドジョウ
	<i>Hymenophysa curta</i> (Tem. et Schl.)	アユモドキ
Fam.	Siluridae	
	<i>Parasilurus asotus</i> Lin.	マナマズ
●	<i>Par.</i> <i>biwaensis</i> Tomoda	オオナマズ
●	<i>Par.</i> <i>lithophilus</i> Tomoda	イワトコナマズ
Fam.	Bagridae	
	<i>Pelteobagrus undicepa</i> (Sauvage)	ハゲギギ
	<i>Liobagrus reini</i> Hilgendorf	アカザ
Ord.	Anguillida	
Fam.	Angillidae	
	<i>Angilla japonica</i> Tem. et Schl.	ウナギ
Ord.	Cyprinodontida	
Fam.	Cyprinodontidae	
	<i>Orizias latipes</i> (Tem. et Schl.)	メダカ
Ord.	Gasterosteida	
Fam.	Gasterosteidae	
	<i>Gasterosteus aculeatus</i> <i>microcephalus</i> (Girard)	ハリヨ
Ord.	Percida	
Fam.	Channidae	
	<i>Channa maculata</i> (Lacapada)	カムルチー
Fam.	Centrarchidae	
	<i>Micropterus salmoides</i> (Lacépède)	オオグチバス
	<i>Lepomis macrochirus</i> Rafinesque	ブルーギル
Fam.	Eleotridae	
	<i>Mogurnda obscura</i> (Tem. et Schl.)	ドンコ
Fam.	Gobiidae	
	<i>Rhinogobius similis</i> (Gill)	ヨシノボリ

	<i>Chaenogobius urotaenia</i> (Hilgendorf)	ウキゴリ
●	<i>Cha.</i> <i>isaza</i> Tanaka	イサザ
Ord.	Cottida	
Fam.	Cottidae	
	<i>Cottus pollux</i> (Günther)	カジカ
		Class Aves
Ord.	Passeres	
Fam.	Troglodytidae	
	<i>Cinculus pallasii</i> Tem.	カワガラス
Ord.	Halcyones	
Fam.	Alcedinidae	
	<i>Ceryle lugubris</i> (Tem.)	ヤマセミ
	<i>Alceso atthis</i> Lin.	カワセミ
Ord.	Accipitres	
Fam.	Falcomidae	
	<i>Milvus migrans</i> (Boddaest)	トビ
Fam.	Pandionidae	
	<i>Pandion haliaetus</i> (Lin.)	ミサゴ
Ord.	Gressores	
Fam.	Ardeidae	
	<i>Andea cinerea</i> Lin.	アオサギ
	<i>Egretta alba moderta</i> (Gray)	チュウダイサギ
	<i>Egr.</i> <i>intermedia</i> (Wagler)	チュウサギ
	<i>Egr.</i> <i>garzetta</i> (Lin.)	コサギ
	<i>Bubulcus ibis</i> (Lin.)	アマサギ
	<i>Butorides striatus</i> (Lin.)	ササゴイ
	<i>Nycticorax nycticorax</i> (Lin.)	ゴイサギ
	<i>Ixobrychus sinensis</i> (Gmelin)	ヨシゴイ
	<i>Ixo.</i> <i>eurhythmus</i> (Swinhoe)	オオヨシゴイ
Ord.	Anseres	
Fam.	Anatidae	
	<i>Cygnus cygnus</i> (Lin.)	オオハクチョウ
	<i>Anser albifrons</i> (Scopoli)	マガ
	<i>Ans.</i> <i>fabalis</i> (Latham)	ヒシクイ
	<i>Anas platyrhynchos</i> Lin.	マガモ
	<i>Ana. poecilorhyncha</i> J. R. Forster	オルガモ
	<i>Ana. strepera</i> Lin.	オオヨシガモ
	<i>Ana. crecca</i> Lin.	コガモ

<i>Ana. formosa</i> Georgi	トモエガモ
<i>Ana. falcata</i> Georgi	ヨシガモ
<i>Ana. penelope</i> Lin.	ヒドリガモ
<i>Ana. acuta</i> Lin.	オナガガモ
<i>Ana. clypeata</i> Lin.	ハシヒロガモ
<i>Aix galericulata</i> (Lin.)	オシドリ
<i>Aythya ferina</i> (Lin.)	ホシハジロ
<i>Ayt. fuligula</i> (Lin.)	キンクロハジロ
<i>Ayt. marila</i> (Lin.)	スズガモ
<i>Bucephala clangula</i> (Lin.)	ホホジロガモ
<i>Melanitta fusca</i> (Lin.)	ビロウドキンクロ
<i>Mel. nigra</i> (Lin.)	クロガモ
<i>Mergellus albellus</i> Lin.	ミコアイサ
<i>Mergus serrator</i> Lin.	ウミアイサ
<i>Mer. merganser</i> Lin.	カワアイサ
Ord. Steganopodes	
Fam. Phalacrocoracidae	
<i>Phalacrocorax carbo</i> Lin.	カワウ
<i>Pha. capillatus</i> (Tem. et Schl.)	ウミウ
Ord. Pygopodes	
Fam. Podicipidae	
<i>Podiceps ruficollis</i> (Pallas)	カイツブリ
<i>Pod. caspicus</i> Hablizl	ハジロカイツブリ
<i>Pod. griseigena</i> Boddaert	アカエリカイツブリ
Fam. Colynbidae	
<i>Colymbus stellatus</i> Pontoppidan	アビ
Ord. Lari	
Fam. Laridae	
<i>Sterna albifrons</i> Pallas	コアジサシ
<i>Rissa tridactyla</i> (Lin.)	ミツユビカモメ
<i>Larus argentatus</i> Pontoppidan	セグロカモメ
<i>Lar. canus</i> Lin.	カモメ
<i>Lar. crassirostris</i> Vieillot	ウミネコ
<i>Lar. ridibundus</i> Lin.	ユリカモメ
Ord. Alectoridae	
Fam. Rallidae	
<i>Gallinula chloropus</i> (Lin.)	バン
<i>Fulica atra</i> Lin.	オオバン