

Agile Requirement Engineering for a Cloud System for Automated and Networked Vehicles

Armin Mokhtarian 

Informatik 11 – Embedded Software, RWTH Aachen University, Germany
mokhtarian@embedded.rwth-aachen.de

Alexandru Kampmann

Informatik 11 – Embedded Software, RWTH Aachen University, Germany
kampmann@embedded.rwth-aachen.de

Bassam Alrifaae

Informatik 11 – Embedded Software, RWTH Aachen University, Germany
alrifaae@embedded.rwth-aachen.de

Stefan Kowalewski

Informatik 11 – Embedded Software, RWTH Aachen University, Germany
kowalewski@embedded.rwth-aachen.de

Bastian Lampe

Institute for Automotive Engineering, RWTH Aachen University, Germany
bastian.lampe@ika.rwth-aachen.de

Lutz Eckstein

Institute for Automotive Engineering, RWTH Aachen University, Germany
lutz.eckstein@ika.rwth-aachen.de

Abstract

This paper presents a methodology for the agile development of a cloud system in a multi-partner project centered around automated vehicles. Besides providing an external environment model as an additional input to the automation, the cloud system is also the main gateway for users to interact with automated vehicles through applications on mobile devices. Multiple factors are posing a challenge in our context. Coordination becomes especially challenging, as stakeholders are spread among different locations with backgrounds from various domains. Furthermore, automated vehicles for different applications, such as delivery or taxi services, give rise to a large number of use cases that our cloud system has to support. For our agile development process, we use standardized templates for the description of use-cases, which are initialized from storyboards and iteratively refined by stakeholders. These use-case templates are subsequently transformed into machine-readable specifications, which allows for generation of REST APIs for our cloud system.

2012 ACM Subject Classification Software and its engineering

Keywords and phrases agile requirements engineering, cloud architecture, automated vehicles

Digital Object Identifier 10.4230/OASICS.ASD.2020.4

Funding This research is accomplished within the project “UNICARagil” (FKZ EM2ADIS002). We acknowledge the financial support for the project by the Federal Ministry of Education and Research of Germany (BMBF).

1 Introduction

Individual vehicles become part of a larger system for many use cases proposed for automated driving. Automated shuttles, for example, would require an entity that coordinates a larger fleet of vehicles and through which humans can summon vehicles through their smartphone. Automated parcel delivery vehicles, another use case pursued in various efforts,



© Armin Mokhtarian, Alexandru Kampmann, Bassam Alrifaae, Stefan Kowalewski, Bastian Lampe, and Lutz Eckstein;

licensed under Creative Commons License CC-BY

2nd International Workshop on Autonomous Systems Design (ASD 2020).


Editors: Sebastian Steinhorst and Jyotirmoy V. Deshmukh; Article No. 4; pp. 4:1–4:8

OpenAccess Series in Informatics



OASICS Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany

also depend on an entity for coordination. As depicted in Fig. 1, these coordinating entities can be implemented as cloud services, which then become an essential component in the ecosystem of automated vehicles. In particular, they provide the infrastructure which enables communication within the overall system. Different actors can store or request data and coordinate with other parties through the cloud system. Thus, the cloud provides the main interfaces for data exchange between actors, such as a user requesting a taxi by using a mobile application or an automated delivery vehicle asking for its next destination. Furthermore, cloud computing provides more computational power, which can be used to enable several other use cases like fusing real-time sensor data of multiple vehicles to provide feedback on a more comprehensive environment model [6]. Therefore, a cloud system is not only of high importance regarding communication but can also aid the overall ecosystem of automated vehicles by collecting, combining and processing data.



■ **Figure 1** An overview of the cloud and its actors in the UNICARagil project. The ecosystem of UNICARagil includes four different vehicle types, a charging as well as a packing station, a control room and an info-bee (drone) [14].

The development of an ecosystem centered around automated driving is pursued in the UNICARagil project, which is a multi-partner project aiming to develop four fully automated vehicles of different characteristics [14]. As the vehicle on-board software is implemented following a service-oriented software architecture (SOA) [5], the cloud software also follows a SOA approach. A total of over 100 developers spread over 15 university chairs and 6 industrial partners are involved in this four-year project. Having a large number of participants, the communication and coordination of the development becomes extra challenging. First, because researchers and developers are spread among different locations. Second, because they have different academic backgrounds. This may result in numerous, non-uniform and poorly communicated specifications. Additionally, our cloud system has to serve four vehicle types which all share the same platform concept but have a different use.

- autoELF: A family vehicle intended for private use [12].
- autoTAXI: A vehicle for short-term general use.
- autoCARGO: A fully automated parcel service.
- autoSHUTTLE: Public transportation of multiple people.

The vehicle variants rely on a cloud system for coordination and for optional input to the automation algorithms through an external environment model. Although there are several commonalities between these vehicle types, they have different requirements for the cloud. The autoCARGO, for example, is the only platform that needs additional interfaces to communicate with a logistics management service. Hence, we have platform specific requirements in addition to requirements arising from automated driving scenarios. Furthermore, due to the early development stage, different platforms and a large number of developers with different backgrounds, the process from requirement engineering to implementation becomes very challenging. In this case, agile development is unavoidable. In particular, since the requirements change during the implementation, we need to simplify the overhead for adjustments.

Another challenging aspect arises since the cloud system and the project are developed simultaneously. In the early stages of a project, the requirements and specifications of the final system are often unavailable. Thus, the simultaneous development of the cloud and the overall system requires a scalable and adaptable system for being able to adjust to changing requirements. Consequently, this requires a modular, expandable and adjustable concept. The necessity of an adaptable cloud system increases with an increasing number of stakeholders. In this paper, we present our approach for the design of a cloud system to overcome the aforementioned challenges.

1.1 Related Work

Cloud systems have various use in the automotive domain. [7] claims, that cloud systems are the go-to solution for deploying frameworks suitable for automotive tasks. A cloud-based artificial intelligence framework for continuous training and self-driving is presented by [8]. Their system supports the collection of data which is used to develop and train machine learning models to leverage the cloud as a model performance booster. Hence, the cloud is an essential component in their ecosystem.

According to [3], the most common reason for software project failures is bad or incomplete requirements engineering. Therefore, requirement engineering plays a critical role in our approach. Several methods and guidelines were developed in order to not only prevent project failures but also to allow an efficient approach. A novel approach, which is investigated by Paetsch et al. [9], is to combine classic requirement engineering concepts, e.g. Waterfall model [1], with agile methods like Scrum [13].

2 Method

A system development lifecycle usually consists of the following steps. By starting with a *requirements analysis*, the developers investigate the properties and qualities their system should provide. At this phase, detailed communication with the customer is required to elaborate a solid groundwork. The *system design*, which includes the complete hardware and software setup is derived based on the requirements. Consequently, the system design is broken down into modules in the *architectural design* phase. In the *module phase*, these modules are designed in detail to be implemented afterwards.

4:4 Agile Requirement Engineering for a Cloud System

If it turns out that the requirements were not levied correctly or changed during the development lifecycle, it may require to restart the development process from scratch in the worst case. Thus, in order to reduce the overhead, it is desired to have robust requirement engineering and an adaptable development process. Agile requirements engineering methods like Scrum are prepared for new or changing requirements as their incremental mode of operation intends to provide adaptability to the current set of tasks. Furthermore, a modular groundwork enables the basis for implementing new requirements.

In this section, we present a methodology, which relies on template-based requirement engineering. This method enables to adapt to new requirements with lower effort and thus provides the basis for an incremental way of working.


2.1 Requirements Engineering

In order to have consistent feedback, we created a survey with concrete questions, which was handed out to all project stakeholders. Moreover, to take care of the difficulty regarding the different academic backgrounds, we asked for use cases instead of operational requirements. To illustrate the interaction of the use cases as well as the actors within the system, UML diagrams can be used [10]. However, the number of attributes and details we want to capture would cause UML diagrams to appear confusing. Furthermore, due to a large number of participants, we could not assume that everyone is familiar with UML. Hence, we decided on a questionnaire with 8 attributes which are listed in Table 1 and adapted from [2]. This assures that the collected use cases all have the same format and enable easy extraction of the essential information. Our survey resulted in 47 use cases that had to be evaluated and processed.

Although we tried to get uniform results by providing a specific template, the survey showed that the participants answered the questionnaires with a varying level of detail. Thus, the next step of our method transforms the questionnaires into a uniform, understandable and transparent representation. For this purpose, as recommended by Christine Rupp [11], we investigated the results concerning completeness, consistency, understandability, necessity, feasibility, clarity and traceability. To assure this quality features, we decided to use a pattern-based approach shown in Fig 2. This approach maps a use case into four parts.

■ **Table 1** One of 47 use cases gathered with the template-based survey in the UNICARagil project.

ID	3.5
Use Case Title	Deliver Notification
Description	Customer is notified about the delivery of his parcel.
Actors	Cloud, Customer (App), Parcel Box
Frequency	Daily
Condition	Parcel Box has booked delivered parcel correctly.
Guarantee of Success	Customer can pick up his parcel at the parcel box.
Trigger	Parcel was delivered to the parcel box by autoCARGO.
Actions	<ol style="list-style-type: none">1. Cloud notifies Customer via App about delivered parcel.2. Customer enters pin code at parcel box.3. Parcel box provides parcel.4. Parcel box notifies the cloud about the parcel pickup status.



■ **Figure 2** Pattern based approach for requirement description adapted from [11].

1. Logical operator

Most of the functionalities and processes start after a series of preconditions or are triggered through events. Therefore, the temporal component is mapped here.

2. Priority

Different use cases have different priorities for the same functionalities in the cloud. For being able to distinguish between the relevance of a requirement, a three-level rating system is introduced.

3. System

Requirements that are created by this approach are phrased in an active sentence. Since these requirements are gathered in the context of the cloud only, it is always the subject.

4. Process

The main focus of every requirement is the functionalities of the system. At this point, the desired system behavior is described.

After transforming 47 use cases into this pattern with regard to quality features, 42 requirements were derived.

2.2 System Design

After processing the gathered use cases into requirements, the next step consists of breaking down the cloud system into individual cloud services. We will use the exemplary use case *3.5 Deliver Notification* shown in Table 1 to explain the procedure. This use case describes the situation of an autoCARGO delivering a parcel to the parcel box. Afterwards, the user gets a notification via the App and receives a pin code that is needed to pick up the parcel at the parcel box.

In this case, there exist three actors: The user, the parcel box and the cloud. This scenario creates the need for two services to manage user and parcel box data. Hence, the *user management* and the *logistics management* are introduced. Any endpoint can use their API to store and request data. Now, we use the Actions from Table 1 to derive the necessary communication interfaces of the aforementioned cloud services. The resulting relation table is shown in Table 2.

4:6 Agile Requirement Engineering for a Cloud System

■ **Table 2** System view on an exemplary use case.

3.5 Deliver Notification			
Action	From	To	HTTP-API
3.5.1	Logistics Mgmt	User Mgmt	PUT:/parcel/status
3.5.2	App	User Mgmt	GET:/user/parcel/receive
3.5.3	Parcelbox	Logistics Mgmt	HEAD:/infrastructure/parcelbox/{PBOX_ID}/pincodecheck
3.5.4	Parcelbox	Logistics Mgmt	PUT:/infrastructure/parcelbox/{PBOX_ID}/parcel/{PARCEL_ID}/status

In the course of our process, we maintain traceability by linking use case questionnaires, derived requirements and final system specifications with an ID. This allows for identifying components that may be affected by a change in the underlying requirements. Besides an ID, the system view contains Action, From, To and API.

For the first Action of this use case (3.5.1), the user management provides two endpoints. One is offered by the cloud internal HTTP API for the logistics management and the other one is offered by consumer mobile application HTTP API. We determined

PUT /parcel/status (1)

to be accessed by the logistics management for notifying the user management about parcel status changes. Further, we determined

GET /user/parcel/receive (2)

to be used by the App for requesting status information about parcels. Its response also provides the pin code for the parcel pickup. The next Action (3.5.2) does not describe any interaction with the cloud and can be skipped. Action 3.5.3, in turn, needs to be handled by

HEAD /infrastructure/parcelbox/pbox_id/pincodecheck (3)

in order to check if the combination of parcel and pincode is correct. Finally, Action 3.5.4 asks the system to update the status of the parcel which is done by

PUT /infrastructure/parcelbox/pbox_id/parcel/parcel_id/status (4)

This approach proved itself to be structured and expedient, as it allowed us to quickly come to an initial system design consisting of more than 20 cloud services with over 70 endpoints. The resulting HTTP-APIs are specified with OpenAPI¹ which is an API description format for REST APIs. The specifications are written in YAML and thus are readable to both humans and machines.

The YAML files are processed by the OpenAPI Generator to generate a Python flask server [4]. Furthermore, `bootprint`² is used to generate static HTML pages of the OpenAPI specification. We decided for this setup, in order to enable rapid prototyping during our development process.

¹ <https://swagger.io>

² <https://github.com/bootprint/bootprint>

2.3 Code Generation

Since OpenAPI was used to specify the HTTP API for every service, it is possible to convert those into a static HTML page by using bootprint. Furthermore, those specifications are used to generate a Python flask server with code stubs for the implementation of all HTTP APIs. This code does not contain the actual functionality of the service but is runnable and allows for speeding up the implementation process. For this purpose, a Git repository with GitLab Continuous Integration was set up. Tagging a commit with `generate_code`, `generate_doc` or `generate` when pushing to the master branch, the Git runner is triggered. This generates the HTML documentation, Python flask servers or both for all services. Finally, everything just generated is pushed to the Git repository. Hence, for every change made to the specification, the code is generated automatically and can be tested directly.

3 Conclusion

Based on the Cloud system in the UNICARagil project, we presented a methodology to deal with arising challenges in a multi-partner project. Together with a large number of different stakeholders, covering four different platforms makes the development challenging. Thus, our method was chosen to provide consistent and scalable requirements engineering. Furthermore, due to the early stage within the overall project, it was of high importance to use a method which provides fast prototyping and is adaptable to upcoming changes in the requirements

Therefore, we first created a template-based survey that was handed to everybody who intends to work with the cloud. The survey returned 47 use cases which then were examined regarding quality measurements and processed afterward. A pattern-based approach helped to transform the use cases into 42 requirements. Based on these requirements, we derived relation tables to provide a structured way to define interfaces and endpoints. The interfaces were specified with OpenAPI, which enabled the generation of Python flask server code and an HTML documentation. Both code and documentation then are pushed to Git and allows for automated test with GitlabCI³.

We presented a method that allows processing new requirements into the system with lower effort to allow an incremental way of operation. At the same time, a modular and lightweight groundwork derived by the template-based requirements engineering enabled fast prototyping. This methodology combined classic requirements engineering and agile development. Neither of both would have suited our needs if they were used separately. Our methodology proved itself as suitable for our project since it allowed fast prototyping and easy adaptability to new requirements, while still capturing system specifications from the beginning of the project.

References

- 1 Barry W Boehm. A spiral model of software development and enhancement. *Computer*, 21(5):61–72, 1988.
- 2 Alistair Cockburn. Basic Use Case Template. *Humans and Technology, Technical Report*, 96, 1998.
- 3 Jeremy Dick, Elizabeth Hull, and Ken Jackson. *Requirements engineering*. Springer, 2017.

³ <https://docs.gitlab.com/ee/ci/>

- 4 Miguel Grinberg. *Flask web development: developing web applications with python*. " O'Reilly Media, Inc.", 2018.
- 5 A. Kampmann, B. Alrifaae, M. Kohout, A. Wüstenberg, T. Woopen, M. Nolte, L. Eckstein, and S. Kowalewski. A dynamic service-oriented software architecture for highly automated vehicles. In *2019 IEEE Intelligent Transportation Systems Conference (ITSC)*, pages 2101–2108, October 2019. doi:10.1109/ITSC.2019.8916841.
- 6 Bastian Lampe, Timo Woopen, and Lutz Eckstein. Collective driving-cloud services for automated vehicles in unicaragil. In *28. Aachen Colloquium Automobile and Engine Technology: October 7th–9th, 2019, Eurogress Aachen, Germany / scientific management: Univ.-Prof. Dr.-Ing. Lutz Eckstein, Univ.-Prof. Dr.-Ing. Stefan Pischinger ; organizational management: Michaela Heetkamp (M.Sc.), Jonas Müller (M.Sc.) ; organized by: Institute for Automotive Engineering, RWTH Aachen University; Institute for Combustion Engines, RWTH Aachen University.*, pages 677–703. Institute for Automotive Engineering, RWTH Aachen University, 2019. doi:10.18154/RWTH-2019-10061.
- 7 Andre Luckow, Matthew Cook, Nathan Ashcraft, Edwin Weill, Emil Djerekarov, and Bennie Vorster. Deep learning in the automotive industry: Applications and tools. In *2016 IEEE International Conference on Big Data (Big Data)*, pages 3759–3768. IEEE, 2016.
- 8 Cristian Olariu, Haytham Assem, Juan Diego Ortega, and Marcos Nieto. A cloud-based ai framework for machine learning orchestration: A “driving or not-driving” case-study for self-driving cars. In *2019 IEEE Intelligent Vehicles Symposium (IV)*, pages 1715–1722. IEEE, 2019.
- 9 Frauke Paetsch, Armin Eberlein, and Frank Maurer. Requirements engineering and agile software development. In *WET ICE 2003. Proceedings. Twelfth IEEE International Workshops on Enabling Technologies: Infrastructure for Collaborative Enterprises, 2003.*, pages 308–313. IEEE, 2003.
- 10 Bernhard Rumpe. *Modellierung mit UML*. Xpert.press. Springer Berlin, 2nd edition edition, September 2011.
- 11 Christine Rupp et al. *Requirements-Engineering und-Management: Aus der Praxis von klassisch bis agil*. Carl Hanser Verlag GmbH Co KG, 2014.
- 12 Tobias Schröder, Torben Stolte, Inga Jatzkowski, Robert Graubohm, and Markus Maurer. An approach for a requirement analysis for an autonomous family vehicle. In *2019 IEEE Intelligent Vehicles Symposium (IV)*, pages 1597–1603. IEEE, 2019.
- 13 Ken Schwaber and Mike Beedle. *Agile software development with Scrum*, volume 1. Prentice Hall Upper Saddle River, 2002.
- 14 Timo Woopen, Bastian Lampe, Torben Böddeker, Lutz Eckstein, Alexandru Kampmann, Bas-sam Alrifaae, Stefan Kowalewski, Dieter Moormann, Torben Stolte, Inga Jatzkowski, Markus Maurer, Mischa Möstl, Rolf Ernst, Stefan Ackermann, Christian Amersbach, Hermann Winner, Dominik Püllen, Stefan Katzenbeisser, Stefan Leinen, Matthias Becker, Christoph Stiller, Kai Furmans, Klaus Bengler, Frank Diermeyer, Markus Lienkamp, Dan Keilhoff, Hans-Christian Reuss, Michael Buchholz, Klaus Dietmayer, Henning Lategahn, Norbert Siepenkötter, Martin Elbs, Edgar v. Hinüber, Marius Dupuis, and Christian Hecker. UNICARagil – Disruptive Modular Architectures for Agile, Automated Vehicle Concepts; 1st edition. In *27. Aachener Kolloquium Fahrzeug- und Motorentechnik : October 8th–10th, 2018 – Eurogress Aachen*, pages 663–694, Aachen, October 2018. 27th Aachen Colloquium Automobile and Engine Technology 2018, Aachen (Germany), 8 Oct 2018 – 10 Oct 2018, Aachener Kolloquium Fahrzeug- und Motorentechnik GbR. Zweitveröffentlicht auf dem Publikationsserver der RWTH Aachen University. doi:10.18154/RWTH-2018-229909.