

1-1-2018

**Corrigendum to: Erbium-based perfusion contrast agent for small-animal microvessel imaging (Contrast Media and Molecular Imaging (2017) 2017 (7368384) DOI: 10.1155/2017/7368384)**

Justin J. Tse  
*Robarts Research Institute*

P. Joy Dunmore-Buyze  
*Robarts Research Institute*

Maria Drangova  
*Robarts Research Institute*

David W. Holdsworth  
*Robarts Research Institute*

Follow this and additional works at: <https://ir.lib.uwo.ca/boneandjointpub>



Part of the [Medicine and Health Sciences Commons](#)

---

**Citation of this paper:**

Tse, Justin J.; Dunmore-Buyze, P. Joy; Drangova, Maria; and Holdsworth, David W., "Corrigendum to: Erbium-based perfusion contrast agent for small-animal microvessel imaging (Contrast Media and Molecular Imaging (2017) 2017 (7368384) DOI: 10.1155/2017/7368384)" (2018). *Bone and Joint Institute*. 367.

<https://ir.lib.uwo.ca/boneandjointpub/367>

## Corrigendum

# Corrigendum to “Erbium-Based Perfusion Contrast Agent for Small-Animal Microvessel Imaging”

Justin J. Tse <sup>1,2</sup>, P. Joy Dunmore-Buyze,<sup>1</sup> Maria Drangova <sup>1,2,3</sup>  
and David W. Holdsworth <sup>1,4</sup>

<sup>1</sup>Imaging Research Laboratories, Robarts Research Institute, Western University, London, ON, Canada N6A 5B7

<sup>2</sup>Department of Medical Biophysics, Western University, London, ON, Canada N6A 5C1

<sup>3</sup>Department of Medical Imaging, Western University, London, ON, Canada N6A 5B7

<sup>4</sup>Department of Surgery, Western University, London, ON, Canada N6A 5B7

Correspondence should be addressed to Justin J. Tse; [tse.jjp@gmail.com](mailto:tse.jjp@gmail.com)

Received 19 June 2018; Accepted 2 July 2018; Published 23 August 2018

Copyright © 2018 Justin J. Tse et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the article titled “Erbium-Based Perfusion Contrast Agent for Small-Animal Microvessel Imaging” [1], there were

errors in the scale bars in Figure 3, which should be corrected as follows:




FIGURE 3: Rebinbed 100  $\mu\text{m}$  voxel images where the (a) maximum intensity projection (MIP) of a whole body perfused mouse demonstrates that the attenuation of the  $\text{Er}_2\text{O}_3$  contrast agent in the vasculature is higher than the mouse's skeletal structure. Quantitative measurements of attenuation (in HU) were obtained from regions drawn within heart (b), testes (c), inferior vena cava (d), and cortical bone (e).

**References**

- [1] J. J. Tse, P. J. Dunmore-Buyze, M. Drangova, and D. W. Holdsworth, "Erbium-based perfusion contrast agent for small-animal microvessel imaging," *Contrast Media and Molecular Imaging*, vol. 2017, Article ID 7368384, 10 pages, 2017.



Hindawi

Submit your manuscripts at  
[www.hindawi.com](http://www.hindawi.com)

