

THE OFFICIAL MAGAZINE OF THE OCEANOGRAPHY SOCIETY


Oceanography

COPYRIGHT & USAGE

© Author(s) 2019. This is an open access article made available under the terms of the Creative Commons Attribution 4.0 International License (<https://creativecommons.org/licenses/by/4.0/>), which permits use, sharing, adaptation, distribution, and reproduction in any medium or format as long as users cite the materials appropriately, provide a link to the Creative Commons license, and indicate the changes that were made to the original content. Images, animations, videos, or other third-party material used in articles are included in the Creative Commons license unless indicated otherwise in a credit line to the material. If the material is not included in the article's Creative Commons license, users will need to obtain permission directly from the license holder to reproduce the material.

The SPURS-2 Eastern Tropical Pacific Field Campaign Data Collection

By Frederick M. Bingham, Vardis Tsontos, Annette deCharon, Carla Jean Lauter, and Lisa Taylor



ABSTRACT. This paper describes the large, diverse set of in situ data collected during the Salinity Processes in the Upper-ocean Regional Study 2 (SPURS-2) field campaign. The data set includes measurements of the ocean, atmosphere, and fluxes between atmosphere and ocean; measurements of the skin surface layer, bulk mixed layer, and deeper water; (mostly) physical, chemical, and biological measurements; and ship-based, mobile drifting/floating, and moored observations. We include references detailing the methods for collection of each data set, provide DOIs for accessing the data, and note some papers in this special issue that use them. To facilitate broader access to SPURS-2 data and information, we created an online tool that allows users to explore data sets organized by various categories (e.g., instrument type, mobility, depth). This tool will complement content available from the Physical Oceanography Distributed Active Archive Center (PO.DAAC) and will be highly engaging for visual learners.

INTRODUCTION

The Salinity Processes in the Upper-ocean Regional Study 2 (SPURS-2) field campaign was an international, multi-investigator project that took place in the eastern tropical Pacific Ocean during 2016–2017 (Figure 1a). It was designed as a complement and follow-on to SPURS-1, which was conducted in the subtropical North Atlantic in 2012–2013. Results from SPURS-1 can be found in the March 2015 issue of *Oceanography* (Lindstrom et al., 2015). The purpose of SPURS-2 was to study the dynamics of the rainfall-dominated surface ocean at the western edge of the Eastern Pacific Fresh Pool (Alory et al., 2012), a region characterized by high seasonal variability (Fiedler and Talley, 2006; Guimbard et al., 2017) and subject to strong zonal flows associated with the North Equatorial Current and Counter Current (Kessler, 2006). The campaign sought to address the questions: How does the ocean integrate the freshwater forcing and destroy variance created at the surface? What are the local and non-local effects of freshwater flux on the ocean? More detailed information about SPURS-2 can be found in SPURS-2 Planning Group (2015), Lindstrom et al. (2017), and in articles in this special issue of *Oceanography*.

The SPURS-2 field campaign consisted of a large variety of autonomous, drifting, ship-based, and moored in situ instrumentation. Some of the instruments were standard (e.g., CTDs) and others very unusual or innovative (e.g., SEA-POL radar and saildrones). The activity was centered at a main mooring located near 10°N, 125°W, and two other moorings were deployed to the north and south (Figure 1b).

Two ships visited the SPURS-2 site, R/V *Roger Revelle* (Table 1) operated by Scripps Institution of Oceanography, and the schooner *Lady Amber*. There were two cruises on *Revelle* in August–September 2016 and October–November 2017 (Table 1 and Figure 1a,b).

Lady Amber is a 20 m long twin-masted schooner, outfitted with a thermosalinograph and meteorological instrumentation (Rainville et al., 2019, in this issue). It represents a proof-of-concept for the NASA Physical Oceanography Program's exploration of new avenues for conducting oceanographic research in an environment constrained by cost and high demand for major research vessel time. Perhaps it could be considered a throwback to an earlier era of oceanographic research. *Lady Amber* visited the SPURS-2 site several times during the

yearlong field campaign, (see Rainville et al., 2019, in this issue), whereas *Revelle* was only able to visit the site at the beginning and end. *Lady Amber* was used for light deployment and recovery of instrument platforms as well as coordinated scientific activities with the larger and more mobile and capable *Revelle*.

The SPURS-2 field campaign was extensive in its scope, innovative in its approach, diverse in its participation, and heterogeneous in its methods. The purpose of this paper is to give an overview of the various component data sets that were collected during the program. Many of these data sets are described more fully elsewhere, but it is useful to put all of this information into one place to emphasize the degree of unity and coordination that went into the field program. In addition, we gathered all of the data set DOIs into one table (Table 2) to allow readers access to the full suite of data. Lastly, we describe an interactive online tool that is designed to actively explore the relationships among SPURS-2 data sets. This tool also includes links to additional contextual information such as posts from the cruise blog.

DATA ELEMENTS

The full list of SPURS-2 data sets (Table 2) shows the collection's heterogeneity. SPURS-2 was unique in the use of innovative sensors and platforms coordinated with more traditional ones. The innovative sensors and platforms included saildrones (Zhang et al., 2019, in this issue), *Lady Amber* (Rainville et al., 2019, in this issue), the salinity snake, the surface salinity profiler (Drushka et al., 2019, in this issue), and the SEA-POL radar (Rutledge et al., 2019, in this issue), plus a dedicated regional modeling system (Li et al., 2019, in this issue). The tropical

FACING PAGE. All photos, except as noted, courtesy of Eric Lindstrom. Abbreviations are defined in Box 1. Middle set of photos, starting at the top left, proceeding clockwise and spiraling inward: (1) SEA-POL radome installed on R/V *Revelle* for cruise 2. Also visible are the laser for the CFT in front of radome and the radiometer for the ROSR to the right. (2) Janet Sprintall (pointing) and some members of her group watching a display during a CTD cast on *Revelle* cruise 1. (3) Two yellow Seagliders in the foreground and a neutrally buoyant float in the background before deployment on *Revelle* cruise 1. (4) Two gray and white PICO moorings on the aft deck of *Revelle*, one about to be deployed. (5) A radiosonde about to be launched. (6) A front view of the SSP secured on deck. (7) The LA. (8) A Wave Glider being deployed from *Revelle*. (8) Flotation for the central mooring being prepared for deployment on the aft deck of *Revelle*. (9) A nighttime view of some of the meteorological instrumentation on the bow of *Revelle* (photo courtesy of Julian Schanze). (10) The central mooring.

Pacific, particularly in this region, is a difficult place to sample. Currents are strong and highly variable, both on seasonal and shorter timescales (Guimard et al., 2017; Melnichenko et al., 2019, in this issue). This fact renders traditional Lagrangian methods less effective, as drifters placed into the region have very short residence times. The Lagrangian frame experiment, making use of Seagliders and Wave Gliders to follow the motion of a neutrally buoyant float (Shcherbina et al., 2019, in this issue), was set up to finesse this issue. Heavy rainfall, the principal reason for conducting SPURS-2 in this region, is patchy and difficult to sample, necessitating the use of sophisticated rain radar (Rutledge et al., 2019, in this issue). Surface-intensified freshwater lenses are the principal mechanism by which this heavy rainfall gets incorporated into the bulk mixed layer and spread across the Pacific basin (SPURS-2 Planning Group, 2015). These layers, generally not more than a couple of meters thick and transient, last on the order

hours or less and are small in horizontal scale, no more than a few kilometers (Drushka et al., 2019, and Schanze et al., 2019, both in this issue). This motivated the use of rain radar, along with high vertical resolution sampling of surface layers in the wakes of rain events. These observations could then be related back to satellite measurements of sea surface salinity (SSS) made by Soil Moisture and Ocean Salinity (SMOS) and Soil Moisture Active Passive (SMAP) satellites (Supply et al., 2018). This gives us an improved understanding of the surface signature being resolved by these satellite missions and provides a better sense of what satellite data can tell us about this and other similar rainfall-dominated regions.

Scientists wishing to use the data collected during SPURS-2 are urged, if possible, to cite directly the individual data sets they use (e.g., Drushka, 2018). This issue is undergoing a spirited debate in the world of science publishing (<http://www.copdess.org/enabling-fair-data-project/enabling-fair-project-overview/>). We believe that in the future data sets will be acknowledged by such citations. If a particular journal does not allow this kind of data set citation, those using these data should endeavor to find and cite the most appropriate reference. Table 2 gives a place to start that search.

For the sake of organization, the elements of Table 2 are divided loosely into categories as to how deep they measure; whether they are drifting, fixed (moored), mobile, or ship-based; and whether they are physical, chemical, or biological. Several papers in this special issue of *Oceanography* have made extensive use of these data as can be seen in the References column.

DATA SET EXPLORATION TOOL

The information in Table 2 has also been organized into an ontology, which is a collection of encoded terms and relationships used in computer sciences (Antoniou and van Harmelen, 2004). Ontologies can be visualized to illustrate complex conceptual relationships, for example, between




FIGURE 1. Tracks of R/V *Revelle* for cruise 1 (blue) and cruise 2 (red). See Table 1 for cruise dates. Boundaries for panel b are shown in panel a by a dotted line. The black “X” marker in panel b is the nominal location of the central mooring (Table 2, #s 27–30) and green “X”s are the locations of the north and south PICO (Platform Instrumentation for Continuous Observations) moorings (Table 2, #s 23–26).

TABLE 1. Information about R/V *Revelle* cruises.

| Cruise Number | Departure Date/Port | Completion Date/Port | UNOLS Cruise Designation | Data URL* | Chief Scientist (Institution) |
|---------------|------------------------------------|-------------------------------------|--------------------------|---|-------------------------------|
| 1 | August 13, 2016/ Honolulu, HI | September 23, 2016/ Honolulu, HI | RR1610 | http://www.rvdata.us/catalog/RR1610 | A. Jessup (UW APL) |
| 2 | October 16, 2017/ San Diego, CA | November 17, 2017/ San Diego, CA | RR1720 | http://www.rvdata.us/catalog/RR1720 | K. Drushka (UW APL) |

*This column shows where some of the processed shipboard data can be accessed.

TABLE 2. Information about individual SPURS-2 data sets. “Revelle-1”/“Revelle-2” refers to data sets associated with the first/second R/V *Revelle* cruise (Table 1).

O/A/F: O = Ocean; A = Atmosphere; F = Ocean-Atmosphere Flux

P/C/B: P = Physical; C = Chemical; B = Biological; Pc = Currents; Pt = Temperature/Salinity; Pw = Waves

D/F/M/S: D = Drifting; F = Fixed; M = Mobile; S = Ship-Based

S/T/D: S = Skin (<2 cm); T = Top (2 cm–6 m); D = Deep

Table 2 forms the heart of this paper, listing the individual SPURS-2 data sets. Because many of the data sets were not finalized by the time of submission of this paper, the DOIs given in Table 2 may not be active immediately. We plan to maintain an updated version of this table at the SPURS archive website, <https://podaac.jpl.nasa.gov/SPURS>.

| # | Data Set Name and DOI | Institution ¹ | O/A/F | P/C/B | D/F/M/S | S/T/D | References ² |
|-------|--|--------------------------|---------|-------|---------|-------|---|
| 1,2 | Revelle-1 and -2 ADCP 150 kHz BB https://doi.org/10.5067/SPUR2-ADCP0 | SIO | O | Pc | S | D | |
| 3,4 | Revelle-1 ADCP 150 kHz NB https://doi.org/10.5067/SPUR2-ADCP0 | SIO | O | Pc | S | D | |
| 5,6 | Revelle-1 ADCP 75 kHz NB https://doi.org/10.5067/SPUR2-ADCP0 | SIO | O | Pc | S | D | |
| 7,8 | Revelle-1 and -2 CTD https://doi.org/10.5067/SPUR2-CTD00 | SIO | O | Pt | S | D | |
| 9,10 | Revelle-1 and -2 XBT https://doi.org/10.5067/SPUR2-XBT00 | SIO | O | Pt | S | D | |
| 11,12 | Revelle-1 and -2 uCTD https://doi.org/10.5067/SPUR2-UCTD0 | SIO | O | Pt | S | D | Ullman and Hebert, 2014; Sprintall, 2019 |
| 13,14 | Revelle-1 and -2 underway/USPS https://doi.org/10.5067/SPUR2-USPS0 | UW APL | O | Pt | S | T | Asher et al., 2014a; Drushka et al., 2019 |
| 15 | Argo floats https://doi.org/10.5067/SPUR2-ARGO0 | UW APL | O | Pct | D | D | Riser et al., 2019 |
| 16 | PALS on floats and moorings https://doi.org/10.5067/SPUR2-PALS0 | UW APL | F | | D, F | | Yang et al., 2015 |
| 17 | Wave Gliders https://doi.org/10.5067/SPUR2-GLID3 | WHOI | O, A, F | Pt | M | T | |
| 18 | Seagliders https://doi.org/10.5067/SPUR2-GLID1 | UW APL | O | Pt | M | D | Eriksen et al., 2001 |
| 19 | SVP-S drifters https://doi.org/10.5067/SPUR2-DRIFT | SIO | O | Pct | D | T | Hormann et al., 2015; Lindstrom et al., 2017; Centurioni, 2018; Volkov et al., 2019 |
| 20 | Surpact drifters https://doi.org/10.5067/SPUR2-DRIFT | L'OCEAN | O, F | Pct | D | T | Reverdin et al., 2013 |
| 21 | Revelle-2 CODE drifters https://doi.org/10.5067/SPUR2-DRIFT | SIO | O | Pct | D | T | Centurioni, 2018 |
| 22 | Revelle-2 ADOS drifter https://doi.org/10.5067/SPUR2-DRIFT | SIO | O | Pct | D | T | Centurioni, 2010, 2018 |
| 23 | North PICO mooring meteorological https://doi.org/10.5067/SPUR2-MOOR2 | PMEL | A, F | | F | | Freitag et al., 2018 |
| 24 | South PICO mooring meteorological https://doi.org/10.5067/SPUR2-MOOR2 | PMEL | A, F | | F | | Freitag et al., 2018 |
| 25 | North PICO mooring CTD https://doi.org/10.5067/SPUR2-MOOR2 | PMEL | O | Pt | F | T, D | Osse et al., 2015 |
| 26 | South PICO mooring CTD https://doi.org/10.5067/SPUR2-MOOR2 | PMEL | O | Pt | F | T, D | Osse et al., 2015 |
| 27 | Central mooring meteorological https://doi.org/10.5067/SPUR2-MOOR1 | WHOI | A, F | | F | | Clayson et al., 2019 |
| 28 | Central mooring CTD https://doi.org/10.5067/SPUR2-MOOR1 | WHOI | O | Pt | F | T, D | Farrar and Plueddemann, 2019 |

Table continued on next page...

TABLE 2. Continued from previous page...

| # | Data Set Name and DOI | Institution ¹ | O/A/F | P/C/B | D/F/M/S | S/T/D | References ² |
|-------|---|--------------------------|---------|-------|---------|-------|--|
| 29 | Central mooring velocity https://doi.org/10.5067/SPUR2-MOOR1 | WHOI | O | Pc | F | T, D | Farrar and Plueddemann, 2019 |
| 30 | Central mooring direct covariance flux https://doi.org/10.5067/SPUR2-MOOR1 | WHOI | F | | F | | Clayson et al., 2019 |
| 31 | Revelle-2 WAMOS waves https://doi.org/10.5067/SPUR2-WAMOS | UW APL | O | Pw | S | T | |
| 32,33 | Revelle-1 and -2 X-band radar imagery and derived rain intensity https://doi.org/10.5067/SPUR2-XBAND | UW APL | F | | S | | Thompson et al., 2019 |
| 34 | Neutrally buoyant float https://doi.org/10.5067/SPUR2-NBFLT | UW APL | O | Pct | D | T, D | D'Asaro, 2003; Lindstrom et al., 2017; Shcherbina et al., 2019 |
| 35 | <i>Lady Amber</i> underway https://doi.org/10.5067/SPUR2-LAMBR | UW APL | O, A, F | Pt | S | T | Rainville et al., 2019 |
| 36 | Revelle-2 Ecomappers https://doi.org/10.5067/SPUR2-ECOMP | WHOI | O | Pt | M | T, D | Hodges and Fratantoni, 2014 |
| 37 | Revelle-2 underway biology and optics https://doi.org/10.5067/SPUR2-BIONT | ODU | O | B | S | S, T | Olson and Sosik, 2007 |
| 38 | Revelle-2 profile biology and optics https://doi.org/10.5067/SPUR2-BIONT | ODU | O | B | S | T, D | Olson and Sosik, 2007 |
| 39 | Saildrones https://doi.org/10.5067/SPUR2-SDRON | PMEL | O, A, F | | M | T | Zhang et al., 2019 |
| 40 | Revelle-1 rawinsondes https://doi.org/10.5067/SPUR2-SONDE | WHOI | A | | S | | Clayson et al., 2019 |
| 41 | Revelle-2 rawinsondes https://doi.org/10.5067/SPUR2-SONDE | CSU | A | | S | | Ciesielski, 2018 |
| 42,43 | Revelle-1 and -2 meteorological https://doi.org/10.5067/SPUR2-MET00 | WHOI | A, F | | S | | Clayson et al., 2019 |
| 44,45 | Revelle-1 and -2 salinity snake https://doi.org/10.5067/SPUR2-SNAKE | ESR | O | Pt | S | S | |
| 46,47 | Revelle-1 and -2 ROSR https://doi.org/10.5067/SPUR2-ROSR0 | UW APL | O | Pt | S | S | Remote Measurements & Research, 2015 |
| 48,49 | Revelle-1 and -2 CFT https://doi.org/10.5067/SPUR2-CFT00 | UW APL | F | | S | S | Asher et al., 2004 |
| 50,51 | Revelle-1 and -2 underway pCO ₂ , DIC, and pH https://doi.org/10.5067/SPUR2-WQAL | UH | O | C | S | S | Ho et al., 1997; Pierrot et al., 2009; Friederich et al., 2002; Martz et al., 2010 |
| 52,53 | Revelle-1 and -2 A-sphere https://doi.org/10.5067/SPUR2-ASPHER | WHOI | F | | S | | |
| 54 | Revelle-2 SEA-POL rain radar https://doi.org/10.5067/SPUR2-RNRDR | CSU | A, F | | S | | Rutledge et al., 2019; George et al., 2018 |
| 55,56 | Revelle-1 and -2 SSP https://doi.org/10.5067/SPUR2-SSP00 | UW APL | O | Pt | S | S, T | Asher et al., 2014a,b; Drushka et al., 2019 |
| 57 | Synthesis rain product ³ https://doi.org/10.5067/SPUR2-SNTH0 | UW APL | F | | S | | |
| 58 | Synthesis SSS product ³ https://doi.org/10.5067/SPUR2-SNTH0 | UW APL | O | Pt | F | | |

¹ See Box 1 for a list of abbreviations.

² The list of references gives references to the methods associated with the measurement and papers in this special issue that make use of the data. More information may be available in the archived data file at the given DOI.

³ The nature of these products is not certain as of the publication date of this paper.

oceanographic instruments, data types, and underlying scientific concepts (deCharon et al., 2015). Information about SPURS-2 data sets has been categorized into a set of terms. Relationships between these terms have been mapped using five mathematical symbols (>, <, =, ~, ≈). In turn, the meaning of each symbol has been translated to phrases. These terms and their relationships are visualized via a customized data exploration tool developed for SPURS-2 that can be accessed at <https://salinity.oceansciences.org/science-spurs-datatool.htm>.

Within this online tool, the ontology is viewed as interactive objects whose relationships are depicted as labeled arrows (Figure 2). As a result, the tool has flexible starting points and no “dead ends,” enabling self-directed exploration of the SPURS-2 data collection. Figure 3 shows an expanded view of the term “surface salinity profiler,” as presented by the data exploration tool. This visualization allows users to quickly grasp how this particular instrument fits into the bigger picture of the SPURS-2 campaign. In the live tool, clicking on any of the peripheral terms

will re-center and update the display; for example, “Ship-Based” would be encircled by all the data sets marked as “S” in the sixth column of Table 2.

The data exploration tool also connects to additional SPURS-2 content, including data sources and detailed descriptions of instruments. This technical information is augmented by links to pertinent content on the SPURS-2 blog, hosted by the NASA Earth Observatory (Figure 4). Informative and entertaining, this extensive blog captures not only the stories behind SPURS-2 data acquisition but also provides insights

FIGURE 2. An example of a link between terms in the SPURS-2 ontology. When viewed in the data exploration tool, the relationship between terms is described by a linking phrase (“measures”).






FIGURE 3. An expanded view of the visualized ontology based on a user click of the term “Surface Salinity Profiler.” Properties measured by the central term (e.g., “Top,” “Skin,” “Ocean,”) are placed at the ends of arrows. Conversely, arrows associated with broader categories (“Ship-Based”) lead to the central term. An image (lower left), a description of a data set, and a blog post link (lower right) provide context to enhance the user’s understanding.

FIGURE 4. The data exploration tool links to many posts in the SPURS-2 blog, maintained by the NASA Earth Observatory (<http://earthobservatory.nasa.gov/blogs/fromthefield/category/spurs/>). This example post focuses on the central mooring from the Woods Hole Oceanographic Institution.

Anchoring Ocean Science – Moored Measurements with Steady Humans!

November 12th, 2017 by Eric Lindstrom



WHOI Mooring Buoy (credit Ray Graham).

One of the reasons our work requires a large research vessel is that we are dealing with large arrays of sensors moored in the deep ocean. That requires big buoys, lots of rope and wire, lots of floatation, and big anchors with very strong and steady human guidance.

BOX 1. ABBREVIATIONS

INSTITUTIONS

CSU Colorado State University
 ESR Earth and Space Research
 L'OCEAN Laboratoire d'Océanographie et du Climat: Expérimentation et Approches Numériques
 ODU Old Dominion University
 PMEL NOAA Pacific Marine Environmental Laboratory
 SIO Scripps Institution of Oceanography, University of California San Diego
 UH University of Hawaii
 UW APL University of Washington Applied Physics Laboratory
 WHOI Woods Hole Oceanographic Institution

OTHER

ADCP Acoustic Doppler Current Profiler
 ADOS Autonomous Drifting Ocean Station
 BB Broadband
 CFT Controlled Flux Technique
 CODE Coastal Ocean Dynamics Experiment
 DOI Digital Object Identifier
 LA Schooner *Lady Amber*
 NB Narrowband
 NCEI NOAA National Centers for Environmental Information
 PALS Passive Acoustic Listening System
 PICO Platform Instrumentation for Continuous Observations
 PO.DAAC Physical Oceanography Distributed Active Archive Center
 ROSR Remote Ocean Surface Radiometer
 SEA-POL SEAGoing–POLarimetric
 SMOS Soil Moisture and Ocean Salinity Satellite
 SMAP Soil Moisture Active Passive Satellite
 SPURS Salinity Processes in the Upper-ocean Regional Study
 SSP Surface Salinity Profiler
 SSS Sea Surface Salinity
 SVP-S Surface Velocity Program–Salinity
 uCTD underway CTD
 URL Uniform Resource Locator
 USPS Underway Salinity Profiling System

into the individuals, teams, and skills needed to investigate salinity-related processes at the ocean surface.

ARCHIVING AND DISTRIBUTION

Efforts are ongoing among SPURS-2 PIs to complete the production of finalized data sets. Once these data sets are produced, they will be packaged with appropriate metadata and placed into a permanent archive at PO.DAAC at the Jet Propulsion Laboratory. The available files will be in netCDF format and CF-compliant consistent with the NOAA National Centers for Environmental Information in situ standard templates (<https://www.nodc.noaa.gov/data/formats/netcdf/v2.0/>). The URL for SPURS-1 and -2 at PO.DAAC is <https://podaac.jpl.nasa.gov/SPURS>. In addition to the data that are searchable and accessible via a range of tools and services, there is a list of available SPURS-related publications, reports, and artifacts for these field campaigns.

REFERENCES

- Alory, G., C. Maes, T. Delcroix, N. Reul, and S. Illig. 2012. Seasonal dynamics of sea surface salinity off Panama: The far Eastern Pacific Fresh Pool. *Journal of Geophysical Research* 117, C04028, <https://doi.org/10.1029/2011JC007802>.
- Antoniou, G., and F. van Harmelen. 2004. *A Semantic Web Primer*. MIT Press, Cambridge, MA, 272 pp.
- Asher, W.E., A.T. Jessup, and M.A. Atmane. 2004. Oceanic application of the active controlled flux technique for measuring air-sea transfer velocities of heat and gases, *Journal of Geophysical Research* 109, C08S12, <https://doi.org/10.1029/2003JC001862>.
- Asher, W.E., A.T. Jessup, R. Branch, and D. Clark. 2014a. Observations of rain-induced near-surface salinity anomalies. *Journal of Geophysical Research* 119:5,483–5,500, <https://doi.org/10.1002/2014JC009954>.
- Asher, W.E., A.T. Jessup, and D. Clark. 2014b. Stable near-surface ocean salinity stratifications due to evaporation observed during STRASSE. *Journal of Geophysical Research* 119:3,219–3,233, <https://doi.org/10.1002/2014JC009808>.
- Centurioni, L.R. 2010. Observations of large-amplitude nonlinear internal waves from a drifting array: Instruments and methods. *Journal of Atmospheric and Oceanic Technology* 27:1,711–1,731, <https://doi.org/10.1175/2010JTECHO774.1>.
- Centurioni, L.R. 2018. Drifter technology and impacts for sea surface temperature, sea-level pressure, and ocean circulation studies. Pp. 37–58 in *Observing the Oceans in Real Time*. R. Venkatesan, A. Tandon, E. D'Asaro, and M.A. Atmanand, eds, Springer Oceanography, Springer International Publishing AG, Cham, Switzerland, https://doi.org/10.1007/978-3-319-66493-4_3.
- Ciesielski, P. 2018. *Quality-Control of Upper-Air Soundings for SPURS-2*. Report for the Department of Atmospheric Science, Colorado State University, Fort Collins, CO, 8 pp.

- Clayson, C.A., J.B. Edson, A. Paget, R. Graham, and B. Greenwood. 2019. The effects of rainfall on the atmosphere and the ocean during SPURS-2. *Oceanography* 32(2):86–97, <https://doi.org/10.5670/oceanog.2019.216>.
- D'Asaro, E.A. 2003. Performance of autonomous Lagrangian floats. *Journal of Atmospheric and Oceanic Technology* 20(6):896–911, [https://doi.org/10.1175/1520-0426\(2003\)020<0896:POALF>2.0.CO;2](https://doi.org/10.1175/1520-0426(2003)020<0896:POALF>2.0.CO;2).
- deCharon, A., L. Smith, and C. Companion. 2015. Characterizing complex marine systems and technology using visualized vocabularies. *Marine Technology Society Journal* 49(4):53–63.
- Drushka, K. 2018. SPURS-2 research vessel along track WAMOS wave radar data for the second R/V *Revelle* cruise in the E. Tropical Pacific, <https://doi.org/10.5067/SPUR2-WAMOS>.
- Drushka, K., W.E. Asher, A.T. Jessup, E.J. Thompson, S. Iyer, and D. Clark. 2019. Capturing fresh layers with the surface salinity profiler. *Oceanography* 32(2):76–85, <https://doi.org/10.5670/oceanog.2019.215>.
- Eriksen, C., T. Osse, R. Light, T. Wen, T. Lehman, P. Sabin, J. Ballard, and A. Chiodi. 2001. Seaglider: A long-range autonomous underwater vehicle for oceanographic research. *IEEE Journal of Oceanic Engineering* 26(4):424–436, <https://doi.org/10.1109/48.972073>.
- Farrar, J.T., and A.J. Plueddemann. 2019. On the factors driving upper-ocean salinity variability at the western edge of the Eastern Pacific Fresh Pool. *Oceanography* 32(2):30–39, <https://doi.org/10.5670/oceanog.2019.209>.
- Fiedler, P.C., and L.D. Talley. 2006. Hydrography of the eastern tropical Pacific: A review. *Progress in Oceanography* 69(2):143–180, <https://doi.org/10.1016/j.poccean.2006.03.008>.
- Freitag, H.P., M.J. McPhaden, and K.J. Connell. 2018. Comparison of ATLAS and T-FLEX Mooring Data. NOAA Technical Memorandum OAR PMEL-149, 68 pp., <https://doi.org/10.25923/h4vn-a328>.
- Friederich, G.E., P.M. Walz, M.G. Burczynski, and F.P. Chavez. 2002. Inorganic carbon in the central California upwelling system during the 1997–1999 El Niño–La Niña event. *Progress in Oceanography* 54(1):185–203, [https://doi.org/10.1016/S0079-6611\(02\)00049-6](https://doi.org/10.1016/S0079-6611(02)00049-6).
- George, J., V. Chandrasekar, F. Junyent, S.A. Rutledge, A. Morin, R. Bowie, and P. Kennedy. 2018. Salient features of the CSU sea-pol radar. Pp. 1,307–1,310 in *IEEE Radar Conference (RadarConf18)*, April 23–27, 2018, Oklahoma City, OK, <https://doi.org/10.1109/RADAR.2018.8378752>.
- Guimbar, S., N. Reul, B. Chapron, M. Umberto, and C. Maes. 2017. Seasonal and interannual variability of the Eastern Tropical Pacific Fresh Pool. *Journal of Geophysical Research* 122(3):1,749–1,771, <https://doi.org/10.1002/2016JC012130>.
- Ho, D.T., R. Wanninkhof, J. Masters, R.A. Feely, and C.E. Cosca. 1997. Measurement of underway fCO₂ in the Eastern Equatorial Pacific on NOAA Ships *Malcolm Baldrige* and *Discoverer* from February to September, 1994. NOAA data report ERL AOML-30, Miami, FL, 52 pp.
- Hodges, B., and D. Fratantoni. 2014. AUV observations of the diurnal surface layer in the North Atlantic Salinity Maximum. *Journal of Physical Oceanography* 44:1,595–1,604, <https://doi.org/10.1175/JPO-D-13-0140.1>.
- Hormann, V., L.R. Centurioni, and G. Reverdin. 2015. Evaluation of drifter salinities in the subtropical North Atlantic. *Journal of Atmospheric and Oceanic Technology* 32:185–192, <https://doi.org/10.1175/JTECH-D-14-00179.1>.
- Kessler, W.S. 2006. The circulation of the eastern tropical Pacific: A review. *Progress in Oceanography* 69(2–4):181–217, <https://doi.org/10.1016/j.poccean.2006.03.009>.
- Li, Z., F.M. Bingham, and P.P. Li. 2019. Multiscale simulation, data assimilation, and forecasting in support of the SPURS-2 field campaign. *Oceanography* 32(2):134–141, <https://doi.org/10.5670/oceanog.2019.221>.
- Lindstrom, E., F. Bryan, and R. Schmitt. 2015. SPURS: Salinity Processes in the Upper-ocean Regional Study—The North Atlantic Experiment. *Oceanography* 28(1):14–19, <https://doi.org/10.5670/oceanog.2015.01>.
- Lindstrom, E.J., A.Y. Shcherbina, L. Rainville, J.T. Farrar, L.R. Centurioni, S. Dong, E.A. D'Asaro, C. Eriksen, D.M. Fratantoni, B.A. Hodges, and others. 2017. Autonomous multi-platform observations during the Salinity Processes in the Upper-ocean Regional Study. *Oceanography* 30(2):38–48, <https://doi.org/10.5670/oceanog.2017.218>.
- Martz, T.R., J.G. Connery, and K. S. Johnson. 2010. Testing the Honeywell Durafet® for seawater pH applications. *Limnology and Oceanography: Methods* 8:172–184, <https://doi.org/10.4319/Lom.2010.8.172>.
- Melnichenko, O., P. Hacker, F.M. Bingham, and T. Lee. 2019. Patterns of SSS variability in the eastern tropical Pacific: Intraseasonal to interannual timescales from seven years of NASA satellite data. *Oceanography* 32(2):20–29, <https://doi.org/10.5670/oceanog.2019.208>.
- Olson, R.J., and H.M. Sosik. 2007. A submersible imaging-in-flow instrument to analyze nano- and microplankton: Imaging FlowCytobot. *Limnology and Oceanography: Methods* 5(6):195–203, <https://doi.org/10.4319/Lom.2007.5.195>.
- Osse, J., S. Stalin, C. Meinig, and H. Milburn. 2015. The PRAWLER, a vertical profiler: Powered by wave energy. Abstract published in *Oceans 2015 MTS/IEEE*. Marine Technology Society and Institute of Electrical and Electronic Engineers, October 19–22, 2015, Washington, DC, <https://doi.org/10.23919/OCEANS.2015.7404354>.
- Pierrot, D., C. Neill, K. Sullivan, R. Castle, R. Wanninkhof, H. Luger, T. Johannessen, A. Olsen, R.A. Feely, and C.E. Cosca. 2009. Recommendations for autonomous underway pCO₂ measuring systems and data-reduction routines. *Deep Sea Research Part II* 56:512–522, <https://doi.org/10.1016/j.dsr2.2008.12.005>.
- Rainville, L., L.R. Centurioni, W.E. Asher, C.A. Clayson, K. Drushka, J.B. Edson, B.A. Hodges, V. Hormann, J.T. Farrar, J.J. Schanze, and A.Y. Shcherbina. 2019. Novel and flexible approach to access the open ocean: Uses of Sailing Research Vessel *Lady Amber* During SPURS-2. *Oceanography* 32(2):116–121, <https://doi.org/10.5670/oceanog.2019.219>.
- Remote Measurements & Research. 2015. Handbook: ROSR (Remote Ocean Surface Radiometer), Version 6. 104 pp., http://www.mrco.com/prod/rosr/rosr_handbook_v6.pdf.
- Reverdin, G., S. Morisset, D. Bourras, N. Martin, A. Lourenço, J. Boutin, C. Caudoux, J. Font, and J. Salvador. 2013. Surfact: A SMOS surface wave rider for air-sea interaction. *Oceanography* 26(1):48–57, <https://doi.org/10.5670/oceanog.2013.04>.
- Riser, S.C., J. Yang, and R. Drucker. 2019. Observations of large-scale rainfall, wind, and sea surface salinity variability in the eastern tropical Pacific. *Oceanography* 32(2):42–49, <https://doi.org/10.5670/oceanog.2019.211>.
- Rutledge, S.A., V. Chandrasekar, B. Fuchs, J. George, F. Junyent, P. Kennedy, and B. Dolan. 2019. Deployment of the SEA-POL C-band polarimetric radar to SPURS-2. *Oceanography* 32(2):50–57, <https://doi.org/10.5670/oceanog.2019.212>.
- Shcherbina, A.Y., E.A. D'Asaro, and R.R. Harcourt. 2019. Rain and sun create slipper layers in the Eastern Pacific Fresh Pool. *Oceanography* 32(2):98–107, <https://doi.org/10.5670/oceanog.2019.217>.
- Sprintall, J. 2019. Upper-ocean salinity stratification during SPURS-2. *Oceanography* 32(2):40–41, <https://doi.org/10.5670/oceanog.2019.210>.
- SPURS-2 Planning Group. 2015. From salty to fresh—Salinity Processes in the Upper-ocean Regional Study-2 (SPURS-2): Diagnosing the physics of a rainfall-dominated salinity minimum. *Oceanography* 28(1):150–159, <https://doi.org/10.5670/oceanog.2015.15>.
- Supply, A., J. Boutin, G. Reverdin, J.L. Vergely, H. Bellenger, M. Katsumata, and N. Reul. 2018. Variability of satellite sea surface salinity under rainfall. 2018. Paper presented at Ocean Salinity Science Conference, November 6–9, 2018, Sorbonne University, Paris, France, https://salinity.oceansciences.org/docs/oss2018_d01_supply.pdf.
- Thompson, E.J., W.E. Asher, A.T. Jessup, and K. Drushka. 2019. High-resolution rain maps from an X-band marine radar and their use in understanding ocean freshening. *Oceanography* 32(2):58–65, <https://doi.org/10.5670/oceanog.2019.213>.
- Ullman, D.S., and D. Hebert. 2014. Processing of underway CTD data. *Journal of Atmospheric and Oceanic Technology* 31(4):984–998, <https://doi.org/10.1175/JTECH-D-13-00200.1>.
- Volkov, D.L., S. Dong, G.R. Foltz, G. Goni, and R. Lumpkin. 2019. Observations of near-surface salinity and temperature structure with dual-sensor Lagrangian drifters during SPURS-2. *Oceanography* 32(2):66–75, <https://doi.org/10.5670/oceanog.2019.214>.
- Yang, J., S.C. Riser, J.A. Nystuen, W.E. Asher, and A.T. Jessup. 2015. Regional rainfall measurements using the Passive Aquatic Listener during the SPURS field campaign. *Oceanography* 28(1):124–133, <https://doi.org/10.5670/oceanog.2015.10>.
- Zhang, D., M.F. Cronin, C. Meinig, J.T. Farrar, R. Jenkins, D. Peacock, J. Keene, A. Sutton, and Q. Yang. 2019. Comparing air-sea flux measurements from a new unmanned surface vehicle and proven platforms during the SPURS-2 field campaign. *Oceanography* 32(2):122–133, <https://doi.org/10.5670/oceanog.2019.220>.

ACKNOWLEDGMENTS

Support for this work was provided by NASA under grants NNX15AF72G and 80NSSC18K0809. We are grateful to two anonymous reviewers for their careful reading and thoughtful comments.

AUTHORS

Frederick M. Bingham (frederick.bingham@gmail.com) is Professor, University of North Carolina Wilmington, Center for Marine Science, Wilmington, NC, USA. **Vardis Tsontos** is Data Engineer, NASA Jet Propulsion Laboratory, California Institute of Technology, Physical Oceanography Distributed Active Archive Center, Pasadena, CA, USA. **Annette deCharon**, is Founder and President, and **Carla Jean Lauter** and **Lisa Taylor** are staff, ODYSEA LLC, Edgcomb, ME, USA.

ARTICLE CITATION

Bingham, F.M., V. Tsontos, A. deCharon, C.J. Lauter, and L. Taylor. 2019. The SPURS-2 eastern tropical Pacific field campaign data collection. *Oceanography* 32(2):142–149, <https://doi.org/10.5670/oceanog.2019.222>.

COPYRIGHT & USAGE

© Author(s) 2019. This is an open access article made available under the terms of the Creative Commons Attribution 4.0 International License (<https://creativecommons.org/licenses/by/4.0/>).