

Am J I would fredim. Author manuscript, available in Fivic 2014 way 2.

Published in final edited form as:

Am J Public Health. 2014 March; 104(3): 418–420. doi:10.2105/AJPH.2013.301563.

Medicaid Policies and Practices in US State Prison Systems

David L. Rosen, MD, PhD,

Center for Infectious Diseases, University of North Carolina, Chapel Hill

Dora M. Dumont, PhD, MPH,

Center for Prisoner Health and Human Rights, Miriam Hospital, Providence, RI

Andrew M. Cislo, PhD,

Center for Public Health and Health Policy, University of Connecticut, East Hartford

Bradley W. Brockmann, JD,

Center for Prisoner Health and Human Rights, Miriam Hospital, Providence, RI

Amy Traver, ScB, and

Human Biology Program, Brown University, Providence, RI

Josiah D. Rich, MD, MPH

Division of Infectious Diseases, Brown University, and the Center for Prisoner Health and Human Rights, Miriam Hospital

Abstract

Medicaid is an important source of health care coverage for prison-involved populations. From 2011 to 2012, we surveyed state prison system (SPS) policies affecting Medicaid enrollment during incarceration and upon release; 42 of 50 SPSs participated.

Upon incarceration, Medicaid benefits were suspended in 9 (21.4%) SPSs and terminated in 28 (66.7%); 27 (64.3%) SPSs screened prisoners for potential Medicaid eligibility.

Although many states supported Medicaid enrollment upon release, several did not. We have considered implications for Medicaid expansion.

Prisoners have a heavy burden of disease. ^{1–5} For qualifying individuals (e.g., disabled, impoverished adults with dependents and—starting in 2014 in states that choose to expand their Medicaid eligibility as part of health care reform—impoverished adults without dependents), Medicaid can provide health care coverage before and after incarceration. ⁶ Although not assessed nationally, a study of former Texas and Ohio prisoners found that

Correspondence should be sent to David L. Rosen, 310 Mason Farm Rd, Campus Box 7030, Institute for Global Health and Infectious Diseases, University of North Carolina, Chapel Hill, NC 27599, drosen@med.unc.edu. Reprints can be ordered at http://www.ajph.org by clicking the "Reprints" link.

Contributors

D. L. Rosen led the analysis. D. M. Dumont and A. Traver contributed to survey deployment. J. D. Rich conceptualized the study. All authors contributed to survey development, interpretation of results, and writing.

Human Participant Protection

This project was reviewed by the University of North Carolina's institutional review board, which determined that the project did not constitute human participant research, and the Lifespan Hospital institutional review board, which approved the project.

only 8% of men and 21% of women enrolled in Medicaid 8 to 10 months after release, whereas 68% and 58%, respectively, were without any health care coverage. Medicaid can also provide health care coverage for eligible prisoners during incarceration, when care is delivered in an inpatient setting, separate from the prison system.

Despite the role of Medicaid in financing health care for prisoners and former prisoners, the current landscape of policies and practices affecting state prisoners' enrollment in Medicaid has not been broadly assessed. To address this gap, we conducted a survey to understand Medicaid policies and practices employed in state prison systems (SPSs).

METHODS

From December 2011 through August 2012 we surveyed SPS personnel identified by top administrators as most knowledgeable about Medicaid policies employed within their SPS. Survey domains included (1) Medicaid termination or suspension upon incarceration, (2) assistance reenrolling in Medicaid, (3) challenges reenrolling in Medicaid, and (4) screening previously nonenrolled prisoners for potential Medicaid eligibility. We have described survey item responses using frequencies and medians.

We compared the geographic region and population size of participating and nonparticipating SPSs by using statistical tests, and conducted a sensitivity analysis to examine the influence of nonparticipating SPSs on our results.

RESULTS

Respondents representing 42 SPSs participated, with no statistically significant differences between represented SPSs and nonparticipating SPSs by size of prison population or geographic region. Respondents' median time employed within their SPS was 13 years (Table 1).

About two thirds of SPSs employed policies of termination, and 21% employed suspension. In more than two thirds of SPSs with either policy, assistance was available to facilitate Medicaid reenrollment postrelease despite an array of challenges. More than one third of SPSs assessed whether prisoners requiring community inpatient care during their incarceration might be eligible for Medicaid coverage (Table 2).

DISCUSSION

In 2000, nearly all states had policies terminating Medicaid enrollment upon incarceration. By contrast, we found that more than 20% of surveyed SPSs had policies suspending rather than terminating Medicaid enrollment. Notably, resumption of benefits in suspension states was not automatic but rather subject to a similar array of challenges experienced reactivating Medicaid in termination states. Nevertheless, in most suspension states, resumption reportedly occurred within a month of release, suggesting that suspension promotes timely reactivation of Medicaid benefits.

About two thirds of SPSs with a policy of either termination or suspension provided prisoners some assistance (e.g., help with social service program applications) resuming Medicaid services, indicating that efforts to support continuity of Medicaid benefits are relatively common and not necessarily contingent on the explicit policy of termination or suspension. At the same time, the lack of assistance in the remaining SPSs should be addressed, as this constitutes a basic function of discharge planning.

Most SPSs had policies to identify—and help prepare Medicaid applications for—prisoners who were potentially eligible for Medicaid but not enrolled previously. In 15 SPSs, Medicaid applications were submitted so that benefits could be used during incarceration to pay for inpatient care received in the community. (If the application is submitted within 90 days of care and enrollment is successful, Medicaid payments can be applied retroactively.¹⁰) Although the proportion of prisoners who require inpatient, community care is likely modest, their health care costs may be relatively high. Accordingly, use of Medicaid for these patients may substantively lower SPS medical expenditures.

Several states plan to expand Medicaid eligibility in 2014 to adults at 138% of the federal poverty threshold, regardless of disability or dependents. ^{11,12} Expanded Medicaid eligibility could dramatically increase the number of released prisoners with access to routine health care. Expanded Medicaid eligibility could also increase financial incentives for SPSs to provide Medicaid enrollment assistance to prisoners requiring community, in-patient care during their incarceration.

Our survey has a few limitations. First, it does not account for possible heterogeneity in the implementation of policies within SPSs. Second, we were unable to verify participants' responses; however, their responses may reflect actual practice rather than official state policies. Finally, our responses represent only 42 SPSs. Our sensitivity analysis, however, suggests that inclusion of the other 8 SPSs would not have substantively changed our findings except for 1 item, the proportion of suspension states with Medicaid restoration assistance.

Despite the availability of services supporting Medicaid enrollment in many SPSs, a substantial proportion of SPSs had none. The expansion of Medicaid in many states will provide greater opportunities and incentives to facilitate Medicaid enrollment for disadvantaged prison-involved populations. Future research should evaluate SPSs' success in facilitating prisoners' Medicaid enrollment, characteristics of successful programs, and financial implications of enrollment for SPSs and for the Medicaid program.

Acknowledgments

D. L. Rosen was supported by AHRQ training grant T32 HS019442 and University of North Carolina at Chapel Hill Center for AIDS Research, a National Institutes of Health (NIH)-funded program (P30 AI50410). J. D. Rich was supported by the National Institute on Drug Abuse Midcareer Investigator Award (5K24DA22112-4) and the NIH-funded Lifespan/Tufts/Brown Center for AIDS Research (P30 AI42853). This project was also supported by grant R01DA030778 from NIH/National Institute on Drug Abuse.

We gratefully acknowledge the important contributions by Kathryn Hawrot in identifying potential respondents and administering the survey and by Joseph Morrissey, who provided valuable feedback on our survey instrument.

References

 The Health Status of Soon-to-Be-Released Inmates. A Report to Congress. Vol. 1. Chicago, IL: National Commission on Correctional Health Care; 2002.

- 2. Wilper AP, Woolhandler S, Boyd JW, et al. The health and health care of US prisoners: results of a nationwide survey. Am J Public Health. 2009; 99(4):666–672. [PubMed: 19150898]
- 3. Binswanger IA, Krueger PM, Steiner JF. Prevalence of chronic medical conditions among jail and prison inmates in the USA compared with the general population. J Epidemiol Community Health. 2009; 63(11):912–919. [PubMed: 19648129]
- Maruschak, LM.; Beavers, R. HIV in Prisons, 2007–08. Washington, DC: US Department of Justice, Bureau of Justice Statistics; 2009. NCJ 228307
- James, DJ.; Glaze, LE. Mental Health Problems of Prison and Jail Inmates. Washington, DC: US Department of Justice, Bureau of Justice Statistics; 2006. NCJ 213600
- Wakeman SE, McKinney ME, Rich JD. Filling the gap: the importance of Medicaid continuity for former inmates. J Gen Intern Med. 2009; 24(7):860–862. [PubMed: 19381728]
- 7. Mallik-Kane, K.; Visher, CA. Health and Prisoner Reentry: How Physical, Mental, and Substance Abuse Conditions Shape the Process of Reintegration. Washington, DC: Urban Institute; 2008.
- 8. Bainbridge, AA. [Accessed May 10, 2013.] The Affordable Care Act and criminal justice: intersections and implications. White paper. 2012. Available at: https://www.bja.gov/Publications/ACA-CJ_WhitePaper.pdf
- 9. Morrissey JP, Dalton KM, Steadman HJ, Cuddeback GS, Haynes D, Cuellar A. Assessing gaps between policy and practice in Medicaid disenrollment of jail detainees with severe mental illness. Psychiatr Serv. 2006; 57(6):803–808. [PubMed: 16754756]
- Centers for Medicare & Medicaid Services. [Accessed May 22, 2013.] Eligibility. 2013. Available at: http://www.medicaid.gov/Medicaid-CHIP-Program-Information/By-Topics/Eligibility/ Eligibility.html
- 11. The Patient Protection and Affordable Care Act. Pub L. Nos. 111–148, 111–152 (2010).
- 12. Viebeck, E. [Accessed July 6, 2012.] Fifteen governors reject or leaning against expanded Medicaid program. The Hill. Jul 3. 2012 Available at: http://thehill.com/blogs/healthwatch/health-reform-implementation/236033-fifteen-governors-reject-or-leaning-against-expanded-medicaid-program

TABLE 1

Characteristics of Surveyed Personnel Knowledgeable About Medicaid Policies and Practices Implemented in Their State Prison System: United States, 2011–2012

Variable	No. (%) or Median (IQR)	
Respondents' division		
Medical and mental health	23 (54.8)	
Reentry	4 (9.5)	
Administration	13 (31.0)	
Other or not reported	2 (4.8)	
Respondent time employed in current position, y	5 (2.0–10.0)	
Respondent time employed in current prison system, y	13 (6.0–19.0)	
Respondent time employed in any prison system, y	14 (9.0–20.0)	
US region of state prison system		
Northeast $(n = 9)$	9 (100.0)	
Midwest $(n = 12)$	9 (75.0)	
South $(n = 16)$	14 (88.0)	
West (n = 13)	10 (77.0)	
Prisoners incarcerated in respondents' prison system ^a	1 137 748 (81.0)	

Note. IQR = interquartile range. The sample size was n = 42.

^aDerived from estimates from the Bureau of Justice Statistics, December 31, 2009; total = 1 405 622 used in denominator of percentage calculation includes inmates incarcerated in nonresponse states.

 TABLE 2

 Medicaid-Related Policies and Practices Among State Prison Systems: United States, 2011–2012

Variable	Respondents (n = 42), No. (%)	Sensitivity Analysis, All States (n = 50)	
		Low %	High %
Prison has written Medicaid policy			
Yes	10 (23.8)	(10)/50 = 20.0	(10+8)/50 = 36.0
No	19 (45.2)	38.0	54.0
Other	3 (7.1)	6.0	22.0
Don't know or missing	10 (23.8)	20.0	36.0
Upon imprisonment, Medicaid is			
Terminated	28 (66.7)	56.0	72.0
Suspended	9 (21.4)	18.0	34.0
Other	1 (2.4)	2.0	18.0
Don't know or missing	4 (9.5)	8.0	24.0
Prison personnel assist Medicaid restor	ation		
States with termination $(n = 28)^a$	18 (64.3)	50.0	72.2
States with suspension $(n = 9)^b$	7 (77.8)	41.2	88.2
Most common challenges restoring Me	dicaid ^{c,d}		
Unspecified release date or timing	8 (19.0)	16.0	32.0
Paperwork requirements	5 (11.9)	10.0	26.0
State interagency coordination	5 (11.9)	10.0	26.0
Prisoner or family engagement	4 (9.5)	8.0	24.0
Prison resources	3 (7.1)	6.0	22.0
Population targeted for Medicaid eligib	pility prescreening assessment ^d		
Any screening	27 (64.3)	54.0	70.0
Pregnant women or mothers	10 (23.8)	20.0	36.0
Prior Medicaid enrollment	9 (21.4)	18.0	34.0
Prior supplemental security income	12 (28.6)	24.0	40.0
HIV	15 (35.7)	30.0	46.0
Chronic mental health condition	18 (42.9)	36.0	52.0
Other chronic health condition	15 (35.7)	30.0	46.0
Hospitalization during incarceration	14 (33.3)	28.0	44.0
Prescreening assessment to enroll in M	edicaid		
During incarceration	15 (35.7)	30.0	46.0
After incarceration	11 (26.2)	22.0	38.0
Never or don't know	16 (38.1)	32.0	48.0

Note. High % assumes that the 8 nonresponders would have endorsed. Low % assumes that the 8 nonresponders would not have endorsed.

^aSensitivity analysis denominator n = 36.

 $^{^{}b}$ Sensitivity analysis denominator n = 17.

 $^{^{\}it c}$ On the basis of open-end responses.

 $^{d}_{\hbox{Multiple responses possible}.}$