416

Costing Human Rights and Community Support Interventions as a Part of Universal Access to HIV Treatment and Care in a Southern African Setting

Louisa Jones¹, Paula Akugizibwe², Michaela Clayton², Joseph J. Amon³, Miriam Lewis Sabin¹, Rod Bennett⁴, Christine Stegling⁵, Rachel Baggaley¹, James G. Kahn⁶, Charles B. Holmes⁷, Navneet Garg⁸, Carla Makhlouf Obermeyer¹, Christina DeFilippo Mack⁹, Phoebe Williams¹, Caoimhe Smyth¹, Marco Vitoria¹, Siobhan Crowley¹, Brian Williams¹⁰, Craig McClure¹, Reuben Granich^{*,1} and Gottfried Hirnschall¹

¹World Health Organization, Geneva, Switzerland; ²AIDS and Rights Alliance for Southern Africa (ARASA), Namibia; ³Human Rights Watch, New York, USA; ⁴Independent Consultant, UK; ⁵AIDS Alliance, Hove, UK; ⁶University of California, San Francisco, USA; ⁷Office of the US Global AIDS Coordinator, Department of State, Washington DC, USA; ⁸Vestergaard-Frandsen, Lausanne, Switzerland; ⁹University of North Carolina, Chapel Hill, North Carolina, USA; ¹⁰South African Centre for Epidemiological Modelling and Analysis, Stellenbosch, South Africa

Abstract: Expanding access to antiretroviral therapy (ART) has both individual health benefits and potential to decrease HIV incidence. Ensuring access to HIV services is a significant human rights issue and successful programmes require adequate human rights protections and community support. However, the cost of specific human rights and community support interventions for equitable, sustainable and non-discriminatory access to ART are not well described. Human rights and community support interventions were identified using the literature and through consultations with experts. Specific costs were then determined for these health sector interventions. Population and epidemic data were provided through the Statistics South Africa 2009 national mid-year estimates. Costs of scale up of HIV prevention and treatment were taken from recently published estimates. Interventions addressed access to services, minimising stigma and discrimination against people living with HIV, confidentiality, informed consent and counselling quality. Integrated HIV programme interventions included training for counsellors, 'Know Your Rights' information desks, outreach campaigns for most at risk populations, and adherence support. Complementary measures included post-service interviews, human rights abuse monitoring, transportation costs, legal assistance, and funding for human rights and community support organisations. Other essential non-health sector interventions were identified but not included in the costing framework. The annual costs for the human rights and community support interventions are United States (US) \$63.8 million (US \$1.22 per capita), representing 1.5% of total health sector HIV programme costs. Respect for human rights and community engagement can be understood both as an obligation of expanded ART programmes and as a critically important factor in their success. Basic rights-based and community support interventions constitute only a small percentage of overall programmes costs. ART programs should consider measuring the cost and impact of human rights and community support interventions as key aspects of successful programme expansion.

Keywords: Cost analysis, economics, HAART, highly active antiretroviral therapy, HIV prevention, human rights.

INTRODUCTION

In 2010, an estimated 34 million people were living with HIV and the majority of people with HIV were living in lowand middle-income countries [1,2,3]. This disproportionate HIV burden is often compounded by the lack of quality prevention, testing and treatment services. After the G8 commitment in 2005, all United Nations member states pledged to achieve universal access to quality HIV prevention, testing and treatment by 2010 [4, 5]. This builds on the 2003 '3 by 5' initiative, the broader Millennium Development Goals (MDGs) [6] and the 2010 push for treatment optimisation through the World Health Organization (WHO)/Joint United Nations Programme on HIV/AIDS (UNAIDS) *Treatment 2.0* platform [7]. These efforts reflect the international community's commitment to combat HIV/AIDS and recognise human rights as "an essential element in the global response to the HIV/AIDS pandemic" [8].

UNAIDS estimated that by the end of 2010 6.6 million people were taking antiretroviral therapy (ART), around 42% of those in need as defined by the 2010 WHO recommendations for ART for those with CD4 cell count \leq 350 cells/mm³ [1,2,3]. Despite this achievement, around 9 million people were estimated to be eligible and still in need of treatment in 2010, with substantial patient attrition along the treatment cascade from HIV testing and staging to ART initiation and continuation [1,3,9,10,11]. Furthermore, only around 40% of people living with HIV know their status and the number of new infections continues to add to the future caseload, with around 2.6 million new infections estimated

^{*}Address correspondence to this author at the Antiretroviral Treatment and HIV Care, Department of HIV/AIDS, Building D, 1st Floor, room 1005, World Health Organization, Avenue Appia 20, CH-1211, Geneva 27, Switzerland; Tel: 41 22 791 1459; Fax: 41 22 791 4834; E-mail: granichr@who.int

in 2010 alone [1, 3, 12]. Moreover, virtually everyone with HIV will eventually need ART to survive so as many as 28 million people are waiting, mostly without knowing that they are living with HIV, to become ART-eligible before they sicken or die [1, 2].

The concept of expanding access to ART is integral to the human right to health and provides a significant benefit for individuals and the community. However, in some settings, human rights abuses have been reported in association with HIV testing and counselling and treatment programmes [14-16]. It is essential to improve and expand approaches which increase access to HIV testing and treatment while ensuring respect for and protection of human rights. This is not only an ethical obligation of HIV programmes, but also critical to increased uptake of HIV testing, counselling and treatment, reducing vulnerability to infection and ensuring the success of ART expansion.

The basic human right to health care including HIV services remains a major human rights shortfall in most parts of the world. Human rights advocacy has emphasised how human rights abuses increase vulnerability to HIV infection and impede effective HIV responses [8, 17]. Other HIVrelated human rights abuses have been widely reported, including those related to access to accurate and comprehensive HIV prevention and treatment information [18,19], HIV testing [16], equitable access to treatment for criminalised populations and prisoners [20-24], men who have sex with men [25], migrants [26, 27], women [28-30], and children [31-33]. People living with HIV have been subject to violations of human rights on the basis of their HIV status, including lack of access to care, experiencing stigma and discrimination, loss of property, employment, freedom and health. There is a clear intersection between the right to health and the realisation of other human rights. For example, gender inequality and entrenched discrimination on the basis of sexual orientation not only undercut mental and physical health status, but also hinder access to prevention and treatment programmes, thus increasing individual and community vulnerability to HIV. There are increasing calls for human rights and community-support specific planning and funding as an integral element of efforts to reach universal access to high quality HIV services [34]. Despite this growing recognition, these interventions are rarely costed or included in HIV programming to improve access and health outcomes.

Ensuring access to high quality ART requires community engagement within a strong human rights framework. To examine the potential costs of integrating human rights and community support into routine programming, we constructed a detailed hypothetical costing framework using South Africa's health infrastructure [35]. We considered and complementary health both integrated sector interventions. Although we identified them, we did not include non-health sector costs in the costing framework (Table 1). Ultimately, a successful response to the HIV epidemic would also require non-health sector human rights interventions to address broader socio-economic issues beyond the narrow health sector.

Table 1. Selected Non-Health Sector Human Rights and **Community Support Interventions Not Included in** the Costing Framework

Legal reform	
--------------	--

•
-civil and criminal code
-law enforcement
-correctional system
Changing cultural norms
-equal rights for women and vulnerable populations
-preventing violence against women and children and other vulnerable populations
-engaging religious community engaging religious community for human rights and community support
Addressing socioeconomic environment
-poverty reduction
-economic development
-improve employment opportunities and conditions
Improving educational system
-primary, secondary and higher education
-health care providers pre-service training
Multi-sector civil society support
-support for civil society, human rights and community support organisations
Strategic information and human rights monitoring
-regular monitoring and evaluation

-dissemination of monitoring and evaluation results

METHODS FOR BUILDING THE COSTING **FRAMEWORK**

We used a standard search strategy of the published literature to determine the human rights and community support interventions for the costing framework. We consulted experts and key informants regarding published and unpublished sources of information. The costing framework of the ART programme and the comparison of relative costs of the potential human rights and community support interventions is based on South African and other sub-Saharan data [34] and recently published HIV programme cost models [36]. We applied the 80% treatment target from the South African National Strategic Plan for HIV and AIDS and the WHO recommended eligibility criteria of CD4 ≤350 cells/mm³. In South Africa, the projected costs for CD4≤200 is United States (US)\$58.45 per capita in 2015 after rapid scale up to 80% coverage, compared to US\$32.32 in 2008 [37]. We used the WHO methodology [2] to estimate the proportions eligible for treatment, which for CD4<350 would translate into a 43% increase to US \$4375 billion over the projected cost for the CD4<200 criteria used for the 2015 programme projections [36, 38]. Demographic data are taken from government publications [38] and we projected the population growth at 1% per annum in line with the historic trend and the published projection of 1.5% per annum annual growth in HIV prevalence to 2015 [36].

To reach the 80% treatment target, we included providerinitiated HIV testing and counselling (PITC) [39], targeted interventions for marginalised groups, and an annual community-based campaign in 2909 sites in 9 provinces [40]. Costing of the expansion of access to HIV testing and counselling included 20% in health care facilities and 80% through community-based campaigns. PITC costs were derived from routine programme costs and the community campaign costs are based on the detailed costing of a 2008 private-public health campaign in Kenya for which extensive and detailed data were available [40, 41]. Kenyan campaign costs were adjusted for South Africa in accordance with International Monetary Fund (IMF) purchasing power parity ratios to align with US dollar treatment costs.

Some of the health sector human rights and community support interventions were costed as integrated into routine HIV services programme scale-up. We also costed additional complementary health sector human rights and community support interventions that are not routinely considered as part of HIV services. Although non-health sector human rights interventions, such as the provision of shelter for domestic violence survivors, law reform, and other efforts are at the core of human rights programming, they were considered beyond the scope of this costing exercise which was limited to the health sector. A summary diagram demonstrates the components of the human rights and community support elements included in the costing framework (Fig. 1).

HUMAN RIGHTS AND COMMUNITY SUPPORT INTERVENTIONS

Human rights and community support issues, measures to address these issues and their associated costs are discussed below. In Table **2**, specific interventions and the associated costs are displayed for each issue identified, including the levels at which the intervention is provided (national, provincial, district, community; see Fig. **1**). Figures showing costing breakdown are also included (Fig. **2**).

Improved Access to Health Care

Adequate access to health care is an important aspect of the basic human right to health [42]. In resource-constrained settings, lack of access negatively impacts the control of most preventable disease and our ability to improve access will likely make the difference between achieving universal access and the MDGs [43]. A recent systematic review identified the barriers to provision of ART in resourcelimited settings [44], dividing obstacles into economic, sociocultural and behavioural. Other reviews have identified nutrition, community support, as well as legal and political barriers including human rights abuses, as serious obstacles.

Economic barriers identified within the scope of the costing framework included transportation costs to HIV testing and counselling and treatment services [29, 33, 45], perceived costs of treatment, testing and counselling [29, 45-50], and job loss due to HIV positive diagnosis [28, 49]. User fees are another common barrier linked to poor adherence but are not included in the costing framework since we considered public sector service delivery which does not include user fees [29, 33, 37]. Marginalised groups are particularly vulnerable to HIV and we costed interventions to reduce stigma and mobilise these communities for improved




Fig. (1). Schematic diagram showing the human rights measures included in costing according to level of intervention (national, provincial, district, site, community). DoH, Department of Health; HR, human rights; BMI, body mass index.

Table 2. Summary of Measures to Protect Human Rights and Costs Involved

Measure	Level of Intervention	Human Rights Issue Targeted	Approximate Cost (US\$)
Educational programme linked to campaign	National, community and individual	Stigma and discriminationBarriers to access	4.6 million <i>per annum</i>
Human rights training for counsellors	National training programme	 Barriers to access including lack of education Consent, confidentiality and counselling Stigma and discrimination Identification and education of women suffering domestic violence Needs of marginalised populations Couples/serodiscordant couples specific training 	12.6 million <i>per annum</i>
Involvement of human rights organisations	National	 Development of human rights tools (stigma scales, exit poll, training materials for counsellors, training materials for law enforcement bodies) 	57,248 per annum
 Independent monitoring and evaluation contractor Collate and report on exit polls and feedback from site staff, counsellors and supervisors 	National	 Accountability and feedback 	150,000 per annum
 Legal assistance Part-time lawyer (1 per province, 0.3 of a whole time equivalent) Full-time paralegal assistant "Warm line" paging system One-time back-up fund for legal representation 	Provincial	 Discrimination against HIV positive individuals Consent, confidentiality and counselling 	Lawyer (per province) US \$7,524 <i>per annum</i> , Paralegal assistant (per province) US \$12,319. One-time back-up fund (national): US \$100,000.
Human rights provincial coordinators	Provincial	 All human rights issues pertaining to expanded ART including provider-initiated testing and counseling (PITC) 	111,353 per annum
Shelters for women/ collaboration with existing shelters and support organisations	District	 Violence against women 	Uncosted
Human rights district supervisor	District	 All human rights issues pertaining to expanded antiretroviral therapy (ART) including PITC 	652,899 per annum
Monthly meetings with civil societies	District	 Monitoring of human rights abuses 	350,600 per annum
Community support vehicle	District	 Enable transport of human rights staff for monitoring 	797,845
 'Know Your Rights' desk Information Links to support services and emergency measures 	Campaign site	Stigma and discriminationViolence against women	673,737 per annum
PITC brochure costs	PITC settings	Stigma and discriminationViolence against women	261,425 per annum
Transportation costs	Community/provincial	Access to treatment services	9.1 million
Collaboration with prevention of mother-to-child transmission programmes and support groups for HIV-positive pregnant women or mothers	Community and individual	 Discrimination against HIV-positive pregnant women/mothers 	Cost included in comprehensive education and support package offered and in training of counsellors
Additional measures to support most at risk populations		 Stigma and discrimination 	Counsellor training, part of broader campaign, no separate costing

(Table 2) contd.....

Measure	Level of Intervention	Human Rights Issue Targeted	Approximate Cost (US\$)
Education for women on domestic violence and available options	National, community and individual	 Violence against women 	Cost included in promotional and educational materials
Human rights representative	Site	 All human rights issues pertaining to expanded ART including PITC 	Included in Know Your Rights desk cost
Exit poll	Site	 Accountability, feedback on satisfaction and human rights abuses 	673,737 per annum
Access to phone for emergency/helpline calls	Community	 Violence and discrimination against HIV- positive individuals 	Uncosted (as linked to counselling and relevant facilities)
Community-based adherence support	Community	 Support for HIV-positive individuals 	Human rights/community support worker (per 120 HIV+ on treatment): USD \$1440 <i>per annum</i> for 95% of 2.3 million people on treatment (total cost 26.1 million <i>per annum</i>)
			Human rights/community support supervisor (per community): USD \$2667 <i>per annum</i> for 2909 communities (total 7.8 million <i>per</i> <i>annum</i>).
			Total \$33,846,610
Nutritional support BMI<18	Community	 Support for HIV positive individuals 	64.3 million (8.3% of those on ART)

ART, antiretroviral therapy; BMI, body mass index; MTCT, mother-to-child transmission; PITC, provider initiated testing and counselling: US\$, United States dollars.

access to services. In resource-poor settings, people living with HIV may not be able to obtain sufficient nutrition or afford travel to seek services [33, 44]. In the absence of home-based care or other outreach, people are unlikely to seek medical care if costs involved mean forgoing food for the sake of travel costs. We included the cost of buses and minibuses for transportation to health services for more distant parts of the community as well as accessible transport for disabled individuals (US \$6.9 million per year) and nutritional support for those with a body mass index (BMI) less than 18 in order to improve health outcomes (US \$333 per person treated, US \$64.3 million in South Africa).

Additional support at the community level to promote adherence to ART has been shown to be effective in some settings [51]. Although addressing adherence is complex and there may be multiple approaches, potential adherence support currently exists in South Africa in the form of tuberculosis (TB) directly observed therapy (DOT) workers. DOTS workers would require re-orientation to provide adherence support for people on ART (not DOT) and would provide an important link between HIV and TB services. Table 3 illustrates selected activities that could be provided by community support and human rights workers. In some settings, around 70% of incident TB cases have HIV [52] and we assumed that there will be a 5% overlap in the numbers of community support workers needed. Overall TB DOTS workers will provide a small but important level of support (5%) for those with HIV associated TB, therefore, we costed one community support worker per 120 individuals on ART (US \$1440 per worker per annum) for the remaining 95% of those on treatment. In addition to this, one community support supervisor per community site (2909 sites) will be provided (US \$2667 per community per annum).

Table 3. Examples of Community Support and Human Rights Activities

Raising awareness about HIV prevention, treatment and care and related stigma and discrimination issues at household and broader public levels -Home visits -Giving talks at community forums (e.g. schools, municipal meetings, festivals) -Disseminating information -Hosting workshops for different target groups (e.g. children, adolescents, sex workers, pregnant women, drug users, women and girls, men who have sex with men) -Liaising with key cultural organisations (e.g., religious community, army, political leadership) Strengthening community-driven referral system -Home visits -Clinic attendance and liaison activities **Community mobilisation** -Treatment literacy efforts -Setting up patient support groups -Organising demonstrations -Organising campaigns HIV prevention and treatment support -Male and female condom distribution -Dissemination of prevention messaging -Treatment literacy and adherence support -Hygiene and public health messaging HIV care and support -Psychosocial support -Home-based care -Counselling

-Peer support




Fig. (2). Estimated annual HIV programme costs and percentages by category with breakdown of human rights and community support components (2015). Care includes pre ART and on ART costs for hospitalization, primary health care, and laboratory. ART includes the cost of 1st and 2nd line. Nutrition is provided to those on ART with BMI<18. Outreach includes campaign- and facility-based HIV testing and counselling costs. Nutrition is included in wider programme but not human rights and community support costs. Total human rights costs are 1.5% (US\$63.8 million) of the annual HIV programme. M&E is monitoring and evaluation.

Sociocultural barriers to accessing HIV services identified were HIV/AIDS-related stigma and discrimination [29-31, 33, 45, 50, 53], gender inequalities [30, 54], cultural and social norms leading to marginalisation of certain minority groups [20, 25, 44], and those related to health care system deficiencies, including poorly trained health care providers [45, 46, 54, 55]. Relevant behavioural issues were personal denial of illness [46, 49, 56], perception of medical testing and care as expensive [45, 46, 48-50], and lack of education or awareness of treatment or diagnosis options and availability [19, 33, 45, 46, 49, 54, 57-59]. In addition, personal factors included refusal to seek medical care unless very ill [46, 47, 50], denial of being at risk of infection, inability to attend testing due to work or family responsibilities, mental health issues [60] and fear of medical providers [46]. Although health care worker training and communications materials will include discussion of these and other issues, specific interventions to address these barriers are not costed (see Table 1 for selected non-health sector interventions). Expanding access to HIV services within a human rights framework may address some of the sociocultural barriers as health care workers and the community recognize the increasing numbers of people accessing HIV testing and counselling and ART.

Punitive laws, policies and regulations are common barriers to accessing health care worldwide [61], particularly for marginalised or criminalised populations [62, 63]. According to the 2008 UNAIDS Global Report, 63% of countries that reported have laws, regulations, or policies that impede access to HIV prevention, treatment, care and support among populations most at risk of HIV infection. In many parts of the world, legislation effectively criminalises populations most at risk of HIV infection, such as sex workers, drug users, and men who have sex with men. This fuels stigma and discrimination, increases barriers to HIV information and treatment, and contributes to the spread of the disease. Laws criminalising HIV transmission can discourage HIV testing, potentially subjecting those who know their HIV status to criminal penalties while exempting those who are unaware of their infection [64-67]. Since 2005, 14 countries in Africa have passed HIV-specific laws that potentially criminalise all sexual behaviour among HIVpositive individuals, including those who use condoms, regardless of disclosure and actual risk of transmission. More than 80 countries have legislation that prohibits samesex behaviour [68]. In a number of countries, maternal-tochild HIV transmission is a criminal offense, even where ART may not be available.

Another common issue is work place discrimination, resulting in loss of employment, or pre-employment testing which prevents people from getting employment in the first place. For many people living with HIV, this is the most common human rights violation. Although not costed, law reform is necessary and will involve capacity building of law and policy makers to understand the linkages between rights and health, and for the need to remove punitive laws (Table 1). While recognising the need to address the larger legal and social issues, we costed legal assistance in the form of a part-time lawyer (0.3 full-time equivalent at US \$7524 *per annum*) and a full-time paralegal assistant for each province (US \$12,319). Selection and contracting of the legal support would be managed by independent human rights and

community support organisations. Legal assistance could be accessed by a "warm line" paging system, with the existence of a one-time back-up fund of US \$100,000 for longer-term legal representation. We also costed community-based *"Know Your Rights"* campaigns to help build the capacity of communities to claim rights and advocate for judicial reform including the removal of punitive laws.

Consent, Counselling and Confidentiality

Informed consent and confidentiality of HIV results are cornerstones of HIV testing and counselling and clinical services [69, 70]. Individuals should be confident that their rights will be respected when accessing HIV testing and counselling, including their right to decline testing without suffering negative consequences, such as the denial of other health care [23]. To encourage access to testing while respecting rights, it is important that HIV testing is available in different settings, and individuals should be able to seek testing where they feel most confident that their rights will be respected. The framework includes both facility- and community-based testing options with the majority of testing taking place in the community. PITC is designed to improve access to knowing one's HIV status and is intended to be 'opt-out' (requiring patients to decline routine HIV testing) [71-74]. To respect patients' rights, HIV testing and counselling, needs to be both readily available and voluntary without coercion and with a fully informed process including awareness of the right to refuse. Although most facilitybased and community-based HIV testing is conducted without incident, patients may feel unable to refuse a test when requested by the health care provider [71-74]. Concerns have been raised that provider-initiated testing approaches may dissuade people from seeking medical care [74, 75]; however, PITC programs have helped to improve access to HIV testing and counselling for millions of people [76, 77]. 'Normalising' HIV testing and counselling, including couples counselling, and integrating it with other services and community campaign-based approaches may assist in minimising the impact of stigma and discrimination [78,40]. Improved access to ART, particularly home-based ART care, may also lead to a reduction in stigma experienced by HIV-positive individuals [79-84]. Health care worker education is included in routine training and education for all counsellors (campaign- and facility-based testing and counselling) and is currently costed at US \$12.6 million per annum.

Regardless of the testing venue, obtaining informed consent requires that the individual is sufficiently informed on a subject to agree to a procedure [69, 70]. In our costing framework, information for most clients will be provided prior to actual testing by individual briefings by counsellors and campaign-based education. People who test positive or negative will also require information regarding treatment options, support and other interventions to maintain HIV negative status [69, 70]. We included resources for human rights and community support organisations to monitor HIV testing and counselling and work with health care providers and patient groups to develop educational materials (cost US \$261,425).

Confidentiality of testing, results and HIV status should be considered as part of routine programme expansion. In small communities this may be difficult, with surveys of counselling and testing (VCT) voluntarv clients demonstrating that potential breaches of confidentiality are a significant deterrent for uptake of testing [85]. Providing different venues for testing and counselling including PITC and community-based settings is one potential approach to decreasing this potential deterrent. For those that test positive, the difficulty of maintaining confidentiality while accessing continuing care is also a concern. Costing included dissemination of information regarding the facility-based and campaign process and the establishment of multiple testing sites. The inclusion of youth in community-based HIV testing campaigns also requires specific attention [86]. In addition to standard training for counsellors, the costing includes an additional day of human rights-focussed training with a stigma reduction intervention for counsellors (US \$9.47 million per annum) [87]. Costing included support for human rights and community organizations to provide input on training and materials relevant to the training of counsellors. The 'Know Your Rights Desk,' where participants can gather information about human rights and support services, includes private counselling space for dealing with specific cases in a sensitive and confidential manner (US \$231.60 per site, US \$673,737 per annum for 2909 sites).

Monitoring and Evaluation

High quality programmes that include a human rightsbased approach are based on accountability [61]. UNAIDS and WHO recommend that programmes use monitoring and evaluation (M&E) systems to provide timely feedback on implementation progress and quality of services [88]. Dedicated human rights staff (site-specific human rights and community support representative, district supervisors and provincial coordinators) as well as human rights bodies operating at a national level, need to be engaged in integrated M&E activities as well as periodic surveys. The measures suggested in this paper are intended to improve the human rights framework for successful implementation of ART programmess. However, the actual impact of these human rights interventions are unknown, and the impact in improving quality of services and achieving public health and individual health objectives should be measured. In the costing framework, district supervisors will be responsible for ensuring that the facility HIV testing and counselling and community-based campaign are well-implemented from a human rights and community-support perspective. Monthly meetings between civil society organisations and the district supervisor have also been costed. The framework includes support for a human rights supervisor for each province (US \$12,373 per supervisor or US \$111,353 per annum for 9 provinces). District supervisors are costed at US \$655,743 plus US \$795,000 for vehicles, while monthly meetings will cost US \$38,400 per province, US \$350,600 per annum. Feedback on the services are costed for through exit surveys, counsellors, district and site staff, which will require collation by an independent M&E contractor and timely action on feedback. These potential activities have been costed at US \$150,000 per annum for the M&E contractor, and a further US \$673,737 per annum for the exit surveys from the 2909 sites.

Stigma and Discrimination

Although in some settings conditions have improved, it is widely recognised that people living with HIV are subject to significant stigma and discrimination [89, 90, 91]. Stigma and discrimination in turn may lead to reluctance to be tested, barriers in seeking testing or health care [44], limited uptake of preventive behaviours [92], social isolation and ostracism [93], harassment, discriminatory behaviours in relation to employment, health care, insurance, ownership of property and education, physical violence and anger from others, including family members [94]. Human rights and community support organisations are costed to adapt and develop new monitoring and training tools, including stigma scales for people living with HIV, [95, 96] to help health care workers in the identification of individuals experiencing stigma while accessing expanded HIV services (US \$6,361 per province, US \$57,248 per annum).

Special Needs of Women Living with HIV

Women constitute the majority of those infected with HIV in sub-Saharan Africa [97] and are often at increased risk of becoming HIV infected due to the inability to enforce safer sex decisions [98, 99, 100]. This vulnerability is often a result of skewed power relations within the relationship which can include an inability to negotiate safer sex or leave due to economic dependence [101]. Poverty, disruption by civil war, spousal death due to HIV, and lack of protective policy, laws and enforcement can lead to women being forced to resort to survival and transactional sex. Women are often more likely to have negative experiences as the result of a positive HIV test, including blame for infection, abuse or violence from their partner, exclusion from family or home and loss of property [29, 30, 102-106]. In anticipation of these outcomes, women may refuse testing [107-109]. Women may also feel unable to consent for testing without explicit consent, or may be prevented from testing by their partner [110]. This outlines the need for policy change to protect the rights of women to equality, property ownership, freedom from abuse and sexual violence, and to realisation of health. In integrating a human rights- and communitybased approach, expanding access to human rights and community support interventions within the health sector response could improve access to life-saving HIV services for women.

For HIV-positive individuals suffering abuse at the hands of an intimate partner, the need for support measures including helplines has also been identified [30, 74, 94, 102, 104, 111]. Support is costed for skills training and protocols for counsellors to identify and counsel women who feel at risk or have experienced inter-personal violence. Campaign and PITC informational materials are intended to educate women about domestic violence and inform them of available resources, help-lines in South Africa and legal rights. Human rights and community support organisations are supported within the framework to work with health authorities to develop relevant human rights tools and protocols (see above). Access to a telephone or other communications is assumed to be available at a community centre, primary health or HIV treatment facility.

Couples and partners counselling has been used as a successful prevention intervention [112, 113-115] and a criticism of previous testing campaigns has been the lack of emphasis on couples-specific counselling [16]. Studies have demonstrated the potential of this type of counselling in terms of prevention of HIV infection by facilitating status disclosure to partners [116, 117]. Couples counselling, by providing a safe environment for disclosure, has the potential to assist in reducing incidences of domestic violence in serodiscordant couples [117]. Pre-campaign social mobilisation will stress the benefits of couples testing, and the campaign will support couples testing. Costing included specific training for counsellors to be better equipped to address potential spousal refusal, to assist disclosure of status to partners, and to counsel serodiscordant couples (included in the overall counsellor training cost of US \$9.47 million above) [117].

As part of a multi-faceted societal response, law enforcement agencies must be trained to deal with violence directed against women, HIV-positive individuals and members of most at risk populations. This matter is out of the scope of the costing framework; however, it is anticipated that human rights and community support organisations will provide advice on the appropriate training and materials.

Shelters for women have been recognised as a scarce resource for which there is great need [118]. Few are offered in South Africa, and even fewer have the capacity to care for women who are ill [119]. The need for short-term shelters for women living with HIV is critical, both for those who require medical care and/or those who have suffered domestic violence. Although the best outcome is often a resolution in which a woman can remain in her community with her children, there is also a need for long-term solutions for women who can no longer return home. Women's shelters are beyond the scope of health sector funding/resources and therefore are not directly costed in the model. Collaboration with organisations that advocate against violence against women and provide support would be needed to successfully implement various components of this model.

Special Needs of Pregnant Women

Women who are pregnant face additional barriers. For women who test HIV positive, ART is recommended for those eligible and antiretrovirals are recommended for others to prevent mother-to-child transmission (MTCT) [120]. Although potentially life-saving for the mother, the unborn child and partners, these interventions increase the likelihood of disclosure of a woman's positive HIV status and therefore may expose a mother to stigma and discrimination. Support services and education are needed for HIV-positive pregnant women including follow-up with prevention of MTCT programmes, and these would be offered as part of post-test counselling [120]. This is currently costed in the framework as part of the counselling.

Special Needs of Most at Risk Populations

Although in a generalised epidemic setting people who are sexually active are often most at risk, traditional most at risk populations have been more narrowly defined and include male and female sex workers, men who have sex with men, people who inject drugs, and prisoners. In addition to frequently being criminalised and subject to police violence [121], it has been reported that only 10% of funding for prevention strategies in many countries is allocated to key populations [97]. Unless these populations have access to legal services, human rights protections including law reform and community support services, and funding specifically allocated to working with them, it is possible that the coverage of the expanded ART programme will be poor. Additionally, legal barriers to accessing ART, fragile social support networks, transactional partnerships, and high levels of stigma impede access to services and may also make these populations less likely to disclose their HIVpositive status to partners [83, 122]. Support is costed to access most at risk populations through services in 291 locations designed and led by community leaders. Costing includes counsellor training in issues regarding the needs of most at risk populations as part of human rights training day (included as part of the US \$9.47 million for training for the broader community-based outreach).

Bottom Line: Projecting the Health Sector Costs

The public sector costs of expanded access to ART including human rights and community support is illustrated in Fig. (2). Estimated annual costs for human rights and community support for 2015, excluding nutrition are 1.5% (US \$63.8 million) of the total projected spending on the ART programme. Human rights and community support costs are divided into those that are population-related (counsellors and training), site-related (information and monitoring), district-related (implementation, social mobilisation and supervision), and province-related (management, legal support and independent monitoring). Some costs will decrease over time. For example, it is assumed that the number of testing site locations will reduce from 2909 as the distribution of HIV prevalence falls over time. Costs relating to district and province do not vary and form 24% of costs at peak, but will rise proportionally over time as numbers tested and prevalence decrease. However, the costs of nutrition and adherence support are related to prevalence. Assuming treatment eligibility at ART CD4≤350, nutrition cost peaks at US \$64.3 million annually.

LIMITATIONS

Attempts to integrate human rights and community support into HIV programmes have often been limited to vague and often ineffective anti-stigma campaigns that fail to adequately address the broad range of human rights abuses. In some regards, our attempt to identify and cost public sector human rights and community support aspects of expanded ART programmes can be seen as replicating this overly narrow approach. Yet, while the interventions we have identified are limited to the immediate context of expanding ART, the identification and costing of these interventions can be seen as an important step to ensuring the expansion of ART programmes within a human rights-based approach. Costing categories are also important for policy discussions and decision-making when designing proposals and budgets for the expansion of HIV services. Engaging with stakeholders to build upon the current model to add additional services and costs, including broader "structuralrights interventions" [61], support for civil society and accountability measures will be important next steps in furthering models of expanded ART programmes. Although our costing categories and costs represent a best estimate from the literature, most of the interventions require evaluation and research to further develop the scientific evidence base regarding them. This is particularly relevant with regard to the most appropriate and effective interventions to address sociocultural barriers to HIV services. While addressing individual behaviours and bringing about cultural change is necessary, addressing the HIV epidemic is not possible without also addressing poverty, underdevelopment and illiteracy [61, 123]. Clearly, solutions to these issues involve long-term commitment at the international, national and community levels.

The costed interventions in this report seek to promote the goal of expansion of access to HIV prevention, treatment and care, as well as to provide community support and protect human rights. To be successful, it is essential that rights-based interventions are effective and have a strong basis in accountability and community engagement. Costed interventions could be implemented in collaboration with human rights and community support organisations that would optimally use the budget support to lead many of the activities. Support is also included for an independent auditing body that will provide feedback and a process for monitoring and reporting of human rights abuses. Collaboration and management of the resources in this sensitive area will not be easy and would require flexibility, openness and adaptability on all sides, as well as an ability to adjust and make improvements.

CONCLUSION

There is increasing scientific evidence supporting the expansion of access to ART as part of HIV and TB prevention efforts. As part of the exploration of a theoretical expanded access to ART public health programme, we costed specific measures to ensure community support within a human rights-based approach. The programme as a whole would improve community access to health care, ensuring the basic human right to health. In 2015, the estimated human rights and community support programme elements totalled US \$63.8 million or 1.5% of the projected annual budget and included training, education, supervision, monitoring and evaluation, transport and adherence support costing categories. A further US \$64.3 million (1.5% of total costs) was added for nutritional support, recognising the negative impact of poor nutrition on health status. Although the total costs given are dependent upon the size and administrative structure of South Africa, many of the costing categories could be applied to other low- to middle-income settings with appropriate cost adjustments.

There are a number of significant challenges to implementing human rights and community support. Funding for public health is scarce and it is increasingly important for stakeholders to dialogue regarding the hard choices that are often necessary when deciding on the best use of limited resources. Community response and engagement in confronting HIV is critical, but communities

Costing Human Rights

are often faced with a number of challenges including lack of shelter, food and employment. These and other issues are likely to directly impact key programme and individual objectives such as accessing HIV services, retention, and adherence. Additionally, successfully including human rights and community support interventions likely requires that all parties work within a strong legal framework as well as an environment of trust, accountability and understanding often the very elements that need to be addressed with human rights and community support interventions. Establishing a basic costed framework for discussion may represent an important step in successfully addressing human rights and community support.

Human rights in the context of HIV/AIDS has received considerable attention. Despite widespread recognition that both human rights and community support are essential, particularly for a successful response to HIV/AIDS, this paper represents one of the first attempts to translate this recognition into concrete costed interventions. Clearly further dialogue and careful consideration will be necessary to refine these potential interventions. Additionally, some of the interventions are already being used to improve services, and as more of these human rights and community support elements are incorporated into HIV programmes, the monitoring and evaluation of their impact should add to the scientific evidence base and policy discussions. The interventions included in the costing framework would represent a significant step forward in addressing both the HIV epidemic and ensuring a rights-based approach is used. However, responsibility for human rights and community support extends beyond the health sector, and further widereaching societal change is necessary to ensure that people living with HIV receive necessary community support and are free from human rights abuses. Although most communities have responded admirably to the significant challenge of HIV, there is disturbing evidence that fundamentally unsound interventions such as criminalisation and stigmatisation are gaining ground in some settings. The interventions suggested in this paper will likely be most successful when combined with social, cultural and political interventions to effect lasting and meaningful change, requiring commitment by national and international bodies.

ACKNOWLEDGEMENTS

Thanks to Somya Gupta for careful review and comments on the manuscript.

DISCLAIMER

The opinions and statements in this article are those of the authors and do not represent the official policy, endorsement or views of the World Health Organization.

The findings and conclusions of this paper do not necessarily represent the views of the U.S. Department of State.

CONFLICT OF INTEREST

None of the authors have conflicts of interest to declare.

ABBREVIATIONS

AIDS	=	Acquired Immune Deficiency Syndrome
ARASA	=	AIDS and Rights Alliance for Southern Africa
ART	=	Antiretroviral Therapy
BMI	=	Body Mass Index
DC	=	District of Columbia
DoH	=	Department of Health
DOT	=	Directly Observed Therapy
HAART	=	Highly Active Antiretroviral Therapy
HIV	=	Human Immunodeficiency Virus
HR	=	Human Rights
IMF	=	International Monetary Fund
MDGs	=	Millennium Development Goals
M&E	=	Monitoring and Evaluation
MTCT	=	Mother-to-child Transmission
PITC	=	Provider-Initiated Testing and Counselling
TB	=	Tuberculosis
UK	=	United Kingdom
UNAIDS	=	Joint United Nations Programme on HIV/AIDS
US(A)	=	United States (of America)
VCT	=	Voluntary Counselling and Testing
WHO	=	World Health Organization

REFERENCES

- UNAIDS. AIDS at 30: Nations at the Cross Roads. Geneva, Switzerland 2011. Available at: http://www.unaids.org/unaids_res ources/aidsat30/aids-at-30.pdf. Accessed July 22, 2011.
- [2] World Health Organization (WHO). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector. WHO, Geneva, Switzerland 2010. Available at: http://whqlibd oc.who.int/publications/2010/9789241500395_eng.pdf. Accessed July 22, 2011.
- [3] UNAIDS. Global AIDS Response Continues to Show Results as a Record Number if People Access Treatment and Rates of New HIV Infections Fall by Nearly 25%. Press release. June 3, 2011. Available at: http://www.unaids.org/en/resources/presscentre/press releaseandstatementarchive/2011/june/20110603praids30/. Accessed July 22, 2011.
- [4] UNAIDS. Towards Universal Access: assessment by the Joint United Nations Programme on HIV/AIDS on scaling up HIV prevention, treatment, care and support. UNAIDS, Geneva, Switzerland 2006.
- [5] World Health Organization (WHO). Towards Universal Access: Scaling up priority HIV/AIDS interventions in the health sector. WHO, Geneva, Switzerland 2010. Available at: http://whqlib doc.who.int/publications/2010/9789241500395_eng.pdf. Accessed July 22, 2011.
- [6] United Nations. Resolution adopted by the General Assembly. United Nations Millenium Declaration. United Nations 2000. Available at: www.un.org/millennium/declaration/ares552e.htm. Accessed August 3, 2011.
- [7] World Health Organization (WHO). Treat 3 million by 2005 initiative. WHO, Geneva, Switzerland 2003. Available at: http://www.who.int/3by5/publications/documents/en/Treating3milli onby2005.pdf. Accessed May 1, 2010.
- [8] United Nations. Declaration of commitment on HIV/AIDS. United Nations General Assembly special session on HIV/AIDS 25-27 June 2001. Geneva, Switzerland 2001. Available at: http://data.

unaids.org/publications/irc-pub03/aidsdeclaration_en.pdf. Accessed May 1, 2010.

- [9] Harries AD, Zachariah R, Lawn SD, Rosen S. Strategies to improve patient retention on antiretroviral therapy in sub-Saharan Africa. Trop Med Int Health 2010; 15 (Suppl 1): 70-5.
- [10] Rosen S, Fox MP. Retention in HIV Care between Testing and Treatment in Sub-Saharan Africa: A Systematic Review. PLoS Med 2011; 8(7): e1001056.
- [11] Fox MP, Rosen S. Patient retention in antiretroviral therapy programs up to three years on treatment in sub-Saharan Africa, 2007-2009: systematic review. Trop Med Int Health 2010; 15 (Suppl 1): 1-15.
- [12] UNAIDS. Report On The Global AIDS Epidemic 2010. Geneva, Switzerland 2010. Available at: http://www.unaids.org/globalre port/documents/20101123_GlobalReport_full_en.pdf. Accessed July 22, 2011.
- [13] World Health Organization (WHO). Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector. Progress report, September 2009. WHO, Geneva, Switzerland 2009. Available at: http://www.who.int/hiv/pub/2009progressrep ort/en/index.html. Accessed August 3, 2011.
- [14] Alsop Z. Kenya's HIV-testing drive runs into difficulties. Lancet. 2010; 375(9722): 1242.
- [15] Human Rights Watch. AIDS Conference: drive for HIV testing must respect rights. 2006. Available at: http://www.hrw. org/en/news/2006/08/09/aids-conference-drive-hiv-testing-mustrespect-rights. Accessed May 1, 2010.
- [16] Human Rights Watch, ARASA. A Testing Challenge: the Experience of Lesotho's Universal HIV Counseling and Testing Campaign. Human Rights Watch, New York 2008.
- [17] Amon JJ. Preventing the further spread of HIV/AIDS: the essential role of human rights. In: Human Rights Watch 2006 World Report. New York: Seven Stories Press 2006.
- [18] Cohen J, Tate T. The less they know the better: Abstinence-only HIV/AIDS programs in Uganda. Reprod Health Matters 2006; 14: 174-8.
- [19] Amon JJ. Dangerous medicines: unproven AIDS cures and counterfeit antiretroviral drugs. Globalization and Health 2008; 4(5).
- [20] Human Rights Watch. "Where darkness knows no limits": Incarceration, ill-treatment and forced labour as drug rehabilitation in China. Human Rights Watch, New York 2010.
- [21] Human Rights Watch. "Courage in the face of death: the Thai drug users' network. Human Rights Watch, New York 2004.
- [22] Human Rights Watch. "Skin on the Cable": The illegal arrest, arbitrary detention and torture of people who use drugs in Cambodia. Human Rights Watch, New York 2010.
- [23] Human Rights Watch, ARASA. "Unjust and unhealthy". HIV, TB and abuse in Zambian prisons. Human Rights Watch, New York 2010.
- [24] Cohen JE, Amon JJ. Health and human rights concerns of drug users in detention in Guangxi Province, China. PLoS Med 2008; 5(12): e234.
- [25] Human Rights Watch. Hated to death: homophobia, violence and Jamaica's HIV/AIDS epidemic. Human Rights Watch, New York 2004.
- [26] Amon JJ, Todrys KW. Fear of foreigners: HIV related restrictions on entry, stay and residence. J Int AIDS Soc 2008; 11(8).
- [27] Human Rights Watch. "Neighbors in need". Zimbabweans seeking refuge in South Africa. Human Rights Watch, New York 2008.
- [28] Human Rights Watch. A test of inequality: discrimination against women living with HIV in the Dominican Republic. Human Rights Watch; New York 2004.
- [29] Human Rights Watch. "No bright future". Government failures, human rights abuses and squandered progress in the fight against AIDS in Zimbabwe. Human Rights Watch, New York 2006.
- [30] Human Rights Watch. "Hidden in the mealie meal". Gender-based abuses and women's HIV treatment in Zambia. Human Rights Watch, New York 2007.
- [31] Human Rights Watch. "Future forsaken". Abuses against children affected by HIV/AIDS in India. Human Rights Watch, New York 2004.
- [32] Human Rights Watch. "Life doesn't wait". Romania's failure to protect and support children and youth living with HIV. Human Rights Watch, New York, 2006.

- [33] Human Rights Watch. "A question of life or death". Treatment access for children living with HIV in Kenya. Human Rights Watch, New York 2008.
- [34] Gruskin S, Ahmed S, Ferguson L. Provider-initiated HIV testing and counseling in health facilities - What does this mean for the health and human rights of pregnant women? Developing World Bioeth. 2008; 8(1): 23-32.
- [35] Kahn JG, Granich R, Bennett R, et al. ART for prevention of HIV transmission in South Africa: estimated cost and cost-effectiveness. International AIDS Society Conference, 2010 July 18-23; Vienna, Austria. Abstract MOAE0405.
- [36] Hecht R, Bollinger L, Stover J, et al. Critical choices in financing the response to the global HIV/AIDS pandemic. Health Aff (Millwood) 2009; 28(6): 1591-605.
- [37] Brinkhof MW, Dabis F, Myer L, *et al.* Early loss of HIV-infected patients on potent antiretroviral therapy programmes in lowerincome countries. Bull World Health Organ 2008; 86(7): 559-67.
- [38] Lawn SD, Kranzer K, Wood R. Antiretroviral therapy for control of the HIV-associated tuberculosis epidemic in resource-limited settings. Clin Chest Med 2009; 30(4): 685-99.
- [39] World Health Organization (WHO). Guidance on Provider-Initiated HIV Testing and Counseling in Health Facilities. WHO, Geneva, Switzerland 2007. Available at: http://www.who.int/hiv/pub/vct/pitc/en/. Accessed August 3, 2011.
- [40] Lugada E, Millar D, Haskew J, et al. Rapid implementation of an integrated large-scale HIV counseling and testing, malaria and diarrhea prevention campaign in rural Kenya. PLoS ONE 2010; 5(8): e12435.
- [41] Grabowsky M, Lugada E, Mermin J, et al. Integrated HIV testing, malaria, and diarrhea prevention campaign in Kenya: rapid, high and equitable coverage. 5th International AIDS Society Conference on HIV Pathogenesis, Treatment and Prevention, 2009 July 19-22; Cape Town, South Africa. Abstract CDD184.
- [42] United Nations Economic and Social Council. The right to the highest attainable standard of health. 11/08/2000. United Nations, Geneva, Switzerland 2000. Available at: http://www.unhchr. ch/tbs/doc.nsf/(symbol)/E.C.12.2000.4.En. Accessed May 1, 2010.
- [43] Sachs JD, McArthur JW. The Millennium Project: a plan for meeting the Millennium Development Goals. Lancet 2005; 365(9456): 347-53.
- [44] Bartlett JA, Hornberger J, Shewade A, Bhor M, Rajagopalan R. Obstacles and proposed solutions to effective antiretroviral therapy in resource-limited settings. J Int Assoc Physicians AIDS Care 2009; 8(4): 253-68.
- [45] Mshana GH, Wamoyi J, Busza J, et al. Barriers to accessing antiretroviral therapy in Kisesa, Tanzania: a qualitative study of early rural referrals to the national program. AIDS Patient Care STDs 2006; 20(9): 649-57.
- [46] Adeneye AK, Adewole TA, Musa AZ, et al. Limitations to Access and Use of Antiretroviral Therapy (ART) Among HIV Positive Persons in Lagos, Nigeria. World Health & Population 2006; 8(2): 46-56.
- [47] Campero L, Herrera C, Kendall T, Caballero M. Bridging the gap between antiretroviral access and adherence in Mexico. Qual Health Res 2007; 17(5): 599-611.
- [48] Larsson EC, Okong P, Thorson A, Ekstrom AM. Antiretroviral treatment of HIV in Uganda: a comparison of three different delivery models in a single hospital. Trans R Soc Trop Med Hyg 2007; 101(9): 885-92.
- [49] Msellati P, Juillet-Amari A, Prudhomme J, et al. Socio-economic and health characteristics of HIV-infected patients seeking care in relation to access to the Drug Access Initiative and to antiretroviral treatment in Cote d'Ivoire. AIDS 2003; 17 (Suppl 3): S63-8.
- [50] Xu J, Sullivan SG, Dou Z, et al. Economic stress and HIVassociated health care utilization in a rural region of China: A qualitative study. AIDS Patient Care STDs 2007; 21(11): 787-97.
- [51] Farmer PE, Leandre F, Mukherjee JS, et al. Community-based approaches to HIV treatment in resource-poor settings. Lancet 2001; 358: 404-9.
- [52] World Health Organization (WHO). Global tuberculosis control: a short update to the 2009 report. WHO, Geneva, Switzerland 2009. Available at: http://www.who.int/tb/publications/global_report/2009/update/en/i ndex.html. Accessed August 3, 2011.
- [53] Bartlett JA, Hornberger J, Shewade A, Bhor M, Rajagopalan R. Obstacles and proposed solutions to effective antiretroviral therapy

in resource-limited settings. J Int Assoc Physicians AIDS Care 2009; 8(4): 253-68.

- [54] Ramchandani SR, Mehta SH, Saple DG, et al. Knowledge, attitudes, and practices of antiretroviral therapy among HIVinfected adults attending private and public clinics in India. AIDS Patient Care STDs. 2007; 21(2): 129-42.
- [55] Kitajima T, Kobayashi Y, Chaipah W, et al. Access to antiretroviral therapy among HIV/AIDS patients in Khon Kaen Province, Thailand. AIDS Care.2005; 17(3): 359-66.
- [56] Wringe A, Roura M, Urassa M, Busza J, Athanas V, Zaba B. Doubts, denial and divine intervention: understanding delayed attendance and poor retention rates at a HIV treatment programme in rural Tanzania. AIDS Care 2009; 21(5): 632-7.
- [57] Mitchell MM, Knowlton A. Stigma, disclosure, and depressive symptoms among informal caregivers of people living with HIV/AIDS. AIDS Patient Care STDs 2009; 23(8): 611-7.
- [58] Kip E, Ehlers VJ, van der Wal DM. Patients' adherence to antiretroviral therapy in Botswana. J Nurs Scholarsh 2009; 41(2): 149-57.
- [59] Posse M, Baltussen R. Barriers to access to antiretroviral treatment in Mozambique, as perceived by patients and health workers in urban and rural settings. AIDS Patient Care STDs 2009; 23(10): 867-75.
- [60] International HIV/AIDS Alliance. Antiretroviral treatment in Zambia. A study of the experiences of treatment uses and health care workers. International HIV/AIDS Alliance, 2004.
- [61] Amon JJ, Kasambala T. Structural barriers and human rights related to HIV prevention and treatment in Zimbabwe. Global Public Health 2009; 4(6): 528-45.
- [62] Uganda AIDS Commission, UNAIDS. Uganda: HIV modes of transmission and prevention response analysis. Uganda National AIDS Commission, Kampala, Uganda 2009.
- [63] Human Rights Watch. Letter to the government of Kenya on recent attacks against health workers and activists. Human Rights Watch, New York 2010. Available at: http://www.hrw.org/en/news/2010/ 02/17/letter-kenya-ministry-state-provincial-administration-internal -security. Accessed May 18, 2010.
- [64] Backman G, Hunt P, Khosla R, et al. Health systems and the right to health: an assessment of 194 countries. Lancet 2008; 372(9655): 2047-85.
- [65] UNAIDS. Addressing human rights issues in national responses to HIV. A review of programmes to reduce stigma and discrimination and increase access to justice. UNAIDS, Geneva, Switzerland 2009.
- [66] UNAIDS (submitted by the International Center for Research on Women to UNAIDS). HIV-related stigma and discrimination: a summary of recent literature. UNAIDS, Geneva, Switzerland 2009.
- [67] International Planned Parenthood Federation, Global Network of People Living with HIV/AIDS, International Community of Women Living with HIV/AIDS. HIV - Verdict on a Virus: Public Health, Human Rights and Criminal Law."2008. Available at: http://www.gnpplus.net/images/stories/2008_verdict_on_a_virus.p df. Accessed July 20, 2011.
- [68] United Nations. Malawi: UN rights chief sounds alarm on sentencing of gay couple. UN News Centre 2010. Available at: http://www.un.org/apps/news/story.asp?NewsID=34768&Cr=discri m&Cr1=. Accessed June 15, 2010.
- [69] Sherer R. Physician use of the HIV antibody test. The need for consent, counseling, confidentiality and caution. J Am Med Assoc 1988; 259: 264-5.
- [70] UNAIDS/WHO. UNAIDS/WHO policy statement on HIV testing. WHO, Geneva, Switzerland 2004. Avaiable at: www.who.int/hiv/ pub/vct/statement/en/index.html. Accessed August 3, 2011.
- [71] Rennie S, Behets F. Desperately seeking targets: the ethics of routine HIV testing in low-income countries. Bull World Health Organ 2006; 84(1): 52-7.
- [72] McQuoid-Mason D. Routine testing for HIV--ethical and legal implications. S Afr Med J 2007; 97(6): 416.
- [73] Csete J, Elliott R. Scaling up HIV testing: human rights and hidden costs. HIV AIDS Policy Law Rev 2006; 11(1): 1.
- [74] Csete J, Schleifer R, Cohen J. "Opt-out" testing for HIV in Africa: a caution. Lancet 2004; 363: 493-4.
- [75] Kenyon K. Routine HIV testing: view from Botswana. Health and human rights 2005; 8: 21-3.
- [76] Leon N, Naidoo P, Mathews C, Lewin S, Lombard C. The impact of provider-initiated (opt-out) HIV testing and counseling of

patients with sexually transmitted infection in Cape Town, South Africa: a controlled trial. Implementation Sci 2010; 8: 8.

- [77] The U.S. President's Emergency Plan for AIDS Relief (PEPFAR). Celebrating Life: Fifth Annual Report to Congress on PEPFAR (2009). Available at: http://www.pepfar.gov/press/fifth_annual_ report/. Accessed August 3, 2011.
- [78] Were W, Mermin J, Bunnell R, Ekwaru JP, Kaharuza F. Homebased model for HIV voluntary counselling and testing. Lancet 2003; 361(9368): 1569.
- [79] Abadia-Barrero CE, Castro A. Experiences of stigma and access to HAART in children and adolescents living with HIV/AIDS in Brazil. Soc Sci Med 2006; 62: 1219-28.
- [80] Castro A, Farmer PE. Understanding and addressing AIDS-related stigma: from anthropological theory to clinical practice in Haiti. Am J Public Health 2005; 95: 53-9.
- [81] Herek GM, Capitanio JP, Widaman KF. HIV-related stigma and knowledge in the United States: prevalence and trends, 1991-1999. Am J Public Health 2002; 92: 371-7.
- [82] Levy N, Miksad R, Fein O. From treatment to prevention: the interplay between HIV/AIDS prevention programming in Khayelitsha, South Africa. J Urban Health 2005; 82: 498-509.
- [83] Wolfe WR, Weiser SD, Leiter K, et al. The impact of universal access to antiretroviral therapy on HIV stigma in Botswana. Am J Public Health 2008; 98: 1865-71.
- [84] Apondi R, Bunnell R, Awor A, *et al.* Home-based antiretroviral care is associated with positive social outcomes in a prospective cohort in Uganda. J Acquir Immune Defic Syndr 2007; 44: 71-6.
- [85] Daftary A, Padayatchi N, Padilla M. HIV testing and disclosure: a qualitative analysis of TB patients in South Africa. AIDS Care 2007; 19(4): 572-7.
- [86] Human Rights Watch. Letter to Kenyan minister of public health and sanitation concerning home-based HV testing and counselling. Human Rights Watch, New York 2009. Available at: http://www.hrw.org/en/news/2009/12/14/letter-kenyan-ministerpublic-health-and-sanitation-concerning-home-based-hiv-testin. Accessed May 3, 2010.
- [87] Wu S, Li L, Wu Z, et al. A brief stigma reduction intervention for service providers in China. AIDS Patient Care STDs 2008; 22(6): 513-20.
- [88] Warner-Smith M, Rugg D, Frescura L, Moussavi S. Monitoring the 2001 Declaration of Commitment on HIV/AIDS. J Acquir Immune Defic Syndr 2009; 52 (Suppl 2): S77-86.
- [89] Mann J. Statement at an informal briefing on AIDS to the 42nd session of the United Nations General Assembly. New York 1987.
- [90] Parker R, Aggleton P. HIV and AIDS-related stigma and discrimination: a conceptual framework and implications for action. Soc Sci Med 2003; 57: 13-24.
- [91] Mann JM. Global AIDS: critical issues for prevention in the 1990s. Int J Health Serv 1991; 21(3): 553-9.
- [92] UNAIDS. Reducing HIV stigma and discrimination: a critical part of national AIDS programmes. A resource for national stakeholders in the HIV reponse. UNAIDS, Geneva, Switzerland 2007.
- [93] Weiser SD, Wolfe WR, Bangsberg D, et al. Barriers to antiretroviral adherence for patients living with HIV infection and AIDS in Botswana. J Acquir Immune Defic Syndr 2003; 34: 281-8.
- [94] Andersson N, Ho-Foster A, Mitchell SK, Scheepers E, Goldstein S. Risk factors for domestic physical violence: national crosssectional household surveys in eight southern African countries. BMC Women's Health 2007; 7(11).
- [95] Franke MF, Munoz M, Finnegan K, et al. Validation and Abbreviation of an HIV Stigma Scale in an Adult Spanish-Speaking Population in Urban Peru. AIDS Behav 2008: 1-11.
- [96] Uys LR, Holzemer WL, Chirwa ML, et al. The development and validation of the HIV/AIDS Stigma Instrument - Nurse (HASI-N). AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV 2009; 21(2): 150-9.
- [97] UNAIDS. 2008 Report on the global AIDS epidemic. UNAIDS, Geneva, Switzerland 2008. Available at: http://www.unaids.org/en/ dataanalysis/epidemiology/2008reportontheglobalaidsepidemic/. Accessed August 3, 2011.
- [98] Maxwell C, Boyle M. Risky heterosexual practices amongst women over 30: gender, power and long term relationships. AIDS Care 1995; 7(3): 277-93.
- [99] Gysels M, Pool R, Nnalusiba B. Women who sell sex in a Ugandan trading town: life histories, survival strategies and risk. Soc Sci Med 2002; 54(2): 179-92.

- [100] Morojele NK, Brook JS, Kachleng'a MA. Perceptions of sexual risk behaviours and substance abuse among adolescents in South Africa: a qualitative investigation. AIDS Care 2006; 18(3): 215-9.
- [101] Clark S, Bruce J, Dude A. Protecting young women from HIV/AIDS: the case against child and adolescent marriage. Int Fam Plan Perspect 2006; 32(2): 79-88.
- [102] Dunkle KL, Jewkes RK, Brown HC, Gray GE, McIntryre JA, Harlow SD. Gender-based violence, relationship power, and risk of HIV infection in women attending antenatal clinics in South Africa. Lancet 2004; 363(9419): 1415-21.
- [103] van der Straten A, King R, Grinstead O, Serufilira A, Allen S. Couple communication, sexual coercion, and HIV risk reduction in Kigali, Rwanda. AIDS 1995; 9(8): 935-44.
- [104] van der Straten A, King R, Grinstead O, Vittinghoff E, Serufilira A, Allen S. Sexual Coercion, Physical Violence, and HIV Infection Among Women in Steady Relationships in Kigali, Rwanda. AIDS Behav. 1998; 2(1): 61-73.
- [105] Andersson N, Cockcroft A, Shea B. Gender-based violence and HIV: relevance for HIV prevention in hyperendemic countries of southern Africa. AIDS 2008; 22(Supplement 4): S73-S86.
- [106] World Health Organization (WHO) Department of Gender, Women and Health; WHO Cluster of Family and Community Health. Gender dimensions of HIV status disclosure to sexual partners: Rates, barriers and outcomes. A review paper. WHO, Geneva, Switzerland 2003. Available at: http://www.who.int/gender/docu ments/women_and_girls/9241590734/en/index.html. Accessed August 3, 2011.
- [107] Cartoux M, Meda N, Van de Perre P, Newell ML, de Vincenzi I, Dabis F. Acceptability of voluntary HIV testing by pregnant women in developing countries: an international survey. Ghent Working Group on Mother-to Child Transmission of HIV. AIDS 1998; 12(18): 2489-93.
- [108] Maman S, Mbwambo J, Hogan NM, Kilonzo GP, Sweat M. Women's barriers to HIV-1 testing and disclosure: challenges for HIV-1 voluntary counselling and testing. AIDS Care 2001; 3(5): 595-603.
- [109] de Paoli MM, Manongi R, Klepp KI. Factors influencing acceptability of voluntary counselling and HIV-testing among pregnant women in Northern Tanzania. AIDS Care 2004; 16(4): 411-25.
- [110] Msellati P. Vers une proposition du test VIH aux femmes enceintes. Journal SIDA 1996; 86-87: 90-1.
- [111] World Health Organization (WHO). WHO multi-country study on women's health and domestic violence against women: initial results on prevalence, health outcomes and women's responses.

Received: July 12, 2011

Revised: July 28, 2011

Accepted: July 29, 2011

WHO, Geneva, Switzerland 2005. Available at: http://www.who. int/reproductivehealth/publications/violence/24159358X/en/index.h tml. Accessed August 3, 2011.

- [112] Allen S, Tice J, Van de Perre P, et al. Effect of serotesting with counselling on condom use and seroconversion among HIV discordant couples in Africa. Br Med J. 1992; 304(6842): 1605-9.
- [113] Kairania R, Gray RH, Kiwanuka N, *et al.* Vers une proposition du test VIH auz femmes enceintes. Journal SIDA 1996; 86-87: 90-1.
- [114] Dunkle KL, Stephenson R, Karita E, *et al.* New heterosexually transmitted HIV infections in married or cohabiting couples in urban Zambia and Rwanda: an analysis of survey and clinical data. Lancet 2008; 371(9631): 2183-91.
- [115] Bunnell R, Ekwaru JP, Solberg P, et al. Changes in sexual behavior and risk of HIV transmission after antiretroviral therapy and prevention interventions in rural Uganda. AIDS 2006; 20(1): 85-92.
- [116] Allen S, Tice J, Van de Perre P, et al. Effect of serotesting with counselling on condom use and seroconversion among HIV discordant couples in Africa. Br Med J 1992; 304: 1605-9.
- [117] The Voluntary HIV-1 Counselling and Testing Efficacy Study Group. Efficacy of voluntary HIV-1 counselling and testing in individuals and couples in Kenya, Tanzania and Trinidad: a randomised trial. Lancet 2000; 356(9224): 103-12.
- [118] Amnesty International. 'I am at the lowest end of all': rural women living with HIV face human rights abuses in South Africa. Amnesty International, London, United Kingdom 2008. Available at: www.amnesty.org/en/library/info/AFR53/001/2008/en. Accessed August 3, 2011.
- [119] Meth P. The shelter dilemma for women experiencing domestic violence. Agenda 2001; 48: 113-9.
- [120] World Health Organization (WHO). Rapid advice: use of antiretroviral drugs for treating pregnant women and preventing HIV infection in infants. WHO, Geneva, Switzerland 2009. Available at: http://www.who.int/hiv/pub/mtct/advice/en/index.html. Accessed August 3, 2011.
- [121] Human Rights Watch. Statement to the human rights council on the protection of human rights in the context of HIV/AIDS. Human Rights Watch, New York 2009.
- [122] Todrys KW, Amon JJ. Within but without: human rights and access to HIV prevention and treatment for internal migrants. Global Health 2009; 19(5): 17.
- [123] United Nations. Resolution adopted by the General Assembly. Declaration of commitment on HIV/AIDS. United Nations 2001. Available at: www.un.org/ga/aids/docs/aress262.pdf. Accessed August 3, 2011.