



University of Kentucky  
UKnowledge

---

International Grassland Congress Proceedings

21st International Grassland Congress / 8th  
International Rangeland Congress

---

## Improving the Sustainability and Mitigating Environmental Impacts of Grazed Grassland

H. J. Di

*Lincoln University, New Zealand*

K. C. Cameron

*Lincoln University, New Zealand*

Follow this and additional works at: <https://uknowledge.uky.edu/igc>



Part of the [Plant Sciences Commons](#), and the [Soil Science Commons](#)

This document is available at <https://uknowledge.uky.edu/igc/21/2-2/15>

The 21st International Grassland Congress / 8th International Rangeland Congress took place in Hohhot, China from June 29 through July 5, 2008.

Proceedings edited by Organizing Committee of 2008 IGC/IRC Conference

Published by Guangdong People's Publishing House

---

This Event is brought to you for free and open access by the Plant and Soil Sciences at UKnowledge. It has been accepted for inclusion in International Grassland Congress Proceedings by an authorized administrator of UKnowledge. For more information, please contact [UKnowledge@lsv.uky.edu](mailto:UKnowledge@lsv.uky.edu).

## Improving the sustainability and mitigating environmental impacts of grazed grassland

H .J . Di\* and K .C . Cameron

Centre for Soil and Environmental Quality , Lincoln University , Canterbury , New Zealand . \* Corresponding author , E-mail :dih@lincoln.ac.nz

**Key words** grassland , nitrate leaching , nitrous oxide emissions , grazing , nitrification inhibitors

**Introduction** In New Zealand , the predominant land use is grazed pastures where animals graze outdoor pastures all year . In such systems , a major nitrogen (N) cycling process is the excretion of N in dung and urine by the grazing animal , returning 70% -90% of the N ingested to the soil . The N loading rate under a dairy cow urine patch can be as high as 1000 kg N ha<sup>-1</sup> . This urine-N is the major source for both nitrate (NO<sub>3</sub><sup>-</sup>) leaching and nitrous oxide (N<sub>2</sub>O) emissions in grazed pasture systems (Di and Cameron , 2002a , 2002b) . Consequently , mitigation technologies have been developed to reduce both NO<sub>3</sub><sup>-</sup> leaching and N<sub>2</sub>O emissions from grazed pasture systems using nitrification inhibitors .

**Materials and methods** The effectiveness of a nitrification inhibitor , dicyandiamide (DCD) , in reducing NO<sub>3</sub><sup>-</sup> leaching and N<sub>2</sub>O emissions in grazed pastures was assessed in different soils across New Zealand . Nitrate leaching was measured using undisturbed soil monolith lysimeters (50~80 cm diameter ; 70~120 cm deep) . Nitrous oxide emissions were determined using closed chamber methods on top of the lysimeters . Pasture yield was measured on the lysimeters by cutting and weighing dry matter yields .

**Results and discussion** Nitrate leaching was significantly decreased by treating the grazed pasture soils with the DCD nitrification inhibitor (Di and Cameron , 2002b , 2004) . For example , NO<sub>3</sub><sup>-</sup>-N leaching losses from a Templeton soil were reduced from 85 to 20-22 kg N ha<sup>-1</sup> yr<sup>-1</sup> (equivalent to 74% -76% reductions) (Di and Cameron , 2004) . N<sub>2</sub>O emissions from the urine patches were reduced by an average of 70% in four different soils (Di and Cameron , 2006 ; Di *et al.* , 2007) . Pasture yield was also significantly increased by the inhibitor treatment (Di and Cameron , 2002b , 2004 , 2005) . Therefore , treating grazed pasture soil with the DCD nitrification inhibitor provides both environmental and agronomic benefits by reducing NO<sub>3</sub><sup>-</sup> leaching and N<sub>2</sub>O emissions , and increase pasture production .

**Acknowledgments** We thank Ravensdown Fertiliser Co-operative Ltd , Pastoral Greenhouse Gas Research Consortium (PGGRC) , NZ Foundation for Research , Science and Technology (FRST) and Lincoln University for funding , and Trevor Hendry , Steve Moore , Neil Smith , and Nigel Beale for technical support .

### References

- Di , H .J . , Cameron , K .C . , (2002a) . Nitrate leaching in temperate agroecosystems : sources , factors and mitigating strategies . *Nutr. Cycl. A groecosyst* . 64 : 237-256 .
- Di , H .J . , Cameron , K .C . , (2002b) . The use of a nitrification inhibitor , dicyandiamide (DCD) , to reduce nitrate leaching and nitrous oxide emissions in a simulated grazed and irrigated grassland . *Soil Use Manag* . 18 : 395-403 .
- Di , H .J . , Cameron , K .C . , (2004) . Treating grazed pasture soil with a nitrification inhibitor , eco-n<sup>TM</sup> , to decrease nitrate leaching in a deep sandy soil under spray irrigation . *N . Z . J . Agric . Res* . 47(3) : 351-361 .
- Di , H .J . , Cameron , K .C . , (2005) . Mitigation of nitrate leaching in grazed pastures by treating the soil with a fine particle suspension nitrification inhibitor , dicyandiamide . *Agric . Ecosyst . Environ* . 109 : 202-212 .
- Di , H .J . , Cameron , K .C . , (2006) . Nitrous oxide emissions from two dairy pasture soils as affected by different rates of a fine particle suspension nitrification inhibitor , dicyandiamide (DCD) . *Biol. Fert. Soils* 42 : 472-480 .
- Di , H .J . , Cameron , K .C . , Sherlock , R .R . , (2007) . Comparison of the effectiveness of a nitrification inhibitor , dicyandiamide (DCD) , in reducing nitrous oxide emissions in four different soils under different climatic and management conditions . *Soil Use Manag* . 23 : 1-9 .