Yale University

EliScholar - A Digital Platform for Scholarly Publishing at Yale

Cowles Foundation Discussion Papers

Cowles Foundation

5-1-1967

The Cournot Equilibrium in a Nonsymmetric Oligopolistic Market (A Business Game for Teaching and Research Purposes: Part VI)

Richard E. Levitan

Martin Shubik

Follow this and additional works at: https://elischolar.library.yale.edu/cowles-discussion-paper-series



Part of the Economics Commons

Recommended Citation

Levitan, Richard E. and Shubik, Martin, "The Cournot Equilibrium in a Nonsymmetric Oligopolistic Market (A Business Game for Teaching and Research Purposes: Part VI)" (1967). Cowles Foundation Discussion Papers. 457.

https://elischolar.library.yale.edu/cowles-discussion-paper-series/457

This Discussion Paper is brought to you for free and open access by the Cowles Foundation at EliScholar - A Digital Platform for Scholarly Publishing at Yale. It has been accepted for inclusion in Cowles Foundation Discussion Papers by an authorized administrator of EliScholar - A Digital Platform for Scholarly Publishing at Yale. For more information, please contact elischolar@yale.edu.

COWLES FOUNDATION FOR RESEARCH IN ECONOMICS AT YALE UNIVERSITY

Box 2125, Yale Station New Haven, Connecticut

COWLES FOUNDATION DISCUSSION PAPER NO. 224

NOTE: Cowles Foundation Discussion Papers are preliminary materials circulated to stimulate discussion and critical comment. Requests for single copies of a Paper will be filled by the Cowles Foundation within the limits of the supply. References in publications to Discussion Papers (other than mere acknowledgment by a writer that he has access to such unpublished material) should be cleared with the author to protect the tentative character of these papers.

THE COURNOT EQUILIBRIUM IN A

NONSYMMETRIC OLIGOPOLISTIC MARKET

(A Business Game for Teaching and Research Purposes: Part VI)

Richard Levitan and Martin Shubik

May 16, 1967

THE COURNOT EQUILIBRIUM IN A

NONSYMMETRIC OLIGOPOLISTIC MARKET

(A Business Game for Teaching and Research Purposes: Part VI)*

Richard Levitan and Martin Shubik

1. Introduction

In several previous papers we have explored the application of different solution concepts to the same market structure. Previously we have considered models in which both price and production are independent variables. These models were solved for: (1) joint maximum, (2) efficient production (3) the noncooperative equilibrium and (4) maximization of profit share.

The noncooperative equilibrium solutions (pure strategy or "Edgeworth cycle" 2/) were based on one set of classical mathematical economic models with price and quantity as the independent variables. In contrast we can consider the Cournot model which has only quantity as the independent variable. To some extent this is somewhat less realistic than the previous model; however for experimental purposes it is useful to test for the predictive value of this solution. Furthermore when

Research undertaken by the Cowles Commission for Research in Economics under Contract Nonr-3055(01) with the Office of Naval Research. Dr. Richard Levitan is with the Mathematical Sciences Department of the Thomas J. Watson Research Center of I.B.M., Yorktown Heights, New York.

there is product differentiation the generation of prices in the extended Cournot model poses an interesting problem closely related to general equilibrium and rationing analysis.

We assume that consumer preferences can be represented by a general quadratic utility function. Our somewhat strong special assumption is that to a first approximation there is no income effect between this class of goods and the remainder of the consumer's purchases. In terms of quantity the consumer's utility function is:

$$\frac{u(x)}{\lambda} = V \sum_{i=1}^{n} x_i - \frac{1}{2\beta(1+\gamma)} \left\{ \frac{\sum_{i=1}^{n} x_i^2}{w_i} + \gamma(\sum_{i=1}^{n} x_i^2)^2 \right\}$$

where $\lambda = \text{marginal worth of money}$.

In the simple case of quantity duopoly with an undifferentiated product, price is easily determined by the demand relation

$$p = f(\sum_{i=1}^{n} q_{i}).$$

When there are differentiated products we must solve a limited general equilibrium model to determine the set of prices which will just clear all markets. A detailed analysis of this problem and its relationship to rationing and general equilibrium has been given by Levitan. 3/

The Cournot Equilibrium

Let

 $x = \text{the vector } (x_1, x_2, ..., x_n) \text{ of quantities offered}$ by the firms.

 $p = the vector (p_1, p_2, ..., p_n)$ of prices.

$$S = \begin{bmatrix} 1 & 1 & \dots & 1 \\ 1 & 1 & \dots & 1 \\ \vdots & & & & \\ 1 & 1 & \dots & 1 \end{bmatrix}$$

$$\mathbf{W} = \begin{bmatrix} \mathbf{w}_1 & 0 & 0 & . & 0 \\ 0 & \mathbf{w}_2 & . & 0 \\ \vdots & \ddots & \vdots \\ 0 & \cdots & \mathbf{w}_n \end{bmatrix} \quad \text{where } \mathbf{w}_i \text{ is the "weight" reflecting the "size" of the ith firm.}$$

$$I = \begin{bmatrix} 1 & \cdots & 0 \\ 0 & 1 \\ \vdots & \ddots \\ 0 & & 1 \end{bmatrix}$$

 $c = \text{the vector } (c_1, c_2, ..., c_n) \text{ of costs of the firms.}$

 β , V and γ are parameters.

We may express demand in terms of price by equation (1).

(1)
$$x = \beta W(\hat{Vl} - ((l + \gamma)I - \gamma SW)p),$$

hence

$$p = [(1 + \gamma)I - \gamma SW]^{-1}(\hat{V}\hat{I} - \frac{1}{\beta}W^{-1}x)$$

$$= \frac{1}{\gamma}W^{-1}(\frac{1 + \gamma}{\gamma}W^{-1} - S)^{-1}(\hat{V}\hat{I} - \frac{1}{\beta}W^{-1}x)$$

$$= \frac{1}{1 + \gamma}(I + \gamma SW)(\hat{V}\hat{I} - \frac{1}{\beta}W^{-1}x)$$

or

(2)
$$p = V \hat{1} \frac{1}{\beta(1+\gamma)} (W^{-1} + \gamma S)x.$$

The ith payoff may be expressed as

(3)
$$\Pi_{i} = x_{i}(p_{i} - c_{i})$$

$$= x_{i}(V - \frac{1}{\beta(1 + \gamma)}(\frac{x_{i}}{w_{i}} + \gamma \Sigma x_{j}) - c_{i}).$$

Differentiating with respect to quantity we obtain:

(4)
$$\frac{\partial \Pi_{i}}{\partial x_{i}} = V - \frac{1}{\beta(1+\gamma)} \left(\frac{x_{i}}{w_{i}} + \gamma \Sigma x_{j} \right) - c_{i} - \frac{x_{i}}{\beta(1+\gamma)} \left(\frac{1}{w_{i}} + \gamma \right)$$

Setting (4) equal to zero we have:

(5)
$$V - c_i - \frac{1}{\beta(1+\gamma)} \left(\left(\frac{2}{w_i} + \gamma \right) x_i + \gamma \sum_j x_j \right) = 0$$

Writing this in matrix notation:

(6)
$$\frac{\gamma}{\beta(1+\gamma)} \left(\frac{1}{\gamma} \left(2W^{-1} + \gamma I\right) + S\right)x = V\hat{1} - c.$$

We note that

(7)
$$(Z^{-1} + S)^{-1} = (Z - qZSZ)$$

where

$$q = \frac{1}{1 + \Sigma z_{i}} .$$

In this case (equation (6)).

$$z_{i} = \frac{\gamma w_{i}}{2 + \gamma w_{i}}.$$

Specifically

$$q = \frac{1}{1 + \gamma \sum \frac{w_j}{2 + \gamma w_j}}$$

Solving for x we obtain:

(8)
$$x = \frac{\beta(1+\gamma)}{\gamma} (Z - qZSZ)(\hat{v}_1 - c)$$

and

(9)
$$p = V\hat{1} - \frac{1}{\gamma} (W^{-1} + \gamma S)(Z - qZSZ)(V\hat{1} - c)$$

Multiplying out the factors on the right of (9)

(10)
$$p = V\hat{1} - \frac{1}{\gamma} (W^{-1} + \gamma S - qW^{-1}ZS - \gamma q \hat{1}\hat{1}^TZ\hat{1}^T)(Z)(V\hat{1} - c)$$
,

however

$$\hat{1}^{\mathrm{T}} Z \hat{1} = \frac{1 - q}{q}$$

hence

(11)
$$p = \hat{V1} - \frac{1}{\gamma} (W^{-1} + \gamma S - qW^{-1}ZS - \gamma(1 - q)S)(Z)(\hat{V1} - c)$$

or:

(12)
$$p = \hat{V1} - \frac{1}{\gamma} (W^{-1} + q(\gamma I - W^{-1}Z)S)(Z)(\hat{V1} - c)$$

which simplifies to:

(13)
$$p = V[\hat{1} - \frac{1}{\gamma} (W^{-1}Z\hat{1} + q(\gamma I - W^{-1}Z)SZ\hat{1}] + \frac{1}{\gamma} (W^{-1} + q(\gamma I - W^{-1}Z)S)ZC$$

writing $S = \hat{1} \hat{1}^T$ in (13) gives us $SZ\hat{1} = \hat{1} \hat{1}^TZ\hat{1} = \hat{1} (\frac{1-q}{q})$ hence

(14)
$$p = V[\hat{1}(1 - (1-q)) - \frac{1}{\gamma} W^{-1}Z\hat{1}(\hat{1} - (1-q))] + \frac{1}{\gamma} W^{-1}ZC + \frac{q}{\gamma} (\gamma I - W^{-1}Z)SZC$$

or:

(15)
$$p = qV[\hat{1} - \frac{1}{\gamma}W^{-1}Z\hat{1}] + \left\{\frac{c_i}{2 + \gamma w_i}\right\} + q(\gamma I - W^{-1}Z) \sum_{i=1}^{w_i} \frac{w_i^{c_i}}{2 + \gamma w_i}$$

hence

(16)
$$p_{i} = qV \left\{ \frac{1 + \gamma w_{i}}{2 + \gamma w_{i}} \right\} + \left\{ \frac{c_{i}}{2 + \gamma w_{i}} \right\} + q\gamma \left\{ \frac{1 + \gamma w_{i}}{2 + \gamma w_{i}} \right\} \sum \frac{w_{j}c_{j}}{2 + \gamma w_{j}}$$

(17)
$$p_{i} = Q\left(V + \gamma \sum \frac{w_{j}c_{j}}{2 + \gamma w_{j}}\right) \left\{\frac{1 + \gamma w_{i}}{2 + \gamma w_{i}}\right\} + \left\{\frac{c_{i}}{2 + \gamma w_{i}}\right\}$$

We may check some special cases.

(A) Suppose
$$\gamma = 0$$
. This implies $q = 1$

$$p = \frac{1}{2} \hat{V} + \frac{1}{2} c$$

$$= \frac{1}{2} (\hat{V} + c)$$

which is the monopoly solution.

(B) Suppose
$$\gamma \to \infty$$
. This implies $z_1 \to 1$ hence $q \to \frac{1}{n+1}$.
$$p \to \frac{1}{n+1} (V + \Sigma c_j) + 0$$
$$= \frac{V}{n+1} + \frac{n}{n+1} \overline{c}$$

where \overline{c} is the average cost.

(C) Suppose
$$w_i = \frac{1}{n}$$
 this formula becomes

(18)
$$p_{i} = \frac{n + \gamma}{2n + (n + 1)\gamma} \left(V + \frac{\gamma n}{2n + \gamma} \overline{c}\right) + \frac{nc_{i}}{2n + \gamma}$$

We now compare the noncooperative equilibrium obtained from regarding price as the independent variable or quantity as the independent variable. For n=1 we see below from the two general symmetric market formulae that we obtain the same result. Similarly for $n \to \infty$ we obtain the same limit (when all $c_1 = \overline{c}$).

(19)
$$p_{1}(Edgeworth) = \frac{n}{2n + (n-1)\gamma} \left(V + \left\{ \frac{n + (n-1)\gamma}{2n + (2n-1)\gamma} \right\} \gamma \overline{c} \right) + \frac{(n + (n-1)\gamma)\overline{c}}{2n + (2n-1)\gamma} \right)$$

(20)
$$p_{1}(Cournot) = \frac{n+\gamma}{2n+(n+1)\gamma} \left(V + \frac{\gamma n}{2n+\gamma} - \overline{c}\right) + \frac{n}{2n+\gamma} - \overline{c}$$

For n = 1

$$p_{\underline{1}}(\text{Edgeworth}) = \frac{1}{2} \left(V + \frac{\gamma}{2 + \gamma} \overline{c} \right) + \frac{\overline{c}}{2 + \gamma} = \frac{1}{2} \left(V + \overline{c} \right)$$

$$p_{\underline{1}}(\text{Cournot}) = \frac{1 + \gamma}{2(1 + \gamma)} \left(V + \frac{\gamma}{2 + \gamma} \overline{c} \right) + \frac{\overline{c}}{2 + \gamma} = \frac{1}{2} \left(V + \overline{c} \right).$$

For $n \to \infty$

$$p_{i}(Edgeworth) = \frac{1}{2+\gamma} \left(V + \frac{1}{2} \left(\frac{1+\gamma}{1+\gamma} \right) \gamma \overline{c} \right) + \frac{\overline{c}}{2+\gamma} = \frac{V}{2+\gamma} + \overline{c} \frac{(\gamma+1)}{(\gamma+2)}$$

$$p_{i}(Cournot) = \frac{1}{2+\gamma} \left(V + \frac{\gamma}{2} \overline{c} \right) + \frac{\overline{c}}{2+\gamma} = \frac{V}{2+\gamma} + \overline{c} \left(\frac{\gamma+1}{\gamma+2} \right)$$

We note that for $\gamma \to \infty$ these both give $p_i = \overline{c}$.

Returning to (19) and (20) for $c_i = c$ we may observe that for n > 1 and $\gamma > 0$:

$$p_c > p_e$$

This follows from observing that

$$\frac{n+\gamma}{2n+(n+1)\gamma} > \frac{n}{2n+(n-1)\gamma} ,$$

then observing that price is a weighted average of costs c_i and V, however $V \geq \overline{c}$ and V appears with a larger weighting in (20).

FOOTNOTES

- Levitan, Richard and Martin Shubik, "A Business Game for Teaching and Research Purposes, Part I., General Description of the Game," RC-730, IBM Watson Research Center, Yorktown Heights, July 17, 1962.
 - , "A Business Game for Teaching and Research
 Purposes, Part IIA (Revised), Theory and Mathematical Structure
 of the Game," RC-1221, IBM Watson Research Center, Yorktown Heights,
 June 22, 1964.
 - Shubik, M., "A Business Game for Teaching and Research Purposes, Part III, Discussion and Manual for Users," Yale University, New Haven, November, 1964.
 - Levitan, Richard and Martin Shubik, "Part IV: Mathematical Structure and Analysis of the Nonsymmetric Game."
 - Shubik, Martin, "Part V: The Nonsymmetric Game: Joint Maximum, Efficient Solution and Measures of Collusion and Welfare."
- 2/ , Strategy and Market Structure, John Wiley and Sons, New York, 1959, Chapter 5.
- J Levitan, Richard, "Demand in an Oligopolistic Market and the Theory of Rationing," RC-1545, IBM Watson Research Center, Yorktown Heights, January 21, 1966.